



October 10, 2022

Associate Director, Water Enforcement
U.S. Environmental Protection Agency
Region VI
1201 Elm Street, Suite 500
Mail Code ECADW
Dallas, Texas 75270-2102

Via USPS Certified Mail
7021 1970 0000 7631 8145
Via E-mail: Smalley.bryant@epa.gov

Re: City of Houston Wastewater Consent Decree
Civil Action No. 4:18-cv-03368
Monthly SSO Report – September 2022

Dear Mr. Smalley:

The City of Houston's monthly SSO summary report for September 2022 and corresponding SSO map are attached and provided in compliance with the requirements of Paragraph 61 of the City of Houston Wastewater Consent Decree.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering such information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Sincerely,

DocuSigned by:
A stylized signature in black ink.
09B3519C2697428...

Phillip Goodwin
Regulatory Compliance Director
Houston Public Works, City of Houston

Enc. September 2022 Monthly SSO Report; SSO Map for September 2022
cc via email: Nathaniel Douglas, DOJ (Nathaniel.douglas@usdoj.gov)
James Zimny, EPA (Zimny.james@epa.gov)
Alan Vaughn, EPA (vaughn.alan@epa.gov)
Phillip Ledbetter, Texas AG's Office (phillip.ledbetter@oag.texas.gov);
James Sallans, TCEQ (james.sallans@tceq.texas.gov)
Kristen Schlemmer, BCWK (kristen@bayoucitywaterkeeper.org)

| SSO ID | TPDES # | Address | Flow Location | Reached Waters of the US | Est. Volume (Gallons) | Structure Type | Excursion Cause | Start Date | Start Time | End Date | End Time | Average Flow (GPM) | Corrective Action |
|--------|------------------------|--------------------------|---|--------------------------|-----------------------|------------------|--------------------------------------|------------|------------|----------|----------|--------------------|---|
| 49267 | WQ0010495037 | 5714 JESSAMINE ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 490 | Force Main | Air Relief Valve (ARV) Failure | 9/1/2022 | 7:45 | 9/1/2022 | 11:35 | 2 | Cleaned and Disinfected;Contain All or Portion of Spill |
| 49269 | Non-COH (WQ0014419001) | 15507 WESTWARD LAKE LN | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 800 | Manhole | Grease Blockage | 9/1/2022 | 10:47 | 9/1/2022 | 13:26 | 5 | Cleared Main Line;Cleaned and Disinfected |
| 49271 | WQ0010495119 | 11703 HAZEN ST | Storm Sewer (not contained) | Yes | 60 | Manhole | Grease Blockage | 9/1/2022 | 17:30 | 9/1/2022 | 18:30 | 1 | Cleared Main Line;Cleaned and Disinfected |
| 49272 | WQ0010495116 | 12725 WESTPARK DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Building Backup | Grease Blockage | 9/1/2022 | 10:11 | 9/1/2022 | 10:12 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49274 | WQ0010495090 | 6800 SHAVELSON ST | Storm Sewer (not contained) | Yes | 40 | Manhole | Grease Blockage | 9/2/2022 | 12:20 | 9/2/2022 | 13:00 | 1 | Cleared Main Line;Cleaned and Disinfected |
| 49278 | WQ0010495090 | 7429 LONG POINT RD | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/2/2022 | 14:28 | 9/2/2022 | 14:29 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49279 | WQ0010495003 | 3830 DARLINGHURST DR | Storm Sewer (not contained) | Yes | 5684 | Manhole | Collection system temporary blockage | 9/2/2022 | 18:50 | 9/3/2022 | 8:22 | 7 | Cleaned and Disinfected |
| 49280 | WQ0010495109 | 1401 ENCLAVE PKWY | Storm Sewer (not contained) | Yes | 2730 | Force Main | Collection system structural failure | 9/2/2022 | 12:30 | 9/8/2022 | 13:35 | 0 | Cleaned and Disinfected;Contain All or Portion of Spill |
| 49282 | WQ0010495090 | 3206 TURNER DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/3/2022 | 9:27 | 9/3/2022 | 9:28 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49290 | WQ0010495109 | 15600 BARKERS LANDING RD | Storm Sewer (not contained) | Yes | 2601 | Lift Station | Pump/Lift Station Hydraulic Overload | 9/4/2022 | 9:31 | 9/4/2022 | 23:58 | 3 | Set Bypass Pump;Cleaned and Disinfected |
| 49293 | WQ0010495109 | 15603 MEMORIAL DR | Storm Sewer (not contained) | Yes | 1770 | Lift Station | Pump/Lift Station Hydraulic Overload | 9/4/2022 | 14:08 | 9/4/2022 | 23:58 | 3 | Set Bypass Pump;Cleaned and Disinfected |
| 49296 | WQ0010495002 | 5783 BELCREST ST | Storm Sewer (not contained) | Yes | 1115 | Manhole | Grease Blockage | 9/5/2022 | 11:47 | 9/5/2022 | 15:30 | 5 | Cleaned and Disinfected;Cleared Main Line |
| 49297 | WQ0010495002 | 7322 JUTLAND RD | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Private Cleanout | Grease Blockage | 9/5/2022 | 7:19 | 9/5/2022 | 7:20 | 0 | Cleaned and Disinfected;Cleared Main Line |

Additional Comments: Please note that where estimated volume and average flow are reported as "0", evidence of an SSO was observed but no active overflow was occurring. Consequently, flow rate and total volume loss could not be calculated.



City of Houston - Houston Public Works
Monthly SSO Report
September 2022

| SSO ID | TPDES # | Address | Flow Location | Reached Waters of the US | Est. Volume (Gallons) | Structure Type | Excursion Cause | Start Date | Start Time | End Date | End Time | Average Flow (GPM) | Corrective Action |
|--------|--------------|-----------------------|---|--------------------------|-----------------------|-----------------|--------------------------------------|------------|------------|-----------|----------|--------------------|---|
| 49305 | WQ0010495090 | 7422 DEARBORN ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Service Lateral | Collection system structural failure | 9/6/2022 | 11:54 | 9/6/2022 | 11:55 | 0 | Cleaned and Disinfected |
| 49315 | WQ0010495090 | 1440 DOROTHY ST | Bayou/surface water/drainage ditch | Yes | 0 | Gravity Main | Grease Blockage | 9/7/2022 | 10:28 | 9/7/2022 | 10:29 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49316 | WQ0010495119 | 9003 BELLE GLEN DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Grease Blockage | 9/7/2022 | 10:45 | 9/7/2022 | 10:46 | 0 | Cleaned and Disinfected;Cleared Service Lateral |
| 49321 | WQ0010495002 | 3502 ASKEW ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 364 | Manhole | Grease Blockage | 9/8/2022 | 8:43 | 9/8/2022 | 11:45 | 2 | Cleaned and Disinfected;Cleared Main Line |
| 49324 | WQ0010495037 | 11131 PEMBRIDGE DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/8/2022 | 9:16 | 9/8/2022 | 9:17 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49328 | WQ0010495090 | 6941 FINCH ST | Bayou/surface water/drainage ditch | Yes | 0 | City Cleanout | Rags/Wipes | 9/8/2022 | 16:22 | 9/8/2022 | 16:23 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49340 | WQ0010495110 | 4723 BEECHAVEN DR | Storm Sewer (not contained) | Yes | 435 | Manhole | Grease Blockage | 9/10/2022 | 11:35 | 9/10/2022 | 14:00 | 3 | Cleaned and Disinfected;Cleared Main Line |
| 49348 | WQ0010495110 | 15931 KENBROOK DR | Storm Sewer (not contained) | Yes | 190 | Manhole | Grease Blockage | 9/12/2022 | 8:55 | 9/12/2022 | 12:05 | 1 | Cleaned and Disinfected;Cleared Main Line |
| 49350 | WQ0010495090 | 4110 CORNELL ST | Storm Sewer (not contained) | Yes | 0 | City Cleanout | Rags/Wipes | 9/12/2022 | 10:21 | 9/12/2022 | 10:22 | 0 | Cleaned and Disinfected;Cleared Service Lateral |
| 49355 | WQ0010495003 | 1537 HADDON ST | Storm Sewer (not contained) | Yes | 532 | Manhole | Grease Blockage | 9/12/2022 | 18:17 | 9/13/2022 | 12:00 | 1 | Cleaned and Disinfected;Cleared Main Line |
| 49356 | WQ0010495119 | 10910 VILLAGE BEND LN | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Grease Blockage | 9/13/2022 | 8:59 | 9/13/2022 | 9:00 | 0 | Cleaned and Disinfected;Cleared Service Lateral |
| 49358 | WQ0010495002 | 6623 HERON DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/13/2022 | 9:03 | 9/13/2022 | 9:04 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49359 | WQ0010495109 | 11522 VILLAGE PL | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 1843 | Manhole | Grease Blockage | 9/13/2022 | 8:35 | 9/14/2022 | 15:17 | 1 | Set Bypass Pump;Cleaned and Disinfected |

Additional Comments: Please note that where estimated volume and average flow are reported as "0", evidence of an SSO was observed but no active overflow was occurring. Consequently, flow rate and total volume loss could not be calculated.

| SSO ID | TPDES # | Address | Flow Location | Reached Waters of the US | Est. Volume (Gallons) | Structure Type | Excursion Cause | Start Date | Start Time | End Date | End Time | Average Flow (GPM) | Corrective Action |
|--------|--------------|----------------------|---|--------------------------|-----------------------|-----------------|--------------------------------------|------------|------------|-----------|----------|--------------------|---|
| 49360 | WQ0010495023 | 7932 MILEY ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Collection system temporary blockage | 9/13/2022 | 16:30 | 9/13/2022 | 17:00 | 0 | Set Bypass Pump;Cleaned and Disinfected |
| 49362 | WQ0010495002 | 3423 BREMOND ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 3032 | Service Lateral | Collection system structural failure | 9/13/2022 | 11:28 | 9/14/2022 | 12:44 | 2 | Cleaned and Disinfected |
| 49364 | WQ0010495016 | 9013 BURL ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Rags/Wipes | 9/13/2022 | 13:40 | 9/13/2022 | 13:41 | 0 | Cleaned and Disinfected;Cleared City Clean Out |
| 49365 | WQ0010495002 | 6519 SLOAN ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/13/2022 | 15:04 | 9/13/2022 | 15:05 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49367 | WQ0010495037 | 6700 CHIMNEY ROCK RD | Storm Sewer (not contained) | Yes | 2436 | City Cleanout | Grease Blockage | 9/13/2022 | 15:02 | 9/14/2022 | 11:20 | 2 | Cleaned and Disinfected;Cleared City Clean Out |
| 49369 | WQ0010495076 | 5801 W SUNFOREST DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/14/2022 | 10:18 | 9/14/2022 | 10:19 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49375 | WQ0010495119 | 11819 GLENWOLDE DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Grease Blockage | 9/14/2022 | 15:45 | 9/14/2022 | 15:46 | 0 | Cleaned and Disinfected;Cleared Service Lateral |
| 49377 | WQ0010495037 | 8823 TIMBERSIDE DR | Storm Sewer (not contained) | Yes | 242 | Manhole | Grease Blockage | 9/15/2022 | 9:35 | 9/15/2022 | 11:36 | 2 | Cleaned and Disinfected;Cleared Main Line |
| 49378 | WQ0010495037 | 10841 GREENWILLOW DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/15/2022 | 11:12 | 9/15/2022 | 11:13 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49383 | WQ0010495090 | 310 RITTENHOUSE ST | Within 5 ft. of Bayou/Surface Water/Drainage Ditch | Yes | 35 | Manhole | Grease Blockage | 9/15/2022 | 12:42 | 9/15/2022 | 15:00 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49407 | WQ0010495037 | 6768 RENWICK DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Grease Blockage | 9/19/2022 | 12:50 | 9/19/2022 | 12:51 | 0 | Cleared City Clean Out;Cleaned and Disinfected |

| SSO ID | TPDES # | Address | Flow Location | Reached Waters of the US | Est. Volume (Gallons) | Structure Type | Excursion Cause | Start Date | Start Time | End Date | End Time | Average Flow (GPM) | Corrective Action |
|--------|--------------|---------------------|---|--------------------------|-----------------------|------------------|---------------------------------------|------------|------------|-----------|----------|--------------------|---|
| 49408 | WQ0010495037 | 8800 BRAESWOOD BLVD | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 270 | Manhole | Grease Blockage | 9/19/2022 | 16:10 | 9/19/2022 | 17:40 | 3 | Cleaned and Disinfected;Cleared Main Line |
| 49414 | WQ0010495116 | 2801 ROLIDO DR | Storm Sewer (not contained) | Yes | 376 | Manhole | Grease Blockage | 9/20/2022 | 11:36 | 9/20/2022 | 13:10 | 4 | Cleaned and Disinfected;Cleared Main Line |
| 49415 | WQ0010495119 | 8549 BEECHNUT ST | Storm Sewer (not contained) | Yes | 262 | City Cleanout | Grease Blockage | 9/20/2022 | 13:49 | 9/20/2022 | 16:00 | 2 | Cleaned and Disinfected;Cleared City Clean Out |
| 49420 | WQ0010495090 | 607 E 23RD ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Rags/Wipes | 9/21/2022 | 9:30 | 9/21/2022 | 9:31 | 0 | Cleared Service Lateral;Cleaned and Disinfected |
| 49424 | WQ0010495003 | 5629 GRAPEVINE ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 134 | City Cleanout | Rags/Wipes | 9/21/2022 | 11:21 | 9/21/2022 | 13:35 | 1 | Cleared City Clean Out;Cleaned and Disinfected |
| 49426 | WQ0010495030 | 10005 LAZY OAKS ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Service Lateral | Collection system structural blockage | 9/19/2022 | 9:09 | 9/19/2022 | 9:10 | 0 | Cleaned and Disinfected;Cleared Service Lateral |
| 49429 | WQ0010495016 | 11002 DALEBROOK DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/21/2022 | 14:43 | 9/21/2022 | 14:44 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49430 | WQ0010495023 | 6119 BACHER ST | Within 5 ft. of Bayou/Surface Water/Drainage Ditch | Yes | 0 | City Cleanout | Collection system structural blockage | 9/21/2022 | 17:24 | 9/21/2022 | 17:25 | 0 | Cleaned and Disinfected;Cleared City Clean Out |
| 49431 | WQ0010495109 | 15013 KIMBERLEY CT | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Service Lateral | Collection system structural blockage | 9/22/2022 | 11:42 | 9/22/2022 | 11:43 | 0 | Cleared Service Lateral;Cleaned and Disinfected |
| 49437 | WQ0010495037 | 9203 SANFORD RD | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Private Cleanout | Grease Blockage | 9/23/2022 | 10:43 | 9/23/2022 | 10:44 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49448 | WQ0010495099 | 7015 WOODSMAN TRL | Storm Sewer (not contained) | Yes | 300 | Gravity Main | Collection system structural failure | 9/26/2022 | 17:30 | 9/26/2022 | 18:30 | 5 | Cleaned and Disinfected;Set Bypass Pump |
| 49451 | WQ0010495090 | 9 MARSDEN ST | Storm Sewer (not contained) | Yes | 0 | Service Lateral | Collection system structural failure | 9/26/2022 | 10:36 | 9/26/2022 | 10:37 | 0 | Cleaned and Disinfected |


| SSO ID | TPDES # | Address | Flow Location | Reached Waters of the US | Est. Volume (Gallons) | Structure Type | Excursion Cause | Start Date | Start Time | End Date | End Time | Average Flow (GPM) | Corrective Action |
|--------|--------------|-----------------------|---|--------------------------|-----------------------|------------------|---------------------------------------|------------|------------|-----------|----------|--------------------|---|
| 49453 | WQ0010495090 | 7435 HILLSBORO ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Private Cleanout | Collection system structural blockage | 9/26/2022 | 11:18 | 9/26/2022 | 11:19 | 0 | Cleaned and Disinfected |
| 49458 | WQ0010495002 | 2200 JEFFERSON ST | Storm Sewer (not contained) | Yes | 0 | Manhole | Grease Blockage | 9/26/2022 | 17:00 | 9/26/2022 | 18:03 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49467 | WQ0010495122 | 14906 LEE RD | Drainage Ditch | Yes | 0 | Manhole | Grease Blockage | 9/27/2022 | 17:30 | 9/27/2022 | 17:31 | 0 | Cleaned and Disinfected;Cleared Main Line |
| 49468 | WQ0010495030 | 10502 BRIAR FOREST DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Manhole | Grease Blockage | 9/27/2022 | 17:49 | 9/27/2022 | 17:50 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49470 | WQ0010495037 | 6061 BEVERLY HILL ST | Storm Sewer (not contained) | Yes | 157 | Manhole | Grease Blockage | 9/28/2022 | 11:03 | 9/28/2022 | 13:40 | 1 | Cleaned and Disinfected;Cleared Main Line |
| 49471 | WQ0010495003 | 5524 WESLAYAN ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Gravity Main | Collection system structural failure | 9/28/2022 | 13:26 | 9/28/2022 | 13:27 | 0 | Post Warning Signs |
| 49473 | WQ0010495076 | 9624 BECKLEY ST | Storm Sewer (not contained) | Yes | 0 | Service Lateral | Collection system structural blockage | 9/28/2022 | 14:48 | 9/28/2022 | 14:49 | 0 | Cleared Service Lateral;Cleaned and Disinfected |
| 49474 | WQ0010495090 | 2021 JACQUELYN DR | Bayou/surface water/drainage ditch | Yes | 0 | Service Lateral | | 9/28/2022 | 15:51 | 9/28/2022 | 15:52 | 0 | Cleaned and Disinfected |
| 49477 | WQ0010495030 | 6454 ELLA LEE LN | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 602 | Manhole | Grease Blockage | 9/29/2022 | 7:59 | 9/29/2022 | 13:00 | 2 | Cleaned and Disinfected;Cleared Main Line |
| 49484 | WQ0010495090 | 1030 VOIGHT ST | Storm Sewer (not contained) | Yes | 1245 | Manhole | Grease Blockage | 9/29/2022 | 14:15 | 9/30/2022 | 11:00 | 1 | Cleared Main Line;Cleaned and Disinfected |
| 49488 | WQ0010495030 | 6421 ELLA LEE LN | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 602 | Manhole | Grease Blockage | 9/29/2022 | 7:59 | 9/29/2022 | 7:59 | 0 | Cleared Main Line;Cleaned and Disinfected |
| 49489 | WQ0010495030 | 2574 MARILEE LN | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 602 | Manhole | Grease Blockage | 9/29/2022 | 7:59 | 9/29/2022 | 13:00 | 2 | Cleared Main Line;Cleaned and Disinfected |
| 49490 | WQ0010495003 | 2219 DEVONSHIRE ST | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | City Cleanout | Grease Blockage | 9/30/2022 | 12:19 | 9/30/2022 | 12:20 | 0 | Cleared Main Line;Cleaned and Disinfected |



City of Houston - Houston Public Works
Monthly SSO Report
September 2022

| SSO ID | TPDES # | Address | Flow Location | Reached Waters of the US | Est. Volume (Gallons) | Structure Type | Excursion Cause | Start Date | Start Time | End Date | End Time | Average Flow (GPM) | Corrective Action |
|--------|--------------|--------------------------|---|--------------------------|-----------------------|-----------------|---------------------------------------|------------|------------|-----------|----------|--------------------|-------------------------|
| 49491 | WQ0010495146 | 3107 N COTSWOLD MANOR DR | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Force Main | Collection system structural failure | 9/30/2022 | 13:52 | 9/30/2022 | 13:53 | 0 | Cleaned and Disinfected |
| 49496 | WQ0010495002 | 9401 AVENUE H | Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch | No | 0 | Service Lateral | Collection system structural blockage | 9/30/2022 | 15:00 | 9/30/2022 | 15:01 | 0 | Cleaned and Disinfected |

| | |
|--|----|
| Total Number of SSOs: | 64 |
| Number of Fish Kills Caused by SSOs: | 0 |
| Number of Notifications to the Public: | 0 |
| TWC § 7.251 Report Attached: | No |



Legend

- SSO Location
- XXXXX SSO ID

Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS



Geospatial or map data maintained by Houston Public Works is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and only represents the approximate location of property boundaries.

SSO Map for September 2022

