City of Houston Houston Public Works

INDUSTRIAL WASTE PERMIT APPLICATION

Please complete every line item with a response or indicate "None" or "NA" as needed.

Submit the original, completed form with a photocopy of the company check for the application fee to:

City of Houston Industrial Wastewater Service 10500 Bellaire Blvd. Houston, TX 77072

Mail a company check for the application fee of \$125.31 with a photocopy of the first page of this application form to:

City of Houston Fiscal Services 611 Walker 24th Floors Houston, Texas 77002-4903

| 1. | Legal Name: | |
|----|--|---|
| 2. | Service Address: | |
| | Address Continued: | Zip: |
| 3. | Mailing Address: | |
| | Address Continued: | Zip: |
| 4. | Owner's Name/ Corporate Head: | |
| 5. | Mailing Address: | |
| | Address Continued: | Zip: |
| 6. | Primary Contact Person: | Phone: |
| | Title: | Email: |
| 7. | Alternate Contact Person: | Phone: |
| | Title: | Email: |
| 8. | Number of employees working at this faci individuals that do not physically work at | • • |
| | | |
| 9. | Hours of Operation | 10. Hours of Discharge to the sewer system |
| 9. | Monday | Monday |
| 9. | Monday Tuesday Wednesday | Monday Tuesday |
| 9. | Monday Tuesday Wednesday Thursday | Monday Tuesday Wednesday Thursday |
| 9. | Monday Tuesday Wednesday Thursday Eriday | Monday Tuesday Wednesday Thursday Friday |
| 9. | Monday Tuesday Wednesday Thursday | Monday Tuesday Wednesday Thursday Friday Saturday |

| | Does the facility shut down for holi | days, maintenance, or other rea | sons? 🗆 YES 🗀 NO 🗆 | If Yes, when? |
|------------|---|--|------------------------|-----------------|
| | Is this facility covered by any other If Yes, list all permits below. | environmental control permits? | P YES NO | |
| | Title of Permit | Permit Number | Issuing Agency | Expiration Date |
| | | | | |
| | | | | |
| | | | | |
| · <u>-</u> | If Yes, provide the category and CFI | | | |
| | N B: NATURE OF OPERATIONS NAICS Code(s): | | | |
| | SIC Code(s): | | | |
| 3. | 0. | ess or services provided. Attach a | additional pages as ne | eded. |
| ٥. | Attachment No.: | · | | |
| J. | Attachment No.: | | | |
| 3. | Attachment No.: | | | |
| 4. | | ng processes at the facility includ Attach additional pages as need | _ | |
| | Describe all wastewater-generating contaminated stormwater runoff. | ng processes at the facility includ Attach additional pages as need | _ | |

| 5. | Attach a Facility Map (drawn to approxin a. All production areas, maintenance | · · · · · · · · · · · · · · · · · · · | | | |
|-----------|---|---|--|-----------------|---------------|
| | b. Locations of all raw material and | • | | | |
| | c. Location of the pretreatment syst | tem (if applicable) | | | |
| | d. Locations of all floor drainse. Location of each water meter and | l offluent motor (with t | he meter account num | har laballad) | |
| | e. Location of each water meter and f. Location of each sewer connection | • | ne meter account num | ber labelled) | |
| | g. Locations of any sewer discharge | | able) | | |
| | h. Directions of wastewater flow thr | | | | |
| | Attachment No.: | | | | |
| i. | List the chemicals used in the manufactur | ing processes. Avoid us | ing trade names If tra | da namas ara | المما |
| | attach a safety data sheet (SDS) for that cl | • . | _ | | |
| | , | | • • | | i be ili tile |
| | wastewater that is discharged to the sanit | tary sewer. Attach addi | | | |
| | Name of Chemical | | Function | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Describe preventive measures taken to av Attach additional pages as needed. | void accidental release | of chemicals from chen | nical storage a | areas. |
| | • | void accidental release | of chemicals from chen | nical storage a | areas. |
| 3. | • | rate of production (i.e., | 10,000 lbs. of [product | name] per ye | ear), and tl |
| 3. | Attach additional pages as needed. List each process operation, the average r Standard Industrial Classification Code (SIG | rate of production (i.e., | 10,000 lbs. of [product | name] per ye | ear), and tl |
| 3. | Attach additional pages as needed. List each process operation, the average r Standard Industrial Classification Code (SIG additional pages as needed. | rate of production (i.e., C Code) for each manu | 10,000 lbs. of [product facturing / service oper | name] per ye | ear), and tl |
| 3. | Attach additional pages as needed. List each process operation, the average r Standard Industrial Classification Code (SIG additional pages as needed. | rate of production (i.e., C Code) for each manu Production Rate - | 10,000 lbs. of [product facturing / service oper Production Rate - | name] per ye | ear), and tl |
| 3. | Attach additional pages as needed. List each process operation, the average r Standard Industrial Classification Code (SIG additional pages as needed. | rate of production (i.e., C Code) for each manu Production Rate - | 10,000 lbs. of [product facturing / service oper Production Rate - | name] per ye | ear), and tl |
| 3. | Attach additional pages as needed. List each process operation, the average r Standard Industrial Classification Code (SIG additional pages as needed. | rate of production (i.e., C Code) for each manu Production Rate - | 10,000 lbs. of [product facturing / service oper Production Rate - | name] per ye | ear), and tl |
| 3. | Attach additional pages as needed. List each process operation, the average r Standard Industrial Classification Code (SIG additional pages as needed. | rate of production (i.e., C Code) for each manu Production Rate - | 10,000 lbs. of [product facturing / service oper Production Rate - | name] per ye | ear), and tl |
| 3. | Attach additional pages as needed. List each process operation, the average r Standard Industrial Classification Code (SIG additional pages as needed. | rate of production (i.e., C Code) for each manu Production Rate - | 10,000 lbs. of [product facturing / service oper Production Rate - | name] per ye | ear), and tl |

9. Indicate below if your facility employs or will be employing processes described by the following categories, even if they generate no wastewater, waste sludge, or hazardous wastes. Mark all that apply to the entire facility.

| Industry Category | 40 CFR Part | <u>Subpart</u> |
|--|-------------|----------------|
| Aluminum Forming | 467 | |
| Battery Manufacturing | 461 | |
| Canned and Preserved Fruits and Vegetable Processing | 407 | |
| Carbon Black Manufacturing | 458 | |
| Centralized Waste Treatment | 437 | |
| Coil Coating | 465 | |
| Concentrated Animal Feeding Operations (CAFO) | 412 | |
| Copper Forming | 468 | |
| Electrical and Electronic Components | 469 | |
| Electroplating | 413 | |
| Fertilizer Manufacturing | 418 | |
| Glass Manufacturing | 426 | |
| Grain Mills Manufacturing | 406 | |
| Ink Formulating | 447 | |
| Inorganic Chemicals | 415 | |
| Iron and Steel Manufacturing | 420 | |
| Leather Tanning and Finishing | 425 | |
| Metal Finishing | 433 | |
| Metal Molding and Casting (Foundries) | 464 | |
| Nonferrous Metals Forming and Metal Powders | 471 | |
| Nonferrous Metals Manufacturing | 421 | |
| Oil and Gas Extraction | 435 | |
| Organic Chemicals, Plastics and Synthetic Fibers (OCPSF) | 414 | |
| Paint Formulating | 446 | |
| Paving and Roofing Materials (Tars and Asphalt) | 443 | |
| Pesticide Chemicals Manufacturing, Formulating and | 455 | |
| Packaging | 433 | |
| Petroleum Refining | 419 | |
| Pharmaceutical Manufacturing | 439 | |
| Porcelain Enameling | 466 | |
| Pulp, Paper and Paperboard | 430 | |
| Rubber Manufacturing | 428 | |
| Soaps and Detergents Manufacturing | 417 | |
| Steam Electric Power Generating | 423 | |
| Transportation Equipment Cleaning | 442 | |
| Waste Combustors | 444 | |
| None | NA | NA |

| 10 | . Is this a new permit application f \square YES \square NO | or an existing | facility? | | |
|--------|--|------------------|--------------------------------------|---|-------------------|
| | If YES, | | | | |
| | Explain if there has been a tr | | | ction(s) to the sewer system, how worr a wastewater discharge permit, e | |
| 11 | . Are per-and polyfluoroalkyl subs used/manufactured at the facilit □ YES □ NO | | contained in any ra | aw material, byproduct or final prod | uct |
| 12 | . Are per-and polyfluoroalkyl subs sewer system? □ YES □ NO | tances (PFAS) | believed to be pre | sent in wastewater discharged to the | e sanitary |
| SECTIO | N C: SOURCES OF WATER | | | | |
| 1. | How many of the following meter | ers or wells are | at the facility? | | |
| | City water meters for incoming | clean water | □ None □ 1 □ |] 2 🗆 3 🗆 4 🗆 5 🗆 6 🗆 7 | |
| | Sewer discharge meters for sev | ver billing | \square None \square 1 |] 2 🗆 3 🗆 4 🗆 5 🗆 6 🗆 7 | |
| | Private, metered wells on the p | roperty | \square None \square 1 \square |] 2 3 4 5 6 7 | |
| | Private, unmetered wells on the | e property | \square None \square 1 |] 2 🗆 3 🗆 4 🗆 5 🗆 6 🗆 7 | |
| | Other water meters (describe): | | | | <u></u> |
| 2 | List the account numbers for eas | h of the fellow | vina | | |
| 2. | List the account numbers for eac | _ | | | 7 |
| | <u>City Water Meter Acct. No.</u> | Effluent Me | ter Acct. No. | Private Well Meter Acct. No. | - |
| | | | | | 1 |
| | | | | | _ |
| 3. | | - | _ | the sanitary sewer system from the | ne activities |
| | listed below (continued to next p | | dditional pages if n | • • | |
| | Ac Manufacturing or Service Proc | tivity | | Average and Maximum Flow (Gallons per Day) | |
| | a) | | | (dalions per bay) | |
| | b) | | | | _ |
| | c) | | | - | _ |
| | d) | | | | _ |
| | e) | | | | _ |
| | f) | | | | - - |
| | g) | | | | _ |
| | h) | | | | _ |
| | i) | | | | |

| | Non | -Contact Cooling Water | | | | |
|--------|---|---|-------------------------|--|--|--|
| | Plan | t and Equipment Washdown | | | | |
| | Sani | tary (Employee Use) | | | | |
| | Boile | er Blowdown | | | | |
| | Air C | Conditioning Condensate | | | | |
| | Othe | er (Specify: |) | | | |
| | | er (Specify: | | | | |
| 4. | Does t | ne applicant plan to accept any was | tewater from other lo | ocations via trucks, railroad tank cars, ships, or | | |
| | pipelin | e? □ YES □ NO | | | | |
| | If YES, | continue to next page. | | | | |
| | a. | List the type of wastes that the fac | cility will accept: | | | |
| | | | | | | |
| | b. | Describe the methodology used to | identify and reject n | on-acceptable waste types: | | |
| | | | | | | |
| _ | | | 1 21 11 | | | |
| 5. | | non-regulated wastewater combined YES $\ \square$ NO | a with the process wa | ater prior to any sample point? | | |
| | If Yes, | at which sample point(s): | | | | |
| 6. | Attach | a Flow Schematic with a water bala | nce showing; | | | |
| | a. | all sources of water and wastewat | er flow into the pretr | eatment system | | |
| | b. | amount of wastewater flow into a | nd from each treatme | ent unit | | |
| | b. | amount of wastewater flow to eac | ch outfall/point of dis | posal | | |
| | Attach | ment No.: | | | | |
| SECTIO | N D: WA | ASTEWATER PRETREATMENT | | | | |
| 1. | Is preti | reatment provided prior to discharg | e to the sanitary sew | er system? 🗆 YES 🗆 NO | | |
| | If YES, describe the treatment steps and the chemicals that are used in the pretreatment system. Indicate the | | | | | |
| | polluta | ints the system is designed to remov | ve from wastewater. | Attach additional pages if needed. | | |
| | | | | | | |
| | | | | | | |
| | - | | | | | |
| | | | | | | |
| | | | | | | |

| | Attach engineering documents of the pretrea (Requirements for Wastewater Pretreatment need to be attached. | • | | | cument(s) |
|-----------|---|-----------------------------|--------------------------|---|-----------|
| | Attachment(s): | | | | |
| | Interceptors/Silver Recovery Units How many of the following are present at the | facility? | | | |
| | Grease Trap Grit Trap Oil Water Separator Metallic Replacement Silver Recovery Unit Electrolytic Silver Recovery Unit Other Interceptors: | ☐ None ☐ None ☐ None ☐ None | e | 3 | |
| SECTION | N E: BATCH DISCHARGES TO THE SANITARY SEV | WER SYST | EM | | |
| 1. | Does the facility have a batch discharge to the | e sanitary | sewer system? | P □ YES □ NO | |
| | Process That Generates Each Batch | | Approximate Volume (Gal) | Expected Frequency | |
| | Frocess that deherates Each Datch | | voidine (dai) | ☐ Weekly ☐ Monthly | 1 |
| | | | | ☐ Semiannually ☐ Annually | |
| | | | | ☐ Weekly ☐ Monthly | 1 |
| | | | | \square Semiannually \square Annually | |
| | | | | \square Weekly \square Monthly | |
| | | | | ☐ Semiannually ☐ Annually | |
| | | | | ☐ Weekly ☐ Monthly | |
| | | | | ☐ Semiannually ☐ Annually |] |
| SECTION | F: SPILL PREVENTION AND CONTROL | | | | |
| Does th | e facility have a spill prevention or slug discha | rge contr | ol plan? 🗆 YES | S □ NO | |
| If YES, s | ubmit a copy of the plan with this application. | | | | |
| SECTION | NG: HAZARDOUS WASTE HANDLING AND DISF | POSAL ME | THODS | | |
| 1. | Does this facility discharge any substance to t hazardous waste if disposed of elsewhere as \square YES \square NO | | | | sidered a |
| | If YES, attach a listing of those substances spe per year. | cifying EP | A Identification | n Numbers and the quantities di | scharged |

| 2. | Describe the storage and disposal methods for wastewater, hazardous and /or special wastes (e.g., ch | |
|-----------------|--|--------------|
| | byproducts, pretreatment sludge, spent solvents, oils) generated by this facility. Include the names of transporters and final disposal sites. | tne |
| | | |
| | | |
| | | |
| | | |
| | | |
| SECTIO | ON H: WASTEWATER CAPACITY | |
| Section copy of | a copy of the Wastewater Capacity Reservation Letter that was issued by the City of Houston's Utilin of the Department of Public Works and Engineering's Planning and Development Services Division. A fall receipts that were issued by the City of Houston for the purchase of wastewater capacity for the servicenthis application. | lso attach a |
| SECTIO | ON I: BEST MANAGEMENT PRACTICES | |
| Does th | he facility currently implement Best Management Practices (BMPs)? \square YES \square NO | |
| If YES, | list and describe the BMPs and attach pertinent documentation. | |
| | | |
| | | |
| | | |
| | | |
| CECTIO | ANN II AMACTEMATER CHARACTERIZATION | |
| SECTIO | ON J: WASTEWATER CHARACTERIZATION | |
| Refer t | to Appendix B (Sampling and analysis requirements). | |

SECTION K: CERTIFICATION This report must be signed by a principle executive officer, general partner, or proprietor or a duly authorized representative if such a representative is responsible for the overall operation of the facility from which the industrial discharge originates. ☐ I am a responsible corporate officer ☐ I am a general partner or proprietor (if the facility is a partnership or sole proprietorship) I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Name: Title: Date: Signature: THE STATE OF TEXAS **COUNTY OF HARRIS** BEFORE ME, the undersigned authority, on this day personally appeared ______, who, being by me sworn, stated that the information contained in the foregoing certificate is true and correct. SWORN TO AND SUBSCRIBED

NOTARY PUBLIC

before me on the _____day of ________, 20_____.

In and for Harris County, Texas

Steps to Obtain an Industrial Waste Permit

Before mailing any documents to the City of Houston please review the following steps for the procedures to obtain an Industrial Waste permit:

Step Number 1 – Prepare a check or money order:

Prepare a company check or money order payable to the City of Houston for the required permit fee. *Personal checks will not be accepted.*

Step Number 2 – Pay the permit application fee:

Send your firm's company check or money order <u>with a copy of the first page of the completed application form</u> to the following:

City of Houston Fiscal Services 611 Walker 24th Floors Houston, Texas 77002-4903.

Step Number 3 - Submit your firm's permit application:

Send a <u>photocopy of your company check or money order</u> with the completed <u>Permit Application Form</u> to the Industrial Wastewater Service at the following address:

Industrial Wastewater Service 10500 Bellaire Blvd. Houston, Texas 77072

Please call the Industrial Wastewater Service at 832-395-5800 if you have any questions or to schedule a pre-application meeting.

Attachment L

SUBMIT THIS PAGE WITH THE ANALYTICAL LABORATORY REPORT AND CHAIN OF CUSTODY FORM

| Reviewed by: | Date Reviewed: |
|--|---|
| Is your industry a Significant Industrial User (SIU)? ☐ YES ☐ | NO |
| If yes, was a certification statement signed by an authorized pe | erson and submitted? N/A YES NO |
| Laboratory Report Review: | |
| Were the samples analyzed using wastewater methods approve | ved at 40 CFR Part 136? ☐ YES ☐ NO |
| Have test results been reported for each sample □ YES □ NO | |
| Does the lab report include test results for each pollutant requi | red to be self-monitored? ☐ YES ☐ NO |
| Was the lab report signed by a laboratory manager or other lab | ooratory employee? □ YES □ NO |
| Are the method detection limits less than the permitted dischar | ge limit □ YES □ NO |
| Is there a date and time each analysis was performed? \square YES | 5 □ NO |
| Is the person's name that performed the analysis on the lab re | port? YES NO |
| Chain of Custody Review | |
| Were samples preserved with the correct chemical preservative | e(s) for each analytical test? ☐ YES ☐ NO |
| Was the correct sample type (composite or grab) collected per | City requirement? ☐ YES ☐ NO |
| Were the samples collected on different days (If required)? $\hfill\Box$ | N/A □ YES □ NO |
| Is the correct sample point number recorded on the chain of cu | ustody form? □ YES □ NO |
| Is the sampler's name on the chain of custody form? ☐ YES | □NO |
| Did the sampler relinquish the sample? \square YES \square NO | |
| Are any of the names on the chain of custody typed? (Signatur | res are required) □ YES □ NO |
| Was the sample date and time recorded each grab sample? \Box | N/A □ YES □ NO |
| Was the sample begin date and end date recorded for each co | omposite sample? □ N/A □ YES □ NO |
| Was the sample begin time and end time recorded for each co | mposite sample? ☐ N/A ☐ YES ☐ NO |

THERE SHALL BE NO BREAK IN THE CUSTODY OF THE SAMPLE: The sample's custody shall be accountable from the time of collection to the time it is received at the lab for analysis.

Sample Collection and Preservation Requirements

All wastewater samples must be preserved with the appropriate chemical preservative <u>at the time the sample was collected in the field</u>. The preservative(s) that are used <u>must be recorded on the chain of custody form</u> for each sample test that will be performed. Failure to do so will result in the issuance of a violation notice requiring your firm to repeat the sample collection and analyses.

There shall be no air (headspace) in any container that has a wastewater sample that will be tested for Sulfide. This must be documented on the chain of custody (COC) form or sample receipt checklist.

Failure to comply with the no head space requirement for Sulfide samples will cause the sample to be unacceptable and your firm will be required to re-sample for sulfide.

Please refer to the following table for the chemical preservatives that should be used for each of the following analytical tests:

| Analytical Test | Chemical Preservative |
|----------------------------|---|
| Heavy Metals (Total) | Nitric Acid to a pH < 2 |
| Oil & Grease (Total) | Sulfuric Acid to a pH < 2 |
| Sulfide | Zinc Acetate and Sodium Hydroxide to a pH > 9 |
| Cyanide Total | * Sodium Arsenite & Sodium Hydroxide to a pH >12 |
| Cyanide Amenable | * Sodium Arsenite & Sodium Hydroxide to a pH >12 |
| Volatile Organic Compounds | Hydrochloric Acid to pH < 2 and Sodium Thiosulfate* |
| Base Neutral Acids | Sodium Thiosulfate* |

All samples must be cooled to < 4 degrees centigrade and kept on ice from the time of collection until delivery to the laboratory. Refrigeration is also a type of sample preservation.

The City of Houston's Industrial Wastewater Service preserves all wastewater samples in the field at the time of sample collection. In order to compare the sample results provided by your private laboratory, to the City's sample results, your firm's self-monitoring samples must be collected and preserved using the sample procedures that are followed by the City.

Note: **pH, residual Chlorine** and **Temperature** must be analyzed in the field within 15 minutes of collection.

^{*} Sodium Arsenite and Sodium Thiosulfate are required if Chlorine is present.

APPENDIX A - REQUIREMENTS FOR WASTEWATER PRETREATMENT ENGINEERING DOCUMENTS

To determine if engineering plans of the application package are complete, the following should be included:

- 1) Process Flow Diagram (PFD) showing:
 - a. All equipment including pumps, sumps and tanks where each item on the PFD is clearly labelled
 - b. All monitoring and control equipment (e.g., pH/TSS/turbidity meters, etc.)
 - c. Indication of whether any process adjustment (e.g., Chemical addition, pH adjustment, etc.) is manual or automatic
 - d. Chemicals used at each treatment unit/tank (when applicable)
 - e. Residence time of each treatment unit/tank
 - f. Flowrate and head of each pump, indicating whether the pump is on VFD
- 2) <u>Plot Plan</u> of the Pretreatment System (drawn to approximate scale) showing the following with proper labelling:
 - a. Location of each unit of the pretreatment system including the location of treatment equipment, tanks, wastewater collection sumps, pumps, floor drains, and impoundments.
 - **Note:** If all details of the plot plan can be clearly shown on the overall Facility Map (Section B.5 of the permit application), Facility Map can be references here. If showing the details of the pretreatment system in the Facility Map in poor presentation/clarity of the treatment units, please show the boundary of the entire pretreatment system on the Facility Map and provide a separate plot plan to show the individual units of the pretreatment system.
 - b. Location(s) of sewer connection(s)/outfalls and sampling/monitoring points
- 3) A set of <u>piping and instrumentation diagrams</u> (P&IDs) issued for construction (**only for** CIUs)
- 4) A set of piping layouts (only for SIUs) OR plumbing plans issued for construction
- **5)** Process narrative covering all of the following:
 - a. Description of sources of all wastewater generated/handled at site
 - b. Description of function of each equipment/tank shown in the PFD (i.e., Item # 2 above)
 - c. Description of sludge generation (i.e., How is sludge generated) and handling (e.g., collection, treatment, transfer, disposal, etc.) Process(es)
 - d. List of all chemicals used, indicating function of each chemical
 - e. Name(s) of the disposal site(s) for hauled waste/recovered-products (e.g. Sludge, recovered oil, etc.)
 - f. Generation frequency of each type of waste/ recovered-products (e.g., Wastewater continuous; recovered oil continuous, sludge weekly)
- **6)** Copies of <u>vendor specifications or data sheets</u> for all equipment including type, model, capacity, size, schematic, etc.

APPENDIX A - REQUIREMENTS FOR WASTEWATER PRETREATMENT ENGINEERING DOCUMENTS

- 7) Operation and Maintenance Manual including the following:
 - a. Detailed steps of operation of each equipment, including but not limited to pumps, valves, treatment equipment, and tanks
 - b. Process conditions which trigger addition of any chemical at each treatment step and the approximate amount of each chemical added
 - c. Methods to verify if each unit of the pretreatment system is operating as intended
 - d. Procedures to follow during abnormal situations such as power failures, equipment malfunctions, etc.
 - e. Preventive maintenance schedules for each major/critical equipment
 - f. Recommended maintenance/troubleshooting steps for each major/critical equipment

Note: For new constructions/dischargers, preliminary O&M manual should be submitted with the application package. The updated, final version of the O&M manual should be submitted within 120 days of startup.

8) Spill prevention, control and countermeasure (SPCC) plan (only if applicable)

Notes:

1. For **non-SIUs**, to be considered for waiving requirement of any engineering document listed above, a written request must be submitted to the Industrial Wastewater Service. Such requests may be approved or disapproved based on multiple factors including but not limited to the size of the facility and nature of the business.

Email: PWE-PreTreatment@houstontx.gov
Mail: Industrial Wastewater Service

10500 Bellaire Boulevard Houston, TX 77072

APPENDIX B-1 - WASTEWATER CHARACTERIZATION (Significant Industrial Users – SIUs)

Required Sample Collection and Analysis for Sample Point No.

Use this page for each sample point where local limits are applied.

| Parameter | Number of Samples | Sample Type* | Suggested Analytical Method** |
|-------------------------------------|-------------------|--------------|----------------------------------|
| Carbonaceous Biochemical Oxygen | | | |
| Demand (CBOD) 5-day CBOD @ 20° C | 3 | Composite | SM 5210-B |
| Total Suspended Solids (TSS) | 3 | Composite | SM 2540-D |
| Chemical Oxygen Demand (COD) | 1 | Composite | SM 5220 D |
| Ammonia - Nitrogen | 3 | Composite | EPA 350.1 |
| Oil & Grease (Total) | 1 | Grab | EPA 1664 HEM |
| Total Residual Chlorine | 1 | Grab | SM 4500-Cl G-2011 |
| Total Dissolved Solids (TDS) | 1 | Grab | 2540-C |
| Phosphorous, Total | 1 | Composite | 4500-P-E |
| pH | 1 | Grab | SM 4500H+B |
| Temperature | 1 | Grab | SM 2550 B |
| Cyanide, Total | 1 | Grab | SM 4500-CN G |
| Antimony | 1 | Composite | EPA 200.7 |
| Arsenic, Total | 1 | Composite | EPA 200.7 |
| Beryllium | 1 | Composite | EPA 200.7 |
| Cadmium, Total | 1 | Composite | EPA 200.7 |
| Chromium, Total | 1 | Composite | EPA 200.7 |
| Copper, Total | 1 | Composite | EPA 200.7 |
| Lead, Total | 1 | Composite | EPA 200.7 |
| Mercury, Total | 1 | Composite | EPA 245.7 |
| Molybdenum, Total | 1 | Composite | EPA 200.7 |
| Nickel, Total | 1 | Composite | EPA 200.7 |
| Selenium, Total | 1 | Composite | EPA 200.7 |
| Silver, Total | 1 | Composite | EPA 200.7 |
| Thallium | 1 | Composite | EPA 200.7 |
| Zinc, Total | 1 | Composite | EPA 200.7 |
| Base Neutral Acids (BNA)*** | 1 | Composite | EPA 625 |
| Volatile Organic Compounds (VOC)*** | 1 | Grab | EPA 624 |

^{*}Composite samples shall be collected over the duration of the discharge in one day.

Record the sample point number on the chain of custody forms used for this sampling.

Individual pollutants corresponding to BNAs, VOCs, and Organochlorine Pesticides and PCBs can be found at the *List of Priority Pollutants*.

^{**}Wastewater samples must be analyzed in accordance with methods found in the current version of 40 CFR Part 136.

^{***}BNAs and VOCs are used to calculate a Total Toxic Organic (TTO) value for compliance with the TTO Limit

APPENDIX B-2 - WASTEWATER CHARACTERIZATION (Non – SIUs)

Required Sample Collection and Analysis for Sample Point No.

Use this page for each sample point where local limits are applied.

Suggested Analytical Number of Sample Type* **Parameter** Samples Method** Carbonaceous Biochemical Oxygen Demand (CBOD) 5-day CBOD @ 20° C 3 Composite SM 5210-B Total Suspended Solids (TSS) 3 Composite SM 2540-D Chemical Oxygen Demand (COD) 1 Composite SM 5220 D Ammonia - Nitrogen 3 Composite EPA 350.1 1 Oil & Grease (Total) Grab **EPA 1664 HEM Total Residual Chlorine** 1 SM 4500-Cl G-2011 Grab Total Dissolved Solids (TDS) 1 Grab 2540-C Phosphorous, Total 1 Composite 4500-P-E 1 рΗ Grab SM 4500H+B Temperature 1 Grab SM 2550 B Cyanide, Total 1 Grab SM 4500-CN G Antimony 1 Composite EPA 200.7 Arsenic, Total 1 Composite EPA 200.7 Beryllium 1 Composite EPA 200.7 1 Cadmium, Total Composite EPA 200.7 1 Chromium, Total Composite EPA 200.7 Copper, Total 1 Composite EPA 200.7 Lead, Total 1 Composite EPA 200.7 Composite Mercury, Total 1 EPA 245.7 Molybdenum, Total 1 Composite EPA 200.7 Nickel, Total 1 Composite EPA 200.7 Silver, Total 1 Composite EPA 200.7 Thallium 1 EPA 200.7 Composite EPA 200.7 Zinc, Total 1 Composite

Record the sample point number on the chain of custody forms used for this sampling.

1

^{*}Composite samples shall be collected over the duration of the discharge in one day.

^{**}Wastewater samples must be analyzed in accordance with methods found in the current version of 40 CFR Part 136.

APPENDIX B-3 - WASTEWATER CHARACTERIZATION – contd.

BASE / NEUTRALS / ACIDS - Method EPA 625.1 Indeno (1,2,3-CD) Pyrene (2,3-0-Phenylenepyrene)

Isophorone 1,2-Benzanthracene (Benzo (a) Anthracene)

N-Nitrosodi-n-propylamine 1,2-Diphenylhydrazine N-Nitrosodimethylamine 1,2,4-Trichlorobenzene N-Nitrosodiphenylamine 1,12-Benzoperylene (Benzo (ghi) Perylene)

Naphthalene 2-Chloronaphthalene Nitrobenzene 2-Chlorophenol p-Cresol 2-Methylnaphthalene

Parachlorometa cresol (4-Chloro-3-Methylphenol) 2-Methylphenol Pentachlorophenol 2-Nitroaniline

Phenanthrene 2-Nitrophenol Phenol (Acid extractable) 2,4-Dichlorophenol Pyrene

2,4-Dimethylphenol 2,3,7,8-tetrachloro-dibenzo-p-dioxin (TCDD) 2,4-Dinitrophenol

VOLATILES - Method EPA 624.1 2,4-Dinitrotoluene

1,1-Dichloroethane 2,4,5-Trichlorophenol 1,1-Dichloroethylene 2,4,6-Trichlorophenol 1,1,1-Trichloroethane 2,6-Dinitrotoluene 1,1,2-Trichloroethane 3-Nitroaniline 1,1,2,2-Tetrachloroethane

3.3-Dichlorobenzidine 1,2-Dichloroethane 3,4-Benzofluoranthene (Benzo(b)fluoranthene)

1,2-Dichloroethene (Total) (1,2-Trans-Dichloroethylene)

3,4-Benzopyrene (Benzo (a) Pyrene)

1,2-Dichloropropane 4-Bromophenyl Phenyl Ether 1,2-Dichlorobenzene 4-Chloroaniline

1.3-Dichlorobenzene 4-Chlorophenyl Phenyl Ether

1,4-Dichlorobenzene 4-Nitroaniline 1,3-Dichloropropylene (Cis-1,3-Dichloropropene) 4-Nitrophenol

Trans-1,3-Dichloropropene 4,6-Dinitro-O-Cresol

2-Butanone 11,12-Benzofluoranthene (Benzo (k) Fluoranthene)

2-Chloroethyl Vinyl Ether (Mixed) Acenapththylene 2-Hexanone Ancenapthene

4-Methyl-2-Pentanone Anthracene

Acetone Benzidine Benzene Benzyl Alcohol

Bromoform (Tribromomethane) Benzoic Acid

Carbon Disulfide BIS (2-Chloroethoxy) Methane

Carbon Tetrachloride (Tetrachloromethane) BIS (2-Chloroethyl) Ether

Chlorobenzene BIS (2-Chloroisopropyl) Ether

Chlorodibromomethane (Dibromochloromethane) BIS (2-Ethylhexyl) Phthalate

Chloroethane **Butyl Benzyl Phthalate**

Chloroform (Trichloromethane) Chrysene

Dichlorobromomethane (Bromodichloromethane) Di-N-Butyl Phthalate

Ethylbenzene Di-N-Octyl Phthalate

Methyl Bromide (Bromomethane) Dibenzo (A,H) Anthracene (1,2,5,6-Dibenzanthracene) Dibenzofuran Methyl Chloride (Chloromethane)

Methylene Chloride Diethyl Phthalate

Styrene **Dimethyl Phthalate**

Fluoranthene Tetrachloroethylene

Fluorene Toluene

Hexachlorobenzene Trichloroethylene Hexachlorobutadiene Vinyl Acetate

Hexachlorocyclopentadiene Vinyl Chloride (Chloroethylene)

Hexachloroethane Xylenes (Total)

APPENDIX B-3 - WASTEWATER CHARACTERIZATION – contd.

ORGANOCHLORINE PESTICIDES / PCBS - Method 608.3 (only if required in Appendix B-1)

Endosulfan sulfate

4,4-DDD (p,p-TDE) Endrin

4,4-DDE (p,p-DDX)Endrin aldehyde4,4-DDTGamma-BHC (lindane)

Aldrin Heptachlor

Alpha-BHC Heptachlor epoxide (BHC-hexachlorocyclohexane)

Alpha-endosulfan PCB-1016 (Arochlor 1016)
Beta-BHC PCB-1221 (Arochlor 1221)
Beta-endosulfan PCB-1232 (Arochlor 1232)
Chlordane (technical mixture and metabolites) PCB-1242 (Arochlor 1242)
Delta-BHC (PCB-polychlorinated biphenyls) PCB-1248 (Arochlor 1248)
Dieldrin PCB-1254 (Arochlor 1254)

Toxaphene

PCB-1260 (Arochlor 1260)

Note: This list excludes the individual metals covered under EPA's comprehensive list of Priority Pollutants, since those metals are listed individually in Section I of which can be found at 40 CFR Part 423, Appendix A.