



June 20, 2023

Associate Director, Water Enforcement  
U.S. Environmental Protection Agency  
Region VI  
1201 Elm Street, Suite 500  
Mail Code ECADW  
Dallas, Texas 75270-2102

Via USPS Certified Mail  
# 7021 1970 0000 7631 8787  
Via E-mail: [Smalley.bryant@epa.gov](mailto:Smalley.bryant@epa.gov)

Re: City of Houston Wastewater Consent Decree  
Civil Action No. 4:18-cv-03368  
Monthly SSO Report – June 2023

Dear Mr. Smalley:

The City of Houston's monthly SSO summary report for June 2023 and corresponding SSO map are attached and provided in compliance with the requirements of Paragraph 61 of the City of Houston Wastewater Consent Decree.

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering such information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

Sincerely,

DocuSigned by:  
A handwritten signature in black ink, appearing to read "Phillip Goodwin".  
09B3519C2697428...

Phillip Goodwin  
Regulatory Compliance Director  
Houston Public Works, City of Houston

Enc. June 2023 Monthly SSO Report; SSO Map for June 2023  
cc via email: Nathaniel Douglas, DOJ ([Nathaniel.douglas@usdoj.gov](mailto:Nathaniel.douglas@usdoj.gov))  
James Zimny, EPA ([Zimny.james@epa.gov](mailto:Zimny.james@epa.gov))  
Alan Vaughn, EPA ([vaughn.alan@epa.gov](mailto:vaughn.alan@epa.gov))  
Phillip Ledbetter, Texas AG's Office ([phillip.ledbetter@oag.texas.gov](mailto:phillip.ledbetter@oag.texas.gov));  
James Sallans, TCEQ ([james.sallans@tceq.texas.gov](mailto:james.sallans@tceq.texas.gov))  
Kristen Schlemmer, BCWK ([kristen@bayoucitywaterkeeper.org](mailto:kristen@bayoucitywaterkeeper.org))

PO Box 1562 | Houston, Texas 77251-1562 | [HoustonPublicWorks.org](http://HoustonPublicWorks.org)

**City of Houston - Houston Public Works  
Monthly SSO Report  
June 2023**

SSO ID	TPDES #	Address	Flow Location	Reached Waters of the US	Est. Volume (Gallons)	Structure Type	Excursion Cause	Start Date	Start Time	End Date	End Time	Average Flow (GPM)	Corrective Action
52487	WQ0010495002	6030 RIDGEWAY DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/1/2023	8:51	6/1/2023	8:52	0	Cleared Service Lateral; Cleaned and Disinfected
52491	WQ0010495002	1015 VILLA DE MATEL RD	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Manhole	Grease Blockage	6/1/2023	13:01	6/1/2023	13:02	0	Cleaned and Disinfected; Cleared Main Line
52493	WQ0010495090	4920 AIRLINE DR	Storm Sewer (not contained)	Yes	53	Service Lateral	Collection system structural blockage	6/1/2023	15:03	6/1/2023	15:56	1	Cleaned and Disinfected; Set Bypass Pump; Cleared Service Lateral
52495	WQ0010495030	10150 WESTVIEW DR	Storm Sewer (not contained)	Yes	585	City Cleanout	Collection system temporary blockage	6/1/2023	17:19	6/2/2023	12:49	0	Cleaned and Disinfected; Cleared Service Lateral
52498	WQ0010495122	6013 TOWNSAN RD	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Private Cleanout	Rags/Wipes	6/2/2023	9:37	6/2/2023	9:38	0	Cleaned and Disinfected; Cleared City Clean Out
52499	WQ0010495090	2002 WAYSIDE DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Grease Blockage	6/2/2023	12:17	6/2/2023	12:18	0	Cleared City Clean Out; Cleaned and Disinfected
52501	WQ0010495090	5107 TREMPER ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/2/2023	13:23	6/2/2023	13:24	0	Cleared Service Lateral; Cleaned and Disinfected
52503	WQ0010495090	1348 SHEPHERD DR	Storm Sewer (not contained)	Yes	1289	Service Lateral	Collection system structural failure	6/2/2023	15:56	6/3/2023	13:25	1	Cleaned and Disinfected; Set Bypass Pump
52512	WQ0010495090	234 JANISCH RD	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Manhole	Grease Blockage	6/4/2023	11:34	6/4/2023	11:35	0	Cleaned and Disinfected; Cleared Main Line
52514	WQ0010495016	8150 SNOWDEN ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/5/2023	10:10	6/5/2023	10:11	0	Cleaned and Disinfected; Cleared City Clean Out
52517	WQ0010495002	7918 GLENHEATH ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Private Cleanout	Rags/Wipes	6/5/2023	11:42	6/5/2023	11:43	0	Cleared City Clean Out; Cleaned and Disinfected
52518	WQ0010495119	9674 AZEEM AVE	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	116	Private Cleanout	Collection system structural blockage	6/5/2023	12:37	6/5/2023	13:35	2	Cleared Main Line; Set Bypass Pump; Cleaned and Disinfected
52521	WQ0010495090	1348 SHEPHERD DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural failure	6/5/2023	16:36	6/5/2023	16:37	0	Set Bypass Pump; Cleaned and Disinfected
52544	WQ0010495090	1201 SPRING ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Manhole	Collection system temporary blockage	6/5/2023	10:25	6/5/2023	10:26	0	Cleaned and Disinfected
52523	WQ0010495077	12662 COULSON ST	Storm Sewer - contained	Yes	0	Service Lateral	Collection system structural failure	6/6/2023	9:06	6/6/2023	9:07	0	Cleaned and Disinfected
52526	WQ0010495090	6819 MORROW ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	106	City Cleanout	Grease Blockage	6/6/2023	12:14	6/6/2023	14:00	1	Cleaned and Disinfected; Cleared City Clean Out
52530	WQ0010495076	7710 LITTLE YORK RD	Storm Sewer (not contained)	Yes	80	Manhole	Grease Blockage	6/7/2023	11:06	6/7/2023	13:45	1	Cleaned and Disinfected; Cleared Main Line

Additional Comments: Please note that where estimated volume and average flow are reported as "0", evidence of an SSO was observed but no active overflow was occurring. Consequently, flow rate and total volume loss could not be calculated.


SSO ID	TPDES #	Address	Flow Location	Reached Waters of the US	Est. Volume (Gallons)	Structure Type	Excursion Cause	Start Date	Start Time	End Date	End Time	Average Flow (GPM)	Corrective Action
52533	WQ0010495016	8037 SNOWDEN ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural blockage	6/7/2023	16:45	6/7/2023	16:46	0	Contain All or Portion of Spill
52534	WQ0010495090	5709 LOS ANGELES ST	Storm Sewer (not contained)	Yes	0	Service Lateral	Collection system structural blockage	6/7/2023	17:19	6/7/2023	17:20	0	Cleaned and Disinfected
52539	WQ0010495111	8100 MAPLECREST DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	1575	Manhole	Grease Blockage	6/8/2023	14:45	6/9/2023	17:00	1	Cleared Main Line; Cleaned and Disinfected
52540	WQ0010495037	4107 TURNBERRY CIR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/8/2023	17:00	6/8/2023	17:01	0	Cleared Service Lateral; Cleaned and Disinfected
52543	WQ0010495135	2011 SAGO LN	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Private Cleanout	Collection system structural blockage	6/9/2023	9:02	6/9/2023	9:03	0	Cleaned and Disinfected
52545	WQ0010495002	8717 WOODRUFF ST	Bayou/surface water/drainage ditch	Yes	127	Service Lateral	Collection system structural failure	6/9/2023	10:00	6/9/2023	12:07	1	Cleaned and Disinfected
52546	WQ0010495030	12096 KIMBERLEY LN	Storm Sewer (not contained)	Yes	186	Manhole	Grease Blockage	6/9/2023	10:37	6/9/2023	13:43	1	Cleaned and Disinfected; Cleared Main Line
52556	WQ0010495090	1507 HAMBLIN ST	Storm Sewer (not contained)	Yes	0	Manhole	Grease Blockage	6/10/2023	12:58	6/10/2023	12:59	0	Cleared Main Line; Cleaned and Disinfected
52558	WQ0010495003	3502 DARLINGHURST DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	60	Manhole	Grease Blockage	6/10/2023	12:40	6/10/2023	13:10	2	Cleared Main Line; Cleaned and Disinfected
52560	WQ0010495126	2000 WILLOWBROOK MALL	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	208	Manhole	Rags/Wipes	6/11/2023	10:21	6/11/2023	13:49	1	Cleared Main Line; Cleaned and Disinfected
52562	WQ0010495010	9807 BUCROFT ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural blockage	6/12/2023	8:54	6/12/2023	17:13	0	Cleaned and Disinfected
52564	WQ0010495076	4402 TALINA WAY	Storm Sewer (not contained)	Yes	0	Manhole	Grease Blockage	6/12/2023	11:47	6/12/2023	11:48	0	Cleaned and Disinfected; Cleared Main Line
52597	WQ0010495146	5715 GARDEN POINT DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Private Cleanout	Collection system structural failure	6/12/2023	19:59	6/12/2023	20:00	0	Cleaned and Disinfected; Set Bypass Pump
52573	WQ0010495090	5112 LELIA ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Grease Blockage	6/13/2023	11:06	6/13/2023	11:07	0	Cleaned and Disinfected; Cleared Service Lateral
52577	WQ0010495076	7320 ANTOINE DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	954	Private Sample Well	Rags/Wipes	6/13/2023	17:08	6/14/2023	9:02	1	Cleaned and Disinfected
52578	WQ0010495037	5815 BELLAIRE BLVD	Storm Sewer (not contained)	Yes	528	Manhole	Grease Blockage	6/13/2023	17:58	6/13/2023	20:10	4	Cleaned and Disinfected; Cleared Main Line
52599	WQ0010495037	5801 BELLAIRE BLVD	Storm Sewer (not contained)	Yes	528	Manhole	Grease Blockage	6/13/2023	17:58	6/13/2023	20:10	4	Cleared Main Line; Cleaned and Disinfected
52580	WQ0010495119	12023 BISSONNET ST	Storm Sewer (not contained)	Yes	780	Manhole	Grease Blockage	6/14/2023	8:44	6/14/2023	11:20	5	Cleaned and Disinfected; Cleared Main Line
52585	WQ0010495002	777 BRISBANE ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/15/2023	11:59	6/15/2023	12:00	0	Cleared Service Lateral; Cleaned and Disinfected
52587	WQ0010495002	7816 CORINTH ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/15/2023	12:35	6/15/2023	12:36	0	Cleaned and Disinfected; Cleared City Clean Out

SSO ID	TPDES #	Address	Flow Location	Reached Waters of the US	Est. Volume (Gallons)	Structure Type	Excursion Cause	Start Date	Start Time	End Date	End Time	Average Flow (GPM)	Corrective Action
52589	WQ0010495076	7627 ATHLONE DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Collection system structural blockage	6/15/2023	14:02	6/15/2023	14:03	0	Cleaned and Disinfected; Cleared Service Lateral
52590	WQ0010495090	7616 AVENUE J	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Private Cleanout	Collection system structural failure	6/15/2023	15:00	6/15/2023	15:01	0	Cleaned and Disinfected; Cleared Service Lateral
52591	WQ0010495090	3514 LOVE ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/15/2023	15:33	6/15/2023	15:34	0	Cleared City Clean Out; Cleaned and Disinfected
52595	WQ0010495016	10306 CAXTON ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural failure	6/15/2023	16:58	6/15/2023	16:59	0	Cleaned and Disinfected
52600	WQ0010495116	2801 ROLIDO DR	Storm Sewer (not contained)	Yes	1170	Manhole	Collection system structural blockage	6/16/2023	8:16	6/16/2023	12:10	5	Set Bypass Pump; Cleaned and Disinfected
52601	WQ0010495090	2617 CANAL ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Collection system structural blockage	6/16/2023	9:53	6/16/2023	9:54	0	Cleaned and Disinfected; Cleared City Clean Out
52606	WQ0010495090	414 LINDALE ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural failure	6/16/2023	14:55	6/16/2023	14:56	0	Cleaned and Disinfected
52608	WQ0010495023	7210 LOOP FWY	Storm Sewer (not contained)	Yes	2894	Manhole	Collection system structural failure	6/16/2023	16:49	6/17/2023	16:56	2	Cleaned and Disinfected
52610	WQ0010495030	872 BETTINA CT	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	172	Manhole	Grease Blockage	6/17/2023	13:04	6/17/2023	14:30	2	Cleared Main Line; Cleaned and Disinfected
52613	WQ0010495009	6121 FUQUA ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/17/2023	8:47	6/17/2023	8:48	0	Cleared City Clean Out; Cleaned and Disinfected
52612	WQ0010495002	4910 ALLENDALE RD	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	459	Manhole	Rags/Wipes	6/18/2023	9:09	6/18/2023	11:42	3	Cleared Main Line; Cleaned and Disinfected
52615	WQ0010495111	10940 MEADOWGLEN LN	Storm Sewer (not contained)	Yes	312	Service Lateral	Grease Blockage	6/18/2023	12:33	6/18/2023	13:51	4	Cleared Service Lateral; Cleaned and Disinfected
52625	WQ0010495037	6768 RENWICK DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Grease Blockage	6/20/2023	9:54	6/20/2023	9:55	0	Cleared City Clean Out; Cleaned and Disinfected
52631	WQ0010495090	405 WOOLWORTH ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/20/2023	15:57	6/20/2023	15:58	0	Cleared Service Lateral; Cleaned and Disinfected
52633	WQ0010495037	8502 GREENBUSH ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	424	Manhole	Collection system structural blockage	6/21/2023	8:23	6/21/2023	11:55	2	Cleared Main Line; Cleaned and Disinfected
52640	WQ0010495002	6000 GULF FWY	Storm Sewer (not contained)	Yes	296	Private Cleanout	Collection system structural failure	6/21/2023	16:00	6/21/2023	18:28	2	Cleaned and Disinfected; Set Bypass Pump
52664	WQ0010495003	4119 TAVENOR LN	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/21/2023	12:47	6/21/2023	12:48	0	Cleared Service Lateral; Cleaned and Disinfected
52642	WQ0010495119	11717 KIRKWOOD RD	Storm Sewer (not contained)	Yes	660	Manhole	Grease Blockage	6/22/2023	10:16	6/22/2023	15:46	2	Cleaned and Disinfected; Cleared Main Line

SSO ID	TPDES #	Address	Flow Location	Reached Waters of the US	Est. Volume (Gallons)	Structure Type	Excursion Cause	Start Date	Start Time	End Date	End Time	Average Flow (GPM)	Corrective Action
52651	WQ0010495016	6314 HARTWICK RD	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural blockage	6/22/2023	16:24	6/22/2023	16:25	0	Set Bypass Pump; Cleaned and Disinfected
52653	WQ0010495090	6521 HILLSBORO ST	Bayou/surface water/drainage ditch	Yes	0	Service Lateral	Collection system structural blockage	6/22/2023	17:34	6/22/2023	17:35	0	Cleaned and Disinfected
52654	WQ0010495109	13155 KATY FWY	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/22/2023	17:41	6/22/2023	17:42	0	Cleared City Clean Out; Cleaned and Disinfected
52655	WQ0010495090	1655 WOODVINE DR	Storm Sewer (not contained)	Yes	494	Manhole	Grease Blockage	6/23/2023	9:03	6/23/2023	17:18	1	Cleared Main Line; Cleaned and Disinfected
52656	WQ0010495090	6811 KIRBY DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	208	Manhole	Grease Blockage	6/23/2023	11:42	6/23/2023	15:10	1	Cleared Main Line; Cleaned and Disinfected
52657	WQ0010495090	7031 AVENUE P	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Private Cleanout	Collection system structural blockage	6/23/2023	13:51	6/23/2023	13:52	0	Cleaned and Disinfected; Set Bypass Pump
52667	WQ0010495003	2902 KIRBY DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	306	Private Cleanout	Collection system structural blockage	6/24/2023	13:14	6/25/2023	9:40	0	Cleaned and Disinfected; Cleared Service Lateral; Set Bypass Pump
52678	WQ0010495003	5137 INGOMAR WAY	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Roots	6/26/2023	17:23	6/26/2023	17:24	0	Cleaned and Disinfected; Cleared Service Lateral
52683	WQ0010495002	9850 GOODYEAR DR	Bayou/surface water/drainage ditch	Yes	1900	Force Main	Collection system structural failure	6/26/2023	14:10	6/26/2023	15:45	20	Cleaned and Disinfected
52681	WQ0010495009	4621 ALVIN ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Collection system structural blockage	6/27/2023	8:10	6/27/2023	8:11	0	Cleaned and Disinfected; Cleared Service Lateral
52685	WQ0010495100	13502 NORTHBOROUGH DR	Storm Sewer (not contained)	Yes	0	Private Cleanout	Collection system temporary blockage	6/27/2023	13:11	6/27/2023	13:12	0	Cleared Main Line; Cleaned and Disinfected; Set Bypass Pump
52689	WQ0010495111	10940 MEADOWGLEN LN	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	2242	Private Cleanout	Grease Blockage	6/27/2023	16:39	6/28/2023	11:20	2	Cleaned and Disinfected; Cleared Service Lateral
52701	WQ0010495037	3306 CLOVERDALE ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural failure	6/27/2023	12:39	6/27/2023	12:40	0	Cleaned and Disinfected
52692	WQ0010495090	736 LINK RD	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	496	City Cleanout	Rags/Wipes	6/28/2023	9:10	6/28/2023	17:26	1	Cleaned and Disinfected; Cleared Service Lateral
52694	WQ0010495110	4506 BLUE BONNET DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural blockage	6/28/2023	11:40	6/28/2023	11:41	0	Cleaned and Disinfected
52696	WQ0010495135	2011 SAGO LN	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Grease Blockage	6/28/2023	11:50	6/28/2023	11:51	0	Cleared Main Line; Cleaned and Disinfected
52700	WQ0010495090	803 SSGT MACARIO GARCIA DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	1330	City Cleanout	Rags/Wipes	6/28/2023	16:49	6/30/2023	13:08	1	Cleared Service Lateral; Cleaned and Disinfected
52706	WQ0010495090	904 ALLSTON ST	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	202	City Cleanout	Collection system structural failure	6/29/2023	14:18	6/29/2023	17:40	1	Cleared Service Lateral; Cleaned and Disinfected

SSO ID	TPDES #	Address	Flow Location	Reached Waters of the US	Est. Volume (Gallons)	Structure Type	Excursion Cause	Start Date	Start Time	End Date	End Time	Average Flow (GPM)	Corrective Action
52711	WQ0010495037	6768 RENWICK DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Rags/Wipes	6/29/2023	16:46	6/29/2023	16:47	0	Cleaned and Disinfected; Cleared Service Lateral
52712	WQ0010495002	8308 LA PORTE RD	Storm Sewer (not contained)	Yes	1055	City Cleanout	Collection system structural blockage	6/29/2023	16:50	6/30/2023	10:25	1	Cleaned and Disinfected; Cleared Service Lateral; Set Bypass Pump
52719	WQ0010495037	6700 CHIMNEY ROCK RD	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	City Cleanout	Grease Blockage	6/29/2023	15:01	6/29/2023	15:02	0	Cleared Service Lateral; Cleaned and Disinfected
52715	WQ0010495037	8869 CHATSWORTH DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	310	Service Lateral	Collection system structural failure	6/30/2023	9:50	6/30/2023	15:00	1	Cleaned and Disinfected; Cleared Service Lateral
52716	WQ0010495101	11865 NORTH FWY	Storm Sewer (not contained)	Yes	0	Manhole	Collection system temporary blockage	6/30/2023	0:01	6/30/2023	7:00	0	Cleaned and Disinfected
52718	WQ0010495030	10210 SHADOW WOOD DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Service Lateral	Collection system structural blockage	6/30/2023	15:04	6/30/2023	15:05	0	Cleaned and Disinfected; Cleared Service Lateral
52721	WQ0010495119	8100 MAPLECREST DR	Contained On Site, not within 5 ft. of Bayou/Surface Water/Drainage Ditch	No	0	Manhole	Grease Blockage	6/30/2023	8:55	6/30/2023	8:56	0	Cleaned and Disinfected; Cleared Main Line

Total Number of SSOs:	80
Number of Fish Kills Caused by SSOs:	0
Number of Notifications to the Public:	0
TWC § 7.251 Report Attached:	No



**Legend**

- SSO Location
- ##### SSO ExcursionID

Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS



Geospatial or map data maintained by Houston Public Works is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and only represents the approximate location of property boundaries.

# Public SSO Map - June 2023

