

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
909	1 of 1	NE	3.92 / 20,696.21	Jorge Rangel 1541 Birchwood Houston TX 77093	SDRW WELLS

Track NO: 310949
Date Submitted: 2013-02-08
Owner Name: Jorge Rangel
Owner Address: 1541 Birchwood
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.882778
Longitude: -95.363056
Drilling Date Started: 2013-02-07
Drilling Date Completed: 2013-02-07
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=310949&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 57

Top Depth:
Bottom Depth: 57.0

Well Levels

Measurement: 12
Measurement Date: 2013-02-07

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
910	1 of 2	NNE	3.92 / 20,700.13	JVAL Enterprise, LLC TX	WW HARRIS GAL

Well ID:	11775	Diameter (inches):	2
Aggre Lead Well:	11775	Year Drilled:	
Permit No:	WP2023-113647	Depth Drilled:	50
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.392222
Owner Name:	Valladares, Jose		
Billing Contact:	NULL		
Billing Address:	18715 N. Thomas Shore Dr.		
Billing Address 2:	NULL		
Billing City:	Cypress		
Billing State:	TX		
Billing Zip:	77433		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
910	2 of 2	NNE	3.92 / 20,700.13	Jose Valladares 326 E. Helms Houston TX 77037	SDRW WELLS

Track NO: 237984
Date Submitted: 2010-12-14
Owner Name: Jose Valladares
Owner Address: 26011 Fountainblue Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77377
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.897222
Longitude: -95.397222
Drilling Date Started: 2010-12-14
Drilling Date Completed: 2010-12-14
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=237984&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 10
Measurement Date: 2010-12-14

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
911	1 of 1	NNE	3.92 / 20,702.44	DON TORONLIN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 10/18/2001
 Owners Name: DON TORONLIN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 3
 Depth Drilled: 51
 Latitude: 29.8985744
 Longtiude: -95.3968632

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																															
WELL REPORT																																			
1) OWNER																																			
Name <u>Don Toranlin</u>		Address <u>207 E Helms</u>		City <u>Houston</u>	State <u>Texas</u> Zip <u>77037</u>																														
2) WELL LOCATION																																			
County <u>Harris</u>		Physical Address <u>Same</u>		City	State Zip																														
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>N↑</u>																															
6) Drilling Date Started <u>10/18/01</u> Completed <u>10/18/01</u>		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td><u>6</u></td> <td><u>surface</u></td> <td><u>51</u></td> </tr> </table>		Dia. (in.)	From (ft)	To (ft)	<u>6</u>	<u>surface</u>	<u>51</u>	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																									
Dia. (in.)	From (ft)	To (ft)																																	
<u>6</u>	<u>surface</u>	<u>51</u>																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>16</u></td><td><u>clay</u></td></tr> <tr><td><u>16</u></td><td><u>30</u></td><td><u>sand</u></td></tr> <tr><td><u>30</u></td><td></td><td><u>rock</u></td></tr> <tr><td><u>30</u></td><td><u>32</u></td><td><u>sand</u></td></tr> <tr><td><u>32</u></td><td><u>38</u></td><td><u>clay</u></td></tr> <tr><td><u>38</u></td><td></td><td><u>rock</u></td></tr> <tr><td><u>38</u></td><td><u>40</u></td><td><u>clay</u></td></tr> <tr><td><u>40</u></td><td><u>43</u></td><td><u>rock & sand</u></td></tr> <tr><td><u>43</u></td><td><u>51</u></td><td><u>sand, oob</u></td></tr> </table>		From (ft)	To (ft)	Description and color of formation material	<u>0</u>	<u>16</u>	<u>clay</u>	<u>16</u>	<u>30</u>	<u>sand</u>	<u>30</u>		<u>rock</u>	<u>30</u>	<u>32</u>	<u>sand</u>	<u>32</u>	<u>38</u>	<u>clay</u>	<u>38</u>		<u>rock</u>	<u>38</u>	<u>40</u>	<u>clay</u>	<u>40</u>	<u>43</u>	<u>rock & sand</u>	<u>43</u>	<u>51</u>	<u>sand, oob</u>	8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from _____ ft. to _____ ft.			
From (ft)	To (ft)	Description and color of formation material																																	
<u>0</u>	<u>16</u>	<u>clay</u>																																	
<u>16</u>	<u>30</u>	<u>sand</u>																																	
<u>30</u>		<u>rock</u>																																	
<u>30</u>	<u>32</u>	<u>sand</u>																																	
<u>32</u>	<u>38</u>	<u>clay</u>																																	
<u>38</u>		<u>rock</u>																																	
<u>38</u>	<u>40</u>	<u>clay</u>																																	
<u>40</u>	<u>43</u>	<u>rock & sand</u>																																	
<u>43</u>	<u>51</u>	<u>sand, oob</u>																																	
(Use reverse side of Well Owner's copy, if necessary)		Casing, Blank Pipe, and Well Screen Data <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td></td> <td><u>N</u></td> <td><u>Casing</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>N</u></td> <td><u>Screen</u></td> <td></td> <td></td> <td></td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To		<u>N</u>	<u>Casing</u>					<u>N</u>	<u>Screen</u>													
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																														
			From	To																															
	<u>N</u>	<u>Casing</u>																																	
	<u>N</u>	<u>Screen</u>																																	
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well:		9) Cementing Data Cementing from <u>41</u> ft. to <u>surface</u> ft. # of sacks used <u>11</u> ft. to _____ ft. # of sacks used _____ Method Used <u>Pressure</u> Cementing By <u>Raymond Services, Inc.</u> Distance to septic system field or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u>																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used											10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																															
14) Typepump <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc. _____ ft.		11) Water Level Static level <u>3</u> ft. below Date <u>10/18/01</u> Artesian Flow _____ gpm. Date <u>1/1</u>																																	
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		12) Packers Type Depth <u>None</u>																																	
16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No																																			
Company or individual's Name (type or print)		Raymond Services, Inc. 4577WI																																	
Address <u>10011 Airline Drive</u>		City <u>Houston</u>		State <u>TX</u>	Zip <u>77037</u>																														
Signature _____		Date <u>10/18/01</u>		Signature _____																															
Licensed Water Well Driller/Pump Installer		Date		Apprentice Date																															

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
912	1 of 2	NNE	3.92 / 20,708.34	TIRADOR PINEDA TX	TCEQ WELL LOGS

Grid No: 65-05-6
 Date Drilled: 12/26/2000
 Owners Name: TIRADOR PINEDA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 210
 Depth Drilled: 400
 Latitude: 29.8951132
 Longtiude: -95.3838587

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us			This form must be completed and filed with the department and owner within 60 days upon completion of the well.																		
WELL REPORT																							
A. WELL IDENTIFICATION AND LOCATION DATA																							
1) OWNER																							
Name <u>Tirador PINEOA</u>	Address <u>726 Hill Rd.</u>	City <u>Houston,</u>	State <u>TX.</u>	Zip <u>77037</u>																			
2) WELL LOCATION																							
County <u>HARRIS</u>	Physical Address <u>726 Hill Rd.</u>	City <u>Houston,</u>	State <u>TX.</u>	Zip <u>77037</u>																			
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		Lat. _____ Long. _____	Grid # <u>65-05-6</u>																				
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) NT																					
6) Drilling Date Started <u>12/22/00</u> Completed <u>12/26/00</u>		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia.(in)</th> <th style="width:33%;">From (ft)</th> <th style="width:33%;">To (ft)</th> </tr> <tr> <td style="text-align: center;"><u>7"</u></td> <td style="text-align: center;"><u>0</u></td> <td style="text-align: center;"><u>400'</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia.(in)	From (ft)	To (ft)	<u>7"</u>	<u>0</u>	<u>400'</u>							7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____							
Dia.(in)	From (ft)	To (ft)																					
<u>7"</u>	<u>0</u>	<u>400'</u>																					
From (ft) To (ft) Description and color of formation material <u>0-30 BLACK CLAY</u> <u>30-90 RED SAND</u> <u>90-180 CLAY</u> <u>180-260 SAND</u> <u>260-320 CLAY, ROCK</u> <u>320-340 SAND</u> <u>340-370 SHALE, CLAY</u> <u>370-400 SAND</u>		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRIN</u> If Gravel Packed give the interval from _____ ft. to _____ ft.																					
(Use reverse side of Well Owner's copy, If necessary)		Casing, Blank Pipe, and Well Screen Data																					
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Dia. (in.)</th> <th style="width:10%;">New Or Used</th> <th style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th style="width:15%;">Setting (ft) From To</th> <th style="width:25%;">Gage Casing Screen</th> </tr> <tr> <td style="text-align: center;"><u>4"</u></td> <td style="text-align: center;"><u>N</u></td> <td><u>PVC CASING</u></td> <td style="text-align: center;"><u>380-0</u></td> <td style="text-align: center;"><u>SEA 40</u></td> </tr> <tr> <td style="text-align: center;"><u>2.5"</u></td> <td style="text-align: center;"><u>N</u></td> <td><u>PVC LINE</u></td> <td style="text-align: center;"><u>380-370</u></td> <td style="text-align: center;"><u>SEA 40</u></td> </tr> <tr> <td style="text-align: center;"><u>2.5"</u></td> <td style="text-align: center;"><u>N</u></td> <td><u>PVC SCREEN</u></td> <td style="text-align: center;"><u>400-380</u></td> <td style="text-align: center;"><u>1012</u></td> </tr> </table>		Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen	<u>4"</u>	<u>N</u>	<u>PVC CASING</u>	<u>380-0</u>	<u>SEA 40</u>	<u>2.5"</u>	<u>N</u>	<u>PVC LINE</u>	<u>380-370</u>	<u>SEA 40</u>	<u>2.5"</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>400-380</u>	<u>1012</u>	9) Cementing Data Cementing from <u>380</u> ft. to <u>0</u> ft. # of sacks used <u>18</u> <u>0</u> ft. to <u>15</u> ft. # of sacks used <u>12</u> Method Used <u>HAULBURTON</u> Cementing By <u>ROBINSON WATER WELL SERVICE, INC.</u> Distance to septic system field or other concentrated contamination <u>90</u> ft. Method of verification of above distance <u>OWNR</u>	
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen																			
<u>4"</u>	<u>N</u>	<u>PVC CASING</u>	<u>380-0</u>	<u>SEA 40</u>																			
<u>2.5"</u>	<u>N</u>	<u>PVC LINE</u>	<u>380-370</u>	<u>SEA 40</u>																			
<u>2.5"</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>400-380</u>	<u>1012</u>																			
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">From (ft)</th> <th style="width:15%;">To (ft)</th> <th style="width:15%;">From (ft)</th> <th style="width:15%;">To (ft)</th> <th style="width:40%;">Sacks used</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used	
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																			
14) Type Pump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc., <u>300</u> ft.		11) Water Level Static level <u>210</u> ft. below Date <u>12/26/00</u> Artesian Flow _____ gpm. Date _____ SEQ. / _____																					
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		12) Packers Type <u>K</u> Depth <u>370</u> <div style="border: 1px solid black; padding: 5px; text-align: center;"> <u>MAR 06 2001</u> DISC CO </div>																					
16) Water Quality Did you knowingly penetrate a strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		COMMENT <div style="border: 1px solid black; height: 50px; width: 100%;"></div>																					
Company or individual's Name (type or print) <u>ROBINSON WATER WELL SERVICE, INC.</u>		Lic. No. <u>DAVID HELMS 54211 PLW</u>																					
Address <u>11819 W. MONTGOMERY RD.</u>		City <u>HOUSTON,</u>		State <u>TX.</u> Zip <u>77086</u>																			
Signature <u>David Helms</u>		Date <u>2/15/01</u>		Signature _____ Date _____																			
Licensed Driller/Pump Installer		Apprentice		Date																			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
912	2 of 2	NNE	3.92 / 20,708.34	Campuzano, David TX	WW HARRIS GAL

Well ID:	12652	Diameter (inches):	4
Aggre Lead Well:	12652	Year Drilled:	NULL
Permit No:	W2017-12652-190996-0	Depth Drilled:	300
Permit Start Date:	8/1/2017	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2018	County:	H
Well Status:	E - Exempt	Latitude:	29.895277
Regulatory Aarea:	3	Longitude:	-95.383888
Owner Name:	Campuzano, David		
Billing Contact:	NULL		
Billing Address:	726 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
913	1 of 1	NE	3.92 / 20,711.67	CHARLES G. GREENEY TX	TCEQ WELL LOGS

Grid No:	65-06-7
Date Drilled:	10/29/1990
Owners Name:	CHARLES G. GREENEY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	261
Depth Drilled:	370
Latitude:	29.882641
Longtiude:	-95.362835

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

1) OWNER Charles G. Greeney Address 1610 Birchwood Houston, Tx. 77093
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris County _____ miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☒ Legal description: Lts. 22 & 23 Blk. 3, Highpoint Subdivision
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling: 10-20 1990
 Started 10-29 1990
 Completed 10-29 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	350'
4 3/4	350'	370'

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-string
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5'	Gumbo
5'	45'	Clay
45'	55'	Silt
55'	100'	Clay
100'	120'	Blue clay
120'	126'	Fine sand
126'	160'	Clay
160'	169'	Sand streaks
169'	260'	Clay & shell
260'	280'	Shell, clay, sand streaks
280'	290'	Shell, clay, sand streaks
290'	320'	Clay & shell streaks
320'	322'	Limestone
322'	350'	Shell & clay
350'	370'	Sand streaks

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	N	Pvc-sch. 40	0	350'	
2 1/2"	N	10' x 2 1/2" pvc sch. 80	340'	350'	
2 1/2"	N	20' x 2 1/2" pvc screen	350'	370'	.008

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 15 ft. No. of Sacks Used 6
350 ft. to 150 ft. No. of Sacks Used 22
 Method used pressure cement
 Cemented by D & R Water Well

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 261' ft. below land surface Date 10-29-90
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Burlap 15'
Neoprene stainless 340'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
 Yield: 20 gpm gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME D & R Water Well & Pump Service Water Well Driller's License No. 245-W
 (Type or Print)

ADDRESS 3007 Randolph Pasadena Texas 77503
 (Street or RFD) (City) (State) (Zip)


(Signed) Don L. Wolf (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. 65-06-7
 Located on map _____

TWC-0392 (Rev. 06-10-85)

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
914	1 of 1	NNE	3.92 / 20,711.76	SONNY BOSWORTH TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 02/23/1971
Owners Name: SONNY BOSWORTH
County: HARRIS
Water Usage: DOMESTIC
Static Level: 194
Depth Drilled: 420
Latitude: 29.894281
Longtiude: -95.381695


Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas

For TWDB use only
Well No. _____
Located on map NO
Received: 71
dlr

WATER WELL REPORT

1) OWNER:
Person having well drilled SONNY BOSWORTH Address 13000 SAYCREST HOUSTON TX
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 5 miles in NORTH direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.

(Use reverse side if necessary)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 420 ft. Depth of completed well 420 ft. Date drilled 2-23-71
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-40	CLAY	269-310 CLAY
40-50	SAND RED	310-330 SAND
50-80	CLAY	330-380 CLAY
80-90	SAND RED	380-385 SAND
90-150	CLAY	385-420 SAND
150-168	SAND FINE	
168-192	CLAY	
192-224	SAND FINE	
224-225	ROCK	
225-254	SAND BROKEN	
254-269	SAND FINE	

(Use reverse side if necessary)

9) CASING:
Type: Old ☒ New ☒ Steel Plastic Other
Cemented from 0 ft. to 378 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gauge _____
4 0 378

10) SCREEN:
Type EVER FLOW PLASTIC
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 406 421 10

7) COMPLETION (Check):
Straight well ☒ Gravel packed ☒ Other LAND SEAL
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 194 ft. below land surface Date 2-23-71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. HENDON Water Well Drillers Registration No. 334
(Type or Print)
ADDRESS 14605 REEVES TOWN HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) A.R. Hendon AHA WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-CW-53

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
915	1 of 2	N	3.93 / 20,726.05	GEORGE HARTNET TX	TCEQ WELL LOGS

Grid No: 65-13-3
Date Drilled: 11/27/2000
Owners Name: GEORGE HARTNET
County: HARRIS
Water Usage: DOMESTIC
Static Level: 260
Depth Drilled: 450
Latitude: 29.8994485
Longitude: -95.4032711

ORIGINAL

Attention Owner: Confidentiality/Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616 Toll free (800) 803-9202 Email address: water.well@license.state.tx.us				This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
WELL REPORT							
A. WELL IDENTIFICATION AND LOCATION DATA							
1) OWNER Name GEORGE HARTNET		Address P.O. BOX 672631		City HOUSTON		State TX Zip 77267	
2) WELL LOCATION County HARRIS		Physical Address 228 WEST LORINO		City HOUSTON		State TX Zip 77037	
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No				5) X N	
6) Drilling Date Started 11/15/00 Completed 11/27/00		Diameter of Hole Dia. (in) From (ft) To (ft) 7 1/4 0 450		7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other 2 STRING			
From (ft) To (ft) Description and color of formation material 0 50 CLAY 50 105 CLAY/SAND 105 125 CLAY/ROCK 125 300 CLAY/SAND 300 390 CLAY/ROCK/SAND 390 425 CLAY/ROCK 425 450 SAND		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other CEMENTED If Gravel Packed give the interval from _____ ft. to _____ ft.					
		Casing, Blank Pipe, and Well Screen Data					
		Dia. (in.) New Or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial		Setting (ft) From To		Gage Casing Screen	
		4 N PVC CASING		0 440		40	
		2 1/2 N PVC LINER		435 440		40	
		2 1/2 N PVC SCREEN		440 450		010	
		9) Cementing Data Cementing from 440 ft. to 15 ft. # of sacks used 22 15 ft. to 0 ft. # of sacks used 13 Method Used HALIBURTON Cementing By GLEN R. BONDS Distance to septic system field or other concentrated contamination NA Method of verification of above distance NA					
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/Bentonite placed in well: _____		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input checked="" type="checkbox"/> Approved Alternative Procedure Used					
From (ft) To (ft) From (ft) To (ft) Sacks used 		11) Water Level Static level 260 ft. below Date 11/27/00 Artesian Flow _____ gpm Date / /					
14) Typepump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., 320 ft.		12) Packers Type Depth 4 X 2 1/2 TRI-SEAL 435 FT.					
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: 35-40 gpm with _____ ft. drawdown after _____ hrs.		16) Water Quality Did you knowingly penetrate any strata which contain undesirable constituents? <input type="checkbox"/> Yes <input type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER? Type of water GOOD Depth of Strata 25 FT. Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
Company or Individual's Name (type or print) NORTHWEST WATER WELLS (Glen Bonds) Lic. No. 50950-WP							
Address 25143 FM 1488				City MAGNOLIA		State TEXAS Zip 77355	
Signature <i>Glen R. Bonds</i>		Date 11/29/00		Signature _____		Date _____	
Licensed Driller/Pump Installer		Date		Apprentice		Date	

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
915	2 of 2	N	3.93 / 20,726.05	Advance Hydraulics, LLC TX	WW HARRIS GAL
<div> <div> Well ID: 12633 Aggre Lead Well: 12633 Permit No: WP2023-111906 Permit Start Date: 8/1/2023 2:13:00 PM Permit End Dt: 7/31/2024 2:13:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Advance Hydraulics, LLC Billing Contact: NULL Billing Address: 228 W Lorino St. Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77037 Correspondence: NULL Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion. Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: 2000 Depth Drilled: 1 Depth frm Surf(ft): 0 County: H Latitude: 29.899166 Longitude: -95.403333 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
916	1 of 1	ENE	3.93 / 20,726.11	F L Kimball TX	GWDB

Well Rep Track No:
State Well No: 6506711
Owner Name: F L Kimball
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year:
Well Depth: 468
Well Usage: Unused
Water Level Status:
Latitude: 29.8769440
Longitude: -95.3572230
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506711&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506711&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
917	1 of 2	NNE	3.93 / 20,732.89	CRAIG MECHANICAL TX	TCEQ WELL LOGS

Grid No:	65-05-9KKK
Date Drilled:	11/05/1980
Owners Name:	CRAIG MECHANICAL
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	235
Depth Drilled:	328
Latitude:	29.897419
Longitude:	-95.391024

Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-05-9KKK
Located on map YES
Received: C.F.S.

1) OWNER Craig Mechanical Address 430 E. Helms Houston, Texas 77037
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: Harris 20 miles in _____ direction from _____
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-31-85

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 11-5-80

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
4 3/4"	Surface	341
6 3/4"	"	328'

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other Two-String
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Surface
2	7	Gray clay
7	18	Yellow clay
18	41	Sand
41	42	Rock Streaks
42	48	Sand
48	104	Red and yellow clay
104	110	Sand
110	139	Red and gray clay
139	173	Sand
173	178	Red and gray clay
178	181	Sand and rock streaks
181	205	Red and gray clay
205	223	Sand 10 ga.
223	224	Rock
224	235	Sand 10 ga.
235	242	RED and yellow clay
242	247	Sand
247	250	Red and yellow clay
250	257	Sand
257	281	Red and gray clay
281	285	Sand 8 ga.
285	314	Red and gray clay
314	341	Sand 16 ga.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	N	SCH 40 PVC Casing	+18'	328'	
2 1/2"	N	Well Supplies, Inc. WOP Screen	328'	318'	16 ga.
2 1/2"	N	SCH 80 PVC Blank Liner	318	308'	

CEMENTING DATA
Cemented from 328' ft. to 160' ft.
Method used Pressure Cement
Cemented by Raymond Water Wells
(Company or individual)

9) WATER LEVEL:
Static level 235' ft. below land surface Date 11-5-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
"K" 308'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294' ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 10 gpm with 5 ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. 774
(Type or Print)
ADDRESS 10011 Airline Drive Houston, Texas 77037
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] Raymond Water Wells
(Water Well Driller) (Company Name)
Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
917	2 of 2	NNE	3.93 / 20,732.89	NULL TX	WW HARRIS GAL

Well ID:	9319	Diameter (inches):	4
Aggre Lead Well:	9319	Year Drilled:	2003
Permit No:	WP2021-100813	Depth Drilled:	400
Permit Start Date:	NULL	Depth frm Surf(ft):	380
Permit End Dt:	NULL	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.391111
Owner Name:	Kichler, Robert A.		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
918	1 of 2	NNE	3.93 / 20,735.06	Alaei, Mike TX	WW HARRIS GAL
<hr/>					
Well ID:	10596			Diameter (inches):	2
Aggre Lead Well:	10596			Year Drilled:	2007
Permit No:	WP2023-112964			Depth Drilled:	50
Permit Start Date:	8/1/2023			Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024			County:	H
Well Status:	O - Operable			Latitude:	29.898611
Regulatory Aarea:	3			Longitude:	-95.397222
Owner Name:	Alaei, Mike				
Billing Contact:	NULL				
Billing Address:	28302 Rose Lane				
Billing Address 2:	NULL				
Billing City:	Katy				
Billing State:	TX				
Billing Zip:	77494				
Correspondence:	NULL				
Provision:	NULL				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
918	2 of 2	NNE	3.93 / 20,735.06	Mike Alaei 205 E. Helms Houston TX 77037	SDRW WELLS

Track NO: 107552
Date Submitted: 2007-03-27
Owner Name: Mike Alaei
Owner Address: 33075 GreenPark Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77082
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898334
Longitude: -95.397222
Drilling Date Started: 2007-03-26
Drilling Date Completed: 2007-03-26
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=107552&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement:
Measurement Date: 2007-03-26

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
919	1 of 1	N	3.93 / 20,738.33	Milestone Metals, Inc. TX	WW HARRIS GAL

Well ID:	5617	Diameter (inches):	4
Aggre Lead Well:	5617	Year Drilled:	1996
Permit No:	WP2023-111939	Depth Drilled:	400
Permit Start Date:	8/1/2023 3:23:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.899166
Regulatory Aarea:	3	Longitude:	-95.400833
Owner Name:	Milestone Metals, Inc.		
Billing Contact:	Charles E. Archer		
Billing Address:	113 W. Lorino		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
920	1 of 1	SW	3.93 / 20,738.66	MR JJ JEMPLIN TX	TCEQ WELL LOGS

Grid No: 65-04-9
 Date Drilled: 09/08/1981
 Owners Name: MR JJ JEMPLIN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 170
 Depth Drilled: 296
 Latitude: 29.805345
 Longtiude: -95.460559

✓ *Big*
WL # 28

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

**State of Texas
WATER WELL REPORT**

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-04-9M
Located on map YES
Received: RWT

1) OWNER Mr. J. J. Samplin (Name) Address 2002 Karbach Houston TX 77022 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Emmott Rd. 5 miles in S.W. direction from Jessy Village County Harris (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Map on 65-11-2V

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9/8/81

DIAMETER OF HOLE		Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
From (ft.)	To (ft.)					From	To	
		<u>top soil + clay</u>						
		<u>sand</u>						
		<u>clay</u>	<u>4</u>	<u>N</u>	<u>P.U.C.</u>	<u>0</u>	<u>280</u>	
		<u>sand</u>	<u>3</u>	<u>N</u>	<u>P.U.C.</u>	<u>280</u>	<u>296</u>	<u>0.23C</u>
		<u>clay</u>						
		<u>sand</u>						
		<u>clay</u>						
		<u>sand</u>						
		<u>clay</u>						
		<u>sand</u>						

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA
Cemented from 230 ft. to 280 ft.
Method used Caliburst
Cemented by Bussell + Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 170 ft. below land surface Date 9/10/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 190 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS 9739 N. Hau Rosslyn Houston TEXAS 77088 (Street or RFD) (City) (State) (Zip)

(Signed) Craig Bussell (Water Well Driller) BUSSELL + SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
921	1 of 2	NNE	3.93 / 20,740.19	WHAT YU NGUYGEN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 07/07/1999
Owners Name: WHAT YU NGUYGEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 230
Depth Drilled: 430
Latitude: 29.8950783
Longtiude: -95.38351

ATTENTION OWNER: Confidentiality
 Privilege Notice on Reverse Side

STATE OF TEXAS
 WATER WELL REPORT

1) OWNER: NGUYEN, NHAT VU ADDRESS: 806 HILL RD CITY: HOUSTON STATE: TX ZIP: 77037-

2) ADDRESS OF WELL: 5)
 County: HARRIS GRID # 65-05-9
 Street or RFD: 806 HILL RD
 City, State, Zip code: HOUSTON, TX 77037-

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
 If Public Supply well, were plans submitted to the TNRCC?

5) WELL LOG: 19988 DIAMETER OF HOLE 7) DRILLING METHOD: 8) BOREHOLE COMPLETION:
 DATE DRILLING: 6.5 0 430 MUD ROTARY STRAIGHT WALL
 STARTED: 07/01/99 IF GRAVEL... FROM FT. TO FT.
 COMPLETED: 07/07/99 FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	390	WW
2.5	N	PVC LINER	379	390	80
2.5	N	SUPERFLO SCREEN	390	430	10

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	138	CLAY
138	164	SAND
164	204	CLAY
204	220	SAND
220	224	CLAY
224	232	SAND
232	278	CLAY
278	296	SAND
296	312	CLAY
312	334	SAND
334	340	CLAY
340	365	SAND
365	370	CLAY
370	430	SAND

9) CEMENTING DATA:
 Cemented from 390 FT. TO 0 FT.
 No. of Sacks Used
 FT. TO FT.
 Method used: PRESSURE
 Cemented by: ODCI
 Distance to septic field lines: ft.
 Method of verification of above distance:

10) SURFACE COMPLETION:

OTHER

11) WATER LEVEL:

STATIC LEVEL : 230 FT. DATE: 07/07/99
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
 B P VALVE 379

13) TYPE PUMP: 14) WELL TEST:
 SUBMERSIBLE JETTED
 DEPTH TO PUMP: 315 YIELD: 25 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
 TYPE OF WATER: N/A DEPTH OF STRATA: 60 NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,411,4883 FOR TWC USE ONLY
 ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744 WELL NO.
 LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Royce Mera (signed)
 LICENSED WATER WELL DRILLER

(REGISTERED DRILLER-TRAINEE)

FIELD	SEQ #
EMP #	SEC CO
SEP 04 1999	
COMMENT	

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
921	2 of 2	NNE	3.93 / 20,740.19	Nguyen, Nhat Vu TX	WW HARRIS GAL

Well ID:	7639	Diameter (inches):	4
Aggre Lead Well:	7639	Year Drilled:	1999
Permit No:	W2017-7639-191361-0	Depth Drilled:	0
Permit Start Date:	8/1/2017	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2017	County:	H
Well Status:	E - Exempt	Latitude:	29.895
Regulatory Aarea:	3	Longitude:	-95.383333
Owner Name:	Nguyen, Nhat Vu		
Billing Contact:	NULL		
Billing Address:	806 Hill Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
922	1 of 1	NNE	3.93 / 20,743.84	Munoz, John TX	WW HARRIS GAL

Well ID:	12648	Diameter (inches):	2
Aggre Lead Well:	12648	Year Drilled:	NULL
Permit No:	WP2023-112124	Depth Drilled:	300
Permit Start Date:	8/1/2023 3:20:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:20:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.895277
Regulatory Aarea:	3	Longitude:	-95.383055
Owner Name:	Munoz, John		
Billing Contact:	NULL		
Billing Address:	5211 Alamosa Lane		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77379-8001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
923	1 of 1	N	3.93 / 20,744.51	DOUG BAUGHMAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/13/1996
Owners Name: DOUG BAUGHMAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 16
Depth Drilled: 45
Latitude: 29.8994601
Longtiude: -95.4028097

17, Austin, TX 78711-3087

Please use black ink.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
924	1 of 5	NE	3.93 / 20,746.32	LONE WILLOW MOBILE HOME PARK TX	WUD

Primary Co: LINDA DIANNE HARTZOG
Contact Ti: OWNER
Operating Status: OPERATIONAL
PWSID: 1010664
Source ID: G1010664B
Utility Name: LONE WILLOW MOBILE HOME PARK
WTRSRC: G1010664B
Date Drilled: 06/08/1989
Well Depth: 400
Screen Top: 380
Screen Bottom: 400
Water Usage: INACTIVE - OTHER
Gallons Per Minute: 17
CCN: N/A
Latitude: 29.891939
Longitude: -95.37635
System Status: INACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
924	2 of 5	NE	3.93 / 20,746.32	LONE WILLOW MOBILE HOME PARK TX	WUD
Primary Co:		LINDA DIANNE HARTZOG			
Contact Ti:		OWNER			
Operating Status:		OPERATIONAL			
PWSID:		1010664			
Source ID:		G1010664A			
Utility Name:		LONE WILLOW MOBILE HOME PARK			
WTRSRC:		G1010664A			
Date Drilled:					
Well Depth:		353			
Screen Top:		0			
Screen Bottom:		0			
Water Usage:		INACTIVE - OTHER			
Gallons Per Minute:		20			
CCN:		N/A			
Latitude:		29.89196			
Longitude:		-95.376381			
System Status:		INACTIVE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
924	3 of 5	NE	3.93 / 20,746.32	BILL HARTZOG TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/17/1991
Owners Name: BILL HARTZOG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 400
Latitude: 29.891939
Longtiude: -95.37635

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

③ Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																				
1) OWNER <u>Bill Hartzo</u> (Name)		ADDRESS <u>19426 Lockridge Spring Tx 77373</u> (Street or RFD) (City) (State) (Zip)																																						
2) LOCATION OF WELL: <u>909 GULFBANK</u> County <u>HARRIS</u> miles in _____ direction from _____ (Town)																																								
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																								
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																								
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																								
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																				
6) WELL LOG: Date Drilling: <u>10/16/91</u> Started <u>10/17/91</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7 7/8</u></td> <td>Surface</td> <td><u>375</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>375</u></td> <td><u>400</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>7 7/8</u>	Surface	<u>375</u>	<u>3 7/8</u>	<u>375</u>	<u>400</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																								
DIAMETER OF HOLE																																								
Dia. (in.)	From (ft.)	To (ft.)																																						
<u>7 7/8</u>	Surface	<u>375</u>																																						
<u>3 7/8</u>	<u>375</u>	<u>400</u>																																						
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0</u></td> <td><u>370</u></td> <td><u>Unconsolidated</u></td> </tr> <tr> <td><u>370</u></td> <td><u>400</u></td> <td><u>Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>370</u>	<u>Unconsolidated</u>	<u>370</u>	<u>400</u>	<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>375</u></td> <td></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>Galv</u></td> <td><u>370</u></td> <td><u>380</u></td> <td></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PRC</u></td> <td><u>380</u></td> <td><u>400</u></td> <td><u>.012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>375</u>		<u>4</u>	<u>N</u>	<u>Galv</u>	<u>370</u>	<u>380</u>		<u>4</u>	<u>N</u>	<u>PRC</u>	<u>380</u>	<u>400</u>	<u>.012</u>
From (ft.)	To (ft.)	Description and color of formation material																																						
<u>0</u>	<u>370</u>	<u>Unconsolidated</u>																																						
<u>370</u>	<u>400</u>	<u>Sand</u>																																						
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																			
			From	To																																				
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>375</u>																																				
<u>4</u>	<u>N</u>	<u>Galv</u>	<u>370</u>	<u>380</u>																																				
<u>4</u>	<u>N</u>	<u>PRC</u>	<u>380</u>	<u>400</u>	<u>.012</u>																																			
<div style="border: 2px solid black; padding: 10px; display: inline-block;"> RECEIVED JAN 13 1992 TEXAS WATER COMMISSION </div>																																								
(Use reverse side if necessary)																																								
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>375</u> ft. No. of Sacks Used <u>34</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>Halliburton</u> Cemented by <u>Bussell & Son Inc.</u>																																						
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>45</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																						
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>250</u> ft. below land surface Date <u>10/17/91</u> Artesian flow _____ gpm. Date _____																																						
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>R-Packer</u></td> <td><u>370</u></td> </tr> </table>						Type	Depth	<u>R-Packer</u>	<u>370</u>																															
Type	Depth																																							
<u>R-Packer</u>	<u>370</u>																																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																								
COMPANY NAME <u>Bussell & Son Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2035</u>																																						
ADDRESS <u>PO Box 874</u> (Street or RFD)		<u>Tomball</u> (City)		<u>TX 77377-0874</u> (State) (Zip)																																				
(Signed) <u>Graig Bussell</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																						
Please attach electric log, chemical analysis, and other pertinent information, if available.																																								
For TWC use only: Well No. <u>3</u> Located on map <u>65.5.9</u>																																								

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
924	4 of 5	NE	3.93 / 20,746.32	Hartzog, Linda D. TX	WW HARRIS GAL

Well ID:	4527	Diameter (inches):	5
Aggre Lead Well:	3130	Year Drilled:	1990
Permit No:	W2017-3130-191165-0	Depth Drilled:	400
Permit Start Date:	8/1/2017	Depth frm Surf(ft):	400
Permit End Dt:	7/31/2022	County:	H
Well Status:	P - Plugged	Latitude:	29.891666
Regulatory Aarea:	3	Longitude:	-95.376388
Owner Name:	Hartzog, Linda D.		
Billing Contact:	NULL		
Billing Address:	13078 FM 2432		
Billing Address 2:	NULL		
Billing City:	Willis		
Billing State:	TX		
Billing Zip:	77378		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
924	5 of 5	NE	3.93 / 20,746.32	Hartzog, Linda D. TX	WW HARRIS GAL

Well ID:	3130	Diameter (inches):	4
Aggre Lead Well:	3130	Year Drilled:	1990
Permit No:	W2017-3130-191165-0	Depth Drilled:	324
Permit Start Date:	8/1/2017	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022	County:	H
Well Status:	P - Plugged	Latitude:	29.891944
Regulatory Aarea:	3	Longitude:	-95.376111
Owner Name:	Hartzog, Linda D.		
Billing Contact:	NULL		
Billing Address:	13078 FM 2432		
Billing Address 2:	NULL		
Billing City:	Willis		
Billing State:	TX		
Billing Zip:	77378		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
925	1 of 2	N	3.93 / 20,746.43	GOOD SHEPHERD CHURCH TX	TCEQ WELL LOGS

Grid No: 60-05-8
Date Drilled: 05/10/1989
Owners Name: GOOD SHEPHERD CHURCH
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 250
Depth Drilled: 501
Latitude: 29.8990571
Longitude: -95.4204225

Please use black ink. Send original copy by certified mail to the Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

1) OWNER GOOD SHEPHERD CHURCH Address 1020 W. MT. HOUSTON RD. TEX
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS 10 miles in NORTH direction from HOUSTON
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling: Started 5-6 1989 Completed 5-10 1989

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
	Surface	501
0-26		CLAY
26-94		SAND
94-95		ROCK
95-105		SAND
105-127		CLAY
127-179		SAND
179-222		CLAY
222-239		SAND
239-267		CLAY
267-349		SAND
349-352		CLAY
352-365		SAND
365-384		CLAY
384-400		SAND
400-407		CLAY
407-424		SAND
424-456		CLAY
456-501		SAND

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other K PACKER
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	STEEL	0	481	
2 1/2	N	STEEL	481	501	12

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 481 ft. No. of Sacks Used 20
 Cemented to _____ ft. No. of Sacks Used _____
 Method used PRESSURE
 Cemented by HAN WATER WELL

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 250 ft. below land surface Date 5-10-89
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth 471

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 315 ft.

14) WELL TESTS:
 Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HAN WATER WELL Water Well Driller's License No. 334
 (Type or Print)

ADDRESS 14605 REEVES TOWN IND. TEX. 77039
 (Street or RFD) (City) (State) (Zip)

(Signed) OR Henderson (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. 60-05-8
 Located on map _____

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
925	2 of 2	N	3.93 / 20,746.43	Good Shepherd Christian Church TX	WW HARRIS GAL

Well ID:	8597	Diameter (inches):	4
Aggre Lead Well:	8597	Year Drilled:	1989
Permit No:	W2019-8597-202993-0	Depth Drilled:	501
Permit Start Date:	6/1/2019	Depth frm Surf(ft):	481
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.898611
Regulatory Aarea:	3	Longitude:	-95.420555
Owner Name:	Good Shepherd Christian Church		
Billing Contact:	NULL		
Billing Address:	4343 South Loop East		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77051		
Correspondence:	Marilyn S. Fiddmont		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
926	1 of 1	NE	3.93 / 20,757.30	KENIA HERNANDEZ 1714 SUNNY DR HOUSTON TX 77093	SDRW WELLS

Track NO: 623218
Date Submitted: 2022-11-08
Owner Name: KENIA HERNANDEZ
Owner Address: 1714 SUNNY DR
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.880556
Longitude: -95.360833
Drilling Date Started: 2022-09-21
Drilling Date Completed: 2022-09-22
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=623218&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 385.0

Top Depth: 0
Bottom Depth: 385

Well Levels

Measurement: 195
Measurement Date:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
927	1 of 2	N	3.93 / 20,758.39	BAXTER CORRELL TX	TCEQ WELL LOGS

Grid No: 65-05-9J
Date Drilled: 11/??/1976
Owners Name: BAXTER CORRELL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 145
Depth Drilled: 215
Latitude: 29.8991506
Longitude: -95.3996442

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
 Well No. 65-05-9J
 Located on map yes
 Received: 77
dt

95 9J *Dup*

1) OWNER:
 Person having well drilled Baxter Correll Address 9801 X Airline Houston, Texas
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* map on 65-06-7JJ
413 J North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well ☒ Deepening ☐
 Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
 Domestic ☒ Industrial ☐ Municipal ☐
 Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
 Rotary ☒ Driven ☐ Dug ☐
 Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 215 ft. Depth of completed well 230 ft. Date drilled Nov. 1976
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Surface
3	15	Yellow clay
15	41	Red & yellow clay
41	45	Sand
45	65	Red clay
65	75	Red & yellow clay
75	94	Red clay
94	132	Red & gray clay
132	165	Sand
165	211	Red & gray clay
211	230	Sand 10 ga.

9) CASING:
 Type: Old ☐ New ☒ Steel ☐ Plastic ☐ Other ☐
 Cemented from 215 up _____ ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 1 215 40

10) SCREEN:
 Type Well Supplies Inc. plastic wrapped
 Perforated ☐ Slotted ☒
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 220 230 10

7) COMPLETION (Check):
 Straight wall ☒ Gravel packed ☐ Other ☐
 Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
 Static level 145 ft. below land surface Date Nov. 1976
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes ☐ No ☒ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes ☐ No ☒
 Did any strata contain undesirable water? Yes ☐ No ☒
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Inc. Water Well Drillers Registration No. ~~77777~~ TDL774
 (Type or Print)
 ADDRESS 10011 Airline Houston Texas
 (Street or RFD) (City) (State)
 (Signed) C.A. Raymond, Jr. Raymond Water Well Drilling
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-8



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
927	2 of 2	N	3.93 / 20,758.39	Pawn TX, Inc. TX	WW HARRIS GAL

Well ID:	12746	Diameter (inches):	2
Aggre Lead Well:	12746	Year Drilled:	NULL
Permit No:	WP2023-114835	Depth Drilled:	200
Permit Start Date:	10/11/2023 1:33:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.899166
Regulatory Aarea:	3	Longitude:	-95.399444
Owner Name:	Graham, Robert D.		
Billing Contact:	Facilities Department		
Billing Address:	9801 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
928	1 of 2	NNE	3.93 / 20,760.13	B J HOUSTON TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 09/22/1990
Owners Name: B J HOUSTON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225.5
Depth Drilled: 295
Latitude: 29.8947593
Longtiude: -95.3825237

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711
Km4

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER B.J. Houston ADDRESS 13623 Jaycrest Houston Tex.
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 5 miles in SW direction from Aldine
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP 0765-06-8

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud-Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 9-26 9-27
Started 1990
Completed 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>285</u>
<u>4 1/2</u>	<u>285</u>	<u>295</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give Interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-37</u>	<u>C</u>	
<u>37-47</u>	<u>S</u>	
<u>47-131</u>	<u>C</u>	
<u>131-164</u>	<u>S</u>	
<u>164-196</u>	<u>C</u>	
<u>196-233</u>	<u>S</u>	
<u>233-270</u>	<u>C</u>	
<u>270-295</u>	<u>S</u>	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>285</u>	<u>40</u>
<u>2 1/2</u>	<u>N</u>	<u>PVC wrapped</u>	<u>285</u>	<u>295</u>	<u>6</u>

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 285 ft. No. of Sacks Used 28
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Circ
Cemented by JW

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 225 ft. below land surface Date 9-27-90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 270 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Home Water Wells Inc WELL DRILLER'S LICENSE NO. 1182
(Type or print)

ADDRESS PO Box 89 Porter Tex. 77365
(Street or RFD) (City) (State) (Zip)

(Signed) Roman L. Home (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 6505-9 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

2626

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
928	2 of 2	NNE	3.93 / 20,760.13	JOSEPH BRADEN TX	TCEQ WELL LOGS

Grid No: 65-05-9AA
 Date Drilled: 03/18/1978
 Owners Name: JOSEPH BRADEN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 202
 Depth Drilled: 297
 Latitude: 29.8947593
 Longtiude: -95.3825237

Dug

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9AA
Located on map 40
Received: 78

1) OWNER:
 Person having well drilled Joseph Braden Address Taxcrest Hous TX
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris 9 miles in N direction from Hou.
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, highway number, etc. Harris Hill Taxcrest Airline
 (Use reverse side if necessary) North ↑
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 297 ft. Depth of completed well 297 ft. Date drilled 3-18-78
 All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	42	clay
42	46	sand
46	132	clay
132	165	sand
165	176	clay
176	184	sand
184	196	clay
196	215	sand
215	235	sand hard
235	272	clay
272	297	sand

(Use reverse side if necessary)

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
 Static level 202 ft. below land surface Date 3-18-78
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

9) CASING:
 Type: Old ☐ New ☒ Steel ☒ Plastic ☐ Other _____
 Cemented from none ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____

10) SCREEN:
 Type Electric
 Perforated ☐ Slotted ☒
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

11) WELL TESTS:
 Was a pump test made? Yes ☐ No ☒ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes ☐ No ☒
 Did any strata contain undesirable water? Yes ☐ No ☐
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A. R. Hendon JR Water Well Drillers Registration No. 1439
 (Type or Print)
 ADDRESS 14605 Reeveston Hous TX
 (Street or RFD) (City) (State)
 (Signed) A. R. Hendon Jr H+H Water Well
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-GW-53

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
929	1 of 1	NNE	3.93 / 20,766.51	TOM PUGH TX	TCEQ WELL LOGS

Grid No: 65-05-9Y
Date Drilled: 11/28/1977
Owners Name: TOM PUGH
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 348
Latitude: 29.8959797
Longtiude: -95.3858219


Dug

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9Y
Located on map 1025
Received: 787

1) OWNER:
Person having well drilled Tom Pugh Address Hill Rd Hon TX
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris _____ miles in N direction from Hon (Town)
(N.E., S.W., etc.)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
hiway number, etc.*

(Use reverse side if necessary)
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
☒ New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 348 ft. Depth of completed well 348 ft. Date drilled 11-28-77
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	30	clay
30	34	sand
34	141	clay
141	162	sand
162	220	clay
220	268	sand
268	331	clay
331	348	sand

(Use reverse side if necessary)

9) CASING:
Type: Old ☒ New ☒ Steel ☒ Plastic ☐ Other _____
Cemented from none ft. to _____ ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Gage _____
4 0 338

10) SCREEN:
Type: _____
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot Size _____
4 338 348 .014

7) COMPLETION (Check):
☒ Straight wall Gravel packed Other _____
Under reamed Open Hole

8) WATER LEVEL:
Static level 225 ft. below land surface Date 11-28-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 294 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. Hendon JR. Water Well Drillers Registration No. 1439
(Type or Print)
ADDRESS 14605 Reeveston Hon TX
(Street or RFD) (City) (State)
(Signed) A.R. Hendon Jr. A & A Water Well
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
930	1 of 1	N	3.94 / 20,780.40	HARRISON TX	TCEQ WELL LOGS

Grid No: 65-05-6V
 Date Drilled: ??/??/1982
 Owners Name: HARRISON
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 8
 Depth Drilled: 48
 Latitude: 29.8998368
 Longtiude: -95.4079985

TDWR-0392 (Rev. 1-12-79)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
931	1 of 2	NNE	3.94 / 20,786.81	MESS-WUNDERLICK CO TX	TCEQ WELL LOGS

Grid No: 65-05-9SS
 Date Drilled: 08/03/1984
 Owners Name: MESS-WUNDERLICK CO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 230
 Depth Drilled: 340
 Latitude: 29.898717
 Longtiude: -95.396324

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
931	2 of 2	NNE	3.94 / 20,786.81	Turnco Real Estate Company, LLC. TX	WW HARRIS GAL

Well ID:	12958	Diameter (inches):	4
Aggre Lead Well:	12958	Year Drilled:	2014
Permit No:	WP2022-111192	Depth Drilled:	0
Permit Start Date:	8/1/2022 12:31:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.396111
Owner Name:	Turnco Real Estate Company, LLC.		
Billing Contact:	Stephanie Casanova		
Billing Address:	215 E. Helms		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
932	1 of 1	N	3.94 / 20,786.94	JUAN ORTIZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 04/29/2000
Owners Name: JUAN ORTIZ
County: HARRIS
Water Usage: DOMESTIC
Static Level: 13
Depth Drilled: 50
Latitude: 29.89985
Longtiude: -95.407764

Send original copy by certified return receipt requested

to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>JUAN ORTIZ</u> ADDRESS <u>416 FRAZIER HOUSTON TX 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> Long. <u>95-05-9</u> <small>(Street, RFD or other) (City) (State) (Zip) Grid #</small>		3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging																					
4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)		6) WELL LOG: Date Drilling: <u>4/29/00</u> Started <u>4/29/00</u> 19 <u>00</u> Completed <u>4/29/00</u> 19 <u>00</u>																					
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>40</u> ft. to <u>50</u> ft.															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5</u>	Surface	<u>50</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 42</u> <u>YELLOW CLAY</u> <u>42 - 46</u> <u>SAND & GRA</u> <u>46 - 50</u> <u>CLAY & SAND</u>		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>40</u></td> <td><u>2440</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic SCREEN</u></td> <td><u>40</u></td> <td><u>50</u></td> <td><u>006</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>40</u>	<u>2440</u>	<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>40</u>	<u>50</u>	<u>006</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>40</u>	<u>2440</u>																				
<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>40</u>	<u>50</u>	<u>006</u>																				
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used: From (ft) To (ft) From (ft) To (ft)		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>11</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>70</u> ft. Method of verification of above distance <u>Customer</u>																							
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pileless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>13</u> ft. below land surface Date <u>4/29/00</u> Artesian flow _____ gpm. Date _____																							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td colspan="3" style="text-align: center;"><u>NONE</u></td> </tr> </table>					Type	Depth	<u>NONE</u>																
	Type	Depth																							
<u>NONE</u>																									
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4577WI</u> <small>SEA #</small>																							
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small>		(Signed) <u>[Signature]</u> (Registered Driller Trainee) <small>(Type or print)</small>																							

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
933	1 of 2	N	3.94 / 20,790.37	DAVID L LUCAS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 4/8/1972
Owners Name: DAVID L LUCAS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 120
Depth Drilled: 227
Latitude: 29.8994671
Longtiude: -95.4015706

#27

65-059EE

9EE

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 65-05-9EE
Located on map yes
Received: 7-2
dlf

WATER WELL REPORT

1) OWNER:

Person having well drilled David L. Lucas Address 206 W. Lemoine Ave, Tex
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:

County Harris 10 miles in N direction from Houston
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,
hiway number, etc.*

or Give legal location with distances and directions from
adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

(Use reverse side if necessary)

North
↑

3) TYPE OF WORK (Check):

New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):

Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:

Diameter of hole 6 3/4 in. Depth drilled 215 ft. Depth of completed well 227 ft. Date drilled 4/8/72
All measurements made from +1 ft. above ground level.

From To Description and color of
(ft.) (ft.) formation material

9) CASING:

Type: Old New Steel Plastic Other
Cemented from 215 up to 8 Bgs ft.

Diameter Setting
(inches) From (ft.) To (ft.) Gage
4 215 +1 Sch 40

10) SCREEN:

Type Plastic (Well Supplies)
Perforated Slotted

Diameter Setting
(inches) From (ft.) To (ft.) Slot
2 1/2 217 227 1 3/8 -

(Use reverse side if necessary)

7) COMPLETION (Check):

Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:

Static level 120 ft. below land surface Date 4/10/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.
below land surface.

11) WELL TESTS:

Was a pump test made? Yes No If yes, by whom?

Yield: 760 gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:

Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond Jr. Water Well Drillers Registration No. 774
(Type or Print)

ADDRESS 132 Raymac Ave (City) Tex (State)

(Signed) C.A. Raymond Jr. (Water Well Driller) Raymond Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
933	2 of 2	N	3.94 / 20,790.37	Batilla, Jr., Joseph R. TX	WW HARRIS GAL
<div> <div> Well ID: 12629 Aggre Lead Well: 12629 Permit No: WP2023-112460 Permit Start Date: 8/1/2023 3:16:00 PM Permit End Dt: 7/31/2024 3:16:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 4 Year Drilled: 201 Depth Drilled: 1 Depth frm Surf(ft): 0 County: H Latitude: 29.899444 Longitude: -95.401666 </div> </div>					
Owner Name:		Batilla, Jr., Joseph R.			
Billing Contact:		NULL			
Billing Address:		124 W Lorino Street			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77037-1516			
Correspondence:		NULL			
Provision:		DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.			
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
934	1 of 2	S	3.94 / 20,801.13	JESTER APARTMENTS PARTNERS TX	TCEQ WELL LOGS

Grid No: 65-13-8
 Date Drilled: 03/05/2002
 Owners Name: JESTER APARTMENTS PARTNERS
 County: HARRIS
 Water Usage: IRRIGATION
 Static Level: 214
 Depth Drilled: 393
 Latitude: 29.7855456
 Longitude: -95.4187548

ATTENTION OWNER: Confidentiality STATE OF TEXAS
 Privilege Notice on Reverse Side WATER WELL REPORT

1) OWNER: JESTER APARTMENT PARTNERS ADDRESS: 2700 POST OAK SUITE 2450 CITY: HOUSTON STATE: TX ZIP: 77056-

2) ADDRESS OF WELL: 5)
 County: HARRIS GRID # 65-13-08
 Street or RFD: 701 T.C. JESTER SUBSUBSIDENCE DISTRICT WELL # 8849
 City, State, Zip code: HOUSTON TX 77008-

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
 If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 00552 DIAMETER OF HOLE 7) DRILLING METHOD: 8) BOREHOLE COMPLETION:
 DIAMETER FROM TO MUD ROTARY TWO-STRING N"
 DATE DRILLING: 7.75 -0- 381
 STARTED: 01/14/02 4.75 381 393 IF GRAVEL... FROM FT. TO FT.
 COMPLETED: 03/05/02 FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	PVC WELL CASING	+2	381	SDR-17
2.5	N	PVC BLANK PIPE	376	382	SCH 80
2.5	N	STAINLESS ROD BASE	382	392	8 GA
2.5	N	NIP W/BACKWASH VALVE	392	393	SCH 80

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	20	FILL DIRT, CLAY BREAK, ROCK HARD ROCK
20	60	CLAY SAND RED CLAY
60	80	RED CLAY GRAY CLAY
80	138	SAND
138	177	CLAY, SAND, CLAY SAND SHALE,
177	230	SAND
230	262	CLAY
262	294	SAND SAND ROCK SAND
294	320	ROCK CLAY CLAY
320	340	SHALE, ROCK SAND
340	360	SHALE, ROCK SANDY SHALE
360	378	SHALE,
378	392	SAND SAND SAND
392	393	CLAY

9) CEMENTING DATA:
 Cemented from No. of Sacks Used
 381 FT. TO 200 FT. 18
 1 FT. TO 20 FT. 4
 Method used: HALLIBURTON METHOD
 Cemented by: GDI LOWER PRESSURED
 Distance to septic field lines: n/a ft.
 Method of verification of above distance:
 NONE TO INSTALL

10) SURFACE COMPLETION:
 PITLESS ADAPTER USED

11) WATER LEVEL:
 STATIC LEVEL : 214 FT. DATE: 01/15/02
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
 FORMATION PACKER 20
 BP-SEAL 376

3) TYPE PUMP: 14) WELL TEST:
 SUBMERSIBLE JETTED
 DEPTH TO PUMP: 320 YIELD: 75 GPM WITH FT DRAWDOWN AFTER HRS

5) WATER QUALITY:
 TYPE OF WATER: GOOD DEPTH OF STRATA: 14 NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING, INC. WATER WELL DRILLER'S LICENSE NO.: 2888 WI FOR TWC USE ONLY
 ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441 WELL NO. _____
 LOCATED ON MAP _____

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN
 ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE
 LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Dreg D. Hill (signed) Travis Otto
 (LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

RECEIVED
 TDLR MAIL ROOM CB
 MAR 15 2002

RECEIPT # AMOUNT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
934	2 of 2	S	3.94 / 20,801.13	Stonewood Apartments TX	WW HARRIS GAL

Well ID:	8849	Diameter (inches):	5
Aggre Lead Well:	8849	Year Drilled:	2002
Permit No:	W2014-8849-170899-0	Depth Drilled:	450
Permit Start Date:	7/1/2014	Depth frm Surf(ft):	430
Permit End Dt:	7/1/2014	County:	H
Well Status:	C - Capped	Latitude:	29.785
Regulatory Aarea:	2	Longitude:	-95.418888
Owner Name:	Stonewood Apartments		
Billing Contact:	Kami Venable		
Billing Address:	701 T.C. Jester Blvd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77008		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
935	1 of 1	NE	3.94 / 20,809.92	Valdez, Jason TX	WW HARRIS GAL

Well ID:	13051	Diameter (inches):	4
Aggre Lead Well:	13051	Year Drilled:	1977
Permit No:	W2021-13051-218761-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022	County:	H
Well Status:	O - Operable	Latitude:	29.888888
Regulatory Aarea:	3	Longitude:	-95.370833
Owner Name:	Valdez, Jason		
Billing Contact:	NULL		
Billing Address:	4711 McKinney St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77023		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
936	1 of 2	NE	3.94 / 20,823.88	Tracy Gonzales 1701 Sunny St Houston TX 77355	SDRW WELLS

Track NO: 274069
Date Submitted: 2011-12-14
Owner Name: Tracy Gonzales
Owner Address: 1701 Sunny
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77355
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.881389
Longitude: -95.361112
Drilling Date Started: 2011-11-23
Drilling Date Completed: 2011-11-24
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=274069&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 385.0

Top Depth: 0
Bottom Depth: 385

Well Levels

Measurement: 200
Measurement Date: 2011-11-24

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
936	2 of 2	NE	3.94 / 20,823.88	Tcy Gonzalesra 1701 Sunny St Houston TX 77355	SDRW WELLS

Track NO: 274071
Date Submitted: 2011-12-14
Owner Name: Tcy Gonzalesra
Owner Address: 1701 Sunny
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77355
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.881389
Longitude: -95.361112
Drilling Date Started: 2011-11-23
Drilling Date Completed: 2011-11-24
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=274071&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 385.0

Top Depth: 0
Bottom Depth: 385

Well Levels

Measurement: 200
Measurement Date: 2011-11-24

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
937	1 of 1	N	3.95 / 20,837.56	NULL TX	WW HARRIS GAL

Well ID:	5493	Diameter (inches):	5
Aggre Lead Well:	5493	Year Drilled:	
Permit No:	W2001-5493-102346-0	Depth Drilled:	450
Permit Start Date:	NULL	Depth frm Surf(ft):	400
Permit End Dt:	NULL	County:	H
Well Status:	8 - Open Casing	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.419166
Owner Name:	Racetrac Petroleum, Inc.		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
938	1 of 2	NE	3.95 / 20,842.84	Campozano Gustavo 1009 Gulf Bank Houston TX 77037	SDRW WELLS

Track NO: 53464
Date Submitted: 2005-02-18
Owner Name: Campozano Gustavo
Owner Address: 1009 Gulf Bank
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.374722
Drilling Date Started: 2005-01-17
Drilling Date Completed: 2005-01-18
Chemical Analysis: No
Company Name: Robinson Water Well Service, Inc.
Company Address: 11819 W Montgomery Rd.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=53464&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 480

Top Depth:
Bottom Depth: 480.0

Well Levels

Measurement: 205
Measurement Date: 2005-01-18

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
938	2 of 2	NE	3.95 / 20,842.84	Jose Louis Campuzano 1009 Gulf Bank Houston TX 77037	SDRW WELLS

Track NO: 312342
Date Submitted: 2013-02-28
Owner Name: Jose Louis Campuzano
Owner Address: 1009 Gulf Bank
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.891111
Longitude: -95.375
Drilling Date Started: 2013-02-25
Drilling Date Completed: 2013-02-27
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=312342&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 500.0

Top Depth: 0
Bottom Depth: 480

Top Depth: 480
Bottom Depth: 500

Well Levels

Measurement: 200
Measurement Date: 2013-02-27

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
939	1 of 1	NNE	3.95 / 20,852.21	Ducky Recovery 306 East Lorino Houston TX 77037	SDRW WELLS

Track NO: 584836
Date Submitted: 2021-09-27
Owner Name: Ducky Recovery
Owner Address: 306 East Lorino
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898889
Longitude: -95.396667
Drilling Date Started: 2021-08-19
Drilling Date Completed: 2021-08-19
Chemical Analysis: No
Company Name: R&D Water Wells
Company Address: PO Box 230
CompanyAddress2:
Company City: Huffman
Company State: TX
Company Zip: 77336
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=584836&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 65

Top Depth:
Bottom Depth: 65.0

Well Levels

Measurement: 11
Measurement Date: 2021-08-19

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
940	1 of 1	NNE	3.95 / 20,880.25	MRS BROUSSARD TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 04/10/1999
Owners Name: MRS BROUSSARD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 238
Depth Drilled: 365
Latitude: 29.898779
Longitude: -95.395239

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>MRS. BROUSSARD</u> ADDRESS <u>322 E. LORINO HOUSTON TX 77037</u>																									
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>322 E. LORINO HOUSTON TX 77037</u>				Long. <u> </u> Lat. <u> </u> Grid # <u>65 05 6</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) X N																					
6) WELL LOG: Date Drilling: <u>4-7 19 99</u> Started <u>4-7 19 99</u> Completed <u>4-10 19 99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>355</u></td> </tr> <tr> <td><u>3 1/8</u></td> <td><u>355</u></td> <td><u>365</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>355</u>	<u>3 1/8</u>	<u>355</u>	<u>365</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other <u> </u>												
Dia. (in.)	From (ft.)	To (ft.)																							
<u>7</u>	Surface	<u>355</u>																							
<u>3 1/8</u>	<u>355</u>	<u>365</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 4</u> <u>4</u> <u>TOP SOIL</u> <u>4 - 22</u> <u>22</u> <u>RED SHALE</u> <u>22 - 55</u> <u>55</u> <u>SAND</u> <u>55 - 105</u> <u>105</u> <u>RED SHALE</u> <u>105 - 158</u> <u>158</u> <u>SAND</u> <u>158 - 222</u> <u>222</u> <u>RED SHALE</u> <u>222 - 250</u> <u>250</u> <u>SAND</u> <u>250 - 277</u> <u>277</u> <u>RED SHALE</u> <u>277 - 315</u> <u>315</u> <u>SAND</u> <u>315 - 330</u> <u>330</u> <u>RED SHALE</u> <u>330 - 365</u> <u>365</u> <u>SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>1-STRING</u> If Gravel Packed give interval from <u> </u> ft. to <u> </u> ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 N</u></td> <td></td> <td><u>PYC</u></td> <td><u>0</u></td> <td><u>340</u></td> <td><u>SCN 40</u></td> </tr> <tr> <td><u>2 1/2 N</u></td> <td></td> <td><u>PYC SCREEN</u></td> <td><u>340</u></td> <td><u>365</u></td> <td><u>SCN 80</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4 N</u>		<u>PYC</u>	<u>0</u>	<u>340</u>	<u>SCN 40</u>	<u>2 1/2 N</u>		<u>PYC SCREEN</u>	<u>340</u>	<u>365</u>	<u>SCN 80</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>4 N</u>		<u>PYC</u>	<u>0</u>	<u>340</u>	<u>SCN 40</u>																				
<u>2 1/2 N</u>		<u>PYC SCREEN</u>	<u>340</u>	<u>365</u>	<u>SCN 80</u>																				
13) <input type="checkbox"/> Well plugged within 48 hours. Casing left in well: Cement/bentonite placed in well: Sacks used: From (ft) To (ft) From (ft) To (ft)		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>340</u> ft. No. of sacks used <u>20</u> Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>100</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																							
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other <u> </u> Depth to pump bowls, cylinder, jet, etc., <u> </u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>13.5</u> gpm with <u>15</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>238</u> ft. below land surface Date <u>4-10-99</u> Artesian flow <u> </u> gpm. Date <u> </u>																							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u> </u> Depth of strata <u> </u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>				Type	Depth																		
Type	Depth																								
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>SUGG WATER WELL</u>		WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u>																							
ADDRESS <u>13501 CHRISMAN #26 HOUSTON TEXAS 77039</u>		SEQ # <u> </u>																							
(Signed) <u>James H. Sugg</u>		(Signed) <u>DEC 09 1999</u>																							
(Licensed Well Driller)		(Registered Driller Trainee)																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
941	1 of 1	NNE	3.96 / 20,885.83	Joe Ruthledge TX	GWDB

Well Rep Track No:
State Well No: 6505932
Owner Name: Joe Ruthledge
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 162
Well Usage: Domestic
Water Level Status:
Latitude: 29.8961110
Longitude: -95.3855560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505932&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505932&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
942	1 of 2	NE	3.96 / 20,891.40	Razi, Mike TX	WW HARRIS GAL

Well ID:	13872	Diameter (inches):	2
Aggre Lead Well:	13872	Year Drilled:	0
Permit No:	W2020-13872-211201-0	Depth Drilled:	60
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	50
Permit End Dt:	8/1/2020	County:	H
Well Status:	N - Not Drilled	Latitude:	29.883333
Regulatory Aarea:	3	Longitude:	-95.363055
Owner Name:	Razi, Mike		
Billing Contact:	NULL		
Billing Address:	P.O. Box 25433		
Billing Address 2:	NULL		
Billing City:	Los Angeles		
Billing State:	CA		
Billing Zip:	90025		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
942	2 of 2	NE	3.96 / 20,891.40	Mike Razi 1607 Wedgewood Street Houston TX 77093	SDRW WELLS

Track NO: 457433
Date Submitted: 2017-08-08
Owner Name: Mike Razi
Owner Address: 1607 Wedgewood Street
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.8835
Longitude: -95.363056
Drilling Date Started: 2017-08-03
Drilling Date Completed: 2017-08-03
Chemical Analysis: No
Company Name: Coastal Waterwell Services Inc.
Company Address: P.O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=457433&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 20
Measurement Date: 2017-08-03

Well Strata

Water Type:

Potable

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
943	1 of 1	NE	3.96 / 20,901.77	CHARLES E. MAXWELL TX	TCEQ WELL LOGS

Grid No: 65-06-7KK
Date Drilled: 04/21/1978
Owners Name: CHARLES E. MAXWELL
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 239
Depth Drilled: 356
Latitude: 29.8891788
Longitude: -95.3706175

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-06-7KK
Located on Map 195
Received: 22-19-5

1) OWNER:
Person having well drilled CHARLES E. MAXWELL Address 12965 WEST HARDY HOUSTON TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 17 miles in N direction from HOUSTON
(N.E., S.W., etc.) (Town)
Located by sketch showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
OUT-BANK WELL WEST HARDY
T-45
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☒ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 1/4 in. Depth drilled 356 ft. Depth of completed well 356 ft. Date drilled 4-21-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 5		TAP SOIL
5 - 41		RED SHALE
41 - 55		RED SAND
55 - 105		RED SHALE
105 - 123		SAND
123 - 200		RED SHALE
200 - 219		SAND
219 - 325		RED SHALE
325 - 356		SAND

9) Casing:
Type: Old ☐ New ☒ Steel ☐ Plastic ☒ Other ☐
Cemented from 0 ft. to 340 ft.
Diameter (inches) Setting From (ft.) To (ft.) Casing
1 1/2" 1-6" ABOVE GROUND 340 SCH 40
2 1/2" 340 - 346 SCH 80

10) SCREEN:
Type PLASTIC
Perforated ☐ Slotted ☐
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 1/2" 346 356 .012

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☒
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 239 ft. below land surface Date 4-22-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 315 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? JAMES H. SUGG JR.
Yield: 15 gpm with 14 ft. drawdown after 2 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
(Type or Print)
ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039
(Street or RFD) (City) (State)
(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
944	1 of 1	NE	3.96 / 20,905.33	Juarez, Jesus Pozada TX	WW HARRIS GAL
<div> <div> Well ID: 10261 Aggre Lead Well: 10261 Permit No: WP2023-110789 Permit Start Date: 6/14/2023 8:08:00 PM Permit End Dt: 7/31/2024 8:08:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 2 Year Drilled: Depth Drilled: 2 Depth frm Surf(ft): 1 County: H Latitude: 29.887777 Longitude: -95.368055 </div> </div>					
Owner Name:		Juarez, Jesus Pozada			
Billing Contact:		NULL			
Billing Address:		1408 1/2 Mesquite St.			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77093			
Correspondence:		Juarez Auto Shop			
Provision:		F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).			
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
945	1 of 2	NE	3.96 / 20,906.05	FATIMA FAMILY VILLAGE MHP TX	WUD

Primary Co: SHANNON DWAYNE MARSH
Contact Ti: OPERATOR/MANAGER
Operating Status: OPERATIONAL
PWSID: 1010746
Source ID: G1010746B
Utility Name: FATIMA FAMILY VILLAGE MHP
WTRSRC: G1010746B
Date Drilled:
Well Depth: 350
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - OTHER
Gallons Per Minute: 28
CCN: N/A
Latitude: 29.892002
Longitude: -95.375717
System Status: INACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
945	2 of 2	NE	3.96 / 20,906.05	Fatima Family Village TX	WW HARRIS GAL

Well ID:	2962	Diameter (inches):	4
Aggre Lead Well:	2962	Year Drilled:	1972
Permit No:	WP2022-114185	Depth Drilled:	0
Permit Start Date:	8/1/2022 2:44:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023 2:44:00 PM	County:	H
Well Status:	1 - No electric	Latitude:	29.891944
Regulatory Aarea:	3	Longitude:	-95.375833
Owner Name:	Fatima Family Village		
Billing Contact:	NULL		
Billing Address:	1003 Gulf Bank Rd. #24		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
946	1 of 3	NNE	3.96 / 20,918.93	W E JOHNSON TX	TCEQ WELL LOGS
<i>Grid No:</i>		65-06-4V			
<i>Date Drilled:</i>		05/25/1974			
<i>Owners Name:</i>		W E JOHNSON			
<i>County:</i>		HARRIS			
<i>Water Usage:</i>		DOMESTIC			
<i>Static Level:</i>		210			
<i>Depth Drilled:</i>		340			
<i>Latitude:</i>		29.894433			
<i>Longitude:</i>		-95.380544			

Dug

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-06-4V
Located on map Y-5
Received: 74

1) OWNER:
Person having well drilled St. E. Johnson Address 13614 Jaycrest Houston
(Name) (Street or RFD) (City) (State)
Landowner St. E. Johnson Address 13614 Jaycrest Houston
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 2 miles in SW direction from Aldine
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 340 ft. Depth of completed well 340 ft. Date drilled 5-25-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-17		Clay Red
17-19		Sd fine Red
19-26		Clay Red
26-29		Sd fine Red
29-72		Clay Red
72-76		Sd fine Br.
76-142		Clay Red
142-157		Sd med Lt. Br.
157-186		Clay yellow
186-212		Sd fine Br.
212-218		Clay yellow

(Use reverse side if necessary) (over)

9) CASING:
Type: Old None Steel None Plastic None Other _____
Cemented from 225 ft. to 275 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 275 Sch 40

10) SCREEN:
Type: Stainless Steel Underbar
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 230 240 12

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other _____
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 210 ft. below land surface Date 5-25-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 257 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes None If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes None
Did any strata contain undesirable water? Yes None
Type of water? Good depth of strata 240

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Homer L. Lowe Water Well Drillers Registration No. 1182
(Type or Print)
ADDRESS P.O. Box 89 Porter TEX. 77365
(Street or RFD) (City) (State)
(Signed) Homer L. Lowe Lowe Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
946	2 of 3	NNE	3.96 / 20,918.93	JOSE GONZALEZ TX	TCEQ WELL LOGS

Grid No: 65-13-3
 Date Drilled: 02/27/2002
 Owners Name: JOSE GONZALEZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 200
 Depth Drilled: 393
 Latitude: 29.894433
 Longtiude: -95.380544

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us			This form must be completed and filed with the department and owner within 60 days upon completion of the well.																									
WELL REPORT																														
A. WELL IDENTIFICATION AND LOCATION DATA																														
1) OWNER																														
Name JOSE GONZALEZ		Address 904 1/2 Hill Rd.		City Houston	State TX.	Zip 77037																								
2) WELL LOCATION																														
County Harris		Physical Address 904 1/2 Hill Rd.		City Houston	State TX.	Zip 77037																								
3) Type of Work		Lat.		Long.		Grid# 65-13-3																								
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) NT																										
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)																										
Started 2/26/02		Dia.(in.) From (ft.) To (ft.)		<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																										
Completed 2/27/02		7" 0 393'																												
<table border="1"> <thead> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0-80</td><td></td><td>RED CLAY</td></tr> <tr><td>80-100</td><td></td><td>RED SAND</td></tr> <tr><td>100-160</td><td></td><td>WHITE SAND</td></tr> <tr><td>160-240</td><td></td><td>CLAY</td></tr> <tr><td>240-300</td><td></td><td>SAND</td></tr> <tr><td>300-360</td><td></td><td>CLAY</td></tr> <tr><td>360-393</td><td></td><td>SAND</td></tr> </tbody> </table>							From (ft)	To (ft)	Description and color of formation material	0-80		RED CLAY	80-100		RED SAND	100-160		WHITE SAND	160-240		CLAY	240-300		SAND	300-360		CLAY	360-393		SAND
From (ft)	To (ft)	Description and color of formation material																												
0-80		RED CLAY																												
80-100		RED SAND																												
100-160		WHITE SAND																												
160-240		CLAY																												
240-300		SAND																												
300-360		CLAY																												
360-393		SAND																												
8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other 2-STILING If Gravel Packed give the interval from _____ ft. to _____ ft.																														
Casing, Blank Pipe, and Well Screen Data																														
Dia. (in.)		New Or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen																								
4"		N		PVC CASING	380-0	SC#40																								
2.5"		N		PVC LINER	376-363	SC#40																								
2.5"		N		PVC SCREEN	393-376	1012																								
9) Cementing Data																														
Cementing from 380 ft. to 0 ft. # of sacks used 18 " 0 ft. to 15 ft. # of sacks used 8 Method Used HALLIBURTON Cementing By ROBINSON WATER WELL SERVICE, INC. Distance to septic system field or other concentrated contamination N/A ft. Method of verification of above distance INTERNAL ROOM																														
10) Surface Completion																														
<input type="checkbox"/> Specified Surface Slab Installed MAR 10 2002 <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used RECEIPT # AMOUNT <input type="checkbox"/> Approved Alternative Procedure Used																														
11) Water Level																														
Static level 200 ft. below Date 2/27/02 Artesian Flow _____ gpm. Date _____																														
12) Packers																														
Type KL Depth 363 DAVID HELMS																														
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well: <table border="1"> <thead> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																			
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																										
14) Type Pump																														
<input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc. 300 ft.																														
15) Water Test																														
Typetest <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.																														
16) Water Quality																														
Did you knowingly penetrate a strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																														
Company or individual's Name (type or print) ROBINSON WATER WELL SERVICE, INC.				Lic. No. 54211 PKW																										
Address 11819 W. MONTGOMERY RD.				City HOUSTON,		State TX. Zip 77056																								
Signature David Helms		Date 3/4/02		Signature _____		Date _____																								
Licensed Driller/Pump Installer		Date		Apprentice		Date																								

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
946	3 of 3	NNE	3.96 / 20,918.93	Yanes, Hector TX	WW HARRIS GAL

Well ID:	11324	Diameter (inches):	4
Aggre Lead Well:	11324	Year Drilled:	2002
Permit No:	W2020-11324-211412-0	Depth Drilled:	400
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.895
Regulatory Aarea:	3	Longitude:	-95.380277
Owner Name:	Yanes, Hector		
Billing Contact:	NULL		
Billing Address:	904 1/2 Hill Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
947	1 of 2	N	3.96 / 20,926.83	Lee, Jin Kyu TX	WW HARRIS GAL

Well ID:	9960	Diameter (inches):	5
Aggre Lead Well:	9960	Year Drilled:	2005
Permit No:	WP2023-112866	Depth Drilled:	420
Permit Start Date:	8/1/2023 3:31:00 PM	Depth frm Surf(ft):	400
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.398888
Owner Name:	Lee, Jin Kyu; Lee, Jin Kyu		
Billing Contact:	NULL		
Billing Address:	9802 Airline Drive # C		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL; NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
947	2 of 2	N	3.96 / 20,926.83	Duc Pham 9802 Airline Houston TX 77037	SDRW WELLS

Track NO: 137185
Date Submitted: 2008-03-19
Owner Name: Duc Pham
Owner Address: 4311 Holmes Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77051
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.398889
Drilling Date Started: 2005-07-13
Drilling Date Completed: 2005-07-15
Chemical Analysis: No
Company Name: Robinson Water Well Services Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=137185&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 600.0

Top Depth: 0
Bottom Depth: 585

Top Depth: 585
Bottom Depth: 600

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
948	1 of 2	NNE	3.97 / 20,943.20	Auto Mechanic Service TX	WW HARRIS GAL

Well ID:	10356	Diameter (inches):	2
Aggre Lead Well:	10356	Year Drilled:	2006
Permit No:	W2019-10356-204116-0	Depth Drilled:	50
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.899166
Regulatory Aarea:	3	Longitude:	-95.398055
Owner Name:	Auto Mechanic Service		
Billing Contact:	Freudo A. Lopez, Sr.		
Billing Address:	203 E. Lorino St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
948	2 of 2	NNE	3.97 / 20,943.20	Freudo Lopez 203 E. Lorino Houston TX 77037	SDRW WELLS

Track NO: 80604
Date Submitted: 2006-04-14
Owner Name: Freudo Lopez
Owner Address: 203 E. Lorino
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899167
Longitude: -95.397778
Drilling Date Started: 2006-04-13
Drilling Date Completed: 2006-04-13
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=80604&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 20
Measurement Date: 2006-04-13

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
949	1 of 1	NNE	3.97 / 20,953.24	RAFIEL FILL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 12/26/1996
 Owners Name: RAFIEL FILL
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 7
 Depth Drilled: 48
 Latitude: 29.8952674
 Longtiude: -95.3823351

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Rafiel Gill ADDRESS 818 Hill Rd. Houston TX 77037
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris same GRID # 65-05-9
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 12/26 19 96
Completed 12/26 19 96

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>4</u>	Surface	<u>48</u>

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other _____

From (ft.) To (ft.) Description and color of formation material
0 20 clay
20 37 clay
37 47 sand

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall
☐ Underreamed ☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from 37 ft. to 47 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2</u>	<u>N</u>	<u>Plastic</u>	<u>0</u>	<u>37</u>	<u>SCH 40</u>
<u>2</u>	<u>N</u>	<u>Slotted screen</u>	<u>37</u>	<u>47</u>	<u>.008</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 37 ft. No. of sacks used 12
_____ ft. to _____ ft. No. of sacks used _____
Method used Pressure
Cemented by Raymond Services
Distance to _____ system field lines 78 ft.
Method of verification of above distance Customer

13) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 7 ft. below land surface Date 12/26/96
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
NONE

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.
COMPANY NAME Raymond Services WELL DRILLER'S LICENSE NO. 4577WI
(Type or print)
ADDRESS 10011 Airline Dr. Houston TX 77037
(Street or RFD) (City) (State) (Zip)
(Signed) _____ (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
950	1 of 1	NE	3.97 / 20,962.91	F.J. WISCHNEWSKY TX	TCEQ WELL LOGS

Grid No:	65-06-7T
Date Drilled:	09/30/1972
Owners Name:	F.J. WISCHNEWSKY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	216
Depth Drilled:	384
Latitude:	29.8853885
Longtiude:	-95.364971


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

65.0677 Dup
 For TWDB use only
 Well No. 65-06-77
 Located on map Yes
 Received: 73

1) OWNER:
 Person having well drilled F.J. WISCHANIEWSKY Address 1435 HARTWICK HO. TEX.
 (Name) (Street or RFD) (City) (State)
 Landowner SAME Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS, 3 miles in NORTH direction from HOUSTON
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines.

 (Use reverse side if necessary) Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
 Diameter of hole 6 1/2 in. Depth drilled 384 ft. Depth of completed well 384 ft. Date drilled 9-30-72
 All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-42	CLAY	262-320 CLAY
42-48	SAND	320-330 SAND
48-96	CLAY	330-350 CLAY
96-120	SAND	350-352 SAND
120-192	CLAY	352-358 CLAY
192-210	SAND	358-384 SAND
210-220	CLAY	
220-240	SAND	
240-241	ROCK	
241-253	CLAY	
253-262	SAND	

(Use reverse side if necessary)

9) CASING:
 Type: Old ☒ New ☒ Steel ☐ Plastic ☐ Other _____
 Cemented from 0 ft. to 315 ft.
 Diameter (inches) _____ Setting _____
 From (ft.) _____ To (ft.) _____ Gage _____

10) SCREEN:
 Type: STAINLESS STEEL
 Perforated ☐ Slotted ☒
 Diameter (inches) _____ Setting _____
 From (ft.) _____ To (ft.) _____ Slot Size _____

11) WELL TESTS:
 Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes ☒ No ☐
 Did any strata contain undesirable water? Yes ☐ No ☒
 Type of water? _____ depth of strata _____

8) WATER LEVEL:
 Static level 216 ft. below land surface Date 9-30-72
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 284 ft. below land surface.

7) COMPLETION (Check):
 Straight wall ☒ Gravel packed ☒ Other ☒
 Under reamed ☐ Open Hole ☒ LEAD SEAL

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. HENDON Water Well Drillers Registration No. 334
 (Type or Print)
 ADDRESS 14005 REGGISTON HO. TEX.
 (Street or RFD) (City) (State)
 (Signed) A.R. Hendon HVA WATER WELL DRILLING
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
951	1 of 2	NNE	3.97 / 20,963.98	Victorino Reyes Rivera 420 E. Lorino Houston TX 77037	SDRW WELLS

Track NO: 275859
Date Submitted: 2012-01-06
Owner Name: Victorino Reyes Rivera
Owner Address: 420 E. Lorino
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898611
Longitude: -95.393889
Drilling Date Started: 2012-01-05
Drilling Date Completed: 2012-01-05
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=275859&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 13
Measurement Date: 2012-01-05

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
951	2 of 2	NNE	3.97 / 20,963.98	Alvin Frietsch 506 E. Lorino Houston TX 77037	SDRW WELLS

Track NO: 461255
Date Submitted: 2017-09-27
Owner Name: Alvin Frietsch
Owner Address: 506 E. Lorino
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898889
Longitude: -95.393889
Drilling Date Started: 2017-09-26
Drilling Date Completed: 2017-09-26
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=461255&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 8
Measurement Date: 2017-09-26

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
952	1 of 2	N	3.97 / 20,965.61	DON BENFER TX	TCEQ WELL LOGS

Grid No: 65-13-3G
Date Drilled: 09/22/1971
Owners Name: DON BENFER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 134
Depth Drilled: 233
Latitude: 29.900359
Longitude: -95.4096157

65-1336

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 45-13-36
Located on map 1/4 S
Received: 7/2/71

1) OWNER:
Person having well drilled DON. BENEER Address 517. TURNER (City) (State)
Landowner SAME Address HOUSTON, TEX. (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in 1 direction from HOUSTON, TEX.
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.
WELL - 517 TURNER
HWY. 149
HWY. 75
(Use reverse side if necessary)
or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 233 ft. Depth of completed well 233 ft. Date drilled SEPT. 22, 71
All measurements made from K ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	27	CLAY
27	31	SAND
31	138	CLAY
138	164	SAND
164	210	CLAY
210	233	SAND

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from 150 ft. to 212 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
4" 0 212'
2 1/2" 212 - 213

10) SCREEN:
Type SKED. 80. PLASTIC - RIBBED
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 213 233 #10

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open hole TWO - STAINING.

8) WATER LEVEL:
Static level 134' ft. below land surface Date SEPT. 22, 71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 189' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata 23'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME EL. BODE Water Well Drillers Registration No. 416
(Type or Print)
ADDRESS Box 67, WESTFIELD, TEXAS (City) (State)
(Signed) EL. Bode EL. BODE DRILLING, CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
952	2 of 2	N	3.97 / 20,965.61	CLIFFORD CANO TX	TCEQ WELL LOGS

Grid No: 65-05-4
 Date Drilled: 01/07/1987
 Owners Name: CLIFFORD CANO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 342
 Latitude: 29.900359
 Longtiude: -95.4096157

19-

Please use black ink. Send original copy by certified mail to the Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Clifford Cano Address 514 Turney Houston, Texas 77037
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris miles in _____ direction from _____
County (N.E., S.W., etc.) (Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. ON 65-10-8 NO map

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 1-1 19 87 Completed 1-7 19 87

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
4 3/4	Surface 372'	white and yellow clay
7	" 342	sand
		clay
		sand
		red clay
		red clay
		sand
		clay
		red clay
		red clay
		sand
		clay & sandstone
		clay
		rocks
		sandstone & clay
		rock
		rocks
		red clay
		red clay
		red clay
		rock & Sandstone
		clay & sandstone
		sand & sandstone
		sand
		sandstone
		sandstone
		rock
		sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Two-String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	N	SCH 40PVC Casing	+24"	342'	
2	N	Well Supplies, Inc. PVC Screen	372'	357'	12ga.
2	N	PVC Blank Liner	357'	332'	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 342 ft. to 242 ft. No. of Sacks Used 18
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Pressure cement
Cemented by Raymond Water Wells

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 240 ft. below land surface Date 1-7-87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type "K" Depth 332

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 315' ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 10 gpm with 2 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Raymond Water Wells Water Well Driller's License No. 774
(Type or Print)

ADDRESS 10011 Airline Drive Houston, Texas 77037
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-05-4
Located on map _____

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
953	1 of 1	NNE	3.97 / 20,973.90	786 Management & Invest Group TX	WW HARRIS GAL

Well ID:	14422	Diameter (inches):	2
Aggre Lead Well:	14422	Year Drilled:	
Permit No:	WP2023-111878	Depth Drilled:	0
Permit Start Date:	8/1/2023 4:51:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 4:51:00 PM	County:	H
Well Status:	P - Plugged	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.3975
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	409 Blue Bell		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
954	1 of 1	N	3.97 / 20,975.05	Rudy Torres 9426 Sweetwater Houston TX 77037	SDRW WELLS

Track NO: 26893
Date Submitted: 2003-10-16
Owner Name: Rudy Torres
Owner Address: 9426 Sweetwater
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901389
Longitude: -95.393889
Drilling Date Started: 2003-09-19
Drilling Date Completed: 2003-09-19
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=26893&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 56.0

Top Depth: 0
Bottom Depth: 56

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
955	1 of 2	NE	3.97 / 20,978.52	CARLTON TX	TCEQ WELL LOGS

Grid No: 65-06-7E
Date Drilled: 10/10/1980
Owners Name: CARLTON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 238
Depth Drilled: 352
Latitude: 29.880799
Longtiude: -95.359722

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-06-72
Located on map RS
Received: C.R.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER CARLTON Address 1802 SUNNY HOUSTON TEXAS
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL
County HARRIS 9 miles in N direction from HOUSTON
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 10-10-80

DIAMETER OF HOLE	
Dia. (in.)	From (ft.) To (ft.)
<u>6 3/4</u>	<u>Surface</u> <u>340</u>
<u>3 7/8</u>	<u>340</u> <u>352</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-5</u>	<u>5</u>	<u>TOP SOIL</u>
<u>5-27</u>	<u>27</u>	<u>YELLOW SHALE</u>
<u>27-32</u>	<u>32</u>	<u>RED SAND</u>
<u>32-63</u>	<u>63</u>	<u>RED SHALE</u>
<u>63-73</u>	<u>73</u>	<u>RED SAND</u>
<u>73-104</u>	<u>104</u>	<u>RED SHALE</u>
<u>104-135</u>	<u>135</u>	<u>SAND</u>
<u>135-170</u>	<u>170</u>	<u>RED SHALE</u>
<u>170-192</u>	<u>192</u>	<u>SAND</u>
<u>192-211</u>	<u>211</u>	<u>BLUE SHALE</u>
<u>211-235</u>	<u>235</u>	<u>SAND</u>
<u>235-290</u>	<u>290</u>	<u>RED SHALE</u>
<u>290-298</u>	<u>298</u>	<u>BLUE SANDY SHALE</u>
<u>298-301</u>	<u>301</u>	<u>ROCK</u>
<u>301-338</u>	<u>338</u>	<u>RED SHALE</u>
<u>338-352</u>	<u>352</u>	<u>SAND</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4 N</u>		<u>PLASTIC</u>	<u>156</u>	<u>340</u>	<u>54 1/2</u>
<u>4 1/2</u>		<u>11</u>	<u>340</u>	<u>342</u>	<u>55 1/2</u>
<u>3 1/2</u>		<u>11 SCREEN</u>	<u>342</u>	<u>352</u>	<u>56 1/2</u>

CEMENTING DATA
Cemented from 0 ft. to 340 ft.
Method used PRESSURE
Cemented by SUGG WATER WELL DRILLING
(Company or Individual)

9) WATER LEVEL:
Static level 298 ft. below land surface Date 10-11-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: 12.2 gpm with 28 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
(Type or Print)

ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS
(Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
955	2 of 2	NE	3.97 / 20,978.52	Carlton, William TX	WW HARRIS GAL

Well ID:	13848	Diameter (inches):	4
Aggre Lead Well:	13848	Year Drilled:	NULL
Permit No:	W2018-13848-201249-0	Depth Drilled:	0
Permit Start Date:	10/1/2018 3:33:43 PM	Depth frm Surf(ft):	0
Permit End Dt:	10/1/2019 3:33:43 PM	County:	H
Well Status:	O - Operable	Latitude:	29.880833
Regulatory Aarea:	3	Longitude:	-95.359722
Owner Name:	Carlton, William		
Billing Contact:	NULL		
Billing Address:	1804 Sunny Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
956	1 of 1	NNE	3.97 / 20,982.73	EIKO OKABAYASHI TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 06/03/1995
 Owners Name: EIKO OKABAYASHI
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 243
 Depth Drilled: 361
 Latitude: 29.8994336
 Longtiude: -95.3973124

Send original copy by certified mail to: TNRC, P.O. Bo

7, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>EIKO OKABAYASHI</u> (Name)		ADDRESS <u>211 E. BARINO HOUSTON TX 77037</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>HARRIS</u>				GRID # <u>65-05-9</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>X</u>																					
6) WELL LOG: Date Drilling: _____ Started <u>5-29</u> 19 <u>95</u> Completed <u>6-3</u> 19 <u>95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>350</u></td> </tr> <tr> <td><u>3 1/8</u></td> <td><u>350</u></td> <td><u>361</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>350</u>	<u>3 1/8</u>	<u>350</u>	<u>361</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																							
<u>6 3/4</u>	Surface	<u>350</u>																							
<u>3 1/8</u>	<u>350</u>	<u>361</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-5</u> <u>TOP SOIL</u> <u>5-18</u> <u>YELLOW SHALE</u> <u>18-37</u> <u>SAND</u> <u>37-95</u> <u>RED SHALE</u> <u>95-123</u> <u>SAND</u> <u>123-165</u> <u>RED SHALE</u> <u>165-191</u> <u>SAND</u> <u>191-238</u> <u>RED SHALE</u> <u>238-280</u> <u>SAND</u> <u>280-330</u> <u>RED SHALE</u> <u>330-361</u> <u>SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 N</u></td> <td></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>341</u></td> <td><u>SCH 40</u></td> </tr> <tr> <td><u>2 1/2 N</u></td> <td></td> <td><u>PVC WRAPPED</u></td> <td><u>341</u></td> <td><u>361</u></td> <td><u>SCH 80</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4 N</u>		<u>PVC</u>	<u>0</u>	<u>341</u>	<u>SCH 40</u>	<u>2 1/2 N</u>		<u>PVC WRAPPED</u>	<u>341</u>	<u>361</u>	<u>SCH 80</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>4 N</u>		<u>PVC</u>	<u>0</u>	<u>341</u>	<u>SCH 40</u>																				
<u>2 1/2 N</u>		<u>PVC WRAPPED</u>	<u>341</u>	<u>361</u>	<u>SCH 80</u>																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. <u>320</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>341</u> ft. No. of sacks used <u>22</u> Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>105</u> ft. Method of verification of above distance <u>PROPERTY OWNER V.I.R.</u>																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>13.5</u> gpm with <u>22</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>243</u> ft. below land surface Date <u>6-3-95</u> Artesian flow _____ gpm. Date _____																							
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>				Type	Depth																		
Type	Depth																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>SUGG WATER WELL DRILLING</u> (Type or print) ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD) (Signed) <u>James H. Sugg Jr.</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u> <u>HOUSTON TEXAS 77039</u> (City) (State) (Zip) (Signed) _____ (Registered Driller Trainee)																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TNRC-0199 (Rev. 11-01-94)

TNRC COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
957	1 of 2	NE	3.97 / 20,984.16	CECIL JOHNSON TX	TCEQ WELL LOGS

Grid No: 65-06-4
Date Drilled: 06/03/2000
Owners Name: CECIL JOHNSON
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 232
Depth Drilled: 400
Latitude: 29.881535
Longitude: -95.3604529

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

<p>ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)</p>		<p>State of Texas WELL REPORT</p>		<p>Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880</p>																					
1) OWNER <u>CECIL JOHNSON</u>		ADDRESS <u>14505 MAELINE HOUSTON TX 77039</u>																							
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>1703 SUNNY HOUSTON TX.</u>		(City) (State) (Zip)		Long. _____ Lat. <u>65 06 4</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>SMALL MAP</u>		5) _____																					
6) WELL LOG: Date Drilling: _____ Started <u>6-1-2000</u> Completed <u>6-3-2000</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>7</u> Surface <u>390</u> <u>3 7/8</u> <u>390</u> <u>400</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval from _____ ft. to _____ ft.																							
0 - 6 TOP SOIL		<p>CASING, BLANK PIPE, AND WELL SCREEN DATA:</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>PYC</td> <td>0</td> <td>380</td> <td>SENHD</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PYC-SCREEN</td> <td>380</td> <td>400</td> <td>SENHD</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	4	N	PYC	0	380	SENHD	2 1/2	N	PYC-SCREEN	380	400	SENHD
Dia. (in.)	New or Used								Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen													
						From	To																		
4	N					PYC	0	380	SENHD																
2 1/2	N					PYC-SCREEN	380	400	SENHD																
6 - 43 RED SHALE																									
43 - 63 RED SAND																									
63 - 125 RED SHALE																									
125 - 147 SAND																									
147 - 190 RED SHALE																									
190 - 222 SAND																									
222 - 318 RED SHALE																									
318 - 345 SAND																									
345 - 370 RED SHALE																									
370 - 400 SAND																									
(Use reverse side of Well Owner's copy, if necessary)																									
13) <input type="checkbox"/> Well plugged within 48 hours																									
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																					
From (ft.)	To (ft.)	From (ft.)	To (ft.)																						
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.																									
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>22</u> gpm with <u>10</u> ft. drawdown after <u>2</u> hrs.																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																									
<p>I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.</p>																									
COMPANY NAME <u>SUGG WATER WELL</u>		WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u>																							
ADDRESS <u>13501 CHRISMAN #26</u>		<u>HOUSTON TX 77039</u>																							
(Signed) <u>James H. Sugg Jr.</u>		(Signed) _____																							
(Licensed Well Driller)		(Registered Driller Trainee)																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
957	2 of 2	NE	3.97 / 20,984.16	NULL TX	WW HARRIS GAL

Well ID:	8214	Diameter (inches):	4
Aggre Lead Well:	8214	Year Drilled:	2000
Permit No:	WP2023-112749	Depth Drilled:	400
Permit Start Date:	NULL	Depth frm Surf(ft):	360
Permit End Dt:	NULL	County:	H
Well Status:	O - Operable	Latitude:	29.881388
Regulatory Aarea:	3	Longitude:	-95.360555
Owner Name:	Johnson, Cecil; Johnson, Cecil		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL; NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
958	1 of 1	N	3.97 / 20,986.96	BILL RANDOLPH (INS) TX	TCEQ WELL LOGS

Grid No: 65-05-8V
Date Drilled: 09/10/1975
Owners Name: BILL RANDOLPH (INS)
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 331
Latitude: 29.9003885
Longtiude: -95.4073014

8V

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-8V
Located on map YOS
Received: 7/1/75

1) OWNER:
Person having well drilled Bill Randolph (Ins.) Address P.O. Box 19093 Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner C.L. Powell Address 424 West Mt. Hou. Houston, Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
412 E. North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 316 ft. Depth of completed well 331 ft. Date drilled 9-10-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	Yellow clay
10	45	Red clay
45	55	Sand
55	70	Red clay
70	80	Yellow clay
80	95	Sand
95	115	Red clay
115	125	Yellow clay
125	160	Sand
160	165	Red clay
165	170	Sand

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 316 ft. up _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4" 1 ft. 316 ft. 40

10) SCREEN:
Type: Well Supplies Inc. Plastic wrapped
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 321 ft. 331 ft. 14

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 200 ft. below land surface: Date _____
Artesian pressure _____ lbs. per square inch: Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL-774
(Type or Print)
ADDRESS 10011 Airline Dr. Houston Texas
(Street or RFD) (City) (State)
(Signed) C.A. Raymond, Jr. Raymond Water Well Drilling, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDS

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.


When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

185-190	Sand
190-200	Red Gray Clay
200-230	Sand
230-280	Red Gray Clay
280-290	Sand
290-310	Red Gray Clay
310- 331	Sand

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAR - 1 1976



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
959	1 of 2	ENE	3.97 / 20,987.86	Galindo, Filiberto TX	WW HARRIS GAL
Well ID: 16234					
Aggre Lead Well: 16234					
Permit No: WP2021-106079					
Permit Start Date: 1/5/2022 1:47:00 PM					
Permit End Dt: 7/31/2023 1:47:00 PM					
Well Status: 4 - No electric or plumbing or motor					
Regulatory Aarea: 3					
Owner Name: NULL					
Billing Contact: NULL					
Billing Address: 14406 Country Haven Ct.					
Billing Address 2: NULL					
Billing City: Houston					
Billing State: TX					
Billing Zip: 77044					
Correspondence: NULL					
Provision: G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; SPHOU					
Water Usage: D - Domestic/Commercial					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
959	2 of 2	ENE	3.97 / 20,987.86	Filiberto Galindo 10624 Aldine Westfield Houston TX 77093	SDRW WELLS

Track NO: 601480
Date Submitted: 2022-04-06
Owner Name: Filiberto Galindo
Owner Address: 10624 Aldine Westfield
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.868619
Longitude: -95.35005
Drilling Date Started: 2022-03-24
Drilling Date Completed: 2022-03-25
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=601480&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 360.0

Top Depth: 340
Bottom Depth: 360

Top Depth: 0
Bottom Depth: 340

Well Levels

Measurement: 170
Measurement Date: 2022-03-25

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
960	1 of 5	NE	3.98 / 20,992.42	Aqua Texas, Inc. TX	WW HARRIS GAL

Well ID:	11612	Diameter (inches):	5
Aggre Lead Well:	11612	Year Drilled:	2010
Permit No:	WP2023-118283	Depth Drilled:	370
Permit Start Date:	2/1/2024	Depth frm Surf(ft):	350
Permit End Dt:	1/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.880277
Regulatory Aarea:	3	Longitude:	-95.358888
Owner Name:	Aqua Texas, Inc.		
Billing Contact:	Ashley McCaffrey		
Billing Address:	19244 Ella Blvd		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
960	2 of 5	NE	3.98 / 20,992.42	Aqua Texas, Inc TX	WW HARRIS GAL
<hr/>					
Well ID:	2374			Diameter (inches):	4
Aggre Lead Well:	2374			Year Drilled:	1989
Permit No:	W2020-2374-208761-0			Depth Drilled:	0
Permit Start Date:	2/1/2020			Depth frm Surf(ft):	0
Permit End Dt:	2/1/2020			County:	H
Well Status:	P - Plugged			Latitude:	29.880277
Regulatory Aarea:	3			Longitude:	-95.358888
Owner Name:	Aqua Texas, Inc.				
Billing Contact:	Ashley McCaffrey				
Billing Address:	2211Louetta Rd				
Billing Address 2:	NULL				
Billing City:	Spring				
Billing State:	TX				
Billing Zip:	77388				
Correspondence:	Stettner				
Provision:	NULL				
Water Usage:	P - Public Supply				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
960	3 of 5	NE	3.98 / 20,992.42	STETTNER ADDITION TX	WUD

Primary Co: TJ SHEPARD, JR.
Contact Ti: FIELD SUPERVISOR
Operating Status: OPERATIONAL
PWSID: 1010216
Source ID: G1010216B
Utility Name: STETTNER ADDITION
WTRSRC: G1010216B
Date Drilled: 12/21/2010
Well Depth: 372
Screen Top: 352
Screen Bottom: 372
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 53
CCN: N/A
Latitude: 29.880025
Longitude: -95.358922
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
960	4 of 5	NE	3.98 / 20,992.42	STETTNER ADDITION TX	WUD
Primary Co: Contact Ti: Operating Status: PWSID: Source ID: Utility Name: WTRSRC: Date Drilled: Well Depth: Screen Top: Screen Bottom: Water Usage: Gallons Per Minute: CCN: Latitude: Longitude: System Status:		TJ SHEPARD, JR. FIELD SUPERVISOR OPERATIONAL 1010216 G1010216A STETTNER ADDITION G1010216A 00/00/1962 400 380 400 ACTIVE - PERMANENT 54 N/A 29.88011932 -95.35894012 ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
960	5 of 5	NE	3.98 / 20,992.42	SOUTHWEST UTILITIES INC 1814 NORLINA STREET HOUSTON TX 77093	SDRW WELLS

Track NO: 338643
Date Submitted: 2013-08-23
Owner Name: SOUTHWEST UTILITIES INC
Owner Address: 16720 NORTH FREEWAY
Owner Address2:
Owner City: EL CAMPO
Owner State: TX
Owner Zip: 77437
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.88
Longitude: -95.358889
Drilling Date Started: 2010-12-06
Drilling Date Completed: 2010-12-21
Chemical Analysis: No
Company Name: BUSSELL & SONS LLC
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=338643&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 372.0

Top Depth: 0
Bottom Depth: 340

Top Depth: 340
Bottom Depth: 372

Well Levels

Measurement: 194
Measurement Date: 2010-12-07

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
961	1 of 1	NE	3.98 / 21,012.65	Rodriguez, Rosa TX	WW HARRIS GAL

Well ID:	14342	Diameter (inches):	2
Aggre Lead Well:	14342	Year Drilled:	NULL
Permit No:	WP2021-102418	Depth Drilled:	0
Permit Start Date:	8/1/2021 3:14:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022 3:15:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.883333
Regulatory Aarea:	3	Longitude:	-95.3625
Owner Name:	Rodriguez, Rosa		
Billing Contact:	NULL		
Billing Address:	1801 Sunny Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
962	1 of 1	NNE	3.98 / 21,013.20	Diego Medrano 826 Hill Rd. Houston TX 77037	SDRW WELLS

Track NO: 314635
Date Submitted: 2013-03-28
Owner Name: Diego Medrano
Owner Address: 826 Hill Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.895556
Longitude: -95.381667
Drilling Date Started: 2013-03-26
Drilling Date Completed: 2013-03-26
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=314635&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 12
Measurement Date: 2013-03-26

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
963	1 of 2	N	3.98 / 21,015.31	DIXIE DRILLING TX	TCEQ WELL LOGS

Grid No:	65-05-3
Date Drilled:	07/18/1996
Owners Name:	DIXIE DRILLING
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	241
Depth Drilled:	370
Latitude:	29.900452
Longtiude:	-95.406832

Send original copy by certified return receipt requested mail to: . NRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>DIXIE DRILLING</u> (Name)		ADDRESS <u>8207 LEGHORN HOUSTON TX 77040</u> (Street or RFD) (City) (State) (Zip)																													
2) ADDRESS OF WELL: County <u>HARRIS</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-3</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>f</u>																											
6) WELL LOG: Date Drilling: <u>7/17/96</u> Started <u>7/18/96</u> Completed <u>7/18/96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>360</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>360</u></td> <td><u>370</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>360</u>	<u>3 7/8</u>	<u>360</u>	<u>370</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>6 3/4</u>	Surface	<u>360</u>																													
<u>3 7/8</u>	<u>360</u>	<u>370</u>																													
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>360</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>GALVANIZED</u></td> <td><u>350</u></td> <td><u>360</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREENS</u></td> <td><u>360</u></td> <td><u>370</u></td> <td><u>.014</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>360</u>		<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>350</u>	<u>360</u>		<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>360</u>	<u>370</u>	<u>.014</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>360</u>																											
<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>350</u>	<u>360</u>																											
<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>360</u>	<u>370</u>	<u>.014</u>																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>8</u> <u>310</u> ft. to <u>360</u> ft. No. of sacks used <u>3</u> Method used <u>Halliburton / Trimme</u> Cemented by <u>BUSSELL + SON INC</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>40</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>241</u> ft. below land surface Date <u>7/18/96</u> Artesian _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth <u>K-PACKER</u> <u>350</u>																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and every statement herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for correction and resubmittal.																															
COMPANY NAME <u>BUSSELL + SON</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2035</u>																													
ADDRESS <u>P.O. Box 874</u> (Street or RFD)		<u>Tomball TEXAS 77377-0874</u> (City) (State) (Zip)																													
(Signed) <u>Craig Busnell</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96)

201684

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
963	2 of 2	N	3.98 / 21,015.31	Kamal, Mustafa TX	WW HARRIS GAL
<div> <div> Well ID: 11738 Aggre Lead Well: 11738 Permit No: WP2022-110860 Permit Start Date: 8/1/2022 4:03:00 PM Permit End Dt: 7/31/2023 4:03:00 PM Well Status: C - Capped Regulatory Aarea: 3 Owner Name: Kamal, Mustafa Billing Contact: NULL Billing Address: 5703 Lookout Mountain Dr. Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77069 Correspondence: NULL Provision: G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 2 Year Drilled: 1990 Depth Drilled: 2 Depth frm Surf(ft): 1 County: H Latitude: 29.900833 Longitude: -95.406666 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
964	1 of 1	NE	3.98 / 21,017.70	BOB WAWAROSKY TX	TCEQ WELL LOGS

Grid No: 65-06-7
 Date Drilled: 04/05/2000
 Owners Name: BOB WAWAROSKY
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 378
 Latitude: 29.887431
 Longtiude: -95.3674234

Send original copy by certified return receipt request to TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																																	
1) OWNER <u>Bob Wowerashy</u> ADDRESS <u>1438 Mesquite St Houston Tx 77093</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>(Same as above)</u> <small>County (Street, RFD or other) (City) (State) (Zip) Grid # <u>65-06-7</u></small>																																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																	
6) WELL LOG: Date Drilling: _____ Started <u>3-29-00</u> Completed <u>4-5-00</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>360</u></td> </tr> <tr> <td><u>5</u></td> <td><u>360</u></td> <td><u>378</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>360</u>	<u>5</u>	<u>360</u>	<u>378</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																								
Dia. (in.)	From (ft.)	To (ft.)																																			
<u>7</u>	Surface	<u>360</u>																																			
<u>5</u>	<u>360</u>	<u>378</u>																																			
From (ft.) To (ft.) Description and color of formation material <u>0-110</u> <u>Clay</u> <u>110-116</u> <u>Sand</u> <u>116-245</u> <u>Clay</u> <u>245-247</u> <u>Salt</u> <u>247-305</u> <u>Clay</u> <u>305-311</u> <u>Sandy rock</u> <u>311-318</u> <u>Clay</u> <u>318-334</u> <u>Sand</u> <u>334-338</u> <u>Clay</u> <u>338-378</u> <u>Sand</u> (Use reverse side of Well Owner's copy, if necessary)		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval from _____ ft. to _____ ft.																																			
CASING, BLANK PIPE, AND WELL SCREEN DATA:																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>8</u></td> <td><u>N</u></td> <td><u>PVC.</u></td> <td><u>0</u></td> <td><u>20</u></td> <td><u>40</u></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC.</u></td> <td><u>0</u></td> <td><u>360</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC. Liner</u></td> <td><u>350</u></td> <td><u>363</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC. Joints</u></td> <td><u>363</u></td> <td><u>378</u></td> <td><u>.06</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>8</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>20</u>	<u>40</u>	<u>4</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>360</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC. Liner</u>	<u>350</u>	<u>363</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC. Joints</u>	<u>363</u>	<u>378</u>	<u>.06</u>				
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																													
		From	To																																		
<u>8</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>20</u>	<u>40</u>																																
<u>4</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>360</u>	<u>40</u>																																
<u>2 1/2</u>	<u>N</u>	<u>PVC. Liner</u>	<u>350</u>	<u>363</u>	<u>40</u>																																
<u>2 1/2</u>	<u>N</u>	<u>PVC. Joints</u>	<u>363</u>	<u>378</u>	<u>.06</u>																																
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>360</u> ft. No. of sacks used <u>20</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>C.W.H.</u> Distance to septic system field lines or other concentrated contamination <u>20</u> ft. Method of verification of above distance <u>owner & Elton Wiley</u>																																					
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>From (ft.)</th> <th>To (ft.)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used						10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input checked="" type="checkbox"/> Approved Alternative Procedure Used																									
From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used																																	
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>4-5-00</u> Artesian flow _____ gpm. Date _____																																			
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4x 2 1/2 RXX</u></td> <td><u>K</u></td> <td><u>350'</u></td> </tr> </table>					Type	Depth	<u>4x 2 1/2 RXX</u>	<u>K</u>	<u>350'</u>																										
	Type	Depth																																			
<u>4x 2 1/2 RXX</u>	<u>K</u>	<u>350'</u>																																			
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>40</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal. COMPANY NAME <u>Coastal Water Well Serv. Inc.</u> WELL DRILLER'S LICENSE NO. <u>812</u> <small>(Type or print)</small> ADDRESS <u>P.O. Box 745</u> <u>Porter</u> <u>Tx</u> <u>77365</u> <small>(Street or RFD) (City) (State) (Zip)</small> (Signed) <u>J.R. Gehrels</u> (Signed) <u>Keith Gehrels</u> <small>(Licensed Well Driller) (Registered Driller Trainee)</small>																																			

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
965	1 of 1	N	3.98 / 21,018.86	Nandlal, Bhagpati TX	WW HARRIS GAL

Well ID:	12634	Diameter (inches):	2
Aggre Lead Well:	12634	Year Drilled:	0
Permit No:	WP2023-112310	Depth Drilled:	1
Permit Start Date:	8/1/2023 1:48:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 1:49:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.400277
Owner Name:	Nandlal, Bhagpati		
Billing Contact:	NULL		
Billing Address:	21827 Grand Lancelot Drive		
Billing Address 2:	NULL		
Billing City:	Kingwood		
Billing State:	TX		
Billing Zip:	77339		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
966	1 of 1	ENE	3.98 / 21,023.24	Wheeler Day lily Farm TX	GWDB

Well Rep Track No:

State Well No:

6514116

Owner Name:

Wheeler Day lily Farm

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

1964

Well Depth:

336

Well Usage:

Domestic

Water Level Status:

Latitude:

29.8563890

Longitude:

-95.3450000

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514116&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514116&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
967	1 of 2	NNW	3.98 / 21,025.35	T-L DRILLING CO INC TX	TCEQ WELL LOGS

Grid No:	65-13-3F
Date Drilled:	12/30/1970
Owners Name:	T-L DRILLING CO INC
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	NOT REPORTED
Depth Drilled:	362
Latitude:	29.89904
Longitude:	-95.425162

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

65-103F
For TWDB use only
Well No. 85-13-3F
Located on map Y-5
Received: 9-21
Allen

1) OWNER:
Person having well drilled T-L Drilling Co Inc Address PO Box 33349 Houston Tex
(Name) (Street or RFD) (City) (State)
Landowner Texaco Inc Address Houston Tex
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 12 miles in N.W. direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
hwy number, etc. US # 75
Fm 149 Kindle North
location
(Use reverse side if necessary) Houston
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
☒ New Well Deepening
☐ Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ☒ INDUSTRIAL Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ ARTESIAN Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 7 1/2 in. Depth drilled 362 ft. Depth of completed well 362 ft. Date drilled 12-30-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-52		clay br
52-61		sd. fine lite br.
61-108		clay yellow
108-124		sd. fine br
124-158		clay yellow
158-175		sd. fine br
175-197		clay br
197-223		sd. med br.
223-340		clay yellow - blue
340-362		sd. med br.

9) CASING:
Type: Old ☒ new Plastic Other
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing Size _____

10) SCREEN:
Type Trench Slotted
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
☒ straight wal Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level ? ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowl, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒
Did any strata contain undesirable water? Yes ☒
Type of water? good depth of strata 362

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Norm L. Lowe Water Well Drillers Registration No. 1182
(Type or Print)
ADDRESS PO Box 49 Porter Texas 77365
(Street or RFD) (City) (State)
(Signed) Norm L. Lowe Drago Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.
*Additional instructions on reverse side.
TWDBE-GM-53

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
967	2 of 2	NNW	3.98 / 21,025.35	DEEN GARDNER TX	TCEQ WELL LOGS

Grid No: 65-05-2D
Date Drilled: 10/16/1968
Owners Name: DEEN GARDNER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 66
Depth Drilled: 136
Latitude: 29.89904
Longtiude: -95.425162

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 25-152-20
Located on map 25-152
Received: 10-16-68
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled DEEN GARDNER Address HOUSTON TEXAS
Landowner DEEN GARDNER

2) LOCATION OF WELL:
County HAIRIS Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
8 miles in NORTH WEST direction from HOUSTON
(N, S, W, E) (Town)

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 7 in. Depth drilled 136 ft. Depth of completed well 136 ft. Date drilled 10-16-68
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
10	21	SAND	0	2	TOP SOIL
51	56	---	2	10	YELLOW CLAY
67	69	---	21	51	---
113	136	---	46	57	---
			59	113	---

7) COMPLETION (Check):
Straight well ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 46 ft. below land surface Date 10-16-68
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☒ Steel ☐ Plastic ☒ Other ☐
Cemented from _____ ft. to _____ ft.

10) SCREEN:
Type 10 FT. PLASTIC
Perforated ☐ Slotted ☐

Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)			From (ft.)	To (ft.)	
4	0	126	30	4	126	136	016

11) WELL TESTS:
Was a pump test made? ☐ Yes ☒ No If yes by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? _____ depth of strata _____

12) PUMP DATA:
Manufacturer's Name STA-RITE
Type SUBMERSIBLE H.P. 1
Designed pumping rate 30 gpm ☐ gph ☐
Type power unit 230 VOLTS
Depth to bowls, cylinder, jet, etc., 126 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R.W. LITTLES (Type or Print) Water Well Drillers Registration No. 370
Address RT. 1 Box 340 (Street or RFD) SPRING (City) TEXAS (State)
(Signed) R.W. Little (Water Well Driller) R.W. LITTLES WATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

201623

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
968	1 of 6	WNW	3.98 / 21,029.78	Gayla Industries, Inc. TX	GWDB

Well Rep Track No:
State Well No: 6513117
Owner Name: Gayla Industries, Inc.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 318
Well Usage: Domestic
Water Level Status:
Latitude: 29.8591670
Longitude: -95.4736110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513117&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513117&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
968	2 of 6	WNW	3.98 / 21,029.78	GAYLA INDUSTRIES TX	TCEQ WELL LOGS

Grid No: 65-13-1
Date Drilled: 03/07/1990
Owners Name: GAYLA INDUSTRIES
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 242
Depth Drilled: 420
Latitude: 29.8590469
Longitude: -95.4743282

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 Please use black ink.

ATTENTION, OWNER: Confidentiality Privilege Notice on Reverse Side State of Texas WELL REPORT Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711

1) OWNER Gayla Industries ADDRESS P.O. Box 920800 6401 Antoine Houston TX 77091
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 6401 Antoine
County Harris miles in _____ direction from _____ (Town)
(NE, SW, etc.)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP 0765-12-1

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 3/2 90
Started 3/2 90
Completed 3/7 90

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>358</u>
<u>3 7/8</u>	<u>358</u>	<u>420</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casting Screen
<u>0</u>	<u>18</u>	<u>TOP Soil & Clay</u>						
<u>18</u>	<u>35</u>	<u>SURFACE SAND</u>						
<u>35</u>	<u>133</u>	<u>CLAY</u>	<u>4</u>	<u>N</u>	<u>Galv. Steel</u>	<u>0</u>	<u>358</u>	
<u>133</u>	<u>170</u>	<u>SAND</u>	<u>2 1/2</u>	<u>N</u>	<u>Galvanized</u>	<u>349</u>	<u>410</u>	
<u>170</u>	<u>180</u>	<u>CLAY</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC</u>	<u>410</u>	<u>420</u>	<u>.016</u>
<u>180</u>	<u>220</u>	<u>SAND + ROCK</u>						
<u>220</u>	<u>240</u>	<u>CLAY</u>						
<u>240</u>	<u>257</u>	<u>SAND</u>						
<u>257</u>	<u>283</u>	<u>CLAY</u>						
<u>283</u>	<u>372</u>	<u>SAND</u>						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used _____
Method used Halliburton No. of Sacks Used _____
Cemented by BUSSELL & SON INC

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 243 ft. below land surface Date 3/7/90
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type K-PACKER Depth 349

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☒ Jetted ☒ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC WELL DRILLER'S LICENSE NO. 2035
(Type or print)

ADDRESS P.O. Box 874 Tomball TX 77375
(Street or RFD) (City) (State) (Zip)


(Signed) Gay Busell (Signed) David Lyong
(Licensed Well Driller) (Registered Driller/Trainer)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 65-13-1 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

182614



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
968	3 of 6	WNW	3.98 / 21,029.78	Gayla Industries, Inc. TX	WW HARRIS GAL

Well ID:	9909	Diameter (inches):	4
Aggre Lead Well:	9909	Year Drilled:	2004
Permit No:	W2018-9909-195529-0	Depth Drilled:	420
Permit Start Date:	3/1/2018	Depth frm Surf(ft):	390
Permit End Dt:	3/1/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.858888
Regulatory Aarea:	3	Longitude:	-95.475
Owner Name:	Gayla Industries, Inc.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 920800		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77292		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
968	4 of 6	WNW	3.98 / 21,029.78	Gayla Industries Inc TX	WW HARRIS GAL

Well ID:	14038	Diameter (inches):	4
Aggre Lead Well:	14038	Year Drilled:	0
Permit No:	WP2023-117515	Depth Drilled:	420
Permit Start Date:	3/1/2024	Depth frm Surf(ft):	400
Permit End Dt:	2/28/2025	County:	H
Well Status:	O - Operable	Latitude:	29.858888
Regulatory Aarea:	3	Longitude:	-95.475
Owner Name:	Gayla Industries Inc		
Billing Contact:	Amrollah Ashtari		
Billing Address:	6401 Antoine Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77091		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
968	5 of 6	WNW	3.98 / 21,029.78	Gayla Industries Inc 6401 Antoine Dr Houston TX 77091	SDRW WELLS

Track NO: 471647
Date Submitted: 2018-02-27
Owner Name: Gayla Industries Inc
Owner Address: 6401 Antoine Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77091
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.859028
Longitude: -95.475114
Drilling Date Started: 2018-02-14
Drilling Date Completed: 2018-02-19
Chemical Analysis: No
Company Name: Ballard Water Well Co LLC
Company Address: PO Box 1843
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=471647&Type=SDR-Well>

Well Borehole Information

Top Depth: 395
Bottom Depth: 420

Top Depth:
Bottom Depth: 420.0

Top Depth: 0
Bottom Depth: 395

Well Levels

Measurement: 182
Measurement Date: 2018-02-19

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
968	6 of 6	WNW	3.98 / 21,029.78	Gayla Industries 6401 Antoine Houston TX	SDRW WELLS

Track NO: 174930
Date Submitted: 2009-04-16
Owner Name: Gayla Industries
Owner Address: P.O. Box 920800
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77292
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.858612
Longitude: -95.473889
Drilling Date Started: 2004-11-10
Drilling Date Completed: 2004-11-11
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: P.O. Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=174930&Type=SDR-Well>

Well Borehole Information

Top Depth: 410
Bottom Depth: 420

Top Depth:
Bottom Depth: 420.0

Top Depth: 0
Bottom Depth: 410

Well Levels

Measurement: 200
Measurement Date: 2004-11-11

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
969	1 of 1	NNE	3.99 / 21,051.58	JULIA C GUTTERY TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 02/11/2000
Owners Name: JULIA C GUTTERY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 234
Depth Drilled: 402
Latitude: 29.893309
Longtiude: -95.377162

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER JULIA C. GUTTERY
(Name)

ADDRESS 13510 PINEVALE HOUSTON TX 77037
(Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION:
County HARRIS 13510 PINEVALE HOUSTON TX 77037
(Street, RFD or other) (City) (State) (Zip)

Long. Lat. 65 05 6
Grid #

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: 2-9-2000
Started 2-9-2000
Completed 2-11-2000

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>7</u>	Surface	<u>390</u>
<u>3 7/8</u>	<u>390</u>	<u>402</u>

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft.) To (ft.) Description and color of formation material

<u>0 - 5</u>	<u>TOP SOIL</u>
<u>5 - 30</u>	<u>RED SHALE</u>
<u>30 - 60</u>	<u>RED SAND / SANDSTONE</u>
<u>60 - 91</u>	<u>RED SHALE</u>
<u>91 - 129</u>	<u>SAND</u>
<u>129 - 140</u>	<u>RED SHALE</u>
<u>140 - 159</u>	<u>SAND</u>
<u>159 - 205</u>	<u>RED SHALE</u>
<u>205 - 253</u>	<u>SAND</u>
<u>253 - 312</u>	<u>RED SHALE</u>
<u>312 - 345</u>	<u>SAND</u>
<u>345 - 380</u>	<u>RED SHALE</u>
<u>380 - 402</u>	<u>SAND</u>

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PHYC</u>	<u>0</u>	<u>382</u>	<u>SCH 40</u>
<u>2 1/2</u>	<u>N</u>	<u>PHYC-SCREEN</u>	<u>382</u>	<u>402</u>	<u>SCH 80</u>

9) CEMENTING DATA
Cemented from 0 ft. to 382 ft. No. of sacks used 22
 ft. to ft. No. of sacks used
Method used PRESSURE
Cemented by SUGG WATER WELL
Distance to septic system field lines or other concentrated contamination 85 ft.
Method of verification of above distance PROPERTY OWNER

13) ☐ Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 320 ft.

15) WELL TESTS:
Type test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 18.5 gpm with 15 ft. drawdown after 2 hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed
☒ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) WATER LEVEL:
Static level 234 ft. below land surface Date 2-11-00
Artesian flow gpm. Date

12) PACKERS:

	Type	Depth

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SUGG WATER WELL WELL DRILLER'S LICENSE NO. 1006WPKL
(Type or print)

ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039
(Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg (Signed)
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

2725

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
970	1 of 2	NNE	3.99 / 21,058.56	Alaei, Mike TX	WW HARRIS GAL

Well ID:	16110	Diameter (inches):	2
Aggre Lead Well:	16110	Year Drilled:	NULL
Permit No:	WP2023-112966	Depth Drilled:	50
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	N - Not Drilled	Latitude:	29.899496
Regulatory Aarea:	3	Longitude:	-95.39626
Owner Name:	Alaei, Mike		
Billing Contact:	NULL		
Billing Address:	28302 Rose Lane		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77494		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
970	2 of 2	NNE	3.99 / 21,058.56	Mike Alaeinejad 309 E. Lorino Houston TX 77037	SDRW WELLS

Track NO: 614974
Date Submitted: 2022-08-19
Owner Name: Mike Alaeinejad
Owner Address: 28302 Rose Ln.
Owner Address2:
Owner City: Katy
Owner State: TX
Owner Zip: 77494
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899444
Longitude: -95.396111
Drilling Date Started: 2022-08-18
Drilling Date Completed: 2022-08-18
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=614974&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 53.0

Top Depth: 0
Bottom Depth: 53

Well Levels

Measurement: 8
Measurement Date: 2022-08-18

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
971	1 of 1	NE	3.99 / 21,060.76	Geronimo, Leticia A. TX	WW HARRIS GAL

Well ID:	8899	Diameter (inches):	4
Aggre Lead Well:	8899	Year Drilled:	2001
Permit No:	WP2021-106072	Depth Drilled:	400
Permit Start Date:	3/9/2022 10:15:00 AM	Depth frm Surf(ft):	390
Permit End Dt:	7/31/2023 10:15:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.882777
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Balderama, Gabriel		
Billing Contact:	NULL		
Billing Address:	1636 Birchwood Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
972	1 of 1	N	3.99 / 21,061.23	Ali & Ali, Inc. TX	WW HARRIS GAL
<div> <div> Well ID: 12689 Aggre Lead Well: 12689 Permit No: WP2023-111599 Permit Start Date: 8/1/2023 1:53:00 PM Permit End Dt: 7/31/2024 1:53:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 4 Year Drilled: 197 Depth Drilled: 1 Depth frm Surf(ft): 0 County: H Latitude: 29.900277 Longitude: -95.400277 </div> </div> <div> Owner Name: Ali & Ali, Inc. Billing Contact: Mohammed Ali Billing Address: 9825 Airline Dr. Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77037 Correspondence: NULL Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5 Water Usage: D - Domestic/Commercial </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
973	1 of 1	N	3.99 / 21,061.72	Unity Spirit Community Church TX	WW HARRIS GAL

Well ID:	4756	Diameter (inches):	2
Aggre Lead Well:	4756	Year Drilled:	1994
Permit No:	WP2023-110461	Depth Drilled:	50
Permit Start Date:	6/1/2023 1:51:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	5/31/2024 1:51:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.900555
Regulatory Aarea:	3	Longitude:	-95.414444
Owner Name:	Unity Spirit Community Church		
Billing Contact:	NULL		
Billing Address:	750 Turney Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
974	1 of 1	NE	3.99 / 21,065.29	Gabriel Angel Balderrama 1635 Birchwood St Houston TX 77093	SDRW WELLS

Track NO: 536857
Date Submitted: 2020-02-27
Owner Name: Gabriel Angel Balderrama
Owner Address: 1635 Birchwood St
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.882942
Longitude: -95.361742
Drilling Date Started: 2020-01-26
Drilling Date Completed: 2020-01-27
Chemical Analysis: No
Company Name: Zavala Drilling, CO
Company Address: 1910 S. Wheeler St.
CompanyAddress2:
Company City: Jasper
Company State: TX
Company Zip: 75951
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=536857&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 30
Measurement Date:

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
975	1 of 1	WSW	3.99 / 21,068.49	BIG THREE INDUSTRIES TX	TCEQ WELL LOGS

Grid No:	65-13-4X
Date Drilled:	07/02/1982
Owners Name:	BIG THREE INDUSTRIES
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	220
Depth Drilled:	392
Latitude:	29.822558
Longitude:	-95.473224

TDWR-0392 (Rev. 1-12-79)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
976	1 of 1	N	3.99 / 21,071.44	H.R. POWELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 07/9/1979
 Owners Name: H.R. POWELL
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 95
 Depth Drilled: 167
 Latitude: 29.900565
 Longtiude: -95.41362

05-9FFF 9FFF DUP

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only:
 Well No. 05-9FFF
 Located on map W6
 Received: W6

1) OWNER N.R. POWELL Address 726 TURNEY Houston TX 77038
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Harris miles in City of Houston direction from _____ (Town)
 (N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 7-6-77

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
	Surface	
	0	167

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-10		Humbo						
10-40		clay						
40-45		sand	2	N	PVC well casing	0	157	
45-80		clay						
80-85		sand	2 1/2	N	Slotted Screen	157	167 #4	
85-100		clay						
100-110		sand						
110-135		clay						
135-140		sand						
140-150		clay						
150-165		sand						

CEMENTING DATA
 Cemented from _____ ft. to _____ ft.
 Method used _____
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 95 ft. below land surface Date 7-6-77
 Artesian flow _____ gpm. Date _____

10) PACKERS:
 Type _____ Depth _____
2 - 4" Formating Packer 157-160

11) TYPE PUMP:
☐ Turbin ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☒ None ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.R. BILLINGS Water Well Drillers Registration No. 1929
 (Type or Print)

ADDRESS 25330 Richard Rd Spring TX 77373
 (Street or RFD) (City) (State) (Zip)

(Signed) C.R. Billings (Water Well Driller)
Allweather Water Well Ser. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
 TDWR-0392

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 28 1979
DEPT. OF
WATER RESOURCES



RECEIVED
FEB 27 1980
WATER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
977	1 of 2	NNE	3.99 / 21,076.06	MR JERRY ANDERSON TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 5/4/1984
Owners Name: MR JERRY ANDERSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 167
Depth Drilled: 240
Latitude: 29.8943986
Longitude: -95.3793508

Send original copy by
 certified mail to the
 Texas Department of Water Resources
 P.O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
 Well No. 65-05-9AAA
 Located on map 480MM
 Received: 8

OWNER Mr. Jerry Anderson (Name) Address 922 Hill Rd. (Street or RFD) Noton TX (City) 77037 (State) (Zip)
 LOCATION OF WELL: 922 Hill Rd.
 County Harris miles in _____ direction from _____ (Town)

Driller must complete the legal description to the right
 of distance and direction from two intersecting sec-
 tion or survey lines, or he must locate and identify the
 well on an official Quarter- or Half-Scale Texas County
 General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-05-9AAA

TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

WELL LOG:
 Date drilled 5/4/84

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	240

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0' - 34'		Top Soil + Clay					
34' - 44'		Surface Sand					
44' - 45'		Rock	4	N	P.V.C.	0' - 230'	
45' - 141'		Clay (Red)	2	N	Galv.	235' - 230'	
141' - 165'		Sand with Clay Banks	2	N	P.V.C.	230' - 240'	0.014
165' - 199'		Clay					
199' - 239'		Sand					
239' - 240'		Clay					

CEMENTING DATA
 Cemented from 0 ft. to 230 ft.
 Method used Haliburton
 Cemented by Buswell & Son, Inc.
 (Company or Individual)

9) WATER LEVEL:
 Static level 167 ft. below land surface Date 5/5/84
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
 MAR 11 1985

DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

1) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG O. Buswell (Type or Print) Water Well Drillers Registration No. 2035
 ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)
 Signed Craig Buswell (Water Well Driller) Buswell & Son, Inc. (Company Name)

Attach electric log, chemical analysis, and other pertinent information, if available.

/R-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
977	2 of 2	NNE	3.99 / 21,076.06	Met Holding Group LLC TX	WW HARRIS GAL

Well ID:	12850	Diameter (inches):	4
Aggre Lead Well:	12850	Year Drilled:	NULL
Permit No:	WP2022-111497	Depth Drilled:	200
Permit Start Date:	8/1/2022 7:13:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.895277
Regulatory Aarea:	3	Longitude:	-95.379166
Owner Name:	Met Holdings Group, LLC		
Billing Contact:	Leaveil Skinner		
Billing Address:	922 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
978	1 of 1	E	3.99 / 21,077.95	HUBERT LEE TX	TCEQ WELL LOGS

Grid No: 65-14-1
 Date Drilled: 07/21/1987
 Owners Name: HUBERT LEE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 7
 Depth Drilled: 50
 Latitude: 29.838352
 Longtiude: -95.343092

WWO-012 (Rev. 01-28-87)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
979	1 of 2	WSW	3.99 / 21,081.79	Gulf Coast Welding & Construction Co. TX	GWDB

Well Rep Track No:

State Well No:

6513422

Owner Name:

Gulf Coast Welding & Construction Co.

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

1969

Well Depth:

252

Well Usage:

Industrial

Water Level Status:

Latitude:

29.8194440

Longitude:

-95.4722220

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513422&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513422&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
979	2 of 2	WSW	3.99 / 21,081.79	TURNER HDW CO TX	TCEQ WELL LOGS

Grid No: 65-13-4B
 Date Drilled: 11/22/1969
 Owners Name: TURNER HDW CO
 County: HARRIS
 Water Usage: INDUSTRIAL
 Static Level: 160
 Depth Drilled: 252
 Latitude: 29.8201545
 Longtiude: -95.472199

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-13-4B
Located on map yes
Received: 6-9-91
dlp

1) OWNER:
Person having well drilled Turner Hdw. Co. Address 11730 Hamstead Hwy Houston
(Name) (Street or RFD) (City) (State)
Landowner Gulf Coast Welding & Comb. Co. Inc. Address 5600 W. 34th Houston Tex
(Name) (Street or RFD) (City) (State)
Well drilled at 5600 West 34th Street

2) LOCATION OF WELL:
County Harris miles in NW direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

(Use reverse side if necessary.)

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial ☒ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 1/2" in. Depth drilled 252 ft. Depth of completed well 252 ft. Date drilled 11-22-69
Reamed 6 1/2" to 233' All measurements made from 1' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old _____ New <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Plastic _____ Other _____ Cemented from <u>180'</u> ft. to <u>233'</u> ft.
0 - 1		Shell (Drive way)	
1 - 38		Top soil (2') & Red Clay	
38 - 50		Red sand & clay balls	
50 - 62		Red Clay	
62 - 70		Red sand w/ mixed clay	
70 - 92		Blue & white clay	
92 - 112		White sand (fine)	
112 - 130		Red Clay	
130 - 147		White sand w/ clay balls	
147 - 170		Orange clay	
170 - 199		Coarse white sand	
Cont. (Use reverse side if necessary)			

10) SCREEN: Stainless Steel wire on
Type: Perforated Pipe _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4" +1 233
2 1/2" 227 237

7) COMPLETION (Check):
Straight wall _____ Gravel packed 2 string Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 160' ft. below land surface Date 11-22-69
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 210' ft. below land surface.

11) WELL TESTS:
Was a pump test made? ok Yes ☒ No _____ If yes, by whom? _____
Yield: 35 gpm with 20' ft. drawdown after 8 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Omer L Leueller Water Well Drillers Registration No. 695
(Type or Print)
ADDRESS Rt 1 Box 218 Cypress 77429 Texas
(Street or RFD) (City) (State)
(Signed) O Leueller Walker Well Service
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

192-228 - Red Sand
228-229 - Rock
229-235 - Red Clay
235-252 - Coarse White Sand

TEXAS
DEC 23 1969

RECEIVED
MAR 30 1970
Central Records
TOWNSHIP ENGINEERING DEPARTMENT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
980	1 of 1	NNE	3.99 / 21,091.50	Rivera, Misael TX	WW HARRIS GAL
Well ID: 14231					
Aggre Lead Well: 14231					
Permit No: WP2023-112010					
Permit Start Date: 8/1/2023 3:16:00 PM					
Permit End Dt: 7/31/2024 3:16:00 PM					
Well Status: O - Operable					
Regulatory Aarea: 3					
Owner Name: Rivera, Misael					
Billing Contact: NULL					
Billing Address: 204 Nicar Street					
Billing Address 2: NULL					
Billing City: Houston					
Billing State: TX					
Billing Zip: 77037					
Correspondence: NULL					
Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5					
Water Usage: D - Domestic/Commercial					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
981	1 of 2	N	3.99 / 21,093.41	Symank, Brian TX	WW HARRIS GAL
<div> <div> Well ID: 14236 Aggre Lead Well: 14236 Permit No: WP2023-112717 Permit Start Date: 8/1/2023 11:29:00 AM Permit End Dt: 7/31/2024 11:29:00 AM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Symank, Brian Billing Contact: NULL Billing Address: 118 Nicar Street Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77037 Correspondence: NULL Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5 Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 2 Year Drilled: NULL Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.900277 Longitude: -95.398611 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
981	2 of 2	N	3.99 / 21,093.41	NULL TX	WW HARRIS GAL

Well ID:	14234		Diameter (inches):	2
Aggre Lead Well:	NULL		Year Drilled:	
Permit No:	NULL		Depth Drilled:	0
Permit Start Date:	NULL		Depth frm Surf(ft):	0
Permit End Dt:	NULL		County:	H
Well Status:			Latitude:	29.899722
Regulatory Aarea:	3		Longitude:	-95.398611
Owner Name:		NULL		
Billing Contact:		NULL		
Billing Address:		NULL		
Billing Address 2:		NULL		
Billing City:		NULL		
Billing State:		NULL		
Billing Zip:		NULL		
Correspondence:		NULL		
Provision:		NULL		
Water Usage:		D		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
982	1 of 1	NNE	4.00 / 21,100.06	ASSOCIATED PROPERTY TX	TCEQ WELL LOGS

Grid No:	65-05-9LL
Date Drilled:	06/15/1984
Owners Name:	ASSOCIATED PROPERTY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	105
Depth Drilled:	160
Latitude:	29.898993
Longtiude:	-95.393256

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER ASSOCIATED PROPERTY Address 520 E. LORINO HOUSTON TEXAS
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS APR 10 miles in NORTH direction from HOUSTON
 (Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 65-05-9LL

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 6-15-84

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	Surface
<u>6.75</u>	<u>0</u>	<u>150 FT</u>	
<u>4.75</u>	<u>150</u>	<u>160</u>	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 STRING
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0-15</u>	<u>TOP SOIL</u>							
<u>15-40</u>	<u>SAND</u>							
<u>40-145</u>	<u>CLAY</u>		<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>150</u>	
<u>145-160</u>	<u>SAND</u>		<u>2 1/2</u>	<u>N</u>	<u>SLOTTED PLASTIC</u>	<u>150</u>	<u>160</u>	<u>12</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA
 Cemented from 0 ft. to 150 ft.
 Method used PRESSURE
 Cemented by Michael McChung
 (Company or Individual)

9) WATER LEVEL:
 Static level 105 ft. below land surface Date 6-15-84
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
RUBBER 145 FT.

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Boiler ☐ Jetted ☐ Estimated
 Yield: NONE gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME M & M WELL SERV Water Well Driller's License No. 2215
 (Type or Print)

ADDRESS 4602 ELLA BLVD HOUSTON TEXAS 77018
 (Street or RFD) (City) (State) (Zip)


(Signed) Michael McChung (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 65-05-9LL
 Located on map 450 PM

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
983	1 of 1	NNE	4.00 / 21,103.06	Suzanne Vaughn 206 Nicar Houston TX 77037	SDRW WELLS

Track NO: 122562
Date Submitted: 2007-09-18
Owner Name: Suzanne Vaughn
Owner Address: 206 Nicar
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900001
Longitude: -95.398056
Drilling Date Started: 2007-09-14
Drilling Date Completed: 2007-09-14
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=122562&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 53.0

Top Depth: 0
Bottom Depth: 53

Well Levels

Measurement: 3
Measurement Date: 2007-09-14

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
984	1 of 3	NE	4.00 / 21,113.67	KENNETH BERRY TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 02/16/1991
Owners Name: KENNETH BERRY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 256
Depth Drilled: 387
Latitude: 29.885412
Longtiude: -95.364296

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Kenneth Berry</u> (Name)		ADDRESS <u>1441 Hartwick Houston Texas</u> (Street or RFD) (City) (State) (Zip)																																																								
2) LOCATION OF WELL: County <u>Harris</u> <u>4</u> miles in <u>5</u> direction from <u>Aldine</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>2</u> on <u>65-06-4</u>																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mod Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: _____ Started <u>2-15-91</u> Completed <u>2-16-91</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td><u>6 1/2</u></td> <td>Surface</td> <td><u>377</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>377</u></td> <td><u>387</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 1/2</u>	Surface	<u>377</u>	<u>4 1/2</u>	<u>377</u>	<u>387</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 1/2</u>	Surface	<u>377</u>																																																								
<u>4 1/2</u>	<u>377</u>	<u>387</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> <tr><td><u>0-35</u></td><td><u>C</u></td><td><u>317-322 C</u></td></tr> <tr><td><u>35-51</u></td><td><u>S</u></td><td><u>322-337 S</u></td></tr> <tr><td><u>51-78</u></td><td><u>C</u></td><td><u>337-344 MISH</u></td></tr> <tr><td><u>78-97</u></td><td><u>S</u></td><td><u>344-354 N</u></td></tr> <tr><td><u>97-145</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>145-156</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>156-241</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>241-246</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>246-312</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>312-317</u></td><td><u>S</u></td><td></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-35</u>	<u>C</u>	<u>317-322 C</u>	<u>35-51</u>	<u>S</u>	<u>322-337 S</u>	<u>51-78</u>	<u>C</u>	<u>337-344 MISH</u>	<u>78-97</u>	<u>S</u>	<u>344-354 N</u>	<u>97-145</u>	<u>C</u>		<u>145-156</u>	<u>S</u>		<u>156-241</u>	<u>C</u>		<u>241-246</u>	<u>S</u>		<u>246-312</u>	<u>C</u>		<u>312-317</u>	<u>S</u>		8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>fire</u></td> <td><u>0</u></td> <td><u>377</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>fire wrapped</u></td> <td><u>377</u></td> <td><u>387</u></td> <td><u>12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>fire</u>	<u>0</u>	<u>377</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>fire wrapped</u>	<u>377</u>	<u>387</u>	<u>12</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-35</u>	<u>C</u>	<u>317-322 C</u>																																																								
<u>35-51</u>	<u>S</u>	<u>322-337 S</u>																																																								
<u>51-78</u>	<u>C</u>	<u>337-344 MISH</u>																																																								
<u>78-97</u>	<u>S</u>	<u>344-354 N</u>																																																								
<u>97-145</u>	<u>C</u>																																																									
<u>145-156</u>	<u>S</u>																																																									
<u>156-241</u>	<u>C</u>																																																									
<u>241-246</u>	<u>S</u>																																																									
<u>246-312</u>	<u>C</u>																																																									
<u>312-317</u>	<u>S</u>																																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>fire</u>	<u>0</u>	<u>377</u>	<u>40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>fire wrapped</u>	<u>377</u>	<u>387</u>	<u>12</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>110</u> ft. No. of Sacks Used <u>10</u> <u>335</u> ft. to <u>387</u> ft. No. of Sacks Used <u>5</u> Method used <u>Circ</u> Cemented by <u>Inv</u>																																																								
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>256</u> ft. below land surface Date <u>2-16-91</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:60%;">Type</th> <th style="width:40%;">Depth</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>		Type	Depth							13) WATER LEVEL: Static level _____ ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																																																
Type	Depth																																																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>Lower Water Wells Inc</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>1182</u>																																																								
ADDRESS <u>P.O. Box 89</u> (Street or RFD)		<u>Porter</u> (City)		<u>TEXAS 77365</u> (State) (Zip)																																																						
(Signed) <u>Donner R Low</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>65-06-7</u> Located on map _____																																																										

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
984	2 of 3	NE	4.00 / 21,113.67	W L DUNNAWAY TX	TCEQ WELL LOGS

Grid No: 65-05-9C
Date Drilled: 05/30/1973
Owners Name: W L DUNNAWAY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 387
Latitude: 29.885412
Longtiude: -95.364296

Dup

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9C
Located on map yes
Received: 25-yes
dlb

1) OWNER:
Person having well drilled W. L. Dunnaway Address 1441 Hartwick Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 6 miles in N direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
413 N on 65-06-833
see map included
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
~~XXXX~~ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
~~XXXX~~ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
~~XXXX~~ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 372 ft ft. Depth of completed well 387 ft. Date drilled 5-30-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Yellow Clay
15	25	Red Clay
25	35	Yellow Clay
35	40	Red Yellow Clay
40	45	Red Clay
45	50	Sand
50	70	Red Clay
70	75	Sand
75	80	Red Clay
80	105	Sand with Clay Streaks
105	130	Blue Clay
130	140	Use Sand side if necessary

9) CASING:
Type: Old ~~XXXX~~ Steel ~~XXXX~~ Other
Cemented from 372 ft up ft. to _____ ft.
Diameter (inches) 4 " Setting From (ft.) 1 ft To (ft.) 372 ft Gage 40

10) SCREEN:
Type: Well Supplies Plastice Wrapped
Perforated Slotted
Diameter (inches) 2 1/2 " Setting From (ft.) 377 ft To (ft.) 387 ft Slot Size 16 ga

7) COMPLETION (Check):
~~XXXX~~ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 220 ft ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ~~XX~~ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ~~XX~~
Did any strata contain undesirable water? Yes No.
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond, JR. Water Well Drillers Registration No. TDL-774
(Type or Print)
ADDRESS 10011 AIRLINE DR. Houston Texas
(Street or RFD) (City) (State)
(Signed) C. A. Raymond Jr. Raymond Water Well Drilling Inc
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WDS

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDSE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

140 - 145	Blue Clay
145 - 155	Sand
155 - 185	Yellow Clay
185 - 190	Sand
190 - 215	Red Yellow Clay
215 - 225	Yellow Clay
225 - 240	Red Yellow Clay
240 - 245	Sand
245 - 246	Rock
246 - 260	Red Gray Clay
260 - 265	Sand
265 - 305	Red Gray Clay
305 - 310	Sand
310 - 311	Rock
311 - 315	Sand
315 - 325	Red Clay
325 - 335	Sand
335 - 345	Red Gray Clay
345 - 387	Sand

RECEIVED
JUL 30 1975
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
NOV 4 1974
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
984	3 of 3	NE	4.00 / 21,113.67	Alamilla, Francisco & Elsy TX	WW HARRIS GAL

Well ID:	14301	Diameter (inches):	1
Aggre Lead Well:	14301	Year Drilled:	1970
Permit No:	WP2023-113515	Depth Drilled:	260
Permit Start Date:	8/1/2023 4:34:00 PM	Depth frm Surf(ft):	1
Permit End Dt:	7/31/2024 4:34:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.885555
Regulatory Aarea:	3	Longitude:	-95.364444
Owner Name:	Alamilla, Francisco & Elsy		
Billing Contact:	NULL		
Billing Address:	1441 Hartwick Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	Frank Alamilla / frankalamilla@att.net / 832-49		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
985	1 of 1	NNE	4.00 / 21,125.51	Sandoval, Jose & Rina TX	WW HARRIS GAL

Well ID:	15062	Diameter (inches):	2
Aggre Lead Well:	15062	Year Drilled:	NULL
Permit No:	WP2023-111533	Depth Drilled:	0
Permit Start Date:	8/1/2023 2:02:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:02:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	2	Longitude:	-95.389444
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	513 Hill Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
986	1 of 5	NE	4.00 / 21,129.25	MESQUITE MHP TX	WUD

Primary Co: BRADLEY V. DAVIS
Contact Ti: MEMBER
Operating Status: OPERATIONAL
PWSID: 1013245
Source ID: G1013245B
Utility Name: MESQUITE MHP
WTRSRC: G1013245B
Date Drilled: 03/24/2009
Well Depth: 394
Screen Top: 364
Screen Bottom: 394
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 28
CCN: N/A
Latitude: 29.88722222
Longitude: -95.36611111
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
986	2 of 5	NE	4.00 / 21,129.25	MESQUITE MHP TX	WUD
<i>Primary Co:</i>		BRADLEY V. DAVIS			
<i>Contact Ti:</i>		MEMBER			
<i>Operating Status:</i>		PLUGGED			
<i>PWSID:</i>		1013245			
<i>Source ID:</i>		G1013245A			
<i>Utility Name:</i>		MESQUITE MHP			
<i>WTRSRC:</i>		G1013245A			
<i>Date Drilled:</i>					
<i>Well Depth:</i>		300			
<i>Screen Top:</i>		0			
<i>Screen Bottom:</i>		0			
<i>Water Usage:</i>		INACTIVE - PLUGGED			
<i>Gallons Per Minute:</i>		N/A			
<i>CCN:</i>		N/A			
<i>Latitude:</i>		29.886592			
<i>Longitude:</i>		-95.3662			
<i>System Status:</i>		ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
986	3 of 5	NE	4.00 / 21,129.25	Mesquite MHP, LLC TX	WW HARRIS GAL

Well ID:	6908	Diameter (inches):	3
Aggre Lead Well:	6908	Year Drilled:	
Permit No:	W2008-6908-135101-0	Depth Drilled:	0
Permit Start Date:	8/1/2008	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2009	County:	H
Well Status:	P - Plugged	Latitude:	29.887222
Regulatory Aarea:	3	Longitude:	-95.366111
Owner Name:	Mesquite MHP, LLC		
Billing Contact:	Brad Davis		
Billing Address:	4771 Sweetwater Blvd., # 188		
Billing Address 2:	NULL		
Billing City:	Sugar Land		
Billing State:	TX		
Billing Zip:	77479		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
986	4 of 5	NE	4.00 / 21,129.25	Mesquite MHP, LLC TX	WW HARRIS GAL

Well ID:	11118	Diameter (inches):	5
Aggre Lead Well:	11118	Year Drilled:	2009
Permit No:	WP2023-112182	Depth Drilled:	400
Permit Start Date:	8/1/2023 4:22:00 PM	Depth frm Surf(ft):	390
Permit End Dt:	7/31/2024 4:22:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.887222
Regulatory Aarea:	3	Longitude:	-95.366111
Owner Name:	Mesquite MHP, LLC		
Billing Contact:	Darren Shaw		
Billing Address:	4771 Sweetwater		
Billing Address 2:	NULL		
Billing City:	Sugarland		
Billing State:	TX		
Billing Zip:	77479		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
986	5 of 5	NE	4.00 / 21,129.25	Mesquite MHP LLC 1502 Mesquite Houston TX 77093	SDRW WELLS

Track NO: 172597
Date Submitted: 2009-03-27
Owner Name: Mesquite MHP LLC
Owner Address: 4771 Sweetwater Blvd Ste. 188
Owner Address2:
Owner City: Sugarland
Owner State: TX
Owner Zip: 77479
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.887222
Longitude: -95.366112
Drilling Date Started: 2009-03-20
Drilling Date Completed: 2009-03-24
Chemical Analysis: Yes
Company Name: Davison Water Well Service
Company Address: PO Box 759
CompanyAddress2:
Company City: Alvin
Company State: TX
Company Zip: 77512
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=172597&Type=SDR-Well>

Well Borehole Information

Top Depth: 345
Bottom Depth: 394

Top Depth:
Bottom Depth: 394.0

Top Depth: 0
Bottom Depth: 345

Well Levels

Measurement: 190
Measurement Date: 2009-03-24

Well Strata

Water Type:

Good

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
987	1 of 1	NNE	4.00 / 21,129.46	ROSA WADSWROTH TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 03/10/1994
Owners Name: ROSA WADSWROTH
County: HARRIS
Water Usage: DOMESTIC
Static Level: 230
Depth Drilled: 402
Latitude: 29.8999172
Longitude: -95.3977778

TWC-0199 (Rev. 05-18-90)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
988	1 of 1	NNE	4.00 / 21,138.16	Martin Amador 407 E. Lorino Houston TX 77037	SDRW WELLS

Track NO: 225256
Date Submitted: 2010-08-02
Owner Name: Martin Amador
Owner Address: 407 E. Lorino
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.394722
Drilling Date Started: 2010-07-28
Drilling Date Completed: 2010-07-28
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=225256&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2010-07-28

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
989	1 of 1	NNE	4.01 / 21,155.47	GUADALUPE ESPIOZA TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 03/22/2001
 Owners Name: GUADALUPE ESPIOZA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 237
 Depth Drilled: 380
 Latitude: 29.8999207
 Longtiude: -95.3973386

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

1
Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name: Guadalupe Espinoza Address: 216 Nycar City: Houston State: Tx Zip: 77037

2) WELL LOCATION

County: Harris Physical Address: 216 Nycar City: Houston State: Tx Zip: 77037

3) Type of Work

☒ New Well ☐ Reconditioning
☐ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
☐ Rig Supply If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) NT

6) Drilling Date

Started 3/21/01 Completed 3/22/01

Diameter of Hole

Dia. (in.) From (ft) To (ft)
7 1/2 Surface 100
6 3/4 100 370
4 3/4 370 380

7) Drilling Method (check) ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

8) Borehole Completion ☐ Open Hole ☒ Straight Wall
☐ Under-reamed ☐ Gravel Packed ☒ Other 2 String
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.) New Or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft) From To Gage Casing Screen
4 N Sch 40 PVC +2-370
2 1/2 N Sch 40 PVC 365-370
2 1/2 N Sch 40 Slotted 370-380 1010

9) Cementing Data

Cementing from 6 ft. to 365 ft. # of sacks used 36
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Driller
Distance to septic system field or other concentrated contamination 65 ft.
Method of verification of above distance OWNER'S MEASUREMENT

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:
From (ft) To (ft) From (ft) To (ft) Sacks used

14) Type Pump

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

15) Water Test

Type test ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 20 gpm with 20 ft. drawdown after 1 hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water: Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

10) Surface Completion

☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used
MAY 18 2001

11) Water Level

Static level 237 ft. 100 gpm Date 3/22/01
Artesian Flow gpm Date

12) Packers

Type Depth
K Packer 4x2 1/2 365'

Company or individual's Name (type or print) Johnston's Water Well Serv. Lic. No. 2778WI

Address 14750 Hooper Rd. City Tomball State Tx Zip 77325

Signature Randy K. Johnson Date 3/23/01 Signature _____ Date _____
Licensed Driller/Pump Installer Apprentice

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
990	1 of 3	W	4.01 / 21,165.03	Houston Lighting & Power Co. TX	GWDB

Well Rep Track No:
State Well No: 6513120
Owner Name: Houston Lighting & Power Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 342
Well Usage: Domestic
Water Level Status:
Latitude: 29.8544450
Longitude: -95.4758330
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513120&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513120&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
990	2 of 3	W	4.01 / 21,165.03	CenterPoint Energy Houston Electric, LLC	WW HARRIS GAL
				TX	

Well ID:	4602	Diameter (inches):	4
Aggre Lead Well:	1182	Year Drilled:	1990
Permit No:	WP2023-114656	Depth Drilled:	380
Permit Start Date:	11/1/2023	Depth frm Surf(ft):	370
Permit End Dt:	10/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.854166
Regulatory Aarea:	3	Longitude:	-95.475555
Owner Name:	CenterPoint Energy Houston Electric, LLC		
Billing Contact:	Tanner Stafford		
Billing Address:	4500 South Shaver, Bldg. D		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77034		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
990	3 of 3	W	4.01 / 21,165.03	HOUSTON LIGHTING & POWER COMPANY	WW HARRIS GAL

TX

Well ID:	1188	Diameter (inches):	4
Aggre Lead Well:	1188	Year Drilled:	1969
Permit No:	W1991-1188-39334-0	Depth Drilled:	342
Permit Start Date:	11/1/1991	Depth frm Surf(ft):	310
Permit End Dt:	10/31/1992	County:	H
Well Status:	P - Plugged	Latitude:	29.853888
Regulatory Aarea:	3	Longitude:	-95.475277
Owner Name:	HOUSTON LIGHTING & POWER COMPANY		
Billing Contact:	STEPHEN DAVIES		
Billing Address:	P.O. Box 1700		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77251		
Correspondence:	ENVIRONMENTAL DEPARTMENT		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
991	1 of 1	NNE	4.01 / 21,167.39	Be Ba Van Nguyen 417 E. Lorino Houston TX 77037	SDRW WELLS

Track NO: 388872
Date Submitted: 2015-02-23
Owner Name: Be Ba Van Nguyen
Owner Address: 417 E. Lorino
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.394445
Drilling Date Started: 2015-01-16
Drilling Date Completed: 2015-01-19
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=388872&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 190
Measurement Date: 2015-01-28

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
992	1 of 1	NNE	4.01 / 21,167.73	G DELGADO TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 07/06/1995
 Owners Name: G DELGADO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 9
 Depth Drilled: 46
 Latitude: 29.893998
 Longtiude: -95.377845

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>G. Delgado</u> (Name)		ADDRESS <u>1004 Hill Rd Houston, Tx.</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>Harris</u>				GRID # <u>165-05-9</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: <u>July 5, 1995</u> Started: <u>July 5, 1995</u> Completed: <u>July 6, 1995</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>46</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>46</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4 1/2</u>	Surface	<u>46</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 38</u> <u>Clay</u> <u>38 - 46</u> <u>Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval ... from <u>20</u> ft. to <u>46</u> ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>N</u></td> <td><u>N</u></td> <td><u>P.V.C.</u></td> <td><u>0</u></td> <td><u>36</u></td> <td><u>40</u></td> </tr> <tr> <td><u>N</u></td> <td><u>N</u></td> <td><u>P.V.C. Screen</u></td> <td><u>36</u></td> <td><u>46</u></td> <td><u>.08</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>N</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>36</u>	<u>40</u>	<u>N</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>36</u>	<u>46</u>	<u>.08</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>N</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>36</u>	<u>40</u>																				
<u>N</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>36</u>	<u>46</u>	<u>.08</u>																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>20</u> ft. No. of sacks used <u>6</u> ft. to _____ ft. No. of sacks used _____ Method used <u>Hand mix</u> Cemented by <u>C. Delgado</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>Tape</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>6</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>9</u> ft. below land surface Date <u>7-5-95</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>8'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth <u>None</u>																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Coastal Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u>																							
ADDRESS <u>P.O. Box 745</u> (Street or RFD)		<u>Porter</u> (City)		<u>TX 77365</u> (State) (Zip)																					
(Signed) <u>A.R. Delgado</u> (Licensed Well Driller)		(Signed) <u>Keith Schuch</u> (Registered Driller Trainee)																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
993	1 of 1	WSW	4.01 / 21,173.41	JIM MORTIMER TX	TCEQ WELL LOGS

Grid No: 65-13-5B
 Date Drilled: 10/23/1973
 Owners Name: JIM MORTIMER
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 58
 Depth Drilled: 104
 Latitude: 29.817792
 Longtiude: -95.471325

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-13-58
Located on map Yes
Received: 7/4/73
dlc

1) OWNER:
Person having well drilled JIM MORTIMER Address 5526 GARDEN DALE
(Name) (City) (State)
Landowner " Address " (City) (State)

2) LOCATION OF WELL:
County HARRIS 15 miles in NW direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks,
hwy number, etc.* or Give legal location with distances and directions from
adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 104 ft. Depth of completed well 102 ft. Date drilled 10-23-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	20	GRAY CLAY
20	22	RED CLAY
22	28	SAND
28	35	RED CLAY
35	38	RED SAND
38	40	RED CLAY
40	48	SAND
48	71	RED CLAY
71	79	SAND
79	89	RED CLAY
89	104	SAND

9) CASING:
Type: Old ☒ Steel ☒ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____

10) SCREEN:
Type: PLASTIC
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot _____

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? _____ depth of strata _____

8) WATER LEVEL:
Static level 58 ft. below land surface Date 10-23-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 84 ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B LUMPKIN, JR Water Well Drillers Registration No. 1101
(Type of Print)
ADDRESS 7507 JANAK DR HOUSTON TEX
(Street or RFD) (City) (State)
(Signed) John B Lumpkin LONG POINT WATER WELL
(Water Well Driller) (Company Name) SERVICE

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

DBS-WDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
994	1 of 2	NE	4.01 / 21,177.62	LANDRY SPECIALTY WELD TX	TCEQ WELL LOGS

Grid No: 65-06-7B
 Date Drilled: 06/17/1975
 Owners Name: LANDRY SPECIALTY WELD
 County: HARRIS
 Water Usage: INDUSTRIAL
 Static Level: 70
 Depth Drilled: 380
 Latitude: 29.8842542
 Longitude: -95.3626075

65-0678 *Drp*

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
 Well No. 15-06-78
 Located on map 15
 Received: 9/2/78

1) OWNER:
 Person having well drilled LANDRY SPECIALTY WELD Address 1518 HARTWICKE HOUSTON, TEXAS
 (Name) (Street or RFD) (City) (State)
 Landowner SAME Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS 10 miles in N direction from HOUSTON
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
 or Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

Sketch map showing Hartwicke Well, Harris County, Houston, Texas, near Aldine Mail Rt.

3) TYPE OF WORK (Check):
 New Well ☒ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic ☒ Industrial ☒ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary ☒ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 380 ft. Depth of completed well 380 ft. Date drilled 6-17-75
 All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-25		SAND
25-52		CLAY
52-75		SAND
75-84		CLAY
84-99		SAND
99-172		CLAY
172-195		SAND
195-257		CLAY
257-270		SAND
270-360		CLAY
360-380		SAND

9) CASING:
 Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
 Cemented from _____ ft. to 350 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gauge _____
4 0 350

10) SCREEN:
 Type S.S.
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 350 380 .014

7) COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 70 ft. below land surface Date 6-17-75
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 336 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes ☒ No _____ If yes, by whom? _____
 Yield: 25 gpm with _____ ft. drawdown after _____ hrs.
 Bailor test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME HERMAN L. GEHRELS Water Well Drillers Registration No. 812
 (Type or Print)
 ADDRESS Box 745 Porter Texas
 (Street or RFD) (City) (State)
 (Signed) H. L. Gehrels COASTAL WATER WELL DRILLING CO.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
994	2 of 2	NE	4.01 / 21,177.62	Redmond, James TX	WW HARRIS GAL
<hr/>					
Well ID:	13619			Diameter (inches):	4
Aggre Lead Well:	13619			Year Drilled:	NULL
Permit No:	WP2023-112121			Depth Drilled:	0
Permit Start Date:	8/1/2023 3:10:00 PM			Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:11:00 PM			County:	H
Well Status:	O - Operable			Latitude:	29.884722
Regulatory Aarea:	3			Longitude:	-95.3625
Owner Name:	Redmond, James				
Billing Contact:	NULL				
Billing Address:	P.O. Box 10270				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77206				
Correspondence:	NULL				
Provision:	NULL				
Water Usage:	D - Domestic/Commercial				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
995	1 of 2	NE	4.01 / 21,180.64	J.M. PREWITT TX	TCEQ WELL LOGS

Grid No: 65-05-9Z
Date Drilled: 03/06/1974
Owners Name: J.M. PREWITT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 346
Latitude: 29.890724
Longitude: -95.371601

92 Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-92
Located on map 40-S
Received: 7-5-92
all

1) OWNER:
Person having well drilled J. M. Prewitt Address 1125 Gulf Bank Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 7 miles in N direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
413K on 65-06-8JJ
see map included
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
~~XXXXXX~~ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
~~XXXXXX~~ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 331 ft ft. Depth of completed well 346 ft ft. Date drilled 3-6-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	Gray Clay
5	10	Yellow Clay
10	20	Red Gray Clay
20	40	Red Clay
40	45	Sand
45	65	Red Clay
65	80	Red Yellow Clay
80	95	Sand
95	130	Gray Clay
130	145	Red Gray Clay
145	150	Sand
150	165	Gray Clay

9) CASING:
Type: Old XX Steel XXXX Other ☐
Cemented from 331 ft up ft. to ft.
Diameter (inches) 4" Setting From (ft.) 1 ft To (ft.) 331 ft Gage 40

10) SCREEN:
Type: Well Supplies Plastic Wrapped
Perforated ☐ Slotted ☐
Diameter (inches) 2 1/2" Setting From (ft.) 336 ft To (ft.) 346 ft Slot Size 14 ga

7) COMPLETION (Check):
~~XXXXXXXX~~ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 210 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 260 ft ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, JR. Water Well Drillers Registration No. TDL-774
(Type or Print)
ADDRESS 10011 AIRLINE DR. HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) C.A. Raymond Jr. Raymond Water Well Drilling Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWOBE-WDS

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

165 - 180 Sand
 180 - 205 Gray Clay
 205 - 210 Sand
 210 - 265 Red Gray Clay
 265 - 270 Sand
 270 - 290 Red Clay
 290 - ~~290~~ 291 Rock
 291 - 310 Red Clay
 310 - 346 Sand

TEXAS WATER
 DEVELOPMENT BOARD

RECEIVED
 NOV 4 1974

RECEIVED
 JUL 30 1975
 Central Bureau
 Texas Water Development Board

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
995	2 of 2	NE	4.01 / 21,180.64	J.M. PREWITT TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 10/30/1990
Owners Name: J.M. PREWITT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 253
Depth Drilled: 385
Latitude: 29.890724
Longitude: -95.371601

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
996	1 of 1	NNE	4.01 / 21,185.64	Maria Loaiza 306 Nicar Houston TX 77037	SDRW WELLS

Track NO: 22262
Date Submitted: 2003-06-30
Owner Name: Maria Loaiza
Owner Address: 306 Nicar
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.840834
Longitude: -95.520555
Drilling Date Started: 2003-06-26
Drilling Date Completed: 2003-06-26
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=22262&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2003-06-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
997	1 of 2	NNE	4.01 / 21,187.92	Martinez, Ruben TX	WW HARRIS GAL

Well ID:	12311	Diameter (inches):	2
Aggre Lead Well:	12311	Year Drilled:	201
Permit No:	WP2023-111921	Depth Drilled:	50
Permit Start Date:	8/1/2023 2:36:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 2:36:00 PM	County:	H
Well Status:	1 - No electric	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.386666
Owner Name:	Yanes, Hector		
Billing Contact:	NULL		
Billing Address:	13803 Stoneshire Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
997	2 of 2	NNE	4.01 / 21,187.92	Hector Yanes 13800 Stoneshire St. Houston TX 77060	SDRW WELLS

Track NO: 297444
Date Submitted: 2012-09-04
Owner Name: Hector Yanes
Owner Address: 13800 Stoneshire St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898334
Longitude: -95.387222
Drilling Date Started: 2012-09-04
Drilling Date Completed: 2012-09-04
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=297444&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2012-09-04

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
998	1 of 2	N	4.01 / 21,193.88	Hernandez, Raymond TX	WW HARRIS GAL

Well ID:	12074	Diameter (inches):	2
Aggre Lead Well:	12074	Year Drilled:	201
Permit No:	W2016-12074-184362-0	Depth Drilled:	150
Permit Start Date:	8/1/2016	Depth frm Surf(ft):	140
Permit End Dt:	7/31/2021	County:	H
Well Status:	C - Capped	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.413055
Owner Name:	Hernandez, Raymond		
Billing Contact:	Model Construction, Inc.		
Billing Address:	11806 Proctor St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
998	2 of 2	N	4.01 / 21,193.88	Hernandez, Raymond TX	WW HARRIS GAL

Well ID:	7330	Diameter (inches):	2
Aggre Lead Well:	7330	Year Drilled:	1999
Permit No:	W2008-7330-135008-0	Depth Drilled:	100
Permit Start Date:	8/1/2008	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2009	County:	H
Well Status:	2 - No electric or plumbing	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.413333
Owner Name:	Hernandez, Raymond		
Billing Contact:	Model Construction, Inc.		
Billing Address:	11806 Proctor St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
999	1 of 1	NNE	4.01 / 21,194.84	CLYDE REDDICKS TX	TCEQ WELL LOGS

Grid No: 65-05-9DDD
Date Drilled: 04/16/1975
Owners Name: CLYDE REDDICKS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 145
Depth Drilled: 205
Latitude: 29.8999242
Longtiude: -95.3966908

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.


When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

90 -- 103	Red Gray Clay
103 - 113	Sand
113 - 153	Red Gray Clay
153 - 180	Sand
180 - 181	Rock
181 - 200	Red Gray Clay
200 - 220	Sand

RECEIVED
SEP 18 1975
TEXAS WATER
DEVELOPMENT BOARD

JAN 20 1975
JAN 20 1975
JAN 20 1975



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1000	1 of 1	NNE	4.01 / 21,197.03	Guadalupe Cruz 13806 Lillja Rd. Houston TX 77037	SDRW WELLS

Track NO: 461010
Date Submitted: 2017-09-25
Owner Name: Guadalupe Cruz
Owner Address: 13806 Lillja Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898611
Longitude: -95.390556
Drilling Date Started: 2017-09-22
Drilling Date Completed: 2017-09-22
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=461010&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 6
Measurement Date: 2017-09-22

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1001	1 of 1	NE	4.01 / 21,198.71	MARTIN SEE TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 05/20/1997
Owners Name: MARTIN SEE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 236
Depth Drilled: 400
Latitude: 29.881488
Longitude: -95.359494

Send original copy by certified mail to: TNRCC, P.O. Box 13 Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																																																																	
1) OWNER <u>Martin See</u> (Name)		ADDRESS <u>1805 Sunny</u> (Street or RFD)		<u>Aldine</u> (City) <u>Tx</u> (State) <u>77093</u> (Zip)																																																																																	
2) ADDRESS OF WELL: County <u>Harris</u>		Same (Street, RFD or other)		GRID # <u>65-06-7</u> (City) (State) (Zip)																																																																																	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																																																																	
6) WELL LOG: Date Drilling: <u>5-16-97</u> Started <u>5-16-97</u> Completed <u>5-20-97</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>8 3/4</u> Surface <u>353</u> <u>4 1/2</u> <u>353</u> <u>400</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																																																																																	
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td>0-99</td><td>C</td><td>385-391</td><td>S</td></tr> <tr><td>99-116</td><td>S</td><td>391-400</td><td>C</td></tr> <tr><td>116-142</td><td>C</td><td></td><td></td></tr> <tr><td>142-173</td><td>S</td><td></td><td></td></tr> <tr><td>173-220</td><td>C</td><td></td><td></td></tr> <tr><td>220-234</td><td>S</td><td></td><td></td></tr> <tr><td>234-244</td><td>C</td><td></td><td></td></tr> <tr><td>244-261</td><td>S</td><td></td><td></td></tr> <tr><td>261-279</td><td>C</td><td></td><td></td></tr> <tr><td>279-292</td><td>S</td><td></td><td></td></tr> <tr><td>292-338</td><td>C</td><td></td><td></td></tr> <tr><td>338-368</td><td>S</td><td></td><td></td></tr> <tr><td>368-372</td><td>C</td><td></td><td></td></tr> <tr><td>372-380</td><td>S</td><td></td><td></td></tr> <tr><td>380-385</td><td>C</td><td></td><td></td></tr> </table>		0-99	C	385-391	S	99-116	S	391-400	C	116-142	C			142-173	S			173-220	C			220-234	S			234-244	C			244-261	S			261-279	C			279-292	S			292-338	C			338-368	S			368-372	C			372-380	S			380-385	C			Casing, Blank Pipe, and Well Screen Data: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4 N</td> <td></td> <td>PVC</td> <td>0</td> <td>353</td> <td>8440</td> </tr> <tr> <td>2 1/2 N</td> <td></td> <td>PVC Screen</td> <td>353</td> <td>368</td> <td>#8</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4 N		PVC	0	353	8440	2 1/2 N		PVC Screen	353	368	#8
0-99	C	385-391	S																																																																																		
99-116	S	391-400	C																																																																																		
116-142	C																																																																																				
142-173	S																																																																																				
173-220	C																																																																																				
220-234	S																																																																																				
234-244	C																																																																																				
244-261	S																																																																																				
261-279	C																																																																																				
279-292	S																																																																																				
292-338	C																																																																																				
338-368	S																																																																																				
368-372	C																																																																																				
372-380	S																																																																																				
380-385	C																																																																																				
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																																																
			From	To																																																																																	
4 N		PVC	0	353	8440																																																																																
2 1/2 N		PVC Screen	353	368	#8																																																																																
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other <u>Well Only</u> Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>353</u> ft. No. of sacks used <u>28</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Circ.</u> Cemented by <u>Lowe W Wells Inc.</u> Distance to septic system field lines or other concentrated contamination <u>60</u> ft. Method of verification of above distance <u>Measured</u>																																																																																			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																																																			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>236</u> ft. below land surface Date <u>5-20-97</u> Artesian flow <u>DEGRAVED</u> Date _____																																																																																			
		12) PACKERS: <u>DEGRAVED</u> Type _____ Depth _____ <u>JUL 09 1997</u>																																																																																			
<p>I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.</p> <p>COMPANY NAME <u>Lowe Water Wells Inc.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4028 WI</u></p> <p>ADDRESS <u>P.O. Box 89</u> (Street or RFD) <u>Porter</u> (City) <u>Tx</u> (State) <u>77365</u> (Zip)</p> <p>(Signed) <u>Jerry W. Lowe</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)</p> <p style="text-align: center;">Please attach electric log, chemical analysis, and other pertinent information, if available.</p>																																																																																					

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1002	1 of 1	NE	4.02 / 21,200.23	Ron Landry 1518 Hartwick Houston TX 77093	SDRW WELLS

Track NO: 108604
Date Submitted: 2007-04-09
Owner Name: Ron Landry
Owner Address: 1518 Hartwick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.884722
Longitude: -95.364723
Drilling Date Started: 2007-03-30
Drilling Date Completed: 2007-03-30
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=108604&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 53.0

Top Depth: 0
Bottom Depth: 53

Well Levels

Measurement: 15
Measurement Date: 2007-03-30

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1003	1 of 1	N	4.02 / 21,211.25	Kamal, Mustafa TX	WW HARRIS GAL
<div> <div> Well ID: 12825 Aggre Lead Well: 12825 Permit No: WP2023-111591 Permit Start Date: 8/1/2023 1:39:00 PM Permit End Dt: 7/31/2024 1:39:00 PM Well Status: P - Plugged Regulatory Aarea: 3 Owner Name: Mustafa, Kamal Billing Contact: NULL Billing Address: 5703 Lookout Mountain Drive Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77069 Correspondence: NULL Provision: G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 2 Year Drilled: NULL Depth Drilled: 200 Depth frm Surf(ft): 0 County: H Latitude: 29.900833 Longitude: -95.400277 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1004	1 of 1	N	4.02 / 21,212.57	Carlos Murelles 420 Turney Houston TX 77037	SDRW WELLS

Track NO: 190115
Date Submitted: 2009-08-18
Owner Name: Carlos Murelles
Owner Address: 420 Turney
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901112
Longitude: -95.407778
Drilling Date Started: 2009-07-29
Drilling Date Completed: 2009-07-29
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=190115&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 65.0

Top Depth: 0
Bottom Depth: 65

Well Levels

Measurement: 20
Measurement Date: 2009-07-29

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1005	1 of 1	N	4.02 / 21,220.85	FELIX GONZALEZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 09/22/1988
Owners Name: FELIX GONZALEZ
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 329
Latitude: 29.9010601
Longitude: -95.4090592

E OF TEXAS WATER WELL REPORT

1) OWNER: GONZALEZ, FELIX ADDRESS: 510 TURNEY CITY: HOUSTON STATE: TX ZIP: 77037
2) LOCATION OF WELL: County: HARRIS N miles in direction from HOUSTON

LEGAL DESCRIPTION: SEE ATTACHED MAP: 00138

Section No.: Block No.: Township:
Abstract No.: Survey Name:
Distance and direction from two intersecting section or survey lines:

0165-05-9

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00138 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO TWO STRING/B.P. SEAL
6.5 0 315 IF GRAVEL... FROM FT. TO FT.
4.0 315 329 FROM FT. TO FT.

DATE DRILLED: 09/22/88

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	2	SOIL
2	18	CLAY-WHITE
18	38	SAND-WHITE-.006-.008
38	82	CLAY-RED
82	94	SAND-WHITE-FINE
94	128	CLAY-RED
128	140	SAND-WHITE-.010-.012
140	144	CLAY-RED
144	176	SAND-WHITE-.010-.012
176	203	CLAY-RED
203	225	SAND-TAN-.006-.008
225	310	CLAY-RED
310	329	SAND-WHITE-.010-.012
329		CLAY-RED

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4.0	N	P.V.C. SCH.40	0	315	CASING
2.5	N	P.V.C. SCH.80	311	319	LINER
2.5	N	P.V.C. - SLOTTED	319	329	.010

9) CEMENTING DATA:

Cemented from 0 FT. TO 315 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: ALMEDA WATER WELL

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:

STATIC LEVEL : 240 FT. DATE: 09/24/88
ARTESIAN FLOW: 6PM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 300

14) WELL TEST:
JETTED
YIELD: 10 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:

TYPE OF WATER: GOOD DEPTH OF STRATA: 329 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843 : FOR TOWN USE ONLY
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578 : WELL NO. 65-05-9
: LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) H. S. John (signed) _____
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

RECEIVED
DEC 1 1989


TEXAS WATER COMMISSION

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1006	1 of 2	N	4.02 / 21,227.79	HASAM MOUSADI TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 12/22/1997
Owners Name: HASAM MOUSADI
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 340
Latitude: 29.9010577
Longtiude: -95.4115053

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																			
1) OWNER <u>Hasem Mousadi</u> (Name)		ADDRESS <u>20119 Forrest Drive, Houston, Texas 77388</u> (Street or RFD) (City) (State) (Zip)																					
2) ADDRESS OF WELL: <u>Harris</u> County		<u>9501 I-45 North Freeway, Houston, Texas 77037</u> (Street or RFD) (City) (State) (Zip)		GRID # <u>65-05-9</u>																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) 																			
6) WELL LOG: Date Drilling: <u>12/18</u> 19 <u>97</u> Started <u>12/22</u> 19 <u>97</u> Completed <u>12/22</u> 19 <u>97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4</u></td> <td>Surface</td> <td><u>360</u></td> </tr> <tr> <td><u>6</u></td> <td><u>0</u></td> <td><u>340</u></td> </tr> </table>		Dia (in.)	From (ft.)	To (ft.)	<u>4</u>	Surface	<u>360</u>	<u>6</u>	<u>0</u>	<u>340</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____										
Dia (in.)	From (ft.)	To (ft.)																					
<u>4</u>	Surface	<u>360</u>																					
<u>6</u>	<u>0</u>	<u>340</u>																					
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																					
<u>0-85 RED CLAY</u> <u>85-165 RED LIME CLAY</u> <u>165-185 SAND</u> <u>185-213 RED & GRAY CLAY</u> <u>213-244 ROCK</u> <u>244-285 RED & GRAY CLAY</u> <u>285-310 RED & LIME CLAY</u> <u>310-360 SAND 16 GA</u>		CASING, BLANK PIPE, AND WELL SCREEN DATA:																					
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PLASTIC CASE</u></td> <td><u>0</u></td> <td><u>340</u></td> <td><u>300</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>1</u></td> <td><u>LINER</u></td> <td><u>330</u></td> <td><u>340</u></td> <td><u>SCH 40</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PLASTIC CASE</u>	<u>0</u>	<u>340</u>	<u>300</u>	<u>2 1/2</u>	<u>1</u>	<u>LINER</u>	<u>330</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																		
			From	To																			
<u>4</u>	<u>N</u>	<u>PLASTIC CASE</u>	<u>0</u>	<u>340</u>	<u>300</u>																		
<u>2 1/2</u>	<u>1</u>	<u>LINER</u>	<u>330</u>	<u>340</u>	<u>SCH 40</u>																		
(Use reverse side if necessary)		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>340</u> ft. No. of sacks used <u>32</u> _____ ft. to _____ ft. No. of sacks used _____ Method used _____ Cemented by <u>4577 WI</u> Distance to septic system field lines <u>150</u> ft. Method of verification of above distance <u>CUSTOMER</u>																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																					
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Flooded <input type="checkbox"/> Estimated Yield: <u>20</u> gpm with <u>15</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>210</u> ft. below land surface Date <u>12/22/97</u> Artesian flow _____ gpm. Date _____																					
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>1</u></td> <td><u>12 PKR</u></td> <td><u>330</u></td> </tr> </table>					Type	Depth	<u>1</u>	<u>12 PKR</u>	<u>330</u>												
	Type	Depth																					
<u>1</u>	<u>12 PKR</u>	<u>330</u>																					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																							
COMPANY NAME <u>Raymond Services Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>																					
ADDRESS <u>10011 Airline Drive</u> (Street or RFD)		Houston (City)																					
(Signed) <u>Raymond</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																					
		FILE ID _____ DESC CO # <u>300</u> DATE <u>APR 21 1998</u> COMMENT _____ TEMP _____																					

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1006	2 of 2	N	4.02 / 21,227.79	Soudjani, Ali TX	WW HARRIS GAL

Well ID:	8196	Diameter (inches):	2
Aggre Lead Well:	8196	Year Drilled:	2000
Permit No:	W2020-8196-211300-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.411666
Owner Name:	Soudjani, Ali		
Billing Contact:	NULL		
Billing Address:	9510 N. Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1007	1 of 1	SE	4.02 / 21,230.13	LAMAR HOTEL TX	WW HARRIS GAL

Well ID:	1788	Diameter (inches):	8
Aggre Lead Well:	1788	Year Drilled:	1928
Permit No:	W1978-1788-788-0	Depth Drilled:	0
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	0
Permit End Dt:	11/30/1953	County:	H
Well Status:	N - Not Drilled	Latitude:	29.791944
Regulatory Aarea:	2	Longitude:	-95.375277
Owner Name:	LAMAR HOTEL		
Billing Contact:	NULL		
Billing Address:	P.O. Box 52158		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77052		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1008	1 of 1	N	4.02 / 21,238.21	Dewnani, Arjun TX	WW HARRIS GAL

Well ID:	12969	Diameter (inches):	2
Aggre Lead Well:	12969	Year Drilled:	NULL
Permit No:	WP2023-112273	Depth Drilled:	0
Permit Start Date:	8/1/2023 4:22:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.408333
Owner Name:	Dewnani, Arjun		
Billing Contact:	NULL		
Billing Address:	4130 Sherry Mist Ln		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77449		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1009	1 of 1	NNE	4.02 / 21,239.36	FAMILY HOME SOURCE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/25/200
Owners Name: FAMILY HOME SOURCE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 13
Depth Drilled: 52
Latitude: 29.8999381
Longtiude: -95.3960511

Attention Owner: Confidentiality/Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
 Water Well Driller/Pump Installer Program
 P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
 Toll-free (800)803-9202
 Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Family Home Source	Address P.O. Box 788	City Tomball	State TX	Zip 77377
-----------------------------------	--------------------------------	------------------------	--------------------	---------------------

2) WELL LOCATION

County Harris	Physical Address 322 Nical	City Houston	State TX	Zip 77037
-------------------------	--------------------------------------	------------------------	--------------------	---------------------

3) Type of Work

☒ New Well ☐ Deepening
☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
 If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) Grid # **65-05-9**

6) Drilling Date
 Started **10 / 25 / 00**
 Completed **10 / 25 / 00**

7) Drilling Method (check) ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft)	To (ft)	Description and color of formation material
0	20	Yellow clay
20	28	sand & Gg
28		Rock
28	32	sand & Gg
32		Rock
32	50	sand & Gg
50	52	Red clay

8) Borehole Completion ☐ Open Hole ☐ Straight Wall
☐ Under-reamed ☒ Gravel Packed ☐ Other
 If Gravel Packed give the interval from **40** ft. to **50** ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
2	N	Casing casing	Surface	40	SL40
2	N	Screen screen	40	50	SS40

9) Cementing Data
 Cementing from **Surface** ft. to **40** ft. # of sacks used **10**
 Method Used **Pressure**
 Cementing By **Raymond Services, Inc.**
 Distance to septic system field or other concentrated contamination **ft.**
 Method of verification of above distance **Customer**

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level
 Static level **13** ft. below Date **10 / 25 / 00**
 Artesian Flow **gpm.** Date **10 / 25 / 00**

12) Packers

File #	Type	Depth

13) Plugged ☐ Well plugged within 48 hours
 Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
 Depth to pump bowls, cylinder, jet etc., **ft.**

15) Water Test
 Typetest ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
 Yield: **10** gpm with **ft.** drawdown after **hrs.**

16) Water Quality
 Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water **Depth of Strata**
 Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print) **Raymond Services, Inc.** **457241**

Address **10011 Airline Drive** City **Houston** State **TX** Zip **77037**

Signature **[Signature]** Date **10 / 25 / 00** Signature **[Signature]** Date **10 / 25 / 00**
 Licensed Well Driller/Pump Installer Apprentice

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1010	1 of 1	WSW	4.02 / 21,239.94	DON BRADSHAW TX	TCEQ WELL LOGS

Grid No: 65-13-4A
Date Drilled: 10/15/1969
Owners Name: DON BRADSHAW
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 220
Depth Drilled: 400
Latitude: 29.8143533
Longtiude: -95.4695707

4A

65-13-4A GW 7

d original copy by
tified mail to the
as Water Development Board
O. Box 12386
tin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-13-4A
Located on map yes
Received: 6-9-69
Form GW 8
Form GW 9

OWNER:
Person having well drilled Don Bradshaw Address 5518 Mitchelldale Road
(Name) (Street or RFD) Houston, Texas (City) (State)
Landowner Same as above Address _____
(Name) (Street or RFD) (City) (State)

LOCATION OF WELL:
County Harris Labor _____ League _____ Abstract No. _____

NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)

miles in _____ direction from _____
(NE, SW, etc.) (Town)

NORTH
↑

~~See reverse side for map~~

Map attached to 60-60-60

Sketch map of well location with distances from adjacent section
or survey lines, and to landmarks, roads, and creeks.

TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐
4) PROPOSED USE (Check):
Domestic ☐ Industrial ☒ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐
5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 400 ft. Depth of completed well 400 ft. Date drilled 10-15-69
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
	3	Top Soil	256	273	Sand
	38	Clay	273	293	Clay
8	50	Sand	293	295	Sand
0	185	Clay	295	370	Clay
85	193	Mixed sand and clay	370	382	Mixed clay and sand
93	209	Clay	382	390	Clay
09	250	Sand	390	400	Sand
50	256	Clay			(Use reverse side if necessary)

COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☒
Under reamed ☐ Open hole ☐ Lead seal

CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 388 ft. to 100 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
"	0	388	30
1 1/2"	380	390	

8) WATER LEVEL:
Static level 220 ft. below land surface Date 10-15-69
Artesian pressure _____ lbs. per square inch Date _____

10) SCREEN:
Type Stainless Steel
Perforated ☐ Slotted ☒

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
2 1/2"	390	400	20

WELL TESTS:
Was a pump test made? ☐ Yes ☒ No If yes by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Depth of water? Good taste depth of strata 10 ft.

12) PUMP DATA:
Manufacturer's Name Reda
Type Submersible H.P. 2
Designed pumping rate 20 gpm ☒ gph ☐
Type power unit Submersible
Depth to bowls, cylinder, jet, etc., 315 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Schoppa Water Well Service Water Well Drillers Registration No. 582
(Type or Print)
Rt. #1, Box 50 Spring, Texas-77373
(Street or RFD) (City) (State)
Pride Schoppa SCHOPPA WATER WELL SERVICE
(Water Well Driller) (Company Name)

Attach electric log, chemical analysis, and other pertinent information, if available.

G. M.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1011	1 of 6	NNW	4.02 / 21,241.28	Cottonwood Park Water System TX	GWDB

Well Rep Track No:
State Well No: 6505805
Owner Name: Cottonwood Park Water System
Drilling Start Dt:
Drilling Month: 10
Drilling Day:
Drilling Year: 1968
Well Depth: 337
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8947220
Longitude: -95.4411110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505805&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505805&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1011	2 of 6	NNW	4.02 / 21,241.28	COTTENWOOD MOBIL HOME ESTATES TX	TCEQ WELL LOGS

Grid No: 65-05-5
Date Drilled: 10/??/1968
Owners Name: COTTENWOOD MOBIL HOME ESTATES
County: HARRIS
Water Usage: SUBDIVISION
Static Level: 179
Depth Drilled: 337
Latitude: 29.8946234
Longitude: -95.4410064

File original copy with Texas Water Commission P. O. Box 2311, Capitol Station Austin 11, Texas		State of Texas DRILLERS LOG AND WELL DATA REPORT		For use by TWC only Well No. <u>65-05-5F</u> Located on map <u>yes</u> By <u>dlr</u> Date <u>69</u> Map no.																															
1) Well Owner: <u>Cottenwood Mobil Home Estates</u> <u>11202 Cora St.</u> <u>Houston, Texas</u>																																			
2) Land Owner: <u>Carla A. Russell</u> <u>1010 Louisiana #1101</u> <u>Houston, Texas 77002</u>																																			
3) Intended use: Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Other <u>Water supply for Subdivision</u>																																			
4) Location of well: County <u>Harris</u> Labor _____ League _____ Abstract No. _____ NE <input type="checkbox"/> NW <input type="checkbox"/> SE <input type="checkbox"/> SW <input type="checkbox"/> of Section _____ Block No. _____ Survey _____ <small>(Circle as many as are known)</small>																																			
8 miles in <u>N</u> direction from <u>Houston</u> <small>NE, SW, etc.</small> <u>Town</u> <div style="text-align: right;">North ↑</div>																																			
Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.																																			
DRILLERS LOG OF WELL Method of drilling: <u>Rotary</u> Diameter of hole <u>6 1/2</u> in. Date drilled <u>Oct. 1968</u>																																			
All measurements made from <u>3'</u> ft. above ground level.																																			
From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material																														
0	14	clay	205	221	sand																														
14	26	sand	221	265	clay																														
26	46	clay	265	281	sand																														
46	61	sand	281	290	sandy clay																														
61	95	clay	290	310	clay																														
95	130	sand	310	335	good sand																														
130	136	clay	335	337	clay																														
136	141	sand																																	
141	158	clay																																	
158	181	sand																																	
181	205	clay																																	
(Use continuation sheets if necessary)																																			
COMPLETION DATA																																			
COMPLETION Straight wall <input checked="" type="checkbox"/> Under reamed <input type="checkbox"/> Gravel packed <input type="checkbox"/> Open hole <input type="checkbox"/> Other _____		CASING Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/> Cemented from <u>312</u> <u>150</u> ft. to <u>312</u> ft. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Diameter (inches)</th> <th>Setting from (ft)</th> <th>Setting to (ft)</th> </tr> <tr> <td>4" id</td> <td>0</td> <td>312</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>		Diameter (inches)	Setting from (ft)	Setting to (ft)	4" id	0	312										SCREEN Type <u>stainless steel ribbed</u> <u>pipe based</u> Perforated <input type="checkbox"/> Slotted <input type="checkbox"/> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Diameter (inches)</th> <th>Setting from (ft)</th> <th>Setting to (ft)</th> </tr> <tr> <td>2 1/2</td> <td>314</td> <td>334</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>		Diameter (inches)	Setting from (ft)	Setting to (ft)	2 1/2	314	334									
Diameter (inches)	Setting from (ft)	Setting to (ft)																																	
4" id	0	312																																	
Diameter (inches)	Setting from (ft)	Setting to (ft)																																	
2 1/2	314	334																																	
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. <div style="display: flex; justify-content: space-between;"> <div> <u>B.J. Swinehart</u> </div> <div> <u>B.J. Swinehart Co., Inc.</u> <small>Company Name</small> </div> <div> Reg. No. <u>229</u> </div> </div>																																			
Please attach electric log, chemical analysis, and other pertinent information if available. If well was tested by your company or if you installed the permanent pump please complete the following:																																			
WATER LEVEL AND PUMP DATA <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">Static water level <u>179</u></td> </tr> <tr> <td colspan="2">ft. below <u>top of casing</u></td> </tr> <tr> <td>feet</td> <td>gpm</td> </tr> <tr> <td><u>200'</u></td> <td><u>60</u></td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>			Static water level <u>179</u>		ft. below <u>top of casing</u>		feet	gpm	<u>200'</u>	<u>60</u>					Pump type <u>Jacuzzi Sumersible Model 5SX20</u> Designed pumping rate <u>60</u> gpm <input checked="" type="checkbox"/> gph <input type="checkbox"/> Type power unit <u>Electric 230 volt 3 ph.</u> Horsepower <u>5</u> Depth to bowls, cylinder, jet, etc. <u>235</u> ft. below pump base.																				
Static water level <u>179</u>																																			
ft. below <u>top of casing</u>																																			
feet	gpm																																		
<u>200'</u>	<u>60</u>																																		
Name of contractor testing well or installing permanent pump if other than your company: _____																																			
C-34 (62-4)																																			

6 A11

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1011	3 of 6	NNW	4.02 / 21,241.28	J & S Water Co. TX	WW HARRIS GAL
<hr/>					
Well ID:	4596			Diameter (inches):	4
Aggre Lead Well:	4596			Year Drilled:	1969
Permit No:	W2015-4596-185022-0			Depth Drilled:	0
Permit Start Date:	9/1/2016			Depth frm Surf(ft):	0
Permit End Dt:	8/31/2017			County:	H
Well Status:	P - Plugged			Latitude:	29.894722
Regulatory Aarea:	3			Longitude:	-95.441111
Owner Name:	J & S Water Co.				
Billing Contact:	Shannon Marsh				
Billing Address:	P.O. Box 279				
Billing Address 2:	NULL				
Billing City:	New Waverly				
Billing State:	TX				
Billing Zip:	77358				
Correspondence:	Cottonwood				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee				
Water Usage:	P - Public Supply				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1011	4 of 6	NNW	4.02 / 21,241.28	Texas Water Utilities, L.P. TX	WW HARRIS GAL

Well ID:	13275	Diameter (inches):	5
Aggre Lead Well:	13275	Year Drilled:	0
Permit No:	WP2023-112510	Depth Drilled:	450
Permit Start Date:	9/1/2023	Depth frm Surf(ft):	430
Permit End Dt:	8/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.894722
Regulatory Aarea:	3	Longitude:	-95.441111
Owner Name:	Texas Water Utilities, L.P.		
Billing Contact:	NULL		
Billing Address:	1620 Grand Ave Pkwy Ste 140		
Billing Address 2:	NULL		
Billing City:	Pflugerville		
Billing State:	TX		
Billing Zip:	78660		
Correspondence:	Cottonwood Park		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1011	5 of 6	NNW	4.02 / 21,241.28	Utilities Investment Co., Inc 11202 Cora st Houston TX	SDRW WELLS

Track NO: 435881
Date Submitted: 2016-10-26
Owner Name: Utilities Investment Co., Inc
Owner Address: P.O. Box 279
Owner Address2:
Owner City: New Waverly
Owner State: TX
Owner Zip: 77358
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.894678
Longitude: -95.441056
Drilling Date Started: 2016-08-10
Drilling Date Completed: 2016-08-18
Chemical Analysis: No
Company Name: Johnstons Water Well Drilling
Company Address: PO BOX 370
CompanyAddress2:
Company City: New Waverly
Company State: TX
Company Zip: 77358
Company Country: USA
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=435881&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 310

Top Depth: 310
Bottom Depth: 360

Top Depth:
Bottom Depth: 360.0

Well Levels

Measurement: 203
Measurement Date: 2016-08-17

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1011	6 of 6	NNW	4.02 / 21,241.28	USGS-295340095262701 TX	FED USGS

Site No: USGS-295340095262701
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled:
Well Depth: 337
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-805
Latitude: 29.89462220000000
Longitude: -95.44100560000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1012	1 of 1	NNE	4.02 / 21,245.89	ROGELIO VALLADARES TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 11/19/1996
 Owners Name: ROGELIO VALLADARES
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 10
 Depth Drilled: 47
 Latitude: 29.8994798
 Longtiude: -95.3936

Send original copy by certified mail to:
TNRCC, P.O. Box
Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER
Rogelio Valladares
ADDRESS
5711 Yale, Lot 57
Houston
TX
77076

2) ADDRESS OF WELL:
County
Harris
511 Lorano
Houston
TX
GRID #
65-05-9

3) TYPE OF WORK (Check):
☒ New Well
☐ Deepening
☐ Reconditioning
☐ Plugging

4) PROPOSED USE (Check):
☐ Monitor
☐ Environmental Soil Boring
☒ Domestic
☐ Industrial
☐ Irrigation
☐ Injection
☐ Public Supply
☐ De-watering
☐ Testwell
If Public Supply well, were plans submitted to the TNRCC?
☐ Yes
☐ No

5)

6) WELL LOG:
Date Drilling:
Started
11-19
19
96
Completed
11-19
9
96

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4	Surface	47

7) DRILLING METHOD (Check):
☐ Driven
☐ Air Rotary
☒ Mud Rotary
☐ Bored
☐ Air Hammer
☐ Cable Tool
☐ Jetted
☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	7	Top Soil
7	17	White Clay
17	21	White/Yellow Clay
21	27	Yellow Sand/Red Clay
27	47	Yellow Sand

8) Borehole Completion (Check):
☐ Open Hole
☐ Straight Wall
☐ Underreamed
☒ Gravel Packed
☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
2	N	Plastic	0	37	SCH 40
2	N	Plastic Slotted	37	47	10 GA

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from _____ ft. to _____ ft. No. of sacks used _____
_____ ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by _____
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
☐ Turbine
☒ Jet
☐ Submersible
☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test:
☐ Pump
☐ Bailer
☒ Jetted
☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes
☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made?
☐ Yes
☐ No

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type _____ Depth _____
None

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME
Raymond Services
WELL DRILLER'S LICENSE NO.
NA14577WI

ADDRESS
10011 Airline Dr
Houston
TX
77037

(Signed)
(Signed)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1013	1 of 1	N	4.03 / 21,257.14	Gonzales, Marcus & Celia TX	WW HARRIS GAL

Well ID:	11814	Diameter (inches):	4
Aggre Lead Well:	11814	Year Drilled:	
Permit No:	W2016-11814-182597-0	Depth Drilled:	20
Permit Start Date:	3/9/2016	Depth frm Surf(ft):	10
Permit End Dt:	3/9/2016	County:	H
Well Status:	P - Plugged	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.406666
Owner Name:	Gonzales, Marcus & Celia		
Billing Contact:	NULL		
Billing Address:	402 Turney Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037-1432		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1014	1 of 1	N	4.03 / 21,269.98	Jack & Sally Callon 9505 Sunnywood Houston TX 77038	SDRW WELLS

Track NO: 109700
Date Submitted: 2007-04-20
Owner Name: Jack & Sally Callon
Owner Address: 98505 Sunnywood
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900834
Longitude: -95.415001
Drilling Date Started: 2007-03-19
Drilling Date Completed: 2007-03-20
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=109700&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 435

Top Depth:
Bottom Depth: 435.0

Well Levels

Measurement: 205
Measurement Date: 2007-04-05

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1015	1 of 1	NNE	4.03 / 21,274.67	Jaramillo, Estefania TX	WW HARRIS GAL

Well ID:	14351	Diameter (inches):	NULL
Aggre Lead Well:	14351	Year Drilled:	
Permit No:	W2020-14351-210987-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2021	County:	H
Well Status:	P - Plugged	Latitude:	29.900277
Regulatory Aarea:	3	Longitude:	-95.395555
Owner Name:	Jaramillo, Estefania		
Billing Contact:	Mary Calderon		
Billing Address:	5640 Lawson Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77023		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1016	1 of 1	SE	4.03 / 21,279.30	USGS-294731095223101 TX	FED USGS

Site No: USGS-294731095223101
Site Type: Spring
Formation Type:
Date Drilled:
Well Depth:
Well Depth Unit:
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-13-947
Latitude: 29.79194444000000
Longitude: -95.37527780000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1017	1 of 3	NNW	4.03 / 21,282.16	RUSCHE DIST TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 09/18/1991
Owners Name: RUSCHE DIST
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 450
Latitude: 29.898508
Longtiude: -95.4304857


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																									
1) OWNER <u>Rusche Dist.</u> <small>(Name)</small>		ADDRESS <u>1804 W. Mt. Houston</u> <u>Hou. Tx.</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																																											
2) LOCATION OF WELL: County <u>Harris</u> <u>10</u> miles in <u>NW</u> direction from <u>Houston</u> <small>(NE, SW, etc.) (Town)</small>																																																													
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																													
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																													
<input type="checkbox"/> SEE ATTACHED MAP																																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																									
6) WELL LOG: Date Drilling: _____ Started <u>9/16</u> 199 <u>1</u> Completed <u>9/18</u> 199 <u>1</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>6 3/4</u></td> <td><u>0</u></td> <td><u>450</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>6 3/4</u>	<u>0</u>	<u>450</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 String Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																
Dia. (in.)	From (ft.)	To (ft.)																																																											
	Surface																																																												
<u>6 3/4</u>	<u>0</u>	<u>450</u>																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0</u></td><td><u>1</u></td><td><u>Top Soil</u></td></tr> <tr><td><u>1</u></td><td><u>17</u></td><td><u>Clay</u></td></tr> <tr><td><u>17</u></td><td><u>37</u></td><td><u>Sand</u></td></tr> <tr><td><u>37</u></td><td><u>160</u></td><td><u>Clay</u></td></tr> <tr><td><u>160</u></td><td><u>210</u></td><td><u>Sand</u></td></tr> <tr><td><u>210</u></td><td><u>330</u></td><td><u>Shale</u></td></tr> <tr><td><u>330</u></td><td><u>370</u></td><td><u>Sand</u></td></tr> <tr><td><u>370</u></td><td><u>390</u></td><td><u>Shale</u></td></tr> <tr><td><u>390</u></td><td><u>450</u></td><td><u>Sand</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>1</u>	<u>Top Soil</u>	<u>1</u>	<u>17</u>	<u>Clay</u>	<u>17</u>	<u>37</u>	<u>Sand</u>	<u>37</u>	<u>160</u>	<u>Clay</u>	<u>160</u>	<u>210</u>	<u>Sand</u>	<u>210</u>	<u>330</u>	<u>Shale</u>	<u>330</u>	<u>370</u>	<u>Sand</u>	<u>370</u>	<u>390</u>	<u>Shale</u>	<u>390</u>	<u>450</u>	<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>Casing</u></td> <td><u>0</u></td> <td><u>430</u></td> <td><u>SCH 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Liner</u></td> <td><u>425</u></td> <td><u>435</u></td> <td><u>Sch 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Screen</u></td> <td><u>435</u></td> <td><u>450</u></td> <td><u>.012</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>Casing</u>	<u>0</u>	<u>430</u>	<u>SCH 40</u>	<u>2 1/2</u>	<u>N</u>	<u>Liner</u>	<u>425</u>	<u>435</u>	<u>Sch 40</u>	<u>2 1/2</u>	<u>N</u>	<u>Screen</u>	<u>435</u>	<u>450</u>	<u>.012</u>
From (ft.)	To (ft.)	Description and color of formation material																																																											
<u>0</u>	<u>1</u>	<u>Top Soil</u>																																																											
<u>1</u>	<u>17</u>	<u>Clay</u>																																																											
<u>17</u>	<u>37</u>	<u>Sand</u>																																																											
<u>37</u>	<u>160</u>	<u>Clay</u>																																																											
<u>160</u>	<u>210</u>	<u>Sand</u>																																																											
<u>210</u>	<u>330</u>	<u>Shale</u>																																																											
<u>330</u>	<u>370</u>	<u>Sand</u>																																																											
<u>370</u>	<u>390</u>	<u>Shale</u>																																																											
<u>390</u>	<u>450</u>	<u>Sand</u>																																																											
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																								
			From	To																																																									
<u>4</u>	<u>N</u>	<u>Casing</u>	<u>0</u>	<u>430</u>	<u>SCH 40</u>																																																								
<u>2 1/2</u>	<u>N</u>	<u>Liner</u>	<u>425</u>	<u>435</u>	<u>Sch 40</u>																																																								
<u>2 1/2</u>	<u>N</u>	<u>Screen</u>	<u>435</u>	<u>450</u>	<u>.012</u>																																																								
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>260</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>430</u> ft. to <u>0</u> ft. No. of Sacks Used <u>33</u> <u>0</u> ft. to <u>15</u> ft. No. of Sacks Used <u>3</u> Method used <u>Halliburton</u> Cemented by <u>RWW</u>																																																											
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Baller <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																											
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level _____ ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																																																											
12) PACKERS: Type Depth <div style="text-align: center;"><u>K Packer</u></div>																																																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																													
COMPANY NAME <u>Robinson Water Well Ser. Inc</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>2212</u>																																																											
ADDRESS <u>11819 Tomball Parkway</u> <small>(Street or RFD)</small>		<u>Houston</u> <u>Tx.</u> <u>77086</u> <small>(City) (State) (Zip)</small>																																																											
(Signed) <u>[Signature]</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																																																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																													
For TWC use only: Well No. <u>3</u> Located on map <u>85-5-7</u>																																																													

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1017	2 of 3	NNW	4.03 / 21,282.16	Rusche, A.N. Dist. Co. TX	WW HARRIS GAL

Well ID:	3235	Diameter (inches):	4
Aggre Lead Well:	3235	Year Drilled:	1978
Permit No:	W1992-3235-41071-0	Depth Drilled:	0
Permit Start Date:	11/1/1992	Depth frm Surf(ft):	0
Permit End Dt:	9/8/1993	County:	H
Well Status:	P - Plugged	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.43
Owner Name:	Rusche, A.N. Dist. Co.		
Billing Contact:	Handy Plus		
Billing Address:	14306 Lee Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77396		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1017	3 of 3	NNW	4.03 / 21,282.16	Applied Petroleum Technologies, Inc. TX	WW HARRIS GAL

Well ID:	4675	Diameter (inches):	4
Aggre Lead Well:	4675	Year Drilled:	1991
Permit No:	W2013-4675-166806-0	Depth Drilled:	450
Permit Start Date:	11/1/2013	Depth frm Surf(ft):	435
Permit End Dt:	10/31/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.898611
Regulatory Aarea:	3	Longitude:	-95.430277
Owner Name:	Applied Petroleum Technologies, Inc.		
Billing Contact:	Ralph Wynn		
Billing Address:	4525 Ayers St.		
Billing Address 2:	NULL		
Billing City:	Corpus Christi		
Billing State:	TX		
Billing Zip:	78415		
Correspondence:	(Chevron 249)		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1018	1 of 2	NNE	4.03 / 21,285.97	HELEN VASQUEZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 7/13/1999
 Owners Name: HELEN VASQUEZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 225
 Depth Drilled: 405
 Latitude: 29.894055
 Longtiude: -95.377183

Send original copy by certified return receipt requested r

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>HELEN VASQUEZ</u> ADDRESS <u>13602 PINE VALE LN, HOU. TX. 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																															
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>SAME</u> <u>65-05-9</u> <small>(Street, RFD or other) (City) (State) (Zip) Grid #</small>																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: Started <u>7/9</u> 19 <u>99</u> Completed <u>7/13</u> 19 <u>99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>6 3/4</u></td> <td><u>0</u></td> <td><u>405</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>6 3/4</u>	<u>0</u>	<u>405</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
	Surface																														
<u>6 3/4</u>	<u>0</u>	<u>405</u>																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0</u></td> <td><u>15</u></td> <td><u>clay</u></td> </tr> <tr> <td><u>15</u></td> <td><u>25</u></td> <td><u>sand</u></td> </tr> <tr> <td><u>25</u></td> <td><u>45</u></td> <td><u>clay</u></td> </tr> <tr> <td><u>45</u></td> <td><u>60</u></td> <td><u>sand</u></td> </tr> <tr> <td><u>60</u></td> <td><u>190</u></td> <td><u>clay</u></td> </tr> <tr> <td><u>190</u></td> <td><u>250</u></td> <td><u>sand</u></td> </tr> <tr> <td><u>250</u></td> <td><u>310</u></td> <td><u>clay/shale</u></td> </tr> <tr> <td><u>410</u></td> <td><u>405</u></td> <td><u>sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>15</u>	<u>clay</u>	<u>15</u>	<u>25</u>	<u>sand</u>	<u>25</u>	<u>45</u>	<u>clay</u>	<u>45</u>	<u>60</u>	<u>sand</u>	<u>60</u>	<u>190</u>	<u>clay</u>	<u>190</u>	<u>250</u>	<u>sand</u>	<u>250</u>	<u>310</u>	<u>clay/shale</u>	<u>410</u>	<u>405</u>	<u>sand</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval from _____ ft. to _____ ft.		
From (ft.)	To (ft.)	Description and color of formation material																													
<u>0</u>	<u>15</u>	<u>clay</u>																													
<u>15</u>	<u>25</u>	<u>sand</u>																													
<u>25</u>	<u>45</u>	<u>clay</u>																													
<u>45</u>	<u>60</u>	<u>sand</u>																													
<u>60</u>	<u>190</u>	<u>clay</u>																													
<u>190</u>	<u>250</u>	<u>sand</u>																													
<u>250</u>	<u>310</u>	<u>clay/shale</u>																													
<u>410</u>	<u>405</u>	<u>sand</u>																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																													
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC CASING</u></td> <td><u>0</u></td> <td><u>390</u></td> <td></td> </tr> <tr> <td><u>2.5</u></td> <td><u>"</u></td> <td><u>LINER</u></td> <td><u>375</u></td> <td><u>390</u></td> <td></td> </tr> <tr> <td><u>"</u></td> <td><u>"</u></td> <td><u>SCREEN</u></td> <td><u>390</u></td> <td><u>405</u></td> <td><u>.012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>390</u>		<u>2.5</u>	<u>"</u>	<u>LINER</u>	<u>375</u>	<u>390</u>		<u>"</u>	<u>"</u>	<u>SCREEN</u>	<u>390</u>	<u>405</u>	<u>.012</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>390</u>																											
<u>2.5</u>	<u>"</u>	<u>LINER</u>	<u>375</u>	<u>390</u>																											
<u>"</u>	<u>"</u>	<u>SCREEN</u>	<u>390</u>	<u>405</u>	<u>.012</u>																										
		9) CEMENTING DATA Cemented from <u>390</u> ft. to <u>50</u> ft. No. of sacks used <u>17</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used _____ Method used <u>HALLIBURTON</u> Cemented by <u>SWW</u> Distance to septic system field lines or other concentrated contamination <u>80</u> ft. Method of verification of above distance <u>owners verification</u>																													
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)																					
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																											
From (ft)	To (ft)	From (ft)	To (ft)																												
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>280</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																													
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>225</u> ft. below land surface Date <u>7/13/99</u> Artesian flow _____ gpm. Date _____																													
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td></td> <td><u>K-PACKER</u></td> <td><u>375</u></td> </tr> </table>				Type	Depth		<u>K-PACKER</u>	<u>375</u>																					
	Type	Depth																													
	<u>K-PACKER</u>	<u>375</u>																													
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>SCOTT WATER WELL SER. INC.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4839 WI</u>		SEQ # _____																											
ADDRESS <u>11915 GREEN PINE CIRCLE HOUSTON, TX 77066</u> <small>(Street or RFD) (City) (State) (Zip)</small>		DESC CO _____		DATE <u>JUL 1999</u>																											
(Signed) <u>Scott Robinson</u> <small>(Licensed Well Driller)</small>		(Signed) <u>Edwin Ritten</u> <small>(Registered Driller Trainee)</small>		(COMMENT) _____																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

TDLR FORM 001WWO (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1018	2 of 2	NNE	4.03 / 21,285.97	DALE DEAN TX	TCEQ WELL LOGS

Grid No: 65-06-7M
Date Drilled: 07/07/1970
Owners Name: DALE DEAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 165
Latitude: 29.894055
Longtiude: -95.377183

end original copy by
certified mail to the
Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-26.7M
Located on map 26.7M
Received: 10-70

1) OWNER:
Person having well drilled Male Alwan Address 13602 Pinevale Lane Houston
(Name) (Street or RFD) (City) (State)
Landowner Male Alwan Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 10 miles in N direction from Houston
(N, E, S, W, etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks,
highway number, etc.*
OVER
North
(Use reverse side if necessary)

OR
Give legal location with distance and directions from
adjacent sections or survey lines.
Labor Not Known
Block Not Known
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 155 ft. Depth of completed well 165 ft. Date drilled 7-7-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-16		white clay
16-44		red clay
44-56		red sand
56-155		orange & white clay mixed

9) CASING:
Type: Old ☒ Steel ☒ Plastic ☐ Other
Cemented from 155 5 ft. above ground level.
Diameter (inches) 4" Setting From (ft.) +1 To (ft.) 155 Casing Size 40

10) SCREEN:
Type Plastic With Supply
☒ Perforated ☐ Slotted
Diameter (inches) 2 1/2" Setting From (ft.) 155 to 165 Slot Size 10 ga

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☒ Other
☒ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. Raymond Jr. Water Well Drillers Registration No. 774
(Type or Print)
ADDRESS 135 Raymac Houston Texas
(Street or RFD) (City) (State)
(Signed) C. Raymond Jr. Raymond Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

196 159


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GN-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
OCT 19 1970
TEXAS WATER
DEPARTMENT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1019	1 of 1	NE	4.03 / 21,290.17	Loydia Garcia 1631 Wedgewood St. Houston TX 77093	SDRW WELLS

Track NO: 463870
Date Submitted: 2017-11-02
Owner Name: Loydia Garcia
Owner Address: 1631 Wedgewood St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.883889
Longitude: -95.3625
Drilling Date Started: 2017-11-01
Drilling Date Completed: 2017-11-01
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=463870&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 15
Measurement Date: 2017-11-01

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1020	1 of 1	NNE	4.03 / 21,294.15	Maria Juana Rangel 13806 Kershaw St. Houston TX 77037	SDRW WELLS

Track NO: 398077
Date Submitted: 2015-06-29
Owner Name: Maria Juana Rangel
Owner Address: 13806 Kershaw St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898611
Longitude: -95.389445
Drilling Date Started: 2015-06-11
Drilling Date Completed: 2015-06-11
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=398077&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 47.0

Top Depth: 0
Bottom Depth: 47

Well Levels

Measurement: 5
Measurement Date: 2015-06-12

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1021	1 of 1	NNE	4.04 / 21,309.87	BURT EDWARDS JR TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 9/15/1997
Owners Name: BURT EDWARDS JR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 18
Depth Drilled: 50
Latitude: 29.89724
Longitude: -95.3848126

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530	
1) OWNER <u>Burt Edwards, Jr.</u> (Name)		ADDRESS <u>727 Hill Rd.</u> <u>Houston, Texas 77037</u> (Street or RFD) (City) (State) (Zip)			
2) ADDRESS OF WELL: County <u>Harris</u> <u>711 Hill Rd.</u> <u>Houston</u> <u>Texas 77037</u> (Street or RFD) (City) (State) (Zip)		GRID # <u>25-05-9</u>			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: <u>9/15</u> 19 <u>97</u> Started _____ Completed _____		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6</u> Surface <u>50</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
From (ft.) To (ft.) Description and color of formation material <u>0-20 red clay</u> <u>20-38 red and gray clay</u> <u>38-50 red sand 10 ft. each</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>40</u> ft. to <u>50</u> ft.			
		CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen <u>4</u> <u>n</u> <u>plastic</u> <u>0</u> <u>40</u> <u>9dr17</u> <u>4</u> <u>n</u> <u>plastic slotted</u> <u>40</u> <u>50</u> <u>10 each</u>			
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>10</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>pressure</u> Cemented by <u>Raymond Services</u> Distance to septic system field lines <u>120</u> ft. Method of verification of above distance <u>customer</u>			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sineve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12</u> gpm with <u>15</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>18</u> ft. below land surface Date <u>9/15/97</u> Artesian flow _____ gpm. Date _____			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: Type Depth <u>NONE</u>			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.					
COMPANY NAME <u>RAYMOND SERVICES</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577W</u>			
ADDRESS <u>10011 AIRLINE</u> <u>HOU</u> (Street or RFD) (City)		EMP # <u>7X</u> APR 21 1998 (State) (Zip) TEMP			
(Signed) <u>Raymond</u> Licensed Well Driller		(Signed) _____ COMMENT (Registered Driller Trainee)			

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1022	1 of 1	N	4.04 / 21,317.14	Rodriguez, Jose TX	WW HARRIS GAL

Well ID:	12584	Diameter (inches):	2
Aggre Lead Well:	12584	Year Drilled:	1953
Permit No:	WP2023-111505	Depth Drilled:	35
Permit Start Date:	8/1/2023 3:01:00 PM	Depth frm Surf(ft):	30
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.900555
Regulatory Aarea:	3	Longitude:	-95.398888
Owner Name:	Rodriguez, Jose		
Billing Contact:	NULL		
Billing Address:	9902 Airline Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1023	1 of 2	NNE	4.04 / 21,318.11	JACKS L. HENDRICHSON TX	TCEQ WELL LOGS

Grid No:	65-05-9
Date Drilled:	04/22/1970
Owners Name:	JACKS L. HENDRICHSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	110
Depth Drilled:	160
Latitude:	29.8943346
Longtiude:	-95.3775617

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
 Well No. 165-25-27
 Located on map 10
 Received: 70

1) OWNER:
 Person having well drilled Jack L. Hendrickson Address 13607 Lindale Lane Houston, Texas
 (Name) (Street or RFD) (City) (State)
 Landowner Jack L. Hendrickson Address 13607 Lindale Lane Houston, Texas
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris 10 miles in N direction from Houston
 (N, E, S, W, etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
 New Well _____ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic _____ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary _____ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 2 1/2 in. Depth drilled 160 ft. Depth of completed well 160 ft. Date drilled 4-22-70
 All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-39		Red Clay
39-46		Red Sand
46-144		White & Orange Clay
144-160		White Sand 10 ga.

9) CASING:
 Type: Old _____ Steel _____ Plastic _____ Other _____
 Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2"	1	160	40

10) SCREEN: Plastic
 Type _____ Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	150	160	10

7) COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 110 ft. below land surface Date 4-26-70
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____
 Did any strata contain undesirable water? Yes _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond Jr. Water Well Drillers Registration No. 774
 (Type or Print)
 ADDRESS 1322 Raymac Houston Texas
 (Street or RFD) (City) (State)
 (Signed) C. A. Raymond Jr. Raymond Water Wells
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-CW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description, include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



0261 67130

RECEIVED

NOV 16 1950

Tomb Water

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1023	2 of 2	NNE	4.04 / 21,318.11	Evelyn Bennett Rollins 13607 Pine Vale Ln. Houston TX 77037	SDRW WELLS

Track NO: 256847
Date Submitted: 2011-06-16
Owner Name: Evelyn Bennett Rollins
Owner Address: 13607 Pine Vale Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.894167
Longitude: -95.3775
Drilling Date Started: 2011-06-15
Drilling Date Completed: 2011-06-15
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=256847&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 105

Top Depth:
Bottom Depth: 105.0

Well Levels

Measurement: 80
Measurement Date: 2011-06-15

Well Strata


Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1024	1 of 1	ENE	4.04 / 21,330.67	C L WARTHAM TX	TCEQ WELL LOGS

Grid No: 65-05-9K
 Date Drilled: 07/24/1969
 Owners Name: C L WARTHAM
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 18
 Depth Drilled: 42
 Latitude: 29.869888
 Longtiude: -95.349799

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT		GW 7 For TWDB use only Well No. <u>65-05-94</u> Located on map <u>4e2</u> Received: <u>69</u> Form GW 8 Form GW 9																																								
1) OWNER: Person having well drilled <u>C.L. Walthman</u> Address <u>2314 Little York</u> <small>(Name) (Street or RFD) (City) (State)</small> Landowner <u>Same</u> Address _____ <small>(Name) (Street or RFD) (City) (State)</small>																																												
2) LOCATION OF WELL: County <u>Harris</u> Labor _____ League _____ Abstract No. _____ NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____ <small>(Circle as many as are known)</small> miles in _____ direction from <u>Houston</u> _____ <small>(NE, SW, etc.) (Town)</small>																																												
Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.																																												
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging <input type="checkbox"/>		4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other <input type="checkbox"/>		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/>																																								
6) WELL LOG: Diameter of hole <u>4</u> in. Depth drilled <u>42</u> ft. Depth of completed well <u>42</u> ft. Date drilled <u>7-24-69</u> All measurements made from <u>0</u> ft. above ground level.																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>18</td><td>Red Clay</td></tr> <tr><td>18</td><td>22</td><td>Red Sand</td></tr> <tr><td>22</td><td>42</td><td>Red Clay</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material	0	18	Red Clay	18	22	Red Sand	22	42	Red Clay										<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material															
From (ft.)	To (ft.)	Description and color of formation material																																										
0	18	Red Clay																																										
18	22	Red Sand																																										
22	42	Red Clay																																										
From (ft.)	To (ft.)	Description and color of formation material																																										
(Use reverse side if necessary)																																												
7) COMPLETION (Check): Straight wall <input type="checkbox"/> Gravel packed <input type="checkbox"/> Other <input type="checkbox"/> Under reamed <input type="checkbox"/> Open hole <input checked="" type="checkbox"/>			8) WATER LEVEL: Static level <u>18</u> ft. below land surface Date <u>7-24-69</u> Artesian pressure _____ lbs. per square inch Date _____																																									
9) CASING: Type: old <input type="checkbox"/> New <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Other <input type="checkbox"/> Cemented from _____ ft. to _____ ft.			10) SCREEN: Type <u>None</u> Perforated <input type="checkbox"/> Slotted <input type="checkbox"/>																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Diameter (inches)</th> <th colspan="2">Setting</th> <th rowspan="2">Gage</th> </tr> <tr> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			Diameter (inches)	Setting		Gage	From (ft.)	To (ft.)													<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Diameter (inches)</th> <th colspan="2">Setting</th> <th rowspan="2">Slot size</th> </tr> <tr> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			Diameter (inches)	Setting		Slot size	From (ft.)	To (ft.)															
Diameter (inches)	Setting			Gage																																								
	From (ft.)	To (ft.)																																										
Diameter (inches)	Setting		Slot size																																									
	From (ft.)	To (ft.)																																										
11) WELL TESTS: Was a pump test made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs Bailer test _____ gpm with _____ ft. drawdown after _____ hrs Artesian flow _____ gpm Date _____ Temperature of water _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No Did any strata contain undesirable water? <input type="checkbox"/> Yes <input type="checkbox"/> No Type of water? _____ depth of strata _____			12) PUMP DATA: Manufacturer's Name _____ Type _____ H.P. _____ Designed pumping rate _____ gpm <input type="checkbox"/> gph <input type="checkbox"/> Type power unit _____ Depth to bowls, cylinder, jet, etc., _____ ft. below land surface.																																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																												
NAME RAYMOND WATER WELLS Water Well Drillers Registration No. <u>774</u> 132 RAYMAC (Type or Print) HI 7-3184 Address HOUSTON, TEXAS 77037 (City) _____ (State) _____ (Signed) <u>C. A. Raymond</u> (Water Well Driller) _____ (Company Name) _____																																												
Please attach electric log, chemical analysis, and other pertinent information, if available.																																												



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1025	1 of 1	NNE	4.04 / 21,331.57	Edwards, Bert TX	WW HARRIS GAL

Well ID:	7162	Diameter (inches):	2
Aggre Lead Well:	7162	Year Drilled:	
Permit No:	WP2021-101984	Depth Drilled:	0
Permit Start Date:	8/1/2021 12:20:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.896388
Regulatory Aarea:	3	Longitude:	-95.383888
Owner Name:	Edwards Jr., Bert T.		
Billing Contact:	NULL		
Billing Address:	727 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037-1803		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1026	1 of 1	NNE	4.04 / 21,343.76	James Dudley 207 Nicar Houston TX 77037	SDRW WELLS

Track NO: 67845
Date Submitted: 2005-09-29
Owner Name: James Dudley
Owner Address: 211 Nicar
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900278
Longitude: -95.398056
Drilling Date Started: 2005-08-31
Drilling Date Completed: 2005-08-31
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=67845&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 0.0

Well Levels

Measurement: 6
Measurement Date: 2005-08-31

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1027	1 of 1	NE	4.04 / 21,350.53	Juan Aviles 1602 Hartwick Houston TX 77093	SDRW WELLS

Track NO: 446831
Date Submitted: 2017-04-12
Owner Name: Juan Aviles
Owner Address: 1602 Hartwick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.884444
Longitude: -95.356389
Drilling Date Started: 2016-12-12
Drilling Date Completed: 2016-12-16
Chemical Analysis: No
Company Name: Terra Power Drilling LLC
Company Address: 9532 FM 682
CompanyAddress2:
Company City: Yoakum
Company State: TX
Company Zip: 77995
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=446831&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 360.0

Top Depth: 0
Bottom Depth: 360

Well Levels

Measurement: 165
Measurement Date: 2017-04-16

Well Strata

Water Type:

good clean water

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1028	1 of 1	NNE	4.05 / 21,360.32	WOODSIDE BUILDERS LLC, 13810 LILLJA HOUSTON TX 77037	SDRW WELLS

Track NO: 66421
Date Submitted: 2005-09-06
Owner Name: WOODSIDE BUILDERS LLC,
Owner Address: 10714 NORMONT
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77070
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898611
Longitude: -95.390278
Drilling Date Started: 2005-09-01
Drilling Date Completed: 2005-09-02
Chemical Analysis: No
Company Name: NORTHWEST WATER WELLS
Company Address: 25143 FM 1488
CompanyAddress2:
Company City: MAGNOLIA
Company State: TX
Company Zip: 77355
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=66421&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 430.0

Top Depth: 0
Bottom Depth: 430

Well Levels

Measurement: 210
Measurement Date: 2005-09-02

Well Strata

Water Type:

GOOD

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1029	1 of 1	W	4.05 / 21,361.08	J.A. BOOKER TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 10/20/1991
Owners Name: J.A. BOOKER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 55
Depth Drilled: 80
Latitude: 29.8413942
Longtiude: -95.4781252

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1030	1 of 1	NNE	4.05 / 21,362.59	DON SABINE TX	TCEQ WELL LOGS

Grid No: 65-05-9AAA
Date Drilled: 05/02/1983
Owners Name: DON SABINE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 344
Latitude: 29.8989274
Longtiude: -95.3898773

①

DUP
65-05-9AAA

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Don Sabine (Name) Address 13803 Kershaw Houston Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 15 miles in S. direction from Spring (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 65-05-4EE

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 5/2/83

From (ft.)	To (ft.)	DIAMETER OF HOLE		Description and color of formation material
		Dia. (in.)	From (ft.) To (ft.)	
		6.5	Surface 344	
0-2				top soil
2-18				gray clay
18-48				fine sand
48-85				red+gray clay
85-108				clay+ sand strips
108-120				fine sand
120-145				red+ blue clay
145-190				coarse sand
190-210				red+gray clay
210-239				coarse sand
239-249				red+gray clay
249-302				sand+ clay strips
302-324				coarse sand
324-329				clay
329-344				coarse sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	New	Plastic Casing	0	330	40
2 1/2"	New	Plastic Screen	334	344	14

CEMENTING DATA
Cemented from 330 ft. to 100 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 220 ft. below land surface Date 5/3/83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2 1/2" x 4" 3 Ring R+R 326'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 15'
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Damrell & Potter Drilling Co. Water Well Driller's License No. 1872
(Type or Print)

ADDRESS 5717 Chippewa Houston Texas 77086
(Street or RFD) (City) (State) (Zip)

(Signed) Bobby Potter (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-05-9AAA
Located on map YES, F.S.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1031	1 of 1	NNW	4.05 / 21,363.71	DAVID KERCHIVAL TX	TCEQ WELL LOGS

Grid No:	65-05-8Q
Date Drilled:	06/21/1983
Owners Name:	DAVID KERCHIVAL
County:	HARRIS
Water Usage:	OTHER
Static Level:	225
Depth Drilled:	343
Latitude:	29.900501
Longtiude:	-95.422304

TDWR-0392 (Rev. 5-27-82)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1032	1 of 1	NNE	4.05 / 21,371.08	J J DUDLEY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 08/01/1985
Owners Name: J J DUDLEY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 324
Latitude: 29.9005938
Longitude: -95.3977916

8.

9m: S/NL
1.2m: E/W Km413E

TDWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1033	1 of 1	N	4.05 / 21,373.06	DEBRA MCFARLAND TX	TCEQ WELL LOGS

Grid No: 65-05-4
Date Drilled: 04/15/1997
Owners Name: DEBRA MCFARLAND
County: HARRIS
Water Usage: DOMESTIC
Static Level: 235
Depth Drilled: 430
Latitude: 29.90067
Longitude: -95.4213602

Send original copy by certified return receipt requested mail to. ICC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side of Well Owner's copy (pink)

State of Texas

WELL REPORT

Texas Water Well Drillers Advisory Council

MC 177

P.O. Box 13087

Austin, TX 78711-3087

512-239-0530

1) OWNER

Debra McFarland

ADDRESS

1118 Turney Rd.

Houston, Tx.

2) ADDRESS OF WELL:

County

Harris

1118 Turney Rd.

Houston, Tx.

GRID #

65-05-4

3) TYPE OF WORK (Check):

☒ New Well
☐ Deepening
☐ Reconditioning
☐ Plugging

4) PROPOSED USE (Check):

☐ Monitor
☐ Environmental Soil Boring
☒ Domestic
☐ Industrial
☐ Irrigation
☐ Injection
☐ Public Supply
☐ De-watering
☐ Testwell

☐ If Public Supply well, were plans submitted to the TNRCC?
☐ Yes
☐ No

5)

6) WELL LOG:

Date Drilling:

04-14-97

Started

04-15-97

Completed

04-15-97

DIAMETER OF HOLE

Dia. (in.)

From (ft.)

To (ft.)

6-3/4

Surface

430

7) DRILLING METHOD (Check):

☐ Driven
☐ Air Rotary
☒ Mud Rotary
☐ Bored
☐ Air Hammer
☐ Cable Tool
☐ Jetted
☐ Other

8) Borehole Completion (Check):

☐ Open Hole
☐ Straight Wall
☐ Underreamed
☐ Gravel Packed
☒ Other

2-String

If Gravel Packed give interval ... from

ft. to

ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4"	N	PVC Casing	420	0	Sch40
2 1/2"	N	PVC Liner	416	400	Sch40
2 1/2"	N	PVC Screen	430	416	.012

9) CEMENTING DATA [Rule 338.44(1)]

Cemented from

420

ft. to

180

ft.

No. of sacks used

14

0

ft. to

15

ft.

No. of sacks used

12

Method used

Halliburton

Cemented by

Robinson Water Well

Distance to septic system field lines or other concentrated contamination

180

ft.

Method of verification of above distance

Owner

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:

Static level

235

ft. below land surface

FILE ID

Date

04-14-97

Artesian flow

gpm.

Date

12) PACKERS:

EMP #	Type	Depth
	K	400

COMMENT

WG

13) TYPE PUMP:

☐ Turbine
☐ Jet
☒ Submersible
☐ Cylinder
☐ Other

Depth to pump bowls, cylinder, jet, etc.,

300

ft.

14) WELL TESTS:

Type test:

☐ Pump

☐ Bailer

☒ Jetted

☐ Estimated

Yield:

gpm with

ft. drawdown after

hrs.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes
☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water?

Depth of strata

Was a chemical analysis made?

☐ Yes

☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME

Robinson Water Well Service, Inc

WELL DRILLER'S LICENSE NO.

1464 WPTK

ADDRESS

11819 W. Montgomery Rd.

Houston, Tx.

77086

(Signed)

Rob Robinson B.I.

(Licensed Well Driller)

(Signed)

(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC Yellow - DRILLER Pink - WELL OWNER

2861

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1034	1 of 1	N	4.05 / 21,373.16	Thomas, Connie TX	WW HARRIS GAL

Well ID:	12630	Diameter (inches):	2
Aggre Lead Well:	12630	Year Drilled:	0
Permit No:	WP2022-111357	Depth Drilled:	1
Permit Start Date:	8/1/2022 4:52:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.399166
Owner Name:	Thomas, Connie		
Billing Contact:	NULL		
Billing Address:	14831 Mcleod DR		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1035	1 of 2	NE	4.05 / 21,384.71	FULLBRIGHT INTERPRISES TX	TCEQ WELL LOGS

Grid No:	65-06-7
Date Drilled:	02/19/1986
Owners Name:	FULLBRIGHT INTERPRISES
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	250
Depth Drilled:	366
Latitude:	29.8893168
Longitude:	-95.3682872

6

.8 m. NISL
 .6 m. E. NISL

Please use black ink.
 Send original copy by
 certified mail to the
 Texas Department of Water Resources
 P. O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Fullbright Interprises Address 11532 E. Hardy Houston Texas
 (Name) (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL:
 County Harris 10 miles in N. direction from Houston
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
 with distance and direction from two intersecting sec-
 tion or survey lines, or he must locate and identify the
 well on an official Quarter- or Half-Scale Texas County
 General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 0765-06-4

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging
 4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____
 5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 2/19/86
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 366
 7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Cemented
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
	0-30	red+gray clay	4" New Plastic Casing 0 320 40
	30-70	red clay	
	70-88	red+gray clay	
	88-95	fine sand	2 1/2" New Plastic Screen 356 366 12
	95-115	blue clay+shell	
	115-130	fine sand	
	130-240	red+gray clay	
	240-255	sand+clay strips	
	255-278	red+gray clay	
	278-298	fine sand	
	298-315	red+gray clay	
	315-366	fine/coarse sand	

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 320 ft. to 100 ft.
 ft. to _____ ft.
 Method used Pressurized
 Cemented by Ind.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 250 ft. below land surface Date 2/20/86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
2 1/2" X 4" 3 Ring R+R 315'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
 OCT 14 1986

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Fresh Depth of strata 51'
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Damrell & Potter Drilling Co. Water Well Driller's License No. 1872
 (Type or Print)

ADDRESS Star Rt. Box 44B Cleveland Texas 77327
 (Street or RFD) (City) (State) (Zip)

(Signed) Bobby Potter (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 6306-7
 Located on map _____



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1035	2 of 2	NE	4.05 / 21,384.71	Overseas Distributors, Inc. TX	WW HARRIS GAL

Well ID:	13675	Diameter (inches):	4
Aggre Lead Well:	13675	Year Drilled:	NULL
Permit No:	W2020-13675-211160-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.889166
Regulatory Aarea:	3	Longitude:	-95.368611
Owner Name:	Overseas Distributors, Inc.		
Billing Contact:	Steven W Emerson		
Billing Address:	P.O. Box 111279		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77293		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1036	1 of 1	NNE	4.05 / 21,389.78	Munoz, John TX	WW HARRIS GAL

Well ID:	12646	Diameter (inches):	2
Aggre Lead Well:	12646	Year Drilled:	NULL
Permit No:	WP2023-112123	Depth Drilled:	300
Permit Start Date:	8/1/2023 3:14:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:14:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.896111
Regulatory Aarea:	3	Longitude:	-95.383333
Owner Name:	Munoz, John		
Billing Contact:	NULL		
Billing Address:	5211 Alamosa Lane		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77379		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1037	1 of 1	N	4.05 / 21,392.45	OWENS COUNTRY SAUSAGE TX	TCEQ WELL LOGS

Grid No:	65-05-9
Date Drilled:	09/??/1976
Owners Name:	OWENS COUNTRY SAUSAGE
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	205
Depth Drilled:	391
Latitude:	29.901461
Longitude:	-95.4133168

65.05.9FFF 9FFF

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9FFF
Located on map Yes
Received: 9/21/76
db

1) OWNER:
 Person having well drilled Owens Country Sausage Address 9618 N. Freeway Houston, Texas
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
412 G. North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 371 ft. Depth of completed well 391 ft. Date drilled Sept. 1976
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-10		Gray clay
10-20		Yellow gray clay
20-25		Red gray clay
25-26		Rock
26-35		Red gray clay
35-55		Sand
55-120		Red gray clay
120-160		Sand
160-165		Red gray clay
165-170		Sand
170-195		Red gray clay
195-220		Sand
220-260		Red gray clay
260-270		Sand
270-300		Red gray clay
300-320		Sand

9) CASING:
 Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
 Cemented from 371 up _____ ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____

10) SCREEN:
 Type Well Supplies Inc. (Plastic wrapped)
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

8) WATER LEVEL:
 Static level 205 ft. below land surface Date Sept. 1976
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Inc. Water Well Drillers Registration No. TDL774
 (Type or Print)
 ADDRESS 10011 Airline Dr. Houston Texas
 (Street or RFD) (City) (State)
 (Signed) C.A. Raymond, Jr. Raymond Water Well Drilling
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8




Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1038	1 of 1	NE	4.05 / 21,403.91	MR. JORDAN TX	TCEQ WELL LOGS

Grid No: 65-06-7
 Date Drilled: 08/24/1989
 Owners Name: MR. JORDAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 260
 Depth Drilled: 377
 Latitude: 29.8854362
 Longtiude: -95.3629849

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																											
1) OWNER <u>Mr Jordan</u> (Name)		ADDRESS <u>1519 Hawthorne Ave Tx</u> (Street or RFD) (City) (State) (Zip)																													
2) LOCATION OF WELL: County <u>Harris</u> <u>8</u> miles in <u>N</u> direction from <u>Houston</u> (NE, SW, etc.) (Town)																															
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																															
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																															
<input checked="" type="checkbox"/> SEE ATTACHED MAP																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																											
6) WELL LOG: Date Drilling: <u>8-21</u> 19 <u>88</u> Started <u>8-24</u> 19 <u>88</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>355</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>355</u></td> <td><u>377</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>355</u>	<u>4 1/2</u>	<u>355</u>	<u>377</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>The string</u> If Gravel Packed give interval . . . from _____ ft. to _____ ft.															
DIAMETER OF HOLE																															
Dia. (in.)	From (ft.)	To (ft.)																													
<u>6 3/4</u>	Surface	<u>355</u>																													
<u>4 1/2</u>	<u>355</u>	<u>377</u>																													
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																													
<u>0-3 - Surface Soil</u> <u>3-45 - Clay</u> <u>45-49 Sand</u> <u>49-150 Clay</u> <u>150-162 Sand</u> <u>162-240 Clay</u> <u>240-255 Sand</u> <u>255-320 Clay</u> <u>320-340 Sand</u> <u>340-355 Clay</u> <u>355-377 Sand</u> (Use reverse side if necessary)		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>355</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Liner</u></td> <td><u>345</u></td> <td><u>357</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Plastic</u></td> <td><u>357</u></td> <td><u>377</u></td> <td><u>.012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>355</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>345</u>	<u>357</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>Plastic</u>	<u>357</u>	<u>377</u>	<u>.012</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>355</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>345</u>	<u>357</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>Plastic</u>	<u>357</u>	<u>377</u>	<u>.012</u>																										
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>331</u> ft.		RECEIVED NOV 1 1989 TEXAS WATER COMMISSION 9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of Sacks Used <u>14</u> <u>125</u> ft. to <u>355</u> ft. No. of Sacks Used <u>15</u> Method used <u>Pressure</u> Cemented by <u>CWHL</u>																													
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>22</u> ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																													
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>22</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>260</u> ft. below land surface Date <u>8-24-88</u> Artesian flow _____ gpm. Date _____																													
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4X 2 1/2</u></td> <td><u>K</u> <u>345'</u></td> </tr> </table>				Type	Depth	<u>4X 2 1/2</u>	<u>K</u> <u>345'</u>																						
Type	Depth																														
<u>4X 2 1/2</u>	<u>K</u> <u>345'</u>																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.																															
COMPANY NAME <u>COASTAL WATER WELL</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u>																													
ADDRESS <u>P.O. Box 745</u> (Street or RFD)		<u>Porter</u> , <u>TX</u> <u>77368</u> (City) (State) (Zip)																													
(Signed) <u>J. L. Gehrels</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																															
For TWC use only: Well No. <u>65-067</u> Located on map _____																															



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1039	1 of 5	NW	4.06 / 21,414.75	West Montgomery Utlty. Well # 2 TX	GWDB

Well Rep Track No:
State Well No: 6505826
Owner Name: West Montgomery Utlty. Well # 2
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1984
Well Depth: 349
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8875000
Longitude: -95.4541670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505826&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505826&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1039	2 of 5	NW	4.06 / 21,414.75	WEST MONTGOMERY UTILITY TX	WUD

Primary Co: MELISSA RICH
Contact Ti: VP OF OPERATIONS
Operating Status: OPERATIONAL
PWSID: 1010670
Source ID: G1010670A
Utility Name: WEST MONTGOMERY UTILITY
WTRSRC: G1010670A
Date Drilled: 00/00/1984
Well Depth: 349
Screen Top: 329
Screen Bottom: 349
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 220
CCN: 10866
Latitude: 29.887631
Longitude: -95.454164
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1039	3 of 5	NW	4.06 / 21,414.75	MR HARVEY KRUELL TX	TCEQ WELL LOGS

Grid No: 65-05-8HH
Date Drilled: 03/23/1984
Owners Name: MR HARVEY KRUELL
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 150
Depth Drilled: 349
Latitude: 29.887631
Longtiude: -95.454164

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

For TDWR use only
Well No. 65-05-8MH
Located on map 400MP



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1039	4 of 5	NW	4.06 / 21,414.75	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3957 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 6 Year Drilled: 1984 Depth Drilled: 600 Depth frm Surf(ft): 200 County: H Latitude: 29.887777 Longitude: -95.453888 </div> </div> <div> Owner Name: Champs Water Company Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1039	5 of 5	NW	4.06 / 21,414.75	USGS-295314095271402 TX	FED USGS

Site No: USGS-295314095271402
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19840323
Well Depth: 349
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-826
Latitude: 29.887500000000000
Longitude: -95.4541667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1040	1 of 1	NE	4.06 / 21,420.02	MORGAN, DANIEL & REBECCA TX	WW HARRIS GAL

Well ID:	6818	Diameter (inches):	2
Aggre Lead Well:	6818	Year Drilled:	1979
Permit No:	W1997-6818-58235-0	Depth Drilled:	0
Permit Start Date:	8/1/1994	Depth frm Surf(ft):	0
Permit End Dt:	7/31/1999	County:	H
Well Status:	P - Plugged	Latitude:	29.884166
Regulatory Aarea:	3	Longitude:	-95.361111
Owner Name:	MORGAN, DANIEL & REBECCA		
Billing Contact:	NULL		
Billing Address:	1707 Hartwick		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1041	1 of 1	NNE	4.06 / 21,421.02	Espinoza, Orlando & Sofia TX	WW HARRIS GAL

Well ID:	14464	Diameter (inches):	4
Aggre Lead Well:	14464	Year Drilled:	
Permit No:	WP2021-100698	Depth Drilled:	0
Permit Start Date:	8/1/2021 2:19:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022 2:19:00 PM	County:	H
Well Status:	P - Plugged	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.397222
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	305 Nicar Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1042	1 of 1	NNE	4.06 / 21,429.00	Mireles, Juan L. & Rosalia TX	WW HARRIS GAL

Well ID:	14300	Diameter (inches):	2
Aggre Lead Well:	14300	Year Drilled:	NULL
Permit No:	WP2021-101472	Depth Drilled:	0
Permit Start Date:	8/1/2021 10:27:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022 10:27:00 AM	County:	H
Well Status:	P - Plugged	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.393611
Owner Name:	Mireles, Juan L. & Rosalia		
Billing Contact:	NULL		
Billing Address:	514 Nicar Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1043	1 of 1	NNE	4.06 / 21,443.73	Palmeros, Carlos E TX	WW HARRIS GAL
Well ID: 14217					
Aggre Lead Well: 14217					
Permit No: W2021-14217-218551-0					
Permit Start Date: 8/1/2021					
Permit End Dt: 7/31/2022					
Well Status: P - Plugged					
Regulatory Aarea: 3					
Owner Name: Palmeros, Carlos E					
Billing Contact: NULL					
Billing Address: 4603 Chapman Street					
Billing Address 2: NULL					
Billing City: Houston					
Billing State: TX					
Billing Zip: 77009					
Correspondence: NULL					
Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5					
Water Usage: D - Domestic/Commercial					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1044	1 of 1	NNE	4.07 / 21,465.15	R.J. DEMNY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 1/27/1982
Owners Name: R.J. DEMNY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 238
Depth Drilled: 364
Latitude: 29.8959482
Longtiude: -95.3801823

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-9888
 Located on map YES
 Received: 6/18/82

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER R. J. DEMMY Address 903 HILL HOUSTON TEXAS
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL
 County HARRIS 9.5 miles in N direction from HOUSTON
 (N.E., S.W., etc.) (Town)

☐ Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 1-27-82

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>355</u>
<u>3 7/8</u>		<u>364</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
<u>0</u>	<u>4</u>	<u>TOP SOIL</u>					
<u>4</u>	<u>31</u>	<u>YELLOW SHALE</u>					
<u>31</u>	<u>53</u>	<u>RED SAND</u>	<u>4 IN</u>		<u>PVC</u>	<u>0</u>	<u>345</u>
<u>53</u>	<u>87</u>	<u>RED SHALE</u>	<u>4 IN</u>		<u>PVC</u>	<u>345</u>	<u>349</u>
<u>87</u>	<u>105</u>	<u>SAND</u>	<u>4 IN</u>		<u>PVC SCREEN</u>	<u>349</u>	<u>364</u>
<u>105</u>	<u>125</u>	<u>RED SHALE</u>					
<u>125</u>	<u>140</u>	<u>SAND</u>					
<u>140</u>	<u>163</u>	<u>RED SHALE</u>					
<u>163</u>	<u>197</u>	<u>SAND</u>					
<u>197</u>	<u>223</u>	<u>RED SHALE</u>					
<u>223</u>	<u>244</u>	<u>FINE SAND</u>					
<u>244</u>	<u>268</u>	<u>RED SHALE</u>					
<u>268</u>	<u>311</u>	<u>ROCK</u>					
<u>311</u>	<u>325</u>	<u>FINE SAND</u>					
<u>325</u>	<u>340</u>	<u>RED SHALE</u>					
<u>340</u>	<u>364</u>	<u>SAND</u>					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 Cemented from 0 ft. to 345 ft.
 Method used PRESSURE
 Cemented by SUGG WATER WELL DRILLING
 (Company or Individual)

9) WATER LEVEL:
 Static level 238 ft. below land surface Date 1-28-82
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
 Yield: 14.1 gpm with 15 ft. drawdown after 2 hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
 (Type or Print)

ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039
 (Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

R. J. PENNY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1045	1 of 1	NNE	4.07 / 21,468.56	MRS. DORIS ADAMS TX	TCEQ WELL LOGS

Grid No: 65-14-4G
Date Drilled: 06/10/1982
Owners Name: MRS. DORIS ADAMS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 115
Depth Drilled: 175
Latitude: 29.898591
Longtiude: -95.387586

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only

Well No. 65-14-45

Located on map YES

Received: C.P.-8.

1) OWNER MRS. DORIS ADAMS Address 13803 STONESHIRE HOUSTON, TEX. 77037

2) LOCATION OF WELL:

County HARRIS APRX. 12 miles in NORTH direction from HOUSTON

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE

	Dia. (in.)	From (ft.)	To (ft.)
		Surface	
Date drilled <u>6-10-82</u>	<u>6.75</u>	<u>0</u>	<u>175</u>

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 STRING
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0 - 20		TOP SOIL + CLAY						
20 - 32		SAND						
32 - 40		CLAY						
40 - 50		SAND						
50 - 63		CLAY						
63 - 76		SAND						
76 - 80		CLAY						
80 - 100		CLAY						
100 - 120		CLAY						
120 - 140		CLAY						
140 - 143		CLAY						
143 - 158		BROKEN SAND						
158 - 160		SAND						
160 - 165		SAND-STONE						
165 - 175		SAND						

CEMENTING DATA

Cemented from 0 ft. to 165 ft.
 Method used PRESSURE
 Cemented by Michael L. McClung
 (Company or Individual)

9) WATER LEVEL:

Static level 115 ft. below land surface Date 6-11-82
 Artesian flow _____ gpm. Date _____

10) PACKERS:

Type _____ Depth _____
K PACKER RUBBER 161'

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:

NONE
☐ Type Test ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MICHAEL L. MCCLUNG Water Well Drillers Registration No. 2215

ADDRESS 4602 ELLA BLVD. HOUSTON TEXAS 77018

(Signed) Michael L. McClung (Water Well Driller)

M+N WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

2889

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1046	1 of 1	NW	4.07 / 21,470.81	Dickie, Mrs. Phillip TX	WW HARRIS GAL

Well ID:	8145	Diameter (inches):	2
Aggre Lead Well:	8145	Year Drilled:	
Permit No:	W1997-8145-65734-0	Depth Drilled:	0
Permit Start Date:	6/1/1997	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2002	County:	H
Well Status:	P - Plugged	Latitude:	29.884444
Regulatory Aarea:	3	Longitude:	-95.45
Owner Name:	Dickie, Mrs. Phillip		
Billing Contact:	NULL		
Billing Address:	3125 Stallings Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77088		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1047	1 of 1	NNW	4.07 / 21,481.55	R L TICE TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 07/05/1998
Owners Name: R L TICE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 208
Depth Drilled: 347
Latitude: 29.900711
Longtiude: -95.42304

Send original copy by certified return receipt requested m TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on an reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530	
1) OWNER <u>R L TICE</u> (Name)		ADDRESS <u>9501 DEER TRAIL HWY, TX 77038</u> (Street or RFD) (City) (State) (Zip)			
2) ADDRESS OF WELL: County <u>HARRIS</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-8</u>			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: <u>7/1</u> 19 <u>98</u> Started <u>7/1</u> 19 <u>98</u> Completed <u>7/5</u> 19 <u>98</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>7 1/2</u> Surface <u>320</u> <u>3 3/8</u> <u>320</u> <u>347</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
From (ft.) To (ft.) Description and color of formation material <u>0-46 YELLOW CLAY</u> <u>46-54 RED SAND</u> <u>54-90 " " CLAY</u> <u>90-96 SAND 10 GA</u> <u>96-148 CLAY RED</u> <u>148-178 SAND 16 GA</u> <u>178-202 WHITE CLAY</u> <u>202-222 SAND 10 GA</u> <u>222-273 CLAY</u> <u>273-280 SAND 8 GA</u> <u>280-290 CLAY</u> <u>290-347 SAND 16 GA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>TELE</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casting Screen <u>4</u> N Plastic <u>CASE</u> <u>0</u> <u>320</u> <u>SHAD</u> <u>2 1/2</u> N Plastic <u>SCREEN</u> <u>327</u> <u>347</u> <u>AO</u>	
(Use reverse side of Well Owner's copy, if necessary)		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>3</u> ft. No. of sacks used <u>38</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>110</u> ft. Method of verification of above distance <u>Customer</u>		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]	
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		11) WATER LEVEL: Static level <u>208</u> ft. below land surface Date <u>7/5/98</u> Artesian flow _____ gpm. Date _____		12) PACKERS: Type Depth <u>1</u> <u>PIE K</u> <u>310 FT</u>	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>50</u> gpm with <u>20</u> ft. drawdown after <u>1</u> hrs.		15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.	
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>		EMP # <u>TX 101999</u> DESC CO <u>77037</u>	
ADDRESS <u>10011 Airline Drive</u> (Street or RFD)		Houston (City)		(State) (Zip)	
(Signed) <u>[Signature]</u> (Licensee Well Driller)		(Signed) _____ (Registered Driller Trainee)		COMMENT _____	

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1048	1 of 2	NE	4.07 / 21,485.52	J D PRICHARD TX	TCEQ WELL LOGS

Grid No: 65-05-9Y
 Date Drilled: 5/30/1975
 Owners Name: J D PRICHARD
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 200
 Depth Drilled: 332
 Latitude: 29.893637
 Longtiude: -95.375063

*Additional instructions on reverse side

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

37 -

87	-	95	Sand
95	-	105	Red Clay
105	-	135	Red Clay Gray Clay
135	-	140	Sand
140	-	145	Red Gray Clay
145	-	160	Sand
160	-	200	Red Gray Clay
200	-	217	Sand
217	-	218	Rock
218	-	227	Sand
227	-	227	Rock
227	-	250	Sand
250	-	255	Red Gray Clay
255	-	260	Sand
260	-	290	Red Gray Clay
290	-	291	Rock
291	-	300	Red Gray Clay
300	-	347	Sand

RECEIVED
SEP 18 1975
TEXAS WATER
DEVELOPMENT BOARD

JAN 2 9 1976
JAMES L. JAMES
THE LEE COMPANY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1048	2 of 2	NE	4.07 / 21,485.52	MR. J.D. PRICHARD TX	TCEQ WELL LOGS

Grid No: 65-14-4G
Date Drilled: 06/22/1982
Owners Name: MR. J.D. PRICHARD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 110
Depth Drilled: 167
Latitude: 29.893637
Longitude: -95.375063

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711		State of Texas WATER WELL REPORT		For TDWR use only Well No. <u>65-14-46</u> Located on map <u>Yes</u> Received: <u>8.8.82</u>																																																														
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side																																																																		
1) OWNER <u>MR. J. D. FRICHARD</u> <small>(Name)</small>		Address <u>13514 CARMILENDA</u> <u>HOUSTON</u> <u>TEX</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																																																
2) LOCATION OF WELL: County <u>HARRIS</u> <u>APPRX. 15</u> miles in <u>NORTH</u> direction from <u>HOUSTON</u> <small>(N.E., S.W., etc.) (Town)</small>																																																																		
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																																		
<input type="checkbox"/> Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																																		
<input checked="" type="checkbox"/> See attached map. <u>NOT ATTACHED</u>																																																																		
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other _____		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Driven <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																														
6) WELL LOG: Date drilled <u>6-22-82</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>Surface</td> <td></td> <td></td> </tr> <tr> <td><u>6.75</u></td> <td><u>0</u></td> <td><u>167</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	Surface			<u>6.75</u>	<u>0</u>	<u>167</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval . . . from _____ ft. to _____ ft.																																																					
Dia. (in.)	From (ft.)	To (ft.)																																																																
Surface																																																																		
<u>6.75</u>	<u>0</u>	<u>167</u>																																																																
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>10-20</u></td><td></td><td><u>TOP SOIL + CLAY</u></td></tr> <tr><td><u>20-27</u></td><td></td><td><u>SAND</u></td></tr> <tr><td><u>27-32</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>32-40</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>40-50</u></td><td></td><td><u>SAND</u></td></tr> <tr><td><u>50-62</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>62-70</u></td><td></td><td><u>SAND</u></td></tr> <tr><td><u>70-94</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>94-114</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>114-134</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>134-142</u></td><td></td><td><u>BROKEN SAND</u></td></tr> <tr><td><u>142-154</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>154-167</u></td><td></td><td><u>SAND</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>10-20</u>		<u>TOP SOIL + CLAY</u>	<u>20-27</u>		<u>SAND</u>	<u>27-32</u>		<u>CLAY</u>	<u>32-40</u>		<u>CLAY</u>	<u>40-50</u>		<u>SAND</u>	<u>50-62</u>		<u>CLAY</u>	<u>62-70</u>		<u>SAND</u>	<u>70-94</u>		<u>CLAY</u>	<u>94-114</u>		<u>CLAY</u>	<u>114-134</u>		<u>CLAY</u>	<u>134-142</u>		<u>BROKEN SAND</u>	<u>142-154</u>		<u>CLAY</u>	<u>154-167</u>		<u>SAND</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 N</u></td> <td></td> <td><u>PLASTIC</u></td> <td><u>0</u></td> <td><u>157</u></td> <td rowspan="2">#12</td> </tr> <tr> <td><u>2 1/2 N</u></td> <td></td> <td><u>WOP</u></td> <td><u>157</u></td> <td><u>167</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4 N</u>		<u>PLASTIC</u>	<u>0</u>	<u>157</u>	#12	<u>2 1/2 N</u>		<u>WOP</u>	<u>157</u>	<u>167</u>
From (ft.)	To (ft.)	Description and color of formation material																																																																
<u>10-20</u>		<u>TOP SOIL + CLAY</u>																																																																
<u>20-27</u>		<u>SAND</u>																																																																
<u>27-32</u>		<u>CLAY</u>																																																																
<u>32-40</u>		<u>CLAY</u>																																																																
<u>40-50</u>		<u>SAND</u>																																																																
<u>50-62</u>		<u>CLAY</u>																																																																
<u>62-70</u>		<u>SAND</u>																																																																
<u>70-94</u>		<u>CLAY</u>																																																																
<u>94-114</u>		<u>CLAY</u>																																																																
<u>114-134</u>		<u>CLAY</u>																																																																
<u>134-142</u>		<u>BROKEN SAND</u>																																																																
<u>142-154</u>		<u>CLAY</u>																																																																
<u>154-167</u>		<u>SAND</u>																																																																
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																													
			From	To																																																														
<u>4 N</u>		<u>PLASTIC</u>	<u>0</u>	<u>157</u>	#12																																																													
<u>2 1/2 N</u>		<u>WOP</u>	<u>157</u>	<u>167</u>																																																														
CEMENTING DATA Cemented from <u>0</u> ft. to <u>157</u> ft. Method used <u>PRESSURE</u> Cemented by <u>Michael L. McClung</u> <small>(Company or Individual)</small>																																																																		
9) WATER LEVEL: Static level <u>110</u> ft. below land surface Date <u>6-23-82</u> Artesian flow _____ gpm. Date _____																																																																		
10) PACKERS: Type Depth <u>K PACKER RUBBER</u> <u>153'</u>																																																																		
11) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.																																																																		
12) WELL TESTS: <u>NONE</u> <input type="checkbox"/> Type Test <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.																																																																		
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																																																		
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																																		
NAME <u>MICHAEL L. McCLUNG</u> Water Well Drillers Registration No. <u>2215</u> <small>(Type or Print)</small>																																																																		
ADDRESS <u>4602 ELLA BLVD.</u> <u>HOUSTON</u> <u>TEXAS</u> <u>77018</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																																																		
(Signed) <u>Michael L. McClung</u> <u>M+N WELL SERVICE</u> <small>(Water Well Driller) (Company Name)</small>																																																																		
*Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																		

WR 0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1049	1 of 1	NNE	4.07 / 21,486.84	Lara, Alberto TX	WW HARRIS GAL
<hr/>					
Well ID:	11893			Diameter (inches):	4
Aggre Lead Well:	11893			Year Drilled:	2010
Permit No:	W2011-11893-153358-0			Depth Drilled:	20
Permit Start Date:	7/13/2011			Depth frm Surf(ft):	10
Permit End Dt:	7/13/2011			County:	H
Well Status:	O - Operable			Latitude:	29.896666
Regulatory Aarea:	3			Longitude:	-95.381111
Owner Name:	Lara, Alberto				
Billing Contact:	NULL				
Billing Address:	13710 Scoregga Ln.				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77037				
Correspondence:	NULL				
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5				
Water Usage:	O - Other				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1050	1 of 1	N	4.07 / 21,487.61	LAIRD TX	TCEQ WELL LOGS

Grid No: 65-05-8K
 Date Drilled: 03/10/1973
 Owners Name: LAIRD
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 188
 Depth Drilled: 338
 Latitude: 29.9015307
 Longtiude: -95.4165354

65-05-8K 8K

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-8K
Located on map Y2S
Received: 73 Y2S
dk

#1

1) OWNER:
Person having well drilled LAIRD Address BLUE BELL RD
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS _____ miles in NE direction from HOUSTON
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*

(Use reverse side if necessary)

or
Give legal location with distances and directions from adjacent sections or survey lines.
Easement INDEPENDENCE
Block GARDEN'S Survey
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6" in. Depth drilled 338' ft. Depth of completed well 338' ft. Date drilled 3/10/73
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	14	SURFACE
14	19	R. SAND
19	78	Clay
78	146	SAND & SHALE
146	163	SAND
163	227	Shale
227	232	SAND
232	255	Shale
255	280	Sandy + Shale
280	323	Clay
323	338	SAND

338 Bott.

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole 4" x 2 1/2"

8) WATER LEVEL:
Static level 188' ft. below land surface Date 3/10/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from SURFACE ft. to 318 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____

10) SCREEN:
Type 15' .016 GAGE PL.
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 328 - 338' .016

11) WELL TESTS:
Was a pump test made? Yes _____ No ✓ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ✓
Did any strata contain undesirable water? Yes _____ No ✓
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME PAUL'S WELL SERV. Water Well Drillers Registration No. 1000
(Type or Print)

ADDRESS Rt. 9 Box 807 HOUSTON (77040) TEXAS.
(Street or RFD) (City) (State)

(Signed) O. P. Sherman (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1051	1 of 3	N	4.07 / 21,491.91	Hutex Realty Co. TX	GWDB

Well Rep Track No:
State Well No: 6505934
Owner Name: Hutex Realty Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 169
Well Usage: Domestic
Water Level Status:
Latitude: 29.9036120
Longitude: -95.4063890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505934&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505934&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1051	2 of 3	N	4.07 / 21,491.91	HUTEX REALTY TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 5/7/1969
 Owners Name: HUTEX REALTY
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 92
 Depth Drilled: 169
 Latitude: 29.90172
 Longtiude: -95.405759

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-9M</u> Located on map <u>495</u> Received: <u>6/1/69</u>																						
1) OWNER: Person having well drilled <u>Hutex Realty Co.</u> Address <u>5423 Clarewood St Houston</u> (State) _____ Landowner <u>Same</u> Address _____ (State) _____																										
2) LOCATION OF WELL: County <u>Harris</u> _____ miles in <u>7</u> direction from <u>Houston</u> (Town) _____ Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Well was drilled at 315 Raymac st. Ray mac between Sweetwater st and Airline Dr.</p> <p>(Use reverse side if necessary)</p> </div> <div style="width: 45%;"> <p>Give legal location with distances and directions from adjacent sections or survey lines.</p> <p>Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW¼ NE¼ SW¼ SE¼) of Section _____</p> </div> </div>																										
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic _____ Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary _____ Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																						
6) WELL LOG: Diameter of hole <u>3½</u> in. Depth drilled <u>169</u> ft. Depth of completed well <u>169</u> ft. Date drilled <u>7 May 69</u> All measurements made from <u>3</u> ft. above ground level.																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>30</td><td>clay</td></tr> <tr><td>30</td><td>40</td><td>sand</td></tr> <tr><td>40</td><td>45</td><td>clay</td></tr> <tr><td>45</td><td>52</td><td>sand</td></tr> <tr><td>52</td><td>134</td><td>clay</td></tr> <tr><td>134</td><td>169</td><td>sand</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	30	clay	30	40	sand	40	45	clay	45	52	sand	52	134	clay	134	169	sand	9) CASING: Type: Old _____ <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____ Cemented from <u>0</u> ft. to <u>20</u> ft. Diameter (inches) _____ Setting _____ From (ft.) _____ To (ft.) _____ Gage _____ <u>2</u> <u>0</u> <u>162</u>			
From (ft.)	To (ft.)	Description and color of formation material																								
0	30	clay																								
30	40	sand																								
40	45	clay																								
45	52	sand																								
52	134	clay																								
134	169	sand																								
(Use reverse side if necessary)		10) SCREEN: Type <u>pipe based stainless steel</u> Perforated _____ Slotted _____ Diameter (inches) _____ Setting _____ From (ft.) _____ To (ft.) _____ Slot Size _____ <u>2</u> <u>162</u> <u>168</u> <u>16 ga.</u>																								
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under reamed _____ Open Hole _____		11) WELL TESTS: Was a pump test made? Yes _____ No <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																								
8) WATER LEVEL: Static level <u>92</u> ft. below land surface Date <u>7 May 69</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.		12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																										
NAME <u>B. J. Swinehart</u> Water Well Drillers Registration No. <u>229</u> ADDRESS <u>7524 N. Freeway</u> <u>Houston</u> <u>Texas</u> (State) _____ (Signed) <u>B. J. Swinehart</u> <u>B. J. Swinehart Co., Inc.</u> (Company Name)																										
Please attach electric log, chemical analysis, and other pertinent information, if available.																										

*Additional instructions on reverse side.

TWDBE-GW-53

GMM

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1051	3 of 3	N	4.07 / 21,491.91	Horacio Munoz 315 Raymac Houston TX 77037	SDRW WELLS

Track NO: 9133
Date Submitted: 2002-07-16
Owner Name: Horacio Munoz
Owner Address: 315 Raymac
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901667
Longitude: -95.405834
Drilling Date Started: 2002-06-12
Drilling Date Completed: 2002-06-13
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=9133&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 16
Measurement Date: 2002-06-13

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1052	1 of 1	N	4.07 / 21,496.66	SUSANA SANCHEZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 5/21/2002
 Owners Name: SUSANA SANCHEZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 8
 Depth Drilled: 47
 Latitude: 29.901724
 Longtiude: -95.405571

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																					
WELL REPORT																									
1) OWNER																									
Name <u>Susana Sanchez</u>		Address <u>313 Raymac</u>		City <u>Houston</u>	State <u>Texas</u> Zip <u>77037</u>																				
2) WELL LOCATION																									
County <u>Harris</u>		Physical Address <u>Same</u>		City	State Zip																				
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>NT</u>																					
6) Drilling Date Started <u>5/21/02</u> Completed <u>5/21/02</u>		Diameter of Hole Dia. (in.) From (ft) To (ft) <u>5</u> <u>0</u> <u>47</u>		7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																					
From (ft) To (ft) Description and color of formation material <u>0-37 clay</u> <u>37 Rock</u> <u>37-41 clay</u> <u>41-47 sand</u>		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give the interval from ft. to ft. Casing, Blank Pipe, and Well Screen Data <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Dia. (in.)</th> <th>New Or Used</th> <th>Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th>Setting (ft) From</th> <th>To</th> <th>Gage Casing Screen</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>N</td> <td>Casing PVC</td> <td>0</td> <td>37</td> <td>26440</td> </tr> <tr> <td>2</td> <td>N</td> <td>Screen .006</td> <td>37</td> <td>47</td> <td>51040</td> </tr> </tbody> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	To	Gage Casing Screen	2	N	Casing PVC	0	37	26440	2	N	Screen .006	37	47	51040		
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	To	Gage Casing Screen																				
2	N	Casing PVC	0	37	26440																				
2	N	Screen .006	37	47	51040																				
(Use reverse side of Well Owner's copy, If necessary)																									
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>						From (ft)	To (ft)	From (ft)	To (ft)	Sacks used															
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																					
14) Typepump <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet etc. ft.																									
15) Water Test Typetest <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: gpm with ft. drawdown after hrs.																									
16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water Depth of Strata Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No																									
9) Cementing Data Cementing from ft. to ft. # of sacks used <u>11</u> Method Used <u>Pressure</u> Cementing By <u>Raymond Services, Inc.</u> Distance to septic system field or other concentrated contamination ft. Method of verification of above distance <u>Customer</u>																									
10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																									
11) Water Level Static level <u>8</u> ft. below Date <u>5/16/02</u> Artesian Flow gpm. Date / /																									
12) Packers Type Depth <u>None</u>																									
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> RECEIVED TDLR MAIL ROOM CB JUN 12 2002 77037 </div>																									
Company or individual's Name (type or print)		Raymond Services, Inc. 4577W1																							
Address 10011 Airline Drive		City Houston	State TX	Zip 77037																					
Signature <u>[Signature]</u> Date <u>5/21/02</u>		Signature _____ Date _____																							

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1053	1 of 2	N	4.07 / 21,507.97	DANIEL FILER TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 12/04/1972
 Owners Name: DANIEL FILER
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 80
 Depth Drilled: 168
 Latitude: 29.901741
 Longtiude: -95.405295

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. _____
Located on map NO
Received: 7-7
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Daniel Filer Address 305 Raymac Hou. Tex
(Name) (Street or RFD) (City) (State)
Landowner Daniel Filer Address 305 Raymac Hou. Tex
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor _____ League _____ Abstract No. _____
NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are shown)
15 miles in N.E. direction from Houston
(NE, SW, etc.) (Town)

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 7/8 in. Depth drilled 150 ft. Depth of completed well 168 ft. Date drilled 12-4-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	8	Black Top Soil
8	40	Clay Red
40	55	Sand Red Fine
55	140	Clay Red & Blue
140	168	Coarse white Sand

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☒
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 80 ft. below land surface Date 12-13-72
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☒ Steel ☐ Plastic ☐ Other ☐
Cemented from 0 ft. to 150 ft.

10) SCREEN:
Type Plastic
Perforated ☒ Slotted ☐

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4 1/2	0	150	Se 40 Plastic

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? Fresh depth of strata 28 ft.

12) PUMP DATA:
Manufacturer's Name Red Jacket
Type Sub. H.P. 1
Designed pumping rate 1000 gpm ☐ gph ☒
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 140 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME LOYD T. DAMRELL Water Well Drillers Registration No. 884
(Type or Print)
Address 5717 CHIPPENAW HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) Lloyd T. Damrell DAMRELL WATER WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1053	2 of 2	N	4.07 / 21,507.97	NON CHRISTIAN TX	TCEQ WELL LOGS

Grid No: 65-05-9T
Date Drilled: 03/27/1972
Owners Name: NON CHRISTIAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 88
Depth Drilled: 168
Latitude: 29.901741
Longtiude: -95.405295

35
Dump
65-05-9T 9T

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9T
Located on map yes
Received: 9-2-72
dlr

1) OWNER:
Person having well drilled Alan Christian Address 305 Raymac Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Alan Christian Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 12 miles in N direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ Cased Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 168 ft. Depth of completed well 168 ft. Date drill 3/27/72
All measurements made from 12 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 22 1/2	22	Red Clay
22 - 44 1/2	44	Red Clay
44 - 70 1/2	70	Orange Sand 8 ga
70 - 142 1/2	142	White Clay
142 - 168	168	White Sand 16 ga

9) CASING:
Type: Old ☒ New ☒ Steel ☒ Plastic ☐ Other _____
Cemented from none ft. to _____ ft.
Diameter (inches) 4" Setting From (ft.) 11 To (ft.) 158 Gage 40

10) SCREEN:
Type Plastic
Perforated _____ Slotted _____
Diameter (inches) 4" Setting From (ft.) 158 To (ft.) 168 Slot Size 16

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 88 ft. below land surface Date 3/27/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? ☒ Yes _____ No _____ If yes, by whom? _____
Yield: 900 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CA Raymond Jr. Water Well Drillers Registration No. 774
(Type or Print)
ADDRESS 132 Raymac Houston Texas
(Street or RFD) (City) (State)
(Signed) CA Raymond Jr. Raymond Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-GW-53

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1054	1 of 2	N	4.07 / 21,509.87	A B CO TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 06/02/1989
Owners Name: A B CO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 85
Depth Drilled: 105
Latitude: 29.901266
Longtiude: -95.419749

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

1) OWNER A.B.C.O. (Name) Address Houston, TX (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 6 miles in N direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. # 2 on 65-05-7

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling Started Jan 2 19 89
 Completed Jan 2 19 89

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>7 3/4</u>	Surface	<u>105</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from 85 ft. to 105 ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0-2</u>	<u>2-46</u>	<u>Sand</u>	<u>2</u>	<u>N</u>	<u>P.V.C.</u>	<u>0-95</u>	<u>40</u>	<u>40</u>
<u>46-47</u>	<u>47-95</u>	<u>Clay (fine)</u>	<u>2</u>	<u>N</u>	<u>P.V.C. Slotted</u>	<u>95-105</u>	<u>40</u>	<u>40</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
 Method used Hand
 Cemented by C.W.W.

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 85 ft. below land surface Date 1/2/89
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP: None
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS: None
 Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Water Depth of strata 10
 Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME CRISTAL WATER WELL (Type or Print) Water Well Driller's License No. 812

ADDRESS P.O. Box 740 Porter TX 77365
 (City) (State) (Zip)

(Signed) J.P. Gelbach (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. 65-05-8
 Located on map _____

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1054	2 of 2	N	4.07 / 21,509.87	Lam, Phoung Thi TX	WW HARRIS GAL

Well ID:	8652	Diameter (inches):	4
Aggre Lead Well:	8652	Year Drilled:	0
Permit No:	W2018-8652-196647-0	Depth Drilled:	325
Permit Start Date:	6/1/2018	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2023	County:	H
Well Status:	O - Operable	Latitude:	29.900277
Regulatory Aarea:	3	Longitude:	-95.418055
Owner Name:	Lam, Phoung Thi		
Billing Contact:	NULL		
Billing Address:	1018 Turney Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1055	1 of 1	NNE	4.08 / 21,527.11	MARY NOLES TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/01/1988
Owners Name: MARY NOLES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 16
Depth Drilled: 56
Latitude: 29.9006287
Longtiude: -95.3954018

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER MARY NOLES (Name) Address 405 NICAR HOUSTON TEXAS (City) (State) (Zip)

2) LOCATION OF WELL HARRIS 9 miles in N direction from HOUSTON (County) (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 9-25 1988 Completed 10-1 1988
DIA. OF HOLE (in.) From (ft.) To (ft.)
4 1/2 Surface 56

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To	Gage Casing Screen
0	24	Sandy White Clay					
24	41	White Sand					
41	50	Red Clay					
50	56	White Sand 92 GA					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from Surf ft. to 50 ft. No. of Sacks Used 7
ft. to _____ ft. No. of Sacks Used _____
Method used Pressure
Cemented by L.F. HULL

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 16 ft. below land surface Date 10-2-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Rubber Depth 50

13) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 25 ft.

14) WELL TESTS:
Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 7 gpm with P ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME L.F. HULL (Type or Print) Water Well Driller's License No. 02044 W

ADDRESS 4933 HARTWICK HOUSTON TEXAS 77093 (Street or R.F.D.) (City) (State) (Zip)

(Signed) L.F. Hull (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-05-9
Located on map _____

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1056	1 of 1	NNE	4.08 / 21,528.22	DORIS SANTISTEVAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 11/08/2000
 Owners Name: DORIS SANTISTEVAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 250
 Depth Drilled: 400
 Latitude: 29.898772
 Longtiude: -95.3876124

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
 Water Well Driller/Pump Installer Program
 P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
 Toll free (800)803-9202
 Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER
 Name: Noris Santistevan Address: 13807 Shoreshire City: Houston State: TX Zip: 77037

2) WELL LOCATION
 County: Harris Physical Address: same City: _____ State: _____ Zip: _____

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
 If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) Grid # 65-05-9

6) Drilling Date
 Started 11/7/00 Completed 11/8/00

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other _____

Diameter of Hole		From (ft)		To (ft)	
Dia. (in.)					
<u>7 1/4</u>	<u>0</u>	<u>380</u>			
<u>5</u>	<u>380</u>	<u>400</u>			
<u>12 1/4</u>	<u>0</u>	<u>20</u>			

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☒ Other Two-String
 If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0-380</u>	<u>40</u>	
<u>2 1/2</u>	<u>N</u>	<u>PVC</u>	<u>370-380</u>	<u>40</u>	
<u>2 1/2</u>	<u>N</u>	<u>PVC Tees</u>	<u>380-400</u>	<u>06</u>	
<u>8</u>	<u>N</u>	<u>PVC Surface Csg</u>	<u>0-20</u>	<u>40</u>	

9) Cementing Data
 Cementing from 0 ft. to 380 ft. # of sacks used 18
 Method Used Pressure Cementing By CWW
 Distance to septic system field or other concentrated contamination 30 ft.
 Method of verification of above distance owner

10) Surface Completion
☐ Specified Surface Slab Installed ☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used ☐ Approved Alternative Procedure Used

11) Water Level
 Static level 252 ft. below Date 11/8/00
 Artesian Flow _____ gpm. Date _____

12) Packers
 Type _____ Depth _____

13) Plugged ☐ Well plugged within 48 hours
 Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet etc. 340 ft.

15) Water Test
 Type test ☒ Pump ☐ Bailer ☐ Jetted ☒ Estimated
 Yield: 8 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
 Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water Potable Depth of Strata 241
 Was a chemical analysis made ☐ Yes ☒ No

Company or individual's Name (type or print) COASTAL WATER WELL SERV. INC.
 Address P.O. Box 745 City Porter State TX Zip 77365
 Signature W.L. Gebrek Date 11/8/00 Signature Keith Gebrek Date 11/8/00
 Licensed Driller/Pump Installer Apprentice

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1057	1 of 1	N	4.08 / 21,533.93	WANDA POWELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 10/??1975
 Owners Name: WANDA POWELL
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 103
 Depth Drilled: 151
 Latitude: 29.901746
 Longtiude: -95.404189

65-05-9EE 9EE *Raymond*

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9EE
Located on map yes
Received: 9/6/95
clb

1) OWNER:
 Person having well drilled Wanda Powell Address 219 Raymac Houston, Texas 77037
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris _____ miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
412 H North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well _____ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic _____ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary _____ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 136 ft. Depth of completed well 151 ft. Date drilled Oct. 1975
 All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-10	10	Yellow Gray clay
10-14	14	Yellow red clay
14-22	22	Red gray clay
22-40	40	Red clay
40-48	48	Sand
48-78	78	Red clay
78-134	134	Red & gray clay
134-151	151	Sand 10 ga.

9) CASING:
 Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
 Cemented from 136 up _____ ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4" 1 ft. 136 ft. 40

10) SCREEN:
 Type Well Supplies Inc. Plastic wrapped
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 141 151 10

7) COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 103 ft. below land surface. Date Oct. 1975
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. 774-TDL
 (Type or Print)
 ADDRESS 10011 Airline Dr. Houston Texas 77037
 (Street or RFD) (City) (State)
 (Signed) *C.A. Raymond Jr.* Raymond Water Wells Drilling, Inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1058	1 of 1	SE	4.08 / 21,534.34	HENRY BAKER TX	TCEQ WELL LOGS

Grid No: 65-14-4
Date Drilled: 02/20/1992
Owners Name: HENRY BAKER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 260
Depth Drilled: 378
Latitude: 29.797238
Longtiude: -95.365385

1) OWNER: BAKER, HENRY ADDRESS: 45 GULF BANK CITY: HOUSTON STATE: TX ZIP:
 2) LOCATION OF WELL: County: HARRIS 3 miles in N direction from Houston

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01960 DIAMETER OF HOLE 7) BOREHOLE METHOD:
 DIAMETER FROM TO STRAIGHT WALL
 6.5 0 363
 4.5 363 378 IF GRAVEL... FROM FT. TO FT.
 FROM FT. TO FT.

DATE DRILLED: 02/20/92

GEOLOGICAL DESCRIPTION:		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:		9) CEMENTING DATA:	
FROM	TO	DIA	NEW/USED	DESCRIPTION	FROM TO
0	15	4	N	PVC	0 363
15	43	2.5	N	GALV.	344 365
43	71	2.5	N	RBSS	365 375
71	86	2.5	N	DOWN HOLE ASSEMBLY	375 378
86	97				
97	145				
145	180				
180	200				
200	215				
215	240				
240	249				
249	323				
323	353				
353	356				
356	378				
378	379				

10) SURFACE COMPLETION:

APP. ALTER. PROCD.

11) WATER LEVEL:

STATIC LEVEL : 260 FT. DATE: 02/20/92
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE DEPTH
 BP SEAL 344

RECEIVED
 APR 02 1992

TEXAS WATER COMMISSION

13) TYPE PUMP: SUBMERSIBLE DEPTH TO PUMP:
 14) WELL TEST: JETTED YIELD: 10 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: EXCELLENT DEPTH OF STRATA: NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO. 1541, 1991, & 1992 FOR TOWN USE ONLY
 ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301 WELL NO. 5
 LOCATED ON MAP 65.14.4

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

Signed: John E. Weisinger (signed) (LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1059	1 of 1	NNE	4.08 / 21,536.16	Jesus Ortega 13814 Kershaw Houston TX 77037	SDRW WELLS

Track NO: 228814
Date Submitted: 2010-08-31
Owner Name: Jesus Ortega
Owner Address: 13814 Kershaw
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899167
Longitude: -95.388889
Drilling Date Started: 2010-08-30
Drilling Date Completed: 2010-08-30
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=228814&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2010-08-30

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1060	1 of 2	NNW	4.08 / 21,542.39	Nguyen, Khanh & Dang, Hoa TX	WW HARRIS GAL

Well ID:	12867	Diameter (inches):	4
Aggre Lead Well:	12867	Year Drilled:	NULL
Permit No:	W2019-12867-203198-0	Depth Drilled:	400
Permit Start Date:	6/1/2019	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024	County:	H
Well Status:	E - Exempt	Latitude:	29.900277
Regulatory Aarea:	3	Longitude:	-95.423611
Owner Name:	Nguyen, Khanh & Dang, Hoa		
Billing Contact:	NULL		
Billing Address:	6903 Coral Ridge Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77069		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	S - Single Family Residential		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1060	2 of 2	NNW	4.08 / 21,542.39	Hoa Dang 1222 Turney Dr Houston TX 77038	SDRW WELLS

Track NO: 364430
Date Submitted: 2014-06-02
Owner Name: Hoa Dang
Owner Address: 1222 Turney Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900278
Longitude: -95.423611
Drilling Date Started: 2014-04-21
Drilling Date Completed: 2014-04-22
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=364430&Type=SDR-Well>

Well Borehole Information

Top Depth: 415
Bottom Depth: 435

Top Depth: 0
Bottom Depth: 415

Top Depth:
Bottom Depth: 435.0

Well Levels

Measurement: 170
Measurement Date: 2014-04-22

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1061	1 of 1	NNE	4.08 / 21,549.53	ELIZABETH CASHMERE TX	TCEQ WELL LOGS

Grid No:	65-05-9
Date Drilled:	09/14/1998
Owners Name:	ELIZABETH CASHMERE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	260
Depth Drilled:	365
Latitude:	29.8950671
Longitude:	-95.3775859

ORIGINAL

Send original copy by certified mail to: TNRCC, P.O. Box 3087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
 Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
 P.O. Box 13087
 Austin, TX 78711-3087
 512-239-0530

1) OWNER ELIZABETH CASHMERE ADDRESS 13615 PINE VALE HOUSTON TEXAS 77037
 (Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS 13615 PINE VALE HOUSTON TX 77037 GRID # 65-05-09
 (Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
 If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) **X**

6) WELL LOG:
 Date Drilling:
 Started 9/10/ 19 98
9/14/ 19 98

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other 2-STRING

From (ft.)	To (ft.)	Description and color of formation material
0	45	CLAY/ROCK
45	105	CLAY/SAND
105	125	CLAY
125	150	CLAY/SAND
150	165	SAND
165	185	SAND/CLAY
185	205	SAND/ROCK/SAND
205	230	SAND
230	285	SAND/CLAY/ROCK
285	345	CLAY/SAND
345	365	SAND

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☒ Other **CEMENTED**
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casting Screen
4	N	PVC CASING	0	355	
2 1/2	N	PVC LINER	350	355	
2 1/2	N	SS SCREEN	355	365	008

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 355 ft. to 15 ft. No. of sacks used 43
15 ft. to 0 ft. No. of sacks used 12
 Method used PRESSURE GROUT
 Cemented by GLEN R. BONDS
 Distance to septic system field lines or other concentrated contamination NA ft.
 Method of verification of above distance _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☒ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
 Static Level 260 ft. below land surface Date 9/14/98
 Artesian flow _____ gpm Date _____

12) PACKERS: Type Depth
4 **X** 2 1/2 **TRI-SEAL** 350

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME NORTHWEST WATER WELLS WELL DRILLER'S LICENSE NO. 50950-WP
 (Type or print)

ADDRESS RT. 1 BOX 457 HOCKLEY TEXAS 77447
 (Street or RFD) (City) (State) (Zip)

(Signed) Glen R. Bonds (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-1-94)

TNRCC COPY

FILE ID
 NOV 06 1998
 COMMENT
 DESC CC
 TRIP

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1062	1 of 2	NNE	4.08 / 21,556.13	Pena, Cristobal TX	WW HARRIS GAL

Well ID:	14499	Diameter (inches):	2
Aggre Lead Well:	14499	Year Drilled:	
Permit No:	WP2023-112990	Depth Drilled:	0
Permit Start Date:	8/1/2023 9:49:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 9:49:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.389722
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	13817 Kershaw Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1062	2 of 2	NNE	4.08 / 21,556.13	Cristobal Pena 13817 Kershaw Houston TX 77037	SDRW WELLS

Track NO: 149598
Date Submitted: 2008-08-13
Owner Name: Cristobal Pena
Owner Address: 13817 Kershaw
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.389445
Drilling Date Started: 2008-08-08
Drilling Date Completed: 2008-08-08
Chemical Analysis: No
Company Name: Raymond Services, Inc
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=149598&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2008-08-08

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1063	1 of 1	NNE	4.08 / 21,565.42	Saldana, Catherine Delafuente TX	WW HARRIS GAL

Well ID:	12645	Diameter (inches):	2
Aggre Lead Well:	12645	Year Drilled:	NULL
Permit No:	WP2023-112247	Depth Drilled:	200
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.896388
Regulatory Aarea:	3	Longitude:	-95.380555
Owner Name:	CATHERINE DELAFUENTE SALDANA		
Billing Contact:	NULL		
Billing Address:	612 Louisiana St		
Billing Address 2:	NULL		
Billing City:	South Houston		
Billing State:	TX		
Billing Zip:	77587		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1064	1 of 1	N	4.09 / 21,569.17	JOHN PEDERSON TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 03/16/1993
 Owners Name: JOHN PEDERSON
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 220
 Depth Drilled: 452
 Latitude: 29.9017488
 Longtiude: -95.4029347

Please use black ink.

204764

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1065	1 of 1	N	4.09 / 21,579.07	Amex Collision Service LLC TX	WW HARRIS GAL

Well ID:	12730	Diameter (inches):	4
Aggre Lead Well:	12730	Year Drilled:	0
Permit No:	W2018-12730-197631-0	Depth Drilled:	1
Permit Start Date:	6/25/2018	Depth frm Surf(ft):	0
Permit End Dt:	6/25/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.402222
Owner Name:	Amex Collision Service LLC		
Billing Contact:	NULL		
Billing Address:	137 Raymac Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1066	1 of 1	NNE	4.09 / 21,580.82	Flores, Maria Teresa TX	WW HARRIS GAL

Well ID:	14725	Diameter (inches):	4
Aggre Lead Well:	14725	Year Drilled:	NULL
Permit No:	WP2021-100439	Depth Drilled:	0
Permit Start Date:	8/1/2021 4:01:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022 4:01:00 PM	County:	H
Well Status:	P - Plugged	Latitude:	29.900555
Regulatory Aarea:	3	Longitude:	-95.394444
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	501 Nicar Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1067	1 of 1	NE	4.09 / 21,583.48	Aid Utility Co. TX	GWDB

Well Rep Track No:
State Well No: 6506704
Owner Name: Aid Utility Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year:
Well Depth: 400
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8827780
Longitude: -95.3588890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506704&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506704&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1068	1 of 1	NW	4.09 / 21,587.65	Jocelyn Vasquez 2603 Jorent Houston TX 77088	SDRW WELLS

Track NO: 421258
Date Submitted: 2016-04-28
Owner Name: Jocelyn Vasquez
Owner Address: 2603 Jorent
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.450833
Drilling Date Started: 2016-04-27
Drilling Date Completed: 2016-04-27
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=421258&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 10
Measurement Date: 2016-04-27

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1069	1 of 1	NNE	4.09 / 21,592.21	Ayala, Tomas TX	WW HARRIS GAL

Well ID:	6874	Diameter (inches):	2
Aggre Lead Well:	6874	Year Drilled:	
Permit No:	W2020-6874-210664-0	Depth Drilled:	60
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	22
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.397222
Owner Name:	Ayala, Tomas		
Billing Contact:	NULL		
Billing Address:	10850 O Mally Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77067		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1070	1 of 1	NNE	4.09 / 21,595.58	Rangel, Maria Juana TX	WW HARRIS GAL

Well ID:	13407	Diameter (inches):	2
Aggre Lead Well:	13407	Year Drilled:	0
Permit No:	W2016-13407-184591-0	Depth Drilled:	50
Permit Start Date:	8/1/2016	Depth frm Surf(ft):	40
Permit End Dt:	8/1/2016	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.388888
Owner Name:	Rangel, Maria Juana		
Billing Contact:	NULL		
Billing Address:	13923 Stoneshire St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037-1742		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1071	1 of 1	WSW	4.09 / 21,596.00	BURT SAVILLE TX	TCEQ WELL LOGS

Grid No: 65-13-4
Date Drilled: 10/04/1995
Owners Name: BURT SAVILLE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 236
Depth Drilled: 345
Latitude: 29.817603
Longtiude: -95.472692

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																		
1) OWNER <u>Burt Saville</u> (Name) ADDRESS <u>13815 Wickersham Houston TX 77077</u> (Street or RFD) (City) (State) (Zip)																																						
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>5602 GARDENDALE HSTN TX.</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-13-4</u>																																						
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																		
6) WELL LOG: Date Drilling: <u>10/3/95</u> Started <u>10/3/95</u> Completed <u>10/4/95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>335</u></td> </tr> <tr> <td><u>3 1/8</u></td> <td><u>335</u></td> <td><u>345</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>335</u>	<u>3 1/8</u>	<u>335</u>	<u>345</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																									
Dia. (in.)	From (ft.)	To (ft.)																																				
<u>6 3/4</u>	Surface	<u>335</u>																																				
<u>3 1/8</u>	<u>335</u>	<u>345</u>																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0</u></td><td><u>35</u></td><td><u>TOP SOIL & CLAY</u></td></tr> <tr><td><u>35</u></td><td><u>42</u></td><td><u>SURFACE SAND</u></td></tr> <tr><td><u>42</u></td><td><u>48</u></td><td><u>CLAY</u></td></tr> <tr><td><u>48</u></td><td><u>110</u></td><td><u>SAND</u></td></tr> <tr><td><u>110</u></td><td><u>123</u></td><td><u>CLAY</u></td></tr> <tr><td><u>123</u></td><td><u>139</u></td><td><u>SAND</u></td></tr> <tr><td><u>139</u></td><td><u>193</u></td><td><u>CLAY</u></td></tr> <tr><td><u>193</u></td><td><u>258</u></td><td><u>SAND</u></td></tr> <tr><td><u>258</u></td><td><u>325</u></td><td><u>CLAY (SANDY)</u></td></tr> <tr><td><u>325</u></td><td><u>345</u></td><td><u>SAND</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>35</u>	<u>TOP SOIL & CLAY</u>	<u>35</u>	<u>42</u>	<u>SURFACE SAND</u>	<u>42</u>	<u>48</u>	<u>CLAY</u>	<u>48</u>	<u>110</u>	<u>SAND</u>	<u>110</u>	<u>123</u>	<u>CLAY</u>	<u>123</u>	<u>139</u>	<u>SAND</u>	<u>139</u>	<u>193</u>	<u>CLAY</u>	<u>193</u>	<u>258</u>	<u>SAND</u>	<u>258</u>	<u>325</u>	<u>CLAY (SANDY)</u>	<u>325</u>	<u>345</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																				
<u>0</u>	<u>35</u>	<u>TOP SOIL & CLAY</u>																																				
<u>35</u>	<u>42</u>	<u>SURFACE SAND</u>																																				
<u>42</u>	<u>48</u>	<u>CLAY</u>																																				
<u>48</u>	<u>110</u>	<u>SAND</u>																																				
<u>110</u>	<u>123</u>	<u>CLAY</u>																																				
<u>123</u>	<u>139</u>	<u>SAND</u>																																				
<u>139</u>	<u>193</u>	<u>CLAY</u>																																				
<u>193</u>	<u>258</u>	<u>SAND</u>																																				
<u>258</u>	<u>325</u>	<u>CLAY (SANDY)</u>																																				
<u>325</u>	<u>345</u>	<u>SAND</u>																																				
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>335</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>GALVANIZED</u></td> <td><u>330</u></td> <td><u>340</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>335</u></td> <td><u>345</u></td> <td><u>.012</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>335</u>		<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>330</u>	<u>340</u>		<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>335</u>	<u>345</u>	<u>.012</u>							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																	
			From	To																																		
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>335</u>																																		
<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>330</u>	<u>340</u>																																		
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>335</u>	<u>345</u>	<u>.012</u>																																	
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>25</u> ft. No. of sacks used <u>16</u> <u>280</u> ft. to <u>330</u> ft. No. of sacks used <u>3</u> Method used <u>Halliburton / Telford</u> Cemented by <u>BUSSELL & SON INC</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																																				
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																				
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>236</u> ft. below land surface Date <u>10-4-95</u> Artesian flow _____ gpm. Date _____																																				
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Type</th> <th style="width: 40%;">Depth</th> </tr> </thead> <tbody> <tr> <td><u>K-PACKER</u></td> <td><u>335</u></td> </tr> </tbody> </table>		Type	Depth	<u>K-PACKER</u>	<u>335</u>																																	
Type	Depth																																					
<u>K-PACKER</u>	<u>335</u>																																					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																						
COMPANY NAME <u>BUSSELL & SON INC</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2035</u> ADDRESS <u>P O Box 874</u> (Street or RFD) <u>Tomball</u> (City) <u>TX 77377-0874</u> (State) (Zip) (Signed) <u>Craig O. Buswell</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																						
Please attach electric log, chemical analysis, and other pertinent information, if available.																																						

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1072	1 of 1	NNE	4.09 / 21,601.98	SALEX SCHAWB TX	TCEQ WELL LOGS


Grid No: 65-05-9V
Date Drilled: 07/15/1970
Owners Name: SALEX SCHAWB
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 325
Latitude: 29.8989854
Longtiude: -95.3876099

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 68-05-24
Located on map 7C3
Received: 70
Gord

1) OWNER:
Person having well drilled Alex Schaub (Name) Address 13811 StoneShire Houston Tex (Street or RFD) (City) (State)
Landowner Alex Schaub (Name) Address 13811 StoneShire Houston Tex (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 14 miles in N direction from Houston (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 325 ft. Depth of completed well 325 ft. Date drilled 7-15-70
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 30		Clay
30 - 43		Clay
43 - 49		Sand
49 - 67		Clay
67 - 96		Sand
96 - 140		Clay
140 - 147		sand
147 - 260		clay
260 - 265		sand
265 - 285		clay
285 - 295		sand
295 - 300		Clay
300 - 325		Sand white coarse

(Use reverse side if necessary)

9) CASING:
Type: Old ☒ New _____ Steel _____ Plastic _____ Other _____
Cemented from 0 ft. to 300 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
4 0 300

10) SCREEN:
Type stainless steel Underbar
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 315 325 .012

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____ Lead seal

8) WATER LEVEL:
Static level 190 ft. below land surface Date 7-15-70
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 231 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James A. Hall (Type or Print) Water Well Drillers Registration No. # 1019
ADDRESS 1460.5 Reveston (Street or RFD) Houston (City) Texas (State) 77039
(Signed) James A. Hall (Water Well Driller) H + H Water Well Drilling (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1073	1 of 1	N	4.09 / 21,609.92	Ty Raymond 147 Raymac St. Houston TX 77037	SDRW WELLS

Track NO: 407592
Date Submitted: 2015-10-26
Owner Name: Ty Raymond
Owner Address: 10011 Airline
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901667
Longitude: -95.4025
Drilling Date Started: 2015-10-21
Drilling Date Completed: 2015-10-21
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=407592&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 10
Measurement Date: 2015-10-21

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1074	1 of 1	SSW	4.09 / 21,610.98	SUPERIOR CONCRETE ACCESSORIES TX	WW HARRIS GAL

Well ID:	2701	Diameter (inches):	6
Aggre Lead Well:	2701	Year Drilled:	1971
Permit No:	W1980-2701-11070-0	Depth Drilled:	480
Permit Start Date:	7/1/1980	Depth frm Surf(ft):	318
Permit End Dt:	6/30/1981	County:	H
Well Status:	P - Plugged	Latitude:	29.784166
Regulatory Aarea:	2	Longitude:	-95.428888
Owner Name:	SUPERIOR CONCRETE ACCESSORIES		
Billing Contact:	NULL		
Billing Address:	6417 TOLEDO		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77008		
Correspondence:	NULL		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1075	1 of 1	SW	4.09 / 21,614.26	Phillip Carey Manufacturing Co. TX	GWDB

Well Rep Track No:
State Well No: 6513503
Owner Name: Phillip Carey Manufacturing Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1947
Well Depth: 160
Well Usage: Unused
Water Level Status:
Latitude: 29.7977780
Longitude: -95.4563890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513503&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513503&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1076	1 of 1	NNE	4.09 / 21,619.95	HENRY J CAMPBELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 09/21/1998
 Owners Name: HENRY J CAMPBELL
 County: HARRIS
 Water Usage: NOT REPORTED
 Static Level: 15
 Depth Drilled: 40
 Latitude: 29.9010821
 Longitude: -95.3964988

RCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1077	1 of 1	ENE	4.10 / 21,626.10	7-11 DRIVE IN STORE TX	TCEQ WELL LOGS

Grid No: 65-14-1F
 Date Drilled: 06/24/1973
 Owners Name: 7-11 DRIVE IN STORE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 147
 Depth Drilled: 232
 Latitude: 29.870623
 Longtiude: -95.34919

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas		For TWDB use only Well No. <u>65-14-1F</u> Located on map <u>1/4 S</u> Received: <u>75-1</u>	
WATER WELL REPORT					
1) OWNER: Person having well drilled <u>711 DRIVE IN STORE</u> Address <u>LITTLE YORK RD</u> (City) <u>HOUSTON</u> (State) <u>TEX</u> Landowner (Name) (Street or RFD) (City) (State)					
2) LOCATION OF WELL: County <u>HARRIS</u> miles in _____ direction from _____ (Town) (N.E., S.W., etc.) Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____					
3) TYPE OF WORK (Check): New Well _____ Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic _____ Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary _____ Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____	
6) WELL LOG: Diameter of hole <u>6 1/4</u> in. Depth drilled <u>232</u> ft. Depth of completed well <u>232</u> ft. Date drilled <u>6-24-75</u> All measurements made from <u>1</u> ft. above ground level.					
From (ft.) To (ft.) Description and color of formation material		9) CASING: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____ Cemented from <u>220</u> ft. to <u>80</u> ft.			
<u>0-41 CLAY</u> <u>41-54 RED SAND</u> <u>54-96 RED CLAY</u> <u>96-106 SANDY SHALE</u> <u>106-186 WHITE CLAY</u> <u>186-192 PINK WHITE SAND</u> <u>192-202 FIRM SHALE</u> <u>202-232 SAND</u>		Diameter (inches) _____ Setting From (ft.) To (ft.) Gage <u>4</u> <u>P.V.C</u> <u>SCL</u> <u>40</u>			
(Use reverse side if necessary)		10) SCREEN: Type <u>UNDER RAN</u> Perforated _____ Slotted _____ Diameter (inches) _____ Setting From (ft.) To (ft.) Slot Size <u>2 1/2</u> <u>232 - 222</u> <u>1/8</u>			
7) COMPLETION (Check): Straight wall _____ Gravel packed _____ Other _____ Under reamed _____ Open Hole _____		11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> No _____ If yes, by whom? _____ Yield: <u>400 G.P.M.</u> with <u>6</u> ft. drawdown after <u>1</u> hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____			
8) WATER LEVEL: Static level <u>147</u> ft. below land surface Date _____ Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>168</u> ft. below land surface.		12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No <input checked="" type="checkbox"/> Type of water? _____ depth of strata _____			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.					
NAME <u>BRUNO DIETZ</u> (Type or Print)		Water Well Drillers Registration No. <u>323</u>			
ADDRESS <u>3051 ROTHIERMEL</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TEXAS</u> (State)					
(Signed) <u>BRUNO DIETZ</u> (Water Well Driller)		(Company Name) <u>DIETZ PUMP & WELL SERVICE</u>			
Please attach electric log, chemical analysis, and other pertinent information, if available.					
*Additional instructions on reverse side.					


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWBE-GM-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JUL 16 1975
TEXAS WATER
DEVELOPMENT BOARD

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1078	1 of 1	NNE	4.10 / 21,630.24	APRIL MARIN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/15/1996
Owners Name: APRIL MARIN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 9
Depth Drilled: 47
Latitude: 29.896678
Longtiude: -95.380738

Send original copy by certified mail to: TNRCC, P.O. Box

Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>April Martin</u> (Name)		ADDRESS <u>13715 Scoregga Rd Houston, TX</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-9</u>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: <u>Oct 14</u> 19 <u>96</u> Started <u>Oct 14</u> 19 <u>96</u> Completed <u>Oct 15</u> 19 <u>96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>47</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>47</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4 1/2</u>	Surface	<u>47</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 35</u> <u>Clay</u> <u>35 - 47</u> <u>Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval ... from <u>27</u> ft. to <u>47</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>P.V.C.</u></td> <td><u>0</u></td> <td><u>37</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>P.V.C. Screen</u></td> <td><u>37</u></td> <td><u>47</u></td> <td><u>08</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>37</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>37</u>	<u>47</u>	<u>08</u>		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casing Screen																		
			From	To																					
<u>2</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>37</u>	<u>40</u>																				
<u>2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>37</u>	<u>47</u>	<u>08</u>																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>27</u> ft. No. of sacks used <u>4 1/2</u> ft. to _____ ft. No. of sacks used _____ Method used <u>Hand Mix</u> Cemented by <u>Chew</u> Distance to septic system field lines or other concentrated contamination <u>20</u> ft. Method of verification of above distance <u>across</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Well Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		TEXAS NATURAL RESOURCES CONSERVATION COMMISSION Static level <u>9</u> ft. below land surface Date <u>Oct 15, 96</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>12</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth <u>None</u>																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>COASTAL WATER WELL</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u>																							
ADDRESS <u>P.O. Box 745</u> (Street or RFD)		<u>Porter</u> (City)		<u>TX.</u> (State) <u>77365</u> (Zip)																					
(Signed) <u>J.R. Gehlb</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1079	1 of 1	N	4.10 / 21,632.75	Estate of Donna R. Raymond 129 Raymac Houston TX 77037	SDRW WELLS

Track NO: 31202
Date Submitted: 2004-01-19
Owner Name: Estate of Donna R. Raymond
Owner Address: 129 Raymac
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901945
Longitude: -95.401667
Drilling Date Started: 2003-12-04
Drilling Date Completed: 2003-12-04
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=31202&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2003-12-04

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1080	1 of 1	NE	4.10 / 21,635.14	Margaret Garza 1718 Sunny Dr. Houston TX 77093	SDRW WELLS

Track NO: 98923
Date Submitted: 2006-11-30
Owner Name: Margaret Garza
Owner Address: 1718 Sunny Drive
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.880833
Longitude: -95.357223
Drilling Date Started: 2006-11-21
Drilling Date Completed: 2006-11-28
Chemical Analysis: No
Company Name: Ballard Water Well
Company Address: P. O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=98923&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 360.0

Top Depth: 340
Bottom Depth: 360

Top Depth: 0
Bottom Depth: 340

Well Levels

Measurement: 207
Measurement Date: 2006-11-28

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1081	1 of 2	NE	4.10 / 21,638.73	Franco, Manuel TX	WW HARRIS GAL
<div> <div> Well ID: 11652 Aggre Lead Well: 11652 Permit No: WP2024-100924 Permit Start Date: 1/10/2024 12:36:45 PM Permit End Dt: 1/31/2025 12:36:45 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Franco, Manuel Billing Contact: NULL Billing Address: 11552 E. Hardy Road Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77093 Correspondence: NULL Provision: NULL Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: 2010 Depth Drilled: 250 Depth frm Surf(ft): 230 County: H Latitude: 29.89 Longitude: -95.368055 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1081	2 of 2	NE	4.10 / 21,638.73	FRANCO BUILDERS 11552 EAST HARDY HOUSTON TX 77093	SDRW WELLS

Track NO: 126254
Date Submitted: 2007-11-05
Owner Name: FRANCO BUILDERS
Owner Address: 2315 CHERRYVILLE DR.
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.889722
Longitude: -95.368055
Drilling Date Started: 2007-11-01
Drilling Date Completed: 2007-11-03
Chemical Analysis: No
Company Name: NORTHWEST WATER WELLS
Company Address: 25143 FM 1488
CompanyAddress2:
Company City: MAGNOLIA
Company State: TX
Company Zip: 77355
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=126254&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 375.0

Top Depth: 0
Bottom Depth: 375

Well Levels

Measurement: 195
Measurement Date: 2007-11-03

Well Strata

Water Type:

GOOD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1082	1 of 1	N	4.10 / 21,638.81	Estate of Donna R. Raymond 131 Raymac Houston TX 77037	SDRW WELLS

Track NO: 31203
Date Submitted: 2004-01-19
Owner Name: Estate of Donna R. Raymond
Owner Address: 131 Raymac
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901945
Longitude: -95.401945
Drilling Date Started: 2003-12-04
Drilling Date Completed: 2003-12-04
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=31203&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2003-12-04

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1083	1 of 1	SSW	4.10 / 21,643.50	Automation Products Inc. TX	WW HARRIS GAL

Well ID:	16169	Diameter (inches):	4
Aggre Lead Well:	16169	Year Drilled:	NULL
Permit No:	WP2023-112772	Depth Drilled:	NULL
Permit Start Date:	7/12/2023 12:30:00 PM	Depth frm Surf(ft):	NULL
Permit End Dt:	6/30/2024 12:30:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.785771
Regulatory Aarea:	2	Longitude:	-95.431687
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	3030 Maxroy St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77008		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1084	1 of 1	N	4.10 / 21,645.35	ISIDRO REYES 125 RAYMAC HOUSTON TX 77037	SDRW WELLS

Track NO: 9828
Date Submitted: 2002-08-05
Owner Name: ISIDRO REYES
Owner Address: 11366 TELEGRAPH RD.
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77067
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900834
Longitude: -95.401945
Drilling Date Started: 2002-07-31
Drilling Date Completed: 2002-08-01
Chemical Analysis: No
Company Name: NORTHWEST WATER WELLS
Company Address: 25143 FM 1488
CompanyAddress2:
Company City: MAGNOLIA
Company State: TX
Company Zip: 77355
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=9828&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 60

Top Depth:
Bottom Depth: 60.0

Well Levels

Measurement: 35
Measurement Date: 2002-08-01

Well Strata

Water Type:

GOOD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1085	1 of 1	N	4.10 / 21,653.39	WMA Holdings, LLC TX	WW HARRIS GAL
<div> <div> Well ID: 12682 Aggre Lead Well: 12682 Permit No: W2020-12682-211404-0 Permit Start Date: 8/1/2020 Permit End Dt: 8/1/2020 Well Status: P - Plugged Regulatory Aarea: 3 </div> <div> Diameter (inches): 4 Year Drilled: 197 Depth Drilled: 1 Depth frm Surf(ft): 0 County: H Latitude: 29.901388 Longitude: -95.399722 </div> </div>					
Owner Name:		Edwards Holdings, Inc., Bill C.			
Billing Contact:		NULL			
Billing Address:		10006 Airline Dr			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		770371404			
Correspondence:		NULL			
Provision:		U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.			
Water Usage:		D - Domestic/Commercial			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1086	1 of 1	NNE	4.10 / 21,663.97	SCOTT KUHLMAN TX	TCEQ WELL LOGS

Grid No:	65-05-6
Date Drilled:	07/02/1996
Owners Name:	SCOTT KUHLMAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	225
Depth Drilled:	400
Latitude:	29.898984
Longtiude:	-95.387002

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>SCOTT KUHLMAN</u> (Name) ADDRESS <u>13810 STONESHIRE HOUSTON TEXAS 77037</u> (Street or RFD) (City) (State) (Zip)																															
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>13810 STONESHIRE HOUSTON TEXAS 77037</u> GRID # <u>65-05-6</u> (Street, RFD or other) (City) (State) (Zip)																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: _____ Started <u>7-1-96</u> Completed <u>7-2-96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>6-3/4</td> <td>Surface</td> <td>380</td> </tr> <tr> <td>3-7/8</td> <td>380</td> <td>400</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6-3/4	Surface	380	3-7/8	380	400	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
6-3/4	Surface	380																													
3-7/8	380	400																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0</td><td>20</td><td>CLAY</td></tr> <tr><td>20</td><td>80</td><td>SAND & ROCK</td></tr> <tr><td>80</td><td>140</td><td>CLAY</td></tr> <tr><td>140</td><td>220</td><td>SAND</td></tr> <tr><td>220</td><td>280</td><td>SHALE & CLAY</td></tr> <tr><td>280</td><td>340</td><td>ROCK & CLAY</td></tr> <tr><td>340</td><td>400</td><td>SAND</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	20	CLAY	20	80	SAND & ROCK	80	140	CLAY	140	220	SAND	220	280	SHALE & CLAY	280	340	ROCK & CLAY	340	400	SAND	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.					
From (ft.)	To (ft.)	Description and color of formation material																													
0	20	CLAY																													
20	80	SAND & ROCK																													
80	140	CLAY																													
140	220	SAND																													
220	280	SHALE & CLAY																													
280	340	ROCK & CLAY																													
340	400	SAND																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>PVC CASING</td> <td>380</td> <td>0</td> <td>Sch 40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC LINER</td> <td>380</td> <td>370</td> <td>Sch 40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC SCREEN</td> <td>400</td> <td>380</td> <td>.012</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC CASING	380	0	Sch 40	2 1/2	N	PVC LINER	380	370	Sch 40	2 1/2	N	PVC SCREEN	400	380	.012
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
4	N	PVC CASING	380	0	Sch 40																										
2 1/2	N	PVC LINER	380	370	Sch 40																										
2 1/2	N	PVC SCREEN	400	380	.012																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>380</u> ft. to <u>0</u> ft. No. of sacks used <u>16</u> <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>6</u> Method used <u>HALLIBURTON</u> Cemented by <u>ROBINSON WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>130</u> ft. Method of verification of above distance <u>OWNER</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Flood <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>225</u> ft. below land surface Date <u>7-2-96</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td>K</td> <td>370</td> </tr> </table>				Type	Depth	K	370																						
Type	Depth																														
K	370																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>ROBINSON WATER WELL</u> (Type or print) ADDRESS <u>11819 W. MONTGOMERY</u> HOUSTON TEXAS 77086 (Street or RFD) (City) (State) (Zip)		WELL DRILLER'S LICENSE NO. <u>1464</u>																													
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1087	1 of 1	NNE	4.10 / 21,665.23	TOMMY STOWE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 9/8/1999
Owners Name: TOMMY STOWE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 377
Latitude: 29.8991731
Longtiude: -95.3876244

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>Tommy Stowe</u> ADDRESS <u>13815 Stoneshire Houston Tx 77037</u> <small>(Name) (Street/RFD) (City) (State) (Zip)</small>																															
2) ADDRESS OF WELL'S LOCATION: <u>13823 Stoneshire Houston Tx 77037</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. <u> </u> Lat. <u> </u> Grid # <u>65-05-9</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental/Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling <u>Sept 3, 1999</u> Started <u>Sept 3, 1999</u> Completed <u>Sept 8, 1999</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>7</td> <td>Surface</td> <td>360</td> </tr> <tr> <td>5</td> <td>360</td> <td>377</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	7	Surface	360	5	360	377	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																		
Dia. (in.)	From (ft.)	To (ft.)																													
7	Surface	360																													
5	360	377																													
From (ft.) To (ft.) Description and color of formation material <u>0 - 17</u> <u>Clay</u> <u>17 - 45</u> <u>Sand</u> <u>45 - 50</u> <u>Rock - Sand</u> <u>50 - 62</u> <u>Clay</u> <u>62 - 89</u> <u>Sand</u> <u>89 - 157</u> <u>Clay</u> <u>157 - 177</u> <u>Sand</u> <u>177 - 198</u> <u>Clay</u> <u>198 - 215</u> <u>Sand</u> <u>215 - 274</u> <u>Clay, rock strata</u> <u>274 - 290</u> <u>Sand</u> <u>290 - 351</u> <u>Clay, sand strata</u> <u>351 - (Use reverse side of Well Owner's copy, if necessary)</u> <u>Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>PVC</td> <td>0</td> <td>360</td> <td>40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC Liner</td> <td>350</td> <td>362</td> <td>40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC To case</td> <td>362</td> <td>377</td> <td>08</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC	0	360	40	2 1/2	N	PVC Liner	350	362	40	2 1/2	N	PVC To case	362	377	08
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
4	N	PVC	0	360	40																										
2 1/2	N	PVC Liner	350	362	40																										
2 1/2	N	PVC To case	362	377	08																										
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used: From (ft) To (ft) From (ft) To (ft)		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>4</u> <u>100</u> ft. to <u>360</u> ft. No. of sacks used <u>12</u> Method used <u>Pneum</u> Cemented by <u>C.W.W.</u> Distance to septic system field lines or other concentrated contamination <u>100</u> Method of verification of above distance <u>Owner</u>																													
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input checked="" type="checkbox"/> Approved Alternative Procedure Used																													
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>12</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>250</u> ft. below land surface Date <u>Sept 8, 99</u> Artesian flow _____ gpm. Date _____																													
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>26'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>FILE #</th> <th>TYPE</th> <th>Depth (ft.)</th> </tr> <tr> <td>4x2 1/2 RXR</td> <td>K</td> <td>350</td> </tr> <tr> <td>EMP 3</td> <td></td> <td>DESC CO</td> </tr> <tr> <td colspan="3" style="text-align: center;">OCT 20 1999</td> </tr> <tr> <td>COMBENT</td> <td>812</td> <td>CB</td> </tr> </table>				FILE #	TYPE	Depth (ft.)	4x2 1/2 RXR	K	350	EMP 3		DESC CO	OCT 20 1999			COMBENT	812	CB											
FILE #	TYPE	Depth (ft.)																													
4x2 1/2 RXR	K	350																													
EMP 3		DESC CO																													
OCT 20 1999																															
COMBENT	812	CB																													
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>COASTAL WATER WELL</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>812</u>																													
ADDRESS <u>P.O. Box 745</u> <small>(Street/RFD)</small>		<u>Porter TX 77365</u> <small>(City) (State) (Zip)</small>																													
(Signed) <u>D.R. Gehl</u> <small>(Licensed Well Driller)</small>		(Signed) <u>D.R. Gehl</u> <small>(Registered Driller Trainee)</small>																													

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1088	1 of 2	N	4.10 / 21,668.72	M & S Auto Group TX	WW HARRIS GAL

Well ID:	6425	Diameter (inches):	4
Aggre Lead Well:	6425	Year Drilled:	1998
Permit No:	WP2023-112361	Depth Drilled:	360
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	340
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.413611
Owner Name:	M & S Auto Group		
Billing Contact:	NULL		
Billing Address:	9501 N. Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1088	2 of 2	N	4.10 / 21,668.72	Raymond Hernandez 9501 N. Freeway Houston TX 77038	SDRW WELLS

Track NO: 267862
Date Submitted: 2011-10-07
Owner Name: Raymond Hernandez
Owner Address: 9501 N. Freeway
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901945
Longitude: -95.413612
Drilling Date Started: 2011-10-04
Drilling Date Completed: 2011-10-04
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=267862&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 150.0

Top Depth: 0
Bottom Depth: 150

Well Levels

Measurement: 107
Measurement Date: 2011-10-04

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1089	1 of 3	N	4.10 / 21,671.41	HOUSTON SHELL & CONCRETE TX	TCEQ WELL LOGS

Grid No: 65-28-2
Date Drilled: 12/28/1988
Owners Name: HOUSTON SHELL & CONCRETE
County: FORT BEND
Water Usage: INDUSTRIAL
Static Level: 137
Depth Drilled: 311
Latitude: 29.9018097
Longitude: -95.400669

STATE OF TEXAS WATER WELL REPORT

1) OWNER: HOUSTON SHELL & CONCRETE ADDRESS: 10011 AIRLINE CITY: HOUSTON STATE: TX ZIP: 77037
 2) LOCATION OF WELL: County: FORT BEND 2 miles in W direction from MISSOURI CITY

LEGAL DESCRIPTION: SEE ATTACHED MAP: 00113
 Section No.: Block No.: Township:
 Abstract No.: Survey Name:
 Distance and direction from two intersecting section or survey lines:

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: INDUSTRIAL 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00113 DIAMETER OF HOLE 7) BOREHOLE METHOD:
 DIAMETER FROM TO TWO STRING/B.P. SEAL
 8.0 0 290 IF GRAVEL... FROM FT. TO FT.
 5.0 290 311 FROM FT. TO FT.
 DATE DRILLED: 12/28/88

GEOLOGICAL DESCRIPTION:		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:				
FROM	TO	DESCRIPTION	DIA	NEW/USED	DESCRIPTION	GAGE CASING SCREEN
0	4	SOIL	5.0	N	P.V.C. S.D.R.17	0 290
4	16	CLAY-WHITE	3.0	N	P.V.C. SCH.80	286 291 LINER
16	36	SAND-TAN-.006-.008	3.0	N	P.V.C. - SLOTTED	291 301 .010
36	92	CLAY-RED	3.0	N	P.V.C. - SLOTTED	301 311 .012
92	97	SAND-TAN-.006-.008				
97	98	ROCK				
98	152	CLAY-RED				
152	160	BROKEN SAND & CLAY				
160	181	SAND-GRAY-.014-.020				
181	198	CLAY-RED				
198	212	SAND-TAN-FINE				
212	246	CLAY-RED				
246	250	SAND-WHITE-FINE				
250	260	CLAY-BLUE				
260	311	SAND-TAN-.010-.012				
311		CLAY-RED				

9) CEMENTING DATA:
 Cemented from 190 FT. TO 290 FT.
 FT. TO FT.
 Method used: PRESSURE-HALIBURTON
 Cemented by: ALMEDA WATER WELL

10) SURFACE COMPLETION:
 APP. ALTER. PROCD.

11) WATER LEVEL:
 STATIC LEVEL : 137 FT. DATE: 12/30/88
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

RECEIVED
 DEC 1 1988

13) TYPE PUMP: CUSTOMER INSTALLED 14) WELL TEST: JETTED TEXAS WATER COMMISSION
 DEPTH TO PUMP: YIELD: 80 GPM WITH FT DRAWDOWN AFTER HRS


15) WATER QUALITY:
 TYPE OF WATER: GOOD DEPTH OF STRATA: 311 NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843 : FOR TDWR USE ONLY
 ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578 : WELL NO. 65-28-2
 : LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) *Albert S. Johnson* (signed) _____
 (LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

CWB



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1089	2 of 3	N	4.10 / 21,671.41	RAYMOND WATER WELLS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 05/22/1992
Owners Name: RAYMOND WATER WELLS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 245
Depth Drilled: 385
Latitude: 29.9018097
Longtiude: -95.400669

WWD-012 (Rev. 05-18-90)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1089	3 of 3	N	4.10 / 21,671.41	Raymond, Jo Ann F. TX	WW HARRIS GAL

Well ID:	5055	Diameter (inches):	4
Aggre Lead Well:	5055	Year Drilled:	1962
Permit No:	WP2023-111543	Depth Drilled:	50
Permit Start Date:	8/1/2023 2:41:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 2:41:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.400833
Owner Name:	Raymond, Jo Ann F.		
Billing Contact:	NULL		
Billing Address:	19019 Tyrone		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77373		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1090	1 of 1	N	4.11 / 21,677.23	Romero, Antonio TX	WW HARRIS GAL
<hr/>					
Well ID:	14238			Diameter (inches):	2
Aggre Lead Well:	14238			Year Drilled:	NULL
Permit No:	WP2023-113917			Depth Drilled:	0
Permit Start Date:	8/1/2023 4:06:00 PM			Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 4:07:00 PM			County:	H
Well Status:	O - Operable			Latitude:	29.902222
Regulatory Aarea:	3			Longitude:	-95.410555
Owner Name:	Romero, Antonio				
Billing Contact:	NULL				
Billing Address:	7075 W 43rd St.				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77092				
Correspondence:	NULL				
Provision:	DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1091	1 of 2	E	4.11 / 21,677.28	City of Houston Irvington TX	GWDB

Well Rep Track No:
State Well No: 6514106
Owner Name: City of Houston Irvington
Drilling Start Dt:
Drilling Month: 1
Drilling Day:
Drilling Year: 1949
Well Depth: 1120
Well Usage: Unused
Water Level Status:
Latitude: 29.8397220
Longitude: -95.3411110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514106&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514106&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1091	2 of 2	E	4.11 / 21,677.28	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013NB
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013NB
Date Drilled: 01/00/1949
Well Depth: 1120
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.839671
Longitude: -95.34105
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1092	1 of 1	NNE	4.11 / 21,689.88	Victor Reyes 406 Hawkins Houston TX 77037	SDRW WELLS

Track NO: 169333
Date Submitted: 2009-02-25
Owner Name: Victor Reyes
Owner Address: 406 Hawkins
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901112
Longitude: -95.395556
Drilling Date Started: 2004-09-14
Drilling Date Completed: 2004-09-16
Chemical Analysis: No
Company Name: Sugg Water Well
Company Address: 13501 Chrisman #26
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77039
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=169333&Type=SDR-Well>

Well Borehole Information

Top Depth: 370
Bottom Depth: 380

Top Depth:
Bottom Depth: 380.0

Top Depth: 0
Bottom Depth: 370

Well Levels

Measurement: 200
Measurement Date: 2004-09-16

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1093	1 of 1	N	4.11 / 21,695.90	TIM DAVIDSON TX	TCEQ WELL LOGS

Grid No:	65-05-9
Date Drilled:	10/17/1990
Owners Name:	TIM DAVIDSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	14.75
Depth Drilled:	45
Latitude:	29.9023263
Longtiude:	-95.4068939

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 Km 14 Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side **State of Texas WELL REPORT** **Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711**

1) OWNER Tim Davidson ADDRESS 404 Raymac Houston Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 6 miles in SW direction from Aldine
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP (3) 0765-06-7

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 10-17 1990
Started 10-17 1990
Completed _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-19</u>	<u>C</u>	
<u>19-43</u>	<u>S</u>	
<u>43-45</u>	<u>C</u>	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>33</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>33</u>	<u>43</u>	<u>6</u>

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 33 ft. No. of Sacks Used 4
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Circ
Cemented by Inc

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 14 3/4 ft. below land surface Date 10-17-90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 30 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc WELL DRILLER'S LICENSE NO. 1182
(Type or print)

ADDRESS P.O. Box 89 Porter Tex 77365
(Street or RFD) (City) (State) (Zip)

(Signed) Harmon L Lowe (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 65-05-9 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1094	1 of 1	N	4.11 / 21,702.03	J.F. GARCIA TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 4/??/1976
 Owners Name: J.F. GARCIA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 195
 Depth Drilled: 329
 Latitude: 29.902372
 Longtiude: -95.408064

Dug

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9888
Located on map yes
Received: 76
all

1) OWNER:
Person having well drilled J.F. Garcia Address 424 Raymac Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* OR Give legal location with distances and directions from adjacent sections or survey lines.
412 H Dug North
map on 65-05-9J ↑
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 314 ft. Depth of completed well 329 ft. Date drilled April 1976
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-5	5	Gray clay
5-18	18	Yellow clay
18-38	38	Sand
38-65	65	Red & yellow clay
65-105	105	Red & gray clay
105-110	110	sand
110-120	120	Red & gray clay
120-162	162	Sand
162-185	185	Red & gray clay
185-190	190	Sand
190-210	210	Yellow clay
210-229	229	Sand
229-272	272	Red & gray clay
272-288	288	Sand
288-301	301	Red & yellow clay
301-329	329	Sand 16 ga

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 314 up _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 1 314 40

10) SCREEN:
Type Well Supplies Inc. Plastic wrapped
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 319 329 16

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 195 ft. below land surface Date April 1976
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Inc. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 Airline Dr. Houston Texas
(Street or RFD) (City) (State)
(Signed) C.A. Raymond, Jr. Raymond Water Well Drilling
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1095	1 of 1	N	4.11 / 21,703.70	SANDRA WRIGHT TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 12/05/1988
Owners Name: SANDRA WRIGHT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 17
Depth Drilled: 57
Latitude: 29.902372
Longtiude: -95.40782

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER SANDRA WRIGHT (Name) Address 420 RAYMAC (Street or RFD) HOUSTON TEXAS (City) (State) (Zip)

2) LOCATION OF WELL: HARRIS County 8 miles in NE direction from HOUSTON TEX (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 12-3 1988
Started 12-3 1988
Completed 12-5 1988

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
<u>4 1/2</u>	<u>Surface</u> <u>57</u>	<u>Fine Sand</u>
		<u>YELLOW Clay</u>
		<u>Fine white sand</u>
		<u>Red Clay</u>
		<u>Red Sand Fine</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
					From	To	
<u>0</u>	<u>8</u>						
<u>8</u>	<u>30</u>						
<u>30</u>	<u>35</u>						
<u>35</u>	<u>52</u>	<u>2</u>	<u>N</u>	<u>PVC Sch 40</u>	<u>Surf-52</u>		<u>0800</u>
<u>52</u>	<u>57</u>				<u>52-57</u>		
					<u>Wrapped</u>		
					<u>Well Screen</u>		

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from Surf ft. to 52 ft. No. of Sacks Used 8
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Pressure
Cemented by L.F. HULL

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 17 ft. below land surface Date 12-5-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth 52
1 RUBBER

13) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 30 ft.

14) WELL TESTS:
Type Test: ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: 6 gpm with 0 ft. drawdown after 4 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME L.F. HULL (Type or Print) Water Well Driller's License No. 02044W


ADDRESS 4933 HARTWICK (Street or RFD) HOUSTON TEXAS (City) (State) (Zip) 77093

(Signed) L.F. Hull (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-85-9
Located on map _____

SANDRA WRIGHT



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1096	1 of 1	NW	4.11 / 21,709.51	Jose Dominguez 2619 Jorents Dr Houston TX 77088	SDRW WELLS

Track NO: 402337
Date Submitted: 2015-08-17
Owner Name: Jose Dominguez
Owner Address: 2619 Jorents
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890278
Longitude: -95.451389
Drilling Date Started: 2015-08-03
Drilling Date Completed: 2015-08-04
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=402337&Type=SDR-Well>

Well Borehole Information

Top Depth: 385
Bottom Depth: 405

Top Depth: 0
Bottom Depth: 385

Top Depth:
Bottom Depth: 405.0

Well Levels

Measurement: 195
Measurement Date: 2015-08-04

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1097	1 of 1	NNW	4.11 / 21,711.73	Tomas Roque 9519 Deer Trail Dr Houston TX 77038	SDRW WELLS

Track NO: 516282
Date Submitted: 2019-07-18
Owner Name: Tomas Roque
Owner Address: 9519 Deer Trail Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901365
Longitude: -95.42298
Drilling Date Started: 2019-07-02
Drilling Date Completed: 2019-07-03
Chemical Analysis: No
Company Name: Zavala Drilling, CO
Company Address: 1910 S. Wheeler St.
CompanyAddress2:
Company City: Jasper
Company State: TX
Company Zip: 75951
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=516282&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 360.0

Top Depth: 0
Bottom Depth: 360

Well Levels

Measurement: 65
Measurement Date:

Well Strata

Water Type:

Good

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1098	1 of 3	NE	4.11 / 21,721.10	TED E KEEN TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 01/17/1998
Owners Name: TED E KEEN
County: HARRIS
Water Usage: SMALL BUSINESS
Static Level: 233
Depth Drilled: 391
Latitude: 29.8870401
Longitude: -95.3635008

Send original copy by certified return receipt requested to TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on an reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>TED F. KEEN</u> (Name) ADDRESS <u>1524 MESQUITE HOUSTON TX 77093</u> (Street or RFD) (City) (State) (Zip)																									
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>1524 MESQUITE HOUSTON TX 77093</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65056</u>																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>SMALL BUS, 15-EMPLOYEES</u>		5)																					
6) WELL LOG: Date Drilling: _____ Started <u>1-15 19 98</u> Completed <u>1-17 19 98</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>380</u></td> </tr> <tr> <td><u>3 3/8</u></td> <td><u>380</u></td> <td><u>391</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>380</u>	<u>3 3/8</u>	<u>380</u>	<u>391</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																							
<u>7</u>	Surface	<u>380</u>																							
<u>3 3/8</u>	<u>380</u>	<u>391</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 7</u> <u>TOP SOIL & FILL DIRT</u> <u>7 - 30</u> <u>RED SHALE</u> <u>30 - 65</u> <u>RED SAND</u> <u>65 - 101</u> <u>RED SHALE</u> <u>101 - 135</u> <u>SAND</u> <u>135 - 170</u> <u>RED SHALE</u> <u>170 - 198</u> <u>SAND</u> <u>198 - 230</u> <u>RED SHALE</u> <u>230 - 272</u> <u>SAND</u> <u>272 - 315</u> <u>RED SHALE</u> <u>315 - 355</u> <u>SAND</u> <u>355 - 369</u> <u>RED SHALE</u> <u>369 - 391</u> <u>SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>371</u></td> <td><u>SCH 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>371</u></td> <td><u>391</u></td> <td><u>SCH 80</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>371</u>	<u>SCH 40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>371</u>	<u>391</u>	<u>SCH 80</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>371</u>	<u>SCH 40</u>																				
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>371</u>	<u>391</u>	<u>SCH 80</u>																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>371</u> ft. No. of sacks used <u>23</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>180</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>120</u> gpm with <u>12</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>233</u> ft. below land surface Date <u>1-17-98</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>				Type	Depth																		
Type	Depth																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>SUGG WATER WELL</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>100601998</u>		ADDRESS <u>13501 CHRISMAN #26 HOUSTON TEXAS 77039</u> (Street or RFD) (City) (State) (Zip)																							
(Signed) <u>James H. Sugg</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																							

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1098	2 of 3	NE	4.11 / 21,721.10	Superior Patter Works-Cast Metals, Inc. TX	WW HARRIS GAL

Well ID:	6471	Diameter (inches):	4
Aggre Lead Well:	6471	Year Drilled:	1998
Permit No:	WP2023-111828	Depth Drilled:	380
Permit Start Date:	8/1/2023 4:09:00 PM	Depth frm Surf(ft):	360
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.886666
Regulatory Aarea:	3	Longitude:	-95.363611
Owner Name:	Superior Patter Works-Cast Metals, Inc.		
Billing Contact:	NULL		
Billing Address:	1210 Raburn Run Ln.		
Billing Address 2:	NULL		
Billing City:	Tomball		
Billing State:	TX		
Billing Zip:	77375		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1098	3 of 3	NE	4.11 / 21,721.10	Keen, Donnie TX	WW HARRIS GAL

Well ID:	7167	Diameter (inches):	4
Aggre Lead Well:	7167	Year Drilled:	
Permit No:	W2019-7167-204371-0	Depth Drilled:	0
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.886944
Regulatory Aarea:	3	Longitude:	-95.363611
Owner Name:	Keen, Donnie		
Billing Contact:	NULL		
Billing Address:	1518 Mesquite		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1099	1 of 1	NNE	4.11 / 21,721.84	Bridge Investments 13822 Kershaw Houston TX 77037	SDRW WELLS

Track NO: 164446
Date Submitted: 2009-01-07
Owner Name: Bridge Investments
Owner Address: 13822 Kershaw
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899722
Longitude: -95.389445
Drilling Date Started: 2009-01-07
Drilling Date Completed: 2009-01-07
Chemical Analysis: No
Company Name: R&D Wayer Wells
Company Address: PO Box 230
CompanyAddress2:
Company City: Huffman
Company State: TX
Company Zip: 77336
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=164446&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 4
Measurement Date: 2009-01-07

Well Strata

Water Type:

fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1100	1 of 1	NNE	4.11 / 21,722.46	L H BEASLEY TX	TCEQ WELL LOGS

Grid No: 65-05-9L
 Date Drilled: 12/18/1980
 Owners Name: L H BEASLEY
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 225
 Depth Drilled: 305
 Latitude: 29.9005002
 Longtiude: -95.3920948

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-911
 Located on map 7/01
 Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER L. H. Reasley (Name) (9) Address 13903 Tillja (Street or RFD) Houston, Texas (City) 77037 (State) (Zip)

2) LOCATION OF WELL:
 County _____ miles in _____ direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map. MAP ON #65-05-67

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 12-18-80

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	
4 3/4	Surface	420	
6 3/4	"	305	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other Two String
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To	Gage Casing Screen
0	3	Surface					
3	16	Yellow clay					
16	43	Sand	4"	N	PVC Casing	305' +18	
43	44	Yellow clay	2 1/2"	N	Well Supplies Inc		
44	49	Sand			WOP PVC Screen	320 310	16
49	110	Red and gray clay	2 1/2"	N	SCH 80 PVC Liner	310 300	
110	117	Gray clay					
117	133	Sand					
133	154	Gray clay					
154	175	Sand					
175	204	Red and gray clay					
204	230	Sand 10 ga.					
230	238	Gray clay					
238	257	Sand and clay					
257	269	Red and gray clay					
269	284	Sand 8 ga.					
284	296	Red and gray clay					
296	320	Sand 16 ga.					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA

Cemented from 305 ft. to 150 ft.
 Method used Pressure Cement
 Cemented by Raymond Water WELLS
 (Company or Individual)

9) WATER LEVEL:
 Static level 225 ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
"K" 300'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
 Yield: 12 gpm with 5 ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond, Jr. Water Well Drillers Registration No. 774
 (Type or Print)

ADDRESS 10011 Airline Drive Houston, Texas 77037
 (Street or RFD) (City) (State) (Zip)

(Signed) C. A. Raymond Jr. Raymond Water Wells
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1101	1 of 1	SW	4.12 / 21,727.72	ZENECA INC. TX	TCEQ WELL LOGS

Grid No:	65-13-5
Date Drilled:	09/27/2000
Owners Name:	ZENECA INC.
County:	HARRIS
Water Usage:	TEST WELL
Static Level:	NOT REPORTED
Depth Drilled:	58
Latitude:	29.7982
Longtiude:	-95.45697

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Te: Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

EW#1

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name

Address

City

State

Zip

ZENCIA INC.
9801 Hempstead Rd.
Houston
Tex
77008

2) WELL LOCATION

County

Physical Address

City

State

Zip

Harri's
9801 Hempstead Rd.
Houston
Tex
77008

3) Type of Work

☒ New Well
☐ Deepening
☐ Reconditioning

4) Proposed Use (check)

☐ Monitor
☐ Environmental Soil Boring
☐ Domestic
☐ Industrial
☐ Irrigation
☐ Injection
☐ Public Supply
☐ De-watering
☒ Testwell

If Public Supply well, were plans submitted to the TNRCC?
☐ Yes
☐ No

5)

N↑

6) Drilling Date

Started

Completed

9/27/2000

9/27/2000

7) Drilling Method (check)

☐ Air Rotary
☐ Mud Rotary
☐ Bored
☐ Air Hammer
☐ Cable Tool
☐ Jetted
☒ Other HSA

8) Borehole Completion

☐ Open Hole
☐ Straight Wall
☐ Under-reamed
☒ Gravel Packed
☐ Other

If Gravel Packed give the interval from 11 ft. to 58 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen
4"	New	Stainless Steel	13-13	304
4"	New	SS Screen	13'-57'	1010

9) Cementing Data

Cementing from 0 ft. to 9 ft. # of sacks used 3
ft. to ft. # of sacks used

Method Used Trimmed
Cementing By CCI
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

10) Surface Completion

☒ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level

Static level ft. below Date / /
Artesian Flow gpm. Date / /

12) Packers

Type

Depth

Bentonite Pellets 9'-11'

13) Plugged

☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump

☐ Turbine
☐ Jet
☒ Submersible
☐ Cylinder
☐ Other

Depth to pump bowls, cylinder, jet etc. ft.

15) Water Test

Type test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☐ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print)

CC1 Enviro Drilling Inc.

Address

City

State

Zip

1717 W. 22nd St.

Houston

Tex

77008

Signature

Signature

Date

Date

Licensed Driller/Pump Installer

Apprentice

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

2999

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1102	1 of 1	NNE	4.12 / 21,734.07	Jose Crisanto Ruiz Padron 13814 Stoneshire St. Lot 4 Houston TX 77037	SDRW WELLS

Track NO: 645817
Date Submitted: 2023-08-14
Owner Name: Jose Crisanto Ruiz Padron
Owner Address: 13814 Stoneshire St. Lot 4
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899444
Longitude: -95.386111
Drilling Date Started: 2023-08-11
Drilling Date Completed: 2023-08-11
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=645817&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 47.0

Top Depth: 0
Bottom Depth: 47

Well Levels

Measurement: 8
Measurement Date: 2023-08-11

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1103	1 of 1	NE	4.12 / 21,736.17	RAY HERNDON TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 09/30/1993
Owners Name: RAY HERNDON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 245
Depth Drilled: 378
Latitude: 29.884504
Longtiude: -95.360405

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

State of Texas
WELL REPORT

1) OWNER: Ray Herndon ADDRESS: 1710 Hartwick Houston, Tx
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: * 10 miles in N direction from Houston, Tx
County Harris (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Section Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP 65.6.7

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Sept 27 1993
Started 6:40
Completed 4:12 1993

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	350
4 1/2	350	378

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other Two String
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-50		clay	4	N	PVC	0	350	40
50-60		Sand, fine red	2 1/2	N	PVC Liner	340	363	40
60-175		clay	2 1/2	N	PVC T-Jaco Sc.	363	378	10
175-180		Sand						
180-240		Clay, rocks						
240-250		Sand						
250-350		Clay, rocks						
350-378		Sand						

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 150 ft. No. of Sacks Used 5
150 ft. to 350 ft. No. of Sacks Used 12
Method used Pressure
Cemented by CWW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pile Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 245 ft. below land surface Date Sept 30 1993
Artesian flow _____ gpm. Date _____

12) PACKERS:
4X2 1/2 Type K Depth 340'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 325 ft.

14) WELL TESTS:
Type Test: ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Potable Depth of strata 28
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.

COMPANY NAME COASTAL WATER WELL WELL DRILLER'S LICENSE NO. 812
(Type or print)

ADDRESS P.O. Box 745 Porter, TX. 77365
(Street or RFD) (City) (State) (Zip)


(Signed) J.R. Gehring (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map 65.6.7

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1104	1 of 1	W	4.12 / 21,740.59	SITTON CONSTRUCTION TX	TCEQ WELL LOGS

Grid No:	65-04-9
Date Drilled:	05/01/1975
Owners Name:	SITTON CONSTRUCTION
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	57
Depth Drilled:	150
Latitude:	29.8397982
Longitude:	-95.4792678

(72)

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
 Well No. 65-04-9B
 Located on map Y-25
 Received: 76

1) OWNER:
 Person having well drilled SITON CONSTRUCTION Address 6111 PINEMONT HOU. TEX.
 (Name) (Street or RFD) (City) (State)
 Landowner 7-11 STORES Address HOUSTON TEXAS
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from
 hiway number, etc.* adjacent sections or survey lines.
map on Labor _____ League _____
60-60-9U Block _____ Survey _____
 (Use reverse side if necessary) Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
 Diameter of hole 6 1/2" in. Depth drilled 150 ft. Depth of completed well 150 ft. Date drilled 5-1-71
 All measurements made from 41 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 15		Top Soil
15 - 80		Sand
80 - 90		Clay
90 - 150		Sand

9) CASING:
 Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
 Cemented from 0 ft. to 140 ft.
 Diameter (inches) _____ Setting _____
 From (ft.) _____ To (ft.) _____ Gage _____

10) SCREEN:
 Type: 55 Rod Bore
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting _____ Slot _____
 From (ft.) _____ To (ft.) _____ Size _____

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
 Static level 57' ft. below land surface Date _____
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No ☒
 Did any strata contain undesirable water? Yes _____ No ☒
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CARL K. BUSSELL Water Well Drillers Registration No. 1581
 (Type or Print)
 ADDRESS 5999 PINEMONT Houston TEXAS
 (Street or RFD) (City) (State)
 (Signed) Carl K. Bussell BUSSELL & SAW, Inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1105	1 of 1	NE	4.12 / 21,744.74	Jose Reyes 1607 Hartwick Rd. Houston TX 77093	SDRW WELLS

Track NO: 632523
Date Submitted: 2023-02-24
Owner Name: Jose Reyes
Owner Address: 1607 Hartwick Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.885604
Longitude: -95.361553
Drilling Date Started: 2023-02-15
Drilling Date Completed: 2023-02-16
Chemical Analysis: No
Company Name: Ricky Bonds Water Wells
Company Address: 23421 Hargrave Rd.
CompanyAddress2:
Company City: Hockley
Company State: TX
Company Zip: 77447
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=632523&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 385

Top Depth:
Bottom Depth: 385.0

Well Levels

Measurement: 200
Measurement Date: 2023-02-16

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1106	1 of 2	NE	4.12 / 21,749.80	MARIA & FELIPE CATILLO TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 05/20/2002
Owners Name: MARIA & FELIPE CATILLO
County: HARRIS
Water Usage: SMALL BUSINESS
Static Level: 220
Depth Drilled: 400
Latitude: 29.893941
Longitude: -95.3740193

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																											
WELL REPORT																															
A. WELL IDENTIFICATION AND LOCATION DATA																															
1) OWNER																															
Name		Address		City	State Zip																										
MARIA & FELIPE CASTILLO		44 FARRELL ST.		Houston	Tx. 77022																										
2) WELL LOCATION																															
County		Physical Address		City	State Zip																										
Harris		1120 Hill Road		Houston	Tx. 77037																										
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply <input checked="" type="checkbox"/> Sm. Business If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) N↑																											
6) Drilling Date Started 5/17/02 Completed 5/20/02		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td>7</td> <td>0</td> <td>400</td> </tr> </table>		Dia. (in.)	From (ft)	To (ft)	7	0	400	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia. (in.)	From (ft)	To (ft)																													
7	0	400																													
From (ft) To (ft) Description and color of formation material 0-10 Topsoil 10-50 Clay, Red 50-90 Red Sand 90-200 Clay 200-280 Sand 280-320 Clay, Rock 320-400 Sand		8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other 2 Straps If Gravel Packed give the interval from _____ ft. to _____ ft.																													
		Casing, Blank Pipe, and Well Screen Data																													
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4"</td> <td>N</td> <td>CASING</td> <td>320</td> <td>0</td> <td>SH 46</td> </tr> <tr> <td>2.5</td> <td>N</td> <td>PIPER</td> <td>320</td> <td>370</td> <td>SH 40</td> </tr> <tr> <td>2.5</td> <td>N</td> <td>SCREEN</td> <td>400</td> <td>380</td> <td>012</td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	4"	N	CASING	320	0	SH 46	2.5	N	PIPER	320	370	SH 40	2.5	N	SCREEN	400	380	012
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																										
			From	To																											
4"	N	CASING	320	0	SH 46																										
2.5	N	PIPER	320	370	SH 40																										
2.5	N	SCREEN	400	380	012																										
		9) Cementing Data Cementing from 320 ft. to 0 ft. # of sacks used 15 0 ft. to 15 ft. # of sacks used 12 Method Used HALIBURTON Cementing By RWW Distance to septic system field of other concentrated contamination 90 ft. Method of verification of above distance COVERED																													
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well:		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used JUN 05 2002 RECEIPT # _____ AMOUNT _____																													
14) Type Pump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc., 315 ft.		11) Water Level Static level 220 ft. below Date 5/20/02 Artesian Flow _____ gpm. Date / /																													
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		12) Packers Type K Depth 370																													
16) Water Quality Did you knowingly penetrate a strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		DAVID HALMS																													
Company or individual's Name (type or print)		ROBINSON WATER WELL SERVICE, INC.		Lic. No.	54211 PKW																										
Address		11819 W. MONTGOMERY RD.		City	Houston																										
				State	Tx.																										
				Zip	77086																										
Signature David Halms Bx		5, 30, 02		Signature _____																											
Licensed Driller/Pump Installer		Date		Apprentice _____																											
				Date _____																											

TDLR FORM 6001/WW/D

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1106	2 of 2	NE	4.12 / 21,749.80	Castillo, Maria TX	WW HARRIS GAL

Well ID:	9173	Diameter (inches):	4
Aggre Lead Well:	9173	Year Drilled:	2002
Permit No:	W2015-9173-180031-0	Depth Drilled:	400
Permit Start Date:	8/1/2015	Depth frm Surf(ft):	390
Permit End Dt:	7/31/2016	County:	H
Well Status:	O - Operable	Latitude:	29.893888
Regulatory Aarea:	3	Longitude:	-95.374444
Owner Name:	Castillo, Maria		
Billing Contact:	NULL		
Billing Address:	14226 E. Cypress Forest Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77070		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1107	1 of 1	SW	4.12 / 21,750.35	Abercrombie, Doyle L. TX	WW HARRIS GAL

Well ID:	4791	Diameter (inches):	3
Aggre Lead Well:	4791	Year Drilled:	1953
Permit No:	W2003-4791-107786-0	Depth Drilled:	100
Permit Start Date:	6/1/2003	Depth frm Surf(ft):	40
Permit End Dt:	6/1/2003	County:	H
Well Status:	P - Plugged	Latitude:	29.804444
Regulatory Aarea:	3	Longitude:	-95.463888
Owner Name:	Abercrombie, Doyle L.		
Billing Contact:	NULL		
Billing Address:	Rt. 2, Box 282		
Billing Address 2:	NULL		
Billing City:	Hempstead		
Billing State:	TX		
Billing Zip:	77445		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1108	1 of 1	NNE	4.12 / 21,753.86	STEVE ALONZO TX	TCEQ WELL LOGS

Grid No: 65-13-3
Date Drilled: 09/13/2001
Owners Name: STEVE ALONZO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 396
Latitude: 29.8952113
Longtiude: -95.3765331

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation <i>Water Well Driller/Pump Installer Program</i> P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us WELL REPORT		This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
A. WELL IDENTIFICATION AND LOCATION DATA					
1) OWNER					
Name STEVE ALONZO		Address 1030 Hill Ro.		City Houston	State Tx.
				Zip 77039	
2) WELL LOCATION					
County HARRIS		Physical Address 1030 Hill Ro.		City Houston	State Tx.
				Zip 77039	
3) Type of Work					
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		Lat. _____ Long. _____ 4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) N↑	
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)	
Started 9 / 11 / 01		Dia.(in.) From (ft.) To (ft.)		<input type="checkbox"/> Air Rotary <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
Completed 9 / 13 / 01		7 0 396			
From (ft) To (ft) Description and color of formation material					
0-5 Top Soil					
5-40 CLAY					
40-70 RED SAND					
70-200 CLAY					
200-300 SAND					
300-350 CLAY					
350-396 SAND					
8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other 2-STIRLING If Gravel Packed give the interval from _____ ft. to _____ ft. Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)		New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen
4		N	PVC CASING	376 0	S.H.V.
2-5		N	PVC LINER	376 366	S.H.V.
2-5		N	PVC SCREEN	396 376	O.I.Z.
9) Cementing Data					
Cementing from 376 ft. to 0 ft. # of sacks used 20					
Cementing from 0 ft. to 15 ft. # of sacks used 12					
Method Used HALLIBURTON					
Cementing By ROBINSON WATER WELL SERVICE, INC.					
Distance to septic system field or other concentrated contamination 50ft					
Method of verification of above distance OWNER RECEIVED					
10) Surface Completion					
<input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used					
11) Water Level					
Static level 200 ft. below		Date 9 / 13 / 01			
Artesian Flow _____ gpm.		Date _____			
12) Packers					
Type		Depth			
K-PACKER		366			
DAVID HELMS					
13) Plugged <input type="checkbox"/> Well plugged within 48 hours					
Casing left in well: Cement/Bentonite placed in well:					
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used	
14) Type Pump					
<input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____					
Depth to pump bowls, cylinder, jet etc. 300 ft.					
15) Water Test					
Typetest <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.					
16) Water Quality					
Did you knowingly penetrate a strata which contain undesirable constituents.					
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER					
Type of water _____ Depth of Strata _____					
Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
Company or individual's Name (type or print) ROBINSON WATER WELL SERVICE, Inc.				Lic. No. 54211 PKU	
Address 11819 W. MONTGOMERY RA				City Houston	
				State Tx.	
				Zip 77066	
Signature David Helms		Date 10 / 23 / 01		Signature _____	
Licensed Driller/Pump Installer		Date		Apprentice _____	
				Date _____	

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1109	1 of 1	SSW	4.12 / 21,761.00	AUTOMATION PRODUCTS, INC. TX	TCEQ WELL LOGS

Grid No:	65-13-8G
Date Drilled:	11/24/1974
Owners Name:	AUTOMATION PRODUCTS, INC.
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	87
Depth Drilled:	287
Latitude:	29.7850984
Longitude:	-95.4308417

1998年12月

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1110	1 of 2	NE	4.12 / 21,778.52	W T CONSFORD TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 08/22/1975
Owners Name: W T CONSFORD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 215
Depth Drilled: 354
Latitude: 29.8869541
Longtiude: -95.3631226

65-05-622

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
 Well No. 65-05-622
 Located on map 475
 Received: 7/27/75
ell

1) OWNER:
 Person having well drilled W.T. Consford Address 1530 Mesquite Houston Texas
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris _____ miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
413 Q North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well _____ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic _____ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary _____ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 354 ft. Depth of completed well 347 ft. Date drilled 8-22-75
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0- 14		Yellow gray clay
15- 38		red gray clay
38- 44		red clay
44- 46		sand
46- 63		red clay
63- 70		red gray clay
70- 92		sand
92-94		red clay
94-104		sand
104-118		blue red clay
118-142		gray red clay

9) Casing:
 Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
 Cemented from 354 up _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	<u>354</u>	<u>1 ft.</u>	<u>354 ft.</u>

10) SCREEN:
 Type Well Supplies Inc. Plastic Wrapped
 Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
<u>2 1/2"</u>	<u>363</u>	<u>368</u>	<u>12</u>
<u>2 1/2"</u>	<u>368</u>	<u>378</u>	<u>16</u>

7) COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 215 ft. below land surface Date _____
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 280 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
 (Type or Print)
 ADDRESS 10011 Airline Houston Texas
 (Street or RFD) (City) (State)
 (Signed) C.A. Raymond Jr. Raymond Water Well Drilling Inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

142-145	red yellow clay
145-155	sand
155-180	red yellow clay
180-185	red yellow clay
185-190	sand
190-192	rock
192-247	red gray clay
247-248	rock
248-250	rock
250-260	red gray clay
260-268	sand
268-290	red gray clay
290-310	rock
310-326	red gray clay
326-328	rock
328-380	rock
330-335	sand
335-340	red gray clay
340-378	sand

RECEIVED
MAR - 1 1976
TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1110	2 of 2	NE	4.12 / 21,778.52	Peralta, Otilio TX	WW HARRIS GAL

Well ID:	8870	Diameter (inches):	4
Aggre Lead Well:	8870	Year Drilled:	1968
Permit No:	W2021-8870-218561-0	Depth Drilled:	376
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.887222
Regulatory Aarea:	3	Longitude:	-95.363055
Owner Name:	Peralta, Otilio		
Billing Contact:	NULL		
Billing Address:	1536 Mesquite		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1111	1 of 1	N	4.12 / 21,779.42	Dadeks Machine Works, Inc. TX	WW HARRIS GAL

Well ID:	5368	Diameter (inches):	5
Aggre Lead Well:	5368	Year Drilled:	1995
Permit No:	WP2022-110784	Depth Drilled:	400
Permit Start Date:	8/1/2022 4:04:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.902222
Regulatory Aarea:	3	Longitude:	-95.4025
Owner Name:	Dadeks Machine Works, Inc.		
Billing Contact:	Janis Dadeks		
Billing Address:	150 Raymac		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1112	1 of 2	N	4.13 / 21,782.72	Exclusive Garden Wholesale TX	WW HARRIS GAL

Well ID:	11069	Diameter (inches):	5
Aggre Lead Well:	11069	Year Drilled:	2009
Permit No:	W2014-11069-169956-0	Depth Drilled:	350
Permit Start Date:	6/1/2014	Depth frm Surf(ft):	20
Permit End Dt:	6/1/2014	County:	H
Well Status:	C - Capped	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.421111
Owner Name:	Exclusive Garden Wholesale		
Billing Contact:	Lo Ackharath		
Billing Address:	9530 Deer Trail Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1112	2 of 2	N	4.13 / 21,782.72	Lo Ackharath 9530 Deer Trail Dr. Houston TX 77383	SDRW WELLS

Track NO: 210913
Date Submitted: 2010-03-22
Owner Name: Lo Ackharath
Owner Address: PO Box 2778
Owner Address2:
Owner City: Spring
Owner State: TX
Owner Zip: 77383
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.901389
Longitude: -95.4225
Drilling Date Started: 2009-08-05
Drilling Date Completed: 2009-08-07
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=210913&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 335

Top Depth:
Bottom Depth: 357.0

Top Depth: 335
Bottom Depth: 357

Well Levels

Measurement: 212
Measurement Date: 2009-08-07

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1113	1 of 1	NW	4.13 / 21,785.86	Katheryn Hamilton 2701 Jorent Houston TX 77088	SDRW WELLS

Track NO: 642799
Date Submitted: 2023-07-05
Owner Name: Katheryn Hamilton
Owner Address: 2701 Jorent
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.451944
Drilling Date Started: 2023-06-19
Drilling Date Completed: 2023-06-19
Chemical Analysis: No
Company Name: R&D Water Wells
Company Address: PO Box 230
CompanyAddress2:
Company City: Huffman
Company State: TX
Company Zip: 77336
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=642799&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 150.0

Top Depth: 0
Bottom Depth: 150

Well Levels

Measurement: 15
Measurement Date: 2023-06-20

Well Strata

Water Type:

ground

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1114	1 of 1	NE	4.13 / 21,795.07	Iglesia Pentecostes Los Hijos Del Rey TX	WW HARRIS GAL

Well ID:	7243	Diameter (inches):	4
Aggre Lead Well:	7243	Year Drilled:	1994
Permit No:	WP2022-111919	Depth Drilled:	388
Permit Start Date:	8/1/2022	Depth frm Surf(ft):	315
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.894722
Regulatory Aarea:	3	Longitude:	-95.375277
Owner Name:	Iglesia Pentecostes Los Hijos Del Rey; Iglesia Pentecostes Los Hijos Del Rey		
Billing Contact:	Prospero Laguanas		
Billing Address:	3910 Bridgedale Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL; NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1115	1 of 1	N	4.13 / 21,805.75	Lam, Robert TX	WW HARRIS GAL

Well ID:	6800	Diameter (inches):	4
Aggre Lead Well:	6800	Year Drilled:	
Permit No:	WP2023-111512	Depth Drilled:	230
Permit Start Date:	8/1/2023 3:22:00 PM	Depth frm Surf(ft):	220
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.399722
Owner Name:	Lam, Robert		
Billing Contact:	NULL		
Billing Address:	11919 Moss Ridge		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1116	1 of 1	NNE	4.13 / 21,808.44	Gilberto Martinez 418 Hawkins Houston TX 77037	SDRW WELLS

Track NO: 25532
Date Submitted: 2003-09-15
Owner Name: Gilberto Martinez
Owner Address: 418 Hawkins
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.400556
Drilling Date Started: 2003-08-27
Drilling Date Completed: 2003-08-27
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=25532&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 51

Top Depth:
Bottom Depth: 51.0

Well Levels

Measurement: 10
Measurement Date: 2003-08-28

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1117	1 of 1	NW	4.13 / 21,816.69	Efigenio Govea 2707 Jorent Dr. Houston TX 77088	SDRW WELLS

Track NO: 623918
Date Submitted: 2022-11-16
Owner Name: Efigenio Govea
Owner Address: 2707 Jorent DR.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.4525
Drilling Date Started: 2022-11-15
Drilling Date Completed: 2022-11-16
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=623918&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 5
Measurement Date: 2022-11-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1118	1 of 1	N	4.13 / 21,821.04	Charles A. Raymond Jr. 130 Raymac Houston TX 77073	SDRW WELLS

Track NO: 31453
Date Submitted: 2004-01-23
Owner Name: Charles A. Raymond Jr.
Owner Address: 1002 Pear Tree Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77073
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.955834
Longitude: -95.444445
Drilling Date Started: 2004-01-12
Drilling Date Completed: 2004-01-12
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=31453&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2004-01-12

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1119	1 of 1	NNE	4.13 / 21,823.30	EMMA FRAGA 917 HILL RD HOUSTON TX 77037	SDRW WELLS

Track NO: 25133
Date Submitted: 2003-09-04
Owner Name: EMMA FRAGA
Owner Address: 917 HILL RD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.896667
Longitude: -95.379444
Drilling Date Started: 2003-08-20
Drilling Date Completed: 2003-08-21
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINES CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=25133&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 400.0

Top Depth: 0
Bottom Depth: 400

Well Levels

Measurement: 225
Measurement Date: 2003-08-21

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1120	1 of 1	E	4.13 / 21,826.66	NGUYEN, NGHINH TX	TCEQ WELL LOGS

Grid No: 65-14-4
 Date Drilled: 12/30/1997
 Owners Name: NGUYEN, NGHINH
 County: HARRIS
 Water Usage: COMMERCIAL
 Static Level: 229
 Depth Drilled: 451
 Latitude: 29.831326
 Longtiude: -95.341741

STATE OF TEXAS WATER WELL REPORT

1) OWNER: NGUYEN, NGHINH ADDRESS: 7900 JENSON CITY: HOUSTON STATE: TX ZIP: 77093-
 2) LOCATION OF WELL: County: HARRIS 40 miles in S direction from CONROE

3) LEGAL DESCRIPTION SEE ATTACHED MAP

4) TYPE OF WORK: NEW WELL 4) PROPOSED USE: COMMERCIAL 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01387 DIAMETER OF HOLE 7) BOREHOLE METHOD:
 DIAMETER FROM TO TWO STRING/K-PACKER
 7.00 0 421' IF GRAVEL... FROM FT. TO FT.
 3.875 421' 451' FROM FT. TO FT.
 DATE DRILLED: 12/30/97

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
 4 N STEEL, NEW, GALV. 0 418' CASING
 2.5 N P.V.C. SCH.40 401' 421' LINER
 2.5 N P.V.C. - SLOTTED 421' 451' .008

WELL # 65-14-4

9) LOGICAL DESCRIPTION:
 FROM TO DESCRIPTION
 0 3 SOIL
 3 28 CLAY-RED
 28 65 SAND-RED-FINE SAND-RED-.006-.008
 65 168 CLAY-GRAY
 168 178 SAND-TAN-.006-.008 SAND-TAN-.010-.012
 178 276 CLAY-RED
 276 305 SAND-TAN-.006-.008 SAND-TAN-.010-.012
 305 355 CLAY-RED
 355 373 SAND-TAN-.006-.008 SAND-TAN-.010-.012
 373 401 CLAY-RED
 401 409 SAND-TAN-.010-.012
 409 419 CLAY-RED
 419 451 SAND-TAN-.010-.012 SAND-TAN-.014-.020

10) CEMENTING DATA:
 Cemented from 0 FT. TO 421 FT.
 Method used: PRESSURE-HALIBURTON
 Cemented by: AMWS

11) SURFACE COMPLETION:
 APP. ALTER. PROCD.

12) WATER LEVEL:
 STATIC LEVEL : 229' FT. DATE: 01/02/98
 ARTESIAN FLOW: GPM. DATE:

13) PACKERS: TYPE DEPTH

14) TYPE PUMP: SUBMERSIBLE 14) WELL TEST: JETTED
 DEPTH TO PUMP: 357' YIELD: 50 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: GOOD DEPTH OF STRATA: 451' NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

16) COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843, 2350, 2843 : FOR TOWN USE ONLY
 ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578 : WELL NO. :
 : LOCATED ON MAP :

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN
 : TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE
 : (S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Mike Puzos (signed) Jorge Lopez
 (LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1121	1 of 1	N	4.13 / 21,832.47	ROY LOPEZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 04/3/2001
 Owners Name: ROY LOPEZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 6
 Depth Drilled: 50
 Latitude: 29.9023356
 Longtiude: -95.4014128

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Te. Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																
WELL REPORT																				
A. WELL IDENTIFICATION AND LOCATION DATA																				
1) OWNER																				
Name Roy Lopez		Address 1216 Baymead		City Houston	State TX															
Zip 77037																				
2) WELL LOCATION																				
County Harris		Physical Address Same		City	State															
Zip																				
3) Type of Work																				
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) N↑																
6) Drilling Date Started 4/3/01 Completed 4/3/01		Diameter of Hole Dia. (in.) From (ft) To (ft) 7 surface 50		7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																
From (ft) To (ft) Description and color of formation material surface 32 Red clay 32 Rock 32 50 Sand & Gravel		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give the interval from 50 ft. to 40 ft.																		
32 50 Sand & Gravel		Casing, Blank Pipe, and Well Screen Data																		
32 50 Sand & Gravel		<table border="1"> <tr> <th>Dia. (in.)</th> <th>New Or Used</th> <th>Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th>Setting (ft) From To</th> <th>Gage Casing Screen</th> </tr> <tr> <td>4</td> <td>N</td> <td>Casing Plastic</td> <td>surface</td> <td>10</td> </tr> <tr> <td>9</td> <td>N</td> <td>Screen Plastic</td> <td>40</td> <td>50</td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen	4	N	Casing Plastic	surface	10	9	N	Screen Plastic	40	50
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen																
4	N	Casing Plastic	surface	10																
9	N	Screen Plastic	40	50																
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well: From (ft) To (ft) From (ft) To (ft) Sacks used		9) Cementing Data Cementing from 40 ft. to surface . # of sacks used 2 ft. to ft. # of sacks used Method Used Pressure Cementing By Raymond Services, Inc. Distance to septic system field or other concentrated contamination ft. Method of verification of above distance Customer																		
14) Type pump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet etc., ft.		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																		
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: 15 gpm with 2 ft. drawdown after 1 hrs.		11) Water Level Static level 6 ft. below Date 4/3/01 Artesian Flow gpm. Date / /																		
16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water Depth of Strata Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No		12) Packers Type Depth WONE																		
Company or individual's Name (type or print)		Raymond Services, Inc. 4577WI																		
Address 10011 Airline Drive		City Houston		State TX	Zip 77037															
Signature [Signature]		Signature [Signature]		Date 4/3/01																

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1122	1 of 2	NNE	4.13 / 21,832.55	Campuzano, J. Gustavo TX	WW HARRIS GAL

Well ID:	13870	Diameter (inches):	5
Aggre Lead Well:	13870	Year Drilled:	0
Permit No:	WP2023-111909	Depth Drilled:	400
Permit Start Date:	8/1/2023 2:19:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024 2:19:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.895277
Regulatory Aarea:	3	Longitude:	-95.376388
Owner Name:	Campuzano, J. Gustavo		
Billing Contact:	NULL		
Billing Address:	2405 W. Mount Houston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1122	2 of 2	NNE	4.13 / 21,832.55	Gustavo Campuzano 1036 Hill Rd Houston TX 77037	SDRW WELLS

Track NO: 446664
Date Submitted: 2017-04-11
Owner Name: Gustavo Campuzano
Owner Address: 10600 Airline Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.895356
Longitude: -95.376392
Drilling Date Started: 2017-03-23
Drilling Date Completed: 2017-03-24
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=446664&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 380

Top Depth: 380
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1123	1 of 1	NNE	4.13 / 21,832.79	Jackson, Nelda R. TX	WW HARRIS GAL

Well ID:	12688	Diameter (inches):	2
Aggre Lead Well:	12688	Year Drilled:	197
Permit No:	W2018-12688-197896-0	Depth Drilled:	1
Permit Start Date:	8/1/2018	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023	County:	H
Well Status:	O - Operable	Latitude:	29.897222
Regulatory Aarea:	3	Longitude:	-95.380277
Owner Name:	Jackson, Nelda R.		
Billing Contact:	NULL		
Billing Address:	13722 Scoregga Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037-1812		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1124	1 of 2	NE	4.14 / 21,848.41	WOOD CRAFT STUDIOS TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 01/21/1999
Owners Name: WOOD CRAFT STUDIOS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 252
Depth Drilled: 370
Latitude: 29.8852687
Longitude: -95.3607756

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7860	
1) OWNER <u>MOOD CRAFT STUDIOS</u> ADDRESS <u>1707 HARTWICK HWY, TX 77093</u>					
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>SAME</u> (City) (State) (Zip) Grid # <u>65-06-7</u>					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: _____ Started <u>1/19</u> 19 <u>99</u> Completed <u>1/21</u> 19 <u>99</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>4 3/4"</u> Surface <u>392</u> <u>7</u> <u>0</u> <u>370</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
From (ft.) To (ft.) Description and color of formation material <u>0-92 YELLOW CLAY</u> <u>92-96 SAND & SHALLS 4EA</u> <u>96-120 RED CLAY</u> <u>120-125 SAND & CA</u> <u>125-348 WHITE & RED CLAY</u> <u>348-360 SAND #10 EA</u> <u>360-366 WHITE CLAY</u> <u>366-380 SAND #12 EA</u> <u>380-392 SAND #8 EA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>TELESCOPE</u> If Gravel Packed give interval from _____ ft. to _____ ft.			
(Use reverse side of Well Owner's copy, if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial		Setting (ft.) From To Gauge Casing Screen	
		<u>4</u> <u>N</u> <u>Plastic CASE</u>		<u>0</u> <u>370</u> <u>2H40</u>	
		<u>2 1/2</u> <u>N</u> <u>Plastic Casing</u>		<u>360</u> <u>370</u> <u>" 11</u>	
		<u>2 1/2</u> <u>N</u> <u>" " SCREEN</u>		<u>370</u> <u>372</u> <u>ORL</u>	
13) <input type="checkbox"/> Well plugged within 48 hours		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>370</u> ft. No. of sacks used <u>43</u> ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>50</u> ft. Method of verification of above distance <u>CUSTOMER</u>			
Casing left in well _____ Cement/bentonite placed in well _____ Sacks used _____ From (ft.) To (ft.) From (ft.) To (ft.)		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pileless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used			
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Jettable <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. <u>320</u> ft.		11) WATER LEVEL: Static level <u>252</u> ft. below land surface Date <u>1/21/99</u> Artesian flow _____ gpm. Date _____			
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>50</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		12) PACKERS: Type Depth <u>1</u> <u>FIR K</u> <u>360</u>			
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.			
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>		FILE # <u>102800</u>	
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (City) (State) (Zip)		(Signed) <u>Raymond</u> (Registered Driller/Trainer)			
(Signed) _____ (Licensed Well Owner)		COMMENT Please attach electric log, chemical analysis, and other pertinent information, if available.			

TDLR FORM 001WWD (4/95)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1124	2 of 2	NE	4.14 / 21,848.41	Craftmasters TX	WW HARRIS GAL

Well ID:	7355	Diameter (inches):	4
Aggre Lead Well:	7355	Year Drilled:	1999
Permit No:	WP2023-114743	Depth Drilled:	390
Permit Start Date:	10/11/2023 3:38:00 PM	Depth frm Surf(ft):	370
Permit End Dt:	7/31/2024 3:39:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.885277
Regulatory Aarea:	3	Longitude:	-95.360555
Owner Name:	Craftmasters		
Billing Contact:	Juan Mireles		
Billing Address:	1707 Hartwick		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1125	1 of 2	SSW	4.14 / 21,849.71	Engineers Fabricators Inc. TX	GWDB

Well Rep Track No:

State Well No:

6513825

Owner Name:

Engineers Fabricators Inc.

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

1957

Well Depth:

324

Well Usage:

Industrial

Water Level Status:

Latitude:

29.7877780

Longitude:

-95.4383340

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513825&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513825&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1125	2 of 2	SSW	4.14 / 21,849.71	Engineers and Fabricators Co. TX	WW HARRIS GAL

Well ID:	2157	Diameter (inches):	8
Aggre Lead Well:	2157	Year Drilled:	1957
Permit No:	W2003-2157-108490-0	Depth Drilled:	330
Permit Start Date:	7/1/2003	Depth frm Surf(ft):	291
Permit End Dt:	7/1/2003	County:	H
Well Status:	P - Plugged	Latitude:	29.7875
Regulatory Aarea:	2	Longitude:	-95.438888
Owner Name:	Engineers and Fabricators Co.		
Billing Contact:	Denise Gordan		
Billing Address:	4615 Southwest Freeway, Suite 410		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1126	1 of 4	NE	4.14 / 21,851.63	Mease, Frank TX	WW HARRIS GAL

Well ID:	6806	Diameter (inches):	4
Aggre Lead Well:	6806	Year Drilled:	1980
Permit No:	WP2023-113806	Depth Drilled:	300
Permit Start Date:	8/1/2023 2:24:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:24:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.887777
Regulatory Aarea:	3	Longitude:	-95.365277
Owner Name:	Mease, Frank		
Billing Contact:	NULL		
Billing Address:	1509 Mesquite St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1126	2 of 4	NE	4.14 / 21,851.63	JOHN OTTMAN TX	TCEQ WELL LOGS

Grid No: 65-06-4V
Date Drilled: 09/11/1978
Owners Name: JOHN OTTMAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 237
Depth Drilled: 360
Latitude: 29.8884168
Longtiude: -95.3646756

DUP

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

**State of Texas
WATER WELL REPORT**

For TDWR use only
 Well No. 65-06-4V
 Located on map YES
 Received: TH

1) OWNER John Ottman Address 1515 Mesquite Ave. Box 77083
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 1515 Mesquite
 County HARRIS 10 miles in N. direction from Houston
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. Map on 65-05-2T

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled Sept. 11, 1978

DIAMETER OF HOLE		Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
From (ft.)	To (ft.)					From	To	
0	4.5	CLAY						
4.5	6.5	SAND & CLAY						
6.5	8.5	CLAY	4	N	P.V.C.	0	340	40
8.5	10.5	SANDY CLAY	2	N		340	360	14
10.5	12.5	CLAY						
12.5	16.5	SANDY CLAY						
16.5	32.5	CLAY						

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) WATER LEVEL:
 Static level 232 ft. below land surface Date Sept. 11, 1978
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 274' ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy Buswell Water Well Drillers Registration No. 707
 (Type or Print)

ADDRESS 9739 N. Hou. Rosslyn Hou. TEX. 77088
 (Street or RFD) (City) (State) (Zip)

(Signed) Tommy C. Buswell Buswell & Son, Inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
 TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1126	3 of 4	NE	4.14 / 21,851.63	Mease, Frank TX	WW HARRIS GAL
<hr/>					
Well ID:	10533			Diameter (inches):	4
Aggre Lead Well:	10533			Year Drilled:	2007
Permit No:	WP2023-113807			Depth Drilled:	400
Permit Start Date:	8/1/2023 2:27:00 PM			Depth frm Surf(ft):	385
Permit End Dt:	7/31/2024 2:27:00 PM			County:	H
Well Status:	O - Operable			Latitude:	29.887777
Regulatory Aarea:	3			Longitude:	-95.365
Owner Name:	Mease, Frank				
Billing Contact:	NULL				
Billing Address:	1515 Mesquite				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77093				
Correspondence:	NULL				
Provision:	NULL				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1126	4 of 4	NE	4.14 / 21,851.63	Frank Mease 1515 Mesquite St. Houston TX 77093	SDRW WELLS

Track NO: 136084
Date Submitted: 2008-03-06
Owner Name: Frank Mease
Owner Address: 1509 Mesquite St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.887778
Longitude: -95.364723
Drilling Date Started: 2008-01-05
Drilling Date Completed: 2008-01-06
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=136084&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 370.0

Well Levels

Measurement: 200
Measurement Date: 2008-02-17

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1127	1 of 1	N	4.14 / 21,852.50	KAMSON TWAKOLI TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 04/12/1995
Owners Name: KAMSON TWAKOLI
County: HARRIS
Water Usage: DOMESTIC
Static Level: 5
Depth Drilled: 50
Latitude: 29.902797
Longtiude: -95.4092013

Send original copy by certified mail to: TNRCC, P.O. Box 1, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>Kamron Tavakoli</u> (Name) ADDRESS <u>509 Shore St Houston, Tx.</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-05-9</u>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: _____ Started <u>April 10 1995</u> Completed <u>April 12 1995</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4 1/2</u>	Surface	<u>50</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-15 Clay</u> <u>15-26 Sand</u> <u>26 Rock</u> <u>27-35 Clay</u> <u>35-50 Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>30</u> ft. to <u>50</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC.</u></td> <td><u>0</u></td> <td><u>40</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC.</u></td> <td><u>40</u></td> <td><u>50</u></td> <td><u>.08</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2 1/2</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>40</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC.</u>	<u>40</u>	<u>50</u>	<u>.08</u>	9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>20</u> ft. No. of sacks used <u>6</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Hand mix</u> Cemented by <u>C.W.W.</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>Owner</u>			
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																	
		From	To																						
<u>2 1/2</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>40</u>	<u>40</u>																				
<u>2 1/2</u>	<u>N</u>	<u>PVC.</u>	<u>40</u>	<u>50</u>	<u>.08</u>																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>35</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>8</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>5</u> ft. below land surface Date <u>Apr. 10, 95</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>14</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Coastal Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>		ADDRESS <u>P.O. Box 745</u> (Street or RFD) (City) <u>Porter</u> (State) <u>Tx.</u> (Zip) <u>77365</u>																							
(Signed) <u>J.R. Gehring</u> (Licensed Well Driller)		(Signed) <u>Keith Gehring</u> (Registered Driller Trainee)																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1128	1 of 1	SSW	4.14 / 21,853.06	Williams Brothers 11th @ Hempstead Houston TX	SDRW WELLS

Track NO: 74868
Date Submitted: 2006-01-26
Owner Name: Williams Brothers
Owner Address: P.O. Box 66428
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77266
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.783334
Longitude: -95.438889
Drilling Date Started: 2004-05-10
Drilling Date Completed: 2004-05-13
Chemical Analysis: No
Company Name: Bussell and Sons LLC
Company Address: P.O. Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=74868&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 400.0

Top Depth: 0
Bottom Depth: 400

Well Levels

Measurement: 172
Measurement Date: 2004-05-13

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1129	1 of 1	NE	4.14 / 21,853.44	Horacio Gonzalez 1502 Collins Rd. Houston TX 77093	SDRW WELLS

Track NO: 295850
Date Submitted: 2012-08-17
Owner Name: Horacio Gonzalez
Owner Address: 1502 Collins Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.889167
Longitude: -95.365834
Drilling Date Started: 2012-08-17
Drilling Date Completed: 2012-08-17
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=295850&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2012-08-17

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1130	1 of 3	NE	4.14 / 21,865.00	ASHBROOK CORPORATION TX	TCEQ WELL LOGS

Grid No:	65-06-7F
Date Drilled:	04/30/1975
Owners Name:	ASHBROOK CORPORATION
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	205
Depth Drilled:	374
Latitude:	29.891485
Longtiude:	-95.369091

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-06-7F
Located on map 1-1-5
Received: 25-1-5
OK

1) OWNER:
Person having well drilled Ashbrook Corporation Address 11600 East Hardy Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
413 L map on 65-05-9CCC North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ Deepening
☐ Reconditioning
☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic
☐ Irrigation
☐ Test Well
☐ Municipal
☐ Other

5) TYPE OF WELL (Check):
☒ Driven
☐ Cable
☐ Jetted
☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 349 ft. Depth of completed well 374 ft. Date drilled 4-30-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	13	Gray Yellow Clay
13	17	Red Gray Clay
17	20	Sand
20	34	Red Clay
34	39	Sand
39	41	Red Clay
41	43	Sand
43	44	Rock
44	80	Red Clay
80	95	Sand/Clay Streaks
95	100	Gray Blue/Red Clay
100	115	Sand

7) COMPLETION (Check):
☒ Gravel packed
☐ Under reamed
☐ Open hole

8) WATER LEVEL:
Static level: 205 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 294 ft. below land surface.

9) CASING:
Type: Old ☒ Steel ☒ Other _____
Cemented from 349 ft up _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4" 1 ft 349 ft 40

10) SCREEN:
Type Well Supplies Inc. Plastic Wrapped
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 354 ft 374 ft 16

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)

ADDRESS 10011 Airline Houston Texas
(Street or RFD) (City) (State)

(Signed) C. A. Raymond Jr. Raymond Water Well Drilling Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBT-WDB

196174

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TMDSE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

115 - 175	Red Gray Clay
175 - 180	Sand
180 - 235	Red Gray Clay
235 - 240	Sand
240 - 280	Red Gray Clay
280 - 300	Sand
300 - 305	Red Gray Clay
315 - 330	Sand
330 - 340	Red Gray Clay
340 - 374	Sand



RECEIVED
SEP 18 1975

TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1130	2 of 3	NE	4.14 / 21,865.00	11600 East Hardy Road, LLC TX	WW HARRIS GAL

Well ID:	2178	Diameter (inches):	4
Aggre Lead Well:	2178	Year Drilled:	1975
Permit No:	WP2023-112220	Depth Drilled:	374
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	354
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.891388
Regulatory Aarea:	3	Longitude:	-95.368611
Owner Name:	11600 East Hardy Road, LLC		
Billing Contact:	NULL		
Billing Address:	11600 East Hardy Road		
Billing Address 2:	NULL		
Billing City:	Dallas		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	Ana Moreno		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1130	3 of 3	NE	4.14 / 21,865.00	11600 East Hardy Road, LLC TX	WW HARRIS GAL

Well ID:	2179	Diameter (inches):	4
Aggre Lead Well:	2178	Year Drilled:	1975
Permit No:	WP2023-112220	Depth Drilled:	374
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	354
Permit End Dt:	7/31/2024	County:	H
Well Status:	8 - Open Casing	Latitude:	29.891111
Regulatory Aarea:	3	Longitude:	-95.368611
Owner Name:	11600 East Hardy Road, LLC		
Billing Contact:	NULL		
Billing Address:	11600 East Hardy Road		
Billing Address 2:	NULL		
Billing City:	Dallas		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	Ana Moreno		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1131	1 of 1	N	4.14 / 21,870.21	W. R. CORNELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 08/8/1974
Owners Name: W. R. CORNELL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 15
Depth Drilled: 50
Latitude: 29.902832
Longtiude: -95.410953

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

6505-9RR 9RR

For TWDB use only
Well No. 65-05-9RR
Located on map
Received: 7-5-98
dlk

1) OWNER:

Person having well drilled W. R. Cornell Address 609 Shane Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:

County Harris miles in direction from
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,
hiway number, etc.*

map on 65-05-7U
A12 H

North

(Use reverse side if necessary)

Give legal location with distances and directions from
adjacent sections or survey lines.

Labor League Block Survey Abstract No. (NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):

~~Reconditioning~~ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):

~~Industrial~~ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):

~~Driven~~ Driven Dug
Cable Jetted Bored

6) WELL LOG:

Diameter of hole 6 3/4 in. Depth drilled 50 ft. Depth of completed well 50 ft. Date drilled 8-8-74

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Topsoil
2	10	Yellow Gray Clay
10	15	Sand
15	40	Red and Yellow Clay
40	50	Sand

9) CASING:

Type: Old XX Steel XXXX Other
Cemented from ft. to ft.

Diameter (inches) 4 Setting From (ft.) 1 To (ft.) 50 Gage 40

10) SCREEN:

Type Well Supplies Plastic Wrapped
Perforated Slotted

Diameter (inches) 4 Setting From (ft.) 45 To (ft.) 50 Slot Size 10

7) COMPLETION (Check):

~~Gravel packed~~ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:

Static level 15 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 40 ft.
below land surface.

11) WELL TESTS:

Was a pump test made? Yes XX No If yes, by whom?

Yield: gpm with ft. drawdown after hrs.

Bailer test gpm with ft. drawdown after hrs.

Artesian flow gpm

Temperature of water

12) WATER QUALITY:

Was a chemical analysis made? Yes No XX

Did any strata contain undesirable water? Yes No

Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond Jr Water Well Drillers Registration No. 774
(Type or Print)
ADDRESS 10011 Airline rev. Houston TEXAS
(Street or RFD) (City) (State)
(Signed) C. A. Raymond Jr Raymond Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1132	1 of 1	NNE	4.14 / 21,872.65	JVAL Enterprise, LLC TX	WW HARRIS GAL

Well ID:	14667	Diameter (inches):	4
Aggre Lead Well:	14667	Year Drilled:	2018
Permit No:	WP2023-113649	Depth Drilled:	45
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	35
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.391944
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	18715 N. Thomas Shore Dr.		
Billing Address 2:	NULL		
Billing City:	Cypress		
Billing State:	TX		
Billing Zip:	77433		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1133	1 of 1	NNE	4.14 / 21,875.21	WAYNE HOWARD TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/7/1999
Owners Name: WAYNE HOWARD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 230
Depth Drilled: 381
Latitude: 29.9017622
Longtiude: -95.3962936

Send original copy by certified return receipt request

to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)				State of Texas WELL REPORT				Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880			
1) OWNER <u>Wayne Howard</u> (Name)				ADDRESS <u>317 Hawkins St. Houston Tx 77037</u> (Street or RFD) (City) (State) (Zip)							
2) ADDRESS OF WELL LOCATION: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip)				Long. _____ Lat. _____				Grid # <u>65-05-9</u>			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging				4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No				5) _____			
6) WELL LOG: Date Drilling: _____ Started <u>Oct 4</u> 19 <u>99</u> Completed <u>Oct 7</u> 19 <u>99</u>				DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>7</u> Surface <u>360</u> <u>5</u> <u>360</u> <u>381</u>				7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____			
From (ft.) To (ft.) Description and color of formation material <u>0 - 16</u> <u>Clay</u> <u>16 - 53</u> <u>Sand & rock sticks</u> <u>53 - 134</u> <u>Clay</u> <u>134 - 157</u> <u>Sand</u> <u>336 - 341</u> <u>Clay</u> <u>157 - 175</u> <u>Clay</u> <u>341 - 381</u> <u>Sand</u> <u>175 - 186</u> <u>Sand</u> <u>186 - 190</u> <u>Clay</u> <u>190 - 210</u> <u>Sand</u> <u>210 - 250</u> <u>Clay</u> <u>250 - 275</u> <u>Sand</u> <u>275 - 294</u> <u>Clay</u> <u>294 - 336</u> <u>Sand</u> (Use reverse side of Well Owner's copy, if necessary)				8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval from _____ ft. to _____ ft.				CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) Gage Casting Screen From To <u>4</u> <u>N</u> <u>PVC.</u> _____ <u>0</u> <u>360</u> <u>40</u> <u>2 1/2</u> <u>N</u> <u>PVC. Liner</u> _____ <u>350</u> <u>365</u> <u>40</u> <u>2 1/2</u> <u>N</u> <u>PVC. Tecon</u> _____ <u>366</u> <u>381</u> <u>0.6</u>			
13) <input type="checkbox"/> Well plugged within 48 hours				9) CEMENTING DATA Cemented from <u>100</u> ft. to <u>360</u> ft. No. of sacks used <u>15</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>5</u> Method used <u>PRESSURE</u> Cemented by <u>CWW</u> Distance to septic system field lines or other concentrated contamination <u>50</u> ft. Method of verification of above distance <u>owner</u>							
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.				10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pileless Adapter Used <input checked="" type="checkbox"/> Approved Alternative Procedure Used							
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>12</u> gpm with _____ ft. drawdown after _____ hrs.				11) WATER LEVEL: Static level <u>230</u> ft. below land surface Date <u>Oct 7, 99</u> Artesian flow _____ gpm. Date _____							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>40'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				12) PACKERS: Type Depth <u>4x2 1/2 R x R</u> <u>K</u> <u>350</u> <u>8x2</u> <u>K</u> <u>77365</u>							
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.											
COMPANY NAME <u>COASTAL WATER WELL</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>											
ADDRESS <u>P.O. Box 745</u> <u>Porter, Tx.</u> <u>77365</u> (Street or RFD) (City) (State) (Zip)											
(Signed) <u>A.P. Gehring</u> (Licensed Well Driller) (Signed) <u>Keith Gehring</u> (Registered Driller Trainee)											
Please attach electric log, chemical analysis, and other pertinent information, if available.											

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1134	1 of 2	NNE	4.14 / 21,878.75	JOSE ARREOLA TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 10/19/1999
 Owners Name: JOSE ARREOLA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 18
 Depth Drilled: 50
 Latitude: 29.901997
 Longitude: -95.3977044

Send original copy by certified return receipt requested m

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side „of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>JOSE ARREOLA</u> ADDRESS <u>215 HAWKINS HOV. TX 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>SAME</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. _____ Lat. _____ Grid # <u>65-05-9</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																					
6) WELL LOG: Date Drilling: <u>10/19/99</u> Started <u>10/19/99</u> Completed <u>10/19/99</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td><u>5 1/4"</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5 1/4"</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5 1/4"</u>	Surface	<u>50</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 4</u> <u>TOP SOIL</u> <u>4 - 7</u> <u>SAND WHITE</u> <u>7 - 30</u> <u>WHITE CLAY</u> <u>30 - 40</u> <u>RED CLAY</u> <u>40 - 41</u> <u>ROCK</u> <u>41 - 50</u> <u>SAND RED. 004</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>40</u> ft. to <u>50</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>40</u></td> <td><u>SC 140</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic SCREEN</u></td> <td><u>40</u></td> <td><u>50</u></td> <td><u>.004</u></td> </tr> </table>						Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>40</u>	<u>SC 140</u>	<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>40</u>	<u>50</u>	<u>.004</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>40</u>	<u>SC 140</u>																				
<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>40</u>	<u>50</u>	<u>.004</u>																				
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>9</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>75</u> ft. Method of verification of above distance <u>Customer</u>																									
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																									
11) WATER LEVEL: Static level <u>18</u> ft. below land surface Date <u>10/19/99</u> Artesian flow _____ gpm. Date _____																									
12) PACKERS: _____ Type _____ Depth _____ <u>NONE</u>																									
13) <input type="checkbox"/> Well plugged within 48 hours. Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ From (ft) To (ft) From (ft) To (ft)																									
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.																									
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																									
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4577W1</u> <small>(State) (Zip)</small>																							
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small>		(Signed) <u>[Signature]</u> (Registered Driller Trainee)																							

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1134	2 of 2	NNE	4.14 / 21,878.75	McGary, Lynette/Borksi Mary TX	WW HARRIS GAL

Well ID:	12262	Diameter (inches):	2
Aggre Lead Well:	12262	Year Drilled:	1975
Permit No:	W2014-12262-171320-0	Depth Drilled:	35
Permit Start Date:	8/1/2014	Depth frm Surf(ft):	20
Permit End Dt:	7/31/2015	County:	H
Well Status:	O - Operable	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.397777
Owner Name:	McGary, Lynette/Borksi Mary		
Billing Contact:	NULL		
Billing Address:	220 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1135	1 of 1	N	4.15 / 21,886.01	Homburg, Kenneth D. TX	WW HARRIS GAL

Well ID:	12691	Diameter (inches):	4
Aggre Lead Well:	12691	Year Drilled:	197
Permit No:	WP2023-111554	Depth Drilled:	1
Permit Start Date:	8/1/2023 3:19:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.401111
Owner Name:	Homburg, Kenneth D.		
Billing Contact:	NULL		
Billing Address:	10033 Airline Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1136	1 of 4	WNW	4.15 / 21,892.68	City of Houston TX	GWDB

Well Rep Track No:

State Well No:

6513111

Owner Name:

City of Houston

Drilling Start Dt:

Drilling Month:

10

Drilling Day:

7

Drilling Year:

1965

Well Depth:

1152

Well Usage:

Plugged or Destroyed

Water Level Status:

Latitude:

29.8674389

Longitude:

-95.4736222

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513111&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513111&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1136	2 of 4	WNW	4.15 / 21,892.68	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013DA
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013DA
Date Drilled: 10/29/1965
Well Depth: 1152
Screen Top: 916
Screen Bottom: 1133
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 850
CCN: P1552
Latitude: 29.867439
Longitude: -95.473622
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1136	3 of 4	WNW	4.15 / 21,892.68	Houston, City of TX	WW HARRIS GAL

Well ID:	1143	Diameter (inches):	16
Aggre Lead Well:	1003	Year Drilled:	1965
Permit No:	W2012-1143-154780-0	Depth Drilled:	1152
Permit Start Date:	2/1/2012	Depth frm Surf(ft):	932
Permit End Dt:	2/1/2012	County:	H
Well Status:	P - Plugged	Latitude:	29.867222
Regulatory Aarea:	3	Longitude:	-95.473333
Owner Name:	Houston, City of		
Billing Contact:	Bruce Kao/Water Conservation		
Billing Address:	611 Walker St., 21st Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Acres Homes #1		
Provision:	70 - Based on permitted allocation or 70% of total demand, whichever is smaller; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1136	4 of 4	WNW	4.15 / 21,892.68	USGS-295155095282401 TX	FED USGS

Site No: USGS-295155095282401
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19651007
Well Depth: 1152
Well Depth Unit: ft
Well Hole Depth: 1152
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-13-111
Latitude: 29.86555556000000
Longitude: -95.4736111000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1137	1 of 1	N	4.15 / 21,892.73	MARIE MARSHALL TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 09/5/1997
Owners Name: MARIE MARSHALL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 9
Depth Drilled: 50
Latitude: 29.9028866
Longitude: -95.4075819

7. Austin, TX 78711-3087

Please use black ink.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1138	1 of 1	NNE	4.15 / 21,900.67	JVAL Enterprise, LLC TX	WW HARRIS GAL

Well ID:	14828	Diameter (inches):	2
Aggre Lead Well:	14828	Year Drilled:	2008
Permit No:	WP2023-113648	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.900555
Regulatory Aarea:	3	Longitude:	-95.39
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	18715 N. Thomas Shore Dr		
Billing Address 2:	NULL		
Billing City:	Cypress		
Billing State:	TX		
Billing Zip:	77433		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1139	1 of 1	NW	4.15 / 21,901.44	Reyna Dominguez 2626 Jorent Houston TX 77088	SDRW WELLS

Track NO: 137555
Date Submitted: 2008-03-25
Owner Name: Reyna Dominguez
Owner Address: 2626 Jorent
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890834
Longitude: -95.451667
Drilling Date Started: 2006-01-25
Drilling Date Completed: 2006-01-26
Chemical Analysis: No
Company Name: Robinson Water Well Services Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=137555&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 430.0

Top Depth: 0
Bottom Depth: 410

Top Depth: 410
Bottom Depth: 430

Well Levels

Measurement: 240
Measurement Date: 2006-01-26

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1140	1 of 1	NW	4.15 / 21,913.50	Luis Arredondo 2719 Jorent Dr. Houston TX 77088	SDRW WELLS

Track NO: 446222
Date Submitted: 2017-04-06
Owner Name: Luis Arredondo
Owner Address: 2719 Jorent Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.891111
Longitude: -95.4525
Drilling Date Started: 2017-04-05
Drilling Date Completed: 2017-04-05
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=446222&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 53.0

Top Depth: 0
Bottom Depth: 53

Well Levels

Measurement: 5
Measurement Date: 2017-04-05

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1141	1 of 1	N	4.15 / 21,921.63	Rudy Munoz 134 Aldine Mail Rt. Houston TX 77037	SDRW WELLS

Track NO: 125453
Date Submitted: 2007-10-24
Owner Name: Rudy Munoz
Owner Address: 134 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902501
Longitude: -95.399722
Drilling Date Started: 2007-10-22
Drilling Date Completed: 2007-10-22
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=125453&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2007-10-22

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1142	1 of 1	NE	4.15 / 21,922.72	JOHN CLAYPOOL TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 03/10/1997
Owners Name: JOHN CLAYPOOL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 60
Depth Drilled: 100
Latitude: 29.88451
Longitude: -95.359592

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1143	1 of 1	N	4.15 / 21,927.47	Al's Handy Hardware, Inc. TX	WW HARRIS GAL

Well ID:	12568	Diameter (inches):	2
Aggre Lead Well:	12568	Year Drilled:	0
Permit No:	WP2023-111929	Depth Drilled:	1
Permit Start Date:	8/1/2023 2:46:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.902222
Regulatory Aarea:	3	Longitude:	-95.398333
Owner Name:	Al's Handy Hardware, Inc.		
Billing Contact:	NULL		
Billing Address:	224 Aldine Mail Road		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1144	1 of 1	NE	4.15 / 21,927.61	Romero, Angel & Maria TX	WW HARRIS GAL

Well ID:	14313	Diameter (inches):	2
Aggre Lead Well:	14313	Year Drilled:	NULL
Permit No:	WP2023-102686	Depth Drilled:	0
Permit Start Date:	8/1/2022 10:23:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 10:23:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.880833
Regulatory Aarea:	3	Longitude:	-95.355833
Owner Name:	Romero, Angel		
Billing Contact:	NULL		
Billing Address:	1930 Sunny Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1145	1 of 1	N	4.15 / 21,932.04	Delores Walker 401 Shane Houston TX 77037	SDRW WELLS

Track NO: 253840
Date Submitted: 2011-05-19
Owner Name: Delores Walker
Owner Address: 401 Shane
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902778
Longitude: -95.406667
Drilling Date Started: 2011-05-18
Drilling Date Completed: 2011-05-18
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=253840&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 6
Measurement Date: 2011-05-18

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1146	1 of 1	NE	4.15 / 21,934.32	Javier Avoles 1709 Aldine Park Ln. Houston TX 77093	SDRW WELLS

Track NO: 154902
Date Submitted: 2008-10-01
Owner Name: Javier Avoles
Owner Address: 1709 Aldine Park Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.885
Longitude: -95.360278
Drilling Date Started: 2008-08-07
Drilling Date Completed: 2008-08-08
Chemical Analysis: No
Company Name: B&R Water Well Drilling, Inc.
Company Address: 40619 Fm 149
CompanyAddress2:
Company City: Magnolia
Company State: TX
Company Zip: 77354
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=154902&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 370.0

Top Depth: 0
Bottom Depth: 370

Well Levels

Measurement: 120
Measurement Date:

Well Strata

Water Type:

Ground

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1147	1 of 3	N	4.16 / 21,976.77	Aldine I.S.D. TX	GWDB

Well Rep Track No:
State Well No: 6505909
Owner Name: Aldine I.S.D.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1963
Well Depth: 467
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9030560
Longitude: -95.4061120
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505909&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505909&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1147	2 of 3	N	4.16 / 21,976.77	STANLEY CONSTRUCTION CO TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 3/10/1973
 Owners Name: STANLEY CONSTRUCTION CO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: NOT REPORTED
 Depth Drilled: 60
 Latitude: 29.9030447
 Longtiude: -95.4055475

#12 Dup
9W

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9W
Located on map YRS
Received: 23
clb

1) OWNER:
Person having well drilled Stanley Const. Co. Address 2201 Judiway Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner Don Marek Address 305 Memory L. Hou, Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 5 miles in N direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Map on 65-05-84 Dup
North
↑
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 60 ft. Depth of completed well 60 ft. Date drilled 3-10-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	18	White Clay
18	60	White Sand

9) CASING:
Type: Old None New Steel Plastic Other
Cemented from None ft. to None ft.
Diameter (inches) 4 Setting From (ft.) 1 To (ft.) 55 Casing Size 40

10) SCREEN:
Type: Plastic (Well Supplies)
Perforated Plastic Slotted
Diameter (inches) 4 Setting From (ft.) 55 To (ft.) 60 Slot Size 10

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 40 ft. below land surface. Date 3-10-73
Artesian pressure 40 lbs. per square inch. Date 3-10-73
Depth to pump bowls, cylinder, jet, etc., 40 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 40 gpm with 40 ft. drawdown after 40 hrs.
Bailer test 40 gpm with 40 ft. drawdown after 40 hrs.
Artesian flow 40 gpm
Temperature of water 40

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? 40 depth of strata 40

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond Jr. Water Well Drillers Registration No. 774
(Type or Print)
ADDRESS 132 Raymad Houston Texas
(Street or RFD) (City) (State)
(Signed) C.A. Raymond Jr. Raymond Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1147	3 of 3	N	4.16 / 21,976.77	Aldine I.S.D. TX	WW HARRIS GAL

Well ID:	2924	Diameter (inches):	4
Aggre Lead Well:	2924	Year Drilled:	1990
Permit No:	W1999-2924-62478-0	Depth Drilled:	0
Permit Start Date:	8/1/1999	Depth frm Surf(ft):	0
Permit End Dt:	8/1/1999	County:	H
Well Status:	P - Plugged	Latitude:	29.902222
Regulatory Aarea:	3	Longitude:	-95.404444
Owner Name:	Aldine I.S.D.		
Billing Contact:	W.T. HALL		
Billing Address:	14910 Aldine Westfield		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77032		
Correspondence:	WAYNE COLEMAN		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1148	1 of 1	NNE	4.16 / 21,977.90	KATHERY BIDRINECKS/DELIA DEL FIERRO TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/02/1990
Owners Name: KATHERY BIDRINECKS/DELIA DEL FIERRO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 251.5
Depth Drilled: 390
Latitude: 29.8962809
Longitude: -95.377331

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Km 3 Kil

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Kathery Brdrtrwcks</u> <u>Della Del Fierro</u> (Name)		ADDRESS <u>1017 Hill Rd</u> <u>Houston</u> <u>TEXAS</u> <u>77037</u> (Street or RFD) (City) (State) (Zip)																																																								
2) LOCATION OF WELL: County <u>HARRIS</u> <u>4</u> miles in <u>SW</u> direction from <u>Aldine</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP (2) 0765-06-7																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>11-1-90</u> Started <u>11-2-90</u> Completed <u>11-2-90</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 1/2</u></td> <td>Surface</td> <td><u>380</u></td> </tr> <tr> <td><u>4</u></td> <td><u>380</u></td> <td><u>390</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 1/2</u>	Surface	<u>380</u>	<u>4</u>	<u>380</u>	<u>390</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give Interval ... from _____ ft. to _____ ft.																																													
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 1/2</u>	Surface	<u>380</u>																																																								
<u>4</u>	<u>380</u>	<u>390</u>																																																								
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-24</u></td><td><u>C</u></td><td><u>222-279 C</u></td></tr> <tr><td><u>24-29</u></td><td><u>S</u></td><td><u>279-295 S</u></td></tr> <tr><td><u>29-39</u></td><td><u>C</u></td><td><u>295-309 C</u></td></tr> <tr><td><u>39-50</u></td><td><u>S</u></td><td><u>309-360 S</u></td></tr> <tr><td><u>50-81</u></td><td><u>C</u></td><td><u>360-373 C</u></td></tr> <tr><td><u>81-94</u></td><td><u>S</u></td><td><u>373-390 S</u></td></tr> <tr><td><u>94-112</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>112-176</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>176-198</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>198-222</u></td><td><u>S</u></td><td></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-24</u>	<u>C</u>	<u>222-279 C</u>	<u>24-29</u>	<u>S</u>	<u>279-295 S</u>	<u>29-39</u>	<u>C</u>	<u>295-309 C</u>	<u>39-50</u>	<u>S</u>	<u>309-360 S</u>	<u>50-81</u>	<u>C</u>	<u>360-373 C</u>	<u>81-94</u>	<u>S</u>	<u>373-390 S</u>	<u>94-112</u>	<u>C</u>		<u>112-176</u>	<u>S</u>		<u>176-198</u>	<u>C</u>		<u>198-222</u>	<u>S</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>ARC</u></td> <td><u>0</u></td> <td><u>380</u></td> <td><u>40</u></td> </tr> <tr> <td><u>3 1/2</u></td> <td><u>N</u></td> <td><u>PVC WRAPPED</u></td> <td><u>380</u></td> <td><u>390</u></td> <td><u>12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>ARC</u>	<u>0</u>	<u>380</u>	<u>40</u>	<u>3 1/2</u>	<u>N</u>	<u>PVC WRAPPED</u>	<u>380</u>	<u>390</u>	<u>12</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-24</u>	<u>C</u>	<u>222-279 C</u>																																																								
<u>24-29</u>	<u>S</u>	<u>279-295 S</u>																																																								
<u>29-39</u>	<u>C</u>	<u>295-309 C</u>																																																								
<u>39-50</u>	<u>S</u>	<u>309-360 S</u>																																																								
<u>50-81</u>	<u>C</u>	<u>360-373 C</u>																																																								
<u>81-94</u>	<u>S</u>	<u>373-390 S</u>																																																								
<u>94-112</u>	<u>C</u>																																																									
<u>112-176</u>	<u>S</u>																																																									
<u>176-198</u>	<u>C</u>																																																									
<u>198-222</u>	<u>S</u>																																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>ARC</u>	<u>0</u>	<u>380</u>	<u>40</u>																																																					
<u>3 1/2</u>	<u>N</u>	<u>PVC WRAPPED</u>	<u>380</u>	<u>390</u>	<u>12</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>380</u> ft. No. of Sacks Used <u>40</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>Circ</u> Cemented by <u>Inv</u>																																																								
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Baller <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>251 1/2</u> ft. below land surface Date <u>11-2-90</u> Artesian flow _____ gpm. Date _____																																																								
		12) PACKERS: Type Depth																																																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>Lowe Water Wells Inc</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>1182</u>																																																								
ADDRESS <u>P.O. Box 89</u> (Street or RFD)		<u>Porter</u> (City)		<u>TEXAS</u> <u>77365</u> (State) (Zip)																																																						
(Signed) <u>Lorne L. Lowe</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>65-05-9</u> Located on map _____																																																										

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1149	1 of 1	NW	4.17 / 21,992.68	RONALD NELSON TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 02/18/2000
Owners Name: RONALD NELSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 14
Depth Drilled: 48
Latitude: 29.8904083
Longtiude: -95.4531084

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880							
1) OWNER <u>RONALD NELSON</u> ADDRESS <u>2733 JOHNTON HWY TX 77088</u>		(Name) (Street or RFD) (City) (State) (Zip)									
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>SAME</u>		(Street, RFD or other) (City) (State) (Zip)		Long. _____ Lat. <u>65-05-8</u>							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____							
6) WELL LOG: Date Drilling: _____ Started <u>2/18</u> 19 <u>00</u> Completed <u>2/18</u> 19 <u>00</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td>Surface</td> <td><u>48</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>48</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
Dia. (in.)	From (ft.)	To (ft.)									
<u>5</u>	Surface	<u>48</u>									
From (ft.) To (ft.) Description and color of formation material <u>0-10</u> <u>YELLOW CLAY</u> <u>10-17</u> <u>SAND</u> <u>17-38</u> <u>YELLOW CLAY</u> <u>38-48</u> <u>SAND 6' ET</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>38</u> ft. to <u>48</u> ft.									
CASING, BLANK PIPE, AND WELL SCREEN DATA:											
Dia. (in.)		New or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial							
				Setting (ft.)							
				From To							
				Gage Casting Screen							
<u>2</u>		<u>N</u>		<u>Plastic CASE 0 38 SHAD</u>							
<u>2</u>		<u>N</u>		<u>Plastic SCREEN 38 48 .006</u>							
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>38</u> ft. No. of sacks used <u>8</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>110</u> ft. Method of verification of above distance <u>Customer</u>											
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used											
11) WATER LEVEL: Static level <u>14</u> ft. below land surface Date <u>2/18/00</u> Artesian flow _____ gpm. Date _____											
12) PACKERS: _____ Type _____ Depth _____											
13) <input type="checkbox"/> Well plugged within 48 hours											
Casing left in well:		Cement/bentonite placed in well:		Sacks used:							
From (ft) To (ft)		From (ft) To (ft)									
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>20</u> ft.											
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>8</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.											
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No											
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.											
COMPANY NAME <u>Raymond Services, Inc.</u>		WELL DRILLER'S LICENSE NO. <u>4577WI</u>									
(Type or print)											
ADDRESS <u>10011 Airline Drive Houston, TX 77037</u>		(City) (State) (Zip)									
(Signed) _____		(Signed) _____									
(Licensed Well Driller)		(Registered Driller Trainee)									
Please attach electric log, chemical analysis, and other pertinent information, if available.											

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1150	1 of 1	ENE	4.17 / 21,997.65	Rodriguez, Rodney TX	WW HARRIS GAL

Well ID:	16321	Diameter (inches):	4
Aggre Lead Well:	16321	Year Drilled:	NULL
Permit No:	WP2022-108255	Depth Drilled:	350
Permit Start Date:	4/14/2022 10:49:00 AM	Depth frm Surf(ft):	330
Permit End Dt:	7/31/2023 10:49:00 AM	County:	H
Well Status:	N - Not Drilled	Latitude:	29.87
Regulatory Aarea:	3	Longitude:	95.3475
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	2435 Pine Tree Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	SPHOU		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1151	1 of 1	NE	4.17 / 22,002.99	MR. GOMEZ TX	TCEQ WELL LOGS

Grid No: 65-06-7
 Date Drilled: 02/06/1991
 Owners Name: MR. GOMEZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 60
 Depth Drilled: 93
 Latitude: 29.881507
 Longtiude: -95.356163

TX 65067008

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1152	1 of 3	NNE	4.17 / 22,013.05	BILL DEMNY TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 01/22/1999
 Owners Name: BILL DEMNY
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 200
 Depth Drilled: 400
 Latitude: 29.8970107
 Longitude: -95.3787366

ORIGINAL

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
 Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
 P.O. Box 13087
 Austin, TX 78711-3087
 512-239-0530

1) OWNER BILL DEMNY ADDRESS 923 HILL RD. HOUSTON TEXAS 77037
 (Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS 923 HILL RD. HOUSTON TX 77037 Long. Lat. GRID # 65-05-9
 (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
 If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)
 6) WELL LOG:
 Date Drilling: Started JAN. 21 19 99
JAN. 22 19 99

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other 2 STRING

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☒ Other CEMENTED
 If Gravel Packed give interval ... from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material	DIA. (in.)	From (ft.)	To (ft.)	Setting (ft.)	Gage Casting Screen
0	23	CLAY	325-330	SHALE			
23	45	CLAY/SAND	330-370	SAND/GRV			
45	85	CLAY	370-400	SAND			
85	105	CLAY/SAND					
105	125	SAND/CLAY/SHALE					
125	145	CLAY					
145	153	SAND					
153	160	CLAY					
160	170	SAND					
170	190	SAND/ROCK					
190	200	SAND/CLAY					
200	230	SAND					
230	250	SAND/ROCK					
250	310	SHALE					
310	325	SAND					

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other

Depth to pump bowls, cylinder, jet, etc., 280 ft.

14) WELL TESTS:
 Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☒ Estimated 25 gpm
 Yield: 15 gpm with ft. drawdown after hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? GOOD Depth of strata 30 FT.
 Was a chemical analysis made? ☐ Yes ☒ No

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 390 ft. to 15 ft. No. of sacks used 48
15 ft. to 0 ft. No. of sacks used 13
 Method used PRESSURE GROUT
 Cemented by GLEN R. BONDS
 Distance to septic system field lines or other concentrated contamination NA ft.
 Method of verification of above distance NA

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☒ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
 Static Level 200 ft. below land surface Date 1/22/99
 Artesian flow gpm Date

12) PACKERS:
 Type Depth
4 x 2 1/2 TRI-SEAL 385

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.

COMPANY NAME NORTHWEST WATER WELLS FILE ID WELL DRILLER'S LICENSE NO. 50950-WP
 (Type or print) (City) (State) (Zip)

ADDRESS RT. 1 BOX 457 HOCKLEY TEXAS 77447
 (Street or RFD) (City) (State) (Zip)

(Signed) Allen R. Bonds APR 15 1999 (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-1-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1152	2 of 3	NNE	4.17 / 22,013.05	Morales, Lorenzo TX	WW HARRIS GAL

Well ID:	9365	Diameter (inches):	4
Aggre Lead Well:	9365	Year Drilled:	2003
Permit No:	WP2023-111889	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	375
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.896944
Regulatory Aarea:	3	Longitude:	-95.378888
Owner Name:	Morales, Lorenzo		
Billing Contact:	Austreberta Perez		
Billing Address:	201 Hill Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1152	3 of 3	NNE	4.17 / 22,013.05	LORENZO MORALES 923 HILL RD HOUSTON TX 77037	SDRW WELLS

Track NO: 16582
Date Submitted: 2003-02-03
Owner Name: LORENZO MORALES
Owner Address: 923 HILL RD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.896945
Longitude: -95.378889
Drilling Date Started: 2002-12-28
Drilling Date Completed: 2003-01-04
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=16582&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 410.0

Top Depth: 0
Bottom Depth: 410

Well Levels

Measurement: 225
Measurement Date: 2003-01-03

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1153	1 of 1	NNE	4.17 / 22,018.37	Isidro Carreon 503 Dale St. Houston TX 77060	SDRW WELLS

Track NO: 344414
Date Submitted: 2013-10-24
Owner Name: Isidro Carreon
Owner Address: 7311 Hershe
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77020
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901112
Longitude: -95.394722
Drilling Date Started: 2013-10-23
Drilling Date Completed: 2013-10-23
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=344414&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 12
Measurement Date: 2013-10-23

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1154	1 of 1	WSW	4.17 / 22,028.14	WARREN ENG TX	TCEQ WELL LOGS

Grid No: 65-13-4
Date Drilled: 12/13/1990
Owners Name: WARREN ENG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 254
Depth Drilled: 400
Latitude: 29.808591
Longtiude: -95.468467

Send copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Warren Eng ADDRESS 8442 Kempstead Houston Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 8 miles in W direction from Houston
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP # 1

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 12-12-90
Started 12-12-90
Completed 12-13-90

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>385</u>
<u>4 1/2</u>	<u>385</u>	<u>400</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-22</u>	<u>C</u>	<u>297-315 Rd</u>
<u>22-50</u>	<u>S</u>	<u>315-372.5# Hd</u>
<u>50-70</u>	<u>C</u>	<u>372-379 C</u>
<u>70-84</u>	<u>S</u>	<u>379-400 S</u>
<u>84-188</u>	<u>C</u>	
<u>188-205</u>	<u>S</u>	
<u>205-218</u>	<u>C</u>	
<u>218-258</u>	<u>S</u>	
<u>258-286</u>	<u>C</u>	
<u>286-297</u>	<u>S</u>	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>385</u>	<u>40</u>
<u>2 1/2</u>	<u>N</u>	<u>PVC</u>	<u>385</u>	<u>400</u>	<u>12</u>

9) CEMENTING DATA (Rule 287.44(1))
Cemented from 0 ft. to 20 ft. No. of Sacks Used 4
335 ft. to 385 ft. No. of Sacks Used 8
Method used Circ
Cemented by JW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 254 ft. below land surface Date 12-13-90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Home Water Wells Inc WELL DRILLER'S LICENSE NO. 1182
(Type or print)

ADDRESS P.O. Box 89 Porter Texas 77365
(Street or RFD) (City) (State) (Zip)

(Signed) Harmon L. Brown (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 6573-4 Located on map _____



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1155	1 of 1	NNE	4.17 / 22,032.07	BJ SPURLOCK TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 09/17/1980
 Owners Name: BJ SPURLOCK
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 7
 Depth Drilled: 60
 Latitude: 29.9002346
 Longitude: -95.3876191

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-9
 Located on map _____
 Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER B. J. SPURLOCK Address 13903 STONESHIRE HOUSTON TEX
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL
 County HARRIS 2 miles in N direction from HOUSTON
 (N.E., S.W., etc.) (Town)

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 9-17-80

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
<u>4"</u>	<u>0</u> <u>20</u>	<u>Clay</u>
	<u>20</u> <u>28</u>	<u>fine Sand</u>
	<u>28</u> <u>47</u>	<u>Clay</u>
	<u>47</u> <u>60</u>	<u>010 Gauge Sand</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>2</u>	<input checked="" type="checkbox"/>	<u>Plastic, Sch 40</u>	<u>54</u>	<u>60</u>	<u>0800</u>

CEMENTING DATA
 Cemented from _____ ft. to _____ ft.
 Method used _____
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 7 ft. below land surface Date 11-10-80
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
3 RUBBER 40-43-47 ft

11) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 25 ft ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 6 gpm with 0 ft. drawdown after 2 hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. F. HULL Water Well Drillers Registration No. 02044W
 (Type or Print)


ADDRESS 4933 HARTWICK HOUSTON TEXAS 77093
 (Street or RFD) (City) (State) (Zip)

(Signed) Leonard F. Hull L. F. HULL
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1156	1 of 2	NNE	4.17 / 22,032.42	ALFONSO ESCALANTE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 04/10/2001
Owners Name: ALFONSO ESCALANTE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 4
Depth Drilled: 50
Latitude: 29.9010247
Longtiude: -95.39058

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		as Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
WELL REPORT					
A. WELL IDENTIFICATION AND LOCATION DATA					
1) OWNER					
Name	Address	City	State	Zip	
Alfonso Escalante	13910 Lillia	Houston	TX	77037	
2) WELL LOCATION					
County	Physical Address	City	State	Zip	
Harris	Same				
3) Type of Work		Lat.	Long.	Grid #	
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning				65-05-9	
4) Proposed Use (check)		5)			
<input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRC? <input type="checkbox"/> Yes <input type="checkbox"/> No		N↑			
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)	
Started 4/10/01		Dia. (in.)	From (ft)	To (ft)	<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Bored <input type="checkbox"/> Other
Completed 4/10/01		5	surface	50	
From (ft)	To (ft)	Description and color of formation material			
surface	20	Yellow + Gray clay			
20	32	Sand & Gr			
32		Rock			
32	50	Sand & Gr			
8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall					
<input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give the interval from 50 ft. to 40 ft.					
Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen	
2	N	Casing Plastic	surface	40	40
2	N	Screen Plastic	40	50	006
9) Cementing Data					
Cementing from 40 ft. to surface ft. # of sacks used 12					
Method Used Pressure					
Cementing By Raymond Services, Inc.					
Distance to septic tank field or other concentrated contamination ft.					
Method of verification of above distance Customer					
10) Surface Completion					
<input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used					
11) Water Level					
Static level 4 ft. below Date 4/10/01					
Artesian Flow gpm. Date / /					
12) Packers Type Depth					
NONE					
Company or individual's Name (type or print)		Raymond Services, Inc. 4577WI			
Address 10011 Airline Drive		City Houston	State TX	Zip 77037	
Signature		Date	Signature	Date	
Licensed Driller/Pump Installer			Apprentice	4/10/01	

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1156	2 of 2	NNE	4.17 / 22,032.42	Escalante, Alfonso TX	WW HARRIS GAL

Well ID:	12881	Diameter (inches):	2
Aggre Lead Well:	12881	Year Drilled:	NULL
Permit No:	WP2023-111652	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.390833
Owner Name:	Escalante, Alfonso		
Billing Contact:	NULL		
Billing Address:	334 Sulky Trail St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1157	1 of 1	NE	4.17 / 22,033.09	Roy Consford 1542 Mesquite Houston TX 77093	SDRW WELLS

Track NO: 61682
Date Submitted: 2005-06-30
Owner Name: Roy Consford
Owner Address: 1542 Mesquite
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.8875
Longitude: -95.361945
Drilling Date Started: 2005-06-17
Drilling Date Completed: 2005-06-17
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=61682&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 20
Measurement Date: 2005-06-17

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1158	1 of 1	NW	4.17 / 22,034.91	Ana Arriaga 2714 Jorent Houston TX 77088	SDRW WELLS

Track NO: 422718
Date Submitted: 2016-05-19
Owner Name: Ana Arriaga
Owner Address: 2714 Jorent
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890833
Longitude: -95.4525
Drilling Date Started: 2016-05-18
Drilling Date Completed: 2016-05-18
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=422718&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 57

Top Depth:
Bottom Depth: 57.0

Well Levels

Measurement: 15
Measurement Date: 2016-05-18

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1159	1 of 3	NNE	4.17 / 22,041.44	INTERNATIONAL PENTECOSTAL CHURCH TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/17/2000
Owners Name: INTERNATIONAL PENTECOSTAL CHURCH
County: HARRIS
Water Usage: DOMESTIC
Static Level: 13
Depth Drilled: 50
Latitude: 29.9022482
Longitude: -95.396417

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1159	2 of 3	NNE	4.17 / 22,041.44	International Pentecostal Church TX	WW HARRIS GAL

Well ID:	8006	Diameter (inches):	4
Aggre Lead Well:	8006	Year Drilled:	70
Permit No:	W1996-8006-64571-0	Depth Drilled:	40
Permit Start Date:	8/1/1996	Depth frm Surf(ft):	0
Permit End Dt:	12/31/2000	County:	H
Well Status:	P - Plugged	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.396666
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	322 Aldine Mall		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1159	3 of 3	NNE	4.17 / 22,041.44	Los Pentecostales De Houston Inc TX	WW HARRIS GAL

Well ID:	8403	Diameter (inches):	3
Aggre Lead Well:	8403	Year Drilled:	2000
Permit No:	WP2023-112269	Depth Drilled:	55
Permit Start Date:	8/1/2023 4:10:00 PM	Depth frm Surf(ft):	45
Permit End Dt:	7/31/2024 4:10:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.396111
Owner Name:	Los Pentecostales De Houston Inc		
Billing Contact:	Joe Rios		
Billing Address:	322 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1160	1 of 1	NNE	4.17 / 22,041.77	FLOYD HOFFMAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 6/19/1975
 Owners Name: FLOYD HOFFMAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 130
 Depth Drilled: 230
 Latitude: 29.9013907
 Longtiude: -95.3920224

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-9888</u> Located on map <u>Yes</u> Received: <u>25</u> <u>dec</u>																																																
1) OWNER: Person having well drilled <u>Hoffman (floyd)</u> Address <u>13913 Lillja Houston Texas</u> (Name) (Street or RFD) (City) (State) Landowner <u>Same</u> Address <u>Same</u> (Name) (Street or RFD) (City) (State)																																																				
2) LOCATION OF WELL: County <u>Harris</u> miles in _____ direction from _____ (N.E., S.W., etc.) (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* <u>413 E map on 65-05-9ccc</u> North (Use reverse side if necessary)																																																				
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other		5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored																																																
6) WELL LOG: Diameter of hole <u>6 3/4</u> in. Depth drilled <u>215 ft</u> ft. Depth of completed well <u>230 ft</u> ft. Date drilled <u>6-19-75</u> All measurements made from <u>0</u> ft. above ground level.																																																				
<table border="1"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>15</td><td>Yellow Gray Clay</td></tr> <tr><td>15</td><td>45</td><td>Sand 178 -178 Rock</td></tr> <tr><td>45</td><td>50</td><td>Red Gray Clay</td></tr> <tr><td>50</td><td>100 51</td><td>Rock 178 - 200 Red Clay</td></tr> <tr><td>51</td><td>100</td><td>Red Gray Clay</td></tr> <tr><td>100</td><td>105</td><td>Sand 200 - 230 Sand</td></tr> <tr><td>105</td><td>120</td><td>Red Gray Clay</td></tr> <tr><td>120</td><td>120</td><td>Rock</td></tr> <tr><td>120</td><td>137</td><td>Red Gray Clay</td></tr> <tr><td>137</td><td>175</td><td>Sand/ Red Clay Streaks</td></tr> <tr><td>175</td><td>175</td><td>Rock</td></tr> <tr><td>175</td><td>178</td><td>Sand (Use reverse side if necessary)</td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material	0	15	Yellow Gray Clay	15	45	Sand 178 -178 Rock	45	50	Red Gray Clay	50	100 51	Rock 178 - 200 Red Clay	51	100	Red Gray Clay	100	105	Sand 200 - 230 Sand	105	120	Red Gray Clay	120	120	Rock	120	137	Red Gray Clay	137	175	Sand/ Red Clay Streaks	175	175	Rock	175	178	Sand (Use reverse side if necessary)	9) Casing: Type: Old <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Other Cemented from <u>215 ft up</u> ft. to _____ ft. <table border="1"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Gage</th> </tr> </thead> <tbody> <tr> <td>4"</td> <td>1 ft</td> <td>215 ft</td> <td>40</td> </tr> </tbody> </table>			Diameter (inches)	Setting From (ft.)	To (ft.)	Gage	4"	1 ft	215 ft	40
From (ft.)	To (ft.)	Description and color of formation material																																																		
0	15	Yellow Gray Clay																																																		
15	45	Sand 178 -178 Rock																																																		
45	50	Red Gray Clay																																																		
50	100 51	Rock 178 - 200 Red Clay																																																		
51	100	Red Gray Clay																																																		
100	105	Sand 200 - 230 Sand																																																		
105	120	Red Gray Clay																																																		
120	120	Rock																																																		
120	137	Red Gray Clay																																																		
137	175	Sand/ Red Clay Streaks																																																		
175	175	Rock																																																		
175	178	Sand (Use reverse side if necessary)																																																		
Diameter (inches)	Setting From (ft.)	To (ft.)	Gage																																																	
4"	1 ft	215 ft	40																																																	
7) COMPLETION (Check): <input type="checkbox"/> Straight wall <input type="checkbox"/> Gravel packed <input type="checkbox"/> Other <input type="checkbox"/> Under reamed <input type="checkbox"/> Open Hole			10) SCREEN: Type <u>Well Supplies Inc. Plastic Wrapped</u> <input type="checkbox"/> Perforated <input type="checkbox"/> Slotted <table border="1"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Slot Size</th> </tr> </thead> <tbody> <tr> <td>2 1/2"</td> <td>220 ft</td> <td>230 ft</td> <td>12</td> </tr> </tbody> </table>			Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size	2 1/2"	220 ft	230 ft	12																																							
Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size																																																	
2 1/2"	220 ft	230 ft	12																																																	
8) WATER LEVEL: Static level <u>130</u> ft. below land surface Date _____ Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>180</u> ft. below land surface.			11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, by whom? Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																																	
12) WATER QUALITY: Was a chemical analysis made? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Did any strata contain undesirable water? Yes <input type="checkbox"/> No <input type="checkbox"/> Type of water? _____ depth of strata _____			I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME <u>C. A. Raymond, Jr.</u> Water Well Drillers Registration No. <u>TDL 774</u> (Type or Print) ADDRESS <u>10011 Airlina Houston Texas</u> (Street or RFD) (City) (State) (Signed) <u>C. A. Raymond, Jr.</u> <u>Raymond Water Well Drilling Inc.</u> (Water Well Driller) (Company Name)																																																	

*Additional instructions on reverse side.

TWDBE-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1161	1 of 2	NNE	4.18 / 22,065.59	DeLaCruz, Juana TX	WW HARRIS GAL

Well ID:	12780	Diameter (inches):	2
Aggre Lead Well:	12780	Year Drilled:	NULL
Permit No:	WP2023-112573	Depth Drilled:	200
Permit Start Date:	8/1/2023 3:55:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:55:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.380555
Owner Name:	DeLaCruz, Juana		
Billing Contact:	NULL		
Billing Address:	20831 Divellec Lane		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388-3265		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1161	2 of 2	NNE	4.18 / 22,065.59	DeLaCruz, Juana TX	WW HARRIS GAL

Well ID:	12781	Diameter (inches):	2
Aggre Lead Well:	12780	Year Drilled:	NULL
Permit No:	WP2023-112573	Depth Drilled:	999
Permit Start Date:	8/1/2023 3:55:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:55:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.380555
Owner Name:	DeLaCruz, Juana		
Billing Contact:	NULL		
Billing Address:	20831 Divellec Lane		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388-3265		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1162	1 of 1	S	4.18 / 22,066.08	Swift and Co. TX	GWDB

Well Rep Track No:
State Well No: 6513911
Owner Name: Swift and Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1917
Well Depth: 670
Well Usage: Industrial
Water Level Status:
Latitude: 29.7816670
Longitude: -95.4041670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513911&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513911&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1163	1 of 1	NW	4.18 / 22,067.92	REGINAL BUCKNER TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 11/10/1997
Owners Name: REGINAL BUCKNER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 12
Depth Drilled: 53
Latitude: 29.890971
Longitude: -95.4526525

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>REGINAL BUCKNER</u> ADDRESS <u>2718 JORENT HOUSTON TX 77088</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL: <u>2718 JORENT HOUSTON TX 77088</u> GRID # <u>65-05-7</u> <small>County (Street or RFD) (City) (State) (Zip)</small>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <small>If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No</small>		5)																					
6) WELL LOG: Date Drilling: <u>11/10 1997</u> Started <u>11/10 1997</u> Completed <u>11/10 1997</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">4"</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">53'</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	4"	Surface	53'	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
4"	Surface	53'																							
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ <small>If Gravel Packed give interval ... from <u>43</u> ft. to <u>53</u> ft.</small>																							
0-7' TOP SOIL/WHITE CLAY		CASING, BLANK PIPE, AND WELL SCREEN DATA:																							
7' - 17' WHITE SAND		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td style="text-align: center;">SLOTTED</td> <td style="text-align: center;">43</td> <td style="text-align: center;">53</td> <td style="text-align: center;">008</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td style="text-align: center;">PLASTIC</td> <td style="text-align: center;">8</td> <td style="text-align: center;">43</td> <td style="text-align: center;">SCH40</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	2	N	SLOTTED	43	53	008	2	N	PLASTIC	8	43	SCH40
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
2	N	SLOTTED	43	53	008																				
2	N	PLASTIC	8	43	SCH40																				
17' - 20' WHITE SAND		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>43</u> ft. No. of sacks used <u>6</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>RAYMOND SERVICES</u> Distance to septic system field lines <u>60</u> ft. Method of verification of above distance <u>CUSTOMER</u>																							
20' - 27' WHITE CLAY		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
27' - 37' RED CLAY		11) WATER LEVEL: Static level <u>12</u> ft. below land surface Date <u>11/10/97</u> Artesian flow _____ gpm. Date _____																							
37' - 43' RED CLAY		12) PACKERS: Type Depth <u>None</u>																							
43' - 53' RED SAND <small>(Use reverse side if necessary)</small>		13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>20</u> ft.																							
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>RAYMOND SERVICES INC</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4577</u> <u>APR 21 1998</u> <u>TX 77037</u> <small>(City) (State) (Zip)</small>																							
ADDRESS <u>10011 AIRLINE DR. HOUSTON</u> <small>(Street or RFD) (City)</small>		(Signed) <u>[Signature]</u> (Signed) _____ <small>(Licensed Well Driller) (Registered Driller Trainee)</small>																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

WELL OWNER'S COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1164	1 of 1	N	4.18 / 22,079.69	JACK BENTLEY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/29/1999
Owners Name: JACK BENTLEY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 14
Depth Drilled: 55
Latitude: 29.9034061
Longitude: -95.4110762

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>JACK BENTLEY</u> ADDRESS <u>614 SHANE HOV IR 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>SAME</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. _____ Lat. _____ Grid # <u>65-05-9</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																					
6) WELL LOG: Date Drilling: <u>11/29/99</u> Started <u>11/29/99</u> Completed <u>11/29/99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>5 1/4"</u></td> <td><u>Surface</u></td> <td><u>55</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5 1/4"</u>	<u>Surface</u>	<u>55</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5 1/4"</u>	<u>Surface</u>	<u>55</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 16 YELLOW CLAY</u> <u>16 - 55 SAND 12 CA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>45</u> ft. to <u>55</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>45</u></td> <td><u>5440</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic SCREEN</u></td> <td><u>45</u></td> <td><u>55</u></td> <td><u>006</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>45</u>	<u>5440</u>	<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>45</u>	<u>55</u>	<u>006</u>	9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>45</u> ft. No. of sacks used <u>8</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>68</u> ft. Method of verification of above distance <u>Customer</u>			
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																	
		From	To																						
<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>45</u>	<u>5440</u>																				
<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>45</u>	<u>55</u>	<u>006</u>																				
(Use reverse side of Well Owner's copy, if necessary)																									
13) <input type="checkbox"/> Well plugged within 48 hours																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>						Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)											
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																					
From (ft)	To (ft)	From (ft)	To (ft)																						
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.																									
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																									
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pileless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																									
11) WATER LEVEL: Static level <u>14</u> ft. below land surface Date <u>11/29/99</u> Artesian flow _____ gpm. Date _____																									
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>none</u></td> <td><u>none</u></td> </tr> </table>						Type	Depth	<u>none</u>	<u>none</u>																
Type	Depth																								
<u>none</u>	<u>none</u>																								
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> WELL DRILLER'S LICENSE NO. <u>457-WI</u> <small>(Type or print)</small>																									
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small>																									
(Signed) <u>[Signature]</u> (Signed) _____ <small>Licensed Well Driller (Registered Driller Trainee)</small>																									
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001VWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1165	1 of 2	NNE	4.18 / 22,085.80	J E HARRELL TX	TCEQ WELL LOGS

Grid No: 65-05-9CC
 Date Drilled: 04/15/1983
 Owners Name: J E HARRELL
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 235
 Depth Drilled: 394
 Latitude: 29.8969689
 Longtiude: -95.378125

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER **J.E. Harrell** Address **1005 Hill Rd.** **Houston, Texas 77037**
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: **Harris** miles in _____ direction from _____
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. **map on 65-05-8FF**

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 373
4 3/4 " 394
Date drilled **4-15-83**

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other **Two-String**
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	surface
2	10	gray clay
10	13	yellow clay
13	35	red and yellow clay
35	44	sand
44	78	red and gray clay
78	106	blue clay
106	145	red and yellow clay
145	161	sand
161	210	red and yellow clay
210	227	sand
227	249	red and gray clay
249	257	sand
257	262	red clay
262	265	sand
265	279	red and yellow clay
279	289	sand
289	301	red and gray clay
301	310	sand
310	313	red clay
313	336	sand 10 ga.
336	344	red and gray clay
344	350	sand
350	353	red and yellow clay
352	361	sand
361	370	red and yellow clay
370	394	sand 16 ga.

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	N	PVC Casing	+18"	373	40
2 1/2"	N	PVC Liner	364	374	80
2 1/2"	N	PVC Screen	374	394	16

CEMENTING DATA
Cemented from **373** ft. to **200** ft.
Method used **Pressure Cemented**
Cemented by **Raymond Water Wells**
(Company or Individual)

9) WATER LEVEL:

Static level **235** ft. below land surface Date **4-15-83**
Artesian flow _____ gpm. Date _____

PACKERS: Type Depth

REC'D

SEP - 1 1983

DEPT. OF

WATER RESOURCES

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., **294** ft.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable
water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:

☐ Type Test: ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: **14 18** gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME **C.A. Raymond, Jr.** Water Well Driller's License No. **774**

ADDRESS **10011 Airline Drive** **Houston, Tx. 77037**

(Signed) **Raymond** (City) (State) (Zip)

(Signed) **RAYMOND WATER WELLS** **out**

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. **65-05-9cc**
Located on map **YCS-C.F.S.**

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1165	2 of 2	NNE	4.18 / 22,085.80	Morales, Lorenzo TX	WW HARRIS GAL

Well ID:	11311	Diameter (inches):	4
Aggre Lead Well:	11311	Year Drilled:	2009
Permit No:	WP2023-111890	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.896666
Regulatory Aarea:	3	Longitude:	-95.378055
Owner Name:	Morales, Lorenzo		
Billing Contact:	Austreberta Perez		
Billing Address:	201 Hill Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1166	1 of 2	NE	4.18 / 22,093.92	KENNETH HOLCOMB TX	TCEQ WELL LOGS

Grid No:	65-06-7
Date Drilled:	02/20/1991
Owners Name:	KENNETH HOLCOMB
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	254
Depth Drilled:	380
Latitude:	29.8883494
Longtiude:	-95.363419

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Kenneth Helcomb</u> (Name) ADDRESS <u>1527 Mesquite Houston Texas</u> (Street or RFD) (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>Harris</u> 4 miles in <u>S</u> direction from <u>Aldine</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP (3) on 65-06-4																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud-Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>2-18-91</u> Started <u>2-20-91</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 1/2</u></td> <td>Surface</td> <td><u>370</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>370</u></td> <td><u>380</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 1/2</u>	Surface	<u>370</u>	<u>4 1/2</u>	<u>370</u>	<u>380</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval . . . from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 1/2</u>	Surface	<u>370</u>																																																								
<u>4 1/2</u>	<u>370</u>	<u>380</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-35</u></td><td><u>C</u></td><td><u>288-319 C</u></td></tr> <tr><td><u>35-50</u></td><td><u>S</u></td><td><u>319-330 S</u></td></tr> <tr><td><u>50-76</u></td><td><u>C</u></td><td><u>330-341 C</u></td></tr> <tr><td><u>76-94</u></td><td><u>S</u></td><td><u>341-380 S</u></td></tr> <tr><td><u>94-150</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>150-159</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>159-185</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>185-191</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>191-279</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>279-288</u></td><td><u>S</u></td><td></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-35</u>	<u>C</u>	<u>288-319 C</u>	<u>35-50</u>	<u>S</u>	<u>319-330 S</u>	<u>50-76</u>	<u>C</u>	<u>330-341 C</u>	<u>76-94</u>	<u>S</u>	<u>341-380 S</u>	<u>94-150</u>	<u>C</u>		<u>150-159</u>	<u>S</u>		<u>159-185</u>	<u>C</u>		<u>185-191</u>	<u>S</u>		<u>191-279</u>	<u>C</u>		<u>279-288</u>	<u>S</u>		8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 N</u></td> <td></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>370</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2 N</u></td> <td></td> <td><u>PVC wrapped</u></td> <td><u>370</u></td> <td><u>380</u></td> <td><u>12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4 N</u>		<u>PVC</u>	<u>0</u>	<u>370</u>	<u>40</u>	<u>2 1/2 N</u>		<u>PVC wrapped</u>	<u>370</u>	<u>380</u>	<u>12</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-35</u>	<u>C</u>	<u>288-319 C</u>																																																								
<u>35-50</u>	<u>S</u>	<u>319-330 S</u>																																																								
<u>50-76</u>	<u>C</u>	<u>330-341 C</u>																																																								
<u>76-94</u>	<u>S</u>	<u>341-380 S</u>																																																								
<u>94-150</u>	<u>C</u>																																																									
<u>150-159</u>	<u>S</u>																																																									
<u>159-185</u>	<u>C</u>																																																									
<u>185-191</u>	<u>S</u>																																																									
<u>191-279</u>	<u>C</u>																																																									
<u>279-288</u>	<u>S</u>																																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4 N</u>		<u>PVC</u>	<u>0</u>	<u>370</u>	<u>40</u>																																																					
<u>2 1/2 N</u>		<u>PVC wrapped</u>	<u>370</u>	<u>380</u>	<u>12</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>20</u> ft. No. of Sacks Used <u>20</u> <u>330</u> ft. to <u>380</u> ft. No. of Sacks Used <u>5</u> Method used _____ Cemented by _____																																																								
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>254</u> ft. below land surface Date <u>2-20-91</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: Type Depth																																																										
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>Low Water Wells Inc.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1182</u>																																																										
ADDRESS <u>P.O. Box 89</u> (Street or RFD) <u>Porter</u> (City) <u>Texas</u> (State) <u>77365</u> (Zip)																																																										
(Signed) <u>Robert L. Lowe</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																																										
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>65-06-2</u> Located on map _____																																																										

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1166	2 of 2	NE	4.18 / 22,093.92	R.C. KRONWIG TX	TCEQ WELL LOGS

Grid No: 65-06-7T
Date Drilled: 02/18/1972
Owners Name: R.C. KRONWIG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 63
Depth Drilled: 105
Latitude: 29.8883494
Longitude: -95.363419

#20

65-06-7T

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-06-7T
Located on map 72 Yes
Received: 72 Yes

1) OWNER:
Person having well drilled R.C. Kronig (Name) Address 1527 Mesquite Ave Tex (City) (State)
Landowner Same (Name) Address Same (City) (State)

2) LOCATION OF WELL:
County Harris 6 miles in N direction from Houston (Town)
(N.E., S.W., etc.)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 3 3/4 in. Depth drilled 105 ft. Depth of completed well 105 ft. Date drilled 2/18/72
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	43	Red Clay
43	49	Red Sand (Fine)
49	60	Red White Clay
60	64	Thin White Sand
64	89	White Clay
89	105	8ga White Sand

9) CASING:
Type: Old ☒ New ☐ Steel ☐ Plastic ☐ Other _____
Cemented from none ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
2" 1 97 40

10) SCREEN:
Type: Plastic Wrapped
Perforated ☐ Slotted ☐
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 97 105 8ga-

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other _____
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 63 ft. below land surface Date 2/18/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☐ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond Jr. (Type or Print) Water Well Drillers Registration No. 774
ADDRESS 132 Raymac (Street or RFD) Houston (City) Texas (State)
(Signed) C.A. Raymond Jr. (Water Well Driller) Raymond Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1167	1 of 3	NNE	4.18 / 22,095.49	Homero Cerda 13902 Stoneshire Houston TX 77037	SDRW WELLS

Track NO: 60136
Date Submitted: 2005-06-02
Owner Name: Homero Cerda
Owner Address: 15011 Kirkfield
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900001
Longitude: -95.387222
Drilling Date Started: 2005-05-25
Drilling Date Completed: 2005-05-25
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=60136&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 5
Measurement Date: 2005-05-25

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1167	2 of 3	NNE	4.18 / 22,095.49	Homero Cerda 13906 Stoneshire Harris TX 77037	SDRW WELLS

Track NO: 69374
Date Submitted: 2005-10-24
Owner Name: Homero Cerda
Owner Address: 15011 Kirkfield
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900001
Longitude: -95.387222
Drilling Date Started: 2005-10-08
Drilling Date Completed: 2005-10-08
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=69374&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 15
Measurement Date: 2005-10-08

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1167	3 of 3	NNE	4.18 / 22,095.49	Homero Cerda 13830 Stoneshire Houston TX 77037	SDRW WELLS

Track NO: 60655
Date Submitted: 2005-06-10
Owner Name: Homero Cerda
Owner Address: 15011 Kirkfield
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900001
Longitude: -95.387222
Drilling Date Started: 2005-06-09
Drilling Date Completed: 2005-06-09
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=60655&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 15
Measurement Date: 2005-06-09

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1168	1 of 4	N	4.19 / 22,099.28	AZALEA PLACE INC TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 09/08/1995
Owners Name: AZALEA PLACE INC
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 240
Depth Drilled: 405
Latitude: 29.9028876
Longitude: -95.3997402

Send original copy by certified mail to: TNRCC, P.O. Box 1, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																											
1) OWNER <u>AZALEA PLACE INC.</u> (Name) ADDRESS <u>10110 Airline Dr. Houston TX 77037</u> (Street or RFD) (City) (State) (Zip)																																															
2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) <u>10110 Airline Dr. Houston TX 77037</u> (City) (State) (Zip) GRID # <u>65-05-9</u>																																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		5)																																											
6) WELL LOG: Date Drilling: <u>9-5</u> 19 <u>95</u> Started <u>9-5</u> 19 <u>95</u> Completed <u>9-8</u> 19 <u>95</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>9 7/8</u></td> <td>Surface</td> <td><u>385</u></td> </tr> <tr> <td><u>4 3/4</u></td> <td><u>385</u></td> <td><u>405</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>9 7/8</u>	Surface	<u>385</u>	<u>4 3/4</u>	<u>385</u>	<u>405</u>																																	
Dia. (in.)	From (ft.)	To (ft.)																																													
<u>9 7/8</u>	Surface	<u>385</u>																																													
<u>4 3/4</u>	<u>385</u>	<u>405</u>																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>18</u></td><td><u>TOP SOIL + CLAY</u></td></tr> <tr><td><u>18</u></td><td><u>28</u></td><td><u>SURFACE SAND</u></td></tr> <tr><td><u>28</u></td><td><u>40</u></td><td><u>CLAY</u></td></tr> <tr><td><u>40</u></td><td><u>55</u></td><td><u>SAND</u></td></tr> <tr><td><u>55</u></td><td><u>125</u></td><td><u>CLAY</u></td></tr> <tr><td><u>125</u></td><td><u>147</u></td><td><u>SAND</u></td></tr> <tr><td><u>147</u></td><td><u>197</u></td><td><u>CLAY</u></td></tr> <tr><td><u>197</u></td><td><u>218</u></td><td><u>SAND + ROCK</u></td></tr> <tr><td><u>218</u></td><td><u>279</u></td><td><u>CLAY</u></td></tr> <tr><td><u>279</u></td><td><u>300</u></td><td><u>SANDY CLAY</u></td></tr> <tr><td><u>300</u></td><td><u>335</u></td><td><u>SAND</u></td></tr> <tr><td><u>335</u></td><td><u>354</u></td><td><u>CLAY</u></td></tr> <tr><td><u>354</u></td><td><u>405</u></td><td><u>SAND</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>18</u>	<u>TOP SOIL + CLAY</u>	<u>18</u>	<u>28</u>	<u>SURFACE SAND</u>	<u>28</u>	<u>40</u>	<u>CLAY</u>	<u>40</u>	<u>55</u>	<u>SAND</u>	<u>55</u>	<u>125</u>	<u>CLAY</u>	<u>125</u>	<u>147</u>	<u>SAND</u>	<u>147</u>	<u>197</u>	<u>CLAY</u>	<u>197</u>	<u>218</u>	<u>SAND + ROCK</u>	<u>218</u>	<u>279</u>	<u>CLAY</u>	<u>279</u>	<u>300</u>	<u>SANDY CLAY</u>	<u>300</u>	<u>335</u>	<u>SAND</u>	<u>335</u>	<u>354</u>	<u>CLAY</u>	<u>354</u>	<u>405</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																													
<u>0</u>	<u>18</u>	<u>TOP SOIL + CLAY</u>																																													
<u>18</u>	<u>28</u>	<u>SURFACE SAND</u>																																													
<u>28</u>	<u>40</u>	<u>CLAY</u>																																													
<u>40</u>	<u>55</u>	<u>SAND</u>																																													
<u>55</u>	<u>125</u>	<u>CLAY</u>																																													
<u>125</u>	<u>147</u>	<u>SAND</u>																																													
<u>147</u>	<u>197</u>	<u>CLAY</u>																																													
<u>197</u>	<u>218</u>	<u>SAND + ROCK</u>																																													
<u>218</u>	<u>279</u>	<u>CLAY</u>																																													
<u>279</u>	<u>300</u>	<u>SANDY CLAY</u>																																													
<u>300</u>	<u>335</u>	<u>SAND</u>																																													
<u>335</u>	<u>354</u>	<u>CLAY</u>																																													
<u>354</u>	<u>405</u>	<u>SAND</u>																																													
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>5</u></td> <td><u>N</u></td> <td><u>SDR17</u></td> <td><u>0</u></td> <td><u>385</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>GALVANIZED</u></td> <td><u>380</u></td> <td><u>385</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREENS</u></td> <td><u>385</u></td> <td><u>405</u></td> <td><u>.012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>5</u>	<u>N</u>	<u>SDR17</u>	<u>0</u>	<u>385</u>		<u>2 1/2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>380</u>	<u>385</u>		<u>2 1/2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>385</u>	<u>405</u>	<u>.012</u>																
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																										
			From	To																																											
<u>5</u>	<u>N</u>	<u>SDR17</u>	<u>0</u>	<u>385</u>																																											
<u>2 1/2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>380</u>	<u>385</u>																																											
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>385</u>	<u>405</u>	<u>.012</u>																																										
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>385</u> ft. No. of sacks used <u>87</u> Method used <u>HALLIBURTON</u> Cemented by <u>BUSSELL + SON INC.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>120</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>9-8-95</u> Artesian flow _____ gpm. Date _____																																													
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 70%;">Type</th> <th style="width: 30%;">Depth</th> </tr> <tr> <td><u>K-PACKER</u></td> <td><u>380</u></td> </tr> </table>		Type	Depth	<u>K-PACKER</u>	<u>380</u>																																										
Type	Depth																																														
<u>K-PACKER</u>	<u>380</u>																																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																															
COMPANY NAME <u>BUSSELL + SON INC</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2035</u>																																															
ADDRESS <u>P O BOX 874</u> (Street or RFD) <u>Tomball</u> (City) <u>TEXAS</u> (State) <u>77377-0874</u> (Zip)																																															
(Signed) <u>Craig A. Busnell</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																																															

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1168	2 of 4	N	4.19 / 22,099.28	ALDINE COM CARE CENTER TX	TCEQ WELL LOGS

Grid No: 65-05-9SS
 Date Drilled: 11/??/1977
 Owners Name: ALDINE COM CARE CENTER
 County: HARRIS
 Water Usage: INDUSTRIAL
 Static Level: 215
 Depth Drilled: 378
 Latitude: 29.9028876
 Longtiude: -95.3997402

413 #

955

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 68-15-959
Located on map 28-4C5
Received: 28-4C5

1) OWNER:
Person having well drilled M Aldine Com. Care Center Address 2426 Cee Gee MM San Antonio, TX
(Name) (Street or RFD) (City) (State)
Landowner 119 Aldine Mail Rte. Address Houston TX.
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from
hiway number, etc.* adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 378 ft. Depth of completed well 400 ft. Date drilled 11-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-5		gray clay
5-12		Yellow clay
12-36		red, yellow clay
36-49		red sand
49-80		red, gray clay
80-85		sand
85-126		red, yellow clay
126-145		sand
145-174		red, yellow clay
174-179		sand
179-194		red & yellow clay
194-226		sand 12 ga.

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 378 up ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4" 1' 378 40 ga.

10) SCREEN:
Type Well Supplies, Inc. Plastic Wrapped
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 380 400 16 ga.

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 215 ft. below land surface Date 11-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 315 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 Airline Dr. Houston, TX
(Street or RFD) (City) (State)
(Signed) C.A. Raymond Jr. RAYMOND WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

226-228	red, yellow clay
228-231	sand
231-255	red, yellow clay
255-257	sand
257-272	red, yellow clay
272-278	sand
278-290	red & gray clay
290-334	sand 12 ga.
334-340	red, gray clay
340-349	sand
349-352	red clay
352-400	sand 16 ga.


YY-II

RECEIVED

DEPT. OF
WATER RESOURCES

OCT - 6 1978

RECEIVED



OCT - 6 1978

DEPT. OF
WATER RESOURCES

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1168	3 of 4	N	4.19 / 22,099.28	BAKER TX	TCEQ WELL LOGS

Grid No: 65-05-6CC
 Date Drilled: 06/16/1977
 Owners Name: BAKER
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 12
 Depth Drilled: 49
 Latitude: 29.9028876
 Longtiude: -95.3997402

65056CC *Dup*

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-6CC
Located on map yes
Received: 9/7/85
alt

1) OWNER:
Person having well drilled Baker Address 200 Dale Hwy TX
(Name) (Street or RFD) (City) (State)
Landowner same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Barnes miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from
hiway number, etc.* adjacent sections or survey lines.
5.25 *3.5* *Baseline* *Dale* North
(Use reverse side if necessary) Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼, NE¼, SW¼, SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 49 ft. Depth of completed well 49 ft. Date drilled 8-16-77
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	12	clay
12	14	sand
14	24	clay
24	49	sand

9) CASING:
Type: Old ☒ New Steel Plastic Other
Cemented from NONE ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
2 0 39

10) SCREEN:
Type plastic
Perforated ☐ Slotted ☒
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 39 49 10

(Use reverse side if necessary)

7) COMPLETION (Check):
☒ Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 12 ft. below land surface Date 8-16-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 30' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. Hendon Jr Water Well Drillers Registration No. 1439
(Type or Print)
ADDRESS 14605 Reveston Hwy TX
(Street or RFD) (City) (State)
(Signed) A.R. Hendon Jr H & H Water Well
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-CW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1168	4 of 4	N	4.19 / 22,099.28	South Houston Community Development Corp.	WW HARRIS GAL

TX

Well ID:	5452	Diameter (inches):	5
Aggre Lead Well:	5452	Year Drilled:	1995
Permit No:	W2015-5452-178069-0	Depth Drilled:	400
Permit Start Date:	8/1/2015	Depth frm Surf(ft):	360
Permit End Dt:	8/1/2015	County:	H
Well Status:	2 - No electric or plumbing	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.400277
Owner Name:	South Houston Community Development Corp.		
Billing Contact:	NULL		
Billing Address:	10110 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1169	1 of 2	NNE	4.19 / 22,103.80	TX	GWDB

Well Rep Track No:

State Well No:

6505930

Owner Name:

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

1969

Well Depth:

42

Well Usage:

De-watering

Water Level Status:

Latitude:

29.9025010

Longitude:

-95.3955560

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505930&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505930&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1169	2 of 2	NNE	4.19 / 22,103.80	USGS-295408095234301 TX	FED USGS

Site No: USGS-295408095234301
Site Type: Well
Formation Type: Chicot Aquifer, Upper
Date Drilled: 19690701
Well Depth: 42
Well Depth Unit: ft
Well Hole Depth: 42
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-930
Latitude: 29.902500000000000
Longitude: -95.3955556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1170	1 of 1	NNE	4.19 / 22,105.41	D.L. GRIFFITH TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 07/16/1975
 Owners Name: D.L. GRIFFITH
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 150
 Depth Drilled: 230
 Latitude: 29.900452
 Longtiude: -95.387637

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

165 - 170	Sand
170 - 180	Red Gray Clay
180 - 181	Rock
181 - 200	Red Gray Clay
200 - 230	Sand

JAN 20 1975

RECEIVED

SEP 18 1975

TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1171	1 of 1	SW	4.19 / 22,106.56	HOUSTON SHELL & CONCRETE TX	WW HARRIS GAL

Well ID:	2844	Diameter (inches):	6
Aggre Lead Well:	2844	Year Drilled:	1965
Permit No:	W1984-2844-20807-0	Depth Drilled:	565
Permit Start Date:	11/1/1984	Depth frm Surf(ft):	525
Permit End Dt:	10/31/1985	County:	H
Well Status:	P - Plugged	Latitude:	29.789722
Regulatory Aarea:	2	Longitude:	-95.445
Owner Name:	HOUSTON SHELL & CONCRETE		
Billing Contact:	PAT CALDWELL		
Billing Address:	P.O. Box 348		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1172	1 of 1	NW	4.19 / 22,113.06	Alberto Herrera 2730 Jorent Dr. Houston TX 77388	SDRW WELLS

Track NO: 326173
Date Submitted: 2013-07-23
Owner Name: Alberto Herrera
Owner Address: 2730 Jorent Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77388
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.891111
Longitude: -95.453056
Drilling Date Started: 2013-07-10
Drilling Date Completed: 2013-07-10
Chemical Analysis: No
Company Name: Coastal Waterwell Services Inc.
Company Address: P.O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=326173&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 60

Top Depth:
Bottom Depth: 60.0

Well Levels

Measurement: 20
Measurement Date: 2013-07-10

Well Strata

Water Type:

Potable

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1173	1 of 2	N	4.19 / 22,114.36	MAN TRAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/06/1993
Owners Name: MAN TRAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 450
Latitude: 29.9035154
Longtiude: -95.4099309

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

on, P.O. Box 13087, Austin, Texas 78711

Km 4.5 H

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																												
1) OWNER <u>Man Tran</u> (Name) ADDRESS <u>522 Shame St Houston, Tx.</u> (Street or RFD) (City) (State) (Zip)																																																																
2) LOCATION OF WELL: County <u>Harris</u> <u>10</u> miles in <u>N</u> direction from <u>Houston, Tx.</u> (NE, SW, etc.) (Town)																																																																
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																																
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																																
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>65-6-7</u>																																																																
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																												
6) WELL LOG: Date Drilling: <u>Oct 1</u> 19 <u>93</u> Started <u>Oct 1</u> 19 <u>93</u> Completed <u>Oct 6</u> 19 <u>93</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>400</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>400</u></td> <td><u>420</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>400</u>	<u>4 1/2</u>	<u>400</u>	<u>420</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Undergamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																
DIAMETER OF HOLE																																																																
Dia. (in.)	From (ft.)	To (ft.)																																																														
<u>6 3/4</u>	Surface	<u>400</u>																																																														
<u>4 1/2</u>	<u>400</u>	<u>420</u>																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-40</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>40-45</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>45-160</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>160-200</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>200-300</u></td><td></td><td><u>Clay, rock</u></td></tr> <tr><td><u>300-340</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>340-360</u></td><td></td><td><u>Clay, rock</u></td></tr> <tr><td><u>360-390</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>390-400</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>400-420</u></td><td></td><td><u>Sand</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-40</u>		<u>Clay</u>	<u>40-45</u>		<u>Sand</u>	<u>45-160</u>		<u>Clay</u>	<u>160-200</u>		<u>Sand</u>	<u>200-300</u>		<u>Clay, rock</u>	<u>300-340</u>		<u>Sand</u>	<u>340-360</u>		<u>Clay, rock</u>	<u>360-390</u>		<u>Sand</u>	<u>390-400</u>		<u>Clay</u>	<u>400-420</u>		<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>400</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC LINE</u></td> <td><u>390</u></td> <td><u>400</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Screen</u></td> <td><u>400</u></td> <td><u>420</u></td> <td><u>10</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>400</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC LINE</u>	<u>390</u>	<u>400</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>Screen</u>	<u>400</u>	<u>420</u>	<u>10</u>
From (ft.)	To (ft.)	Description and color of formation material																																																														
<u>0-40</u>		<u>Clay</u>																																																														
<u>40-45</u>		<u>Sand</u>																																																														
<u>45-160</u>		<u>Clay</u>																																																														
<u>160-200</u>		<u>Sand</u>																																																														
<u>200-300</u>		<u>Clay, rock</u>																																																														
<u>300-340</u>		<u>Sand</u>																																																														
<u>340-360</u>		<u>Clay, rock</u>																																																														
<u>360-390</u>		<u>Sand</u>																																																														
<u>390-400</u>		<u>Clay</u>																																																														
<u>400-420</u>		<u>Sand</u>																																																														
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																											
			From	To																																																												
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>400</u>	<u>40</u>																																																											
<u>2 1/2</u>	<u>N</u>	<u>PVC LINE</u>	<u>390</u>	<u>400</u>	<u>40</u>																																																											
<u>2 1/2</u>	<u>N</u>	<u>Screen</u>	<u>400</u>	<u>420</u>	<u>10</u>																																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. <u>357</u> ft.		9) CEMENTING DATA (Rule 287.44(1)) Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>4</u> <u>200</u> ft. to <u>400</u> ft. No. of Sacks Used <u>12</u> Method used <u>Pressure</u> Cemented by <u>C.W.W.</u>																																																														
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																														
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>20</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>250</u> ft. below land surface Date <u>Oct. 6, 93</u> Artesian flow _____ gpm. Date _____																																																														
12) PACKERS: Type Depth <u>4X2 1/2</u> <u>R</u> <u>390</u>																																																																
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.																																																																
COMPANY NAME <u>Coastal Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>																																																																
ADDRESS <u>P.O. Box 745</u> (Street or RFD) <u>Porter</u> (City) <u>TX</u> (State) <u>77368</u> (Zip)																																																																
(Signed) <u>J. H. Gehring</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																																																
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																
For TWC use only: Well No. _____ Located on map <u>65-5-9</u>																																																																

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1173	2 of 2	N	4.19 / 22,114.36	MAN TRAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 08/5/1992
Owners Name: MAN TRAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 396
Latitude: 29.9035154
Longtiude: -95.4099309


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Man Tran</u> (Name) ADDRESS <u>522 Shane Hwy. Tx</u> (Street or RFD) (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>Harris</u> 10 miles in <u>N</u> direction from <u>Houston, Tx</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____ <input checked="" type="checkbox"/> SEE ATTACHED MAP																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>July 30, 92</u> Started <u>King 5</u> 19 <u>92</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>370</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>370</u></td> <td><u>396</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>370</u>	<u>4 1/2</u>	<u>370</u>	<u>396</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two-String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>370</u>																																																								
<u>4 1/2</u>	<u>370</u>	<u>396</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0-40</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>40-45</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>45-160</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>160-210</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>210-290</u></td> <td></td> <td><u>Clay, red</u></td> </tr> <tr> <td><u>290-340</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>340-360</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>360-396</u></td> <td></td> <td><u>Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-40</u>		<u>Clay</u>	<u>40-45</u>		<u>Sand</u>	<u>45-160</u>		<u>Clay</u>	<u>160-210</u>		<u>Sand</u>	<u>210-290</u>		<u>Clay, red</u>	<u>290-340</u>		<u>Sand</u>	<u>340-360</u>		<u>Clay</u>	<u>360-396</u>		<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>370</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC LINE</u></td> <td><u>360</u></td> <td><u>381</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC JACO</u></td> <td><u>381</u></td> <td><u>396</u></td> <td><u>10</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>370</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC LINE</u>	<u>360</u>	<u>381</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC JACO</u>	<u>381</u>	<u>396</u>	<u>10</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-40</u>		<u>Clay</u>																																																								
<u>40-45</u>		<u>Sand</u>																																																								
<u>45-160</u>		<u>Clay</u>																																																								
<u>160-210</u>		<u>Sand</u>																																																								
<u>210-290</u>		<u>Clay, red</u>																																																								
<u>290-340</u>		<u>Sand</u>																																																								
<u>340-360</u>		<u>Clay</u>																																																								
<u>360-396</u>		<u>Sand</u>																																																								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>370</u>	<u>40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC LINE</u>	<u>360</u>	<u>381</u>	<u>40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC JACO</u>	<u>381</u>	<u>396</u>	<u>10</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>357</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>2</u> <u>200</u> ft. to <u>370</u> ft. No. of Sacks Used <u>12</u> Method used <u>Pressure</u> Cemented by <u>CWW</u>																																																								
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>36</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>250</u> ft. below land surface Date <u>Aug 5, 92</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: <u>4X2 1/2</u> Type <u>R</u> Depth <u>360</u>		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																								
COMPANY NAME <u>COASTAL WATER WELL</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>		ADDRESS <u>PO Box 745</u> (Street or RFD) <u>Porter</u> (City) <u>TX</u> (State) <u>77365</u> (Zip)																																																								
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.		For TWC use only: Well No. _____ Located on map <u>65.5.9</u>																																																								

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



5

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1174	1 of 1	NE	4.19 / 22,131.74	JOYCE VICK 1447 COLLINS ST. HOUSTON TX	SDRW WELLS

Track NO: 332287
Date Submitted: 2013-08-08
Owner Name: JOYCE VICK
Owner Address: 1447 COLLINS ST.
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.891111
Longitude: -95.367222
Drilling Date Started: 2007-08-24
Drilling Date Completed: 2007-08-28
Chemical Analysis:
Company Name: COASTAL WATERWELL SERVICE, INC.
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=332287&Type=SDR-Well>

Well Borehole Information

Top Depth: 330
Bottom Depth: 350

Top Depth:
Bottom Depth: 350.0

Top Depth: 0
Bottom Depth: 330

Well Levels

Measurement: 195
Measurement Date: 2007-08-28

Well Strata

Water Type:

POTABLE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1175	1 of 2	NNE	4.19 / 22,132.59	Arias, Martin TX	WW HARRIS GAL

Well ID:	10819	Diameter (inches):	2
Aggre Lead Well:	10819	Year Drilled:	2008
Permit No:	W2021-10819-218077-0	Depth Drilled:	80
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	70
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.390555
Owner Name:	Arias, Martin		
Billing Contact:	NULL		
Billing Address:	13903 Lillja		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1175	2 of 2	NNE	4.19 / 22,132.59	Martin Arias 13914 Lillja Houston TX 77037	SDRW WELLS

Track NO: 157456
Date Submitted: 2008-10-27
Owner Name: Martin Arias
Owner Address: 13914 Lillja
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901112
Longitude: -95.390556
Drilling Date Started: 2008-03-05
Drilling Date Completed: 2008-03-05
Chemical Analysis: No
Company Name: R&D Water Wells
Company Address: PO Box 230
CompanyAddress2:
Company City: Huffman
Company State: TX
Company Zip: 77336
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=157456&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2008-03-08

Well Strata

Water Type:

fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1176	1 of 1	NNE	4.19 / 22,147.92	Santacruz, Alejandro TX	WW HARRIS GAL
<div> <div> Well ID: 12945 Aggre Lead Well: 12945 Permit No: WP2022-117027 Permit Start Date: 2/8/2023 1:19:00 PM Permit End Dt: 7/31/2024 1:19:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Rubio, Evaristo Billing Contact: NULL Billing Address: 15607 Clarks Fork Ct Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77086 Correspondence: NULL Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: 2011 Depth Drilled: 1 Depth frm Surf(ft): 0 County: H Latitude: 29.902222 Longitude: -95.395 </div> </div>					
Water Usage:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1177	1 of 1	N	4.20 / 22,154.85	MAN TRAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 08/31/1991
Owners Name: MAN TRAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 260
Depth Drilled: 440
Latitude: 29.903608
Longtiude: -95.407607


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privileged Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																												
1) OWNER <u>Man Tran</u> (Name) ADDRESS <u>412 Shaw St Hou, Tx</u> (Street or RFD) (City) (State) (Zip)																																																																
2) LOCATION OF WELL: County <u>Harris</u> 8 miles in <u>N</u> direction from <u>Houston, Tx.</u> (NE, SW, etc.) (Town)																																																																
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																																
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																																
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																																																
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																												
6) WELL LOG: Date Drilling: <u>Aug 26, 91</u> Started <u>Aug 26, 91</u> Completed <u>Aug 31, 91</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>415</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td></td> <td><u>440</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>415</u>	<u>4 1/2</u>		<u>440</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two-String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																
DIAMETER OF HOLE																																																																
Dia. (in.)	From (ft.)	To (ft.)																																																														
<u>6 3/4</u>	Surface	<u>415</u>																																																														
<u>4 1/2</u>		<u>440</u>																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-40</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>40-45</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>45-160</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>160-175</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>175-280</u></td><td></td><td><u>Clay, Rock</u></td></tr> <tr><td><u>280-345</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>345-360</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>360-375</u></td><td></td><td><u>Sand, fine gravel</u></td></tr> <tr><td><u>375-418</u></td><td></td><td><u>Shale</u></td></tr> <tr><td><u>418-440</u></td><td></td><td><u>Sand</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-40</u>		<u>Clay</u>	<u>40-45</u>		<u>Sand</u>	<u>45-160</u>		<u>Clay</u>	<u>160-175</u>		<u>Sand</u>	<u>175-280</u>		<u>Clay, Rock</u>	<u>280-345</u>		<u>Sand</u>	<u>345-360</u>		<u>Clay</u>	<u>360-375</u>		<u>Sand, fine gravel</u>	<u>375-418</u>		<u>Shale</u>	<u>418-440</u>		<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>415</u></td> <td><u>.40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Liner</u></td> <td><u>405</u></td> <td><u>420</u></td> <td><u>.40</u></td> </tr> <tr> <td></td> <td></td> <td><u>ARC Screen Tack</u></td> <td><u>420</u></td> <td><u>440</u></td> <td><u>.12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>415</u>	<u>.40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>405</u>	<u>420</u>	<u>.40</u>			<u>ARC Screen Tack</u>	<u>420</u>	<u>440</u>	<u>.12</u>
From (ft.)	To (ft.)	Description and color of formation material																																																														
<u>0-40</u>		<u>Clay</u>																																																														
<u>40-45</u>		<u>Sand</u>																																																														
<u>45-160</u>		<u>Clay</u>																																																														
<u>160-175</u>		<u>Sand</u>																																																														
<u>175-280</u>		<u>Clay, Rock</u>																																																														
<u>280-345</u>		<u>Sand</u>																																																														
<u>345-360</u>		<u>Clay</u>																																																														
<u>360-375</u>		<u>Sand, fine gravel</u>																																																														
<u>375-418</u>		<u>Shale</u>																																																														
<u>418-440</u>		<u>Sand</u>																																																														
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																											
			From	To																																																												
<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>415</u>	<u>.40</u>																																																											
<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>405</u>	<u>420</u>	<u>.40</u>																																																											
		<u>ARC Screen Tack</u>	<u>420</u>	<u>440</u>	<u>.12</u>																																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>357</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>2</u> <u>315</u> ft. to <u>415</u> ft. No. of Sacks Used <u>10</u> Method used <u>Pressure</u> Cemented by <u>CWW</u>																																																														
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>1.2</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Siab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																														
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>22'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>260</u> ft. below land surface Date <u>Aug 31, 91</u> Artesian flow _____ gpm. Date _____																																																														
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4X2 1/2</u></td> <td><u>K</u></td> <td><u>405'</u></td> </tr> </table>					Type	Depth	<u>4X2 1/2</u>	<u>K</u>	<u>405'</u>																																																					
	Type	Depth																																																														
<u>4X2 1/2</u>	<u>K</u>	<u>405'</u>																																																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the logs being returned for completion and resubmittal.																																																																
COMPANY NAME <u>Coastal Water Wac</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u>																																																														
ADDRESS <u>P.O. Box 745</u> (Street or RFD)		<u>Porter Tx 77365</u> (City) (State) (Zip)																																																														
(Signed) <u>M.L. Schuch</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																														
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																
For TWC use only: Well No. _____ Located on map <u>65.5.9</u>																																																																

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1178	1 of 4	ESE	4.20 / 22,156.94	Northside Ready Mix Concrete Co. TX	GWDB

Well Rep Track No:
State Well No: 6514420
Owner Name: Northside Ready Mix Concrete Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1971
Well Depth: 478
Well Usage: Industrial
Water Level Status:
Latitude: 29.8108340
Longitude: -95.3491670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514420&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514420&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1178	2 of 4	ESE	4.20 / 22,156.94	NORTH SIDE READY MIX CONCRETE TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 05/21/1971
Owners Name: NORTH SIDE READY MIX CONCRETE
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 252
Depth Drilled: 478
Latitude: 29.811556
Longitude: -95.349101

end original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. _____ Located on map <u>110</u> Received: <u>9-71</u> <u>by hand</u>																																																												
1) OWNER: Person having well drilled <u>North Side Ready Mix Concrete</u> Address <u>P.O. Box 16066 Houston, Texas</u> <small>(Name) (Street, or RFD) (City) (State)</small> Landowner <u>Same</u> Address _____ <small>(Name) (Street, or RFD) (City) (State)</small>																																																																
2) LOCATION OF WELL: County <u>Harris</u> _____ miles in _____ direction from _____ <small>(N.E., S.W., etc.) (Town)</small> Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* OR Give legal location with distances and directions from adjacent sections or survey lines. see reverse side for map Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW¼ NE¼ SW¼ SE¼) of Section _____ <div style="text-align: center;"> North ↑ (Use reverse side if necessary) </div>																																																																
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic _____ Industrial <input checked="" type="checkbox"/> Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																																																												
6) WELL LOG: Diameter of hole <u>6</u> in. Depth drilled <u>478</u> ft. Depth of completed well <u>478</u> ft. Date drilled <u>5-21-71</u> All measurements made from <u>0</u> ft. above ground level.																																																																
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>86</td><td>Hard red caly surface</td></tr> <tr><td>96</td><td>144</td><td>red & white clay</td></tr> <tr><td>144</td><td>173</td><td>white caly</td></tr> <tr><td>173</td><td>216</td><td>sand very shaley</td></tr> <tr><td>216</td><td>240</td><td>white clay</td></tr> <tr><td>240</td><td>250</td><td>sand</td></tr> <tr><td>250</td><td>271</td><td>white shale</td></tr> <tr><td>271</td><td>292</td><td>sand</td></tr> <tr><td>292</td><td>312</td><td>sand light breaks</td></tr> <tr><td>312</td><td>336</td><td>white clay</td></tr> <tr><td>336</td><td>360</td><td>sand very broken</td></tr> <tr><td>360</td><td>384</td><td>shale</td></tr> <tr><td>384</td><td>396</td><td>sand</td></tr> <tr><td>396</td><td>417</td><td>shale sticky</td></tr> <tr><td>417</td><td>428</td><td>sand</td></tr> <tr><td>428</td><td>432</td><td>sand lightly broken (continued)</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	86	Hard red caly surface	96	144	red & white clay	144	173	white caly	173	216	sand very shaley	216	240	white clay	240	250	sand	250	271	white shale	271	292	sand	292	312	sand light breaks	312	336	white clay	336	360	sand very broken	360	384	shale	384	396	sand	396	417	shale sticky	417	428	sand	428	432	sand lightly broken (continued)	9) CASING: Type: Old _____ New <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Plastic _____ Other _____ Cemented from <u>0</u> ft. to <u>455</u> ft. <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Cage</th> </tr> </thead> <tbody> <tr> <td>6"</td> <td>0</td> <td>455</td> <td></td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Cage	6"	0	455	
From (ft.)	To (ft.)	Description and color of formation material																																																														
0	86	Hard red caly surface																																																														
96	144	red & white clay																																																														
144	173	white caly																																																														
173	216	sand very shaley																																																														
216	240	white clay																																																														
240	250	sand																																																														
250	271	white shale																																																														
271	292	sand																																																														
292	312	sand light breaks																																																														
312	336	white clay																																																														
336	360	sand very broken																																																														
360	384	shale																																																														
384	396	sand																																																														
396	417	shale sticky																																																														
417	428	sand																																																														
428	432	sand lightly broken (continued)																																																														
Diameter (inches)	Setting From (ft.)	To (ft.)	Cage																																																													
6"	0	455																																																														
		10) SCREEN: Type: <u>Rod Base stainless steel</u> Perforated _____ Slotted _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Slot Size</th> </tr> </thead> <tbody> <tr> <td>4" blank</td> <td>478</td> <td>476</td> <td></td> </tr> <tr> <td>4" screen</td> <td>476</td> <td>456</td> <td>.012</td> </tr> <tr> <td>4" blank</td> <td>456</td> <td>446</td> <td></td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size	4" blank	478	476		4" screen	476	456	.012	4" blank	456	446																																												
Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size																																																													
4" blank	478	476																																																														
4" screen	476	456	.012																																																													
4" blank	456	446																																																														
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under reamed _____ Open Hole _____		11) WELL TESTS: Was a pump test made? Yes _____ No <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																																														
8) WATER LEVEL: Static level <u>252</u> ft. below land surface Date <u>5-21-71</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>357</u> ft. below land surface.		12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____																																																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME <u>R.B. Lowry</u> Water Well Drillers Registration No. <u>146</u> <small>(Type or Print)</small> ADDRESS <u>4012 Fulton P.O. Box 8707 Houston Texas 77009</u> <small>(Street or RFD) (City) (State)</small> (Signed) <u>R.B. Lowry</u> <u>Lowry WaterWells</u> <small>(Water Well Driller) (Company Name)</small> Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																

*Additional instructions on reverse side.

TWDBE-GM-53

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TMDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Well Log continued

432	444	sand
444	453	sand rock
453	478	sand hard



RECEIVED
SEP 28 1971
Central Records
Texas Water Development Board

RECEIVED
AUG 27 1971

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1178	3 of 4	ESE	4.20 / 22,156.94	TRUMIX CONCRETE COMPANY TX	WW HARRIS GAL

Well ID:	3214	Diameter (inches):	6
Aggre Lead Well:	3214	Year Drilled:	1972
Permit No:	W1989-3214-32899-0	Depth Drilled:	0
Permit Start Date:	11/1/1989	Depth frm Surf(ft):	0
Permit End Dt:	10/31/1990	County:	H
Well Status:	P - Plugged	Latitude:	29.811666
Regulatory Aarea:	2	Longitude:	-95.348611
Owner Name:	TRUMIX CONCRETE COMPANY		
Billing Contact:	NULL		
Billing Address:	P.O. Box 16066		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77022		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1178	4 of 4	ESE	4.20 / 22,156.94	TRUMIX CONCRETE COMPANY TX	WW HARRIS GAL

Well ID:	3215	Diameter (inches):	6
Aggre Lead Well:	3214	Year Drilled:	1971
Permit No:	W1989-3214-32899-0	Depth Drilled:	478
Permit Start Date:	11/1/1989	Depth frm Surf(ft):	456
Permit End Dt:	10/31/1990	County:	H
Well Status:	P - Plugged	Latitude:	29.811666
Regulatory Aarea:	2	Longitude:	-95.348611
Owner Name:	TRUMIX CONCRETE COMPANY		
Billing Contact:	NULL		
Billing Address:	P.O. Box 16066		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77022		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1179	1 of 1	NNE	4.20 / 22,157.76	Aranda, Jorge M. TX	WW HARRIS GAL

Well ID:	11480	Diameter (inches):	4
Aggre Lead Well:	11480	Year Drilled:	NULL
Permit No:	WP2022-113449	Depth Drilled:	20
Permit Start Date:	8/1/2022 11:55:00 AM	Depth frm Surf(ft):	10
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.902222
Regulatory Aarea:	3	Longitude:	-95.394722
Owner Name:	Aranda, Jorge M.		
Billing Contact:	NULL		
Billing Address:	11209 Wind Pine Lane		
Billing Address 2:	NULL		
Billing City:	Tomball		
Billing State:	TX		
Billing Zip:	77375		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1180	1 of 1	NW	4.20 / 22,160.46	Nelson, Don TX	WW HARRIS GAL

Well ID:	10016	Diameter (inches):	2
Aggre Lead Well:	10016	Year Drilled:	
Permit No:	W2010-10016-145816-0	Depth Drilled:	9
Permit Start Date:	5/12/2010	Depth frm Surf(ft):	NULL
Permit End Dt:	5/12/2010	County:	H
Well Status:	O - Operable	Latitude:	29.891111
Regulatory Aarea:	3	Longitude:	-95.453055
Owner Name:	Nelson, Don		
Billing Contact:	NULL		
Billing Address:	2734 Jorent Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77088		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1181	1 of 2	NE	4.20 / 22,167.46	Zapeta, Emilce TX	WW HARRIS GAL

Well ID:	12948	Diameter (inches):	4
Aggre Lead Well:	12948	Year Drilled:	NULL
Permit No:	W2015-12948-178176-0	Depth Drilled:	400
Permit Start Date:	8/1/2015	Depth frm Surf(ft):	380
Permit End Dt:	8/1/2015	County:	H
Well Status:	4 - No electric or plumbing or motor	Latitude:	29.8875
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Zapeta, Emilce		
Billing Contact:	NULL		
Billing Address:	11902 Moss Branch Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1181	2 of 2	NE	4.20 / 22,167.46	Nicolas Sarrano 1550 Mesquite Houston TX 77093	SDRW WELLS

Track NO: 372939
Date Submitted: 2014-08-27
Owner Name: Nicolas Sarrano
Owner Address: 1550 Mesquite
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.8875
Longitude: -95.361667
Drilling Date Started: 2014-06-30
Drilling Date Completed: 2014-07-01
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=372939&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 385.0

Top Depth: 0
Bottom Depth: 385

Well Levels

Measurement: 190
Measurement Date: 2014-07-09

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1182	1 of 1	NE	4.20 / 22,167.68	Monjaraz, Pedro TX	WW HARRIS GAL

Well ID:	10100	Diameter (inches):	2
Aggre Lead Well:	10100	Year Drilled:	2005
Permit No:	WP2021-101132	Depth Drilled:	100
Permit Start Date:	8/1/2021 12:11:00 PM	Depth frm Surf(ft):	90
Permit End Dt:	7/31/2022 12:12:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.8875
Regulatory Aarea:	3	Longitude:	-95.362222
Owner Name:	Monjaraz, Pedro		
Billing Contact:	NULL		
Billing Address:	1542 Mesquite Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1183	1 of 1	N	4.20 / 22,177.93	NT Max Realty LLC TX	WW HARRIS GAL

Well ID:	12613	Diameter (inches):	2
Aggre Lead Well:	12613	Year Drilled:	0
Permit No:	WP2023-112564	Depth Drilled:	1
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.903055
Regulatory Aarea:	3	Longitude:	-95.401111
Owner Name:	NT Max Realty		
Billing Contact:	NULL		
Billing Address:	7621 Schneider St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1184	1 of 1	NNE	4.20 / 22,179.10	Cardenas, Hector TX	WW HARRIS GAL
<div> <div> Well ID: 6866 Aggre Lead Well: 6866 Permit No: WP2023-111610 Permit Start Date: 8/1/2023 2:07:00 PM Permit End Dt: 7/31/2024 2:07:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Umanzor, Ramon A. & Anadilla E. Billing Contact: NULL Billing Address: 6019 NW Creek Cir. Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77086-3848 Correspondence: NULL Provision: G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: 1983 Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.9025 Longitude: -95.394444 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1185	1 of 1	N	4.20 / 22,188.81	Hidalgo Auto Sales No. 1, Inc. TX	WW HARRIS GAL

Well ID:	12859	Diameter (inches):	4
Aggre Lead Well:	12859	Year Drilled:	NULL
Permit No:	W2020-12859-210936-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.400277
Owner Name:	Hidalgo Auto Sales No. 1, Inc.		
Billing Contact:	NULL		
Billing Address:	10114 Airline Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1186	1 of 1	WSW	4.20 / 22,191.00	Lam, Lynn TX	WW HARRIS GAL

Well ID:	7495	Diameter (inches):	2
Aggre Lead Well:	7495	Year Drilled:	NULL
Permit No:	WP2023-108989	Depth Drilled:	0
Permit Start Date:	6/1/2023 2:07:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 2:07:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.816944
Regulatory Aarea:	3	Longitude:	-95.474444
Owner Name:	Nguyen, Tu W.		
Billing Contact:	NULL		
Billing Address:	315 Cove Creek Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1187	1 of 1	NNE	4.21 / 22,202.40	Tijerina, Farid TX	WW HARRIS GAL
<div> <div> Well ID: 12622 Aggre Lead Well: 12622 Permit No: WP2023-112509 Permit Start Date: 8/1/2023 3:31:00 PM Permit End Dt: 7/31/2024 3:31:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Tijerina, Farid Billing Contact: NULL Billing Address: 225 Aldine Mail RD Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77037 Correspondence: NULL Provision: G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 2 Year Drilled: 201 Depth Drilled: 1 Depth frm Surf(ft): 0 County: H Latitude: 29.903055 Longitude: -95.398055 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1188	1 of 1	NE	4.21 / 22,207.25	William Consford 1535 Mesquite Houston TX 77090	SDRW WELLS

Track NO: 152825
Date Submitted: 2008-09-09
Owner Name: William Consford
Owner Address: 1535 Mesquite
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77090
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.888056
Longitude: -95.363056
Drilling Date Started: 2008-08-28
Drilling Date Completed: 2008-08-29
Chemical Analysis: No
Company Name: Robinson Water Well Services, Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=152825&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 460

Top Depth:
Bottom Depth: 475.0

Top Depth: 460
Bottom Depth: 475

Well Levels

Measurement: 200
Measurement Date: 2008-08-29

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1189	1 of 2	NNE	4.21 / 22,210.98	Lopez, Rosa TX	WW HARRIS GAL

Well ID:	10612	Diameter (inches):	4
Aggre Lead Well:	10612	Year Drilled:	2007
Permit No:	WP2023-112113	Depth Drilled:	400
Permit Start Date:	8/1/2023 2:51:00 PM	Depth frm Surf(ft):	390
Permit End Dt:	7/31/2024 2:51:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.903055
Regulatory Aarea:	3	Longitude:	-95.397777
Owner Name:	Lopez, Rosa		
Billing Contact:	NULL		
Billing Address:	229 Aldine Mail Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1189	2 of 2	NNE	4.21 / 22,210.98	Lopez, Rosa 229 Aldine Mail Rt. Houston TX	SDRW WELLS

Track NO: 183706
Date Submitted: 2009-06-23
Owner Name: Lopez, Rosa
Owner Address: 229 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903889
Longitude: -95.400001
Drilling Date Started: 2007-04-30
Drilling Date Completed: 2007-05-04
Chemical Analysis: No
Company Name: Coastal Waterwell Service Inc.
Company Address: PO Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=183706&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 340.0

Top Depth: 0
Bottom Depth: 320

Top Depth: 320
Bottom Depth: 340

Well Levels

Measurement: 205
Measurement Date: 2007-05-04

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1190	1 of 2	NNE	4.21 / 22,212.29	Lopez, Severiano & Cordoba, Maria TX	WW HARRIS GAL

Well ID:	12663	Diameter (inches):	2
Aggre Lead Well:	12663	Year Drilled:	NULL
Permit No:	WP2023-112413	Depth Drilled:	200
Permit Start Date:	8/1/2023 10:19:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.38
Owner Name:	Lopez, Severiano & Cordoba, Maria		
Billing Contact:	NULL		
Billing Address:	13730 Scoregga LN #1		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1190	2 of 2	NNE	4.21 / 22,212.29	Maria Cordoba 13730 Scourrega Houston TX 77037	SDRW WELLS

Track NO: 20735
Date Submitted: 2003-05-27
Owner Name: Maria Cordoba
Owner Address: 13808 Scourrega
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898334
Longitude: -95.380278
Drilling Date Started: 2003-05-15
Drilling Date Completed: 2003-05-15
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=20735&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 70.0

Top Depth: 0
Bottom Depth: 70

Well Levels

Measurement: 10
Measurement Date: 2003-05-15

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1191	1 of 1	NW	4.21 / 22,227.02	Keith Perkins 2819 Jorent Houston TX 77088	SDRW WELLS

Track NO: 42506
Date Submitted: 2004-08-06
Owner Name: Keith Perkins
Owner Address: 2819 Jorent
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.454167
Drilling Date Started: 2004-08-05
Drilling Date Completed: 2004-08-06
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=42506&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 61.0


Top Depth: 0
Bottom Depth: 61

Well Levels

Measurement: 10
Measurement Date: 2004-08-06

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1192	1 of 1	W	4.21 / 22,227.57	HOUSTON LTG & POWER CO TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	02/??/1969
Owners Name:	HOUSTON LTG & POWER CO
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	176
Depth Drilled:	342
Latitude:	29.85505
Longitude:	-95.4793828

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT	For TWDB use only Well No. _____ Located on map <u>410</u> Received: <u>69</u>																																														
1) OWNER: Person having well drilled <u>Houston Ltg. & Power Co.</u> Address <u>H.L. & P. Bldg. Houston, Texas</u> <small>(Name) (Street or RFD) (City) (State)</small> Landowner <u>Houston Ltg. & Pow. Co. Deihl Sub-station</u> Address <u>Deihl Station, Houston</u> <small>(Name) (Street or RFD) (City) (State)</small>																																																	
2) LOCATION OF WELL: <u>1/4 mi. north of Antoine on Deihl Rd. Houston, Texas</u> County <u>Harris</u> miles in _____ direction from _____ <small>(N.E., S.W., etc.) (Town)</small> Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* <div style="text-align: center;"> North  (Use reverse side if necessary) </div> or Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ <small>(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____</small>																																																	
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Despensing Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic _____ Industrial <input checked="" type="checkbox"/> Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																																													
6) WELL LOG: Diameter of hole <u>4</u> in. Depth drilled <u>342</u> ft. Depth of completed well <u>342</u> ft. Date drilled <u>Feb. 1969</u> All measurements made from <u>surface</u> ft. above ground level.																																																	
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>21</td><td>Clay</td></tr> <tr><td>21</td><td>49</td><td>Red Sand</td></tr> <tr><td>49</td><td>109</td><td>Clay</td></tr> <tr><td>109</td><td>122</td><td>Sand</td></tr> <tr><td>122</td><td>165</td><td>Clay</td></tr> <tr><td>165</td><td>173</td><td>Sand</td></tr> <tr><td>173</td><td>208</td><td>Clay</td></tr> <tr><td>208</td><td>218</td><td>Sand</td></tr> <tr><td>218</td><td>247</td><td>Clay</td></tr> <tr><td>247</td><td>262</td><td>Sand</td></tr> <tr><td>262</td><td>298</td><td>Clay</td></tr> <tr><td>298</td><td>317</td><td>Sand</td></tr> <tr><td>317</td><td>318</td><td>Clay</td></tr> <tr><td>318</td><td>342</td><td>Sand</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	21	Clay	21	49	Red Sand	49	109	Clay	109	122	Sand	122	165	Clay	165	173	Sand	173	208	Clay	208	218	Sand	218	247	Clay	247	262	Sand	262	298	Clay	298	317	Sand	317	318	Clay	318	342	Sand	9) CASING: Type: Old _____ New _____ Steel _____ Plastic _____ Other _____ Cemented from <u>bottom</u> ft. to <u>250</u> ft. Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____ <u>4</u> <u>surface</u> <u>310</u>		
From (ft.)	To (ft.)	Description and color of formation material																																															
0	21	Clay																																															
21	49	Red Sand																																															
49	109	Clay																																															
109	122	Sand																																															
122	165	Clay																																															
165	173	Sand																																															
173	208	Clay																																															
208	218	Sand																																															
218	247	Clay																																															
247	262	Sand																																															
262	298	Clay																																															
298	317	Sand																																															
317	318	Clay																																															
318	342	Sand																																															
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under reamed _____ Open Hole _____		10) SCREEN: Type <u>Stainless Steel Underbar</u> Perforated _____ Slotted _____ Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____ <u>2 1/2</u> <u>317</u> <u>342</u> <u>14-Ga.</u>																																															
8) WATER LEVEL: Static level <u>176</u> ft. below land surface Date _____ Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>252</u> ft. below land surface.		11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> No _____ If yes, by whom? <u>A. C. Kuhlmann</u> Yield: <u>65</u> gpm with _____ ft. drawdown after _____ hrs. Bailor test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water <u>68</u>																																															
		12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No <input checked="" type="checkbox"/> Type of water? <u>Good</u> depth of strata <u>25</u>																																															
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																	
NAME <u>A. Chrysty Kuhlmann</u> Water Well Drillers Registration No. <u>139</u> <small>(Type or Print)</small>																																																	
ADDRESS <u>5523 Lawson</u> <u>Houston</u> <u>Texas 77023</u> <small>(Street or RFD) (City) (State)</small>																																																	
(Signed) <u>A. C. Kuhlmann</u> <u>A. Chrysty Kuhlmann</u> <small>(Water Well Driller) (Company Name)</small>																																																	
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																	

*Additional instructions on reverse side.

TWDBE-GW-53

GM

FORM NO. 1369 2M 6-68 BL

LAYNE TEXAS COMP, Y
TEXAS AND THE WEST

PUMP REPAIR
for

Well No.: 1
S. O. No.: 4383-68

Customer **Houston Lighting &
Power Company**
Date work started **2/25/69**

City **Houston** County **Harris** State **Texas**
Date work completed **2/28/69**

PRODUCTION DATA

Quantity before repair work started G.P.M.
Quantity after repair work completed G.P.M. **Pump was not run.**
Pumping level when pump reinstalled
Static level when pump reinstalled
Was motor running cool? Warm? Hot?
Was pump base regouted?
Dayton Coupling connection?
Hand or magnetic starter used?
Is operation manual or automatic?
Derrick over well? None? Wood? Steel?
Pump house over well? Brick? Frame? Metal? Size?

PUMP DATA BEFORE REPAIRS

Pump No.: R.P.M. Type head:
Size outlet: Lubrication:
Size Column: Depth Setting:
Column connections:
Bowls: Size & type: No. Stages
Suction length & size:
Airline length: Section length:

PUMP DATA AFTER REPAIRS

Pump No.: **18881** R.P.M. **1130** Type head:
Size outlet: **12"** Lubrication: **Oil**
Size Column: **12x3x2-7/16"** Depth Setting: **400'**
Column connections: **Flange**
Bowls: Size & type: **17" DROHC** No. Stages **7**
Suction length & size: **10' of 12"**
Airline length: **1/4"** Section length: **20'**

MOTOR

Make: **G.E.** Type: **K** H.P.: **250**
R.P.M.: **1180** Voltage: **2300** Phase: **3**
Cycle: Frame: **6335P** Serial No.

ENGINE

Make: Model: H.P.:
Serial Number:
Engine Pulley Size No. of Belts Vee Belt
Section P. Diam.

GEAR HEAD

Make: Size: Serial No.
Gear ratio:

BELT HEAD

Size Belt Pulley: Vee-Belt:
No. of Belts: Section P.D.

FLEXIBLE SHAFT

Type Length

NEW REPAIR PARTS USED IN FIELD:

**Lowered pump with 60' of 12"x3"x2-7/16" column.
Furnished 60' - 1/4" airline and one box of rags.**

G. R. Bonds
Installer

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1193	1 of 1	NNE	4.21 / 22,230.60	ROY CROSS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 1/26/1982
Owners Name: ROY CROSS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 90
Depth Drilled: 175
Latitude: 29.90159
Longtiude: -95.390578

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-05-9mm
Located on map yes
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER ROY CROSS Address 13,918 LILJA HOUSTON, TEX.
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS APP. 9 miles in N.-NW. direction from HOUSTON
(N.E., S.W., etc.) (Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
<u>1-26-82</u>	<u>6.75</u>	<u>0</u>	<u>175</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0 - 20</u>	<u>20 - 44</u>	<u>TOP SOIL + CLAY</u>	<u>4 N</u>	<u>NEW</u>	<u>PLASTIC</u>	<u>0</u>	<u>165</u>	
<u>44 - 71</u>	<u>71 - 93</u>	<u>CLAY</u>	<u>2 1/2 N</u>	<u>NEW</u>	<u>PLASTIC UNDERCUT</u>	<u>165</u>	<u>175</u>	<u>#12</u>
<u>93 - 113</u>	<u>113 - 123</u>	<u>CLAY</u>						
<u>123 - 143</u>	<u>143 - 175</u>	<u>CLAY</u>						
		<u>SAND</u>						

CEMENTING DATA
Cemented from 0 ft. to 165 ft.
Method used PRESSURE
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 90 ft. below land surface Date 1-27-81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
K PACKER RUBBER 155'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: NONE
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Michael L. McClung Water Well Drillers Registration No. 2215
(Type or Print)

ADDRESS 4602 Ella Blvd. Houston, Texas 77018
(Street or RFD) (City) (State) (Zip)

(Signed) Michael L. McClung M & N Well Service
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1194	1 of 1	SW	4.21 / 22,233.16	NPO 1495, LP TX	WW HARRIS GAL

Well ID:	12758	Diameter (inches):	6
Aggre Lead Well:	12758	Year Drilled:	201
Permit No:	W2017-12758-192690-0	Depth Drilled:	370
Permit Start Date:	6/1/2017	Depth frm Surf(ft):	350
Permit End Dt:	5/31/2018	County:	H
Well Status:	N - Not Drilled	Latitude:	29.797222
Regulatory Aarea:	2	Longitude:	-95.458055
Owner Name:	NPO 1495, LP		
Billing Contact:	NULL		
Billing Address:	P. O. Box 1308		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77251		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	O - Other		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1195	1 of 1	NNE	4.21 / 22,233.52	RAULPH GUITIEREZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 03/15/2000
Owners Name: RAULPH GUITIEREZ
County: HARRIS
Water Usage: DOMESTIC
Static Level: 13
Depth Drilled: 54
Latitude: 29.9029062
Longtiude: -95.3971734

to: TDLR, P.O. Box 12157, Austin, TX 78711

White - TDLR Yellow - DRILLER Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1196	1 of 1	N	4.21 / 22,236.16	HI-WAY INN MOTEL TX	TCEQ WELL LOGS

Grid No: 65-05-9RR
Date Drilled: 01/26/1981
Owners Name: HI-WAY INN MOTEL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 325
Latitude: 29.903828
Longtiude: -95.411637

⑦

Qup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		For TDWR use only Well No. <u>65-05-988</u> Located on map <u>10</u> Received: <u>an</u>																																																												
1) OWNER <u>Hi-Way Inn Motel</u> (Name) Address <u>9610 I-45</u> <u>Houston, Texas</u> (City) (State) (Zip)																																																																
2) LOCATION OF WELL: County <u>Harris</u> <u>13</u> miles in <u>S.</u> direction from <u>Spring</u> (Town)																																																																
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																																
<input type="checkbox"/> Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____ <input checked="" type="checkbox"/> See attached map.																																																																
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other _____		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Driven <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																												
6) WELL LOG: Date drilled <u>1/26/81</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6 1/2</u> <u>325</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Cemented</u> If Gravel Packed give interval . . . from _____ ft. to _____ ft.																																																												
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0 - 4</td><td></td><td>top soil</td></tr> <tr><td>4 - 32</td><td></td><td>red + gray clay</td></tr> <tr><td>32 - 54</td><td></td><td>fine red sand</td></tr> <tr><td>54 - 129</td><td></td><td>red + gray clay</td></tr> <tr><td>129 - 175</td><td></td><td>coarse sand</td></tr> <tr><td>175 - 198</td><td></td><td>red + gray clay</td></tr> <tr><td>198 - 221</td><td></td><td>fine sand</td></tr> <tr><td>221 - 244</td><td></td><td>sand + clay strips</td></tr> <tr><td>244 - 266</td><td></td><td>red + gray clay</td></tr> <tr><td>266 - 276</td><td></td><td>sand + clay strips</td></tr> <tr><td>276 - 291</td><td></td><td>red + gray clay</td></tr> <tr><td>291 - 325</td><td></td><td>coarse sand</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0 - 4		top soil	4 - 32		red + gray clay	32 - 54		fine red sand	54 - 129		red + gray clay	129 - 175		coarse sand	175 - 198		red + gray clay	198 - 221		fine sand	221 - 244		sand + clay strips	244 - 266		red + gray clay	266 - 276		sand + clay strips	276 - 291		red + gray clay	291 - 325		coarse sand	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4"</td> <td>New</td> <td>GALV CASING</td> <td>0</td> <td>307</td> <td>40</td> </tr> <tr> <td>2 1/2"</td> <td>New</td> <td>PLASTIC SCREEN</td> <td>305</td> <td>325</td> <td>12</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	4"	New	GALV CASING	0	307	40	2 1/2"	New	PLASTIC SCREEN	305	325	12
From (ft.)	To (ft.)	Description and color of formation material																																																														
0 - 4		top soil																																																														
4 - 32		red + gray clay																																																														
32 - 54		fine red sand																																																														
54 - 129		red + gray clay																																																														
129 - 175		coarse sand																																																														
175 - 198		red + gray clay																																																														
198 - 221		fine sand																																																														
221 - 244		sand + clay strips																																																														
244 - 266		red + gray clay																																																														
266 - 276		sand + clay strips																																																														
276 - 291		red + gray clay																																																														
291 - 325		coarse sand																																																														
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																											
			From	To																																																												
4"	New	GALV CASING	0	307	40																																																											
2 1/2"	New	PLASTIC SCREEN	305	325	12																																																											
		CEMENTING DATA Cemented from <u>307</u> ft. to <u>100</u> ft. Method used <u>Pressurized</u> Cemented by <u>Ind.</u> (Company or Individual)																																																														
		9) WATER LEVEL: Static level <u>220</u> ft. below land surface Date <u>1/28/81</u> Artesian flow _____ gpm. Date _____																																																														
RECEIVED AUG 2 1982 CR/TD...		10) PACKERS: Type Depth <u>2 1/2" x 4" R+R 3Ring</u> <u>300'</u>																																																														
		11) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>273'</u> ft.																																																														
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Fresh</u> Depth of strata <u>34'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) WELL TESTS: <input type="checkbox"/> Type Test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.																																																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																																
NAME <u>Bobby Potter</u> (Type or Print) Water Well Drillers Registration No. <u>1872</u>																																																																
ADDRESS <u>5717 Chippewa</u> <u>Houston</u> <u>Texas</u> <u>77086</u> (Street or RFD) (City) (State) (Zip)																																																																
(Signed) <u>Bobby Potter</u> (Water Well Driller) <u>Damrell & Potter Drilling Co.</u> (Company Name)																																																																
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1197	1 of 1	NNE	4.21 / 22,249.47	Phan, Hanh Thi TX	WW HARRIS GAL

Well ID:	12571	Diameter (inches):	2
Aggre Lead Well:	12571	Year Drilled:	2003
Permit No:	W2017-12571-191398-0	Depth Drilled:	1
Permit Start Date:	8/1/2017	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022	County:	H
Well Status:	6 - No plumbing or motor	Latitude:	29.903055
Regulatory Aarea:	3	Longitude:	-95.396666
Owner Name:	Phan, Hanh Thi		
Billing Contact:	NULL		
Billing Address:	319 Aldine Mail Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1198	1 of 1	NNE	4.22 / 22,258.99	Iraida Bode 13914 Kershaw Houston TX 77037	SDRW WELLS

Track NO: 101948
Date Submitted: 2007-01-12
Owner Name: Iraida Bode
Owner Address: 13914 Kershaw
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900556
Longitude: -95.389167
Drilling Date Started: 2007-01-02
Drilling Date Completed: 2007-01-02
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=101948&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 45.0

Top Depth: 0
Bottom Depth: 45

Well Levels

Measurement: 5
Measurement Date: 2007-01-02

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1199	1 of 2	N	4.22 / 22,261.90	BOB COLLIER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 03/12/1997
Owners Name: BOB COLLIER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 193
Depth Drilled: 400
Latitude: 29.903547
Longtiude: -95.4016469

RCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

TNRCC-0199 (Rev. 05-21-96)

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1199	2 of 2	N	4.22 / 22,261.90	Zelaya, Ana V TX	WW HARRIS GAL
<div> <div> Well ID: 5925 Aggre Lead Well: 5925 Permit No: WP2023-111823 Permit Start Date: 8/1/2023 3:28:00 PM Permit End Dt: 7/31/2024 3:29:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Zelaya, Ana V Billing Contact: NULL Billing Address: 11202 Indian Trails Dr Billing Address 2: NULL Billing City: Tomball Billing State: TX Billing Zip: 77375 Correspondence: NULL Provision: G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: 1997 Depth Drilled: 400 Depth frm Surf(ft): 380 County: H Latitude: 29.903611 Longitude: -95.401666 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1200	1 of 1	W	4.22 / 22,269.48	MR. ALDREDGE TX	TCEQ WELL LOGS

Grid No: 65-13-1M
Date Drilled: 10/31/1980
Owners Name: MR. ALDREDGE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 305
Latitude: 29.8554564
Longtiude: -95.4794188

WL # 50 ✓

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-13-1M
Located on map YES
Received: RWB

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Aldredge Address 6304 1/2 Diche Rd Hou. Tx 77092
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Diche Rd. 11 miles in N.W. direction from Houston
County Harris (N.E., S.W., etc.) (Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☒ See attached map. ON 65-21-7H

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 10/31/80

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>305</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)		To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:	
				Dia. (in.)	Setting (ft.)
<u>0</u>	<u>112</u>	<u>Clay</u>	<u>N</u>	<u>N</u>	<u>0</u>
<u>112</u>	<u>145</u>	<u>Sand</u>	<u>N</u>	<u>N</u>	<u>290</u>
<u>145</u>	<u>216</u>	<u>Clay</u>	<u>2</u>	<u>N</u>	<u>295</u>
<u>216</u>	<u>227</u>	<u>Sand</u>			<u>305</u>
<u>227</u>	<u>248</u>	<u>Clay</u>			
<u>248</u>	<u>265</u>	<u>Sand</u>			
<u>265</u>	<u>288</u>	<u>Clay</u>			
<u>288</u>	<u>305</u>	<u>Sand</u>			

CEMENTING DATA
Cemented from 240 ft. to 290 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc.
(Company or Individual)

9) WATER LEVEL:
Static level 220 ft. below land surface Date 11/8/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
Yield: 31 gpm with 28 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell Water Well Drillers Registration No. #707
(Type or Print)

ADDRESS 9739 N. Houston Rosslyn Houston Texas 77088
(Street or RFD) (City) (State) (Zip)

(Signed) Tommy C. Bussell Bussell & Son, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

AUG 24 1982
TX 1816110004
181611

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1201	1 of 2	NNE	4.22 / 22,273.79	Duong, Thai Nguyen TX	WW HARRIS GAL

Well ID:	12786	Diameter (inches):	2
Aggre Lead Well:	12786	Year Drilled:	NULL
Permit No:	WP2022-111183	Depth Drilled:	50
Permit Start Date:	8/1/2022 12:07:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.396388
Owner Name:	Dhan, Hanh Thi		
Billing Contact:	NULL		
Billing Address:	13803 Mansor Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77041		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1201	2 of 2	NNE	4.22 / 22,273.79	Hanh Thi Phan 323 Aldine Mail Rd. Houston TX 77037	SDRW WELLS

Track NO: 355966
Date Submitted: 2014-03-06
Owner Name: Hanh Thi Phan
Owner Address: 319 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902778
Longitude: -95.396389
Drilling Date Started: 2014-03-05
Drilling Date Completed: 2014-03-05
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=355966&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2014-03-05

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1202	1 of 2	N	4.22 / 22,283.48	ORKIII Investments, LLC TX	WW HARRIS GAL

Well ID:	4892	Diameter (inches):	4
Aggre Lead Well:	4892	Year Drilled:	1980
Permit No:	W2010-4892-146141-0	Depth Drilled:	337
Permit Start Date:	12/31/2009	Depth frm Surf(ft):	322
Permit End Dt:	12/31/2009	County:	H
Well Status:	P - Plugged	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.399722
Owner Name:	ORKIII Investments, LLC		
Billing Contact:	Orel R. Kiphart		
Billing Address:	410 Northville		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1202	2 of 2	N	4.22 / 22,283.48	Jennifer Silva 202 Dale St. Houston TX 77060	SDRW WELLS

Track NO: 367474
Date Submitted: 2014-06-27
Owner Name: Jennifer Silva
Owner Address: 202 Dale St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903334
Longitude: -95.432778
Drilling Date Started: 2014-06-26
Drilling Date Completed: 2014-06-27
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=367474&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 54

Top Depth:
Bottom Depth: 54.0

Well Levels

Measurement: 12
Measurement Date: 2014-06-27

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1203	1 of 1	E	4.22 / 22,297.46	Lam, Andy TX	WW HARRIS GAL

Well ID:	6006	Diameter (inches):	5
Aggre Lead Well:	6006	Year Drilled:	1997
Permit No:	W2011-6006-152171-0	Depth Drilled:	400
Permit Start Date:	8/1/2011	Depth frm Surf(ft):	380
Permit End Dt:	8/1/2011	County:	H
Well Status:	5 - No plumbing	Latitude:	29.831111
Regulatory Aarea:	2	Longitude:	-95.340277
Owner Name:	Lam, Andy		
Billing Contact:	NULL		
Billing Address:	4111 Surry Don Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77014		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1204	1 of 1	N	4.22 / 22,298.77	Brownfield, Diana TX	WW HARRIS GAL


Well ID:	5685	Diameter (inches):	4
Aggre Lead Well:	5685	Year Drilled:	1996
Permit No:	WP2023-107207	Depth Drilled:	400
Permit Start Date:	6/1/2023 4:37:00 PM	Depth frm Surf(ft):	360
Permit End Dt:	5/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.421111
Owner Name:	Brownfield, Diana		
Billing Contact:	NULL		
Billing Address:	1107 Blue Bell Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1205	1 of 1	NNE	4.22 / 22,298.82	THUONG THAI TRAIN TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 09/25/1994
Owners Name: THUONG THAI TRAIN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 20
Depth Drilled: 60
Latitude: 29.9029172
Longitude: -95.3961096

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>THUONG THAI TRAIN</u> (Name) ADDRESS <u>327 ALDINE MAIL HOUSTON TEX</u> (Street or RFD) (City) (State) (Zip)																									
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>327 ALDINE MAIL HOUSTON TEX</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-05-6</u>																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: _____ Started <u>9-24</u> 19 <u>94</u> Completed <u>9-25</u> 19 <u>94</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>60</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>60</u>				7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4 1/2</u>	Surface	<u>60</u>																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>SURF</u></td> <td><u>11</u></td> <td><u>FINE SAND</u></td> </tr> <tr> <td><u>11</u></td> <td><u>26</u></td> <td><u>WHITE CLAY</u></td> </tr> <tr> <td><u>26</u></td> <td><u>50</u></td> <td><u>RED CLAY</u></td> </tr> <tr> <td><u>50</u></td> <td><u>60</u></td> <td><u>WHITE SAND P. 106A</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>SURF</u>	<u>11</u>	<u>FINE SAND</u>	<u>11</u>	<u>26</u>	<u>WHITE CLAY</u>	<u>26</u>	<u>50</u>	<u>RED CLAY</u>	<u>50</u>	<u>60</u>	<u>WHITE SAND P. 106A</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.								
From (ft.)	To (ft.)	Description and color of formation material																							
<u>SURF</u>	<u>11</u>	<u>FINE SAND</u>																							
<u>11</u>	<u>26</u>	<u>WHITE CLAY</u>																							
<u>26</u>	<u>50</u>	<u>RED CLAY</u>																							
<u>50</u>	<u>60</u>	<u>WHITE SAND P. 106A</u>																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2"</u></td> <td><u>N</u></td> <td><u>SCH. 40 PVC</u></td> <td><u>52</u></td> <td><u>60</u></td> <td><u>086A</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2"</u>	<u>N</u>	<u>SCH. 40 PVC</u>	<u>52</u>	<u>60</u>	<u>086A</u>								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																		
			From	To																					
<u>2"</u>	<u>N</u>	<u>SCH. 40 PVC</u>	<u>52</u>	<u>60</u>	<u>086A</u>																				
<div style="text-align: center;">  TEXAS NATURAL RESOURCE CONSERVATION COMMISSION (Use reverse side if necessary) </div>		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>SURF</u> <u>52</u> ft. to <u>52</u> ft. No. of sacks used <u>10</u> Method used <u>PRESSURE</u> Cemented by <u>L.F. HULL</u> Distance to septic system field lines or other concentrated contamination <u>130</u> ft. Method of verification of above distance <u>TAPE MEASURE</u>																							
		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		11) WATER LEVEL: Static level <u>20</u> ft. below land surface Date <u>9-25-94</u> Artesian flow _____ gpm. Date _____																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>0</u> ft. drawdown after <u>2</u> hrs.		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>1</u></td> <td><u>RUBBER 52</u></td> </tr> </table>				Type	Depth	<u>1</u>	<u>RUBBER 52</u>																
Type	Depth																								
<u>1</u>	<u>RUBBER 52</u>																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>L.F. HULL</u> (Type or print) ADDRESS <u>4933 HARTWICK</u> (Street or RFD) (Signed) <u>L.F. Hull</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>02044 WP</u> <u>HOUSTON</u> <u>TEXAS</u> <u>77093</u> (City) (State) (Zip) (Signed) _____ (Registered Driller Trainee)																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1206	1 of 1	N	4.22 / 22,299.43	JOE PRICE TX	TCEQ WELL LOGS

Grid No: 65-05-9C
 Date Drilled: 03/03/1970
 Owners Name: JOE PRICE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 14
 Depth Drilled: 44
 Latitude: 29.9033712
 Longtiude: -95.3991636

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1207	1 of 1	NW	4.22 / 22,306.49	Osia Grant 2907 Jorent New Caney TX 77088	SDRW WELLS

Track NO: 335959
Date Submitted: 2013-08-16
Owner Name: Osia Grant
Owner Address: 2907 Jorent
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.454723
Drilling Date Started: 2012-04-27
Drilling Date Completed: 2012-04-27
Chemical Analysis: No
Company Name:
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=335959&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 60

Top Depth:
Bottom Depth: 60.0

Well Levels

Measurement: 20
Measurement Date: 2012-04-27

Well Strata

Water Type:

potable

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1208	1 of 1	NE	4.23 / 22,309.15	CUCK VAN TRAN TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 03/10/1989
Owners Name: CUCK VAN TRAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 370
Latitude: 29.8881448
Longtiude: -95.3621369

Send original copy by certified mail to: Texas Water Commission, Box 13087, Austin, Texas 78711 Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side **State of Texas WELL REPORT** **Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711**

1) OWNER Cuck Van Tran (Name) ADDRESS 1555 Mesquit Rd. Houston TX 77085 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 1 miles in North direction from Houston City Limits (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

☒ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG: Date Drilling: 3/17 1989 Started 3/10 1989 Completed 3/10 1989

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6 3/4</u>	<u>0</u>	<u>370</u>

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other Two String If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)		To (ft.)		Description and color of formation material
<u>0</u>	<u>30</u>			<u>Clay</u>
<u>30</u>	<u>36</u>			<u>Sand #6</u>
<u>36</u>	<u>210</u>			<u>Clay</u>
<u>210</u>	<u>240</u>			<u>Sand #8</u>
<u>240</u>	<u>350</u>			<u>Clay</u>
<u>350</u>	<u>370</u>			<u>Sand #10</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4"</u>	<u>n</u>	<u>PUC Well Casing</u>	<u>0</u>	<u>350</u>	
<u>2 1/2"</u>	<u>n</u>	<u>PUC Slotted Screen</u>	<u>350</u>	<u>370</u>	<u>#10</u>

9) CEMENTING DATA [Rule 287.44(1)] Cemented from 0 ft. to 350 ft. No. of Sacks Used 18 ft. to _____ ft. No. of Sacks Used _____ Method used Pressure Cemented by St. B. P. J.

10) SURFACE COMPLETION ☒ Specified Surface Slab Installed [Rule 287.44(2)(A)] ☐ Pitless Adapter Used [Rule 287.44(3)(B)] ☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL: Static level 200 ft. below land surface Date 3-10-89 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____ 4" x 2 1/2" K. Packer 398'

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____ Depth to pump bowls, cylinder, jet, etc. 390'

14) WELL TESTS: Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? ☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata? _____ Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME All Weather Water Well Inc. (Type or print) WELL DRILLER'S LICENSE NO. 1929

ADDRESS 1717 Woodstead Ct Suite 114 Woodlands TX 77380 (Street or RFD) (City) (State) (Zip)

(Signed) R. B. P. J. (Licensed Well Driller) (Signed) St. B. P. J. (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 65-06-7 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1209	1 of 1	NNE	4.23 / 22,309.94	De Valdez, Karina Flores TX	WW HARRIS GAL
Well ID:		12733	Diameter (inches): 4		
Aggre Lead Well:		12733	Year Drilled: 0		
Permit No:		WP2023-111552	Depth Drilled: 1		
Permit Start Date:		8/1/2023 3:12:00 PM	Depth frm Surf(ft): 0		
Permit End Dt:		7/31/2024 3:12:00 PM	County: H		
Well Status:		O - Operable	Latitude: 29.902777		
Regulatory Aarea:		3	Longitude: -95.395833		
Owner Name:		Perrett, Perla			
Billing Contact:		NULL			
Billing Address:		329 Aldine Mail Route Rd.			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77037			
Correspondence:		NULL			
Provision:		U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee			
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1210	1 of 1	NNE	4.23 / 22,318.70	Pride, Jeanette 407 Aldine Mail Rt. Houston TX 77037	SDRW WELLS

Track NO: 169858
Date Submitted: 2009-03-03
Owner Name: Pride, Jeanette
Owner Address: 407 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904445
Longitude: -95.400278
Drilling Date Started: 2009-01-21
Drilling Date Completed: 2009-01-21
Chemical Analysis: No
Company Name: Coastal Water Well Service
Company Address: PO box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=169858&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 6
Measurement Date: 2009-01-21

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1211	1 of 1	SSW	4.23 / 22,322.82	Steve Droraka 8400 Hempstead Rd. Houston TX 77008	SDRW WELLS

Track NO: 106274
Date Submitted: 2007-03-13
Owner Name: Steve Droraka
Owner Address: 8400 Hempstead Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77008
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.786111
Longitude: -95.438334
Drilling Date Started: 2007-02-27
Drilling Date Completed: 2007-02-27
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=106274&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 38.0

Top Depth: 0
Bottom Depth: 38

Well Levels

Measurement: 11
Measurement Date: 2007-02-27

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1212	1 of 1	N	4.23 / 22,336.16	MR. NGUYEN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 05/29/2000
 Owners Name: MR. NGUYEN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 230
 Depth Drilled: 410
 Latitude: 29.9033851
 Longtiude: -95.3984984

Send original copy by certified return receipt requested

o: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>MR. NGUYEN</u> ADDRESS <u>218 DALE ST. HOUSTON, TX. 77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>SAME AS ABOVE</u> Long. <u> </u> Lat. <u> </u> <small>(Street, RFD or other) (City) (State) (Zip) Grid # <u>65-05-9</u></small>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <div style="text-align: right;">N</div>																											
6) WELL LOG: Date Drilling: <u>5-24-00</u> Started <u>5-24-00</u> Completed <u>5-29-00</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>380</u></td> </tr> <tr> <td><u>5 1/2</u></td> <td><u>380</u></td> <td><u>410</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>380</u>	<u>5 1/2</u>	<u>380</u>	<u>410</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other <u> </u>																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>7</u>	Surface	<u>380</u>																													
<u>5 1/2</u>	<u>380</u>	<u>410</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0 - 26</u> <u>Clay</u> <u>356-364</u> <u>Clay</u> <u>26 - 53</u> <u>Sand</u> <u>364-410</u> <u>Sand</u> <u>53 - 190</u> <u>Clay</u> <u>190 - 250</u> <u>Sand</u> <u>250 - 265</u> <u>Clay</u> <u>265 - 270</u> <u>Sand</u> <u>270 - 300</u> <u>Clay</u> <u>300 - 312</u> <u>Sand & rock</u> <u>312 - 318</u> <u>Clay</u> <u>318 - 326</u> <u>Sand</u> <u>326 - 332</u> <u>Clay</u> <u>332 - 356</u> <u>Sand</u> <small>(Use reverse side of Well Owner's copy, if necessary)</small>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>TWO STRING</u> If Gravel Packed give interval from <u> </u> ft. to <u> </u> ft.																													
CASING, BLANK PIPE, AND WELL SCREEN DATA:																															
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 N</u></td> <td><u>PVC casing</u></td> <td></td> <td><u>0</u></td> <td><u>380</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2 N</u></td> <td><u>PVC line</u></td> <td></td> <td><u>370</u></td> <td><u>390</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2 N</u></td> <td><u>Payson</u></td> <td></td> <td><u>390</u></td> <td><u>410</u></td> <td><u>106</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4 N</u>	<u>PVC casing</u>		<u>0</u>	<u>380</u>	<u>40</u>	<u>2 1/2 N</u>	<u>PVC line</u>		<u>370</u>	<u>390</u>	<u>40</u>	<u>2 1/2 N</u>	<u>Payson</u>		<u>390</u>	<u>410</u>	<u>106</u>	9) CEMENTING DATA Cemented from <u>230</u> ft. to <u>380</u> ft. No. of sacks used <u>12</u> <u>0</u> ft. to <u>100</u> ft. No. of sacks used <u>8</u> Method used <u>PRESSURE</u> Cemented by <u>C.W.W.</u> Distance to septic system field lines or other concentrated contamination <u>60</u> ft. Method of verification of above distance <u>OWNER</u>			
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																							
		From	To																												
<u>4 N</u>	<u>PVC casing</u>		<u>0</u>	<u>380</u>	<u>40</u>																										
<u>2 1/2 N</u>	<u>PVC line</u>		<u>370</u>	<u>390</u>	<u>40</u>																										
<u>2 1/2 N</u>	<u>Payson</u>		<u>390</u>	<u>410</u>	<u>106</u>																										
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 25%;">From (ft)</th> <th style="width: 25%;">To (ft)</th> <th style="width: 25%;">From (ft)</th> <th style="width: 25%;">To (ft)</th> <th style="width: 20%;"></th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)							10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input checked="" type="checkbox"/> Approved Alternative Procedure Used																			
From (ft)	To (ft)	From (ft)	To (ft)																												
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other <u> </u> Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		11) WATER LEVEL: Static level <u>230</u> ft. below land surface Date <u>5-29-00</u> Artesian flow <u> </u> gpm. Date <u> </u>																													
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u> </u> ft. drawdown after <u> </u> hrs.		12) PACKERS: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 60%;">Type</th> <th style="width: 40%;">Depth</th> </tr> <tr> <td><u>4 X 2 1/2 RXR K</u></td> <td><u>370</u></td> </tr> </table>				Type	Depth	<u>4 X 2 1/2 RXR K</u>	<u>370</u>																						
Type	Depth																														
<u>4 X 2 1/2 RXR K</u>	<u>370</u>																														
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>46'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmission.																													
COMPANY NAME <u>COASTAL WATERWELL</u> WELL DRILLER'S LICENSE NO. <u>812</u> <small>(Type or print)</small>		ADDRESS <u>P.O. Box 745</u> <u>PORTER</u> <u>TX. 77365</u> <small>(Street or RFD) (City) (State) (Zip)</small>																													
(Signed) <u>D.L. Mullen</u> <small>(Licensed Well Driller)</small>		(Signed) <u>Faith Mullen</u> <small>(Registered Driller Trainee)</small>																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1213	1 of 1	N	4.23 / 22,336.52	Rivero, Jose TX	WW HARRIS GAL

Well ID:	12616	Diameter (inches):	2
Aggre Lead Well:	12616	Year Drilled:	201
Permit No:	WP2023-113850	Depth Drilled:	1
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.904166
Regulatory Aarea:	3	Longitude:	-95.407222
Owner Name:	Rivero, Jose		
Billing Contact:	NULL		
Billing Address:	207 Hollyvale Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060-5419		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1214	1 of 1	NNE	4.23 / 22,336.71	Munoz, William D. & Alfonso TX	WW HARRIS GAL

Well ID:	12977	Diameter (inches):	4
Aggre Lead Well:	12977	Year Drilled:	NULL
Permit No:	W2016-12977-185850-0	Depth Drilled:	0
Permit Start Date:	5/3/2016 4:01:16 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/3/2017 4:01:16 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.390555
Owner Name:	Munoz, William D. & Alfonso		
Billing Contact:	NULL		
Billing Address:	13922 Lillja Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1215	1 of 1	NW	4.23 / 22,340.94	Reymundo Bahana 2911 Jorent Dr. Houston TX 77088	SDRW WELLS

Track NO: 587443
Date Submitted: 2021-10-26
Owner Name: Reymundo Bahana
Owner Address: 2911 Jorent Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.891667
Longitude: -95.453889
Drilling Date Started: 2021-10-26
Drilling Date Completed: 2021-10-26
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=587443&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 57.0

Top Depth: 0
Bottom Depth: 57

Well Levels

Measurement: 12
Measurement Date: 2021-12-26

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1216	1 of 1	NE	4.23 / 22,350.34	MAE ELLIS TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 09/06/1996
Owners Name: MAE ELLIS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 380
Latitude: 29.890219
Longtiude: -95.364695

Send original copy by certified return receipt requested mail to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality <i>Privilege Notice on on reverse side of Well Owner's copy (pink)</i>		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER: <u>MAE ELLIS</u> ADDRESS <u>1518 COLLINS HOUSTON, TEXAS 77093</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																															
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>SAME</u> GRID # <u>65-06-7</u> <small>(Street, RFD or other) (City) (State) (Zip)</small>																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: <u>9/5</u> 19 <u>96</u> Completed <u>9/6</u> 19 <u>96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>6 3/4</u></td> <td><u>0</u></td> <td><u>380</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>6 3/4</u>	<u>0</u>	<u>380</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
	Surface																														
<u>6 3/4</u>	<u>0</u>	<u>380</u>																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0</u></td> <td><u>- 290</u></td> <td><u>clay</u></td> </tr> <tr> <td><u>290</u></td> <td><u>- 300</u></td> <td><u>sand</u></td> </tr> <tr> <td><u>300</u></td> <td><u>- 355</u></td> <td><u>clay</u></td> </tr> <tr> <td><u>355</u></td> <td><u>- 380</u></td> <td><u>sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>- 290</u>	<u>clay</u>	<u>290</u>	<u>- 300</u>	<u>sand</u>	<u>300</u>	<u>- 355</u>	<u>clay</u>	<u>355</u>	<u>- 380</u>	<u>sand</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.														
From (ft.)	To (ft.)	Description and color of formation material																													
<u>0</u>	<u>- 290</u>	<u>clay</u>																													
<u>290</u>	<u>- 300</u>	<u>sand</u>																													
<u>300</u>	<u>- 355</u>	<u>clay</u>																													
<u>355</u>	<u>- 380</u>	<u>sand</u>																													
CASING, BLANK PIPE, AND WELL SCREEN DATA:																															
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>PVC CASING</u></td> <td><u>0</u></td> <td><u>365</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>"</u></td> <td><u>" LINER</u></td> <td><u>355</u></td> <td><u>365</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>"</u></td> <td><u>" SCREEN</u></td> <td><u>365</u></td> <td><u>380</u></td> <td><u>.012</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4 1/2</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>365</u>		<u>2 1/2</u>	<u>"</u>	<u>" LINER</u>	<u>355</u>	<u>365</u>		<u>2 1/2</u>	<u>"</u>	<u>" SCREEN</u>	<u>365</u>	<u>380</u>	<u>.012</u>		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																								
			From	To																											
<u>4 1/2</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>365</u>																											
<u>2 1/2</u>	<u>"</u>	<u>" LINER</u>	<u>355</u>	<u>365</u>																											
<u>2 1/2</u>	<u>"</u>	<u>" SCREEN</u>	<u>365</u>	<u>380</u>	<u>.012</u>																										
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>365</u> ft. to <u>140</u> ft. No. of sacks used <u>15</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>7</u> Method used <u>HALIBURTON</u> Cemented by <u>SCOTT WATER WELL SER. INC.</u> Distance to septic system field lines or other concentrated contamination <u>115</u> Method of verification of above distance <u>VISUAL</u>																															
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>250</u> ft. below land surface Date <u>9/6/96</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>K-PACKER</u></td> <td><u>355</u></td> </tr> </table>				Type	Depth	<u>K-PACKER</u>	<u>355</u>																						
Type	Depth																														
<u>K-PACKER</u>	<u>355</u>																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>SCOTT WATER WELL SER. INC.</u> WELL DRILLER'S LICENSE NO. <u>4839</u> <small>(Type or print)</small>																															
ADDRESS <u>11915 GREEN PINE CIRCLE HOUSTON, TEXAS 77066</u> <small>(Street or RFD) (City) (State) (Zip)</small>																															
(Signed) <u>Scott Robinson</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

196162

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1217	1 of 1	N	4.23 / 22,353.99	R E Daniels TX	GWDB

Well Rep Track No:
State Well No: 6505910
Owner Name: R E Daniels
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1963
Well Depth: 230
Well Usage: Domestic
Water Level Status:
Latitude: 29.9041670
Longitude: -95.4130560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505910&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505910&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1218	1 of 1	NE	4.23 / 22,359.55	RALPH ALGEA JR TX	TCEQ WELL LOGS

Grid No: 65-06-7LL
Date Drilled: 08/??/1976
Owners Name: RALPH ALGEA JR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 374
Latitude: 29.8839219
Longtiude: -95.3570799

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-06-711
Located on map 4.5
Received: 7.2
216

65-06-711

1) OWNER:
Person having well drilled Ralph Algea Jr. Address 1915 Hayner Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
414 N. North
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 374 ft. Depth of completed well 380 ft. Date drilled Aug. 1976
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-15	15	Yellow Clay
15-20	20	Sand
20-70	70	Red & yellow clay
70-75	75	Sand
75-90	90	Red clay
90-97	97	Red clay & sand streaks
97-102	102	Blue clay
102-130	130	Blue clay & sand streaks
130-145	145	Blue clay
145-165	165	Sand
165-265	265	Red & yellow clay
265-272	272	Sand
272-347	347	Red & gray clay
347-380	380	Sand 14 ga.

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 374 up _____ ft. to _____ ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Gauge _____
4 1 374 40

10) SCREEN:
Type Well Supplies Inc. (Plastic wrapped)
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot _____
Size _____
2 1/2 372 380 14

7) COMPLETION (Check):
Straight well _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 225 ft. below land surface Date Aug. 1976
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 280 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr., Inc. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 Alpline Dr. Houston Texas
(Street or RFD) (City) (State)
(Signed) C.A. Raymond, Jr. Raymond Water Well Drilling
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WDS



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1219	1 of 1	N	4.24 / 22,361.18	E.B. BREWER TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 06/29/1972
Owners Name: E.B. BREWER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 133
Depth Drilled: 225
Latitude: 29.904193
Longitude: -95.408769

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
 WATER WELL REPORT

For TWDB use only
 Well No. _____
 Located on map N/A
 Received: 7/2

1) OWNER:
 Person having well drilled E.B. BREWER Address 501 MEMORY LN. HOUSTON TEX
 (Name) (Street or RFD) (City) (State)
 Landowner SAME Address SAME
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS 13 miles in N direction from HOUSTON
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from highway number, etc.* adjacent sections or survey lines.
501 MEMORY LN. AT SWEETWATER
1/2 MI. E. OF I.H. 45 North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well ☒ Deepening ☐
 Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
 Domestic ☒ Industrial ☐ Municipal ☐
 Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
 Rotary ☒ Driven ☐ Dug ☐
 Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
 Diameter of hole 6 1/2 in. Depth drilled 225 ft. Depth of completed well 225 ft. Date drilled 6/29/72
 All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	TOP SOIL
3	201	UNCONSOLIDATED
201	225	SAND

9) CASING:
 Type: Old ☐ New ☒ Steel ☐ Plastic ☐ Other ☐
 Cemented from 150 ft. to 212 ft.
 Diameter (inches) Setting From (ft.) To (ft.) Casing
4 0 212 30
2 212 215 40

10) SCREEN:
 Type S.S. WRAPPED
 Perforated ☐ Slotted ☐
 Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2" 215 225 1/4" x 1/2"

7) COMPLETION (Check):
 Straight wall ☒ Gravel packed ☐ Other ☐
 Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
 Static level 133 ft. below land surface Date 6-30-72
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 169 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes ☐ No ☒ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes ☐ No ☒
 Did any strata contain undesirable water? Yes ☐ No ☒
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME TOMMY C. BUSSELL Water Well Drillers Registration No. 707
 (Type or Print)
 ADDRESS 9739 N. HOUSTON-ROSELYN HOUSTON, TEXAS 77068
 (Street or RFD) (City) (State)
 (Signed) Tommy C. Bussell Bussell & Son, Inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1220	1 of 1	NE	4.24 / 22,367.88	MR. HOWELL TX	TCEQ WELL LOGS

Grid No: 65-06-7
 Date Drilled: 05/06/1985
 Owners Name: MR. HOWELL
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 250
 Depth Drilled: 372
 Latitude: 29.890922
 Longtiude: -95.365607

TDWR-0392 (Rev. 1-12-79)



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1221	1 of 1	NNE	4.24 / 22,370.20	Ali, S TX	WW HARRIS GAL

Well ID:	12603	Diameter (inches):	2
Aggre Lead Well:	12603	Year Drilled:	201
Permit No:	WP2023-112521	Depth Drilled:	1
Permit Start Date:	8/1/2023 4:05:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 4:05:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.39
Owner Name:	Ali, S		
Billing Contact:	NULL		
Billing Address:	14035 Mohave Way Dr		
Billing Address 2:	NULL		
Billing City:	Cypress		
Billing State:	TX		
Billing Zip:	77429		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1222	1 of 1	NNE	4.24 / 22,373.80	C E CALVERT TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 07/16/1992
Owners Name: C E CALVERT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 388
Latitude: 29.9029498
Longtiude: -95.3950904

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																									
1) OWNER <u>C.E. CALVERT</u> (Name)		ADDRESS <u>421 ALDINE MAIL ROUT</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TEXAS</u> (State) <u>77037</u> (Zip)																																																											
2) LOCATION OF WELL: County <u>HARRIS</u> <u>12</u> miles in <u>N</u> (NE, SW, etc.) direction from <u>HOUSTON</u> (Town)																																																													
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																													
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																													
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																									
6) WELL LOG: Date Drilling: <u>7-15</u> 19 <u>92</u> Completed <u>7-16</u> 19 <u>92</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>383</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>38.3</u></td> <td><u>388</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>383</u>	<u>3 7/8</u>	<u>38.3</u>	<u>388</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give Interval ... from _____ ft. to _____ ft.																																													
DIAMETER OF HOLE																																																													
Dia. (in.)	From (ft.)	To (ft.)																																																											
<u>6 3/4</u>	Surface	<u>383</u>																																																											
<u>3 7/8</u>	<u>38.3</u>	<u>388</u>																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> <tr> <td><u>0-4</u></td> <td></td> <td><u>TOP SOIL</u></td> </tr> <tr> <td><u>4-33</u></td> <td></td> <td><u>RED SHALE</u></td> </tr> <tr> <td><u>33-55</u></td> <td></td> <td><u>SAND</u></td> </tr> <tr> <td><u>55-135</u></td> <td></td> <td><u>RED SHALE</u></td> </tr> <tr> <td><u>135-152</u></td> <td></td> <td><u>SAND</u></td> </tr> <tr> <td><u>152-220</u></td> <td></td> <td><u>RED SHALE</u></td> </tr> <tr> <td><u>220-238</u></td> <td></td> <td><u>SAND</u></td> </tr> <tr> <td><u>238-318</u></td> <td></td> <td><u>RED SHALE</u></td> </tr> <tr> <td><u>318-337</u></td> <td></td> <td><u>SAND</u></td> </tr> <tr> <td><u>337-360</u></td> <td></td> <td><u>RED SHALE</u></td> </tr> <tr> <td><u>360-388</u></td> <td></td> <td><u>SAND</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-4</u>		<u>TOP SOIL</u>	<u>4-33</u>		<u>RED SHALE</u>	<u>33-55</u>		<u>SAND</u>	<u>55-135</u>		<u>RED SHALE</u>	<u>135-152</u>		<u>SAND</u>	<u>152-220</u>		<u>RED SHALE</u>	<u>220-238</u>		<u>SAND</u>	<u>238-318</u>		<u>RED SHALE</u>	<u>318-337</u>		<u>SAND</u>	<u>337-360</u>		<u>RED SHALE</u>	<u>360-388</u>		<u>SAND</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>373</u></td> <td><u>SC#40</u></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>373</u></td> <td><u>388</u></td> <td><u>SC#80</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>373</u>	<u>SC#40</u>	<u>4</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>373</u>	<u>388</u>	<u>SC#80</u>
From (ft.)	To (ft.)	Description and color of formation material																																																											
<u>0-4</u>		<u>TOP SOIL</u>																																																											
<u>4-33</u>		<u>RED SHALE</u>																																																											
<u>33-55</u>		<u>SAND</u>																																																											
<u>55-135</u>		<u>RED SHALE</u>																																																											
<u>135-152</u>		<u>SAND</u>																																																											
<u>152-220</u>		<u>RED SHALE</u>																																																											
<u>220-238</u>		<u>SAND</u>																																																											
<u>238-318</u>		<u>RED SHALE</u>																																																											
<u>318-337</u>		<u>SAND</u>																																																											
<u>337-360</u>		<u>RED SHALE</u>																																																											
<u>360-388</u>		<u>SAND</u>																																																											
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																								
			From	To																																																									
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>373</u>	<u>SC#40</u>																																																								
<u>4</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>373</u>	<u>388</u>	<u>SC#80</u>																																																								
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>315</u> ft.		CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>373</u> ft. No. of Sacks Used <u>22</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u>																																																											
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Baller <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12.5</u> gpm with <u>12</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>7-16-92</u> Artesian flow _____ gpm. Date _____																																																											
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:40%;">Type</th> <th style="width:60%;">Depth</th> </tr> <tr> <td><u>2</u></td> <td><u>3-RING</u> <u>370</u></td> </tr> </table>				Type	Depth	<u>2</u>	<u>3-RING</u> <u>370</u>																																																				
Type	Depth																																																												
<u>2</u>	<u>3-RING</u> <u>370</u>																																																												
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																													
COMPANY NAME <u>SUGG WATERWELL DRILLING</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u>																																																													
ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TEXAS</u> (State) <u>77039</u> (Zip)																																																													
(Signed) <u>James N. Sugg Jr.</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																													
For TWC use only: Well No. _____ Located on map <u>65.5.9</u>																																																													

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1223	1 of 1	NNE	4.24 / 22,378.03	TERRY YNN DOUGLAS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/30/1990
Owners Name: TERRY YNN DOUGLAS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 249
Depth Drilled: 316
Latitude: 29.9010635
Longitude: -95.3870209

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

on, P.O. Box 13087, Austin, Texas 78711

Km 35

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Terry Lynn Douglas</u> (Name) ADDRESS <u>13918 Stone Shore</u> (Street or RFD) <u>Houston</u> (City) <u>Texas</u> (State) <u></u> (Zip)																																																										
2) LOCATION OF WELL: County <u>Harris</u> <u>4</u> miles in <u>W</u> direction from <u>Aldine</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>7</u> <u>065-06-7</u>																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>11-28-90</u> Started <u>11-30-90</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 1/2</u></td> <td>Surface</td> <td><u>306</u></td> </tr> <tr> <td><u>4</u></td> <td><u>306</u></td> <td><u>316</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 1/2</u>	Surface	<u>306</u>	<u>4</u>	<u>306</u>	<u>316</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 1/2</u>	Surface	<u>306</u>																																																								
<u>4</u>	<u>306</u>	<u>316</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-25</u></td><td><u>C</u></td><td><u>285-297 C</u></td></tr> <tr><td><u>25-42</u></td><td><u>S</u></td><td><u>297-316 S</u></td></tr> <tr><td><u>42-66</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>66-85</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>85-155</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>155-171</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>171-197</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>197-219</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>219-276</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>276-285</u></td><td><u>S</u></td><td></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-25</u>	<u>C</u>	<u>285-297 C</u>	<u>25-42</u>	<u>S</u>	<u>297-316 S</u>	<u>42-66</u>	<u>C</u>		<u>66-85</u>	<u>S</u>		<u>85-155</u>	<u>C</u>		<u>155-171</u>	<u>S</u>		<u>171-197</u>	<u>C</u>		<u>197-219</u>	<u>S</u>		<u>219-276</u>	<u>C</u>		<u>276-285</u>	<u>S</u>		8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>306</u></td> <td><u>40</u></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC wrapped</u></td> <td><u>306</u></td> <td><u>316</u></td> <td><u>12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>306</u>	<u>40</u>	<u>4</u>	<u>N</u>	<u>PVC wrapped</u>	<u>306</u>	<u>316</u>	<u>12</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-25</u>	<u>C</u>	<u>285-297 C</u>																																																								
<u>25-42</u>	<u>S</u>	<u>297-316 S</u>																																																								
<u>42-66</u>	<u>C</u>																																																									
<u>66-85</u>	<u>S</u>																																																									
<u>85-155</u>	<u>C</u>																																																									
<u>155-171</u>	<u>S</u>																																																									
<u>171-197</u>	<u>C</u>																																																									
<u>197-219</u>	<u>S</u>																																																									
<u>219-276</u>	<u>C</u>																																																									
<u>276-285</u>	<u>S</u>																																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>306</u>	<u>40</u>																																																					
<u>4</u>	<u>N</u>	<u>PVC wrapped</u>	<u>306</u>	<u>316</u>	<u>12</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>290</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>306</u> ft. No. of Sacks Used <u>30</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>Circ</u> Cemented by <u>JW</u>																																																								
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>249</u> ft. below land surface Date <u>11-31-90</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: _____ Type _____ Depth _____																																																										
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>Lowe Water Wells Inc.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1182</u>																																																										
ADDRESS <u>P.O. Box 89</u> (Street or RFD) <u>Porter</u> (City) <u>Texas</u> (State) <u>77365</u> (Zip)																																																										
(Signed) <u>Homer L. Lowe</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																																										
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>65-05-9</u> Located on map _____																																																										

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1224	1 of 1	NNE	4.24 / 22,378.99	Jimenez, Martin TX	WW HARRIS GAL

Well ID:	9506	Diameter (inches):	4
Aggre Lead Well:	9506	Year Drilled:	
Permit No:	WP2023-106980	Depth Drilled:	1
Permit Start Date:	5/10/2023 11:43:00 AM	Depth frm Surf(ft):	1
Permit End Dt:	7/31/2024 11:43:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.383611
Owner Name:	Jimenez, Martin		
Billing Contact:	NULL		
Billing Address:	4415 Marlborough Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1225	1 of 1	NNE	4.24 / 22,394.54	STEVENS TX	TCEQ WELL LOGS

Grid No: 65-05-6CC
Date Drilled: 06/15/1977
Owners Name: STEVENS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 12
Depth Drilled: 49
Latitude: 29.902951
Longtiude: -95.3947779

6505 GCC *Dug*

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-6CC
Located on map yes
Received: 2-15-77

1) OWNER:
Person having well drilled Stevens Address 500 Dale Hon TX
(Name) (Street or RFD) (City) (State)
Landowner same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 10 miles in N direction from Hon (Town)
(N.E., S.W., etc.)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines.
U.S. Airline Dale
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 49 ft. Depth of completed well 49 ft. Date drilled 2-15-77
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	28	clay
28	49	sand

9) CASING:
Type: Old ☒ New ☒ Steel ☒ Plastic ☒ Other _____
Cemented from none ft. to _____ ft.
Diameter (inches) Setting From (ft.) To (ft.) Gage
2 0 33

10) SCREEN:
Type plastic
Perforated ☐ Slotted ☒
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 33 49 10

(Use reverse side if necessary)

7) COMPLETION (Check):
☒ Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 12 ft. below land surface Date 2-15-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 30 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A. R. Hendon JR Water Well Drillers Registration No. 1439
(Type or Print)
ADDRESS 14605 Reveston Hon TX
(Street or RFD) (City) (State)
(Signed) A. R. Hendon Jr H & A Water Well Drilling
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1226	1 of 1	N	4.24 / 22,395.37	ALDINE COMMUNITY CARE CENTER TX	WW HARRIS GAL

Well ID:	3119	Diameter (inches):	4
Aggre Lead Well:	3119	Year Drilled:	1977
Permit No:	W1978-3119-2119-0	Depth Drilled:	480
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	460
Permit End Dt:	11/30/1953	County:	H
Well Status:	P - Plugged	Latitude:	29.903888
Regulatory Aarea:	3	Longitude:	-95.401388
Owner Name:	ALDINE COMMUNITY CARE CENTER		
Billing Contact:	NULL		
Billing Address:	119 ALDINE MAIL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1227	1 of 2	NNE	4.24 / 22,396.53	Jose Alvarado 13923 Stoneshire Houston TX 77037	SDRW WELLS

Track NO: 83642
Date Submitted: 2006-05-24
Owner Name: Jose Alvarado
Owner Address: 13923 Stoneshire
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902223
Longitude: -95.400834
Drilling Date Started: 2006-05-17
Drilling Date Completed: 2006-05-17
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Tx
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=83642&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 48

Top Depth:
Bottom Depth: 48.0

Well Levels

Measurement: 8
Measurement Date: 2006-05-17

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1227	2 of 2	NNE	4.24 / 22,396.53	Jose G. Alvarado 13923 Stoneshire St. Houston TX 77037	SDRW WELLS

Track NO: 627999
Date Submitted: 2022-12-28
Owner Name: Jose G. Alvarado
Owner Address: 13923 Stoneshire St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901389
Longitude: -95.386389
Drilling Date Started: 2022-12-15
Drilling Date Completed: 2022-12-15
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=627999&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 46.0

Top Depth: 0
Bottom Depth: 46

Well Levels

Measurement: 6
Measurement Date: 2022-12-15

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1228	1 of 1	NE	4.24 / 22,408.22	Garry Welborn & Associates Inc TX	WW HARRIS GAL

Well ID:	13404	Diameter (inches):	2
Aggre Lead Well:	13404	Year Drilled:	NULL
Permit No:	W2019-13404-204271-0	Depth Drilled:	0
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.888333
Regulatory Aarea:	3	Longitude:	-95.361666
Owner Name:	Garry Welborn & Associates Inc		
Billing Contact:	NULL		
Billing Address:	P.O. Box 1403		
Billing Address 2:	NULL		
Billing City:	Pinehurst		
Billing State:	TX		
Billing Zip:	77362		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1229	1 of 1	NNE	4.24 / 22,410.89	C J Raymond 429 Aldine Mail Rt. Houston TX 77037	SDRW WELLS

Track NO: 98404
Date Submitted: 2006-11-21
Owner Name: C J Raymond
Owner Address: 10011 Airline
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902778
Longitude: -95.394445
Drilling Date Started: 2006-11-20
Drilling Date Completed: 2006-11-20
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=98404&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 10
Measurement Date: 2006-11-20

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1230	1 of 1	NW	4.25 / 22,415.08	Gerardo Dominguez 2917 Jorent Dr. Houston TX 77088	SDRW WELLS

Track NO: 406842
Date Submitted: 2015-10-16
Owner Name: Gerardo Dominguez
Owner Address: 2917 Jorent Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890278
Longitude: -95.455
Drilling Date Started: 2015-10-15
Drilling Date Completed: 2015-10-15
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=406842&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 53.0

Top Depth: 0
Bottom Depth: 53

Well Levels

Measurement: 12
Measurement Date: 2015-10-15

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1231	1 of 4	NNE	4.25 / 22,426.37	Garcia, Jorge TX	WW HARRIS GAL

Well ID:	14324	Diameter (inches):	2
Aggre Lead Well:	14324	Year Drilled:	0
Permit No:	WP2022-117026	Depth Drilled:	50
Permit Start Date:	2/8/2023 1:14:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 1:14:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.394166
Owner Name:	Four Rangers, Inc.		
Billing Contact:	PERMIT		
Billing Address:	503 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1231	2 of 4	NNE	4.25 / 22,426.37	Garcia, Jorge TX	WW HARRIS GAL

Well ID:	12678	Diameter (inches):	2
Aggre Lead Well:	12678	Year Drilled:	1945
Permit No:	WP2022-116995	Depth Drilled:	1
Permit Start Date:	2/8/2023 1:07:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 1:07:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.394444
Owner Name:	Bialkoski, John		
Billing Contact:	NULL		
Billing Address:	429 Aldine Mail Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1231	3 of 4	NNE	4.25 / 22,426.37	Four Rangers, Inc. TX	WW HARRIS GAL

Well ID:	8895	Diameter (inches):	2
Aggre Lead Well:	8895	Year Drilled:	1993
Permit No:	W2019-8895-204248-0	Depth Drilled:	NULL
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	NULL
Permit End Dt:	8/1/2019	County:	H
Well Status:	P - Plugged	Latitude:	29.903055
Regulatory Aarea:	3	Longitude:	-95.394166
Owner Name:	Four Rangers, Inc.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 1970		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77383		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1231	4 of 4	NNE	4.25 / 22,426.37	Four Ranters Inc. 503 Aldine Mail Rd. Houston TX 77037	SDRW WELLS

Track NO: 501899
Date Submitted: 2019-01-30
Owner Name: Four Ranters Inc.
Owner Address: P.O. Box 1970
Owner Address2:
Owner City: Spring
Owner State: TX
Owner Zip: 77338
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903056
Longitude: -95.394167
Drilling Date Started: 2019-01-29
Drilling Date Completed: 2019-01-29
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=501899&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 5
Measurement Date: 2019-01-29

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1232	1 of 1	NW	4.25 / 22,430.31	Jose' Escamilla 2902-2 Jorent Houston TX 77088	SDRW WELLS

Track NO: 166848
Date Submitted: 2009-01-28
Owner Name: Jose' Escamilla
Owner Address: 2902-2 Jorent
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.454445
Drilling Date Started: 2009-01-28
Drilling Date Completed: 2009-01-28
Chemical Analysis: No
Company Name: R&D Water Wells
Company Address: PO Box 230
CompanyAddress2:
Company City: Huffman
Company State: TX
Company Zip: 77336
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=166848&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 75

Top Depth:
Bottom Depth: 75.0

Well Levels

Measurement: 12
Measurement Date: 2009-01-28

Well Strata

Water Type:

ground

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1233	1 of 1	NNE	4.25 / 22,452.44	RAYMOND WATER WELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/25/1994
Owners Name: RAYMOND WATER WELL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 237
Depth Drilled: 391
Latitude: 29.9033823
Longitude: -95.3963215

STATE OF TEXAS WATER WELL REPORT

1) OWNER: RAYMOND WATER WELL

ADDRESS: 328 DALE ST.

CITY: HOUSTON

STATE: TX ZIP: 77060-

2) LOCATION OF WELL: County: HARRIS

4 miles in N direction from HOUSTON

LEGAL DESCRIPTION

SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: DOMESTIC

5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00882

DIAMETER OF HOLE

DIAMETER FROM TO

6.75 0 375'

3.875 375' 391'

7) BOREHOLE METHOD:

TWO STRING/B.P. SEAL

IF GRAVEL... FROM FT. TO FT.

FROM FT. TO FT.

DATE DRILLED: 10/25/94

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN

4 N P.V.C. SCH.40 0 375' CASING

2.5 N P.V.C. SCH.40 361' 376' LINER

2.5 N P.V.C. - SLOTTED 376' 391' .006

9) CEMENTING DATA:

Cemented from 0 FT. TO 375 FT.

FT. TO FT.

Method used: PRESSURE-HALIBURTON

Cemented by: AMWS

10) SURFACE COMPLETION:

APP. ALTER. PROCD.

11) WATER LEVEL:

STATIC LEVEL : 237' FT. DATE: 10/27/94

ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE DEPTH

13) TYPE PUMP:

CUSTOMER INSTALLED

DEPTH TO PUMP:

14) WELL TEST:

JETTED

YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:

TYPE OF WATER: GOOD

DEPTH OF STRATA: 391'

NO STRATA OF UNDESIRABLE WATER PENETRATED

NO CHEMICAL ANALYSIS MADE

COMPANY NAME: ALMEDA WATER WELL SERVICE

WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843

FOR TDWR USE ONLY

ADDRESS: P. O. BOX 266

CITY: MANVEL

STATE: TX ZIP CODE: 77578

WELL NO.

LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Mike Fabian (signed) _____


LICENSED WATER WELL DRILLER (REGISTERED DRILLER TRAINEE)

STATE OF TEXAS WATER WELL REPORT (PAGE 2)

OWNER: RAYMOND WATER WELL ADDRESS: 328 DALE ST. CITY: HOUSTON STATE: TX ZIP: 77060-

338 342 BROKEN SAND & CLAY
342 391 SAND-TAN-.010-.012

WELL # _____



RECEIVED
OCT 19 1995
TEXAS NATURAL RESOURCE
CONSERVATION COMMISSION



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1234	1 of 2	NE	4.25 / 22,453.52	Hernandez, Nestor TX	WW HARRIS GAL

Well ID:	13995	Diameter (inches):	4
Aggre Lead Well:	13995	Year Drilled:	0
Permit No:	WP2023-111841	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.895277
Regulatory Aarea:	3	Longitude:	-95.3725
Owner Name:	Gadd, Barbara		
Billing Contact:	Nestor		
Billing Address:	23214 Redberry Ln		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77494		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1234	2 of 2	NE	4.25 / 22,453.52	Barbara Gadd 1214 Hill Rd Houston TX 77037	SDRW WELLS

Track NO: 470860
Date Submitted: 2018-02-14
Owner Name: Barbara Gadd
Owner Address: 1214 Hill Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.894444
Longitude: -95.371111
Drilling Date Started: 2017-12-28
Drilling Date Completed: 2017-12-29
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=470860&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 375.0

Top Depth: 0
Bottom Depth: 375

Well Levels

Measurement: 195
Measurement Date: 2018-02-14

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1235	1 of 1	NW	4.25 / 22,456.14	Miguel Hernandez 2906 Jorent Dr. Houston TX 77088	SDRW WELLS

Track NO: 553794
Date Submitted: 2020-09-14
Owner Name: Miguel Hernandez
Owner Address: 2906 Jorent Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890833
Longitude: -95.454167
Drilling Date Started: 2020-09-11
Drilling Date Completed: 2020-09-11
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=553794&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2020-09-11

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1236	1 of 1	NE	4.25 / 22,457.50	Sampogna Properties, LP TX	WW HARRIS GAL

Well ID:	12721	Diameter (inches):	6
Aggre Lead Well:	12721	Year Drilled:	201
Permit No:	WP2023-112641	Depth Drilled:	500
Permit Start Date:	8/1/2023 10:26:00 AM	Depth frm Surf(ft):	475
Permit End Dt:	7/31/2024 10:26:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.890277
Regulatory Aarea:	3	Longitude:	-95.363888
Owner Name:	Sampogna Properties, LP		
Billing Contact:	NULL		
Billing Address:	17165 Northcrest Circle		
Billing Address 2:	NULL		
Billing City:	New Caney		
Billing State:	TX		
Billing Zip:	77357		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1237	1 of 2	NNE	4.26 / 22,473.07	LONNIE GLAZE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 05/03/2000
Owners Name: LONNIE GLAZE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 13
Depth Drilled: 45
Latitude: 29.9018036
Longtiude: -95.3886906

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880							
1) OWNER <u>LONNIE CLAZE</u>		ADDRESS <u>646 ALABAMA MAIL BOX TX 77037</u>									
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>SAME</u>		(City) _____ (State) _____ (Zip) _____		Long. _____ Lat. _____ Grid # <u>65-05-9</u>							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____							
6) WELL LOG: Date Drilling: _____ Started <u>5/13/00</u> Completed <u>5/13/00</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td>Surface</td> <td><u>45</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>45</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
Dia. (in.)	From (ft.)	To (ft.)									
<u>5</u>	Surface	<u>45</u>									
From (ft.) To (ft.) Description and color of formation material <u>0-17 YELLOW CLAY</u> <u>17-45 SAND 10 CH.</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>35</u> ft. to <u>45</u> ft.									
CASING, BLANK PIPE, AND WELL SCREEN DATA:											
Dia. (in.)		New or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial							
				Setting (ft.)							
				From To							
				Gage Casting Screen							
<u>2</u>		<u>N</u>		<u>Plastic CASE 0 35 2H40</u>							
<u>2</u>		<u>N</u>		<u>Plastic SCREEN 35 45 .000</u>							
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>55</u> ft. No. of sacks used <u>9</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>20</u> ft. Method of verification of above distance <u>Customer</u>											
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used											
11) WATER LEVEL: Static level <u>13</u> ft. below land surface Date <u>5/13/00</u> Artesian flow _____ gpm. Date <u>1 SEP 00</u>											
12) PACKERS: <u>NONE</u> Type <u>EMIP</u> Date <u>AUG 29 2000</u> _____ _____ _____ _____ _____ _____											
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ From (ft.) To (ft.) From (ft.) To (ft.) _____ _____ _____ _____ _____ _____ (Use reverse side of Well Owner's copy, if necessary)											
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.											
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.											
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No											
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.											
COMPANY NAME <u>Raymond Services, Inc.</u>		WELL DRILLER'S LICENSE NO. <u>4577WI</u>									
(Type or print)											
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u>		(City) _____ (State) _____ (Zip) _____									
(Signed) <u>[Signature]</u>		(Signed) _____									
(Licensed Well Driller)		(Registered Driller Trainee)									
Please attach electric log, chemical analysis, and other pertinent information, if available.											

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1237	2 of 2	NNE	4.26 / 22,473.07	Glaze, Lonnie TX	WW HARRIS GAL

Well ID:	8213	Diameter (inches):	2
Aggre Lead Well:	8213	Year Drilled:	2000
Permit No:	WP2023-111743	Depth Drilled:	50
Permit Start Date:	8/1/2023 3:18:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.388611
Owner Name:	Glaze, Lonnie		
Billing Contact:	NULL		
Billing Address:	633 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1238	1 of 2	NNE	4.26 / 22,479.47	BOF MAINTANENCE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 9/29/1999
Owners Name: BOF MAINTANENCE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 14
Depth Drilled: 52
Latitude: 29.9033846
Longtiude: -95.3958816

Send original copy by certified return receipt requested n

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																
1) OWNER <u>BOF MAINTENANCE</u> ADDRESS <u>408 DAKE ST. HOV TX 77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>SAME</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. _____ Lat. _____ Grid # <u>65-05-9</u>																
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																
6) WELL LOG: Date Drilling: <u>9/29 19 99</u> Started <u>9/29 19 99</u> Completed <u>9/29 19 99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5 1/4"</u></td> <td><u>Surface</u></td> <td><u>52</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5 1/4"</u>	<u>Surface</u>	<u>52</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____										
Dia. (in.)	From (ft.)	To (ft.)																		
<u>5 1/4"</u>	<u>Surface</u>	<u>52</u>																		
From (ft.) To (ft.) Description and color of formation material <u>0-21</u> <u>YELLOW CLAY</u> <u>21-52</u> <u>SAND 10 GA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>42</u> ft. to <u>52</u> ft.																		
CASING, BLANK PIPE, AND WELL SCREEN DATA:																				
Dia. (in.)		New or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial																
				Setting (ft.)																
				From To																
				Gage Casting Screen																
<u>2</u>		<u>N</u>		<u>Plastic CASE 0 42 52 40</u>																
<u>2</u>		<u>N</u>		<u>Plastic SCREEN 42 52 076</u>																
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>42</u> ft. No. of sacks used <u>7</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>100</u> ft. Method of verification of above distance <u>Customer</u>																				
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>						Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)						
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																
From (ft)	To (ft)	From (ft)	To (ft)																	
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.																				
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.																				
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																				
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																				
11) WATER LEVEL: Static level <u>14</u> ft. below land surface Date <u>9/29/99</u> Artesian flow _____ gpm. Date _____																				
12) PACKERS: Type Depth <u>NONE</u>																				
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																				
COMPANY NAME <u>Raymond Services, Inc.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4577WI</u>		EMP # _____																
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small>		(Signed) <u>[Signature]</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																
Please attach electric log, chemical analysis, and other pertinent information, if available.																				

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1238	2 of 2	NNE	4.26 / 22,479.47	B & F MTC. TX	WW HARRIS GAL

Well ID:	7769	Diameter (inches):	2
Aggre Lead Well:	7769	Year Drilled:	1999
Permit No:	WP2023-111964	Depth Drilled:	50
Permit Start Date:	8/1/2023 12:02:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 12:02:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.396111
Owner Name:	B & F MTC.		
Billing Contact:	NULL		
Billing Address:	408 Dale		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1239	1 of 1	NNE	4.26 / 22,485.08	C.R. BURLESON TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 3/??/1976
Owners Name: C.R. BURLESON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 405
Latitude: 29.8969317
Longtiude: -95.3753355

TWOBE-WO-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1240	1 of 2	NNW	4.26 / 22,487.01	All American Auto Parts TX	WW HARRIS GAL

Well ID:	12137	Diameter (inches):	5
Aggre Lead Well:	12137	Year Drilled:	2011
Permit No:	WP2023-106291	Depth Drilled:	550
Permit Start Date:	6/1/2023 4:20:00 PM	Depth frm Surf(ft):	540
Permit End Dt:	5/31/2024 4:20:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.895833
Regulatory Aarea:	3	Longitude:	-95.445
Owner Name:	All American Auto Parts		
Billing Contact:	Gustavo Campuzano		
Billing Address:	2405 W. Mount Houston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1240	2 of 2	NNW	4.26 / 22,487.01	Campuzano, J. Gustavo TX	WW HARRIS GAL

Well ID:	12346	Diameter (inches):	4
Aggre Lead Well:	12346	Year Drilled:	NULL
Permit No:	W2013-12346-163388-0	Depth Drilled:	20
Permit Start Date:	1/9/2013	Depth frm Surf(ft):	10
Permit End Dt:	1/9/2013	County:	H
Well Status:	P - Plugged	Latitude:	29.8975
Regulatory Aarea:	3	Longitude:	-95.444722
Owner Name:	Campuzano, J. Gustavo		
Billing Contact:	NULL		
Billing Address:	10600 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1241	1 of 1	N	4.26 / 22,488.28	DAVID RACKARD TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 12/12/1977
 Owners Name: DAVID RACKARD
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 12
 Depth Drilled: 53
 Latitude: 29.904284
 Longtiude: -95.4029048


65-05-9T 9T *Dug*

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9T
Located on map 40
Received: 7-2-77

1) OWNER:
 Person having well drilled DAVID BACKARD Address 127 MEMORY LANE HOUSTON, TEX.
 (Name) (Street or RFD) (City) (State)
 Landowner SAME Address _____ (Street or RFD) (City) (State)
 (Name)

2) LOCATION OF WELL:
 County HARRIS _____ 17 miles in N direction from HOUSTON
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

 (Use reverse side if necessary)
 or
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
 New Well ☒ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic ☒ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary ☒ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 3 1/2 in. Depth drilled 53 ft. Depth of completed well 53 ft. Date drilled 12-12-77
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-3		TOP SOIL
3-14		RED SHALE
14-30		SAND
30-45		BLUE SHALE
45-53		SAND

9) CASING:
 Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
 Cemented from 0 ft. to 45 ft.
 Diameter (inches) _____ Setting _____
 From (ft.) _____ To (ft.) _____ Gage _____
2" 1-6" ABOVE GROUND 47 SEA 40

10) SCREEN:
 Type: PLASTIC
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting _____
 From (ft.) _____ To (ft.) _____ Slot Size _____
2" 47 53 .008

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall ☒ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 12 ft. below land surface Date 12-12-77
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 25 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No ☒
 Did any strata contain undesirable water? Yes _____ No ☒
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
 (Type or Print)
 ADDRESS 13501 CHRISMAN #26 HOUSTON, TEXAS 77039
 (Street or RFD) (City) (State)
 (Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WDS

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1242	1 of 4	NNE	4.26 / 22,496.20	SANDY MURRY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/30/1990
Owners Name: SANDY MURRY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 15.5
Depth Drilled: 48
Latitude: 29.9033939
Longitude: -95.3956617

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 **Kn 3E** Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side **State of Texas WELL REPORT** **Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711**

1) OWNER Sandy Murry (Name) ADDRESS 410 Dale Houston Texas (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 4 miles in W direction from Aldine (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP (8) 0165-06-7

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG: Date Drilling: 11-30-90 Started 11-30-90 Completed 11-30-90

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>4 1/2</u>	Surface	<u>48</u>

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-18</u>	<u>C</u>	
<u>18-48</u>	<u>S</u>	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2</u>	<u>N</u>	<u>PC</u>	<u>0</u>	<u>38</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PC</u>	<u>38</u>	<u>48</u>	<u>6</u>

9) CEMENTING DATA (Rule 287.44(1))
 Cemented from 0 ft. to 38 ft. No. of Sacks Used 4
 _____ ft. to _____ ft. No. of Sacks Used _____
 Method used Circ
 Cemented by JW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
 Static level 15 1/2 ft. below land surface Date 11-30-90
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
☐ Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowie Water Wells Inc WELL DRILLER'S LICENSE NO. 1182
 (Type or print)

ADDRESS P.O. Box 89 Porter Texas 77365
 (Street or RFD) (City) (State) (Zip)

(Signed) Harmer L. Lowie (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 65-05-9 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1242	2 of 4	NNE	4.26 / 22,496.20	TERPSTRA, W.G. TX	WW HARRIS GAL

Well ID:	6948	Diameter (inches):	2
Aggre Lead Well:	6948	Year Drilled:	
Permit No:	W1995-6948-58796-0	Depth Drilled:	40
Permit Start Date:	8/1/1995	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2000	County:	H
Well Status:	P - Plugged	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.395555
Owner Name:	TERPSTRA, W.G.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 38489		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77238		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1242	3 of 4	NNE	4.26 / 22,496.20	B & F Maintenance Services Inc. TX	WW HARRIS GAL

Well ID:	10203	Diameter (inches):	2
Aggre Lead Well:	10203	Year Drilled:	2006
Permit No:	WP2023-111917	Depth Drilled:	50
Permit Start Date:	8/1/2023 2:33:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 2:34:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.903888
Regulatory Aarea:	3	Longitude:	-95.395555
Owner Name:	B & F Maintenance Services Inc.		
Billing Contact:	NULL		
Billing Address:	413 Dale St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1242	4 of 4	NNE	4.26 / 22,496.20	B & F Maintanance 413 Dale St. Houston TX 77060	SDRW WELLS

Track NO: 74080
Date Submitted: 2006-01-13
Owner Name: B & F Maintanance
Owner Address: 413 Dale St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903612
Longitude: -95.395556
Drilling Date Started: 2005-12-21
Drilling Date Completed: 2005-12-21
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=74080&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2005-12-21

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1243	1 of 1	NNW	4.26 / 22,498.52	Sahrai, Sirous TX	WW HARRIS GAL

Well ID:	7601	Diameter (inches):	2
Aggre Lead Well:	7601	Year Drilled:	1999
Permit No:	W2021-7601-217020-0	Depth Drilled:	50
Permit Start Date:	6/1/2021	Depth frm Surf(ft):	40
Permit End Dt:	5/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.898611
Regulatory Aarea:	3	Longitude:	-95.441666
Owner Name:	Sahrai, Sirous		
Billing Contact:	NULL		
Billing Address:	2 Champions Bend Cir		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77069		
Correspondence:	Two 49 Auto Parts		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1244	1 of 1	N	4.26 / 22,499.33	Ork III Investments, LLC 10202 Airline Dr. Houston TX 77037	SDRW WELLS

Track NO: 192068
Date Submitted: 2009-09-03
Owner Name: Ork III Investments, LLC
Owner Address: 410 Northville
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904445
Longitude: -95.398889
Drilling Date Started: 2009-08-28
Drilling Date Completed: 2009-08-29
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=192068&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 400.0

Top Depth: 0
Bottom Depth: 400

Well Levels

Measurement: 210
Measurement Date: 2009-09-02

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1245	1 of 1	NW	4.26 / 22,502.37	Saul Santiago Ortiz 2910 Jorent Dr. Houston TX 77088	SDRW WELLS

Track NO: 603212
Date Submitted: 2022-04-22
Owner Name: Saul Santiago Ortiz
Owner Address: 2910 Jorent Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.891389
Longitude: -95.453611
Drilling Date Started: 2022-04-21
Drilling Date Completed: 2022-04-21
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=603212&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 57

Top Depth:
Bottom Depth: 57.0

Well Levels

Measurement: 6
Measurement Date: 2022-04-21

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1246	1 of 1	NE	4.26 / 22,502.41	CESAR ALANIS TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 06/20/2000
Owners Name: CESAR ALANIS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 235
Depth Drilled: 370
Latitude: 29.893154
Longtiude: -95.368312

Send original copy-by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>CESAR ALANIS</u> ADDRESS <u>1402 IRWIN Houston, TX 77039</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>1402 IRWIN Houston, TX 77039</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. _____ Lat. _____ Grid # <u>65-05-6</u>																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																											
6) WELL LOG: Date Drilling: _____ Started <u>6-19</u> 19 <u>00</u> Completed <u>6-20</u> 19 <u>00</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>8 7/8"</u></td> <td>Surface</td> <td><u>370'</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>8 7/8"</u>	Surface	<u>370'</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia. (in.)	From (ft.)	To (ft.)																													
<u>8 7/8"</u>	Surface	<u>370'</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0-30 RED CLAY</u> <u>30-80 RED SAND</u> <u>80-220 ROCK CLAY</u> <u>220-300 SHALE CLAY</u> <u>300-330 SAND</u> <u>330-355 CLAY</u> <u>355-370 SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval from _____ ft. to _____ ft.																													
CASING, BLANK PIPE, AND WELL SCREEN DATA:																															
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4"</u></td> <td><u>N</u></td> <td><u>PVC CASING</u></td> <td><u>356</u></td> <td><u>0</u></td> <td><u>SH 40</u></td> </tr> <tr> <td><u>2 1/2"</u></td> <td><u>N</u></td> <td><u>PVC LINER</u></td> <td><u>356</u></td> <td><u>346</u></td> <td><u>SH 40</u></td> </tr> <tr> <td><u>2 1/2"</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>370</u></td> <td><u>356</u></td> <td><u>1012</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4"</u>	<u>N</u>	<u>PVC CASING</u>	<u>356</u>	<u>0</u>	<u>SH 40</u>	<u>2 1/2"</u>	<u>N</u>	<u>PVC LINER</u>	<u>356</u>	<u>346</u>	<u>SH 40</u>	<u>2 1/2"</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>370</u>	<u>356</u>	<u>1012</u>				
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																							
		From	To																												
<u>4"</u>	<u>N</u>	<u>PVC CASING</u>	<u>356</u>	<u>0</u>	<u>SH 40</u>																										
<u>2 1/2"</u>	<u>N</u>	<u>PVC LINER</u>	<u>356</u>	<u>346</u>	<u>SH 40</u>																										
<u>2 1/2"</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>370</u>	<u>356</u>	<u>1012</u>																										
9) CEMENTING DATA Cemented from <u>356</u> ft. to <u>0</u> ft. No. of sacks used <u>18</u> <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>12</u> Method used <u>Halliburton</u> Cemented by <u>Robinson Water Well Service, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>80</u> ft. Method of verification of above distance <u>OWNER</u>																															
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>						From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																					
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																											
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.																															
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.																															
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																															
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																															
11) WATER LEVEL: Static level <u>235</u> ft. below land surface Date <u>6-20-00</u> Artesian flow _____ gpm. Date _____																															
12) PACKERS: Type <u>1K</u> Depth <u>346</u>																															
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>Robinson Water Well Service, Inc.</u> WELL DRILLER'S LICENSE NO. <u>54211 PKW</u> <small>(Type or print)</small>																															
ADDRESS <u>11819 W. MONTGOMERY RD. Houston TX 77086</u> <small>(Street or RFD) (City) (State) (Zip)</small>																															
(Signed) <u>David Helms B.L.</u> (Signed) _____ <small>(Licensed Well Driller) (Registered Driller Trainee)</small>																															

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001VWWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1247	1 of 2	NNW	4.26 / 22,509.29	WESTGATE WATER CO (MOBIL HOME ESTATES SY TX	TCEQ WELL LOGS

Grid No:	65-05-2B
Date Drilled:	08/27/1968
Owners Name:	WESTGATE WATER CO (MOBIL HOME ESTATES SY
County:	HARRIS
Water Usage:	WATER SUPPLY FOR SUBDIVIS
Static Level:	170
Depth Drilled:	333
Latitude:	29.89688
Longitude:	-95.44468

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-04-26
Located on map _____
By _____ Date 8-28-68
Map no. _____

1) Well Owner: Westgate Water Co. (Mobil Home EstatesSystem) P.O. Box 7307 Houston, Texas
2) Land Owner: Same
3) Intended use: Industrial ☐ Municipal ☐ Irrigation ☐ Other Water supply for subdivision
4) Location of well: County Harris Labor _____ League _____ Abstract No. _____
SW¹ NE¹ SW¹ SE¹ of Section _____ Block No. _____ Survey _____
(Circle on map as per sheet)

8 miles in N direction
from Houston

Mobil Home Estates is located on Farm Rd. 149 about half way
between Stubner-Airline Rd and Old West Montgomery Rd.

Sketch map of well location with distances from two section
or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL
Method of drilling: Rotary Diameter of hole 6 1/2" in. Date drilled XXXXXX 27 aug. 68
All measurements made from 3' ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	11	clay	302'	317	good sand
11	19	sand	317	319	clay
19	103	clay	319	326	good sand
103	125	sand	326	332	fine sand
125	154	clay	332	333	clay
154	165	sand			
165	168	clay			
168	179	sand			
179	194	clay			
194	236	sand			
236	302	clat			

COMPLETION DATA

COMPLETION
Straight well ☒
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other _____

CASING
Type: Old ☐ New ☒ 4" gal. 11#
Cemented from 150 ft.
to 302 ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
XXXXXXXXXX		
4"	0	302'

SCREEN
Type Stainless steel
2 1/2" pipe based ribbed
Perforated ☐ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
2 1/2"	302	317
2 1/2"	320	326

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.
B.J. Swinehart B.J Swinehart Co. Inc. Reg. No. 229
Please attach electric log, chemical analysis, and other pertinent information if available.
If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 170
ft. below top of discharge tee

feet	Pumping level hours	gpm
195		60

Pump type Sacuzzi Sumersible Model 5S4X-T2 20 stage
Designed pumping rate 70 gpm ☒ gph ☐
Type power unit 5 HP 230 volt 3 phase electric
Horsepower 5
Depth to bowls, cylinder, jet, etc., 235 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company: _____
C-34 (6-2-6)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1247	2 of 2	NNW	4.26 / 22,509.29	All American Auto Parts 2405 W. Mt Houston Houston TX 77038	SDRW WELLS

Track NO: 307134
Date Submitted: 2012-12-20
Owner Name: All American Auto Parts
Owner Address: 2405 W. Mt. Houston
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890834
Longitude: -95.4375
Drilling Date Started: 2012-12-18
Drilling Date Completed: 2012-12-19
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=307134&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 525

Top Depth:
Bottom Depth: 545.0

Top Depth: 525
Bottom Depth: 545

Well Levels

Measurement: 200
Measurement Date: 2012-12-19

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1248	1 of 1	NNE	4.26 / 22,510.29	Martin Ramirez 826 Aldine Mail Rt. Houston TX 77037	SDRW WELLS

Track NO: 192251
Date Submitted: 2009-09-04
Owner Name: Martin Ramirez
Owner Address: 826 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900278
Longitude: -95.380278
Drilling Date Started: 2009-08-25
Drilling Date Completed: 2009-08-25
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=192251&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 52.0

Top Depth: 0
Bottom Depth: 52

Well Levels

Measurement: 20
Measurement Date: 2009-08-25

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1249	1 of 1	NNE	4.26 / 22,515.72	Alvarado, Joe TX	WW HARRIS GAL

Well ID:	7031	Diameter (inches):	2
Aggre Lead Well:	7031	Year Drilled:	1998
Permit No:	WP2023-114714	Depth Drilled:	50
Permit Start Date:	10/11/2023 2:17:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.388055
Owner Name:	Alvarado, Joe		
Billing Contact:	NULL		
Billing Address:	658 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1250	1 of 1	N	4.27 / 22,524.50	Airline Industrial Park, LLC TX	WW HARRIS GAL

Well ID:	11276	Diameter (inches):	4
Aggre Lead Well:	11276	Year Drilled:	2009
Permit No:	WP2023-112419	Depth Drilled:	400
Permit Start Date:	8/1/2023 10:51:00 AM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024 10:51:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.903888
Regulatory Aarea:	3	Longitude:	-95.399444
Owner Name:	Airline Industrial Park, LLC		
Billing Contact:	NULL		
Billing Address:	15207 Jones Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77070-1352		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1251	1 of 3	NE	4.27 / 22,526.84	Sprint Recycling Center Northeast, LLC TX	WW HARRIS GAL

Well ID:	14008	Diameter (inches):	4
Aggre Lead Well:	5578	Year Drilled:	0
Permit No:	WP2023-113064	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.887777
Regulatory Aarea:	3	Longitude:	-95.361111
Owner Name:	Sprint Waste		
Billing Contact:	NULL		
Billing Address:	P.O. Box 940820		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77094-7820		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1251	2 of 3	NE	4.27 / 22,526.84	Sprint Recycle Center Northeast, LLC TX	WW HARRIS GAL

Well ID:	5578	Diameter (inches):	2
Aggre Lead Well:	5578	Year Drilled:	NULL
Permit No:	WP2022-111249	Depth Drilled:	60
Permit Start Date:	8/1/2022 2:44:00 PM	Depth frm Surf(ft):	60
Permit End Dt:	7/31/2023 2:44:00 PM	County:	H
Well Status:	P - Plugged	Latitude:	29.887777
Regulatory Aarea:	3	Longitude:	-95.361111
Owner Name:	Sprint Recycle Center Northeast, LLC		
Billing Contact:	NULL		
Billing Address:	P.O. Box 940820		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77094		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1251	3 of 3	NE	4.27 / 22,526.84	Sprint Waste 1548 Mesquite St Houston TX 77094	SDRW WELLS

Track NO: 465864
Date Submitted: 2017-11-30
Owner Name: Sprint Waste
Owner Address: P.O. Box 940820
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77094
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Commercial/Domestic
Latitude: 29.887692
Longitude: -95.360869
Drilling Date Started: 2017-11-27
Drilling Date Completed: 2017-11-29
Chemical Analysis: No
Company Name: Ballard Water Well Co LLC
Company Address: PO Box 1843
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=465864&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 380.0

Top Depth: 360
Bottom Depth: 380

Top Depth: 0
Bottom Depth: 360

Well Levels

Measurement: 191
Measurement Date: 2017-11-29

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1252	1 of 1	N	4.27 / 22,528.25	Robert Boltwood 211 Dale Houston TX 77060	SDRW WELLS

Track NO: 411514
Date Submitted: 2015-12-22
Owner Name: Robert Boltwood
Owner Address: 211 Dale
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903889
Longitude: -95.398889
Drilling Date Started: 2015-12-21
Drilling Date Completed: 2015-12-21
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=411514&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 47.0

Top Depth: 0
Bottom Depth: 47

Well Levels

Measurement: 8
Measurement Date: 2015-12-21

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1253	1 of 1	N	4.27 / 22,534.56	KATHRIN HAMRIC TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 09/24/1999
 Owners Name: KATHRIN HAMRIC
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 15
 Depth Drilled: 50
 Latitude: 29.904026
 Longitude: -95.3991758

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>KATHRIN HAMRIC</u> ADDRESS <u>207 DALE HOUSTON TX 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>207 DALE HOUSTON TX 77037</u> Long. <u> </u> Lat. <u> </u> <small>County (Street, RFD or other) (City) (State) (Zip) Grid #</small>		Grid # <u>65059</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>X</u>																					
6) WELL LOG: Date Drilling: <u>9-24</u> 19 <u>99</u> Started <u>9-24</u> 19 <u>99</u> Completed <u>9-24</u> 19 <u>99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>3 7/8</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>3 7/8</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other <u> </u>															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>3 7/8</u>	Surface	<u>50</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 4</u> <u>TOP SOIL</u> <u>4 - 15</u> <u>RED SHALE</u> <u>15 - 22</u> <u>SAND</u> <u>22 - 35</u> <u>RED SHALE</u> <u>35 - 50</u> <u>SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u> </u> If Gravel Packed give interval from <u> </u> ft. to <u> </u> ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>40</u></td> <td><u>SCH 40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>40</u></td> <td><u>50</u></td> <td><u>SCH 40</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>40</u>	<u>SCH 40</u>	<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>40</u>	<u>50</u>	<u>SCH 40</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>40</u>	<u>SCH 40</u>																				
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>40</u>	<u>50</u>	<u>SCH 40</u>																				
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used: From (ft.) To (ft.) From (ft.) To (ft.)		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>38</u> ft. No. of sacks used <u>3</u> <u> </u> ft. to <u> </u> ft. No. of sacks used <u> </u> Method used <u>MIXED 4 PORED</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>75</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																							
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other <u> </u> Depth to pump bowls, cylinder, jet, etc., <u>25</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>6</u> gpm with <u>4</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>15</u> ft. below land surface Date <u>9-24-99</u> Artesian flow <u> </u> gpm. Date <u> </u>																							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u> </u> Depth of strata <u> </u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>					Type	Depth																	
	Type	Depth																							
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal. COMPANY NAME <u>SUGG WATER WELL</u> WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u> <small>(Type or print)</small> ADDRESS <u>13501 CHRISMAN #26 HOUSTON TEXAS 77039</u> <small>(Street or RFD) (City) (State) (Zip)</small> (Signed) <u>James H. Sugg</u> (Signed) <u> </u> <small>(Licensed Well Driller) (Registered Driller Trainee)</small> Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1254	1 of 1	N	4.27 / 22,535.00	RAY SEELY TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 05/08/1996
Owners Name: RAY SEELY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 233
Depth Drilled: 383
Latitude: 29.903893
Longtiude: -95.421452

Send original copy by certified mail to: TNRCC, P.O. Box 1087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																									
1) OWNER <u>RAY SEELY</u> (Name) ADDRESS <u>1107 BLUEBELL HOUSTON TEXAS 77038</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>HARRIS</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65058</u>																																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>X</u>																																									
6) WELL LOG: Date Drilling: _____ Started <u>5-6-96</u> Completed <u>5-8-96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>375</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td></td> <td><u>383</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>375</u>	<u>3 7/8</u>		<u>383</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																
Dia. (in.)	From (ft.)	To (ft.)																																											
<u>6 3/4</u>	Surface	<u>375</u>																																											
<u>3 7/8</u>		<u>383</u>																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0</u></td><td><u>5</u></td><td><u>TOP SOIL</u></td></tr> <tr><td><u>5</u></td><td><u>22</u></td><td><u>YELLOW SHALE</u></td></tr> <tr><td><u>22</u></td><td><u>45</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>45</u></td><td><u>70</u></td><td><u>SAND</u></td></tr> <tr><td><u>70</u></td><td><u>129</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>129</u></td><td><u>160</u></td><td><u>SAND</u></td></tr> <tr><td><u>160</u></td><td><u>205</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>205</u></td><td><u>247</u></td><td><u>SAND</u></td></tr> <tr><td><u>247</u></td><td><u>311</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>311</u></td><td><u>314</u></td><td><u>ROCK</u></td></tr> <tr><td><u>314</u></td><td><u>332</u></td><td><u>SAND</u></td></tr> <tr><td><u>332</u></td><td><u>360</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>360</u></td><td><u>383</u></td><td><u>SAND</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>5</u>	<u>TOP SOIL</u>	<u>5</u>	<u>22</u>	<u>YELLOW SHALE</u>	<u>22</u>	<u>45</u>	<u>RED SHALE</u>	<u>45</u>	<u>70</u>	<u>SAND</u>	<u>70</u>	<u>129</u>	<u>RED SHALE</u>	<u>129</u>	<u>160</u>	<u>SAND</u>	<u>160</u>	<u>205</u>	<u>RED SHALE</u>	<u>205</u>	<u>247</u>	<u>SAND</u>	<u>247</u>	<u>311</u>	<u>RED SHALE</u>	<u>311</u>	<u>314</u>	<u>ROCK</u>	<u>314</u>	<u>332</u>	<u>SAND</u>	<u>332</u>	<u>360</u>	<u>RED SHALE</u>	<u>360</u>	<u>383</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																											
<u>0</u>	<u>5</u>	<u>TOP SOIL</u>																																											
<u>5</u>	<u>22</u>	<u>YELLOW SHALE</u>																																											
<u>22</u>	<u>45</u>	<u>RED SHALE</u>																																											
<u>45</u>	<u>70</u>	<u>SAND</u>																																											
<u>70</u>	<u>129</u>	<u>RED SHALE</u>																																											
<u>129</u>	<u>160</u>	<u>SAND</u>																																											
<u>160</u>	<u>205</u>	<u>RED SHALE</u>																																											
<u>205</u>	<u>247</u>	<u>SAND</u>																																											
<u>247</u>	<u>311</u>	<u>RED SHALE</u>																																											
<u>311</u>	<u>314</u>	<u>ROCK</u>																																											
<u>314</u>	<u>332</u>	<u>SAND</u>																																											
<u>332</u>	<u>360</u>	<u>RED SHALE</u>																																											
<u>360</u>	<u>383</u>	<u>SAND</u>																																											
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td></td> <td><u>363</u></td> <td><u>SCH 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC-WRAPPED</u></td> <td><u>363</u></td> <td><u>380</u></td> <td><u>SCH 80</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>		<u>363</u>	<u>SCH 40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC-WRAPPED</u>	<u>363</u>	<u>380</u>	<u>SCH 80</u>																				
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																								
			From	To																																									
<u>4</u>	<u>N</u>	<u>PVC</u>		<u>363</u>	<u>SCH 40</u>																																								
<u>2 1/2</u>	<u>N</u>	<u>PVC-WRAPPED</u>	<u>363</u>	<u>380</u>	<u>SCH 80</u>																																								
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>363</u> ft. No. of sacks used <u>22</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGGWATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																											
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>145</u> gpm with <u>20</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>233</u> ft. below land surface Date <u>5-8-96</u> Artesian flow _____ gpm. Date _____																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">Type</th> <th style="width:40%;">Depth</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>				Type	Depth																																						
Type	Depth																																												
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																													
COMPANY NAME <u>SUGGWATER WELL DRILLING</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1006 WPK1</u> ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD) (City) <u>HOUSTON TEXAS 77039</u> (State) (Zip) (Signed) <u>James H. Sugg Jr.</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																																													

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1255	1 of 3	NNE	4.27 / 22,540.50	ALL SEASONS FOOD STORE 2 TX	WUD

Primary Co: VICTORIA ORTA
Contact Ti: MANAGER
Operating Status: OPERATIONAL
PWSID: 1013082
Source ID: G1013082A
Utility Name: ALL SEASONS FOOD STORE 2
WTRSRC: G1013082A
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 36
CCN: N/A
Latitude: 29.902426
Longitude: -95.391838
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1255	2 of 3	NNE	4.27 / 22,540.50	HK FOOD MARKET TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 11/7/1998
 Owners Name: HK FOOD MARKET
 County: HARRIS
 Water Usage: PUBLIC SUPPLY
 Static Level: 235
 Depth Drilled: 400
 Latitude: 29.9026778
 Longitude: -95.3914506

Send original copy by certified return receipt requeste

to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER HK FOOD MARKET INC ADDRESS 7292 W. TIDWELL HOU. TX. 77092
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: 575 ALDINE MAIL RT. HOU. TX. 77037 Long. Lat.
County HARRIS (Street, RFD or other) (City) (State) (Zip) Grid # 65-05-9

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☒ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☒ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: 11/6 1998
Started 11/6 1998
Completed 11/7 1998

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
7 7/8 0 400

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.) To (ft.) Description and color of formation material
0 - 30 clay
30 - 50 sand
50 - 80 clay
80 - 90 sand
90 - 120 clay
120 - 170 sand
170 - 185 clay
185 - 220 sand
220 - 240 clay
240 - 250 sand/rock
250 - 280 clay
280 - 400 sand
(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 STRING
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:
Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casting Screen
5 N PVC SDR 17 0 380
2.5 " " LINER 370 380
" " " SCREEN 380 400 0.08

9) CEMENTING DATA
Cemented from 380 ft. to 0 ft. No. of sacks used 29
0 ft. to 10 ft. No. of sacks used 12
Method used HALLIBURTON
Cemented by SCOTT WATER WELL SER. INC.
Distance to septic system field lines or other concentrated contamination 160
Method of verification of above distance MEASURED

13) ☐ Well plugged within 48 hours
Casing left in well: From (ft) To (ft) Cement/bentonite placed in well: From (ft) To (ft) Sacks used:

14) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 300 ft.

15) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed ☐ Specified Steel Sleeve Installed ☐ Pitless Adapter Used ☐ Approved Alternative Procedure Used

11) WATER LEVEL:
Static level 235 ft. below land surface Date 11/7/98
Artesian flow gpm. Date

12) PACKERS:
Type Depth
K-PACKER 370

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.
COMPANY NAME SCOTT WATER WELL SER. INC. WELL DRILLER'S LICENSE NO. MAR 1 1999
(Type or print) (State) (City) (State) (Zip)
ADDRESS 11915 GREEN PINE CIR. HOUSTON, TX. 77066
(Signed) Scott Johnson (Signed)
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1255	3 of 3	NNE	4.27 / 22,540.50	Victor Rene Santiago Rodriguez TX	WW HARRIS GAL

Well ID:	7040	Diameter (inches):	4
Aggre Lead Well:	7040	Year Drilled:	1998
Permit No:	WP2022-111215	Depth Drilled:	400
Permit Start Date:	8/1/2022 3:22:00 PM	Depth frm Surf(ft):	260
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.391666
Owner Name:	Kim, Yong		
Billing Contact:	NULL		
Billing Address:	575 Aldine Mail Route Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	All Season		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1256	1 of 3	NE	4.27 / 22,544.52	STEPHENS TX	TCEQ WELL LOGS

Grid No: 65-06-7SS
Date Drilled: 04/26/1983
Owners Name: STEPHENS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 239
Depth Drilled: 635
Latitude: 29.8961046
Longtiude: -95.373288

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-06785
Located on map YES
Received: C.F.S.

1) OWNER Stephens Address _____ (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: Harris 15 miles in W direction from Houston
County _____ (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. map on 65-05-42

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging
4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____
5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG: Date drilled 4-26-83
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface 6 3/4 635
7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial	Setting (ft.) From	To	Gage Casing Screen
0-	20	Clay						
20-	40	Sand						
40-	56	Clay	4	N	Steel Casin	0	605	sch 40
56-	123	Sand	2 1/2	N	Blank Pipe	573	615	sch 40
123-	247	Clay	2 1/2	N	S.S. Screen	615	635	012
247-	350	Sand						
350-	371	Clay						
371-	405	Sand						
405-	509	Clay						
509-	542	Sand						
542-	595	Clay						
595-	635	Sand						

CEMENTING DATA
Cemented from 605 ft. to 300 ft.
Method used Halliburton
Cemented by Robinson Water Well
(Company or Individual)

RECEIVED
JUL 19 1983

DEPT. OF
WATER RESOURCES

9) WATER LEVEL:
Static level 239 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead Seal 573

11) TYPE PUMP: 5 HP 230 volt 3 pl
☐ Turbin ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 378 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M.E. Robinson, Jr. Water Well Drillers Registration No. 1464
(Type or Print)
ADDRESS 11607 FM 149 Houston Texas 77086
(Street or RFD) (City) (State) (Zip)
(Signed) M.E. Robinson Robinson Water Well Service
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

196155

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1256	2 of 3	NE	4.27 / 22,544.52	Molina Trucking Inc TX	WW HARRIS GAL

Well ID:	9739	Diameter (inches):	4
Aggre Lead Well:	9739	Year Drilled:	19
Permit No:	WP2023-116945	Depth Drilled:	999
Permit Start Date:	1/10/2024 2:42:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025 2:42:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.896111
Regulatory Aarea:	3	Longitude:	-95.373055
Owner Name:	Molina Trucking, Inc.		
Billing Contact:	ELISSA MOLINA		
Billing Address:	1201 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1256	3 of 3	NE	4.27 / 22,544.52	Joe Galisia 1107-B Hill Rd. Houston TX 77037	SDRW WELLS

Track NO: 198459
Date Submitted: 2009-11-06
Owner Name: Joe Galisia
Owner Address: 11073-B Hill Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.896667
Longitude: -95.374722
Drilling Date Started: 2009-10-16
Drilling Date Completed: 2009-10-17
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=198459&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 390

Top Depth:
Bottom Depth: 390.0

Well Levels

Measurement: 205
Measurement Date: 2009-11-05

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1257	1 of 1	NE	4.27 / 22,568.14	LEE WILLIAMS TX	TCEQ WELL LOGS

Grid No: 65-05-7BB
Date Drilled: 09/16/1977
Owners Name: LEE WILLIAMS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 215
Depth Drilled: 344
Latitude: 29.893092
Longtiude: -95.367856

413 L

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 63-05-7AB
Located on map YCS
Received: 281

WATER WELL REPORT

1) OWNER:
Person having well drilled Lee Williams Address 1420 Erwin Houston, TX
(Name) (Street or RFD) (City) (State)
Landowner Same Address 1420 ERWIN HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 329 ft. Depth of completed well 344 ft. Date drilled 9-16, 1977
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-20		Clay-yellow
20-32		Sand-fine
32-35		Clay-yellow & white
35-65		Clay & sand streaks
65-70		Clay-red & yellow
70-90		Clay-red
90-110		Clay-blue
110-130		Clay-white & red
130-155		Clay-blue & gray
155-162		Sand
162-200		Clay-red-yellow-white
200-235		Sand & clay streaks

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 215 ft. below land surface Date 9-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 294 ft. below land surface.

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 329 up _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
4" 1' 329 40

10) SCREEN:
Type Well Supplies, Inc. Plastic Wrapped
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 329 344 14 ga.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)

ADDRESS 10011 Airline Dr. Houston, Texas
(Street or RFD) (City) (State)

(Signed) C.A. Raymond Jr. RAYMOND WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1258	1 of 2	NNE	4.28 / 22,572.23	CARLOS SOSA TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 09/21/2000
Owners Name: CARLOS SOSA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 13
Depth Drilled: 45
Latitude: 29.9034009
Longtiude: -95.394511

Send original copy by certified return receipt requested

to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>CARLOS SOSA</u> ADDRESS <u>506 DARE HAV TX 77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>SAME</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. <u>96-05-9</u> Lat. <u>29-45-9</u> <small>Grid #</small>																					
3) TYPE OF WORK (Check): <input type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <div style="text-align: right;">N</div>																					
6) WELL LOG: Date Drilling: <u>9/21/00</u> Started <u>9/21/00</u> Completed <u>9/21/00</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>5</td> <td>Surface</td> <td>45</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	5	Surface	45	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
5	Surface	45																							
From (ft.) To (ft.) Description and color of formation material <u>0-15</u> <u>WHITE CLAY</u> <u>15-45</u> <u>WHITE SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>35</u> ft. to <u>45</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>2</td> <td>N</td> <td>Plastic CASE</td> <td>0</td> <td>35</td> <td>2440</td> </tr> <tr> <td>2</td> <td>N</td> <td>Plastic SCREEN</td> <td>35</td> <td>45</td> <td>006</td> </tr> </table>						Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	2	N	Plastic CASE	0	35	2440	2	N	Plastic SCREEN	35	45	006
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
2	N	Plastic CASE	0	35	2440																				
2	N	Plastic SCREEN	35	45	006																				
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>35</u> ft. No. of sacks used <u>12</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Custom Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>80</u> ft. Method of verification of above distance <u>Customer</u>																									
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																									
11) WATER LEVEL: Static level <u>13</u> ft. below land surface Date <u>9/21/00</u> Artesian flow _____ gpm. Date _____																									
12) PACKERS: Type Depth <u>NONE</u>																									
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>From (ft.)</th> <th>To (ft.)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>						From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used															
From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used																					
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.																									
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																									
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> WELL DRILLER'S LICENSE NO. <u>4577WI</u> <small>(Type or print)</small>																									
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small>																									
(Signed) <u>[Signature]</u> (Signed) _____ <small>(Licensee/Well Driller) (Registered Driller/Trainee)</small>																									

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1258	2 of 2	NNE	4.28 / 22,572.23	Sosa, Carlos TX	WW HARRIS GAL

Well ID:	14302	Diameter (inches):	2
Aggre Lead Well:	14302	Year Drilled:	1990
Permit No:	W2020-14302-211296-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2021	County:	H
Well Status:	O - Operable	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.394722
Owner Name:	Sosa, Carlos		
Billing Contact:	NULL		
Billing Address:	506 Dale St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1259	1 of 1	N	4.28 / 22,573.78	M.M. MASON TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 12/22/1980
Owners Name: M.M. MASON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 204
Depth Drilled: 348
Latitude: 29.9047692
Longtiude: -95.4080858

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-08-9R
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER M.M. MASON (Name) Address 422 MEMORY LANE HOUSTON TEXAS (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL
County HARRIS 10 miles in N direction from HOUSTON (Town)

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 12-22-80

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
	Surface	
	3 7/8	335
		348

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.) To (ft.)		Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	4	TOP SOIL						
4	25	RED SHALE						
25	65	SAND	4 IN		PLASTIC ABOVE	330		560
65	124	RED SHALE	4 IN		11	330	333	560
124	140	SAND	4 IN		11 SCREEN	333	348	560
140	170	RED SHALE						
170	187	SAND						
187	200	RED SHALE						
200	243	SAND						
243	257	BLUE SHALE						
257	280	SAND						
280	320	RED SHALE						
320	348	SAND						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
Cemented from 0 ft. to 330 ft.
Method used PRESSURE
Cemented by SUGG WATER WELL DRILLING (Company or Individual)

9) WATER LEVEL:
Static level 204 ft. below land surface Date 12-23-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 12.8 gpm with 18 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Drillers Registration No. 1006

ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039 (Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1260	1 of 1	E	4.28 / 22,578.12	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013NS
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013NS
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.838333
Longitude: -95.338333
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1261	1 of 1	S	4.28 / 22,581.56	Houston Cotton Oil Co. TX	GWDB

Well Rep Track No:
State Well No: 6513912
Owner Name: Houston Cotton Oil Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1893
Well Depth: 540
Well Usage: Unused
Water Level Status:
Latitude: 29.7794440
Longitude: -95.4036120
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513912&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513912&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1262	1 of 1	NE	4.28 / 22,588.54	Marina Peraza 1526 collins houston TX 77093	SDRW WELLS

Track NO: 332344
Date Submitted: 2013-08-08
Owner Name: Marina Peraza
Owner Address: 1526 collins
Owner Address2:
Owner City: houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890278
Longitude: -95.363612
Drilling Date Started: 2006-03-30
Drilling Date Completed: 2006-04-14
Chemical Analysis: No
Company Name: Coastal Waterwell Service Inc.
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=332344&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 370

Top Depth: 370
Bottom Depth: 387

Top Depth:
Bottom Depth: 387.0

Well Levels

Measurement: 210
Measurement Date: 2006-04-04

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1263	1 of 2	NNE	4.28 / 22,601.42	L.D. ALBIN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 5/5/1998
 Owners Name: L.D. ALBIN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 14
 Depth Drilled: 50
 Latitude: 29.9034171
 Longtiude: -95.3941623

Send original copy by certified return receipt requested m

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality * Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880							
1) OWNER <u>L. D. Albin</u> (Name)		ADDRESS <u>514 Dale, Houston, TX 77060</u> (Street or RFD) (City) (State) (Zip)									
2) ADDRESS OF WELL'S LOCATION: County <u>Harris</u> Same (Street, RFD or other) (City) (State) (Zip)		Long. _____		Lat. _____							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____							
6) WELL LOG: Date Drilling: _____ Started <u>5/5</u> 19 <u>98</u> Completed <u>5/5</u> 19 <u>98</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
Dia. (in.)	From (ft.)	To (ft.)									
<u>4</u>	Surface	<u>50</u>									
From (ft.) To (ft.) Description and color of formation material <u>0 - 25</u> <u>YELLOW CLAY</u> <u>25 - 50</u> <u>WHITE SAND/LOAM</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>40</u> ft. to <u>50</u> ft.									
CASING, BLANK PIPE, AND WELL SCREEN DATA:											
Dia. (in.)		New or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial							
				Setting (ft.)							
				From To							
<u>2</u>		<u>N</u>		<u>Plastic CASE 0 40 2440</u>							
<u>2</u>		<u>N</u>		<u>Plastic SCREEN 40 50 .008</u>							
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>12</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>90</u> ft. Method of verification of above distance <u>Customer</u>											
13) <input type="checkbox"/> Well plugged within 48 hours											
Casing left in well:		Cement/bentonite placed in well:		Sacks used:							
From (ft) To (ft)		From (ft) To (ft)									
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>20</u> ft.											
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.											
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No											
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used											
11) WATER LEVEL: Static level <u>14</u> ft. below land surface Date <u>5/5/98</u> Artesian flow _____ gpm. Date _____											
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td colspan="2"><u>NONE</u></td> </tr> </table>						Type	Depth	<u>NONE</u>			
Type	Depth										
<u>NONE</u>											
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.											
COMPANY NAME <u>Raumont Services, Inc.</u> (Type or print) ID _____		WELL DRILLER'S LICENSE NO. <u>1010999</u> WT									
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (Street or RFD) (City) (State) (Zip)		EMP # _____ (City) (State) (Zip)									
(Signed) _____ (Registered Well Driller)		(Signed) _____ (Registered Driller Trainee)									
Please attach electric log, chemical analysis, and other pertinent information, if available.											

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1263	2 of 2	NNE	4.28 / 22,601.42	Albin, L.D. TX	WW HARRIS GAL

Well ID:	14469	Diameter (inches):	2
Aggre Lead Well:	14469	Year Drilled:	
Permit No:	W2019-14469-203509-0	Depth Drilled:	0
Permit Start Date:	4/10/2019	Depth frm Surf(ft):	0
Permit End Dt:	4/10/2019	County:	H
Well Status:	O - Operable	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.394166
Owner Name:	Anderson, Elizabeth		
Billing Contact:	NULL		
Billing Address:	514 Dale Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1264	1 of 1	NW	4.28 / 22,608.05	Henry Munoz 2928 Jorent Rd. Houston TX 77088	SDRW WELLS

Track NO: 464490
Date Submitted: 2017-11-09
Owner Name: Henry Munoz
Owner Address: 2928 Jorent Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890833
Longitude: -95.455
Drilling Date Started: 2017-11-08
Drilling Date Completed: 2017-11-08
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=464490&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 60.0

Top Depth: 0
Bottom Depth: 60

Well Levels

Measurement: 10
Measurement Date: 2017-11-08

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1265	1 of 1	NE	4.28 / 22,621.52	Alvarado, Manuel TX	WW HARRIS GAL

Well ID:	12680	Diameter (inches):	2
Aggre Lead Well:	12680	Year Drilled:	197
Permit No:	WP2022-116541	Depth Drilled:	1
Permit Start Date:	1/11/2023 11:43:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 11:43:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.896111
Regulatory Aarea:	3	Longitude:	-95.372777
Owner Name:	Mendoza, Benjamin		
Billing Contact:	Benjamin Mendoza		
Billing Address:	1207 Hill Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1266	1 of 1	WNW	4.29 / 22,652.03	SEMMO ELECTRIAL CO TX	TCEQ WELL LOGS

Grid No: 65-05-1T
 Date Drilled: 05/??/1974
 Owners Name: SEMMO ELECTRIAL CO
 County: HARRIS
 Water Usage: INDUSTRIAL
 Static Level: 188
 Depth Drilled: 320
 Latitude: 29.8587343
 Longtiude: -95.4797475

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-17</u> Located on map <u>Yes</u> Received: <u>7-2-74</u>																																					
1) OWNER: Person having well drilled <u>Semco Electrical Co.</u> Address <u>P.O. Box 10719 Houston, Texas 77018</u> (Name) (Street or RFD) (City) (State) Landowner <u>same</u> Address _____ (Name) (Street or RFD) (City) (State)																																									
2) LOCATION OF WELL: County <u>Harris</u> _____ 1.5 miles in <u>NW</u> direction from <u>Houston</u> (N.E., S.W., etc.) (Town) Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* Well is located at <u>XXXXXX Plant site at 6206 N. Houston Rosslyn Rd</u> (Use reverse side if necessary)																																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well Deepening Reconditioning Plugging		4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial Municipal Irrigation Test Well Other		5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary Driven Dug Cable Jetted Bored																																					
6) WELL LOG: Diameter of hole <u>6</u> in. Depth drilled <u>320</u> ft. Depth of completed well <u>320</u> ft. Date drilled <u>May 74</u> All measurements made from <u>1 1/2</u> ft. above ground level.																																									
<table border="1"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>30</td><td>clay</td></tr> <tr><td>30</td><td>50</td><td>red sand</td></tr> <tr><td>50</td><td>155</td><td>an clay</td></tr> <tr><td>155</td><td>164</td><td>sand</td></tr> <tr><td>164</td><td>200</td><td>clay</td></tr> <tr><td>200</td><td>230</td><td>sand</td></tr> <tr><td>230</td><td>245</td><td>clay</td></tr> <tr><td>245</td><td>260</td><td>sand</td></tr> <tr><td>260</td><td>290</td><td>clay</td></tr> <tr><td>290</td><td>320</td><td>sand</td></tr> <tr><td>320</td><td>322</td><td>clay</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	30	clay	30	50	red sand	50	155	an clay	155	164	sand	164	200	clay	200	230	sand	230	245	clay	245	260	sand	260	290	clay	290	320	sand	320	322	clay	9) CASING: Type: Old <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Steel Plastic Other Cemented from <u>150</u> ft. to <u>300</u> ft. Diameter (inches) Setting To (ft.) Gap <u>6"</u> 0 300' 10.89#			
From (ft.)	To (ft.)	Description and color of formation material																																							
0	30	clay																																							
30	50	red sand																																							
50	155	an clay																																							
155	164	sand																																							
164	200	clay																																							
200	230	sand																																							
230	245	clay																																							
245	260	sand																																							
260	290	clay																																							
290	320	sand																																							
320	322	clay																																							
(Use reverse side if necessary)		10) SCREEN: Type <u>pipe based stainless steel ribbed</u> Perforated Slotted Diameter (inches) Setting To (ft.) Slot Size <u>2 1/2"</u> 290 320 16 ga.																																							
7) COMPLETION (Check): <input checked="" type="checkbox"/> Straight wall Gravel packed Other Under reamed Open Hole		11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> No If yes, by whom? Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Boiler test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																							
8) WATER LEVEL: Static level <u>188</u> ft. below land surface Date <u>MAY 74</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc. <u>252'</u> ft. below land surface. Jacuzzi 184B set 252' on 1". 1 HP 2 wire Century mpter		12) WATER QUALITY: Was a chemical analysis made? Yes No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes No Type of water? _____ depth of strata _____																																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME <u>B.J. Swinehart</u> Water Well Drillers Registration No. <u>229</u> (Type or Print) ADDRESS <u>7524 N. Freeway</u> <u>Houston, Texas 77037</u> (Street or RFD) (City) (State) (Signed) <u>[Signature]</u> <u>B.J. Swinehart Co. Inc.</u> (Water Well Driller) (Company Name)																																									
Please attach electric log, chemical analysis, and other pertinent information, if available.																																									

*Additional instructions on reverse side.

TWDB-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1267	1 of 1	NNW	4.29 / 22,654.42	2404 West Mount Houston, LLC TX	WW HARRIS GAL

Well ID:	7836	Diameter (inches):	4
Aggre Lead Well:	7836	Year Drilled:	NULL
Permit No:	WP2023-109053	Depth Drilled:	350
Permit Start Date:	6/1/2023 9:23:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 9:23:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.4425
Owner Name:	2404 West Mount Houston, LLC		
Billing Contact:	NULL		
Billing Address:	214 Blalock Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1268	1 of 2	NE	4.29 / 22,674.53	B & C Interests TX	WW HARRIS GAL

Well ID:	15053	Diameter (inches):	2
Aggre Lead Well:	15053	Year Drilled:	0
Permit No:	WP2023-111842	Depth Drilled:	50
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.889166
Regulatory Aarea:	3	Longitude:	-95.361666
Owner Name:	B & C Interests		
Billing Contact:	Gregory Broyles		
Billing Address:	P.O. Box 3371		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77253		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1268	2 of 2	NE	4.29 / 22,674.53	B & C Interests 11455 Brooklyn St. Houston TX 77093	SDRW WELLS

Track NO: 562024
Date Submitted: 2020-12-21
Owner Name: B & C Interests
Owner Address: 2612 Greenleaf St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77009
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.889167
Longitude: -95.361111
Drilling Date Started: 2020-12-17
Drilling Date Completed: 2020-12-18
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=562024&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 15
Measurement Date: 2020-12-18

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1269	1 of 2	NE	4.30 / 22,685.59	Jimenez, Bridgette TX	WW HARRIS GAL

Well ID:	11603	Diameter (inches):	4
Aggre Lead Well:	11603	Year Drilled:	2010
Permit No:	WP2023-112455	Depth Drilled:	250
Permit Start Date:	8/1/2023 2:55:00 PM	Depth frm Surf(ft):	230
Permit End Dt:	7/31/2024 2:55:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.890277
Regulatory Aarea:	3	Longitude:	-95.362777
Owner Name:	Jimenez, Bridgette		
Billing Contact:	NULL		
Billing Address:	1536 Collins Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1269	2 of 2	NE	4.30 / 22,685.59	GUADALUPE MONTERO 1536 COLLINS RD. HOUSTON TX 77093	SDRW WELLS

Track NO: 225837
Date Submitted: 2010-08-09
Owner Name: GUADALUPE MONTERO
Owner Address: 1536 COLLINS RD.
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.363889
Drilling Date Started: 2010-07-04
Drilling Date Completed: 2010-07-06
Chemical Analysis: No
Company Name: NORTHWEST WATER WELLS
Company Address: 25143 FM 1488
CompanyAddress2:
Company City: MAGNOLIA
Company State: TX
Company Zip: 77355
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=225837&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 480.0

Top Depth: 0
Bottom Depth: 480

Well Levels

Measurement: 190
Measurement Date: 2010-07-06

Well Strata

Water Type:

GOOD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1270	1 of 1	N	4.30 / 22,686.07	Texaco Inc. TX	GWDB

Well Rep Track No:

State Well No:

6505915

Owner Name:

Texaco Inc.

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

1966

Well Depth:

229

Well Usage:

Industrial

Water Level Status:

Latitude:

29.9052780

Longitude:

-95.4113890

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505915&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505915&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1271	1 of 1	NE	4.30 / 22,687.63	Humberto Sampogna 1528 Collins Houston TX 77093	SDRW WELLS

Track NO: 27556
Date Submitted: 2003-10-30
Owner Name: Humberto Sampogna
Owner Address: 1528 Collins
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.925278
Longitude: -95.516112
Drilling Date Started: 2003-09-16
Drilling Date Completed: 2003-09-16
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=27556&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 52

Top Depth:
Bottom Depth: 52.0

Well Levels

Measurement: 15
Measurement Date: 2003-09-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1272	1 of 1	NW	4.30 / 22,688.17	Ricardo Valdez 3006 Jorent Dr. Houston TX 77088	SDRW WELLS

Track NO: 102817
Date Submitted: 2007-01-23
Owner Name: Ricardo Valdez
Owner Address: 3006 Jorent Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.890556
Longitude: -95.455834
Drilling Date Started: 2007-01-16
Drilling Date Completed: 2007-01-16
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=102817&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2007-01-16

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1273	1 of 1	SE	4.30 / 22,697.43	METAL ENTERPRISES, INC TX	TCEQ WELL LOGS

Grid No: 65-15-4
Date Drilled: 03/21/1986
Owners Name: METAL ENTERPRISES, INC
County: HARRIS
Water Usage: IRRIGATION
Static Level: 140
Depth Drilled: 179
Latitude: 29.793216
Longitude: -95.365236

TDWR-0392 (12/29/83)



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1274	1 of 1	N	4.30 / 22,703.44	Maharaj, Rabichand TX	WW HARRIS GAL

Well ID:	12623	Diameter (inches):	2
Aggre Lead Well:	12623	Year Drilled:	201
Permit No:	WP2023-112006	Depth Drilled:	1
Permit Start Date:	8/1/2023 2:58:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:58:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.904722
Regulatory Aarea:	3	Longitude:	-95.400833
Owner Name:	Maharaj, Rabichand		
Billing Contact:	NULL		
Billing Address:	10222 Airline DR		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1275	1 of 1	NE	4.30 / 22,705.24	Alvarado, Manuel TX	WW HARRIS GAL

Well ID:	12650	Diameter (inches):	2
Aggre Lead Well:	12650	Year Drilled:	NULL
Permit No:	WP2022-116829	Depth Drilled:	300
Permit Start Date:	1/11/2023 11:59:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 11:59:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.896111
Regulatory Aarea:	3	Longitude:	-95.372222
Owner Name:	Mendoza, Benjamin		
Billing Contact:	Benjamin Mendoza		
Billing Address:	1207 Hill Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1276	1 of 1	NNE	4.30 / 22,707.19	Marquez, Armando TX	WW HARRIS GAL

Well ID:	12776	Diameter (inches):	2
Aggre Lead Well:	12776	Year Drilled:	NULL
Permit No:	W2017-12776-189484-0	Depth Drilled:	0
Permit Start Date:	1/30/2017 4:44:40 PM	Depth frm Surf(ft):	0
Permit End Dt:	1/30/2018 4:44:40 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.385833
Owner Name:	Marquez, Armando		
Billing Contact:	NULL		
Billing Address:	710 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1277	1 of 2	N	4.30 / 22,711.29	WILLIAM E THOMPSON TX	TCEQ WELL LOGS

Grid No: 65-05-9SS
 Date Drilled: 02/26/1975
 Owners Name: WILLIAM E THOMPSON
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 5
 Depth Drilled: 53
 Latitude: 29.9045189
 Longtiude: -95.3991919

955 Dup

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 45-05-955
Located on map yes
Received: 25-yes
alt

1) OWNER:
Person having well drilled William E. Thompson Address 214 Busch Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* map on
413 E 65-05-9 DDD North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 53 ft. Depth of completed well 53 ft. Date drilled 2-26-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Topsoil
2	10	Gray Clay
10	10	Rock
10	15	Yellow Gray Clay
15	20	Red Gray Clay
20	53	Sand

9) Casing:
Type: Old XXX Steel XXXX Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) 4" Setting From (ft.) 1 ft To (ft.) 53 ft Gage 40

10) SCREEN:
Type Well Supplies Inc Plastic Wrapped
Perforated _____ Slotted _____
Diameter (inches) 4" Setting From (ft.) 48 ft To (ft.) 53 ft Slot Size 10

7) COMPLETION (Check):
☐ Straight wall ☐ Gravel packed ☐ Other _____
☐ Under reamed

8) WATER LEVEL:
Static level 5 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 20 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No X If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No X
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 Airline Drive Houston Texas
(Street or RFD) (City) (State)
(Signed) C. A. Raymond Jr. Raymond Water Well Drilling Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1277	2 of 2	N	4.30 / 22,711.29	Armas, Luis TX	WW HARRIS GAL

Well ID:	14305	Diameter (inches):	2
Aggre Lead Well:	14305	Year Drilled:	NULL
Permit No:	WP2023-112518	Depth Drilled:	0
Permit Start Date:	8/1/2023 3:59:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 4:00:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.904444
Regulatory Aarea:	3	Longitude:	-95.399166
Owner Name:	Armas, Luis		
Billing Contact:	NULL		
Billing Address:	6103 Knollwood Trail		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77373		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1278	1 of 1	NE	4.30 / 22,711.51	Jesse Contreras 1426 Erwin Houston TX 77039	SDRW WELLS

Track NO: 61976
Date Submitted: 2005-07-05
Owner Name: Jesse Contreras
Owner Address: 1426 Erwin
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.893611
Longitude: -95.3675
Drilling Date Started: 2005-06-13
Drilling Date Completed: 2005-06-13
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=61976&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement:
Measurement Date: 2005-06-13

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1279	1 of 1	NNE	4.30 / 22,713.42	MRS. WILKENS TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 07/09/1991
 Owners Name: MRS. WILKENS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: NOT REPORTED
 Depth Drilled: 46
 Latitude: 29.9040772
 Longtiude: -95.3961074


Send original copy by certified mail to: Texas Water Comm., P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																					
1) OWNER <u>Mr. Wilkerson</u> (Name) ADDRESS <u>405 Dale St. Houston, Tx.</u> (Street or RFD) (City) (State) (Zip)																									
2) LOCATION OF WELL: County <u>Harris</u> 9 miles in <u>N</u> direction from <u>Houston, Tx.</u> (NE, SW, etc.) (Town)																									
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																									
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																									
<input checked="" type="checkbox"/> SEE ATTACHED MAP																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																					
6) WELL LOG: Date Drilling: <u>July 9</u> 19 <u>91</u> Started: <u>July 9</u> 19 <u>91</u> Completed: <u>July 9</u> 19 <u>91</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>46</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>46</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>25</u> ft. to <u>46</u> ft.															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4 1/2</u>	Surface	<u>46</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 40</u> <u>Clay</u> <u>40 - 46</u> <u>Sand</u>		8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2 1/2</u></td> <td><u>PVC</u></td> <td><u>PVC Screen</u></td> <td><u>0</u></td> <td><u>36</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>PVC</u></td> <td><u>PVC Screen</u></td> <td><u>36</u></td> <td><u>46</u></td> <td><u>12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2 1/2</u>	<u>PVC</u>	<u>PVC Screen</u>	<u>0</u>	<u>36</u>	<u>40</u>	<u>2 1/2</u>	<u>PVC</u>	<u>PVC Screen</u>	<u>36</u>	<u>46</u>	<u>12</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>2 1/2</u>	<u>PVC</u>	<u>PVC Screen</u>	<u>0</u>	<u>36</u>	<u>40</u>																				
<u>2 1/2</u>	<u>PVC</u>	<u>PVC Screen</u>	<u>36</u>	<u>46</u>	<u>12</u>																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>2</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>Hand Mix</u> Cemented by <u>CWV</u>																							
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>6</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level _____ ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																							
12) PACKERS: Type Depth																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Coastal Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>																									
ADDRESS <u>P.O. Box 745</u> (Street or RFD) <u>Porter</u> (City) <u>Tx.</u> (State) <u>77365</u> (Zip)																									
(Signed) <u>J.P. Schulz</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									
For TWC use only: Well No. _____ Located on map <u>65-5-9</u>																									

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1280	1 of 1	NNE	4.30 / 22,718.84	Henry Smith 409 Dale Houston TX 77060	SDRW WELLS

Track NO: 1793
Date Submitted: 2001-08-08
Owner Name: Henry Smith
Owner Address: 409 Dale
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903889
Longitude: -95.395834
Drilling Date Started: 2001-06-07
Drilling Date Completed: 2001-06-20
Chemical Analysis: No
Company Name: Thomas Water Well Service
Company Address: 629 Catfish Lane
CompanyAddress2:
Company City: Conroe
Company State: TX
Company Zip: 77384
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=1793&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 3
Measurement Date: 2001-06-20

Well Strata

Water Type:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1281	1 of 1	WSW	4.30 / 22,722.14	BILL RIDGEWAY TX	TCEQ WELL LOGS

Grid No: 65-13-1L
Date Drilled: 06/10/1976
Owners Name: BILL RIDGEWAY
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 23
Depth Drilled: 100
Latitude: 29.816777
Longitude: -95.47616

3d original copy by
rtified mail to the
as Water Development Board
O. Box 12386
stin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-13-12
Located on map yes
Received: 76-yes
11

OWNER:
Person having well drilled BILL RIDGEWAY Address 5821 GARDEN DALE NOV
(Name) (Street or RFD) (City) (State)
Landowner BILL RIDGEWAY Address 5821 GARDEN DALE HOUSTON
(Name) (Street or RFD) (City) (State)

LOCATION OF WELL:
County HARRIS miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks,
highway number, etc. HY 290 CLAY 34
OR Give legal location with distances and directions from
adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored ☒

WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 121 ft. Depth of completed well 100 ft. Date drilled 6-10-76
All measurements made from 1-4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-2		SAND
2-21		RED CLAY
21-24		SAND
24-43		MIXED CLAY
43-52		SAND
52-67		CLAY
67-73		SAND
73-98		CLAY
98-100		ROCK
100-121		SAND

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) 2 1/2 Setting From (ft.) _____ To (ft.) _____ Casing 40

10) SCREEN:
Type _____
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: 20 gpm with 8 ft. drawdown after 4 hrs.
Ballot test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water 78

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Cold depth of strata 21 ft

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole OPEN BOTTOM

8) WATER LEVEL:
Static level 23 ft. below land surface Date 6-10-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME FREDDIE L. RICHARD Water Well Drillers Registration No. 1321
(Type or Print)
ADDRESS P.O. Box 158 BARKER TEX 77413
(Street or RFD) (City) (State)
(Signed) Freddie L. Richard FL Richard PLBA
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1282	1 of 1	N	4.30 / 22,725.35	Houston General Salvage, Inc. TX	WW HARRIS GAL

Well ID:	12856	Diameter (inches):	2
Aggre Lead Well:	12856	Year Drilled:	NULL
Permit No:	W2014-12856-171615-0	Depth Drilled:	0
Permit Start Date:	7/9/2014	Depth frm Surf(ft):	0
Permit End Dt:	7/9/2014	County:	H
Well Status:	6 - No plumbing or motor	Latitude:	29.905277
Regulatory Aarea:	3	Longitude:	-95.401944
Owner Name:	Houston General Salvage, Inc.		
Billing Contact:	NULL		
Billing Address:	10307 Airline Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1283	1 of 1	N	4.30 / 22,726.45	786 Management & Investment Group TX	WW HARRIS GAL

Well ID:	14190	Diameter (inches):	2
Aggre Lead Well:	14190	Year Drilled:	222
Permit No:	WP2023-111874	Depth Drilled:	0
Permit Start Date:	8/1/2023 4:45:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 4:46:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.904722
Regulatory Aarea:	3	Longitude:	-95.398888
Owner Name:	786 Management & Investment Group		
Billing Contact:	NULL		
Billing Address:	409 Blue Bell Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1284	1 of 1	N	4.31 / 22,731.17	JOSE ZAPATO TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 08/04/1995
 Owners Name: JOSE ZAPATO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 7
 Depth Drilled: 51
 Latitude: 29.905212
 Longtiude: -95.409744

Send original copy by certified mail to: TNRCC, P.O. Box 1 Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>José Zapata</u> (Name) ADDRESS <u>517 Mading Ln. Houston</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-059</u>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: _____ Started <u>Aug 4, 95</u> Completed <u>Aug 4, 95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>51</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>51</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4 1/2</u>	Surface	<u>51</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-40</u> <u>Clay</u> <u>40-51</u> <u>Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>40</u> ft. to <u>51</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>P.V.C.</u></td> <td><u>0</u></td> <td><u>41</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>P.V.C. Screen</u></td> <td><u>41</u></td> <td><u>51</u></td> <td><u>106</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>41</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>41</u>	<u>51</u>	<u>106</u>		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																		
			From	To																					
<u>2</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>41</u>	<u>40</u>																				
<u>2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>41</u>	<u>51</u>	<u>106</u>																				
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>6</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Hand Mix</u> Cemented by <u>C.W.W.</u> Distance to septic system field lines or other concentrated contamination <u>120</u> ft. Method of verification of above distance <u>Blower</u>																									
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Plug Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>6</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static Level <u>7</u> ft. below land surface Date <u>Aug 4, 95</u> Pumping Level _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>11'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth <u>None</u>																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Coastal Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>																									
ADDRESS <u>P.O. Box 745</u> (Street or RFD) <u>Porter</u> (City) _____ (State) _____ (Zip)																									
(Signed) <u>J.R. Gubish</u> (Licensed Well Driller)		(Signed) <u>Keith Schuch</u> (Registered Driller Trainee)																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1285	1 of 2	WNW	4.31 / 22,732.60	Inwood Forest CC TX	GWDB

Well Rep Track No:
State Well No: 6513116
Owner Name: Inwood Forest CC
Drilling Start Dt:
Drilling Month: 5
Drilling Day: 19
Drilling Year: 1968
Well Depth: 553
Well Usage: Irrigation
Water Level Status:
Latitude: 29.8680550
Longitude: -95.4741670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513116&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513116&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1285	2 of 2	WNW	4.31 / 22,732.60	Houston, City of TX	WW HARRIS GAL

Well ID:	1712	Diameter (inches):	6
Aggre Lead Well:	1003	Year Drilled:	1968
Permit No:	W2014-1003-168307-0	Depth Drilled:	503
Permit Start Date:	2/1/2014	Depth frm Surf(ft):	503
Permit End Dt:	1/31/2015	County:	H
Well Status:	1 - No electric	Latitude:	29.869722
Regulatory Aarea:	3	Longitude:	-95.475555
Owner Name:	Inwood Forest Partners		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St. 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Acres Homes #1		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	L - Lake/Pond/Pool		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1286	1 of 5	SSW	4.31 / 22,733.91	GENERAL WELDING TX	TCEQ WELL LOGS

Grid No: 65-16-8
Date Drilled: 10/16/1986
Owners Name: GENERAL WELDING
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 235
Depth Drilled: 430
Latitude: 29.7861595
Longitude: -95.4422556

Use black ink,
 and original copy by
 certified mail to the
 Texas Water Commission
 P.O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER General Welding Address 7100 Old Katy Rd. Houston Tx 77054
 (Name) (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: Old Katy Rd.
 County Harris miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
 with distance and direction from two intersecting sec-
 tion or survey lines, or he must locate and identify the
 well on an official Quarter- or Half-Scale Texas County
 General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. Map on 65-16-4

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging
 4) PROPOSED USE (Check): ☒ Domestic ☒ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____
 5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling: Started 10-15-1986 Completed 10-16-1986
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 430
 7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0 - 17		Top Soil + Clay						
17 - 35		Surface Sand						
35 - 95		Clay	4	N	GALVANIZED	0	405	
95 - 125		Sand & Clay streaks	2 1/2	N	GALVANIZED	403	410	
125 - 169		Clay	2 1/2	N	PVC	410	430	014
169 - 180		Sand	2 1/2	N	PVC	430	430	030
180 - 300		Clay						
300 - 215		Sand						
215 - 265		Clay						
265 - 274		Sand						
274 - 395		Clay						
395 - 430		Sand						

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 405 ft. No. of Sacks Used 40
 _____ ft. to _____ ft. No. of Sacks Used _____
 Method used Haliburton
 Cemented by Brussell & Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 235 ft. below land surface Date 10/16/86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
 Yield: 55 gpm with 30 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Brussell & Son, Inc. Water Well Driller's License No. 20235
 (Type or Print)
 ADDRESS P.O. Box 874 Tomball Tx 77375
 (Street or RFD) (City) (State) (Zip)
 (Signed) Rraig Brussell (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)
 Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TWC use only
 Well No. 65-16-8
 Located on map _____

VC-0392 (Rev. 06-10-85)

TEXAS WATER COMMISSION COPY

65-13-8?

201282

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1286	2 of 5	SSW	4.31 / 22,733.91	GENERAL WELDING WORKS TX	TCEQ WELL LOGS

Grid No: 65-13-8H
Date Drilled: 07/29/1975
Owners Name: GENERAL WELDING WORKS
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 9
Depth Drilled: 360
Latitude: 29.7861595
Longitude: -95.4422556

and original copy by
artified mail to the
exas Water Development Board
O. Box 13087
ustin, Texas 78711

State of Texas

For TWDB use only
Well No. 65-13-8H
Located on map Yes
Received: 7-29-75

WATER WELL REPORT

1) OWNER:
Person having well drilled General Welding Works Address 7100 Old Katy Road Houston TX
(Name) (Street or RFD) (City) (State)

Landowner Same Address Same (City) (State)
(Name) (Street or RFD)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,
highway number, etc.*

See Reverse Side

North

(Use reverse side if necessary)

3) TYPE OF WELL (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial ☒ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 360 ft. Depth of completed well 360 ft. Date drilled 7-29-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
000	24	Surface Clay & Sand
24	48	Loose Red sand
48	72	Loose Red sand
72	96	Sand & Clay
96	120	Clay and Sand
120	144	Sand
144	168	Sand
168	192	Sand
192	216	Sand & Clay
216	240	Sand
240	264	Sand & Clay (Over)

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gauge _____

10) SCREEN:
Type Stainless steel rod base
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

#12 gauge screen 345 360
2 1/2" blank 338 345

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 178 ft. below land surface Date 7-29-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes ☒ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry Water Well Drillers Registration No. 146
(Type or Print)

ADDRESS 4012 Fulton; P. O. Box 8707; Houston, TX 77009
(Street or RFD) (City) (State)

(Signed) R. B. Lowry Lowry Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-404

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDSE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

264	288	Clay
288	312	Clay & Sand
312	336	Clay & Sand
336	360	Sand



RECEIVED
MAY 25 1976
TEXAS WATER
DEVELOPMENT BOARD

NOV 18 1976
C. J. ...
Texas Water Development Board

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1286	3 of 5	SSW	4.31 / 22,733.91	GENERAL WELDING CO. TX	TCEQ WELL LOGS

Grid No: 65-13-8J
Date Drilled: 02/28/1979
Owners Name: GENERAL WELDING CO.
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 248
Depth Drilled: 248
Latitude: 29.7861595
Longitude: -95.4422556

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-13-8J
Located on map YES
Received: TH

1) OWNER General Welding Co. Address 7100 Old Katy Rd. Houston TX 77024
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 17 miles in East direction from Katy
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☐ Domestic ☒ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 2-28-79

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>248</u>

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial	Setting (ft.)	Gage Casing Screen
0	24	surface clay & sand					
24	48	broken sand					
48	72	loose red sand	4		new metal casing	0	233
72	96	sand & clay	2 1/2		new slotted stainless		
96	120	clay & sand			steel rodbase	233	248
120	144	B/sand					#12
144	168	sand					
168	192	sand					
192	216	B/ sand & clay					
216	240	sand					
240	248	sand					

CEMENTING DATA

Cemented from 233 ft. to -0- ft.

Method used Halibirton

Cemented by Lowry Water Wells
(Company or Individual)

9) WATER LEVEL:

Static level 120 ft. below land surface Date 3-1-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:

☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry

(Type or Print)

Water Well Drillers Registration No. 146

ADDRESS 1327 Aldine-Mail Rd.

Houston

Texas

77039

(Street or RFD)

(City)

(State)

(Zip)

(Signed)

R. B. Lowry
(Water Well Driller)

Lowry Water Wells

(Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



DEPT. OF
WATER RESOURCES
OCT 17 1978



RECEIVED

FEB 27 '80

CR/TDWR

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1286	4 of 5	SSW	4.31 / 22,733.91	Beeson Properties TX	WW HARRIS GAL

Well ID:	7483	Diameter (inches):	4
Aggre Lead Well:	7483	Year Drilled:	1976
Permit No:	W2009-7483-139857-0	Depth Drilled:	250
Permit Start Date:	12/31/2008	Depth frm Surf(ft):	225
Permit End Dt:	12/31/2008	County:	H
Well Status:	P - Plugged	Latitude:	29.786111
Regulatory Aarea:	2	Longitude:	-95.443611
Owner Name:	Beeson Properties		
Billing Contact:	John Beeson		
Billing Address:	550 Waugh Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77019		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1286	5 of 5	SSW	4.31 / 22,733.91	Beeson Properties TX	WW HARRIS GAL

Well ID:	7482	Diameter (inches):	4
Aggre Lead Well:	7482	Year Drilled:	1976
Permit No:	W2009-7482-139856-0	Depth Drilled:	250
Permit Start Date:	12/31/2008	Depth frm Surf(ft):	225
Permit End Dt:	12/31/2008	County:	H
Well Status:	P - Plugged	Latitude:	29.785
Regulatory Aarea:	2	Longitude:	-95.440555
Owner Name:	Beeson Properties		
Billing Contact:	John Beeson		
Billing Address:	550 Waugh Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77019		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1287	1 of 1	N	4.31 / 22,743.91	MR BATUETT TX	TCEQ WELL LOGS

Grid No: 65-05-6
 Date Drilled: 05/01/1990
 Owners Name: MR BATUETT
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 1.5
 Depth Drilled: 50
 Latitude: 29.9052476
 Longtiude: -95.4094883

Please use black ink.

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1288	1 of 1	N	4.31 / 22,748.06	Jimenez, Jose & Olivia TX	WW HARRIS GAL

Well ID:	14805	Diameter (inches):	2
Aggre Lead Well:	14805	Year Drilled:	
Permit No:	WP2023-112309	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.904444
Regulatory Aarea:	3	Longitude:	-95.398333
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	230 Busch Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1289	1 of 2	N	4.31 / 22,766.49	Flores, Guadalupe TX	WW HARRIS GAL
<hr/>					
Well ID:	9953			Diameter (inches):	4
Aggre Lead Well:	9953			Year Drilled:	2005
Permit No:	WP2023-106850			Depth Drilled:	400
Permit Start Date:	6/1/2023			Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024			County:	H
Well Status:	1 - No electric			Latitude:	29.904722
Regulatory Aarea:	3			Longitude:	-95.42
Owner Name:	Flores, Guadalupe				
Billing Contact:	NULL				
Billing Address:	30622 Morning Dove Dr				
Billing Address 2:	NULL				
Billing City:	Brookshire				
Billing State:	TX				
Billing Zip:	77423				
Correspondence:	NULL				
Provision:	NULL				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1289	2 of 2	N	4.31 / 22,766.49	Guadalupe Fores 1012 Blue Bell #1 Houston TX 77038	SDRW WELLS

Track NO: 53437
Date Submitted: 2005-02-18
Owner Name: Guadalupe Fores
Owner Address: 1012 Blue Bell #1
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904723
Longitude: -95.42
Drilling Date Started: 2005-01-11
Drilling Date Completed: 2005-01-13
Chemical Analysis: No
Company Name: Robinson Water Well Service, Inc.
Company Address: 11819 W. Montgomery Rd.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=53437&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 440.0

Top Depth: 0
Bottom Depth: 440

Well Levels

Measurement: 205
Measurement Date: 2005-01-13

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1290	1 of 1	WSW	4.31 / 22,770.52	Adair Equipment Co. TX	GWDB

Well Rep Track No:
State Well No: 6513423
Owner Name: Adair Equipment Co.
Drilling Start Dt:
Drilling Month: 10
Drilling Day: 15
Drilling Year: 1969
Well Depth: 400
Well Usage: Industrial
Water Level Status:
Latitude: 29.8158340
Longitude: -95.4758330
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513423&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513423&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1291	1 of 3	N	4.31 / 22,775.50	MAREK ROAD WATER SYSTEM TX	WUD
Primary Co: Contact Ti: Operating Status: PWSID: Source ID: Utility Name: WTRSRC: Date Drilled: Well Depth: Screen Top: Screen Bottom: Water Usage: Gallons Per Minute: CCN: Latitude: Longitude: System Status:		DAVID L. GILLEY PRESIDENT PLUGGED 1010478 G1010478B MAREK ROAD WATER SYSTEM G1010478B 0 0 0 INACTIVE - PLUGGED N/A N/A 29.905022 -95.416822 INACTIVE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1291	2 of 3	N	4.31 / 22,775.50	MAREK ROAD WATER SYSTEM TX	WUD

Primary Co: DAVID L. GILLEY
Contact Ti: PRESIDENT
Operating Status: OPERATIONAL
PWSID: 1010478
Source ID: G1010478A
Utility Name: MAREK ROAD WATER SYSTEM
WTRSRC: G1010478A
Date Drilled: 11/01/1969
Well Depth: 370
Screen Top: 302
Screen Bottom: 359
Water Usage: INACTIVE - OTHER
Gallons Per Minute: 160
CCN: N/A
Latitude: 29.905069
Longitude: -95.416744
System Status: INACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1291	3 of 3	N	4.31 / 22,775.50	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 1771 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Blue Bell Manor Utility Co. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 6 Year Drilled: 1969 Depth Drilled: 370 Depth frm Surf(ft): 302 County: H Latitude: 29.905277 Longitude: -95.416388 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1292	1 of 1	NNW	4.32 / 22,785.75	MR LUGH TX	TCEQ WELL LOGS

Grid No: 65-05-5
 Date Drilled: 07/23/1973
 Owners Name: MR LUGH
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 170
 Depth Drilled: 307
 Latitude: 29.902471
 Longtiude: -95.431835

Send original copy by
registered mail to the
Texas Water Development Board
P.O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only

Well No. 65-25-55Located on map Y-5Received: 7/2/73

55


OWNER:

Person having well drilled Mr. HigleyAddress 7201 Houston - Oakline 77018
(Street or RFD) (City) (State)

Landowner

SameAddress Same
(Street or RFD) (City) (State)

LOCATION OF WELL:

County Harris 14 miles in N.W. direction from Houston
(N.E., S.W., etc.) (Town)Locate by sketch map showing landmarks, roads, creeks,
highway number, etc.*

(Use reverse side if necessary)

Give legal location with distances and directions from
adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

TYPE OF WORK (Check):

New Well _____
Reconditioning _____ Deepening _____
Plugging _____

PROPOSED USE (Check):

Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

TYPE OF WELL (Check):

Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

WELL LOG:

Diameter of hole 6 1/2 in. Depth drilled 307 ft. Depth of completed well 307 ft. Date drilled 7/23/73All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 3		Top Soil
3 - 282		Unconsolidated
83 - 307		Sand

9) CASING:
Type: Old Yes Steel Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting		Cage
	From (ft.)	To (ft.)	
4	0	263	40
2	263	293	30

SCREEN:

Type SSR
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____ Slot Size _____
From (ft.) _____ To (ft.) _____

(Use reverse side if necessary)

COMPLETION (Check):

Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

WATER LEVEL:

Static level 170 ft. below land surface Date 7/23/73

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 232 ft.

below land surface.

WELL TESTS:

Was a pump test made? Yes No If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

WATER QUALITY:

Was a chemical analysis made? Yes NoDid any strata contain undesirable water? Yes No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. RussellWater Well Drillers Registration No. 707ADDRESS 2225 North Houston Rosslyn Houston

(Street or RFD)

(City)

Texas

(State)

Signed

Tommy C. Russell

(Water Well Driller)

Russell & Sons

(Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Additional instructions on reverse side.

E-WD-8

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1293	1 of 2	NE	4.32 / 22,788.41	ROGER REYES TX	TCEQ WELL LOGS

Grid No: 65-06-8
Date Drilled: 06/01/1997
Owners Name: ROGER REYES
County: HARRIS
Water Usage: PAINT & BODYSHOP
Static Level: 46
Depth Drilled: 80
Latitude: 29.885098
Longtiude: -95.356479

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530															
1) OWNER <u>ROGER REYES</u> (Name) ADDRESS <u>1923 HARTWICK HOUSTON TEX 77093</u> (Street or RFD) (City) (State) (Zip)																			
2) ADDRESS OF WELL: <u>HARRIS 1923 HARTWICK HOUSTON TEX</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-06-8</u>																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>PAINT & BODY SHOP</u>		5)															
6) WELL LOG: Date Drilling: _____ Started <u>6-1-97</u> 19 <u>97</u> Completed <u>6-2-97</u> 19 <u>97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>80</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>80</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____									
Dia. (in.)	From (ft.)	To (ft.)																	
<u>4 1/2</u>	Surface	<u>80</u>																	
From (ft.) To (ft.) Description and color of formation material <u>SURF - 14</u> <u>BLACK DIRT</u> <u>14 - 42</u> <u>RED+WHITE CLAY</u> <u>42 - 50</u> <u>" SAND</u> <u>50 - 70</u> <u>BLUE CLAY</u> <u>70 - 80</u> <u>010.GA WHITE SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																	
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>70 FT PUC 5" HO</u> <u>WELL CASING</u> <u>10 FT 2" 08GA</u> <u>PVC SCREEN</u></td> <td><u>70</u></td> <td><u>80</u></td> <td><u>08GA</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>70 FT PUC 5" HO</u> <u>WELL CASING</u> <u>10 FT 2" 08GA</u> <u>PVC SCREEN</u>	<u>70</u>	<u>80</u>	<u>08GA</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen														
			From	To															
<u>2</u>	<u>N</u>	<u>70 FT PUC 5" HO</u> <u>WELL CASING</u> <u>10 FT 2" 08GA</u> <u>PVC SCREEN</u>	<u>70</u>	<u>80</u>	<u>08GA</u>														
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>60</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>SURF</u> ft. to <u>70</u> ft. No. of sacks used <u>9</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>L.F. HULL</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>OWNER</u>																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>0</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>46</u> ft. below land surface Date <u>6-2-97</u> Artesian flow _____ gpm. Date _____																	
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>1</u> <u>RUBBER</u></td> <td><u>70</u></td> </tr> </table>				Type	Depth	<u>1</u> <u>RUBBER</u>	<u>70</u>										
Type	Depth																		
<u>1</u> <u>RUBBER</u>	<u>70</u>																		
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																			
COMPANY NAME <u>L.F. HULL</u> (Type or print) ADDRESS <u>4933 HARTWICK</u> (Street or RFD) (Signed) <u>L.F. Hull</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>02044 W.P</u> <u>HOUSTON TEXAS 77093</u> (City) (State) (Zip) (Signed) _____ (Registered Driller Trainee)																	

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1293	2 of 2	NE	4.32 / 22,788.41	Martinez, Victor TX	WW HARRIS GAL

Well ID:	6014	Diameter (inches):	2
Aggre Lead Well:	6014	Year Drilled:	1997
Permit No:	W2007-6014-129784-0	Depth Drilled:	80
Permit Start Date:	8/1/2007	Depth frm Surf(ft):	60
Permit End Dt:	8/1/2007	County:	H
Well Status:	5 - No plumbing	Latitude:	29.885
Regulatory Aarea:	3	Longitude:	-95.356388
Owner Name:	Martinez, Victor		
Billing Contact:	NULL		
Billing Address:	8602 Thompson Rd.		
Billing Address 2:	NULL		
Billing City:	Highlands		
Billing State:	TX		
Billing Zip:	77562		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1294	1 of 1	NNE	4.32 / 22,788.69	Avila, Carlos TX	WW HARRIS GAL

Well ID:	12750	Diameter (inches):	2
Aggre Lead Well:	12750	Year Drilled:	NULL
Permit No:	W2019-12750-204118-0	Depth Drilled:	200
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.904166
Regulatory Aarea:	3	Longitude:	-95.395
Owner Name:	Avila, Carlos		
Billing Contact:	NULL		
Billing Address:	501 Dale St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060-5757		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1295	1 of 1	N	4.32 / 22,790.20	Carranza, Cinthia Josselin-Carranza TX	WW HARRIS GAL

Well ID: 12743
Aggre Lead Well: 12743
Permit No: WP2022-116429
Permit Start Date: 1/11/2023 5:22:00 PM
Permit End Dt: 7/31/2024 5:22:00 PM
Well Status: O - Operable
Regulatory Aarea: 3

Diameter (inches): 2
Year Drilled: 1970
Depth Drilled: 1
Depth frm Surf(ft): 0
County: H
Latitude: 29.905555
Longitude: -95.4075

Owner Name: Molina, Jose Yavany Pinto
Billing Contact: NULL
Billing Address: 409 Mading Lane
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77037
Correspondence: NULL
Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).

Water Usage: D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1296	1 of 2	NE	4.32 / 22,791.33	Material Inspection Technology TX	WW HARRIS GAL

Well ID:	5811	Diameter (inches):	4
Aggre Lead Well:	5811	Year Drilled:	1988
Permit No:	W2020-5811-211075-0	Depth Drilled:	336
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.895555
Regulatory Aarea:	3	Longitude:	-95.370277
Owner Name:	Material Inspection Technology		
Billing Contact:	Misty Berry, Office Manager		
Billing Address:	11950 E. Hardy		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1296	2 of 2	NE	4.32 / 22,791.33	HOUSTON PROCESS SYSTEMS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/04/1988
Owners Name: HOUSTON PROCESS SYSTEMS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 372
Latitude: 29.8953022
Longitude: -95.3703204

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Houston Process Systems Address 11950 E. Hardy Houston, Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 81 miles in North direction from DT Houston
(N.E., S.W., etc.) (Town)

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Well is at corner of E. Hardy & H. H. _____ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 3 Nov. 1988
Completed 4 Nov. 1988

DIAMETER OF HOLE			
	Dia. (in.)	From (ft.)	To (ft.)
	<u>6 1/2</u>	Surface	<u>372</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>Plastic casing</u>	<u>+2</u>	<u>327</u>	<u>S40</u>
<u>4</u>	<u>N</u>	<u>Gal steel</u>	<u>327</u>	<u>349</u>	<u>S40</u>
<u>2 1/2</u>		<u>Steel lap</u>	<u>345</u>	<u>361</u>	<u>S40</u>
<u>2 1/2</u>		<u>Red base SS screen</u>	<u>361</u>	<u>369</u>	<u>16 ga</u>

9) CEMENTING DATA (Rule 319.44(b))
Cemented from 349 ft. to 61 ft. No. of Sacks Used 20
_____ ft. to _____ ft. No. of Sacks Used 1
Method used Halliburton
Cemented by Swinehart Co

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 250 ft. below land surface Date 5 Nov. 88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____
K packers set 344' & 345'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 332 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 40 gpm with 35 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME B.J. Swinehart Co, Inc Water Well Driller's License No. 229
(Type or Print)

ADDRESS 7524 N. Freeway Houston, Texas 77037
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 6505-9
Located on map _____



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1297	1 of 2	NNE	4.32 / 22,792.12	Baryam Partnership. Ltd TX	WW HARRIS GAL

Well ID:	12332	Diameter (inches):	4
Aggre Lead Well:	12332	Year Drilled:	201
Permit No:	WP2021-100578	Depth Drilled:	400
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.899166
Regulatory Aarea:	3	Longitude:	-95.3775
Owner Name:	Baryam Partnership. Ltd		
Billing Contact:	NULL		
Billing Address:	13913 Faber Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1297	2 of 2	NNE	4.32 / 22,792.12	Bill-Earyam Partnership LTD 13817 Faber St Houston TX 77037	SDRW WELLS

Track NO: 303386
Date Submitted: 2012-11-07
Owner Name: Bill-Earyam Partnership LTD
Owner Address: 13817 Faber Street
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.3775
Drilling Date Started: 2012-11-05
Drilling Date Completed: 2012-11-06
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W.Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=303386&Type=SDR-Well>

Well Borehole Information

Top Depth: 380
Bottom Depth: 405

Top Depth: 0
Bottom Depth: 380

Top Depth:
Bottom Depth: 405.0

Well Levels

Measurement: 195
Measurement Date: 2012-11-06

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1298	1 of 1	N	4.32 / 22,795.41	MARK M MCMAHON TX	TCEQ WELL LOGS

Grid No: 65-05-9TT
 Date Drilled: 07/16/1980
 Owners Name: MARK M MCMAHON
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 193
 Depth Drilled: 310
 Latitude: 29.90537
 Longtiude: -95.407634

TPWR-0392 (Rev. 1-12-79)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1299	1 of 1	N	4.32 / 22,799.55	MRS. MARY MUNNS TX	TCEQ WELL LOGS

Grid No: 65-05-9SS
Date Drilled: 09/22/1982
Owners Name: MRS. MARY MUNNS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 230
Depth Drilled: 315
Latitude: 29.9053667
Longtiude: -95.4070504

TDWR-0392 (Rev. 1-12-79)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1300	1 of 4	ENE	4.32 / 22,800.87	Oak Wilde Water Co. well #1 TX	GWDB

Well Rep Track No:
State Well No: 6506707
Owner Name: Oak Wilde Water Co. well #1
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1959
Well Depth: 500
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8777780
Longitude: -95.3494450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506707&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506707&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1300	2 of 4	ENE	4.32 / 22,800.87	SUNBELT FWSD OAKWILDE SUBDIVISION	WUD
				TX	

Primary Co:
Contact Ti:
Operating Status:
PWSID:
Source ID:
Utility Name:
WTRSRC:
Date Drilled:
Well Depth:
Screen Top:
Screen Bottom:
Water Usage:
Gallons Per Minute:
CCN:
Latitude:
Longitude:
System Status:

PAT J. DANIEL
CITY SECRETARY
OPERATIONAL
1010022
G1010022D
SUNBELT FWSD OAKWILDE SUBDIVISION
G1010022D
03/01/2017
662
0
0
ACTIVE - PERMANENT
470
10833
29.877053
-95.349217
ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1300	3 of 4	ENE	4.32 / 22,800.87	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 13789 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 10 Year Drilled: 0 Depth Drilled: 600 Depth frm Surf(ft): 550 County: H Latitude: 29.876944 Longitude: -95.349166 </div> </div> <div> Owner Name: Sunbelt Fresh Water Supply District Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1300	4 of 4	ENE	4.32 / 22,800.87	Sunbelt Fresh Water Supply District 2326 Cromwell St. Houston TX 77093	SDRW WELLS

Track NO: 444867
Date Submitted: 2017-03-17
Owner Name: Sunbelt Fresh Water Supply District
Owner Address: 401 W. Gulf Bank
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.877053
Longitude: -95.349216
Drilling Date Started: 2017-01-16
Drilling Date Completed: 2017-03-01
Chemical Analysis: Yes
Company Name: Bussell & sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=444867&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 666.0

Top Depth: 482
Bottom Depth: 666

Top Depth: 0
Bottom Depth: 482

Well Levels

Measurement: 188
Measurement Date: 2017-03-01

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1301	1 of 1	SSW	4.32 / 22,801.19	Houston Materials TX	GWDB

Well Rep Track No:
State Well No: 6513832
Owner Name: Houston Materials
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 320
Well Usage: Industrial
Water Level Status:
Latitude: 29.7841670
Longitude: -95.4375000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513832&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513832&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1302	1 of 1	N	4.32 / 22,802.58	HERMAN FORD TX	TCEQ WELL LOGS

Grid No: 60-60-9H
Date Drilled: 08/07/1973
Owners Name: HERMAN FORD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 85
Depth Drilled: 241
Latitude: 29.9051955
Longitude: -95.4160482

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-60-94
Located on map 1-2-5
Received: 7/31

1) OWNER:
Person having well drilled HERMAN FORD Address 9715 MURPHY HOUSTON TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address SAME
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 16 miles in N.W. direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

9715 Murphy North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Borehole _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 241 ft. Depth of completed well 241 ft. Date drilled 8/2/73
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	220	Unconsolidated
220	241	SAND

9) CASING:
Type: Old _____ No _____ Steel _____ Plastic _____ Other _____
Cemented from 161 ft. to 241 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Cage #
4	0	211	#40
2	211	231	#30

10) SCREEN:
Type SSR
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 85' ft. below land surface Date 8/8/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 127 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell Water Well Drillers Registration No. 207
(Type or Print)
ADDRESS 9715 North Houston Ranch Houston Texas
(Street or RFD) (City) (State)
(Signed) Tommy C. Bussell Bussell & Sons Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1303	1 of 4	ENE	4.32 / 22,811.65	Oak Wilde Water Co. well #2 TX	GWDB

Well Rep Track No:
State Well No: 6506708
Owner Name: Oak Wilde Water Co. well #2
Drilling Start Dt:
Drilling Month: 4
Drilling Day: 26
Drilling Year: 1958
Well Depth: 639
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8775000
Longitude: -95.3494450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506708&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506708&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1303	2 of 4	ENE	4.32 / 22,811.65	SUNBELT FWSD OAKWILDE SUBDIVISION	WUD
				TX	

Primary Co:	PAT J. DANIEL
Contact Ti:	CITY SECRETARY
Operating Status:	PLUGGED
PWSID:	1010022
Source ID:	G1010022B
Utility Name:	SUNBELT FWSD OAKWILDE SUBDIVISION
WTRSRC:	G1010022B
Date Drilled:	04/26/1958
Well Depth:	639
Screen Top:	0
Screen Bottom:	0
Water Usage:	INACTIVE - PLUGGED
Gallons Per Minute:	275
CCN:	10833
Latitude:	29.877436
Longitude:	-95.349189
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1303	3 of 4	ENE	4.32 / 22,811.65	Houston, City of TX	WW HARRIS GAL

Well ID:	2212	Diameter (inches):	8
Aggre Lead Well:	1003	Year Drilled:	1958
Permit No:	W2016-1003-181296-0	Depth Drilled:	639
Permit Start Date:	2/1/2016	Depth frm Surf(ft):	0
Permit End Dt:	1/31/2017	County:	H
Well Status:	P - Plugged	Latitude:	29.877222
Regulatory Aarea:	3	Longitude:	-95.349166
Owner Name:	Sunbelt Fresh Water District		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St. 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Acres Homes #1		
Provision:	70 - Based on permitted allocation or 70% of total demand, whichever is smaller; E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1303	4 of 4	ENE	4.32 / 22,811.65	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 16609 Aggre Lead Well: 16609 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: NULL Regulatory Aarea: 3 </div> <div> Diameter (inches): 20 Year Drilled: NULL Depth Drilled: 1180 Depth frm Surf(ft): 920 County: H Latitude: 29.8774 Longitude: -95.3492 </div> </div> <div> Owner Name: Sunbelt Fresh Water Supply District Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1304	1 of 1	NNE	4.32 / 22,835.33	Maharaj, Rabichand TX	WW HARRIS GAL

Well ID:	14298	Diameter (inches):	2
Aggre Lead Well:	14298	Year Drilled:	NULL
Permit No:	W2021-14298-218459-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.904444
Regulatory Aarea:	3	Longitude:	-95.397222
Owner Name:	Maharaj, Rabichand		
Billing Contact:	NULL		
Billing Address:	10222 Airline Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1305	1 of 1	N	4.33 / 22,840.53	Huttonco Development, LP TX	WW HARRIS GAL

Well ID:	8770	Diameter (inches):	4
Aggre Lead Well:	8770	Year Drilled:	1972
Permit No:	WP2023-113258	Depth Drilled:	50
Permit Start Date:	8/1/2023 4:06:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 4:06:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.401111
Owner Name:	Huttonco Development, LP		
Billing Contact:	O'Reilly Auto Parts		
Billing Address:	PO Box 1156		
Billing Address 2:	NULL		
Billing City:	Springfield		
Billing State:	MO		
Billing Zip:	65801		
Correspondence:	O'Reilly Auto Parts		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1306	1 of 2	NNW	4.33 / 22,845.16	BLUE BELL MANOR SUBDIVISION TX	WUD

Primary Co: MARK HEIN
Contact Ti: OPERATOR
Operating Status: OPERATIONAL
PWSID: 1010647
Source ID: G1010647E
Utility Name: BLUE BELL MANOR SUBDIVISION
WTRSRC: G1010647E
Date Drilled: 07/19/1999
Well Depth: 630
Screen Top: 500
Screen Bottom: 622
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 400
CCN: 10963
Latitude: 29.902877
Longitude: -95.430935
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1306	2 of 2	NNW	4.33 / 22,845.16	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 6995 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Blue Bell Manor Utility Co. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 12 Year Drilled: 1998 Depth Drilled: 740 Depth frm Surf(ft): 80 County: H Latitude: 29.9025 Longitude: -95.430555 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1307	1 of 1	SE	4.33 / 22,855.75	USGS-294801095211901 TX	FED USGS

Site No: USGS-294801095211901
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19881025
Well Depth: 502
Well Depth Unit: ft
Well Hole Depth: 502
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-442
Latitude: 29.80055556000000
Longitude: -95.35555560000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1308	1 of 1	NNE	4.33 / 22,858.45	Charles Kobis 324 Busch Houston TX 77060	SDRW WELLS

Track NO: 17896
Date Submitted: 2003-03-17
Owner Name: Charles Kobis
Owner Address: 324 Busch
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905001
Longitude: -95.396389
Drilling Date Started: 2003-02-09
Drilling Date Completed: 2003-02-09
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=17896&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 52

Top Depth:
Bottom Depth: 52.0

Well Levels

Measurement: 6
Measurement Date: 2003-02-09

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1309	1 of 7	NE	4.33 / 22,871.41	Texas American Water Mary Francis/Bertrand	GWDB
				TX	

Well Rep Track No: 210630
State Well No: 6506731
Owner Name: Texas American Water Mary Francis/Bertrand
Drilling Start Dt:
Drilling Month: 9
Drilling Day: 5
Drilling Year: 2006
Well Depth: 756
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8858340
Longitude: -95.3569450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506731&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506731&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1309	2 of 7	NE	4.33 / 22,871.41	MARY FRANCIS SUBDIVISION TX	WUD

Primary Co: TJ SHEPARD, JR.
Contact Ti: FIELD SUPERVISOR
Operating Status: OPERATIONAL
PWSID: 1010100
Source ID: G1010100C
Utility Name: MARY FRANCIS SUBDIVISION
WTRSRC: G1010100C
Date Drilled: 09/05/2006
Well Depth: 756
Screen Top: 625
Screen Bottom: 715
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 240
CCN: N/A
Latitude: 29.88575943
Longitude: -95.35682355
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1309	3 of 7	NE	4.33 / 22,871.41	MARY FRANCIS SUBDIVISION TX	WUD

Primary Co: TJ SHEPARD, JR.
Contact Ti: FIELD SUPERVISOR
Operating Status: EMERGENCY
PWSID: 1010100
Source ID: G1010100B
Utility Name: MARY FRANCIS SUBDIVISION
WTRSRC: G1010100B
Date Drilled: 03/31/1997
Well Depth: 546
Screen Top: 474
Screen Bottom: 541
Water Usage: ACTIVE - EMERGENCY
Gallons Per Minute: 440
CCN: N/A
Latitude: 29.88570512
Longitude: -95.35674097
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1309	4 of 7	NE	4.33 / 22,871.41	SOUTHWEST UTILITIES TX	TCEQ WELL LOGS

Grid No: 65-14-4
Date Drilled: 03/31/1997
Owners Name: SOUTHWEST UTILITIES
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 240
Depth Drilled: 546
Latitude: 29.8857702
Longtiude: -95.3568378

ATTENTION OWNER: Confidentiality
 Privileged Notice on Reverse Side

STATE OF TEXAS
 WATER WELL REPORT

1) OWNER: SOUTHWEST UTILITIES ADDRESS: PO BOX 907 CITY: EL CAMPO STATE: TX ZIP: 77437-51

2) ADDRESS OF WELL:
 County: HARRIS GRID #
 Street or RFD: ALDINE WESTFIELD AND BERTRAND RD
 City, State, Zip code: HOUSTON, TX

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: PUBLIC SUPPLY
 If Public Supply well, were plans submitted to the THGCC? No

6) WELL LOG: 02421 DIAMETER OF HOLE 7) DRILLING METHOD: 8) BOREHOLE COMPLETION:
 DATE DRILLING: 12 1/4 0 493 MUD ROTARY STRAIGHT WALL
 STARTED: 03/31/97 7 7/8 493 546 IF GRAVEL... FROM FT. TO FT.
 COMPLETED: 03/31/97 FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
8 5/8	N	BLACK STEEL CASING	0	473	SCH40
6 5/8	N	BLACK STEEL CASING	462	474	SCH40
6 5/8	N	WESCO PIPE BASE	474	504	.010
6 5/8	N	BLACK STEEL CASING	504	511	SCH40
6 5/8	N	WESCO PIPE BASE	511	541	.010
6 5/8	N	DOWN HOLE ASSEMBLY	541	546	SCH40

9) CEMENTING DATA:
 Cemented from 0 FT. TO 473 FT. No. of Sacks Used 65
 Method used: PRESSURE
 Cemented by: WEISINGER
 Distance to septic field lines: ft.
 Method of verification of above distance:

10) SURFACE COMPLETION:
 SURFACE SLAB INST.

11) WATER LEVEL:
 STATIC LEVEL: 240 FT. DATE: 03/31/97
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
 BP SEAL 462

13) TYPE PUMP: SUBMERSIBLE 14) WELL TEST: JETTED
 DEPTH TO PUMP: YIELD: 350 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
 TYPE OF WATER: EXCELLENT DEPTH OF STRATA: 473-546 NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

65-14-4

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO.: 1541,1991,41992
 ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301

FOR THE USE ONLY
 WELL NO.
 LOCATED ON MAP

RECEIVED
 JUN 1997

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John E. Weisinger (signed) (REGISTERED DRILLER 'TRAINEE')

65-14-4

STATE OF TEXAS WATER WELL REPORT (PAGE 2)

OWNER: SOUTHWEST UTILITIES ADDRESS: PO BOX 907 CITY: EL CAMPO STATE: TX ZIP: 77437-

341 368 SAND
 368 371 CLAY
 371 400 SAND
 400 411 CLAY
 411 432 CLAY WITH ROCK
 432 448 SAND
 448 472 CLAY
 472 504 SAND
 504 511 SHALE
 511 541 SAND
 541 569 SHALE

RECEIVED
 JUN 1997
 TEXAS NATURAL RESOURCES
 CONSERVATION COMMISSION

65-14-4

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1309	5 of 7	NE	4.33 / 22,871.41	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 4190 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 8 Year Drilled: 1997 Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.885833 Longitude: -95.356666 </div> </div>					
Owner Name:		Aqua Texas, Inc.			
Billing Contact:		Ekaterina Fitos, GISP			
Billing Address:		611 Walker St 18th Floor			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77002			
Correspondence:		Karly Stelzer			
Provision:		E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)			
Water Usage:		P - Public Supply			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1309	6 of 7	NE	4.33 / 22,871.41	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 10193 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Aqua Texas, Inc. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 12 Year Drilled: 2007 Depth Drilled: 1020 Depth frm Surf(ft): 850 County: H Latitude: 29.885833 Longitude: -95.356944 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1309	7 of 7	NE	4.33 / 22,871.41	Texas American Water 1915 1/2 Aldine Park (Mary Francis Subdivision, Bertrand Plant #2) Houston TX	SDRW WELLS

Track NO: 210630
Date Submitted: 2010-03-18
Owner Name: Texas American Water
Owner Address: 1913 West Loop
Owner Address2:
Owner City: El Campo
Owner State: TX
Owner Zip: 77437
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.885556
Longitude: -95.356945
Drilling Date Started: 2006-06-01
Drilling Date Completed: 2006-09-05
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=210630&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 756.0

Top Depth: 625
Bottom Depth: 756

Top Depth: 0
Bottom Depth: 625

Well Levels

Measurement: 212
Measurement Date: 2006-09-05

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1310	1 of 1	N	4.33 / 22,880.46	DAVID & CAROLYN WILLIAMSON TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	07/17/1995
Owners Name:	DAVID & CAROLYN WILLIAMSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	240
Depth Drilled:	382
Latitude:	29.9051484
Longitude:	-95.4005657

by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

14

Please use black ink.

OWNER: Confidentiality

Notice on Reverse Side

State of Texas

WELL REPORT

Texas Water Well Drillers Advisory Council

P.O. Box 13087

Austin, TX 78711-3087

512-239-0530

OWNER

David & Carolyn Williamson

ADDRESS

112 Holman St. Houston, Tx. 77037

2) ADDRESS OF WELL:

County

Harris

GRID #

3) TYPE OF WORK (Check):

☒ New Well

☐ Deepening

☐ Reconditioning

☐ Plugging

4) PROPOSED USE (Check):

☐ Monitor

☐ Environmental Soil Boring

☒ Domestic

☐ Industrial

☐ Irrigation

☐ Injection

☐ Public Supply

☐ De-watering

☐ Testwell

If Public Supply well, were plans submitted to the TNRCC?

☐ Yes

☐ No

6) WELL LOG:

Date Drilling:

Started

7/14

19 95

Completed

7/17

19 95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	348
3 7/8	348	382

7) DRILLING METHOD (Check):

☐ Driven

☐ Air Rotary

☒ Mud Rotary

☐ Bored

☐ Air Hammer

☐ Cable Tool

☐ Jetted

☐ Other

From (ft.)

To (ft.)

Description and color of formation material

0 - 60	Clay
60 - 100	Sand
100 - 240	Clau & Rock
240 - 300	Sand & Gravel
300 - 320	Clay
320 - 382	Gravel & Sand

8) Borehole Completion (Check):

☐ Open Hole

☐ Straight Wall

☐ Underreamed

☐ Gravel Packed

☒ Other

2-String Cement

If Gravel Packed give interval ... from

ft. to

ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	ØVC Casing	0	346	Sch 40
2 1/2	N	PVC Liner	334	362	Sch 40
2 1/2	N	PVC Screen	362	382	.012

9) CEMENTING DATA [Rule 338.44(1)]

Cemented from

346

ft. to

Top

ft.

No. of sacks used

15

ft. to

15

ft.

No. of sacks used

8

Method used

Halliburton

Cemented by

RWW

Distance to septic system field lines or other concentrated contamination

ft.

Method of verification of above distance

13) TYPE PUMP:

☐ Turbine

☐ Jet

☒ Submersible

☐ Cylinder

☐ Other

Depth to pump bowls, cylinder, jet, etc.,

300

ft.

14) WELL TESTS:

Type test:

☐ Pump

☐ Bailor

☒ Jetted

☐ Estimated

Yield:

gpm with

ft. drawdown after

hrs.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes

☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water?

Depth of strata

Was a chemical analysis made?

☐ Yes

☒ No

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]

☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]

☐ Pitless Adapter Used [Rule 338.44(3)(b)]

☒ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:

Static level

240

ft. below land surface

Date

7/17/95

Artesian flow

gpm.

Date

12) PACKERS:

Type	Depth
K	334

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME

Robinson Water Wll Ser., Inc

(Type or print)

WELL DRILLER'S LICENSE NO.

2212

ADDRESS

11819 Tomball Pky

(Street or RFD)

Houston, Tx. 77086

(City)

(State)

(Zip)

(Signed)

Jim Robinson

(Licensed Well Driller)

(Signed)

(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

203,956

3417

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1311	1 of 4	N	4.34 / 22,890.10	MADING LANE WATER SYSTEM TX	WUD

Primary Co: MELISSA RICH
Contact Ti: VP OF OPERATIONS
Operating Status: OPERATIONAL
PWSID: 1010517
Source ID: G1010517A
Utility Name: MADING LANE WATER SYSTEM
WTRSRC: G1010517A
Date Drilled: 09/00/1967
Well Depth: 329
Screen Top: 298
Screen Bottom: 328
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 43
CCN: N/A
Latitude: 29.905607
Longitude: -95.406761
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1311	2 of 4	N	4.34 / 22,890.10	MADING LANE WATER SYSTEM TX	WUD
Primary Co:		MELISSA RICH			
Contact Ti:		VP OF OPERATIONS			
Operating Status:		OPERATIONAL			
PWSID:		1010517			
Source ID:		G1010517B			
Utility Name:		MADING LANE WATER SYSTEM			
WTRSRC:		G1010517B			
Date Drilled:					
Well Depth:		328			
Screen Top:		0			
Screen Bottom:		0			
Water Usage:		ACTIVE - PERMANENT			
Gallons Per Minute:		47			
CCN:		N/A			
Latitude:		29.905635			
Longitude:		-95.406695			
System Status:		ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1311	3 of 4	N	4.34 / 22,890.10	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3039 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Champs Water Company Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 6 Year Drilled: 1967 Depth Drilled: 329 Depth frm Surf(ft): 298 County: H Latitude: 29.905555 Longitude: -95.406666 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1311	4 of 4	N	4.34 / 22,890.10	Houston, City of TX	WW HARRIS GAL

Well ID:	3038	Diameter (inches):	4
Aggre Lead Well:	1003	Year Drilled:	1990
Permit No:	WP2023-117626	Depth Drilled:	328
Permit Start Date:	2/1/2024 1:23:00 PM	Depth frm Surf(ft):	307
Permit End Dt:	1/31/2025 1:23:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905555
Regulatory Aarea:	3	Longitude:	-95.406666
Owner Name:	Champs Water Company		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1312	1 of 1	N	4.34 / 22,896.75	Gonzalez, Juana & Jose TX	WW HARRIS GAL

Well ID:	5241	Diameter (inches):	4
Aggre Lead Well:	5241	Year Drilled:	1991
Permit No:	W2019-5241-205865-0	Depth Drilled:	85
Permit Start Date:	7/14/2021	Depth frm Surf(ft):	60
Permit End Dt:	7/31/2022	County:	H
Well Status:	O - Operable	Latitude:	29.905277
Regulatory Aarea:	3	Longitude:	-95.400277
Owner Name:	Marek, Robert J		
Billing Contact:	NULL		
Billing Address:	11610 Pemford Dr.		
Billing Address 2:	NULL		
Billing City:	Tomball		
Billing State:	TX		
Billing Zip:	77377		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; MOD		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1313	1 of 1	NNE	4.34 / 22,902.92	Andy Walker 410 Busch Houston TX 77060	SDRW WELLS

Track NO: 15502
Date Submitted: 2002-12-30
Owner Name: Andy Walker
Owner Address: 410 Busch
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904723
Longitude: -95.395556
Drilling Date Started: 2002-12-28
Drilling Date Completed: 2002-12-28
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=15502&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 48.0

Top Depth: 0
Bottom Depth: 48

Well Levels

Measurement: 2
Measurement Date: 2002-12-30

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1314	1 of 1	NE	4.34 / 22,912.75	Josefina Bustos/ Otilio Peralta 1544 Collins Rd Houston TX 77039	SDRW WELLS

Track NO: 328331
Date Submitted: 2013-07-30
Owner Name: Josefina Bustos/ Otilio Peralta
Owner Address: 1544 Collins Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.887778
Longitude: -95.357223
Drilling Date Started: 2013-07-18
Drilling Date Completed: 2013-07-19
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=328331&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 380.0

Top Depth: 0
Bottom Depth: 360

Top Depth: 360
Bottom Depth: 380

Well Levels

Measurement: 170
Measurement Date: 2013-07-19

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1315	1 of 1	NNE	4.34 / 22,913.13	Garcia, Ludy E TX	WW HARRIS GAL

Well ID:	13958	Diameter (inches):	5
Aggre Lead Well:	13958	Year Drilled:	NULL
Permit No:	WP2023-112867	Depth Drilled:	0
Permit Start Date:	8/1/2023 3:36:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:36:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.904722
Regulatory Aarea:	3	Longitude:	-95.395833
Owner Name:	Garcia, Ludy E		
Billing Contact:	NULL		
Billing Address:	12331 Misty Laurel Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77014		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1316	1 of 1	NNE	4.34 / 22,913.52	JUAN ESTRADA TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 8/7/1997
 Owners Name: JUAN ESTRADA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 12
 Depth Drilled: 47
 Latitude: 29.9041204
 Longtiude: -95.3932614

Send original copy by certified mail to: TNRCC, P.O. B

87, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>JUAN ESTRADA</u> (Name) ADDRESS <u>529 DALE HOU TX 77060</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>HARRIS</u> (City) (State) (Zip) <u>SAME</u> GRID # <u>65-05-09</u>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: <u>8/7/97</u> Started <u>8/7/97</u> Completed <u>8/7/97</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		↑																					
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>4</u></td> <td><u>Surface</u></td> <td><u>47</u></td> </tr> </table>		Dia. (in.)	From (ft.)			To (ft.)	<u>4</u>	<u>Surface</u>	<u>47</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>37</u> ft. to <u>47</u> ft.															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4</u>	<u>Surface</u>	<u>47</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-7 SOIL</u> <u>7-17 WHITE CLAY</u> <u>17-27 RED CLAY</u> <u>27-47 SAND WHITE</u>		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PLASTIC</u></td> <td><u>0</u></td> <td><u>37</u></td> <td><u>SC 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>1" SLOTTED</u></td> <td><u>37</u></td> <td><u>47</u></td> <td><u>OUT</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2 1/2</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>37</u>	<u>SC 40</u>	<u>2 1/2</u>	<u>N</u>	<u>1" SLOTTED</u>	<u>37</u>	<u>47</u>	<u>OUT</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
<u>2 1/2</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>37</u>	<u>SC 40</u>																				
<u>2 1/2</u>	<u>N</u>	<u>1" SLOTTED</u>	<u>37</u>	<u>47</u>	<u>OUT</u>																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>35</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>37</u> ft. No. of sacks used <u>8</u> Method used <u>PRESSURE</u> Cemented by <u>RAYMOND SERV.</u> Distance to septic system field lines <u>98</u> ft. Method of verification of above distance <u>CUSTOMER</u>																							
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>20</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>12</u> ft. below land surface Date <u>8/7/97</u> Artesian flow <u>0</u> gpm. Date _____																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 60%;">Type</th> <th style="width: 40%;">Depth</th> </tr> <tr> <td><u>NONE</u></td> <td></td> </tr> </table>				Type	Depth	<u>NONE</u>																	
Type	Depth																								
<u>NONE</u>																									
COMPANY NAME <u>RAYMOND SERVICES</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4577WI</u>																									
ADDRESS <u>10011 AIRLINE</u> (Street or RFD) <u>HOV</u> (City) <u>TX</u> (State) <u>77037</u> (Zip)																									
(Signed) <u>[Signature]</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																									

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1317	1 of 1	NE	4.34 / 22,925.95	Chandler 1338 Hill Rd. Houston TX 77380	SDRW WELLS

Track NO: 91316
Date Submitted: 2006-08-28
Owner Name: Chandler
Owner Address: 231 Angel Leaf
Owner Address2:
Owner City: Woodlands
Owner State: TX
Owner Zip: 77380
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.895278
Longitude: -95.37
Drilling Date Started: 2006-08-03
Drilling Date Completed: 2006-08-03
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=91316&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 45

Top Depth:
Bottom Depth: 45.0

Well Levels

Measurement: 6
Measurement Date: 2006-08-03

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1318	1 of 1	N	4.34 / 22,927.95	Blue Bell Place Builders TX	WW HARRIS GAL

Well ID:	4213	Diameter (inches):	4
Aggre Lead Well:	4213	Year Drilled:	1969
Permit No:	W1997-4213-55396-0	Depth Drilled:	320
Permit Start Date:	11/1/1997	Depth frm Surf(ft):	311
Permit End Dt:	6/9/1999	County:	H
Well Status:	P - Plugged	Latitude:	29.905555
Regulatory Aarea:	3	Longitude:	-95.410277
Owner Name:	Blue Bell Place Builders		
Billing Contact:	Jerry Denham		
Billing Address:	1330 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1319	1 of 1	SE	4.34 / 22,934.07	Garza, Julio TX	WW HARRIS GAL

Well ID:	2715	Diameter (inches):	4
Aggre Lead Well:	2715	Year Drilled:	1989
Permit No:	W1999-2715-66843-0	Depth Drilled:	0
Permit Start Date:	6/1/1999	Depth frm Surf(ft):	0
Permit End Dt:	12/31/2001	County:	H
Well Status:	4 - No electric or plumbing or motor	Latitude:	29.833333
Regulatory Aarea:	2	Longitude:	-95.385
Owner Name:	Garza, Julio		
Billing Contact:	NULL		
Billing Address:	3401 N. Main		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77009		
Correspondence:	NULL		
Provision:	O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; T - Requirement that the permittee must reduce its reliance on groundwater in accordance with requirements of the District Plan is suspended for term of permit.		
Water Usage:	I - Industrial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1320	1 of 1	NE	4.35 / 22,947.81	DONALD VANN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/05/2000
Owners Name: DONALD VANN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 15
Depth Drilled: 50
Latitude: 29.8971556
Longtiude: -95.3728291

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>Donald Vann</u> ADDRESS <u>1207 Hill Rd. Houston TX 77037</u>																									
2) ADDRESS OF WELL'S LOCATION: County <u>Harris</u> (Name) <u>Same</u> (Street, RFD or other) (City) (State) (Zip) <u>65-05-9</u>																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: _____ Started <u>10-5-2000</u> Completed <u>10-5-2000</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5</u>	Surface	<u>50</u>																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0</u></td> <td><u>12</u></td> <td><u>Yellow Clay</u></td> </tr> <tr> <td><u>12</u></td> <td><u>35</u></td> <td><u>White Sand & Gr</u></td> </tr> <tr> <td><u>35</u></td> <td><u>45</u></td> <td><u>Red Clay</u></td> </tr> <tr> <td><u>45</u></td> <td><u>48</u></td> <td><u>Sand Red</u></td> </tr> <tr> <td><u>48</u></td> <td><u>50</u></td> <td><u>Red Clay</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>12</u>	<u>Yellow Clay</u>	<u>12</u>	<u>35</u>	<u>White Sand & Gr</u>	<u>35</u>	<u>45</u>	<u>Red Clay</u>	<u>45</u>	<u>48</u>	<u>Sand Red</u>	<u>48</u>	<u>50</u>	<u>Red Clay</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>38</u> ft. to <u>48</u> ft.					
From (ft.)	To (ft.)	Description and color of formation material																							
<u>0</u>	<u>12</u>	<u>Yellow Clay</u>																							
<u>12</u>	<u>35</u>	<u>White Sand & Gr</u>																							
<u>35</u>	<u>45</u>	<u>Red Clay</u>																							
<u>45</u>	<u>48</u>	<u>Sand Red</u>																							
<u>48</u>	<u>50</u>	<u>Red Clay</u>																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic Casing</u></td> <td><u>Surface</u></td> <td><u>38</u></td> <td><u>Sch 40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic screen</u></td> <td><u>38</u></td> <td><u>48</u></td> <td><u>.006</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic Casing</u>	<u>Surface</u>	<u>38</u>	<u>Sch 40</u>	<u>2</u>	<u>N</u>	<u>Plastic screen</u>	<u>38</u>	<u>48</u>	<u>.006</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>Plastic Casing</u>	<u>Surface</u>	<u>38</u>	<u>Sch 40</u>																				
<u>2</u>	<u>N</u>	<u>Plastic screen</u>	<u>38</u>	<u>48</u>	<u>.006</u>																				
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>From (ft.)</th> <th>To (ft.)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used						9) CEMENTING DATA Cemented from <u>Surface</u> ft. to <u>45</u> ft. No. of sacks used <u>60</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u>													
From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used																					
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>15</u> ft. below land surface Date <u>10-5-2000</u> Artesian flow _____ gpm. Date _____																							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td> </td> <td> </td> </tr> </table>				Type	Depth																		
Type	Depth																								
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577 WI</u>																							
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (Street or RFD) (City) (State) (Zip)																									
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) <u>[Signature]</u> (Registered Driller Trainer)																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1321	1 of 1	NNE	4.35 / 22,950.91	MR POOLE TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 05/16/1993
 Owners Name: MR POOLE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 38
 Depth Drilled: 65
 Latitude: 29.9012287
 Longtiude: -95.3823146

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711


n, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711															
1) OWNER <u>M R POOLE</u> (Name) ADDRESS <u>5035 GASTON ST HOUSTON TEX 77093</u> (Street or RFD) (City) (State) (Zip)																			
2) LOCATION OF WELL: County <u>HARRIS</u> <u>1 1/2</u> miles in <u>N</u> direction from <u>HOUSTON TEX</u> (NE, SW, etc.) (Town)																			
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																			
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																			
<input type="checkbox"/> SEE ATTACHED MAP																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____															
6) WELL LOG: Date Drilling: _____ Started <u>5-15-1993</u> Completed <u>5-16-1993</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>65</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>65</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.									
Dia. (in.)	From (ft.)	To (ft.)																	
<u>4 1/2</u>	Surface	<u>65</u>																	
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																	
<u>SURF 16</u> <u>Fine Brown SAND</u> <u>16 - 42</u> <u>Red Clay</u> <u>42 - 50</u> <u>Red SAND</u> <u>50 - 58</u> <u>Red Clay</u> <u>58 - 65</u> <u>Coarse Brown SAND</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 1/2 N</u></td> <td></td> <td><u>PSC SCH 40</u></td> <td><u>58</u></td> <td><u>65</u></td> <td><u>00864</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4 1/2 N</u>		<u>PSC SCH 40</u>	<u>58</u>	<u>65</u>	<u>00864</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen														
			From	To															
<u>4 1/2 N</u>		<u>PSC SCH 40</u>	<u>58</u>	<u>65</u>	<u>00864</u>														
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> RECEIVED SEP 07 1993 </div>																			
9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>SURF</u> ft. to <u>57</u> ft. No. of Sacks Used <u>89</u> Cemented by <u>PRESSURE</u> Cemented by <u>L.F. HULL</u>																			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>48</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																	
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>0</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>38</u> ft. below land surface Date <u>5-16-93</u> Artesian flow _____ gpm. Date _____																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth <u>2</u> <u>RUBBER</u> <u>57-58</u>																	
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																			
COMPANY NAME <u>L.F. HULL</u> (Type or print) ADDRESS <u>4933 HARTWICK</u> (Street or RFD) (Signed) <u>L.F. Hull</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>2044 WP</u> <u>HOUSTON TEX</u> <u>77093</u> (City) (State) (Zip) (Signed) _____ (Registered Driller Trainee)																	
Please attach electric log, chemical analysis, and other pertinent information, if available.																			
For TWC use only: Well No. _____ Located on map <u>65.5.9</u>																			

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1322	1 of 1	NW	4.35 / 22,952.36	E J BUTLER TX	TCEQ WELL LOGS

Grid No: 65-05-8Z
Date Drilled: 12/03/1979
Owners Name: E J BUTLER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 88
Depth Drilled: 173
Latitude: 29.889012
Longtiude: -95.459711

①

65-05-82


Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		For TDWR use only Well No. <u>65-05-82</u> Located on map <u>YES</u> Received: <u>TH</u>	
1) OWNER <u>E. J. Butler</u> (Name) Address <u>10401 W. Montgomery Rd.</u> (Street or RFD) <u>Houston, Texas</u> (City) (State) (Zip)					
2) LOCATION OF WELL: County <u>Harris</u> <u>15</u> miles in <u>S.E.</u> direction from <u>Tomball</u> (Town)					
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.					
<input type="checkbox"/> Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____ <input checked="" type="checkbox"/> See attached map.					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other _____		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Driven <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
6) WELL LOG: Date drilled <u>12/3/79</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6.5</u> Surface <u>17.3</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To		Gauge Casing Screen
<u>0-3 top soil</u>		<u>4" New</u>	<u>Plastic Casing</u>	<u>0</u>	<u>160</u>
<u>3-10 red + gray clay</u>					
<u>10-17 fine sand</u>					
<u>17-40 red + gray clay</u>		<u>2.5" New</u>	<u>Plastic Screen</u>	<u>163</u>	<u>173</u>
<u>40-56 fine red sand</u>					
<u>56-74 red clay</u>					
<u>74-80 gray + blue clay</u>					
<u>80-122 coarse sand</u>					
<u>122-128 blue clay</u>					
<u>128-150 red + gray clay</u>					
<u>150-173 coarse sand</u>					
		CEMENTING DATA Cemented from <u>160</u> ft. to <u>50</u> ft. Method used <u>Pressurized</u> Cemented by <u>Indi</u> (Company or Individual)			
		9) WATER LEVEL: Static level <u>88</u> ft. below land surface Date <u>12/4/79</u> Artesian flow _____ gpm. Date _____			
		10) PACKERS: Type Depth <u>2.5" x 4" R+L 3 Ring</u> <u>155'</u>			
		11) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>126</u> ft.			
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Fresh</u> Depth of strata <u>23'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) WELL TESTS: <input type="checkbox"/> Type Test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.					
NAME <u>Bobby Potter</u> (Type or Print)		Water Well Drillers Registration No. <u>1872</u>			
ADDRESS <u>5717 Chippewa</u> (Street or RFD) <u>Houston</u> (City) <u>Texas</u> (State) <u>77086</u> (Zip)					
(Signed) <u>Bobby Potter</u> (Water Well Driller)		<u>Damrell + Potter Drilling Co.</u> (Company Name)			
Please attach electric log, chemical analysis, and other pertinent information, if available.					

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads:



000000 0000 00 0000 0000

0000 00 0000

RECEIVED

SEP 22 1980

CR/111

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1323	1 of 2	NE	4.35 / 22,952.92	Diaz, Benito TX	WW HARRIS GAL

Well ID:	11584	Diameter (inches):	2
Aggre Lead Well:	11584	Year Drilled:	2010
Permit No:	WP2022-116877	Depth Drilled:	50
Permit Start Date:	2/8/2023 11:43:00 AM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 11:43:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.89
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Collins, Charles		
Billing Contact:	NULL		
Billing Address:	11549 Brooklyn St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1323	2 of 2	NE	4.35 / 22,952.92	Charles Collins 11549 Brooklyn Houston TX 77093	SDRW WELLS

Track NO: 219306
Date Submitted: 2010-06-11
Owner Name: Charles Collins
Owner Address: 6110 Allentown
Owner Address2:
Owner City: Spring
Owner State: TX
Owner Zip: 77389
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.89
Longitude: -95.361389
Drilling Date Started: 2010-06-10
Drilling Date Completed: 2010-06-10
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=219306&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 57.0

Top Depth: 0
Bottom Depth: 57

Well Levels

Measurement: 19
Measurement Date: 2010-06-10

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1324	1 of 2	N	4.35 / 22,960.72	Velasquez, Ruben TX	WW HARRIS GAL

Well ID:	13540	Diameter (inches):	2
Aggre Lead Well:	13540	Year Drilled:	0
Permit No:	WP2021-100436	Depth Drilled:	50
Permit Start Date:	8/1/2021 3:54:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.399166
Owner Name:	Velasquez, Ruben		
Billing Contact:	NULL		
Billing Address:	15003 Marblebone Ct		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77069		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1324	2 of 2	N	4.35 / 22,960.72	Ruben Velasquez 213 Busch Houston TX 77060	SDRW WELLS

Track NO: 413888
Date Submitted: 2016-01-28
Owner Name: Ruben Velasquez
Owner Address: 213 Busch
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904722
Longitude: -95.399167
Drilling Date Started: 2016-01-27
Drilling Date Completed: 2016-01-27
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=413888&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 8
Measurement Date: 2016-01-28

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1325	1 of 2	N	4.35 / 22,971.27	Gonzalez, Juana & Jose TX	WW HARRIS GAL

Well ID:	14608	Diameter (inches):	4
Aggre Lead Well:	14608	Year Drilled:	0
Permit No:	W2021-14608-218830-0	Depth Drilled:	350
Permit Start Date:	6/9/2021 3:52:00 PM	Depth frm Surf(ft):	200
Permit End Dt:	6/30/2022 3:52:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905277
Regulatory Aarea:	3	Longitude:	-95.398888
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	11610 Pemford Drive		
Billing Address 2:	NULL		
Billing City:	Tomball		
Billing State:	TX		
Billing Zip:	77377		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1325	2 of 2	N	4.35 / 22,971.27	Jose Israel Gonzalez 217 Bush St Houston TX 77060	SDRW WELLS

Track NO: 513882
Date Submitted: 2019-06-19
Owner Name: Jose Israel Gonzalez
Owner Address: 217 Bush St
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905278
Longitude: -95.398333
Drilling Date Started: 2019-05-27
Drilling Date Completed: 2019-05-28
Chemical Analysis: No
Company Name: MARAL DRILLING
Company Address: 2621 S. GARDENIA
CompanyAddress2:
Company City: PHARR
Company State: TX
Company Zip: 78577
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=513882&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 397.0

Top Depth: 0
Bottom Depth: 397

Well Levels

Measurement: 160
Measurement Date: 2019-05-28

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1326	1 of 1	N	4.35 / 22,989.16	Cesar Barrera 426 Mading Ln. Houston TX 77037	SDRW WELLS

Track NO: 337902
Date Submitted: 2013-08-22
Owner Name: Cesar Barrera
Owner Address: 426 Mading Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906112
Longitude: -95.408334
Drilling Date Started: 2013-08-20
Drilling Date Completed: 2013-08-20
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=337902&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 12
Measurement Date: 2013-08-20

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1327	1 of 2	NNE	4.36 / 23,006.24	Dominguez, Napoleon TX	WW HARRIS GAL

Well ID:	14379	Diameter (inches):	4
Aggre Lead Well:	14379	Year Drilled:	2000
Permit No:	WP2023-111311	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.904444
Regulatory Aarea:	3	Longitude:	-95.394444
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	510 Busch Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1327	2 of 2	NNE	4.36 / 23,006.24	Napoleon Dominguez 510 Busch Houston TX 77060	SDRW WELLS

Track NO: 51793
Date Submitted: 2005-01-20
Owner Name: Napoleon Dominguez
Owner Address: 510 Busch
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904445
Longitude: -95.393889
Drilling Date Started: 2005-01-20
Drilling Date Completed: 2005-01-20
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=51793&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 2
Measurement Date: 2005-01-20

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1328	1 of 1	N	4.36 / 23,008.38	GARY MEEKS CO TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 11/03/1973
Owners Name: GARY MEEKS CO
County: HARRIS
Water Usage: OTHER
Static Level: 95
Depth Drilled: 161
Latitude: 29.90595
Longitude: -95.411706

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TMSB use only.
Well No. _____
Located on map N10
Received: 9-3
d/c

1) OWNER:
Person having well drilled Gary Meeks Co. Address 5160 S.W. freeway Houston
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 8 miles in N direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
Well is located at small shopping center at 9814 N. Freeway
North ↑
(Use reverse side if necessary)

OR Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other ☒

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 161 ft. Depth of completed well 161 ft. Date drilled 3 Nov.
All measurements made from 3 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	25	clay
25	35	sand
35	40	clay
40	48	sand
48	149	clay
149	160	sand
160	161	clay

9) CASING:
Type: Old ☒ New ☒ Steel _____ Plastic _____ Other _____
Cemented from NO ft. to _____ ft.
Diameter (inches) _____ From (ft.) _____ To (ft.) _____ Casing Size _____
2½ 0 155 std

10) SCREEN:
Type Pipe based stainless steel ribbed
Perforated _____ Slotted _____
Diameter (inches) _____ From (ft.) _____ To (ft.) _____ Slot Size _____
2½ 154 160 16 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 95 ft. below land surface Date 3 Nov. 72
Artesian pressure 126 lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 126 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Ballier test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart Water Well Drillers Registration No. 229
(Type or Print)
ADDRESS 7524 N. Freeway Houston Texas 77037
(Street or RFD) (City) (State)
(Signed) [Signature] B.J. Swinehart Co. Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1329	1 of 1	N	4.36 / 23,017.39	Ortega, Ricardo TX	WW HARRIS GAL

Well ID:	14215	Diameter (inches):	2
Aggre Lead Well:	14215	Year Drilled:	NULL
Permit No:	W2020-14215-211156-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.905277
Regulatory Aarea:	3	Longitude:	-95.398055
Owner Name:	Ortega, Ricardo		
Billing Contact:	NULL		
Billing Address:	303 Busch St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1330	1 of 1	N	4.36 / 23,021.19	K.R. ZONKER TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 07/22/1972
Owners Name: K.R. ZONKER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 318
Latitude: 29.905528
Longtiude: -95.419122

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. _____
Located on map NO
Received: 93
dlc

1) OWNER:
Person having well drilled K.R. ZONKER Address 1004 BLUEBELL HOUSTON TEX
(Name) (Street or RFD) (City) (State)
Landowner SAMME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 7 miles in N direction from HOUSTON TEX
(N, S, E, W, etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4, NE 1/4, SW 1/4, SE 1/4) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/4 in. Depth drilled 318 ft. Depth of completed well 318 ft. Date drilled 7-22-92
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 31		CLAY
31 - 44		RED SAND
44 - 49		RED CLAY
49 - 56		RED SAND
56 - 127		RED CLAY
127 - 189		SAND
189 - 211		SANDY SHALE
211 - 216		SAND
216 - 251		SANDY SHALE
251 - 300		HARD RED SAND
300 - 318		SAND

9) CASING:
Type: Old ☒ Steel ☒ Plastic ☒ Other _____
Cemented from 300 ft. to 1 ft.
Diameter (inches) 4 Setting From (ft.) PVC To (ft.) SC 4-40

10) SCREEN:
Type PVC
Perforated _____ Slotted _____
Diameter (inches) 4 Setting From (ft.) 300 To (ft.) 318 Slot Size 12 #

7) COMPLETION (Check):
Straight wall ☒ Gravel packed CEMENT Other HEAD SEAL
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 210 ft. below land surface Date 7-22-92
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 293 ft. below land surface.

11) WELL TESTS:
Was a pump test made? ☒ No If yes, by whom? _____
Yield: 980 GPH with 12 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? ☒ Yes No
Did any strata contain undesirable water? Yes No
Type of water? SOFT depth of strata 20 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME BRUNO DIETZ Water Well Drillers Registration No. 323
(Type or Print)
ADDRESS 3051 ROTHIERMAL HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) BRUNO DIETZ DIETZ PUMP WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1331	1 of 2	N	4.36 / 23,022.49	HENRY DUONG TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 1/30/2002
Owners Name: HENRY DUONG
County: HARRIS
Water Usage: DOMESTIC/INDUSTRIAL
Static Level: 8
Depth Drilled: 50
Latitude: 29.9057312
Longtiude: -95.4025644

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		as Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
WELL REPORT					
A. WELL IDENTIFICATION AND LOCATION DATA					
1) OWNER					
Name <i>Henry Duong</i>		Address <i>3803 Stableridge</i>		City <i>Houston</i>	State <i>TX</i> Zip <i>77014</i>
2) WELL LOCATION					
County <i>Harris</i>		Physical Address <i>10405 Airline</i>		City <i>Houston</i>	State <i>TX</i> Zip <i>77037</i>
3) Type of Work		Lat. _____ Long. _____		Grid # <i>65-05-9</i>	
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <i>N↑</i>	
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)	
Started <i>1/30/02</i>		Dia. (in.) From (ft.) To (ft.) <i>5</i> <i>0</i> <i>50</i>		<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Bored <input type="checkbox"/> Other _____	
Completed <i>1/30/02</i>					
From (ft)		To (ft)		Description and color of formation material	
<i>0</i>		<i>18</i>		<i>clay</i>	
<i>18</i>		<i>50</i>		<i>sand</i>	
8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from _____ ft. to _____ ft.					
Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	To	Gage Casing Screen
<i>2</i>	<i>N</i>	<i>Casing PVC</i>	<i>0</i>	<i>40</i>	<i>52440</i>
<i>2</i>	<i>N</i>	<i>Screen Slotted</i>	<i>40</i>	<i>50</i>	<i>1006</i>
9) Cementing Data					
Cementing from <i>40</i> ft. to <i>0</i> ft. # of sacks used <i>8</i>					
ft. to _____ ft. # of sacks used _____					
Method Used <i>Pressure</i>					
Cementing By <i>Raymond Services, Inc.</i>					
Distance to septic system field or other concentrated contamination <i>80</i> ft.					
Method of verification of above distance <i>Customer</i>					
10) Surface Completion					
<input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used					
11) Water Level					
Static level <i>8</i> ft. below Date <i>1/30/02</i>					
Artesian Flow _____ gpm. Date <i>1/1/02</i>					
12) Packers					
<i>None</i>					
<div style="border: 1px solid black; padding: 5px; text-align: center;"> RECEIVED TDLR MAIL ROOM CB JUN 1 2 2002 </div>					
Company or individual's Name (type or print)		Raymond Services			
Address <i>10011 Airline Drive</i>		City <i>Houston</i>		State <i>TX</i>	Zip <i>77037</i>
Signature <i>[Signature]</i>		Date <i>1/30/02</i>		Signature _____ Date _____	
Licensed Driller/Pump Installer		Apprentice		Date	

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1331	2 of 2	N	4.36 / 23,022.49	Galindo, Gerardo TX	WW HARRIS GAL

Well ID:	13787	Diameter (inches):	4
Aggre Lead Well:	13787	Year Drilled:	NULL
Permit No:	W2020-13787-210856-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.905833
Regulatory Aarea:	3	Longitude:	-95.402222
Owner Name:	Galindo, Gerardo		
Billing Contact:	NULL		
Billing Address:	10325 Airline Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1332	1 of 2	SSW	4.36 / 23,022.56	Harris Co. MUD 537 TX	WW HARRIS GAL
<div> <div> Well ID: 12556 Aggre Lead Well: 12556 Permit No: WP2023-108957 Permit Start Date: 6/1/2023 Permit End Dt: 5/31/2024 Well Status: O - Operable Regulatory Aarea: 2 Owner Name: Harris Co. MUD 537 Billing Contact: Andrew Vacek Billing Address: 1600 Hwy 6 South, Ste 245 Billing Address 2: NULL Billing City: Sugar Land Billing State: TX Billing Zip: 77478 Correspondence: NULL Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller Water Usage: L - Lake/Pond/Pool </div> <div> Diameter (inches): 5 Year Drilled: 201 Depth Drilled: 300 Depth frm Surf(ft): 280 County: H Latitude: 29.783888 Longitude: -95.441388 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1332	2 of 2	SSW	4.36 / 23,022.56	Harris Co. MUD 537 TX	WW HARRIS GAL
<div> <div> Well ID: 12557 Aggre Lead Well: 12556 Permit No: WP2023-108957 Permit Start Date: 6/1/2023 Permit End Dt: 5/31/2024 Well Status: N - Not Drilled Regulatory Aarea: 2 </div> <div> Diameter (inches): 5 Year Drilled: 201 Depth Drilled: 300 Depth frm Surf(ft): 280 County: H Latitude: 29.783888 Longitude: -95.441388 </div> </div> <div> Owner Name: Harris Co. M.U.D. No. 537 Billing Contact: Andrew Vacek Billing Address: 1600 Hwy 6 South, Ste 245 Billing Address 2: NULL Billing City: Sugar Land Billing State: TX Billing Zip: 77478 Correspondence: NULL Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller Water Usage: L - Lake/Pond/Pool </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1333	1 of 3	NE	4.36 / 23,026.15	HOUSTON PROCESS SYSTEM TX	TCEQ WELL LOGS

Grid No: 65-06-7
 Date Drilled: 03/12/1992
 Owners Name: HOUSTON PROCESS SYSTEM
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 368
 Latitude: 29.8961007
 Longtiude: -95.370376

inal copy by certified mail to: Texas Water Cor. ion, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																											
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side																													
1) OWNER <u>Houston Process Systems</u> ADDRESS <u>Hill Rd & Hardy, Houston Tx</u> (Name) (Street or RFD) (City) (State) (Zip)																													
2) LOCATION OF WELL: County <u>Harris</u> <u>10</u> miles in <u>N</u> direction from <u>Houston, Tx</u> (NE, SW, etc.) (Town)																													
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																													
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																													
<input checked="" type="checkbox"/> SEE ATTACHED MAP																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering																											
		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																											
6) WELL LOG: Date Drilling: _____ Started <u>Mar 9</u> 19 <u>92</u> Completed <u>Mar 12</u> 19 <u>92</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two strings</u> If Gravel Packed give interval . . . from _____ ft. to _____ ft.																											
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>340</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>340</u></td> <td><u>368</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>340</u>	<u>4 1/2</u>	<u>340</u>	<u>368</u>																			
Dia. (in.)	From (ft.)	To (ft.)																											
<u>6 3/4</u>	Surface	<u>340</u>																											
<u>4 1/2</u>	<u>340</u>	<u>368</u>																											
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																											
<u>0 - 30</u> <u>Clay</u> <u>30 - 40</u> <u>Sand</u> <u>40 - 160</u> <u>Clay</u> <u>160 - 180</u> <u>Sand</u> <u>180 - 240</u> <u>Clay</u> <u>240 - 260</u> <u>Sand</u> <u>260 - 340</u> <u>Clay</u> <u>340 - 368</u> <u>Sand</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>P.V.C.</u></td> <td><u>0</u></td> <td><u>340</u></td> <td><u>40</u></td> </tr> <tr> <td><u>3 1/2</u></td> <td><u>N</u></td> <td><u>P.V.C. Liner</u></td> <td><u>330</u></td> <td><u>348</u></td> <td><u>40</u></td> </tr> <tr> <td><u>3 1/2</u></td> <td><u>N</u></td> <td><u>P.V.C. Screen</u></td> <td><u>348</u></td> <td><u>368</u></td> <td><u>10</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>340</u>	<u>40</u>	<u>3 1/2</u>	<u>N</u>	<u>P.V.C. Liner</u>	<u>330</u>	<u>348</u>	<u>40</u>	<u>3 1/2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>348</u>	<u>368</u>	<u>10</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																						
			From	To																									
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>340</u>	<u>40</u>																								
<u>3 1/2</u>	<u>N</u>	<u>P.V.C. Liner</u>	<u>330</u>	<u>348</u>	<u>40</u>																								
<u>3 1/2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>348</u>	<u>368</u>	<u>10</u>																								
(Use reverse side if necessary)		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>3</u> <u>340</u> ft. to <u>340</u> ft. No. of Sacks Used <u>9</u> Method used <u>Pressure</u> Cemented by <u>C. G. W.</u>																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>330</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																											
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>Mar. 12, 92</u> Artesian flow _____ gpm. Date _____																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>28'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4x2 1/2</u></td> <td><u>330</u></td> </tr> </table>		Type	Depth	<u>4x2 1/2</u>	<u>330</u>																						
Type	Depth																												
<u>4x2 1/2</u>	<u>330</u>																												
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete forms 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																													
COMPANY NAME <u>COASTAL WATER WELLS</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u>																											
ADDRESS <u>P.O. Box 745</u> <u>Porter</u> (Street or RFD) (City)		<u>Tx</u> <u>77365</u> (State) (Zip)																											
(Signed) <u>A. L. Nichols</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																													
For TWC use only: Well No. _____ Located on map <u>65167</u>																													

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

190165

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1333	2 of 3	NE	4.36 / 23,026.15	Guzman, Jaqueline TX	WW HARRIS GAL

Well ID:	13288	Diameter (inches):	4
Aggre Lead Well:	13288	Year Drilled:	0
Permit No:	W2020-13288-210903-0	Depth Drilled:	400
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.895833
Regulatory Aarea:	3	Longitude:	-95.370277
Owner Name:	Guzman, Jaqueline		
Billing Contact:	NULL		
Billing Address:	12004 E. Hardy Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1333	3 of 3	NE	4.36 / 23,026.15	Jaqueline Guzman 12004 E. Hardy Rd Houston TX 77039	SDRW WELLS

Track NO: 387813
Date Submitted: 2015-02-10
Owner Name: Jaqueline Guzman
Owner Address: 12004 E. Hardy Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.895972
Longitude: -95.370306
Drilling Date Started: 2015-02-06
Drilling Date Completed: 2015-02-09
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=387813&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 380

Top Depth: 380
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 185
Measurement Date: 2015-02-10

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1334	1 of 1	E	4.36 / 23,037.40	Johnson Nguyen 8802 Manus St. Houston TX 77093	SDRW WELLS

Track NO: 165613
Date Submitted: 2009-01-16
Owner Name: Johnson Nguyen
Owner Address: 8802 Manus St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.839445
Longitude: -95.336945
Drilling Date Started: 2008-11-20
Drilling Date Completed: 2008-11-21
Chemical Analysis: No
Company Name: B&R Water Well Drilling, Inc.
Company Address: 40619 FM 149
CompanyAddress2:
Company City: Magnolia
Company State: TX
Company Zip: 77354
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=165613&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 105
Measurement Date:

Well Strata

Water Type:

Ground

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1335	1 of 2	NNW	4.36 / 23,040.84	Southwestern Bell Telephone Co. TX	GWDB

Well Rep Track No:
State Well No: 6505804
Owner Name: Southwestern Bell Telephone Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1954
Well Depth: 333
Well Usage: Domestic
Water Level Status:
Latitude: 29.9047230
Longitude: -95.4244440
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505804&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505804&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1335	2 of 2	NNW	4.36 / 23,040.84	Southwestern Bell Telephone Co. TX	WW HARRIS GAL

Well ID:	2882	Diameter (inches):	4
Aggre Lead Well:	2882	Year Drilled:	1954
Permit No:	W1979-2882-3210-0	Depth Drilled:	333
Permit Start Date:	6/1/1979	Depth frm Surf(ft):	318
Permit End Dt:	10/31/1982	County:	H
Well Status:	P - Plugged	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.424166
Owner Name:	Southwestern Bell Telephone Co.		
Billing Contact:	NULL		
Billing Address:	208 S. Akard St., Room 2420		
Billing Address 2:	NULL		
Billing City:	Dallas		
Billing State:	TX		
Billing Zip:	75202		
Correspondence:	SBC Communications Inc.		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1336	1 of 1	WSW	4.36 / 23,043.87	AIR LIQUIDE AMERICA CORPORATION TX	WW HARRIS GAL

Well ID:	4600	Diameter (inches):	4
Aggre Lead Well:	4600	Year Drilled:	1950
Permit No:	W1999-4600-61520-0	Depth Drilled:	380
Permit Start Date:	6/1/1999	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2000	County:	H
Well Status:	P - Plugged	Latitude:	29.809722
Regulatory Aarea:	3	Longitude:	-95.472777
Owner Name:	AIR LIQUIDE AMERICA CORPORATION		
Billing Contact:	REGION MANAGER		
Billing Address:	3602 W. 11TH		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77008		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1337	1 of 2	N	4.36 / 23,046.08	A-1 Radiator TX	WW HARRIS GAL

Well ID:	10357	Diameter (inches):	2
Aggre Lead Well:	10357	Year Drilled:	2006
Permit No:	W2019-10357-204076-0	Depth Drilled:	50
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.905833
Regulatory Aarea:	3	Longitude:	-95.401388
Owner Name:	A-1 Radiator		
Billing Contact:	Josefina A. Frage		
Billing Address:	13501 Robertsvale Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1337	2 of 2	N	4.36 / 23,046.08	A-1 Radiator 10318 Airline Houston TX 77037	SDRW WELLS

Track NO: 82816
Date Submitted: 2006-05-15
Owner Name: A-1 Radiator
Owner Address: 10318 Airline
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905556
Longitude: -95.401112
Drilling Date Started: 2006-04-19
Drilling Date Completed: 2006-04-19
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=82816&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2006-04-19

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1338	1 of 1	NE	4.37 / 23,050.12	Rudy Juarez 1554 Collins Houston TX 77093	SDRW WELLS

Track NO: 21697
Date Submitted: 2003-06-17
Owner Name: Rudy Juarez
Owner Address: 1554 Collins
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.840556
Longitude: -95.361945
Drilling Date Started: 2003-06-12
Drilling Date Completed: 2003-06-12
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=21697&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 15
Measurement Date: 2003-06-12

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1339	1 of 2	NNE	4.37 / 23,053.49	Shahshahani, Majid TX	WW HARRIS GAL

Well ID:	10637	Diameter (inches):	2
Aggre Lead Well:	10637	Year Drilled:	2007
Permit No:	WP2023-111868	Depth Drilled:	50
Permit Start Date:	8/1/2023 3:29:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 3:29:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.381666
Owner Name:	Ortiz Auto Parts # 2		
Billing Contact:	NULL		
Billing Address:	P.O. Box 740558		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77274		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1339	2 of 2	NNE	4.37 / 23,053.49	Big Time Car & Truck 810 Aldine Mail Rt. Houston TX 77037	SDRW WELLS

Track NO: 114323
Date Submitted: 2007-06-12
Owner Name: Big Time Car & Truck
Owner Address: 810 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901945
Longitude: -95.381944
Drilling Date Started: 2007-06-08
Drilling Date Completed: 2007-06-08
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=114323&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 67

Top Depth:
Bottom Depth: 67.0

Well Levels

Measurement: 3
Measurement Date: 2007-06-08

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1340	1 of 2	NE	4.37 / 23,055.10	R.W. WALKER TX	TCEQ WELL LOGS

Grid No: 65-06-7T
Date Drilled: 08/26/1985
Owners Name: R.W. WALKER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 231
Depth Drilled: 367
Latitude: 29.8904679
Longitude: -95.3615924

Please use black ink.
Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER R.W. Walker Address 11555 Brooklyn Houston TX 77093
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 8 miles in N direction from Houston
(N.E., S.W., etc.) (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map. Map on 60-56-7CC

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 8-26-85

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	<u>Surface</u>	<u>347</u>
<u>4 1/2</u>	<u>347</u>	<u>367</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Drifted Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-38</u>	<u>C</u>	
<u>38-44</u>	<u>S</u>	
<u>44-70</u>	<u>C</u>	
<u>70-90</u>	<u>S</u>	
<u>90-347</u>	<u>S&C</u>	
<u>347-367</u>	<u>S</u>	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>Galv Steel</u>	<u>0</u>	<u>347</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC wrapped</u>	<u>347</u>	<u>367</u>	<u>12</u>

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
275 ft. to 347 ft.
Method used C&C
Cemented by Inv.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 231 ft. below land surface Date 8-28-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Low Water Wells Water Well Driller's License No. 1182
(Type or Print)

ADDRESS P.O. Box 89 Porter TX 77365
(Street or RFD) (City) (State) (Zip)

(Signed) Home L Low (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-86-7T
Located on map 465 DLF

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1340	2 of 2	NE	4.37 / 23,055.10	Verdeja, Luis TX	WW HARRIS GAL

Well ID:	6745	Diameter (inches):	4
Aggre Lead Well:	6745	Year Drilled:	NULL
Permit No:	WP2023-111864	Depth Drilled:	0
Permit Start Date:	8/1/2023 3:18:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:18:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.890555
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Verdeja, Luis		
Billing Contact:	NULL		
Billing Address:	4923 Charrtion Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1341	1 of 1	N	4.37 / 23,055.30	RAYMOND RAIBOURN TX	TCEQ WELL LOGS

Grid No: 65-05-9WW
Date Drilled: 10/06/1982
Owners Name: RAYMOND RAIBOURN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 298
Latitude: 29.9060939
Longitude: -95.4081394

⑦

DUB

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-0596W
Located on map YBS
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Raymond R. bourn Address 422 Mading Lane Houston, Tx, 77037
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-17-1F

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 10-6-82

DIAMETER OF HOLE		From (ft.)		To (ft.)	
4"	Surface				343
6 3/4"	"				298

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other Two-String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0	8	Grey clay					
8	19	Yellow and grey					
19	55	Sand	4"	N	PVC Casing	+18	298
55	56	Rock	2 1/2"	N	PVC Liner	317	343
56	64	Sand	2 1/2"	N	Screen SCH 80	317	297
64	125	Red and grey clay	2 1/2"	N	Liner SCH 80	279	287
125	156	Sand					
156	202	Red and grey clay					
202	225	Sand					
225	265	Red and grey					
265	274	Sand					
274	284	Clay					
284	317	Sand 16 ga.					
317	327	Clay					
327	340	Sand 10					
340	343	Clay					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA

Cemented from 298' ft. to 200 ft.
Method used Pressure
Cemented by Raymond Water Wells
(Company or Individual)

9) WATER LEVEL:
Static level 225 ft. below land surface Date 10-8-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

RECEIVED
MAR 29 1983
DEPT. OF
WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. 774
(Type or Print)

ADDRESS 10011 Airline Drive Houston, Texas 77037
(Street or RFD) (City) (State) (Zip)

(Signed) C.A. Raymond Jr. Raymond Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)


DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1342	1 of 1	N	4.37 / 23,057.25	MIKE FERGUSON TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 09/22/1986
Owners Name: MIKE FERGUSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 345
Latitude: 29.905919
Longitude: -95.415732

31.

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1343	1 of 1	NNE	4.37 / 23,061.25	Amaya, Amilcar TX	WW HARRIS GAL

Well ID:	4208	Diameter (inches):	4
Aggre Lead Well:	4208	Year Drilled:	1983
Permit No:	WP2023-114557	Depth Drilled:	460
Permit Start Date:	11/1/2023 1:46:00 PM	Depth frm Surf(ft):	447
Permit End Dt:	10/31/2024 1:46:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905277
Regulatory Aarea:	3	Longitude:	-95.397222
Owner Name:	Amaya, Amilcar		
Billing Contact:	NULL		
Billing Address:	16886 Springfield		
Billing Address 2:	NULL		
Billing City:	Conroe		
Billing State:	TX		
Billing Zip:	77302		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1344	1 of 1	NNE	4.37 / 23,075.40	DOROTHY MAY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 4/23/1997
Owners Name: DOROTHY MAY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 9
Depth Drilled: 52
Latitude: 29.904597
Longitude: -95.3933633

Send original copy by certified mail to: TNRCC, P.O. Box

Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>DOROTHY MAY</u> (Name)		ADDRESS <u>532 BUSCH HOUSTON TX 77060</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>HARRIS</u>		<u>532 BUSCH</u> (Street or RFD)		GRID # <u>65-05-9</u> (City) (State) (Zip)																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: <u>4-23 1997</u> Started <u>4-23 1997</u> Completed <u>4-23 1997</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4</u></td> <td>Surface</td> <td><u>52</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4</u>	Surface	<u>52</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4</u>	Surface	<u>52</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0</u> <u>18</u> <u>CLAY</u> <u>18</u> <u>22</u> <u>CLAY</u> <u>22</u> <u>52</u> <u>W/ SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>42</u> ft. to <u>52</u> ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PLASTIC</u></td> <td><u>0</u></td> <td><u>42</u></td> <td><u>SC440</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PLASTIC SLOTTED</u></td> <td><u>42</u></td> <td><u>52</u></td> <td><u>.008</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>42</u>	<u>SC440</u>	<u>2</u>	<u>N</u>	<u>PLASTIC SLOTTED</u>	<u>42</u>	<u>52</u>	<u>.008</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>42</u>	<u>SC440</u>																				
<u>2</u>	<u>N</u>	<u>PLASTIC SLOTTED</u>	<u>42</u>	<u>52</u>	<u>.008</u>																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>42</u> ft. No. of sacks used <u>8</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>RAYMOND SERVICES</u> Distance to septic system field lines <u>50</u> ft. Method of verification of above distance <u>CUSTOMER</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		10) SURFACE COMPLETION [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71] Date <u>SEP 25 1997</u>																							
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>8</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>9</u> ft. below land surface Date <u>4/23/97</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: Type Depth <u>NONE</u>																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>RAYMOND SERVICES INC</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4577 WI</u>																									
ADDRESS <u>10011 AIRLINE DR.</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TEXAS</u> (State) <u>77037</u> (Zip)																									
(Signed) _____ (Signed) _____ (Registered Driller Trainee)																									
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1345	1 of 2	NNE	4.37 / 23,081.39	Don, Rogelio TX	WW HARRIS GAL

Well ID:	11765	Diameter (inches):	2
Aggre Lead Well:	11765	Year Drilled:	201
Permit No:	WP2023-111856	Depth Drilled:	50
Permit Start Date:	8/1/2023 2:44:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.905277
Regulatory Aarea:	3	Longitude:	-95.396944
Owner Name:	Don, Rogelio		
Billing Contact:	NULL		
Billing Address:	11926 Bourgeois Forest Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77066		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1345	2 of 2	NNE	4.37 / 23,081.39	Rogelio Don 323 Busch Houston TX 77037	SDRW WELLS

Track NO: 238651
Date Submitted: 2010-12-22
Owner Name: Rogelio Don
Owner Address: 11315 Sunfish Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77067
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904723
Longitude: -95.396945
Drilling Date Started: 2010-12-22
Drilling Date Completed: 2010-12-22
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=238651&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2010-12-22

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1346	1 of 1	NNE	4.37 / 23,088.98	Romero Rodriguez 325 Busch Houston TX 77060	SDRW WELLS

Track NO: 38498
Date Submitted: 2004-06-03
Owner Name: Romero Rodriguez
Owner Address: 325 Busch
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905278
Longitude: -95.396667
Drilling Date Started: 2004-06-02
Drilling Date Completed: 2004-06-03
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=38498&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 6
Measurement Date: 2004-06-02

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1347	1 of 2	WSW	4.37 / 23,093.63	EDDIE WILLRICK TX	TCEQ WELL LOGS

Grid No: 65-13-4
Date Drilled: 10/09/1997
Owners Name: EDDIE WILLRICK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 224
Depth Drilled: 360
Latitude: 29.816739
Longtiude: -95.477422

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>Eddie Willrick</u>		ADDRESS <u>5925 Garden Dale</u>		Houston Texas 77092																											
2) ADDRESS OF WELL: <u>same</u>		(Street or RFD)		(City)	(State) (Zip)																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: <u>10/9/97</u> Started: <u>19</u> Completed: <u>19</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>8.5</td> <td>Surface</td> <td>340</td> </tr> <tr> <td>37/8</td> <td>340</td> <td>360</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	8.5	Surface	340	37/8	340	360	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
8.5	Surface	340																													
37/8	340	360																													
From (ft.) To (ft.) Description and color of formation material <u>0-40 RED CLAY</u> <u>40-75 FINE RED SAND</u> <u>80-100 RED CLAY</u> <u>100-110 CLAY</u> <u>110-120 SAND</u> <u>120-140 WHITE CLAY</u> <u>150-160 SAND</u> <u>160-200 CLAY</u> <u>220-260 SAND & CLAY</u> <u>260-280 CLAY & SAND</u> <u>280-297 CLAY</u> <u>297-360 SAND 16CA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>2 string</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>n</td> <td>plastic</td> <td>0</td> <td>340</td> <td>sch 40</td> </tr> <tr> <td>2 1/2</td> <td>n</td> <td>plastic slotted</td> <td>340</td> <td>380</td> <td>16ca</td> </tr> <tr> <td>2 1/2</td> <td>n</td> <td>sch 40 liner</td> <td>330</td> <td>340</td> <td></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen	From	To	4	n	plastic	0	340	sch 40	2 1/2	n	plastic slotted	340	380	16ca	2 1/2	n	sch 40 liner	330	340	
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
4	n	plastic	0	340	sch 40																										
2 1/2	n	plastic slotted	340	380	16ca																										
2 1/2	n	sch 40 liner	330	340																											
(Use reverse side if necessary)		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>55</u> ft. to <u>55</u> ft. No. of sacks used <u>7</u> <u>55</u> ft. to <u>340</u> ft. No. of sacks used <u>32</u> Method used _____ Cemented by <u>Raymond Services</u> Distance to septic system field lines <u>150</u> ft. Method of verification of above distance _____																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowl, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Baller <input checked="" type="checkbox"/> Joried <input type="checkbox"/> Estimated Yield: <u>40</u> gpm with <u>21</u> ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>224</u> ft. below land surface Date <u>10/13/97</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>1 K-packer</u></td> <td><u>350</u></td> </tr> </table>		Type	Depth	<u>1 K-packer</u>	<u>350</u>	FILE ID _____ SEQ # _____ DESC CO _____																							
Type	Depth																														
<u>1 K-packer</u>	<u>350</u>																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.																															
COMPANY NAME <u>Raymond Services Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>		APR 21 1998 TEMP 77037																											
ADDRESS <u>10011 Airline Drive</u> (Street or RFD)		Houston (City)		Texas (State)																											
(Signed) _____ (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1347	2 of 2	WSW	4.37 / 23,093.63	EDDIE WILLOWRICH TX	TCEQ WELL LOGS

Grid No: 65-13-5C
Date Drilled: 02/05/????
Owners Name: EDDIE WILLOWRICH
County: HARRIS
Water Usage: DOMESTIC
Static Level: 160
Depth Drilled: 396
Latitude: 29.816739
Longitude: -95.477422

5C Day

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-13-2
Located on map 1-2
Received: 7/2/71
116

1) OWNER:
Person having well drilled Eddie Wilkrich Address Gardendale Houston TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address SAME
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in _____ direction from _____
(N, E, S, W, etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4, NE 1/4, SW 1/4, SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 1-3/4 in. Depth drilled _____ ft. Depth of completed well _____ ft. Date drilled _____
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Surface
1	2	Topsoil
2	3	Clay
3	4	Sand
4	5	Gravel
5	6	Clay
6	7	Sand
7	8	Gravel
8	9	Clay
9	10	Sand
10	11	Gravel
11	12	Clay
12	13	Sand
13	14	Gravel
14	15	Clay
15	16	Sand
16	17	Gravel
17	18	Clay
18	19	Sand
19	20	Gravel
20	21	Clay
21	22	Sand
22	23	Gravel
23	24	Clay
24	25	Sand
25	26	Gravel
26	27	Clay
27	28	Sand
28	29	Gravel
29	30	Clay
30	31	Sand
31	32	Gravel
32	33	Clay
33	34	Sand
34	35	Gravel
35	36	Clay
36	37	Sand
37	38	Gravel
38	39	Clay
39	40	Sand
40	41	Gravel
41	42	Clay
42	43	Sand
43	44	Gravel
44	45	Clay
45	46	Sand
46	47	Gravel
47	48	Clay
48	49	Sand
49	50	Gravel
50	51	Clay
51	52	Sand
52	53	Gravel
53	54	Clay
54	55	Sand
55	56	Gravel
56	57	Clay
57	58	Sand
58	59	Gravel
59	60	Clay
60	61	Sand
61	62	Gravel
62	63	Clay
63	64	Sand
64	65	Gravel
65	66	Clay
66	67	Sand
67	68	Gravel
68	69	Clay
69	70	Sand
70	71	Gravel
71	72	Clay
72	73	Sand
73	74	Gravel
74	75	Clay
75	76	Sand
76	77	Gravel
77	78	Clay
78	79	Sand
79	80	Gravel
80	81	Clay
81	82	Sand
82	83	Gravel
83	84	Clay
84	85	Sand
85	86	Gravel
86	87	Clay
87	88	Sand
88	89	Gravel
89	90	Clay
90	91	Sand
91	92	Gravel
92	93	Clay
93	94	Sand
94	95	Gravel
95	96	Clay
96	97	Sand
97	98	Gravel
98	99	Clay
99	100	Sand

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____

10) SCREEN:
Type _____
Perforated _____ Slotted ☒
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other ☒
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME _____ (Type or Print) Water Well Drillers Registration No. _____
ADDRESS _____ (Street or RFD) _____ (City) _____ (State)
(Signed) _____ (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1348	1 of 3	N	4.37 / 23,098.48	KIM DOAN TX	TCEQ WELL LOGS

Grid No: 65-05-8
 Date Drilled: 07/07/1999
 Owners Name: KIM DOAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 436
 Latitude: 29.905582
 Longtiude: -95.420515

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: DOAN, KIM ADDRESS: 1018 1/2 BLUE BELL CITY: HOUSTON STATE: TX ZIP: 77038-

2) ADDRESS OF WELL: 5)

County: HARRIS GRID # 65-05-8

Street or RFD: 1018 1/2 BLUE BELL

City, State, Zip code: HOUSTON, TX 77038-

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

5) WELL LOG: 19987 DIAMETER OF HOLE 7) DRILLING METHOD: 8) BOREHOLE COMPLETION:
DATE DRILLING: 6.5 0 436 MUD ROTARY STRAIGHT WALL N
STARTED: 06/28/99 IF GRAVEL... FROM FT. TO FT.
COMPLETED: 07/07/99 FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:
DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
4 N PVC CASING 0 405 WW
2.5 N PVC LINER 395 406 80
2.5 N SUPERFLO SCREEN 406 436 08

GEOLOGICAL DESCRIPTION:

FROM TO DESCRIPTION

0 3 TOP SOIL
3 130 CLAY
130 178 SAND
178 208 CLAY
208 232 SAND
232 234 ROCK
234 288 CLAY
288 354 SAND
354 358 CLAY
358 365 SAND
365 378 CLAY
378 395 SAND
395 407 CLAY
407 436 SAND

9) CEMENTING DATA:
Cemented from No. of Sacks Used
405 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 240 FT. DATE: 07/07/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P VALVE 395

13) TYPE PUMP: 14) WELL TEST:
SUBMERSIBLE JETTED
DEPTH TO PUMP: 315 YIELD: 20 GPM WITH FT DRAWDOWN AFTER HRS


15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 29 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883% FOR TWC USE ONLY
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744 WELL NO. LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) *Royeta mcca* (signed) (LICENSED WATER WELL DRILLER)

(REGISTERED DRILLER-TRAINEE)



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1348	2 of 3	N	4.37 / 23,098.48	Doan, David TX	WW HARRIS GAL

Well ID:	7546	Diameter (inches):	2
Aggre Lead Well:	7546	Year Drilled:	1992
Permit No:	W2005-7546-117924-0	Depth Drilled:	300
Permit Start Date:	6/1/2005	Depth frm Surf(ft):	0
Permit End Dt:	6/1/2005	County:	H
Well Status:	2 - No electric or plumbing	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.420555
Owner Name:	Doan, David		
Billing Contact:	NULL		
Billing Address:	1018 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1348	3 of 3	N	4.37 / 23,098.48	Doan, David TX	WW HARRIS GAL

Well ID:	7545	Diameter (inches):	5
Aggre Lead Well:	7545	Year Drilled:	1991
Permit No:	WP2023-106346	Depth Drilled:	0
Permit Start Date:	6/1/2023 4:56:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 4:56:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.420555
Owner Name:	Doan, David		
Billing Contact:	NULL		
Billing Address:	1018 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	A - Agricultural Irrigation		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1349	1 of 1	NNE	4.38 / 23,100.61	BU PHAM TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 07/22/1999
Owners Name: BU PHAM
County: HARRIS
Water Usage: PUBLIC SUPPLE
Static Level: NOT REPORTED
Depth Drilled: 455
Latitude: 29.9012752
Longtiude: -95.3812042

Send original copy by certified return receipt request

to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>Be Pham</u> (Name)		ADDRESS <u>814 Aldine Mail Rt. Houston Tx.</u> (Street or RFD) (City) (State) (Zip)																													
2) ADDRESS OF WELL'S LOCATION: County <u>Harris</u>		Same as above (Street, RFD or other) (City) (State) (Zip)		Grid # <u>65-05-9</u> Long. Lat.																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: <u>June 21, 1999</u> Started <u>June 21, 1999</u> Completed <u>July 22, 1999</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7 1/4</u></td> <td>Surface</td> <td><u>420</u></td> </tr> <tr> <td><u>5 1/2</u></td> <td><u>420</u></td> <td><u>455</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7 1/4</u>	Surface	<u>420</u>	<u>5 1/2</u>	<u>420</u>	<u>455</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>7 1/4</u>	Surface	<u>420</u>																													
<u>5 1/2</u>	<u>420</u>	<u>455</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0-64 Clay</u> <u>64-72 Sand</u> <u>72-86 Clay</u> <u>86-98 Sand</u> <u>98-99 Rock</u> <u>99-125 Clay</u> <u>125-157 Sand</u> <u>157-198 Clay</u> <u>198-230 Sand, rock strata</u> <u>230-248 Clay</u> <u>248-286 Sand, rock strata</u> <u>286-288 Clay</u> (Use reverse side of Well Owner's copy, if necessary)		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Two string</u> If Gravel Packed give interval from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>420</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Steel liner</u></td> <td><u>410</u></td> <td><u>425</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>S.S. Screen</u></td> <td><u>425</u></td> <td><u>455</u></td> <td><u>.06</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>420</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>Steel liner</u>	<u>410</u>	<u>425</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>S.S. Screen</u>	<u>425</u>	<u>455</u>	<u>.06</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>420</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>Steel liner</u>	<u>410</u>	<u>425</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>S.S. Screen</u>	<u>425</u>	<u>455</u>	<u>.06</u>																										
13) <input type="checkbox"/> Well plugged within 48 hours		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>420</u> ft. No. of sacks used <u>22</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>CW</u> Distance to septic system field lines or other concentrated contamination <u>150'</u> Method of verification of above distance <u>Tap, owner</u>																													
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>357</u> ft.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																													
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>42</u> gpm with <u>27</u> ft. drawdown after <u>4</u> hrs.		11) WATER LEVEL: Static level _____ ft. below land surface Date <u>7-22-99</u> Artesian flow _____ gpm. Date _____																													
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>36'</u> Was a chemical analysis made? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4x2 1/2 RSR</u></td> <td><u>K</u></td> <td><u>410'</u></td> </tr> </table>					Type	Depth	<u>4x2 1/2 RSR</u>	<u>K</u>	<u>410'</u>																				
	Type	Depth																													
<u>4x2 1/2 RSR</u>	<u>K</u>	<u>410'</u>																													
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>COASTAL WATER WELLS</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u> SED # _____																													
ADDRESS <u>P.O. Box 745</u> (Street or RFD)		<u>Porter</u> (City)		<u>Tx.</u> (State) <u>77365</u> (Zip)																											
(Signed) <u>M.R. Gehring</u> (Licensed Well Driller)		(Signed) <u>M.R. Gehring</u> (Registered Driller Trainee)																													

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1350	1 of 1	N	4.38 / 23,101.03	Le, Huyen TX	WW HARRIS GAL

Well ID:	12569	Diameter (inches):	4
Aggre Lead Well:	12569	Year Drilled:	0
Permit No:	W2021-12569-218425-0	Depth Drilled:	1
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.905833
Regulatory Aarea:	3	Longitude:	-95.401111
Owner Name:	Le, Huyen		
Billing Contact:	NULL		
Billing Address:	10324 Airline Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1351	1 of 2	NE	4.38 / 23,105.00	JOHN CHILDERS 1433 ERWIN RD HOUSTON TX 77039	SDRW WELLS

Track NO: 6307
Date Submitted: 2002-04-08
Owner Name: JOHN CHILDERS
Owner Address: 1433 ERWIN RD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.893334
Longitude: -95.367222
Drilling Date Started: 2002-03-22
Drilling Date Completed: 2002-03-23
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=6307&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 370.0

Well Levels

Measurement: 225
Measurement Date: 2002-03-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1351	2 of 2	NE	4.38 / 23,105.00	John & Jerri Childerss 1433 Erwin Houston TX 77039	SDRW WELLS

Track NO: 76816
Date Submitted: 2006-02-21
Owner Name: John & Jerri Childerss
Owner Address: 1433 Erwin
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.893889
Longitude: -95.366389
Drilling Date Started: 2006-01-30
Drilling Date Completed: 2006-01-31
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=76816&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 370.0

Well Levels

Measurement: 210
Measurement Date: 2006-02-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1352	1 of 1	NE	4.38 / 23,110.73	Cisneros, Cruz F. TX	WW HARRIS GAL

Well ID:	13662	Diameter (inches):	4
Aggre Lead Well:	13662	Year Drilled:	NULL
Permit No:	WP2023-112283	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.884722
Regulatory Aarea:	3	Longitude:	-95.354444
Owner Name:	Castleberry, Wayne		
Billing Contact:	NULL		
Billing Address:	2006 Hartwick Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	Cruz Cisneros		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1353	1 of 1	ENE	4.38 / 23,111.61	B.A. GIBSON TX	TCEQ WELL LOGS

Grid No: 65-06-4S
Date Drilled: 06/28/1971
Owners Name: B.A. GIBSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 43
Depth Drilled: 98
Latitude: 29.87978
Longitude: -95.350207

45 DVP

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 63 06 45
Located on map 2-25
Received: 8-21
8-21

1) OWNER:
Person having well drilled B. A. Gibson Address 2305 HOPPER RD HOUSTON TEX
(Name) (Street or RFD) (City) (State)
Landowner B. A. Gibson Address 2305 HOPPER RD HOUSTON TEX
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL
County HARRIS CO. miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc. 2305 HOPPER RD or Give legal location with distances and directions from adjacent sections or survey lines.
ALPINE WESTFIELD RD Labor _____ League _____
HARDY ST Block _____ Survey _____
(Use reverse side if necessary) (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored ☒

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 98 ft. Depth of completed well 86 ft. Date drilled 6-28-71
All measurements made from 1 ft 4 in above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2 1/2	SAND
2 1/2	23	red clay
23	31	gray + red clay
31	34	red sand
34	64	red clay
64	67	red sand
67	85	red clay
85	93	red sand
93	98	red clay

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) 2 in Setting From (ft.) _____ To (ft.) _____
1-4 in to 86 ft

10) SCREEN:
Type OPEN BOTTOM
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____
Slot Size _____

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 43 ft. below land surface Date 6-28-71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: 18 gpm with 11 ft. drawdown after 8 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water 63 DEGREES

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata 8

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME FREDDIE L RICHARD Water Well Drillers Registration No. 1321
(Type or Print)
ADDRESS 1220 MATHIS HOUSTON TEX
(Street or RFD) (City) (State)
(Signed) Freddie L. Richard F. L. Richard Plumbing
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1354	1 of 1	NNE	4.38 / 23,118.69	Pham, Be U. TX	WW HARRIS GAL

Well ID:	7581	Diameter (inches):	4
Aggre Lead Well:	7581	Year Drilled:	1999
Permit No:	WP2023-111608	Depth Drilled:	450
Permit Start Date:	8/1/2023 2:05:00 PM	Depth frm Surf(ft):	420
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.380833
Owner Name:	Pham, Be U.		
Billing Contact:	NULL		
Billing Address:	522 Shane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1355	1 of 1	NE	4.38 / 23,119.16	Phiet Nguyen 1602 Erwin Houston TX 77039	SDRW WELLS

Track NO: 101880
Date Submitted: 2007-01-11
Owner Name: Phiet Nguyen
Owner Address: 1602 Erwin
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.895556
Longitude: -95.368611
Drilling Date Started: 2003-09-22
Drilling Date Completed: 2003-09-24
Chemical Analysis:
Company Name: Lowe Water Wells, Inc.
Company Address: P. O. Box 89
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=101880&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 20

Top Depth: 350
Bottom Depth: 380

Top Depth: 20
Bottom Depth: 350

Top Depth:
Bottom Depth: 380.0

Well Levels

Measurement: 215
Measurement Date: 2003-09-24

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1356	1 of 1	E	4.38 / 23,122.82	Bobby Slay 3223 Turner Houston TX 77093	SDRW WELLS

Track NO: 85123
Date Submitted: 2006-06-16
Owner Name: Bobby Slay
Owner Address: 3223 Turner
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.849722
Longitude: -95.336945
Drilling Date Started: 2006-06-15
Drilling Date Completed: 2006-06-15
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=85123&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2006-06-16

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1357	1 of 1	N	4.38 / 23,132.75	DREAM WORKS/ MR WARREN DAILY TX	TCEQ WELL LOGS

Grid No: 65-05-9RR
 Date Drilled: 05/14/1984
 Owners Name: DREAM WORKS/ MR WARREN DAILY
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 220
 Depth Drilled: 325
 Latitude: 29.9062985
 Longitude: -95.4112666

✓ Dup. WK#157

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-05-988
Located on map 440MM
Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MR. WARREN DAILY Address 9800 North Freeway Houston TX 77037
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 9800 Blue Bell
County HARRIS miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-05-9AAA

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 5/14/84

DIAMETER OF HOLE	
Dia. (in.)	From (ft.) To (ft.)
<u>6 3/4</u>	<u>Surface</u> <u>325</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0 - 22</u>		<u>TOP SOIL & CLAY</u>
<u>22 - 45</u>		<u>SURFACE SAND</u>
<u>45 - 105</u>		<u>CLAY</u>
<u>105 - 126</u>		<u>SAND</u>
<u>126 - 160</u>		<u>CLAY</u>
<u>160 - 222</u>		<u>SAND</u>
<u>222 - 260</u>		<u>CLAY</u>
<u>260 - 325</u>		<u>SAND</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>315</u>	
<u>2</u>	<u>N</u>	<u>GAIV</u>	<u>310</u>	<u>315</u>	
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>315</u>	<u>325</u>	<u>016</u>

CEMENTING DATA
Cemented from 0 ft. to 315 ft.
Method used HAIR BURTON
Cemented by BUSSELL & SON INC.
(Company or Individual)

9) WATER LEVEL:
Static level 220 ft. below land surface Date 5/15/84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG D. BUSSELL Water Well Drillers Registration No. 2035
(Type or Print)

ADDRESS P.O. Box 874 TOMBALL TX 77375
(Street or RFD) (City) (State) (Zip)

(Signed) Craig Bussell Bussell & Son, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1358	1 of 2	NNW	4.38 / 23,146.33	STANLEY CONSTRUCTION TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/12/1986
Owners Name: STANLEY CONSTRUCTION
County: HARRIS
Water Usage: DOMESTIC
Static Level: 235
Depth Drilled: 320
Latitude: 29.904643
Longitude: -95.427051

1.0m: SINK
.6m: ELWL

Please use black ink. Send original copy by certified mail to the Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Stanley Construction (Name) Address 1330 Bluebell Houston Texas 77038 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 10 1/4 miles in NNW direction from Center of DT Houston (N.E., S.W., etc.) (Town)

Well is located at NW corner of intersection of Bluebell & Sweetwater

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling: Started 10-11-86 19____
 Completed 10-12-86 19____

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
6 1/2	Surface 320	
0	25	clay
25	55	sand & Rock
55	130	clay
130	161	sand
161	190	clay
190	220	sand
220	265	clay
265	283	sand
283	296	clay
296	319	sand
319	320	clay

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	+2	291	S40
4	N	Black stee	291	308	"
2 1/2	N	Gal. steel lap	303	311	"
2 1/2	N	SS, RB screen	311	319	16ga
2 1/2	N	NN & BPV	319	320	

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 308 ft. to GL ft. No. of Sacks Used 18
 _____ ft. to _____ ft. No. of Sacks Used _____
 Method used Halliburton
 Cemented by SWINEHART CO.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 235 ft. below land surface Date 10-12-86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____
4x2 1/2" lead seal set 303'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., set 300' ft.

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated
 Yield: 35 gpm with 20 ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME B. J. Swinehart Co., Inc Water Well Driller's License No. 229
B. J. Swinehart

ADDRESS 7524 N Freeway Houston, Texas 77037
 (Street or RFD) (City) (State) (Zip)


(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. 65-05-9
 Located on map _____

TWC-0392 (Rev. 06-10-85)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1358	2 of 2	NNW	4.38 / 23,146.33	BLUE BELL MANOR UTILITY CO INC TX	TCEQ WELL LOGS

Grid No: 65-05-8
 Date Drilled: 07/19/1999
 Owners Name: BLUE BELL MANOR UTILITY CO INC
 County: HARRIS
 Water Usage: PUBLIC SUPPLY
 Static Level: 238
 Depth Drilled: 640
 Latitude: 29.904643
 Longtiude: -95.427051

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
 Privilege Notice on reverse side
 of Well Owner's copy

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
 P.O. Box 12157
 Austin, TX 78711
 512-463-7880

1) OWNER Blue Bell Manor Utility Co., Inc. ADDRESS 1330 Blue Bell Houston Texas 77038
 (Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Long. 95.25 Lat. 29.54
 County Harris 1330 Blue Bell Road Houston Tx 77038 GRID # 65-05-8
 (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☐ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☒ Public Supply ☐ De-watering ☐ Testwell
 If Public Supply well, were plans submitted to the TNRCC? ☒ Yes ☐ No

5) X

6) WELL LOG:
 Date Drilling: Started May 24, 1999
 Completed July 19, 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
26	Surface	30
8.5	30	750
17.5	30	640

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other _____

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☒ Underreamed ☒ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from 330 ft. to 630 ft.

Note: See Attached Driller's Log

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
Note: See Attached Installed Materials List					

(Use reverse side if necessary)

13) ☐ Well plugged within 48 hours
 Casing left in well: From (ft) N/A To (ft) N/A
 Cement/bentonite placed in well: From (ft) N/A To (ft) N/A
 Sacks used: N/A

14) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other 60HP-Crown 7H-400-6
 Depth to pump bowls, cylinder, jet, etc., 399 ft.

15) WELL TESTS:
 Type test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 540 gpm with 77 ft. drawdown after 36 hrs.

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☒ Yes ☐ No

9) CEMENTING DATA
 Cemented from 0 ft. to 30 ft. No. of sacks used 126
0 ft. to 494 ft. No. of sacks used 309
 Method used Halliburton
 Cemented by Acid & Cementing
 Distance to septic system field lines or other concentrated contamination _____ ft.
 Method of verification of above distance _____

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed
☐ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) WATER LEVEL
 Static Level 238 ft. below land surface Date 06/29/99
 Artesian flow _____ gpm Date _____

12) PACKERS: Type _____ Depth _____
None

FILE ID	SEQ #
EMP # <u>JUL 26 64236W</u>	DESC CO

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME J & S Water Wells WELL DRILLER'S LICENSE NO. 77416
 (Type or print) (City) (State) (Zip)

ADDRESS P.O. Box 675
 (Street or RFD)

(Signed) Thomas Salinas (Signed) _____
 (Licensed Well Driller) (Registered Driller-Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98)

Copies to TDI R, DRI I FR, and WFI I OWNFR

Form provided by Forms On-A-Disk, Inc. - Dallas, Texas - (214) 340-9429

65-05-8

Blue Bell Manor Utility Company, Inc.

Water Plant No. 3 Expansion Water Well

Driller's Log

From (ft.) to (ft).

Description and Color Of Formation Material

0 - 30	(20 Inch Conductor)
30 - 80	Gray Clay
80 - 145	Red Clay
145 - 178	Coarse Blue/White Sand
178 - 230	Soft Blue Clay
230 - 260	Semi-Coarse Brown Sand
260 - 270	Coarse Gray Sand
270 - 310	Gray Clay
310 - 378	Coarse Brown Sand
378 - 410	Brown Shale
410 - 430	Semi-Coarse Brown and Gray Sand
430 - 450	Coarse Blue Sand
450 - 500	Gray Clay and Rocks
500 - 525	Semi-Coarse Brown Sand
525 - 538	Hard Clay and Rocks
538 - 580	Brown Sand
580 - 625	Hard Sand and Broken Rocks Mixed
625 - 728	Hard Shale and Rocks
728 - 750	Hard Clay and Rocks

FILE ID		SEQ #
EMP #	JUL 26 1999	DESC CC
COMMENT		TEMP

65-05-8

Blue Bell Manor
Water Well No. 3


Installed Materials

<u>Item</u>	<u>Description</u>	<u>Amount</u>	<u>Remarks</u>
Conductor	20" X .312 Wall 65.60#/ft, ERW C/S	30 Ft.	East Texas Drilling
Cement	Slurry	10 Yd.	Campbell
Casing	12.75 X .375 Wall 49.56#/ft, ERW, API5LB, CS, PEB, SRL	494 Ft.	Cierra
Cement	Pressure, 13.1#/g, 8 % Gel, 50% Excess	309 Sks	Acid & Cement
Liner	8.625 X .322 Wall, 28.55#/ft, ERW API5LB CS, PEB, SRL	544 Ft.	Cierra
Screen	8" X SSRB, .025 slot 304SS	106 Ft	US Filter
Gravel	12-20 Filtersil, WG #1	19 yds	Unimin
Centralizers	Standard, 12"X18"	8	Industrial
Float Shoe	Standard, with basket	1	Weatherford
B/P Valve	4" Saw Tooth Nipple R/L, 4X4 Washplug	1	Wesco/U.S. Filter


FILE ID		SEQ #
EMP #	JUL 26 1999	DESC CO
COMMENT		TEMP

65-05-8

X



BLUE BELL MANOR Utility COMPANY INC WATER PLANT No 3 EXPANSION Well



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1359	1 of 1	NE	4.38 / 23,148.36	ROBERT RICHBURG TX	TCEQ WELL LOGS

Grid No: 65-06-7
 Date Drilled: 01/21/2000
 Owners Name: ROBERT RICHBURG
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 20
 Depth Drilled: 48
 Latitude: 29.89344
 Longtiude: -95.365316

Send original copy by certified return receipt request-

to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880	
1) OWNER <u>ROBERT RICH BURE</u> ADDRESS <u>1516 ERWIN HWY TX 77039</u>					
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>SAME</u> (City) (State) (Zip) Long. Lat. Grid # <u>65-06-7</u>					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: <u>1/24/2000</u> Started <u>1/21/2000</u> Completed <u>1/21/2000</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>5 1/4"</u> Surface <u>48</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other	
From (ft.) To (ft.) Description and color of formation material <u>0-15 YELLOW CLAY</u> <u>15-38 SAND GCA</u> <u>38-48 SAND GCA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval from <u>38</u> ft. to <u>48</u> ft.			
		CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gauge Casing Screen <u>2</u> N Plastic <u>CASE 0 38 2 1/4</u> <u>2</u> N Plastic <u>SCREEN 38 48 2 1/4</u>			
(Use reverse side of Well Owner's copy, if necessary)		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>38</u> ft. No. of sacks used <u>6</u> ft. to ft. No. of sacks used Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>80</u> ft. Method of verification of above distance <u>CUSTOMER</u>			
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: From (ft.) To (ft.) Cement/bentonite placed in well: From (ft.) To (ft.) Sacks used: From (ft.) To (ft.)		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Stub Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pileless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used			
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc. <u>30</u> ft.		11) WATER LEVEL: Static level <u>20</u> ft. below land surface Date <u>1/24/00</u> Artesian flow gpm. Date			
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Baker <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>3</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		12) PACKERS: <u>NONE</u> Type Depth			
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No					
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.					
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>			
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (City) (State) (Zip)					
(Signed) <u>[Signature]</u> (Type or print)		(Signed) (Registered Driller Trainee)			

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1360	1 of 2	NNE	4.38 / 23,149.94	JOSE OCHOS TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 02/20/2001
 Owners Name: JOSE OCHOS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 7
 Depth Drilled: 47
 Latitude: 29.8999987
 Longtiude: -95.3775846

Pink - Driller/Pump Installer

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1360	2 of 2	NNE	4.38 / 23,149.94	JOSE FELIPE OCHOA TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 12/07/1994
 Owners Name: JOSE FELIPE OCHOA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 20
 Depth Drilled: 46
 Latitude: 29.8999987
 Longtiude: -95.3775846

Send original copy by certified mail to: TNRCC, P.O. Box

Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																							
1) OWNER <u>Jose Felipe Ochoa</u> ADDRESS <u>13837 Faber Rd. Houston Tx 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																																											
2) ADDRESS OF WELL: County <u>Harris</u> <u>13837 Faber Rd. Houston Tx. 77037</u> GRID # <u>65-05-9</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																							
6) WELL LOG: Date Drilling: <u>12-7-94</u> Started <u>12-7-94</u> Completed <u>12-7-94</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">4 3/4</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">46</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	4 3/4	Surface	46										7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
DIAMETER OF HOLE																																											
Dia. (in.)	From (ft.)	To (ft.)																																									
4 3/4	Surface	46																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> <tr><td style="text-align: center;">0 - 2</td><td></td><td>Top Soil</td></tr> <tr><td style="text-align: center;">2 - 12</td><td></td><td>Gray Clay</td></tr> <tr><td style="text-align: center;">12 - 30</td><td></td><td>Red Clay</td></tr> <tr><td style="text-align: center;">30 - 31</td><td></td><td>Red Sand</td></tr> <tr><td style="text-align: center;">31 - 40</td><td></td><td>Red Clay</td></tr> <tr><td style="text-align: center;">40 - 46</td><td></td><td>Red Sand</td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0 - 2		Top Soil	2 - 12		Gray Clay	12 - 30		Red Clay	30 - 31		Red Sand	31 - 40		Red Clay	40 - 46		Red Sand																			8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>38</u> ft. to <u>46</u> ft.		
From (ft.)	To (ft.)	Description and color of formation material																																									
0 - 2		Top Soil																																									
2 - 12		Gray Clay																																									
12 - 30		Red Clay																																									
30 - 31		Red Sand																																									
31 - 40		Red Clay																																									
40 - 46		Red Sand																																									
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td style="text-align: center;">sch 40</td> <td style="text-align: center;">+2</td> <td style="text-align: center;">40</td> <td> </td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td style="text-align: center;">Slotted PVC sch 40</td> <td style="text-align: center;">40</td> <td style="text-align: center;">46</td> <td style="text-align: center;">1,008</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	2	N	sch 40	+2	40		2	N	Slotted PVC sch 40	40	46	1,008																		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																						
			From	To																																							
2	N	sch 40	+2	40																																							
2	N	Slotted PVC sch 40	40	46	1,008																																						
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>+1</u> ft. to <u>38</u> ft. No. of sacks used <u>4</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>pumped with training tube</u> Cemented by <u>Driller</u> Distance to septic system field lines <u>N/A</u> ft. Method of verification of above distance <u>No septic yet</u>																																									
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																									
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>20</u> ft. below land surface Date <u>12-7-94</u> Artesian flow _____ gpm. Date _____																																									
12) PACKERS: <u>NONE</u>		Type Depth																																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																											
COMPANY NAME <u>Johnston's Water Well Service</u> WELL DRILLER'S LICENSE NO. <u>2778 WI</u> <small>(Type or print)</small>																																											
ADDRESS <u>28414 Calvert Rd. Tomball Tx. 77375</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																											
(Signed) <u>Randy R. Johnston</u> (Signed) _____ <small>(Licensed Well Driller) (Registered Driller Trainee)</small>																																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																																											

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1361	1 of 1	N	4.39 / 23,155.55	Valdez, Jose F. TX	WW HARRIS GAL

Well ID:	12588	Diameter (inches):	4
Aggre Lead Well:	12588	Year Drilled:	0
Permit No:	W2018-12588-198214-0	Depth Drilled:	1
Permit Start Date:	8/1/2018	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2019	County:	H
Well Status:	C - Capped	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.402222
Owner Name:	Valdez, Jose F.		
Billing Contact:	NULL		
Billing Address:	306 Havner Ln.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1362	1 of 1	N	4.39 / 23,159.40	Marek, Robert J TX	WW HARRIS GAL

Well ID:	5242	Diameter (inches):	4
Aggre Lead Well:	5242	Year Drilled:	1973
Permit No:	W2019-5242-205831-0	Depth Drilled:	85
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	60
Permit End Dt:	12/31/2020	County:	H
Well Status:	P - Plugged	Latitude:	29.905555
Regulatory Aarea:	3	Longitude:	-95.398888
Owner Name:	Marek, Robert J		
Billing Contact:	NULL		
Billing Address:	5530 Rivertree Ln		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77379		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1363	1 of 3	SSW	4.39 / 23,161.80	Williams Brothers Const. Co., Inc. TX	WW HARRIS GAL
<hr/>					
Well ID:	9760			Diameter (inches):	5
Aggre Lead Well:	9760			Year Drilled:	2004
Permit No:	W2007-9760-129426-0			Depth Drilled:	380
Permit Start Date:	7/1/2007			Depth frm Surf(ft):	325
Permit End Dt:	7/1/2007			County:	H
Well Status:	P - Plugged			Latitude:	29.787777
Regulatory Aarea:	2			Longitude:	-95.443611
Owner Name:	Williams Brothers Const. Co., Inc.				
Billing Contact:	James Miller				
Billing Address:	P.O. Box 66428				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77226				
Correspondence:	(Hemstead Rd Plant)				
Provision:	T - Requirement that the permittee must reduce its reliance on groundwater in accordance with requirements of the District Plan is suspended for term of permit.				
Water Usage:	I - Industrial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1363	2 of 3	SSW	4.39 / 23,161.80	Williams Brothers Const. Co., Inc. TX	WW HARRIS GAL
<hr/>					
Well ID:	10032			Diameter (inches):	5
Aggre Lead Well:	10032			Year Drilled:	2005
Permit No:	W2007-10032-129425-0			Depth Drilled:	360
Permit Start Date:	7/1/2007			Depth frm Surf(ft):	320
Permit End Dt:	12/31/2007			County:	H
Well Status:	P - Plugged			Latitude:	29.784722
Regulatory Aarea:	2			Longitude:	-95.441666
Owner Name:	Williams Brothers Const. Co., Inc.				
Billing Contact:	James Miller				
Billing Address:	P.O. Box 66428				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77226				
Correspondence:	(Old Katy Plant)				
Provision:	T - Requirement that the permittee must reduce its reliance on groundwater in accordance with requirements of the District Plan is suspended for term of permit.				
Water Usage:	P - Public Supply				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1363	3 of 3	SSW	4.39 / 23,161.80	Williams Brothers Const. Co., Inc. TX	WW HARRIS GAL

Well ID:	9761	Diameter (inches):	5
Aggre Lead Well:	9761	Year Drilled:	
Permit No:	W2005-9761-118607-0	Depth Drilled:	380
Permit Start Date:	7/1/2005	Depth frm Surf(ft):	345
Permit End Dt:	7/1/2005	County:	H
Well Status:	P - Plugged	Latitude:	29.784722
Regulatory Aarea:	2	Longitude:	-95.441666
Owner Name:	Williams Brothers Const. Co., Inc.		
Billing Contact:	James Miller		
Billing Address:	P.O. Box 66428		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77266		
Correspondence:	Barker Cypress		
Provision:	NULL		
Water Usage:	I - Industrial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1364	1 of 1	NNE	4.39 / 23,167.71	ABLE FLORES TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/10/2001
Owners Name: ABLE FLORES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 5
Depth Drilled: 45
Latitude: 29.903595
Longtiude: -95.38792

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1365	1 of 1	SSW	4.39 / 23,168.93	Spears Co. TX	GWDB

Well Rep Track No:
State Well No: 6513804
Owner Name: Spears Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1948
Well Depth: 260
Well Usage: Industrial
Water Level Status:
Latitude: 29.7822220
Longitude: -95.4358340
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513804&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513804&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1366	1 of 2	NNE	4.39 / 23,175.19	NULL TX	WW HARRIS GAL

Well ID:	2510	Diameter (inches):	3
Aggre Lead Well:	2510	Year Drilled:	1969
Permit No:	W1991-2510-37900-0	Depth Drilled:	156
Permit Start Date:	NULL	Depth frm Surf(ft):	146
Permit End Dt:	NULL	County:	H
Well Status:	P - Plugged	Latitude:	29.901388
Regulatory Aarea:	3	Longitude:	-95.380555
Owner Name:	MEYER, N.C.		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1366	2 of 2	NNE	4.39 / 23,175.19	Jose Villatoro 822 Aldine Mail Rd. Houston TX 77037	SDRW WELLS

Track NO: 506923
Date Submitted: 2019-03-29
Owner Name: Jose Villatoro
Owner Address: 607 Gulf Bank
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.9025
Longitude: -95.379722
Drilling Date Started: 2019-03-28
Drilling Date Completed: 2019-03-28
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=506923&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 70

Top Depth:
Bottom Depth: 70.0

Well Levels

Measurement:
Measurement Date: 2019-03-28

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1367	1 of 1	W	4.39 / 23,181.17	KEN BURLESON TX	TCEQ WELL LOGS

Grid No: 65-13-1
Date Drilled: 12/20/1995
Owners Name: KEN BURLESON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 390
Latitude: 29.855177
Longtiude: -95.482423

Send original copy by certified mail to: TNRCC, P.O. Box 87, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER KEN BURLESON ADDRESS 6406 DEIHL HOUSTON, TX 77092
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS SAME GRID # 65-13-1
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 12-15 19 95
Completed 12-20 19 95

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	390

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	30	clay
30	59	sand
59	147	clay
147	190	sand
190	255	clay
255	269	sand
269	279	clay
279	360	sand
360	375	sand & clay
375	390	sand

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☒ Other 2 STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC CASING	0	380	
2 1/2	N	PVC LINER	270	380	
2 1/2	N	PVC SCREEN	380	390	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 380 ft. to 10 ft. No. of sacks used 18
0 ft. to 10 ft. No. of sacks used 6
Method used HALIBURTON
Cemented by SCOTT WATER WELL INC.
Distance to septic system field lines or other concentrated contamination 75 ft.
Method of verification of above distance VISUAL

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 250 ft. below land surface Date 12-20-95
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
K-PACKER 370

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 360 ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL INC. WELL DRILLER'S LICENSE NO. 4839
(Type or print)

ADDRESS 11915 GREEN PINE CIRCLE HOUSTON, TEXAS 77066
(Street or RFD) (City) (State) (Zip)

(Signed) Scott Robinson (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

181608

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1368	1 of 1	N	4.39 / 23,181.80	MR AL LUKSA TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 07/21/1986
 Owners Name: MR AL LUKSA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 232
 Depth Drilled: 320
 Latitude: 29.9064381
 Longtiude: -95.4109448

State of Texas
WATER WELL REPORT
 Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

1) OWNER Mr. AL. Luksa Address 610 Blue Bell Hstn Hstn Tx. 77037
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 610 Blue Bell miles in _____ direction from _____
 County Harris (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-06-2

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 7/21/86

From (ft.)	To (ft.)	Description and color of formation material	DIAMETER OF HOLE	
			Dia. (in.)	To (ft.)
0 - 22		Top soil + Clay	6 3/4	320
22 - 45		Surface sand		
45 - 105		Clay		
105 - 126		Sand		
126 - 160		Clay		
160 - 222		Sand		
222 - 260		Clay		
260 - 320		Sand		

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	310	
2	N	Galv.	305	310	
2	N	PVC	310	320	.016

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 10 ft.
260 ft. to 310 ft.
 Method used Haliburton
 Cemented by Bussell & Son, Inc

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 232 ft. below land surface Date 7/21/86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc Water Well Driller's License No. 2235
 (Type or Print)

ADDRESS P.O. Box 874 Tomball Tx 77375
 (Street or RFD) (City) (State) (Zip)

(Signed) Rain Bussell (Signed) David L. Young
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 65-05-9
 Located on map _____

TDWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1369	1 of 1	NNE	4.39 / 23,184.62	MARCO SOTO TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 01/16/1998
Owners Name: MARCO SOTO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 1
Depth Drilled: 50
Latitude: 29.9052519
Longitude: -95.395249

Send original copy by certified return receipt requested mail to: NRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																	
1) OWNER <u>Marco Soto</u> (Name)		ADDRESS <u>1011 Salter, Houston, TX 77032</u> (Street or RFD) (City) (State) (Zip)																																			
2) ADDRESS OF WELL: County <u>Harris</u> <u>421 Busch, Houston, TX 77037</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-9</u>																																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																	
6) WELL LOG: Date Drilling: Started <u>01/16</u> 19 <u>98</u> Completed <u>01/16</u> 19 <u>98</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">50</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	4	Surface	50							7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia. (in.)	From (ft.)	To (ft.)																																			
4	Surface	50																																			
From (ft.) To (ft.) Description and color of formation material <u>00-07</u> <u>Top soil with clay</u> <u>07-14</u> <u>White clay</u> <u>14-30</u> <u>White sand</u> <u>30-50</u> <u>White sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>40</u> ft. to <u>50</u> ft.																																			
(Use reverse side of Well Owner's copy, if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2" style="width: 5%;">Dia. (in.)</th> <th rowspan="2" style="width: 5%;">New or Used</th> <th rowspan="2" style="width: 30%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width: 15%;">Setting (ft.)</th> <th rowspan="2" style="width: 10%;">Gage Casting Screen</th> </tr> <tr> <th style="width: 10%;">From</th> <th style="width: 5%;">To</th> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td>Plastic</td> <td style="text-align: center;">0</td> <td style="text-align: center;">40</td> <td style="text-align: center;">SCH40</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td>Plastic slotted</td> <td style="text-align: center;">40</td> <td style="text-align: center;">50</td> <td style="text-align: center;">.008</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	2	N	Plastic	0	40	SCH40	2	N	Plastic slotted	40	50	.008												
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																
			From	To																																	
2	N	Plastic	0	40	SCH40																																
2	N	Plastic slotted	40	50	.008																																
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>20</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>5</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>55</u> ft. Method of verification of above distance <u>Customer</u>																																			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>1</u> ft. below land surface Date <u>01/16/98</u> Artesian flow _____ gpm. Date _____																																			
12) PACKERS: Type Depth NONE		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																			
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print) ADDRESS <u>10011 Airline Drive</u> (Street or RFD) (Signed) <u>[Signature]</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>770897</u> Houston (City) (Signed) _____ (Registered Driller Trainee)																																			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1370	1 of 1	N	4.39 / 23,205.25	H J TIMME TX	TCEQ WELL LOGS

Grid No: 65-05-6V
Date Drilled: 01/28/1972
Owners Name: H J TIMME
County: HARRIS
Water Usage: DOMESTIC
Static Level: 90
Depth Drilled: 168
Latitude: 29.905608
Longtiude: -95.4225153

65-05-6V

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-6V
Located on map YES
Received: 5-72
FWA

1) OWNER:
Person having well drilled H. J. TIMME Address 9750 DEER TRAIL
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS _____ miles in NORTH direction from HOUSTON, TEX
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
9750 DEER TRAIL → BLUE BEAR → HWY. 75
North ↑
(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 168 ft. Depth of completed well 168 ft. Date drilled JAN. 28, 72
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 -	147	CLAY
147 -	168	SAND

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from 0 ft. to 0 ft.
Diameter (inches) 2 1/2 Setting From (ft.) 0 To (ft.) 158 Casing _____

10) SCREEN:
Type: PLASTIC
Perforated _____ Slotted _____
Diameter (inches) 2 1/2 Setting From (ft.) 158 To (ft.) 168 Slot Size #14

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 90 ft. below land surface Date JAN. 28, 72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 166 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata 21 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. L. BODE Water Well Drillers Registration No. 46
(Type or Print)
ADDRESS Box 167, WEST FIELD, TEXAS
(Street or RFD) (City) (State)
(Signed) E. L. Bode E. L. BODE DRILLING CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1371	1 of 1	NE	4.40 / 23,215.22	Jesus Canales 2010 hartwick Road Houston TX 77093	SDRW WELLS

Track NO: 202986
Date Submitted: 2009-12-28
Owner Name: Jesus Canales
Owner Address: 2010 Harwick Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.884445
Longitude: -95.354167
Drilling Date Started: 2009-10-28
Drilling Date Completed: 2009-10-31
Chemical Analysis: No
Company Name: Terra Power Drilling
Company Address: 9532 Fm 682
CompanyAddress2:
Company City: Yoakum
Company State: TX
Company Zip: 77995
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=202986&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 400.0

Top Depth: 0
Bottom Depth: 400

Well Levels

Measurement: 190
Measurement Date: 2009-10-28

Well Strata

Water Type:

good clean water

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1372	1 of 3	NE	4.40 / 23,216.80	WEATHERFORD WELL SCREEN COMPANY TX	WUD

Primary Co: VANESSA CHAPA
Contact Ti: COMPLIANCE MANAGER
Operating Status: OPERATIONAL
PWSID: 1012885
Source ID: G1012885A
Utility Name: WEATHERFORD WELL SCREEN COMPANY
WTRSRC: G1012885A
Date Drilled:
Well Depth: 550
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 10
CCN: N/A
Latitude: 29.886179
Longitude: -95.356514
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1372	2 of 3	NE	4.40 / 23,216.80	HOUSTON WELL SCREEN TX	TCEQ WELL LOGS

Grid No:	65-14-4
Date Drilled:	12/05/1993
Owners Name:	HOUSTON WELL SCREEN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	230
Depth Drilled:	510
Latitude:	29.886428
Longtiude:	-95.356052

Please use black ink.

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1372	3 of 3	NE	4.40 / 23,216.80	Houston Well Screen TX	WW HARRIS GAL
<div> <div> Well ID: 4726 Aggre Lead Well: 4726 Permit No: WP2023-112381 Permit Start Date: 7/12/2023 3:28:00 PM Permit End Dt: 7/31/2024 3:28:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Houston Well Screen Billing Contact: Brissa Smith Billing Address: 2002 W Grand Pkwy N Suite 100 Billing Address 2: NULL Billing City: Katy Billing State: TX Billing Zip: 77449 Correspondence: NULL Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s). </div> <div> Diameter (inches): 5 Year Drilled: 1993 Depth Drilled: 550 Depth frm Surf(ft): 500 County: H Latitude: 29.886111 Longitude: -95.356666 </div> </div>					
Water Usage:		D - Domestic/Commercial			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1373	1 of 5	NE	4.40 / 23,218.91	WOODLOCH MHP TX	WUD

Primary Co: DARREN SHAW
Contact Ti: OPS SUPERVISOR
Operating Status: OPERATIONAL
PWSID: 1010805
Source ID: G1010805A
Utility Name: WOODLOCH MHP
WTRSRC: G1010805A
Date Drilled: 04/00/1977
Well Depth: 400
Screen Top: 370
Screen Bottom: 400
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 35
CCN: N/A
Latitude: 29.895525
Longitude: -95.36826667
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1373	2 of 5	NE	4.40 / 23,218.91	WOODLOCH MHP TX	WUD
Primary Co: Contact Ti: Operating Status: PWSID: Source ID: Utility Name: WTRSRC: Date Drilled: Well Depth: Screen Top: Screen Bottom: Water Usage: Gallons Per Minute: CCN: Latitude: Longitude: System Status:		DARREN SHAW OPS SUPERVISOR OPERATIONAL 1010805 G1010805B WOODLOCH MHP G1010805B 400 0 0 ACTIVE - PERMANENT 48 N/A 29.895506 -95.368167 ACTIVE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1373	3 of 5	NE	4.40 / 23,218.91	WOODLOCH MOBILE HOME PARK TX	TCEQ WELL LOGS

Grid No: 65-06-7BB
Date Drilled: 04/1977
Owners Name: WOODLOCH MOBILE HOME PARK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 150
Depth Drilled: 400
Latitude: 29.895525
Longitude: -95.3682667

1010805 65-06-78B Day

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 65-06-78B
Located on map 4-77
Received: 77

WATER WELL REPORT

1) OWNER:
Person having well drilled MODLOCH MOBILE HOME PARK Address 2600 CITADEL PLAZA HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 7 miles in N direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks,
highway number, etc.*
Give legal location with distances and directions from
adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

5) WELL LOG:
Diameter of hole 6 7/8 in. Depth drilled 400 ft. Depth of completed well 400 ft. Date drilled 4-77
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 15		Clay
15 - 24		Sand
24 - 77		Clay
77 - 100		Sand
100 - 185		Clay
185 - 201		Sand
201 - 260		Clay
260 - 277		Sand
277 - 370		Clay
370 - 400		Sand

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing Size _____

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ If yes, by whom? _____
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

7) COMPLETION (Check):
Straight well ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 150 ft. below land surface Date 4-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME H. I. GEARELS Water Well Drillers Registration No. 812
(Type or Print)
ADDRESS P.O. Box 745 PORTER TEXAS
(Street or RFD) (City) (State)
(Signed) A. R. Gehrels COASTAL WATER WELL DRILLING CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDB-8

196156

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1373	4 of 5	NE	4.40 / 23,218.91	Woodloch MHP LLC TX	WW HARRIS GAL
<div> <div> Well ID: 3606 Aggre Lead Well: 3606 Permit No: WP2023-112183 Permit Start Date: 8/1/2023 4:24:00 PM Permit End Dt: 7/31/2024 4:24:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Woodloch MHP, LLC Billing Contact: Darren Shaw Billing Address: 4771 Sweetwater Billing Address 2: NULL Billing City: Sugarland Billing State: TX Billing Zip: 77479 Correspondence: NULL Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: 1981 Depth Drilled: 368 Depth frm Surf(ft): 346 County: H Latitude: 29.895555 Longitude: -95.368333 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1373	5 of 5	NE	4.40 / 23,218.91	Woodloch MHP LLC TX	WW HARRIS GAL
<div> <div> Well ID: 7694 Aggre Lead Well: 3606 Permit No: WP2023-112183 Permit Start Date: 8/1/2023 4:24:00 PM Permit End Dt: 7/31/2024 4:24:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Woodloch MHP LLC Billing Contact: Darren Shaw Billing Address: 4771 Sweetwater Billing Address 2: NULL Billing City: Sugarland Billing State: TX Billing Zip: 77479 Correspondence: NULL Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 5 Year Drilled: 1999 Depth Drilled: 425 Depth frm Surf(ft): 390 County: H Latitude: 29.895555 Longitude: -95.368055 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1374	1 of 1	NE	4.40 / 23,221.62	KING ON FOOD MARKET TX	TCEQ WELL LOGS

Grid No: 65-06-7C
Date Drilled: 02/05/1982
Owners Name: KING ON FOOD MARKET
County: HARRIS
Water Usage: DOMESTIC
Static Level: 238
Depth Drilled: 371
Latitude: 29.885828
Longitude: -95.355393

DUB

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711.

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-06-70
Located on map WPS
Received: 6.6.82

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER KING ON FOOD MARKET Address 11935 ALDINE WESTFIELD HOUSTON TEXAS
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS 10 miles in N direction from HOUSTON
(N, E, S, W, etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	365
3 7/8	365	371

Date drilled 2-5-82

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	5	TOP SOIL						
5	21	YELLOW SHALE						
21	42	RED SHALE	4	N	PVC	0	355	40
42	58	RED SAND	4	N	PVC	355	356	50
58	70	RED SHALE	4	N	PVC SCREEN	356	371	50
70	105	SAND						
105	114	BLUE SHALE						
114	126	RED SHALE						
126	145	SAND						
145	220	RED SHALE						
220	285	BLUE SHALE						
285	299	PUC						
299	301	RED SHALE						
301	335	BLUE SHALE						
335	354	SAND						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Cemented from 0 ft. to 355 ft.
Method used PRESSURE
Cemented by SUGG WATERWELL DRILLING
(Company or Individual)

9) WATER LEVEL:
Static level 238 ft. below land surface Date 2-6-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
APR - 6 1983
DEPT. OF
WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: 13.9 gpm with 16 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
(Type or Print)

ADDRESS 13501 CHRISMAN #16 HOUSTON TEXAS 77039
(Street or RFD) (City) (State) (Zip)


(Signed) James H. Sugg Jr. SUGG WATERWELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR 0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

KING OX FOOD 1, HT



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1375	1 of 1	N	4.40 / 23,226.93	EDUARDO JARAMILLO TX	TCEQ WELL LOGS

Grid No: 65-05-9SS
Date Drilled: 05/27/1978
Owners Name: EDUARDO JARAMILLO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 208
Depth Drilled: 340
Latitude: 29.90575
Longtiude: -95.397673

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
 Well No. 65-05-789
 Located on map 405
 Received: 701

1) OWNER:
 Person having well drilled EDUARDO JARAMILLO Address 322 HOLTMAN HOUSTON TEX.
 (Name) (Street or RFD) (City) (State)
 Landowner SAME Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS 15 miles in N direction from HOUSTON
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing HOUSTON roads, creeks, or Give legal location with distances and directions from
 hiway number etc. * X WELL adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
 New Well ☒ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic ☒ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary ☒ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 1/4 in. Depth drilled 340 ft. Depth of completed well 340 ft. Date drilled 5-27-78
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-5	5	TOP SOIL
5-41	41	YELLOW SHALE
41-56	56	SAND
56-109	109	RED SHALE
109-130	130	SAND
130-216	216	RED SHALE
216-253	253	SAND
253-314	314	RED SHALE
314-340	340	SAND

9) CASING:
 Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
 Cemented from 0 ft. to 330 ft.
 Diameter (inches) 4" Setting From (ft.) 1'-6" ABOVE GROUND To (ft.) 330 Gage 5440

10) SCREEN:
 Type PLASTIC
 Perforated _____ Slotted _____
 Diameter (inches) 2 1/2 Setting From (ft.) 330 To (ft.) 340 Slot Size 1010

7) COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other ☒
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 208 ft. below land surface Date 5-28-78
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes ☒ No _____ If yes, by whom? JAMES H. SUGG JR.
 Yield: 15.2 gpm with 14 ft. drawdown after 2 hrs.
 Bailer test 2 gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No ☒
 Did any strata contain undesirable water? Yes _____ No ☒
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
 (Type or Print)
 ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039
 (Street or RFD) (City) (State)
 (Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1376	1 of 5	NW	4.40 / 23,227.88	INSURANCE AUTO AUCTION TX	WUD
Primary Co:		RONALD YEATES			
Contact Ti:		EMERGENCY CONTACT			
Operating Status:		PLUGGED			
PWSID:		1012619			
Source ID:		G1012619A			
Utility Name:		INSURANCE AUTO AUCTION			
WTRSRC:		G1012619A			
Date Drilled:					
Well Depth:		210			
Screen Top:		0			
Screen Bottom:		0			
Water Usage:		INACTIVE - PLUGGED			
Gallons Per Minute:		10			
CCN:		N/A			
Latitude:		29.896379			
Longitude:		-95.450119			
System Status:		ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1376	2 of 5	NW	4.40 / 23,227.88	INSURANCE AUTO AUCTION TX	WUD

Primary Co: RONALD YEATES
Contact Ti: EMERGENCY CONTACT
Operating Status: OPERATIONAL
PWSID: 1012619
Source ID: G1012619B
Utility Name: INSURANCE AUTO AUCTION
WTRSRC: G1012619B
Date Drilled: 06/26/2003
Well Depth: 436
Screen Top: 416
Screen Bottom: 436
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 35
CCN: N/A
Latitude: 29.896379
Longitude: -95.450119
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1376	3 of 5	NW	4.40 / 23,227.88	Yeates, Ronald A. TX	WW HARRIS GAL

Well ID:	9520	Diameter (inches):	5
Aggre Lead Well:	9520	Year Drilled:	2003
Permit No:	WP2023-106611	Depth Drilled:	450
Permit Start Date:	6/1/2023 3:43:00 PM	Depth frm Surf(ft):	440
Permit End Dt:	5/31/2024 3:43:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.896388
Regulatory Aarea:	3	Longitude:	-95.45
Owner Name:	Yeates, Ronald A.		
Billing Contact:	NULL		
Billing Address:	27607 Dry Creek Road		
Billing Address 2:	NULL		
Billing City:	Magnolia		
Billing State:	TX		
Billing Zip:	77354		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1376	4 of 5	NW	4.40 / 23,227.88	Yeates, Ronald A. TX	WW HARRIS GAL

Well ID:	7864	Diameter (inches):	4
Aggre Lead Well:	7864	Year Drilled:	71
Permit No:	W2004-7864-113460-0	Depth Drilled:	210
Permit Start Date:	6/1/2004	Depth frm Surf(ft):	190
Permit End Dt:	6/1/2004	County:	H
Well Status:	P - Plugged	Latitude:	29.896944
Regulatory Aarea:	3	Longitude:	-95.449722
Owner Name:	Yeates, Ronald A.		
Billing Contact:	NULL		
Billing Address:	27607 Dry Creek Road		
Billing Address 2:	NULL		
Billing City:	Magnolia		
Billing State:	TX		
Billing Zip:	77354		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1376	5 of 5	NW	4.40 / 23,227.88	Yeates Real Estate 2535 W. Mount Houston Houston TX 77038	SDRW WELLS

Track NO: 37535
Date Submitted: 2004-05-17
Owner Name: Yeates Real Estate
Owner Address: 2535 W. Mount Houston
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.921111
Longitude: -95.491945
Drilling Date Started: 2003-06-25
Drilling Date Completed: 2003-06-26
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W. Montgomery Rd.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=37535&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 436.0

Top Depth: 0
Bottom Depth: 436

Well Levels

Measurement: 220
Measurement Date: 2003-06-26

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1377	1 of 1	N	4.40 / 23,246.91	Guadalupe Espinoza 322 Holtman St. Houston TX 77060	SDRW WELLS

Track NO: 486974
Date Submitted: 2018-08-15
Owner Name: Guadalupe Espinoza
Owner Address: 322 Holtman St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905833
Longitude: -95.3975
Drilling Date Started: 2018-08-14
Drilling Date Completed: 2018-08-14
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=486974&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2018-08-14

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1378	1 of 2	NE	4.40 / 23,247.62	Serrato, Agustin TX	WW HARRIS GAL

Well ID:	14892	Diameter (inches):	2
Aggre Lead Well:	14892	Year Drilled:	0
Permit No:	W2020-14892-210022-0	Depth Drilled:	50
Permit Start Date:	2/24/2020	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2021	County:	H
Well Status:	O - Operable	Latitude:	29.896666
Regulatory Aarea:	3	Longitude:	-95.370555
Owner Name:	NULL		
Billing Contact:	Agustin Serrato		
Billing Address:	12040 East Hardy		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1378	2 of 2	NE	4.40 / 23,247.62	Agustin Serrato 12020 E. Hardy Rd. Houston TX 77039	SDRW WELLS

Track NO: 537308
Date Submitted: 2020-03-04
Owner Name: Agustin Serrato
Owner Address: 12020 E. Hardy Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.896111
Longitude: -95.370278
Drilling Date Started: 2020-03-03
Drilling Date Completed: 2020-03-03
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=537308&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 6
Measurement Date: 2020-03-03

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1379	1 of 1	NNE	4.40 / 23,254.82	H T Maxwell TX	GWDB

Well Rep Track No:
State Well No: 6505935
Owner Name: H T Maxwell
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 323
Well Usage: Domestic
Water Level Status:
Latitude: 29.9047230
Longitude: -95.3913890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505935&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505935&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1380	1 of 1	NNE	4.41 / 23,276.84	Jose Luis Guerra 330 1/2 Holtman Houston TX 77060	SDRW WELLS

Track NO: 24536
Date Submitted: 2003-08-21
Owner Name: Jose Luis Guerra
Owner Address: 330 1/2 Holtman
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.400556
Drilling Date Started: 2003-08-19
Drilling Date Completed: 2003-08-19
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=24536&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 45

Top Depth:
Bottom Depth: 45.0

Well Levels

Measurement: 15
Measurement Date: 2003-08-19

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1381	1 of 1	N	4.41 / 23,283.25	Blue Bell Place Builders TX	WW HARRIS GAL

Well ID:	4211	Diameter (inches):	4
Aggre Lead Well:	4211	Year Drilled:	1986
Permit No:	W1997-4211-55394-0	Depth Drilled:	323
Permit Start Date:	11/1/1997	Depth frm Surf(ft):	308
Permit End Dt:	12/31/1999	County:	H
Well Status:	P - Plugged	Latitude:	29.906944
Regulatory Aarea:	3	Longitude:	-95.410277
Owner Name:	Blue Bell Place Builders		
Billing Contact:	Jerry Denham		
Billing Address:	1330 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1382	1 of 1	N	4.41 / 23,285.51	Sunnywood Partnership LP TX	WW HARRIS GAL

Well ID:	8623	Diameter (inches):	5
Aggre Lead Well:	8623	Year Drilled:	
Permit No:	W2000-8623-69441-0	Depth Drilled:	0
Permit Start Date:	10/1/2000	Depth frm Surf(ft):	0
Permit End Dt:	12/31/2004	County:	H
Well Status:	P - Plugged	Latitude:	29.906666
Regulatory Aarea:	3	Longitude:	-95.416111
Owner Name:	Sunnywood Partnership LP		
Billing Contact:	Carson Kaechler		
Billing Address:	9817 Sunnywood		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1383	1 of 1	WNW	4.41 / 23,286.25	HOUSTON LIGHTING & POWER TX	TCEQ WELL LOGS

Grid No: 65-13-1
Date Drilled: 06/15/1990
Owners Name: HOUSTON LIGHTING & POWER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 239
Depth Drilled: 380
Latitude: 29.859277
Longtiude: -95.481651

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

State of Texas
WELL REPORT

1) OWNER: Houston Lighting & Power ADDRESS: P.O. Box 1304 Houston TX 77251
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Dick Substation N. Houston Rosslyn
County: Harris miles in _____ direction from _____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP 0765-12-1

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: _____
Started: 6-14 1990
Completed: 6-15 1990

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
		0 16 TOP SOIL & CLAY
		16 48 SURFACE SAND
		48 110 CLAY
		110 125 SAND
		125 144 CLAY
		144 171 SAND
		171 205 CLAY
		205 242 SAND & ROCK
		242 250 CLAY
		250 260 SAND

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	GALVANIZED	0	370	
2	N	GALVANIZED	360	370	
2	N	SSRB	370	380	.08

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used _____
330 ft. to 370 ft. No. of Sacks Used _____
Method used Halliburton
Cemented by BUSSELL & SON INC

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 239 ft. below land surface Date 6-15-90
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type _____ Depth 360

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☒ Jetted ☒ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON, INC. WELL DRILLER'S LICENSE NO. 2035
(Type or print)

ADDRESS P.O. Box 874 Tomball TX 77375-0874
(Street or RFD) (City) (State) (Zip)

(Signed) Ray Busell (Signed) David L. Young
(Licensed Well Driller) (Registered Driller/Trainer)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-13-1 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

181613

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1384	1 of 1	NNE	4.41 / 23,287.03	Lopez, Lourdes Leon TX	WW HARRIS GAL

Well ID:	9571	Diameter (inches):	4
Aggre Lead Well:	9571	Year Drilled:	2003
Permit No:	WP2022-113367	Depth Drilled:	50
Permit Start Date:	10/12/2022	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.396666
Owner Name:	Guerra, Juan Luis		
Billing Contact:	NULL		
Billing Address:	9154 Cheswick Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1385	1 of 2	N	4.41 / 23,289.32	REED HUBBELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 3/18/1975
 Owners Name: REED HUBBELL
 County: HARRIS
 Water Usage: INDUSTRIAL
 Static Level: 140
 Depth Drilled: 226
 Latitude: 29.9063516
 Longtiude: -95.4012644

Dup

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-9HH</u> Located on map <u>yes</u> Received: <u>75-4-25</u>																																																
1) OWNER: Person having well drilled <u>Reed Hubbell</u> Address <u>10402 Airline Houston, Texas</u> <small>(Name) (Street or RFD) (City) (State)</small> Landowner <u>Same</u> Address <u>101 Chestnut St. Lake Jackson, Tex</u> <small>(Name) (Street or RFD) (City) (State)</small>																																																				
2) LOCATION OF WELL: County <u>Harris</u> miles in _____ direction from _____ <small>(N.E., S.W., etc.) (Town)</small> Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines. <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 45%;"> <p style="font-size: 2em; margin: 10px 0;">412 H</p> <p style="text-align: center;">North ↑</p> <p style="font-size: 0.8em;">(Use reverse side if necessary)</p> </div> <div style="width: 45%;"> <p>Labor _____ League _____</p> <p>Block _____ Survey _____</p> <p>Abstract No. _____</p> <p>(NW¼ NE¼ SW¼ SE¼) of Section _____</p> </div> </div>																																																				
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other		5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored																																																
6) WELL LOG: Diameter of hole <u>6 3/4</u> in. Depth drilled <u>211</u> ft. Depth of completed well <u>226</u> ft. Date drilled <u>3-18-75</u> All measurements made from <u>0</u> ft. above ground level.																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">From (ft.)</th> <th style="width: 10%;">To (ft.)</th> <th style="width: 80%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>2</td><td>Topsoil</td></tr> <tr><td>2</td><td>19</td><td>Gray Yellow Clay</td></tr> <tr><td>19</td><td>22</td><td>Sand</td></tr> <tr><td>22</td><td>27</td><td>Red Clay</td></tr> <tr><td>27</td><td>45</td><td>Sand</td></tr> <tr><td>45</td><td>46</td><td>Rock</td></tr> <tr><td>46</td><td>70</td><td>Red Gray Clay</td></tr> <tr><td>70</td><td>75</td><td>Sand</td></tr> <tr><td>75</td><td>125</td><td>Red Clay</td></tr> <tr><td>125</td><td>157</td><td>Sand</td></tr> <tr><td>157</td><td>170</td><td>Red Clay</td></tr> <tr><td>170</td><td>175</td><td>Sand</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	2	Topsoil	2	19	Gray Yellow Clay	19	22	Sand	22	27	Red Clay	27	45	Sand	45	46	Rock	46	70	Red Gray Clay	70	75	Sand	75	125	Red Clay	125	157	Sand	157	170	Red Clay	170	175	Sand	9) CASING: Type: Old <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Other _____ Cemented from <u>211</u> up _____ ft. to _____ ft. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Diameter (inches)</th> <th style="width: 20%;">Setting From (ft.)</th> <th style="width: 20%;">To (ft.)</th> <th style="width: 45%;">Gage</th> </tr> </thead> <tbody> <tr> <td>4"</td> <td>1 ft</td> <td>211 ft</td> <td>40</td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Gage	4"	1 ft	211 ft	40
From (ft.)	To (ft.)	Description and color of formation material																																																		
0	2	Topsoil																																																		
2	19	Gray Yellow Clay																																																		
19	22	Sand																																																		
22	27	Red Clay																																																		
27	45	Sand																																																		
45	46	Rock																																																		
46	70	Red Gray Clay																																																		
70	75	Sand																																																		
75	125	Red Clay																																																		
125	157	Sand																																																		
157	170	Red Clay																																																		
170	175	Sand																																																		
Diameter (inches)	Setting From (ft.)	To (ft.)	Gage																																																	
4"	1 ft	211 ft	40																																																	
7) COMPLETION (Check): <input checked="" type="checkbox"/> Gravel packed <input type="checkbox"/> Other _____ <input type="checkbox"/> Under reamed <input type="checkbox"/> Open Hole		10) SCREEN: Type <u>Well Supplies Inc Plastic Wrapped</u> <input type="checkbox"/> Perforated <input type="checkbox"/> Slotted <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Diameter (inches)</th> <th style="width: 20%;">Setting From (ft.)</th> <th style="width: 20%;">To (ft.)</th> <th style="width: 45%;">Slot Size</th> </tr> </thead> <tbody> <tr> <td>2 1/2"</td> <td>216 ft</td> <td>226 ft</td> <td>10</td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size	2 1/2"	216 ft	226 ft	10																																							
Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size																																																	
2 1/2"	216 ft	226 ft	10																																																	
8) WATER LEVEL: Static level <u>140</u> ft. below land surface Date _____ Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>180</u> ft. below land surface.		11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																																		
12) WATER QUALITY: Was a chemical analysis made? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Did any strata contain undesirable water? Yes <input type="checkbox"/> No <input type="checkbox"/> Type of water? _____ depth of strata _____		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																		
NAME <u>C A Raymond Jr.</u> Water Well Drillers Registration No. <u>TDL 774</u> <small>(Type or Print)</small>																																																				
ADDRESS <u>10011 Airline Houston Texas</u> <small>(Street or RFD) (City) (State)</small>																																																				
(Signed) <u>CA Raymond Jr</u> <u>Raymond Water Well Drilling Inc.</u> <small>(Water Well Driller) (Company Name)</small>																																																				
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																				

*Additional instructions on reverse side.

TWDB-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1385	2 of 2	N	4.41 / 23,289.32	Defoe, Maria J. TX	WW HARRIS GAL

Well ID:	12587	Diameter (inches):	4
Aggre Lead Well:	12587	Year Drilled:	201
Permit No:	WP2023-112459	Depth Drilled:	1
Permit Start Date:	8/1/2023 3:04:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.906388
Regulatory Aarea:	3	Longitude:	-95.401388
Owner Name:	Defoe, Maria J.		
Billing Contact:	NULL		
Billing Address:	5027 Woodland Meadows Ln.		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77346		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1386	1 of 1	NE	4.41 / 23,293.27	WOODLOCH DEVELOPMENT COMPANY TX	WW HARRIS GAL

Well ID:	3607	Diameter (inches):	4
Aggre Lead Well:	3606	Year Drilled:	1985
Permit No:	W1984-3606-20560-0	Depth Drilled:	368
Permit Start Date:	8/1/1984	Depth frm Surf(ft):	346
Permit End Dt:	7/10/1985	County:	H
Well Status:	N - Not Drilled	Latitude:	29.895277
Regulatory Aarea:	3	Longitude:	-95.366944
Owner Name:	WOODLOCH DEVELOPMENT COMPANY		
Billing Contact:	NULL		
Billing Address:	1313 Aldine Bender		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77032		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1387	1 of 1	N	4.41 / 23,293.48	LOWRY TRAILER PARK TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 01/20/1971
Owners Name: LOWRY TRAILER PARK
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 186
Depth Drilled: 333
Latitude: 29.906468
Longitude: -95.402426

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. _____ Located on map <u>A10</u> Received: <u>9/1</u> <u>dlr</u>	
1) OWNER: Person having well drilled <u>Lowry Trailer Park</u> Address <u>9103 Airline</u> <u>Houston, Texas</u> <u>77037</u> (Name) (Street or RFD) (City) (State) Landowner <u>Same</u> Address _____ (Name) (Street or RFD) (City) (State)					
2) LOCATION OF WELL: County <u>Harris</u> _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town) Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* <u>see reverse side for map</u> North ↑ (Use reverse side if necessary) or Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW¼ NE¼ SW¼ SE¼) of Section _____					
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic _____ Industrial <input checked="" type="checkbox"/> Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____	
6) WELL LOG: Diameter of hole <u>4</u> in. Depth drilled <u>333</u> ft. Depth of completed well <u>333</u> ft. Date drilled <u>1-20-71</u> All measurements made from <u>0</u> ft. above ground level.					
From To Description and color of formation material (ft.) (ft.)		9) CASING: Type: Old _____ New <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Plastic _____ Other _____ Cemented from <u>0</u> ft. to <u>311</u> ft. Diameter (inches) _____ Setting From (ft.) To (ft.) Gauge <u>4"</u> <u>0</u> <u>311</u>			
<u>0</u> <u>25</u> <u>surface & yellow clay</u>					
<u>25</u> <u>48</u> <u>red sand & light rock</u>					
<u>48</u> <u>120</u> <u>red clay broke sand rock</u>					
<u>120</u> <u>162</u> <u>sand</u>					
<u>162</u> <u>192</u> <u>very shaley sand & sand rock</u>					
<u>192</u> <u>219</u> <u>sand</u>					
<u>219</u> <u>264</u> <u>shaley sand & sand rock</u>					
<u>264</u> <u>278</u> <u>sand</u>					
<u>278</u> <u>288</u> <u>shale</u>					
<u>288</u> <u>302</u> <u>sand</u>					
<u>302</u> <u>310</u> <u>shale</u>					
<u>310</u> <u>330</u> <u>sand</u>					
<u>330</u> <u>333</u> <u>shale sandy</u>					
(Use reverse side if necessary)		10) SCREEN: Type <u>stainless steel</u> Perforated <input checked="" type="checkbox"/> Slotted _____ Diameter (inches) _____ Setting From (ft.) To (ft.) Slot Size <u>2 1/2"</u> <u>blank</u> <u>333</u> <u>330</u> _____ <u>2 1/2"</u> <u>screen</u> <u>330</u> <u>310</u> <u>.014</u> <u>2 1/2"</u> <u>blank</u> <u>310</u> <u>306</u> _____			
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under reamed _____ Open Hole _____		11) WELL TESTS: Was a pump test made? Yes _____ No <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____			
8) WATER LEVEL: Static level <u>186</u> ft. below land surface Date <u>1-20-71</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>252</u> ft. below land surface.		12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.					
NAME <u>R.B. Lowry</u> (Type or Print)		Water Well Drillers Registration No. <u>146</u>			
ADDRESS <u>4012 Fulton</u> <u>P.O. Box 8707</u> <u>Houston</u> <u>Texas</u> <u>7709</u> (Street or RFD) (City) (State)					
(Signed) <u>R.B. Lowry</u> (Water Well Driller)		Lowry WaterWells (Company Name)			
Please attach electric log, chemical analysis, and other pertinent information, if available.					

*Additional instructions on reverse side.

TWDB-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1388	1 of 1	N	4.41 / 23,294.13	JAMES LEE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 02/28/1991
Owners Name: JAMES LEE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 242
Depth Drilled: 366
Latitude: 29.9067357
Longtiude: -95.4117065

TEXAS WATER COMMISSION COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1389	1 of 3	N	4.41 / 23,301.17	BLUE BELL INDUSTRIAL PARK TX	WUD

Primary Co: GURMEET SINGH DHOAT
Contact Ti: MANAGING MEMBER
Operating Status: OPERATIONAL
PWSID: 1012163
Source ID: G1012163A
Utility Name: BLUE BELL INDUSTRIAL PARK
WTRSRC: G1012163A
Date Drilled:
Well Depth: 330
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 55
CCN: N/A
Latitude: 29.90659
Longitude: -95.403702
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1389	2 of 3	N	4.41 / 23,301.17	Gadson, Sarah TX	WW HARRIS GAL

Well ID:	12662	Diameter (inches):	4
Aggre Lead Well:	12662	Year Drilled:	NULL
Permit No:	WP2022-112431	Depth Drilled:	200
Permit Start Date:	8/1/2022 10:35:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023 10:36:00 AM	County:	H
Well Status:	P - Plugged	Latitude:	29.906666
Regulatory Aarea:	3	Longitude:	-95.403611
Owner Name:	Neely, Robert		
Billing Contact:	Finial Investments IAF2		
Billing Address:	8381 Westview Dr. Ste. 200		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	Finial Investments IAF2 - Blue Bell		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1389	3 of 3	N	4.41 / 23,301.17	OHC - SI Blue Bell TX	WW HARRIS GAL

Well ID:	16175	Diameter (inches):	4
Aggre Lead Well:	16175	Year Drilled:	NULL
Permit No:	WP2023-113277	Depth Drilled:	240
Permit Start Date:	8/1/2023 2:49:00 PM	Depth frm Surf(ft):	160
Permit End Dt:	7/31/2024 2:49:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.9067579
Regulatory Aarea:	3	Longitude:	-95.40381131
Owner Name:	OHC - SI Blue Bell		
Billing Contact:	Accounting		
Billing Address:	8381 Westview Dr., Suite 200		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1390	1 of 1	NE	4.42 / 23,317.06	Alfaro, Ivonne Carballo TX	WW HARRIS GAL
<div> <div> Well ID: 13621 Aggre Lead Well: 13621 Permit No: WP2022-113956 Permit Start Date: 10/12/2022 10:41:00 AM Permit End Dt: 7/31/2024 Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 4 Year Drilled: NULL Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.893055 Longitude: -95.364166 </div> </div>					
Owner Name:		Alfaro, Ivonne Carballo			
Billing Contact:		NULL			
Billing Address:		1610 Erwin Road			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77034			
Correspondence:		NULL			
Provision:		F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).			
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1391	1 of 2	NNE	4.42 / 23,321.49	Nelson, Keith W. TX	WW HARRIS GAL

Well ID:	9694	Diameter (inches):	4
Aggre Lead Well:	9694	Year Drilled:	1979
Permit No:	W2021-9694-218526-0	Depth Drilled:	400
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	385
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.900277
Regulatory Aarea:	3	Longitude:	-95.376944
Owner Name:	Nelson, Keith W.		
Billing Contact:	NULL		
Billing Address:	1219 Honea Egypt Rd.		
Billing Address 2:	NULL		
Billing City:	Magnolia		
Billing State:	TX		
Billing Zip:	77354		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1391	2 of 2	NNE	4.42 / 23,321.49	W.L. Hudnell 13910 Faber Houston TX 77037	SDRW WELLS

Track NO: 54477
Date Submitted: 2005-03-09
Owner Name: W.L. Hudnell
Owner Address: 13910 Faber
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900278
Longitude: -95.376944
Drilling Date Started: 2005-02-22
Drilling Date Completed: 2005-02-23
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=54477&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 47.0

Top Depth: 0
Bottom Depth: 47

Well Levels

Measurement: 8
Measurement Date: 2005-02-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1392	1 of 1	N	4.42 / 23,322.91	Osorio, Nayda P. TX	WW HARRIS GAL

Well ID:	12594	Diameter (inches):	4
Aggre Lead Well:	12594	Year Drilled:	201
Permit No:	WP2023-112319	Depth Drilled:	1
Permit Start Date:	8/1/2023 2:57:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:57:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.906388
Regulatory Aarea:	3	Longitude:	-95.400277
Owner Name:	Osorio, Nayda P.		
Billing Contact:	NULL		
Billing Address:	129 Holtman St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1393	1 of 1	WSW	4.42 / 23,327.30	South Texas Tool Co. TX	GWDB

Well Rep Track No:
State Well No: 6513420
Owner Name: South Texas Tool Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1963
Well Depth: 50
Well Usage: Commercial
Water Level Status:
Latitude: 29.8163890
Longitude: -95.4780550
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513420&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513420&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1394	1 of 1	NNE	4.42 / 23,332.91	Maharaj, Rabichand TX	WW HARRIS GAL

Well ID:	12717	Diameter (inches):	2
Aggre Lead Well:	12717	Year Drilled:	NULL
Permit No:	WP2023-112008	Depth Drilled:	1
Permit Start Date:	8/1/2023 3:03:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:03:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905277
Regulatory Aarea:	3	Longitude:	-95.393333
Owner Name:	Maharaj, Rabichand		
Billing Contact:	NULL		
Billing Address:	10222 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1395	1 of 1	N	4.42 / 23,342.11	502 Blue Bell Water System TX	GWDB

Well Rep Track No:
State Well No: 6505927
Owner Name: 502 Blue Bell Water System
Drilling Start Dt:
Drilling Month: 7
Drilling Day: 1
Drilling Year: 1969
Well Depth: 330
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9069450
Longitude: -95.4097230
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505927&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505927&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1396	1 of 1	NE	4.42 / 23,347.12	Ana Martinez 2118 Hartwick Houston TX 77093	SDRW WELLS

Track NO: 164940
Date Submitted: 2009-01-12
Owner Name: Ana Martinez
Owner Address: 2118 Hartwick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.884722
Longitude: -95.354723
Drilling Date Started: 2005-02-02
Drilling Date Completed: 2005-02-03
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W. Montgomery Rd.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=164940&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 415.0

Top Depth: 0
Bottom Depth: 400

Top Depth: 400
Bottom Depth: 415

Well Levels

Measurement: 200
Measurement Date: 2005-02-02

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1397	1 of 1	NNE	4.42 / 23,348.80	Esteban Ibarra & Maria B Galvan TX	WW HARRIS GAL

Well ID:	14702	Diameter (inches):	4
Aggre Lead Well:	14702	Year Drilled:	NULL
Permit No:	WP2023-113862	Depth Drilled:	0
Permit Start Date:	8/1/2023 3:38:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:38:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.395277
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	7017 Charpiot Ln		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77396		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1398	1 of 1	NNE	4.42 / 23,353.17	North Houston Pole Line, LP TX	WW HARRIS GAL

Well ID:	6449	Diameter (inches):	4
Aggre Lead Well:	6449	Year Drilled:	1980
Permit No:	WP2023-114602	Depth Drilled:	0
Permit Start Date:	8/1/2023 1:55:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 1:55:48 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901388
Regulatory Aarea:	3	Longitude:	-95.378611
Owner Name:	North Houston Pole Line, LP		
Billing Contact:	Benjamin Austin		
Billing Address:	1608 Margaret St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1399	1 of 1	N	4.42 / 23,357.35	Vazquez, Roberto TX	WW HARRIS GAL

Well ID:	8173	Diameter (inches):	4
Aggre Lead Well:	8173	Year Drilled:	NULL
Permit No:	WP2023-114740	Depth Drilled:	45
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:20:12 PM	County:	H
Well Status:	O - Operable	Latitude:	29.906388
Regulatory Aarea:	3	Longitude:	-95.399444
Owner Name:	Vazquez, Roberto		
Billing Contact:	NULL		
Billing Address:	219 Holtman		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1400	1 of 1	N	4.43 / 23,377.61	FAT Property, LLC TX	WW HARRIS GAL
<div> <div> Well ID: 7683 Aggre Lead Well: 7683 Permit No: WP2023-114097 Permit Start Date: 8/1/2023 11:04:00 AM Permit End Dt: 7/31/2024 11:04:00 AM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Wishing Well Prop, LLC Billing Contact: Star, Epps Billing Address: 3800 Garrott St. Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77006 Correspondence: NULL Provision: DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion. Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.906944 Longitude: -95.411388 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1401	1 of 1	N	4.43 / 23,383.57	Marquez, Guillermo TX	WW HARRIS GAL
<div> <div> Well ID: 12658 Aggre Lead Well: 12658 Permit No: WP2022-113944 Permit Start Date: 8/1/2022 4:21:00 PM Permit End Dt: 7/31/2023 4:21:22 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 4 Year Drilled: 0 Depth Drilled: 1 Depth frm Surf(ft): 0 County: H Latitude: 29.9075 Longitude: -95.406666 </div> </div>					
Owner Name:		Belmarez, Agapito & Andrea			
Billing Contact:		NULL			
Billing Address:		12525 Broken Bough Dr			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77024			
Correspondence:		NULL			
Provision:		G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee			
Water Usage:		D - Domestic/Commercial			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1402	1 of 2	N	4.43 / 23,387.19	MR CUDE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 06/24/1994
Owners Name: MR CUDE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 245
Depth Drilled: 448
Latitude: 29.906982
Longtiude: -95.407017

Send original copy by certified mail to: TNRCC, P.O. Box 15 Austin, TX 78711-3087

Km41: 6

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																									
1) OWNER <u>Mr. Cude</u> (Name)		ADDRESS <u>402 Blue Bell Hwy</u> (Street or RFD) (City) (State) (Zip)																																																											
2) LOCATION OF WELL: County <u>Harris</u> <u>10</u> miles in <u>N</u> direction from <u>Houston Tx</u> (Town)																																																													
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																													
LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																													
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>60.63.2</u>																																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																									
6) WELL LOG: Date Drilling: <u>June 20, 1994</u> Started: <u>June 20, 1994</u> Completed: <u>June 24, 1994</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>420</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>420</u></td> <td><u>448</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>420</u>	<u>4 1/2</u>	<u>420</u>	<u>448</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																
Dia. (in.)	From (ft.)	To (ft.)																																																											
<u>6 3/4</u>	Surface	<u>420</u>																																																											
<u>4 1/2</u>	<u>420</u>	<u>448</u>																																																											
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-20</u></td><td></td><td><u>Top soil, sand</u></td></tr> <tr><td><u>20-40</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>40-60</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>60-100</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>100-140</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>140-200</u></td><td></td><td><u>Clay, red</u></td></tr> <tr><td><u>200-220</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>220-280</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>280-300</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>300-420</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>420-448</u></td><td></td><td></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-20</u>		<u>Top soil, sand</u>	<u>20-40</u>		<u>Clay</u>	<u>40-60</u>		<u>Sand</u>	<u>60-100</u>		<u>Clay</u>	<u>100-140</u>		<u>Sand</u>	<u>140-200</u>		<u>Clay, red</u>	<u>200-220</u>		<u>Sand</u>	<u>220-280</u>		<u>Clay</u>	<u>280-300</u>		<u>Sand</u>	<u>300-420</u>		<u>Clay</u>	<u>420-448</u>			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>New or Used</th> <th>Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th>Setting (ft.)</th> <th>Gage Casting Screen</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>RVC</u></td> <td>From <u>0</u> To <u>420</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>RVC Line</u></td> <td><u>410</u> <u>428</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>SS Rod Beam</u></td> <td><u>425</u> <u>440</u></td> <td><u>04</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casting Screen	<u>4</u>	<u>N</u>	<u>RVC</u>	From <u>0</u> To <u>420</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>RVC Line</u>	<u>410</u> <u>428</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>SS Rod Beam</u>	<u>425</u> <u>440</u>	<u>04</u>
From (ft.)	To (ft.)	Description and color of formation material																																																											
<u>0-20</u>		<u>Top soil, sand</u>																																																											
<u>20-40</u>		<u>Clay</u>																																																											
<u>40-60</u>		<u>Sand</u>																																																											
<u>60-100</u>		<u>Clay</u>																																																											
<u>100-140</u>		<u>Sand</u>																																																											
<u>140-200</u>		<u>Clay, red</u>																																																											
<u>200-220</u>		<u>Sand</u>																																																											
<u>220-280</u>		<u>Clay</u>																																																											
<u>280-300</u>		<u>Sand</u>																																																											
<u>300-420</u>		<u>Clay</u>																																																											
<u>420-448</u>																																																													
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casting Screen																																																									
<u>4</u>	<u>N</u>	<u>RVC</u>	From <u>0</u> To <u>420</u>	<u>40</u>																																																									
<u>2 1/2</u>	<u>N</u>	<u>RVC Line</u>	<u>410</u> <u>428</u>	<u>40</u>																																																									
<u>2 1/2</u>	<u>N</u>	<u>SS Rod Beam</u>	<u>425</u> <u>440</u>	<u>04</u>																																																									
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>336</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>6</u> <u>200</u> ft. to <u>420</u> ft. No. of Sacks Used <u>12</u> Method used <u>Pressure</u> Cemented by <u>CWU</u>																																																											
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>28'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>245</u> ft. below land surface Date <u>6-24-94</u> Artesian flow _____ gpm. Date _____																																																											
12) PACKERS: <u>4x2 1/2</u> Type <u>R</u> Depth <u>410</u>																																																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																													
COMPANY NAME <u>COASTAL WATER WELL</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u>																																																											
ADDRESS <u>P.O. Box 745</u> (Street or RFD)		<u>Porter Tx</u> (City)		<u>77365</u> (State) (Zip)																																																									
(Signed) <u>J.R. Gebel</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																													
For TNRCC use only: Well no. _____ Located on map <u>65.5.9</u>																																																													

TNRCC-0199 (Rev. 05-18-90)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1402	2 of 2	N	4.43 / 23,387.19	CLAYTON SPIVA TX	TCEQ WELL LOGS

Grid No: 65-05-9W
 Date Drilled: 03/02/1978
 Owners Name: CLAYTON SPIVA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 6
 Depth Drilled: 48
 Latitude: 29.906982
 Longtiude: -95.407017


9w *Dupa*

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
 Well No. 65-05-9w
 Located on map yes
 Received: 287
old

1) OWNER:
 Person having well drilled CLAYTON SPIVA (Name) Address 401 BLUE BELL
Houston, Texas (State)
 Landowner " (Name) Address " (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS 10 miles in N direction from Houston
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

 (Use reverse side if necessary)
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
 New Well ☒ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic ☒ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary ☒ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 48 ft. Depth of completed well 48 ft. Date drilled 3-2-78
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	18	CLAY
18	48	SAND

9) Casing:
 Type: Old ☒ Steel ☒ Plastic _____ Other _____
 Cemented from _____ ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
4 0 38 50H40

10) SCREEN: PLASTIC
 Type _____
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 38 48 8

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall ☒ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 6 ft. below land surface Date 3-2-78
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 38 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes ☒ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes ☒ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR (Type or Print) Water Well Drillers Registration No. 1101
 ADDRESS 11630 MAELLER CEM. RD. (Street or RFD) (City) CYPRESS, TEXAS (State)
 (Signed) John B. Lumpkin Jr (Water Well Driller) CYFAIR WATER WELL DRILLING & SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-6


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JUN 26 1978
DEPT. OF
WATER RESOURCES

RECEIVED
SEP 9 1978
Central Records
TEXAS DEPT. OF WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1403	1 of 1	NNW	4.43 / 23,399.37	Carol Thomas 9809 Deer Trail Houston TX 77038	SDRW WELLS

Track NO: 175501
Date Submitted: 2009-04-21
Owner Name: Carol Thomas
Owner Address: 9809 Deer Trail
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906667
Longitude: -95.423055
Drilling Date Started: 2009-04-17
Drilling Date Completed: 2009-04-19
Chemical Analysis: No
Company Name: Ricky Bonds Water Wells
Company Address: 23421 Hargrave Rd.
CompanyAddress2:
Company City: Hockley
Company State: TX
Company Zip: 77447
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=175501&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 328

Top Depth:
Bottom Depth: 328.0

Well Levels

Measurement: 162
Measurement Date: 2009-04-19

Well Strata

Water Type:

soft

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1404	1 of 3	NNE	4.43 / 23,403.88	Check Fuel TX	WW HARRIS GAL

Well ID:	15184	Diameter (inches):	5
Aggre Lead Well:	15184	Year Drilled:	0
Permit No:	WP2023-115099	Depth Drilled:	400
Permit Start Date:	8/1/2023 4:42:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.381944
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	801 Aldine Mail Rt.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1404	2 of 3	NNE	4.43 / 23,403.88	HENRY WATER SERVICE 801 ALDINE MAIL ROUTE RD HOUSTON TX 77037	SDRW WELLS

Track NO: 590265
Date Submitted: 2021-12-01
Owner Name: HENRY WATER SERVICE
Owner Address: 801 ALDINE MAIL ROUTE RD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.902222
Longitude: -95.381944
Drilling Date Started: 2021-11-01
Drilling Date Completed: 2021-11-02
Chemical Analysis: Yes
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=590265&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 405

Top Depth:
Bottom Depth: 405.0

Well Levels

Measurement: 180
Measurement Date:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1404	3 of 3	NNE	4.43 / 23,403.88	Albert C. Spurlock 801 Aldine Mail Rt. Houston TX 77037	SDRW WELLS

Track NO: 1794
Date Submitted: 2001-08-08
Owner Name: Albert C. Spurlock
Owner Address: 801 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902501
Longitude: -95.382222
Drilling Date Started: 2001-07-09
Drilling Date Completed: 2001-07-10
Chemical Analysis: No
Company Name: Thomas Water Well Service
Company Address: 629 Catfish Lane
CompanyAddress2:
Company City: Conroe
Company State: TX
Company Zip: 77384
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=1794&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 360.0

Top Depth: 0
Bottom Depth: 360

Well Levels

Measurement: 220
Measurement Date: 2001-07-10

Well Strata

Water Type:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1405	1 of 1	N	4.43 / 23,408.42	DONALD COOK TX	TCEQ WELL LOGS

Grid No: 65-05-9H
Date Drilled: 03/29/1977
Owners Name: DONALD COOK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 204
Depth Drilled: 334
Latitude: 29.9063479
Longtiude: -95.3983518

9H 9H *Daryl*

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9H
Located on map yes
Received: 7/7/05
alt

1) OWNER:
Person having well drilled DONALD COOK Address 237 HOLTMAN ST
(Name) (Street or RFD) (City) (State)
Landowner SAME Address HOUSTON, TEX.
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in NO direction from HOUSTON, TEX.
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
WELL AT 237 HOLTMAN
AIRLINE DRIVE
LITTLE BORN
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 334 ft. Depth of completed well 334 ft. Date drilled MAR. 29. 77
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	23	CLAY
23	49	SAND
49	70	CLAY
70	82	SAND
82	223	CLAY
223	239	SAND
239	267	CLAY
267	280	SAND
280	293	CLAY
293	334	SAND

(Use reverse side if necessary)

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from 150 ft. to 315 ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Gage _____
4" 0 315

10) SCREEN: PLASTIC - RIBBED
Type: Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 319 334 #16

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed TWO - STRING Open Hole

8) WATER LEVEL:
Static level 204' ft. below land surface Date MAR. 29. 77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 252' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata 41'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
(Type or Print)
ADDRESS P.O. Box 90067 HOUSTON, TEX. 77090
(Street or RFD) (City) (State)
(Signed) E.L. Bode E.L. BODE DRILLING Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1406	1 of 1	NE	4.43 / 23,413.20	Pablo Aranda 1502 Hill Rd. Houston TX 77039	SDRW WELLS

Track NO: 455853
Date Submitted: 2017-07-19
Owner Name: Pablo Aranda
Owner Address: 1502 Hill Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.895
Longitude: -95.366389
Drilling Date Started: 2017-06-27
Drilling Date Completed: 2017-06-27
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=455853&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 47.0

Top Depth: 0
Bottom Depth: 47

Well Levels

Measurement: 6
Measurement Date: 2017-06-27

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1407	1 of 2	NE	4.43 / 23,414.42	MIQUEL BARBER TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 12/18/1999
Owners Name: MIQUEL BARBER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 15
Depth Drilled: 45
Latitude: 29.8961355
Longitude: -95.3682016

Send original copy by certified return receipt request

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>MIQUEL BARBER</u> (Name)		ADDRESS <u>1413 HILL RD HOUSTON TX 77039</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> (Street, RFD or other) (City) (State) (Zip)		Long. <u>95-06-7</u>		Lat. <u>29-56-1</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: <u>2/18/99</u> Started: <u>12/18/99</u> Completed: <u>12/18/99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5 1/4"</u></td> <td>Surface</td> <td><u>45</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5 1/4"</u>	Surface	<u>45</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5 1/4"</u>	Surface	<u>45</u>																							
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from _____ ft. to _____ ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																							
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>N</u></td> <td></td> <td><u>Plastic</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td><u>N</u></td> <td></td> <td><u>Plastic</u></td> <td></td> <td></td> <td></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>N</u>		<u>Plastic</u>				<u>N</u>		<u>Plastic</u>					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																		
			From	To																					
<u>N</u>		<u>Plastic</u>																							
<u>N</u>		<u>Plastic</u>																							
		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>35</u> ft. No. of sacks used <u>8</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>90</u> ft. Method of verification of above distance <u>Customer</u>																							
13) <input type="checkbox"/> Well plugged within 48 hours																									
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																					
From (ft.)	To (ft.)	From (ft.)	To (ft.)																						
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>15</u> ft. below land surface Date <u>2/18/99</u> Artesian flow _____ gpm. Date _____																							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: Type Depth <u>NONE</u>																							
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>																							
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (Street or RFD) (City) (State) (Zip)																									
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																							

TDLR FORM 001WVWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

146173

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1407	2 of 2	NE	4.43 / 23,414.42	Miguel Barbas 1413 1/2 Hill Rd. Houston TX 77039	SDRW WELLS

Track NO: 58832
Date Submitted: 2005-05-13
Owner Name: Miguel Barbas
Owner Address: 1413 1/2 Hill Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.896389
Longitude: -95.368333
Drilling Date Started: 2005-05-07
Drilling Date Completed: 2005-05-07
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=58832&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 10
Measurement Date: 2005-05-07

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1408	1 of 1	NNE	4.43 / 23,416.63	Antonio Gallegos 506 Holtman Houston TX 77060	SDRW WELLS

Track NO: 85165
Date Submitted: 2006-06-16
Owner Name: Antonio Gallegos
Owner Address: 506 Holtman
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905556
Longitude: -95.394167
Drilling Date Started: 2006-06-15
Drilling Date Completed: 2006-06-15
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=85165&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 47.0

Top Depth: 0
Bottom Depth: 47

Well Levels

Measurement: 6
Measurement Date: 2006-06-15

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1409	1 of 2	N	4.44 / 23,420.22	Guzman, Josue TX	WW HARRIS GAL

Well ID:	16511	Diameter (inches):	2
Aggre Lead Well:	16511	Year Drilled:	NULL
Permit No:	WP2023-104632	Depth Drilled:	50
Permit Start Date:	2/6/2023 8:41:10 AM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 10:52:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.906944
Regulatory Aarea:	3	Longitude:	-95.403056
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	262 Mading Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	Tx		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1409	2 of 2	N	4.44 / 23,420.22	Josue Guzman 262 Mading Ln. Houston TX 77037	SDRW WELLS

Track NO: 635206
Date Submitted: 2023-03-29
Owner Name: Josue Guzman
Owner Address: 262 Mading Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906944
Longitude: -95.402778
Drilling Date Started: 2023-03-28
Drilling Date Completed: 2023-03-28
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=635206&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 45

Top Depth:
Bottom Depth: 45.0

Well Levels

Measurement: 8
Measurement Date:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1410	1 of 1	N	4.44 / 23,423.87	GENE WINDHAM TX	TCEQ WELL LOGS

Grid No: 65-13-2
Date Drilled: 09/26/1995
Owners Name: GENE WINDHAM
County: HARRIS
Water Usage: DOMESTIC
Static Level: 280
Depth Drilled: 492
Latitude: 29.906331
Longtiude: -95.421711

Send original copy by certified mail to: TNRCC, P.O. Box 7, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER: GENE WINDHAM (Name) ADDRESS: 9806 DEER TRAIL HOUSTON TX 77038 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris 9806 DEER TRAIL HOUSTON TX 77038 GRID # 65-13-2 (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling:
Started 9-25-1995
Completed 9-26-1995

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	470
3-7/8	470	492

7) DRILLING METHOD (Check):
☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0 - 30		Clay
30 - 120		Sand
120 - 240		Clay & Rock
240 - 320		Shale & Clay
320 - 370		Rock & Shale
370 - 400		Sand
400 - 460		Clay
460 - 495		Sand

8) Borehole Completion (Check):
☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☒ Other 2 String
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	470	Sch 40
2 1/2	N	PVC	465	475	Sch 40
2 1/2	N	PVC	475	495	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 466 ft. to 200 ft. No. of sacks used 16
0 ft. to 15 ft. No. of sacks used 10
Method used Halliburton
Cemented by RWW
Distance to septic system field lines or other concentrated contamination 175 ft.
Method of verification of above distance Owner

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 280 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 465

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME: ROBINSON WATER WELL (Type or print) ADDRESS: 11819 WEST MONTGOMERY HOUSTON TX 77086 (Street or RFD) (City) (State) (Zip)

WELL DRILLER'S LICENSE NO. 1464

(Signed) [Signature] (Licensed Well Driller)

(Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

3621

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1411	1 of 1	NW	4.44 / 23,437.14	CHARLES BRUCE TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 03/06/1999
Owners Name: CHARLES BRUCE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 20
Depth Drilled: 54
Latitude: 29.89827
Longtiude: -95.447818

Send original copy*by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>CHARLES BRUCE</u> ADDRESS <u>2514 W MT. HOV HOV TX 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>SAME</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. _____ Lat. _____ Grid # <u>65-05-8</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																					
6) WELL LOG: Date Drilling: <u>3/6</u> 19 <u>99</u> Started <u>3/6</u> 19 <u>99</u> Completed <u>3/6</u> 19 <u>99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td>Surface</td> <td><u>54</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>54</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5</u>	Surface	<u>54</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-8</u> <u>YELLOW CLAY</u> <u>8-18</u> <u>WHITE SAND</u> <u>18-38</u> <u>RED & GRAY CLAY</u> <u>38-42</u> <u>SAND &</u> <u>42-45</u> <u>RED CLAY</u> <u>45-54</u> <u>SAND RED &</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>40</u> ft. to <u>54</u> ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>44</u></td> <td><u>2H40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic SCREEN</u></td> <td><u>44</u></td> <td><u>54</u></td> <td><u>1006</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>44</u>	<u>2H40</u>	<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>44</u>	<u>54</u>	<u>1006</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>44</u>	<u>2H40</u>																				
<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>44</u>	<u>54</u>	<u>1006</u>																				
		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>44</u> ft. No. of sacks used <u>12</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u>																							
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)							14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.								
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																					
From (ft)	To (ft)	From (ft)	To (ft)																						
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>6</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>80</u> ft. below land surface Date <u>3/8/99</u> Artesian flow _____ gpm. Date _____																							
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td colspan="3"><u>NONE</u></td> </tr> </table>				Type	Depth	<u>NONE</u>																	
	Type	Depth																							
<u>NONE</u>																									
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> <small>(Type or print)</small>		FILE ID <u>WELL DRILLER'S LICENSE NO.</u>		SEQ # <u>4577WI</u>																					
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small>		EMP # <u>77037</u>		REG CO _____																					
(Signed) <u>[Signature]</u> <small>(Licensed Well Driller)</small>		(Signed) <u>SEP 13 1999</u> <small>(City) (State) (Zip)</small>		(Registered Driller Trainee)																					
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1412	1 of 9	NNE	4.44 / 23,437.97	Oak Glen Subdivision TX	GWDB

Well Rep Track No:
State Well No: 6505902
Owner Name: Oak Glen Subdivision
Drilling Start Dt:
Drilling Month: 8
Drilling Day: 18
Drilling Year: 1952
Well Depth: 498
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9052780
Longitude: -95.3911110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505902&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505902&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1412	2 of 9	NNE	4.44 / 23,437.97	Houston, City of TX	WW HARRIS GAL

Well ID:	2238	Diameter (inches):	8
Aggre Lead Well:	1003	Year Drilled:	1952
Permit No:	W2008-1003-132576-0	Depth Drilled:	498
Permit Start Date:	2/1/2008	Depth frm Surf(ft):	295
Permit End Dt:	1/31/2009	County:	H
Well Status:	P - Plugged	Latitude:	29.904722
Regulatory Aarea:	3	Longitude:	-95.390277
Owner Name:	Houston, City of		
Billing Contact:	NULL		
Billing Address:	611 Walker St., 21st Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Acres Homes #1		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1412	3 of 9	NNE	4.44 / 23,437.97	SUNBELT FWSD OAKGLEN SUBDIVISION TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: OPERATIONAL
PWSID: 1010188
Source ID: G1010188A
Utility Name: SUNBELT FWSD OAKGLEN SUBDIVISION
WTRSRC: G1010188A
Date Drilled: 08/18/1952
Well Depth: 498
Screen Top: 305
Screen Bottom: 460
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 150
CCN: 10833
Latitude: 29.90517044
Longitude: -95.39086151
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1412	4 of 9	NNE	4.44 / 23,437.97	SUNBELT FWSD OAKGLEN SUBDIVISION	WUD
				TX	

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: OPERATIONAL
PWSID: 1010188
Source ID: G1010188B
Utility Name: SUNBELT FWSD OAKGLEN SUBDIVISION
WTRSRC: G1010188B
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 120
CCN: 10833
Latitude: 29.905094
Longitude: -95.390517
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1412	5 of 9	NNE	4.44 / 23,437.97	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 10483 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Sunbelt F.W.S.D. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 6 Year Drilled: Depth Drilled: 400 Depth frm Surf(ft): 380 County: H Latitude: 29.905 Longitude: -95.390833 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1412	6 of 9	NNE	4.44 / 23,437.97	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 11605 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Sunbelt F.W.S.D. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 5 Year Drilled: Depth Drilled: 400 Depth frm Surf(ft): 380 County: H Latitude: 29.905 Longitude: -95.390555 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1412	7 of 9	NNE	4.44 / 23,437.97	Sunbelt FWSD 14130 Liliya Rd. Houston TX 77060	SDRW WELLS

Track NO: 97594
Date Submitted: 2006-11-13
Owner Name: Sunbelt FWSD
Owner Address: Liliya Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.905278
Longitude: -95.390556
Drilling Date Started: 2006-10-03
Drilling Date Completed: 2006-10-06
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=97594&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 460.0

Top Depth: 0
Bottom Depth: 460

Well Levels

Measurement: 210
Measurement Date: 2006-10-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1412	8 of 9	NNE	4.44 / 23,437.97	SUNBELT FRESHWATER SUPPLY 14130 LILLJA HOUSTON TX 77060	SDRW WELLS

Track NO: 335827
Date Submitted: 2013-08-16
Owner Name: SUNBELT FRESHWATER SUPPLY
Owner Address: 10377 STELLA LINK
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77025
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.904445
Longitude: -95.391111
Drilling Date Started: 2012-05-22
Drilling Date Completed: 2012-06-04
Chemical Analysis: No
Company Name:
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=335827&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 472

Top Depth: 472
Bottom Depth: 516

Top Depth:
Bottom Depth: 516.0

Well Levels

Measurement: 193
Measurement Date: 2012-06-04

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1412	9 of 9	NNE	4.44 / 23,437.97	USGS-295418095232701 TX	FED USGS

Site No: USGS-295418095232701
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled:
Well Depth: 498
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-902
Latitude: 29.90516944000000
Longitude: -95.3908611000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1413	1 of 1	NE	4.44 / 23,441.02	Welding Outlets Inc. TX	WW HARRIS GAL

Well ID:	5812	Diameter (inches):	4
Aggre Lead Well:	5812	Year Drilled:	1992
Permit No:	WP2023-112735	Depth Drilled:	368
Permit Start Date:	8/1/2023 12:33:00 PM	Depth frm Surf(ft):	20
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.8975
Regulatory Aarea:	3	Longitude:	-95.369166
Owner Name:	Welding Outlets Inc.		
Billing Contact:	Sheryl Ryan Michalak		
Billing Address:	1341 Hill Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1414	1 of 2	N	4.44 / 23,445.17	Guzman, Aldemar TX	WW HARRIS GAL

Well ID:	9543	Diameter (inches):	2
Aggre Lead Well:	9543	Year Drilled:	2003
Permit No:	W2018-9543-197832-0	Depth Drilled:	50
Permit Start Date:	8/1/2018	Depth frm Surf(ft):	40
Permit End Dt:	8/1/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.906666
Regulatory Aarea:	3	Longitude:	-95.403055
Owner Name:	Guzman, Aldemar		
Billing Contact:	NULL		
Billing Address:	111 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1414	2 of 2	N	4.44 / 23,445.17	Aldemar Guzman 111 Blue Bell Houston TX 77037	SDRW WELLS

Track NO: 23585
Date Submitted: 2003-07-31
Owner Name: Aldemar Guzman
Owner Address: 111 Blue Bell
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.840834
Longitude: -95.520555
Drilling Date Started: 2003-07-22
Drilling Date Completed: 2003-07-22
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=23585&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2003-07-22

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1415	1 of 2	NNE	4.44 / 23,447.45	Tafarroji, Jafar TX	WW HARRIS GAL

Well ID:	10563	Diameter (inches):	2
Aggre Lead Well:	10563	Year Drilled:	2007
Permit No:	W2021-10563-218705-0	Depth Drilled:	200
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	180
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.382777
Owner Name:	Tafarroji, Jafar		
Billing Contact:	NULL		
Billing Address:	4119 Rancho Vista Dr.		
Billing Address 2:	NULL		
Billing City:	Pasadena		
Billing State:	TX		
Billing Zip:	77504		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1415	2 of 2	NNE	4.44 / 23,447.45	Jafar Tafarroji 14015 Henry Rd Houston TX 77060	SDRW WELLS

Track NO: 106536
Date Submitted: 2007-03-15
Owner Name: Jafar Tafarroji
Owner Address: 14015 Henry Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902501
Longitude: -95.382778
Drilling Date Started: 2007-02-16
Drilling Date Completed: 2007-02-17
Chemical Analysis: No
Company Name: B&R Water Well Drilling, Inc.
Company Address: 40619 FM 149
CompanyAddress2:
Company City: Magnolia
Company State: TX
Company Zip: 77354
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=106536&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 90.0

Top Depth: 0
Bottom Depth: 90

Well Levels

Measurement: 8
Measurement Date:

Well Strata

Water Type:

ground

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1416	1 of 1	NNE	4.44 / 23,452.04	ELROY WIEDERHOLD TX	TCEQ WELL LOGS

Grid No: 65-05-9CC
Date Drilled: 01/31/1978
Owners Name: ELROY WIEDERHOLD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 218
Depth Drilled: 416
Latitude: 29.900498
Longitude: -95.376588

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

65-95-9cc *Dug*

For TWDB use only
Well No. 65-05-920
Located on map 40-3
Received: 281

1) OWNER:
Person having well drilled Elroy Wiederhold 926 Aline Mail Hwy TX
(Name) (Street or RFD) (City) (State)
Landowner Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 10 miles in N direction from Hou
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.

(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Dug ☐ Driven ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 416 ft. Depth of completed well 416 ft. Date drilled 1-31-78
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	54	clay
54	58	reddish 340-366 clay
58	93	clay
93	101	reddish 366-416 sand
101	141	clay
141	158	sand
158	212	clay
212	238	sand
238	308	clay
308	340	sand fine

9) CASING:
Type: Old ☒ New ☐ Steel ☒ Plastic ☐ Other _____
Cemented from none ft. to _____ ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Gage _____

10) SCREEN:
Type perfor
Perforated ☒ Slotted ☐
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot Size _____

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? _____ depth of strata _____

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other _____
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 218 ft. below land surface Date 1-31-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 315 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A. R. Hendon JR Water Well Drillers Registration No. 1439
(Type or Print)
ADDRESS 14605 Reeveston Hou TX
(Street or RFD) (City) (State)
(Signed) A. R. Hendon Jr H + H Water Well
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1417	1 of 1	N	4.45 / 23,474.68	WORHTINGTON TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 03/11/1982
Owners Name: WORHTINGTON
County: HARRIS
Water Usage: BUILDING
Static Level: 208
Depth Drilled: 361
Latitude: 29.9072565
Longtiude: -95.4093596

6B *DB*

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-68
 Located on map YCS
 Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER WORTHINGTON Address 514 BLUE BELL HOUSTON TEXAS
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL HARRIS 10 miles in N direction from HOUSTON
 County (N.E., S.W., etc.) (Town)

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☒ Other BUILDING

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 3-11-82

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
0 3/4	Surface	350
3 7/8	350	361

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0 - 3		TOP SOIL					
3 - 21		RED SHALE					
21 - 53		SAND	4 N		PVC	0 340	
53 - 90		RED SHALE	4 1/2 N		PVC	340 346	
90 - 107		SAND	4 1/2 N		PVC SCREEN	346 361	
107 - 135		BLUE SHALE					
135 - 183		RED SHALE					
183 - 200		SAND					
200 - 245		RED SHALE					
245 - 278		SAND					
278 - 305		RED SHALE					
305 - 309		ROCK					
309 - 337		RED SHALE					
337 - 361		SAND					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Cementing DATA
 Cemented from 0 ft. to 340 ft.
 Method used PRESSURE
 Cemented by SUGG WATER WELL DRILLING
 (Company or Individual)

9) WATER LEVEL:
 Static level 208 ft. below land surface Date 3-12-82
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 13.8 gpm with 15 ft. drawdown after 2 hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
 (Type or Print)

ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039
 (Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1418	1 of 3	NW	4.45 / 23,477.48	Harris County MUD 118 TX	GWDB

Well Rep Track No:
State Well No: 6505736
Owner Name: Harris County MUD 118
Drilling Start Dt:
Drilling Month: 1
Drilling Day:
Drilling Year: 1991
Well Depth: 990
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8916667
Longitude: -95.4591667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505736&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505736&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1418	2 of 3	NW	4.45 / 23,477.48	HARRIS COUNTY MUD 118 TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: OPERATIONAL
PWSID: 1010897
Source ID: G1010897B
Utility Name: HARRIS COUNTY MUD 118
WTRSRC: G1010897B
Date Drilled: 01/00/1991
Well Depth: 990
Screen Top: 512
Screen Bottom: 974
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 800
CCN: P0195
Latitude: 29.891628
Longitude: -95.458817
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1418	3 of 3	NW	4.45 / 23,477.48	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 4262 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Harris Co. M.U.D. 118 Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 24 Year Drilled: 1991 Depth Drilled: 1200 Depth frm Surf(ft): 650 County: H Latitude: 29.8925 Longitude: -95.458333 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1419	1 of 5	N	4.45 / 23,477.70	School of Martial Arts TX	GWDB

Well Rep Track No:
State Well No: 6505955
Owner Name: School of Martial Arts
Drilling Start Dt:
Drilling Month: 2
Drilling Day: 1
Drilling Year: 2002
Well Depth: 390
Well Usage:
Water Level Status:
Latitude: 29.9066670
Longitude: -95.4000010
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505955&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505955&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1419	2 of 5	N	4.45 / 23,477.70	School of Martial Arts Inc. TX	WW HARRIS GAL

Well ID:	9021	Diameter (inches):	4
Aggre Lead Well:	9021	Year Drilled:	2002
Permit No:	WP2023-112065	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	385
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.906944
Regulatory Aarea:	3	Longitude:	-95.402222
Owner Name:	School of Martial Arts Inc.		
Billing Contact:	NULL		
Billing Address:	9122 Running Eagle Falls		
Billing Address 2:	NULL		
Billing City:	Tomball		
Billing State:	TX		
Billing Zip:	77375		
Correspondence:	Binh Mai		
Provision:	U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1419	3 of 5	N	4.45 / 23,477.70	Munoz, Nicholas TX	WW HARRIS GAL

Well ID:	9020	Diameter (inches):	2
Aggre Lead Well:	9020	Year Drilled:	2002
Permit No:	W2021-9020-218516-0	Depth Drilled:	50
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.906666
Regulatory Aarea:	3	Longitude:	-95.402222
Owner Name:	Nicolas Munoz		
Billing Contact:	NULL		
Billing Address:	4303 Maple Gables Ln		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77396		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1419	4 of 5	N	4.45 / 23,477.70	School of Martial Arts Inc. 10423 Airline Dr. Houston TX 77037	SDRW WELLS

Track NO: 4863
Date Submitted: 2002-02-14
Owner Name: School of Martial Arts Inc.
Owner Address: 10423 Airline Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.906667
Longitude: -95.400001
Drilling Date Started: 2002-02-01
Drilling Date Completed: 2002-02-04
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=4863&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 390

Top Depth:
Bottom Depth: 390.0

Well Levels

Measurement: 225
Measurement Date: 2002-02-04

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1419	5 of 5	N	4.45 / 23,477.70	USGS-295424095240001 TX	FED USGS

Site No: USGS-295424095240001
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 20020204
Well Depth: 390
Well Depth Unit: ft
Well Hole Depth: 390
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-955
Latitude: 29.90666667000000
Longitude: -95.40000000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1420	1 of 2	NE	4.45 / 23,485.34	J G Galloway TX	GWDB

Well Rep Track No:

State Well No: 6506720

Owner Name: J G Galloway

Drilling Start Dt:

Drilling Month: 10

Drilling Day: 10

Drilling Year: 1969

Well Depth: 350

Well Usage: Domestic

Water Level Status:

Latitude: 29.8933340

Longitude: -95.3633340

Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506720&Type=GWDB>

Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506720&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1420	2 of 2	NE	4.45 / 23,485.34	NORMAN DEMPSEY TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 02/03/1993
Owners Name: NORMAN DEMPSEY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 241
Depth Drilled: 405
Latitude: 29.893577
Longtiude: -95.363778

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER NORMAN DEMPSEY ADDRESS 1610 ERWIN HOUSTON, TEXAS 77039
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County HARRIS 10 miles in N direction from HOUSTON
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: _____
Started 2-2 1993 _____
Completed 2-3 1993 _____

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	
<u>6 3/4</u>	Surface	<u>395</u>	
<u>3 7/8</u>		<u>395</u>	<u>405</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casting Screen
<u>0-25</u>		<u>TOPSOIL & RED SHALE</u>					
<u>25-59</u>		<u>SAND</u>					
<u>59-107</u>		<u>RED SHALE</u>	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>385 SCH 40</u>
<u>107-123</u>		<u>SAND</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>385</u>	<u>405 SCH 40</u>
<u>123-195</u>		<u>RED SHALE</u>					
<u>195-220</u>		<u>SAND</u>					
<u>220-305</u>		<u>RED SHALE</u>					
<u>305-327</u>		<u>SAND</u>					
<u>327-380</u>		<u>RED SHALE</u>					
<u>380-405</u>		<u>SAND</u>					

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 385 ft. No. of Sacks Used 23
ft. to _____ ft. No. of Sacks Used _____
Method used PRESSURE
Cemented by SUGG WATER WELL

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 241 ft. below land surface Date 2-3-93
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type _____ Depth _____
2 3-RING K 382

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 315 ft.

14) WELL TESTS:
Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 13.5 gpm with 10 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SUGG WATERWELL DRILLING WELL DRILLER'S LICENSE NO. 1006WPKL
(Type or print)

ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039
(Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg Jr. (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map 65-6-7

WWD-012 (Rev. 05-18-90)

196167



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1421	1 of 2	NE	4.45 / 23,496.97	JEANETTE B. BELLO TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 11/12/1996
Owners Name: JEANETTE B. BELLO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 7
Depth Drilled: 40
Latitude: 29.8950701
Longtiude: -95.3659942

Send original copy by certified mail to: TNRCC, P.O. Box , Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>Jeanette B. Bello</u> (Name) ADDRESS <u>1510 Hill Rd.</u> <u>Houston</u> <u>TX</u> <u>77039</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Harris</u> <u>same</u> <u>GRID # 65-06-7</u> (Street or RFD) (City) (State) (Zip)																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: _____ Started <u>11/12/96</u> Completed <u>11/12/96</u>		DIAMETER OF HOLE <table border="1"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>4"</td> <td>Surface</td> <td>42</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	4"	Surface	42	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia. (in.)	From (ft.)	To (ft.)																													
4"	Surface	42																													
<table border="1"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td>0</td> <td>12</td> <td>Red and white clay</td> </tr> <tr> <td>12</td> <td>40</td> <td>White sand</td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	12	Red and white clay	12	40	White sand	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>30</u> ft. to <u>40</u> ft.																				
From (ft.)	To (ft.)	Description and color of formation material																													
0	12	Red and white clay																													
12	40	White sand																													
CASING, BLANK PIPE, AND WELL SCREEN DATA:																															
<table border="1"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>2</td> <td>N</td> <td>PVC Pipe</td> <td>0</td> <td>30</td> <td>40 SCH</td> </tr> <tr> <td>2</td> <td>N</td> <td>PVC Screen</td> <td>30</td> <td>40</td> <td>8 EA</td> </tr> <tr> <td></td> <td></td> <td>Slotted Pipe</td> <td></td> <td></td> <td></td> </tr> </table>						Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	2	N	PVC Pipe	0	30	40 SCH	2	N	PVC Screen	30	40	8 EA			Slotted Pipe			
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
2	N	PVC Pipe	0	30	40 SCH																										
2	N	PVC Screen	30	40	8 EA																										
		Slotted Pipe																													
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>30</u> ft. No. of sacks used <u>8</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services</u> Distance to septic system field lines <u>105</u> ft. Method of verification of above distance <u>Customer</u>																															
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																															
11) WATER LEVEL: Static level <u>7</u> ft. below land surface Date <u>11/12/96</u> Artesian flow _____ gpm. Date _____																															
12) PACKERS: <u>none</u> Depth _____ _____ _____ TEXAS NATURAL RESOURCE CONSERVATION COMMISSION																															
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.																															
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>15</u> gpm with _____ ft. drawdown after _____ hrs.																															
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																															
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>Raymond Services</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4577WI</u> ADDRESS <u>10011 Airline Dr.</u> <u>Houston</u> <u>TX</u> <u>77037</u> (Street or RFD) (City) (State) (Zip) (Signed) <u>[Signature]</u> (Signed) _____ (Licensed Well Driller) (Registered Driller Trainee)																															
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

TNRCC-0199 (Rev. 09-01-93)

196176

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1421	2 of 2	NE	4.45 / 23,496.97	Fast Forward Freight, LLC TX	WW HARRIS GAL

Well ID:	14205	Diameter (inches):	4
Aggre Lead Well:	14205	Year Drilled:	NULL
Permit No:	W2020-14205-210835-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2021	County:	H
Well Status:	O - Operable	Latitude:	29.895277
Regulatory Aarea:	3	Longitude:	-95.366111
Owner Name:	Fast Forward Freight, LLC		
Billing Contact:	NULL		
Billing Address:	PO Box 38544		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77238		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1422	1 of 1	N	4.45 / 23,497.97	ALFREDO SAN JUAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 4/24/1997
 Owners Name: ALFREDO SAN JUAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 12
 Depth Drilled: 48
 Latitude: 29.9073192
 Longtiude: -95.4098772

Send original copy by certified mail to: TNRCC, P.O. Box

, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>ALFREDO SAN JUAN</u> (Name)		ADDRESS <u>523 KORFF Hou. TX 77039</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>523 KORFF HARRIS</u> (Street or RFD) (City) (State) (Zip)		GRID # <u>65-05-9</u>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: <u>4/24</u> 19 <u>97</u> Started <u>4/24</u> 19 <u>97</u> Completed <u>4/24</u> 19 <u>97</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>10</u> Surface <u>48</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																					
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval ... from ... ft. to ... ft.																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">From (ft.)</th> <th style="width:10%;">To (ft.)</th> <th style="width:80%;">Description and color of formation material</th> </tr> <tr> <td><u>0</u></td> <td><u>19</u></td> <td><u>CLAY</u></td> </tr> <tr> <td><u>19</u></td> <td><u>40</u></td> <td><u>W/SAND</u></td> </tr> <tr> <td><u>40</u></td> <td><u>42</u></td> <td><u>ROCK</u></td> </tr> <tr> <td><u>42</u></td> <td><u>47</u></td> <td><u>SAND</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>19</u>	<u>CLAY</u>	<u>19</u>	<u>40</u>	<u>W/SAND</u>	<u>40</u>	<u>42</u>	<u>ROCK</u>	<u>42</u>	<u>47</u>	<u>SAND</u>	CASING, BLANK PIPE, AND WELL SCREEN DATA:								
From (ft.)	To (ft.)	Description and color of formation material																							
<u>0</u>	<u>19</u>	<u>CLAY</u>																							
<u>19</u>	<u>40</u>	<u>W/SAND</u>																							
<u>40</u>	<u>42</u>	<u>ROCK</u>																							
<u>42</u>	<u>47</u>	<u>SAND</u>																							
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PLASTIC</u></td> <td><u>0</u></td> <td><u>37</u></td> <td><u>40 SCH</u></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PLASTIC/SLOT</u></td> <td><u>37</u></td> <td><u>47</u></td> <td><u>.008</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>37</u>	<u>40 SCH</u>	<u>4</u>	<u>N</u>	<u>PLASTIC/SLOT</u>	<u>37</u>	<u>47</u>	<u>.008</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>37</u>	<u>40 SCH</u>																				
<u>4</u>	<u>N</u>	<u>PLASTIC/SLOT</u>	<u>37</u>	<u>47</u>	<u>.008</u>																				
(Use reverse side if necessary)		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>37</u> ft. No. of sacks used <u>14</u> ft. to ... ft. No. of sacks used ... Method used <u>PRESSURE</u> Cemented by <u>RAYMOND SERVICES INC.</u> Distance to septic system field lines <u>750</u> ft. Method of verification of above distance <u>CUSTOMER</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12</u> gpm with ... ft. drawdown after ... hrs.		11) WATER LEVEL: Static level <u>12</u> ft. below land surface Date <u>4/23/97</u> Artesian flow ... gpm. Date ...																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? ... Depth of strata ... Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: Type Depth <u>NONE</u>																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>RAYMOND SERVICES INC.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4577WI</u>																									
ADDRESS <u>10011 AEBLING DR.</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TEXAS</u> (State) <u>77037</u> (Zip)																									
(Signed) <u>[Signature]</u> (Signed) <u>[Signature]</u> (Registered Driller Trainee)																									

Please attach electric log, chemical analysis, and other pertinent information, if available.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1423	1 of 1	N	4.45 / 23,503.09	BLUE BELL UTILITIES TX	TCEQ WELL LOGS

Grid No: 60-61-8
Date Drilled: 09/??/1986
Owners Name: BLUE BELL UTILITIES
County: HARRIS
Water Usage: DOMESTIC/PUBLIC SUPPLY
Static Level: 235
Depth Drilled: 320
Latitude: 29.9073332
Longitude: -95.4089304

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1424	1 of 1	N	4.45 / 23,512.32	Southwest Canopy of Texas TX	WW HARRIS GAL

Well ID:	9932	Diameter (inches):	4
Aggre Lead Well:	9932	Year Drilled:	2004
Permit No:	WP2023-107852	Depth Drilled:	420
Permit Start Date:	6/1/2023 2:11:00 PM	Depth frm Surf(ft):	400
Permit End Dt:	5/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.415277
Owner Name:	Southwest Canopy of Texas		
Billing Contact:	Elizabeth Kaechler		
Billing Address:	9817 Sunnywood		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1425	1 of 1	E	4.45 / 23,516.02	RODGER CASIDA TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 03/31/1979
 Owners Name: RODGER CASIDA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 141
 Depth Drilled: 240
 Latitude: 29.8556956
 Longtiude: -95.3367676

Send original copy by certified mail to the: Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TDWR use only: Well No. <u>410</u> Located on map Received:																																																															
1) OWNER <u>RODGER CASIDA</u>		Address <u>11050 EPSON HOUSTON TEXAS</u>																																																																	
2) LOCATION OF WELL: County <u>HARRIS</u>		9 miles in <u>N</u> direction from <u>HOUSTON</u> (N.E., S.W., etc.) (City) (State) (Zip)																																																																	
<p>Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.</p> <p><input type="checkbox"/> Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____</p> <p><input checked="" type="checkbox"/> See attached map.</p>																																																																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other _____		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Driven <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																															
6) WELL LOG: Date drilled: <u>3-31-79</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>5 1/8</u> <u>230</u> <u>240</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																															
From (ft.) To (ft.)		Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																															
				<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>0-5</td> <td></td> <td>TOP SOIL</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5-45</td> <td></td> <td>YELLOW SHALE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>45-54</td> <td></td> <td>RED SAND</td> <td>4" N</td> <td>PLASTIC</td> <td>1-6" 225</td> </tr> <tr> <td>54-99</td> <td></td> <td>MED. SHALE</td> <td>4" N</td> <td>PLASTIC</td> <td>225 230</td> </tr> <tr> <td>99-124</td> <td></td> <td>BLUE SANDY SHALE</td> <td>2 1/2" N</td> <td>PLASTIC SCREEN</td> <td>230 240</td> </tr> <tr> <td>124-175</td> <td></td> <td>MED. SHALE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>175-186</td> <td></td> <td>SAND</td> <td></td> <td></td> <td></td> </tr> <tr> <td>186-222</td> <td></td> <td>RED SHALE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>222-240</td> <td></td> <td>SAND</td> <td></td> <td></td> <td></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	0-5		TOP SOIL				5-45		YELLOW SHALE				45-54		RED SAND	4" N	PLASTIC	1-6" 225	54-99		MED. SHALE	4" N	PLASTIC	225 230	99-124		BLUE SANDY SHALE	2 1/2" N	PLASTIC SCREEN	230 240	124-175		MED. SHALE				175-186		SAND				186-222		RED SHALE				222-240		SAND			
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																														
			From	To																																																															
0-5		TOP SOIL																																																																	
5-45		YELLOW SHALE																																																																	
45-54		RED SAND	4" N	PLASTIC	1-6" 225																																																														
54-99		MED. SHALE	4" N	PLASTIC	225 230																																																														
99-124		BLUE SANDY SHALE	2 1/2" N	PLASTIC SCREEN	230 240																																																														
124-175		MED. SHALE																																																																	
175-186		SAND																																																																	
186-222		RED SHALE																																																																	
222-240		SAND																																																																	
		CEMENTING DATA Cemented from <u>0</u> ft. to <u>225</u> ft. Method used <u>PRESSURE</u> Cemented by <u>JAMES H. SUGG JR.</u> (Company or Individual)																																																																	
		9) WATER LEVEL: Static level <u>141</u> ft. below land surface Date <u>4-1-79</u> Artesian flow _____ gpm. Date _____																																																																	
		10) PACKERS: Type Depth																																																																	
		11) TYPE PUMP: <input type="checkbox"/> Turbin <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>210</u> ft.																																																																	
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) WELL TESTS: <input type="checkbox"/> Type Test <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>11.5</u> gpm with <u>15</u> ft. drawdown after <u>2</u> hrs.																																																																	
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																																			
NAME <u>JAMES H. SUGG JR.</u> Water Well Drillers Registration No. <u>1006</u>																																																																			
ADDRESS <u>13501 CHRISMAN #26 HOUSTON TEXAS 57039</u>																																																																			
(Signed) <u>James H. Sugg Jr.</u> (Company Name) <u>SUGG WATER WELL DRILLING</u>																																																																			
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																			

*Additional instructions on reverse side.
TDWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

FEB 27 '80

CR/TDWR

SEP 4 1979

Texas Dept. of Water Resources

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1426	1 of 2	ENE	4.46 / 23,530.44	City of Houston Pinewood Village TX	GWDB

Well Rep Track No:
State Well No: 6514108
Owner Name: City of Houston Pinewood Village
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1950
Well Depth: 604
Well Usage: Unused
Water Level Status:
Latitude: 29.8672220
Longitude: -95.3405560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514108&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514108&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1426	2 of 2	ENE	4.46 / 23,530.44	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013OM
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013OM
Date Drilled: 00/00/1950
Well Depth: 604
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.86717
Longitude: -95.340493
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1427	1 of 1	N	4.46 / 23,534.49	CENTURY BUILDERS TX	TCEQ WELL LOGS

Grid No:	65-05-9A
Date Drilled:	01/09/1980
Owners Name:	CENTURY BUILDERS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	250
Depth Drilled:	360
Latitude:	29.907356
Longtiude:	-95.413277

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only

Well No. 65-05-9A

Located on map. YES

Received: TH

1) OWNER Century Builders Address 9941 West access IH 45 Houston, Tx.

2) LOCATION OF WELL:

County Harris 7 miles in N direction from Houston

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Map on 65-06-7PP

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 1/9/80

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6-3/4</u>		<u>360</u>

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 string cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	23	Clay
23	57	Sand
57	100	Clay
100	111	Sand
111	118	Clay
118	172	Sand
172	194	Clay
194	195	Rock
195	234	Sand
234	263	Clay
263	360	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	N	PVC Casing	0	340	Sch
2 1/2"	N	Blank Pipe	335	345	40
2 1/2"	N	Slotted Screen	345	360	.012

CEMENTING DATA

Cemented from 340 ft. to 100 ft.
Method used Halliburton
Cemented by Robinson Water Well
(Company or Individual)

9) WATER LEVEL:

Static level 250 ft. below land surface Date 1/10/80
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
<u>K</u>	<u>340</u>

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 300 ft.

12) WELL TESTS:

☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464
(_____
(Type or Print)
ADDRESS 11607 FM 149 Houston, Tx. 77086
(Street or RFD) (City) (State) (Zip)
(Signed) _____ Robinson Water Well Service, Inc.
(_____
(Water Well Driller) (Company Name)
Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

3670

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1428	1 of 1	NNE	4.46 / 23,536.91	Bhosale, Vishwas TX	WW HARRIS GAL

Well ID:	12671	Diameter (inches):	4
Aggre Lead Well:	12671	Year Drilled:	201
Permit No:	WP2023-111606	Depth Drilled:	1
Permit Start Date:	8/1/2023 2:03:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.381388
Owner Name:	Bhosale, Vishwas		
Billing Contact:	NULL		
Billing Address:	2402 Hendricks Lakes Dr.		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388		
Correspondence:	Vinay Bhosale		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1429	1 of 1	SE	4.46 / 23,573.87	KENT WONG TX	TCEQ WELL LOGS

Grid No: 65-14-4
Date Drilled: 10/25/1988
Owners Name: KENT WONG
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 252
Depth Drilled: 502
Latitude: 29.797711
Longtiude: -95.355479

STATE OF TEXAS WATER WELL REPORT

1) OWNER: WONG, KENT ADDRESS: 4500 COCKRAN CITY: HOUSTON STATE: TX ZIP:
 2) LOCATION OF WELL: County: HARRIS miles in N direction from HOUSTON

LEGAL DESCRIPTION: SEE ATTACHED MAP: 00139
 Section No.: Block No.: Township:
 Abstract No.: Survey Name:
 Distance and direction from two intersecting section or survey lines:

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: INDUSTRIAL 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00139 DIAMETER OF HOLE 7) BOREHOLE METHOD:
 DIAMETER FROM TO
 6.5 0 483 TWO STRING/B.P. SEAL
 4.0 483 502 IF GRAVEL... FROM FT. TO FT.
 DATE DRILLED: 10/25/88 FROM FT. TO FT.

GEOLOGICAL DESCRIPTION: 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 FROM TO DESCRIPTION DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
 0 3 SOIL 4.0 N P.V.C. SCH.40 0 483 CASING
 3 19 CLAY-WHITE 2.5 N STEEL, NEW, GALV. 479 489 LINER
 19 178 CLAY-RED 2.5 N STAINLESS - ROD BASE 489 499 .010
 178 209 SAND-WHITE-.014-.020 2.5 N STEEL, NEW, GALV. 499 502 S.T.N.
 209 263 CLAY-RED
 263 289 SAND-WHITE-.006-.008
 289 389 CLAY-RED
 389 400 SAND-WHITE-FINE
 400 479 CLAY-RED
 479 482 SAND-WHITE-.006-.008
 482 484 CLAY-RED
 484 499 SAND-WHITE-.010-.012
 499 502 BROKEN SAND & CLAY
 502 CLAY-RED

9) CEMENTING DATA:
 Cemented from 0 FT. TO 483 FT.
 FT. TO FT.
 Method used: PRESSURE-HALIBURTON
 Cemented by: ALMEDA WATER WELL

10) SURFACE COMPLETION:
 APP. ALTER. PROCD.

11) WATER LEVEL:
 STATIC LEVEL : 252 FT. DATE: 10/27/88
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

RECEIVED
 DEC 1 1989

TEXAS WATER COMMISSION

13) TYPE PUMP: SUBMERSIBLE 14) WELL TEST: JETTED
 DEPTH TO PUMP: 315 YIELD: 45 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: GOOD DEPTH OF STRATA: 502 NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843 FOR TDWR USE ONLY
 ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578 WELL NO. 65-14-4
 LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) A. S. [Signature] (signed) [Signature]
 LICENSED WATER WELL DRILLER (REGISTERED DRILLER TRAINEE)



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1430	1 of 1	SW	4.47 / 23,582.13	Austin Bros. Steel Co. TX	GWDB

Well Rep Track No:
State Well No: 6513828
Owner Name: Austin Bros. Steel Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1956
Well Depth: 394
Well Usage: Industrial
Water Level Status:
Latitude: 29.7847220
Longitude: -95.4494450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513828&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513828&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1431	1 of 1	NNE	4.47 / 23,597.14	Bar-Yam Engineering Co. TX	WW HARRIS GAL

Well ID:	6877	Diameter (inches):	4
Aggre Lead Well:	6877	Year Drilled:	1993
Permit No:	WP2023-113789	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.901388
Regulatory Aarea:	3	Longitude:	-95.377777
Owner Name:	Bar-Yam Engineering Co.		
Billing Contact:	Nicole Runnels		
Billing Address:	13913 Faber Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1432	1 of 2	N	4.47 / 23,627.68	TRICOR BUILDERS TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 01/08/2002
Owners Name: TRICOR BUILDERS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 215
Depth Drilled: 384
Latitude: 29.9068911
Longitude: -95.4217621

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: TRICOR BUILDERS		ADDRESS: 9904 DEERTRAIL		CITY: HOUSTON	STATE: TX	ZIP: -
2) ADDRESS OF WELL:						
County: HARRIS		GRID # 65-05-8				
Street or RFD: 9904 DEERTRAIL						
City, State, Zip code: HOUSTON, TX -						
3) TYPE OF WORK: NEW WELL						
4) PROPOSED USE: DOMESTIC						
If Public Supply well, were plans submitted to the THGCC?						
6) WELL LOG: 22972		DIAMETER OF HOLE		7) DRILLING METHOD:		8) BOREHOLE COMPLETION:
		DIAMETER	FROM TO			
DATE DRILLING:		6.5	0 384	MUD ROTARY		STRAIGHT WALL
STARTED: 06/27/01						N^
COMPLETED: 01/08/02						IF GRAVEL... FROM FT. TO FT.
						FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	337	WW
2.5	N	PVC LINER	353	368	80
2.5	N	SUPERFLO SCREEN	368	384	10

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
0	3	
3	35	CLAY
35	40	SAND
40	135	CLAY
135	161	SAND
161	203	CLAY
203	220	SAND
220	222	ROCK
222	287	CLAY
287	384	SAND

9) CEMENTING DATA:

Cemented from 337 FT. TO 0 FT. No. of Sacks Used 17

FT. TO FT.

Method used: PRESSURE

Cemented by: ODCI

Distance to septic field lines: ft.

Method of verification of above distance:

10) SURFACE COMPLETION:

SLAB

11) WATER LEVEL:

STATIC LEVEL : 215 FT. DATE: 01/08/02

ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P SEAL	353

13) TYPE PUMP:	14) WELL TEST:
SUBMERSIBLE	JETTED
DEPTH TO PUMP: 273	YIELD: 22 GPM WITH FT DRAWDOWN AFTER

15) WATER QUALITY:

TYPE OF WATER: N/A DEPTH OF STRATA: 97

NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC.	WATER WELL DRILLER'S LICENSE NO.: 1877,4111 4883
ADDRESS: 2357 GARDEN RD	CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

RECEIVED
TOLR MAIL ROOM

JUN 03 2002

NO CHEMICAL ANALYSIS MADE

FOR TWC USE ONLY

WELL NO.

LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed)

Angel Bautista
(LICENSED WATER WELL DRILLER)

(signed)

(REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1432	2 of 2	N	4.47 / 23,627.68	Kitts, William TX	WW HARRIS GAL

Well ID:	7664	Diameter (inches):	4
Aggre Lead Well:	7664	Year Drilled:	1983
Permit No:	WP2023-112454	Depth Drilled:	384
Permit Start Date:	7/12/2023 2:48:00 PM	Depth frm Surf(ft):	360
Permit End Dt:	5/31/2024 2:48:16 PM	County:	H
Well Status:	O - Operable	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.422777
Owner Name:	Kitts, William		
Billing Contact:	NULL		
Billing Address:	9904-B Deer Trail Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1433	1 of 1	NNE	4.48 / 23,633.96	Aldine Salvage LLC TX	WW HARRIS GAL

Well ID:	6815	Diameter (inches):	2
Aggre Lead Well:	6815	Year Drilled:	
Permit No:	WP2023-112057	Depth Drilled:	175
Permit Start Date:	8/1/2023 2:48:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.378055
Owner Name:	Aldine Salvage LLC		
Billing Contact:	NULL		
Billing Address:	900 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1434	1 of 1	WSW	4.48 / 23,646.14	MACK MOORE TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 10/21/1977
 Owners Name: MACK MOORE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 340
 Latitude: 29.8152336
 Longtiude: -95.4785557

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

For TWDB use only
Well No. _____
Located on map NO
Received: 78

WATER WELL REPORT

1) OWNER:
Person having well drilled: Mark Meese Address: 11442 Hempstead Hou. Tx.
(Name) (Street or RFD) (City) (State)
Landowner: Mark Meese Address: 11442 Hempstead Hou. Tx.
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dig
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 320 ft. Depth of completed well 340 ft. Date drilled 10/21/77
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-3		top soil
3-20		gray clay
20-118		fine white sand
118-200		red + gray clay
200-206		fine sand
206-223		red + gray clay
223-253		coarse sand
253-286		red + gray clay
286-293		fine sand
293-302		rock with sand strips 2 1/2"
302-318		red + gray clay
318-340		coarse white sand

9) CASING:
Type: Old ☒ Steel ☒ Plastic ☐ Other _____
Cemented from 250 ft. to 320 ft.
Diameter (inches) _____ Setting From (ft.) To (ft.) Casing Slot Size
4 0 320 40

10) SCREEN:
Type: Plastic
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) To (ft.) Slot Size
2 1/2 320 340 12

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☒ No ☐
Type of water? fresh depth of strata 225 ft.

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 240 ft. below land surface Date 10/21/77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 310 ft. below land surface.

NAME: Bobby Potter Water Well Drillers Registration No. 884
ADDRESS: 5717 Chappawa Hou. Tx.
(Street or RFD) (City) (State)
(Signed) Joyce J. Damrell Damrell + Potter Drilling Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1435	1 of 1	NNE	4.48 / 23,650.40	LEWIS SMITH TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 06/20/1989
Owners Name: LEWIS SMITH
County: HARRIS
Water Usage: DOMESTIC
Static Level: 234
Depth Drilled: 343
Latitude: 29.906448
Longtiude: -95.39462

1) OWNER: SMITH, LEWIS ADDRESS: 505 HOLTMAN CITY: HOUSTON STATE: TX ZIP: 77001
2) LOCATION OF WELL: County: HARRIS 2 miles in N direction from HOUSTON

Section No.: Block No.: Township:
Abstract No.: Survey Name:
Distance and direction from two intersecting section or survey lines:

6) WELL LOG: 00164		DIAMETER OF HOLE		7) BOREHOLE METHOD:			
		DIAMETER	FROM	TO			
		6.75	0	328	TWO STRING/B.P. SEAL		
		4.0	328	343	IF GRAVEL...	FROM	FT. TO
DATE DRILLED: 06/20/89						FROM	FT. TO

DATE DRILLED: 06/20/89

0	3	SOIL
3	17	CLAY-WHITE
17	47	SAND-RED-.006-.008
47	63	CLAY-RED
63	92	SAND-TAN-FINE
92	206	CLAY-RED
206	207	ROCK
207	218	SAND-TAN-.010-.012
218	221	ROCK
221	226	SAND-TAN-.010-.012
226	230	ROCK
230	290	CLAY-RED
290	317	SAND-WHITE-.010-.012
317	319	CLAY-BLUE
319	341	SAND-WHITE-.006-.008
341	343	CLAY-RED

1 1980

Method used: PRESSURE-HALIBURTON
Cemented by: ALMEDA WATER WELL

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

STATIC LEVEL : 234 FT.
ARTESIAN FLOW: 6PM

DATE: 06/23/89 TEXAS WATER COMMISSION
DATE:

12) PACKERS:	TYPE	DEPTH
	-----	----
	-----	----
	-----	----

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 294

14) WELL TEST:
JETTED
YIELD: 15 GPM WITH FT DRAWDOWN AFTER HRS

NO CHEMICAL ANALYSIS MADE

NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

WELL NO. 65-05-9

: LOCATED ON MAP


I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed)

H. S. John III
(LICENSED WATER WELL DRILLER)

(signed)

(REGISTERED DRILLER TRAINEE)



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1436	1 of 3	NE	4.48 / 23,655.05	Missions, Inc. TX	WW HARRIS GAL
<div> <div> Well ID: 11694 Aggre Lead Well: 11694 Permit No: WP2023-114555 Permit Start Date: 10/11/2023 10:27:00 AM Permit End Dt: 7/31/2025 Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 2 Year Drilled: Depth Drilled: 20 Depth frm Surf(ft): 10 County: H Latitude: 29.884444 Longitude: -95.351944 </div> </div>					
Owner Name:		Missions, Inc. dba Jesus Centers			
Billing Contact:		Teresa Gordon			
Billing Address:		2206 Hartwick Rd.			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77093			
Correspondence:		NULL			
Provision:		F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).			
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1436	2 of 3	NE	4.48 / 23,655.05	John Gordon 2206 1/2 Hartwick Houston TX 77093	SDRW WELLS

Track NO: 117131
Date Submitted: 2007-07-17
Owner Name: John Gordon
Owner Address: 2206 1/2 Hartwick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900001
Longitude: -95.366667
Drilling Date Started: 2007-06-27
Drilling Date Completed: 2007-06-29
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=117131&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth: 400
Bottom Depth: 415

Top Depth:
Bottom Depth: 415.0

Well Levels

Measurement: 200
Measurement Date: 2007-06-29

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1436	3 of 3	NE	4.48 / 23,655.05	John Gordon 2206 1/2 Houston TX 77093	SDRW WELLS

Track NO: 168534
Date Submitted: 2009-02-16
Owner Name: John Gordon
Owner Address: 2206 1/2 Hartwick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.883334
Longitude: -95.350001
Drilling Date Started: 2007-06-27
Drilling Date Completed: 2007-06-29
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W. Montgomery Rd.
CompanyAddress2:
Company City: Houston Texas
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=168534&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth: 400
Bottom Depth: 415

Top Depth:
Bottom Depth: 415.0

Well Levels

Measurement: 200
Measurement Date: 2007-06-29

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1437	1 of 5	N	4.48 / 23,657.47	LITTLE YORK VOLUNTEER FIRE DEPARTM TX	WUD

Primary Co: ROBIN HAYSLIP
Contact Ti: COMMISSIONER
Operating Status: OPERATIONAL
PWSID: 1013551
Source ID: G1013551A
Utility Name: LITTLE YORK VOLUNTEER FIRE DEPARTM
WTRSRC: G1013551A
Date Drilled: 11/12/2015
Well Depth: 461
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 54
CCN: N/A
Latitude: 29.907319
Longitude: -95.40075
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1437	2 of 5	N	4.48 / 23,657.47	LITTLE YORK VFD TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 07/21/1995
Owners Name: LITTLE YORK VFD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 452
Latitude: 29.907319
Longtiude: -95.40075

Send original copy by certified mail to: TNRCC, P.O. B

87, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>Little York V.F.D.</u> (Name) ADDRESS <u>10410 Airline Dr., Houston Tx.</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-05-9</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: <u>July 17, 1995</u> Started <u>July 17, 1995</u> Completed <u>July 21, 1995</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7 1/4</u></td> <td><u>Surface</u></td> <td><u>420</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>420</u></td> <td><u>452</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7 1/4</u>	<u>Surface</u>	<u>420</u>	<u>4 1/2</u>	<u>420</u>	<u>452</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>7 1/4</u>	<u>Surface</u>	<u>420</u>																													
<u>4 1/2</u>	<u>420</u>	<u>452</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0-22</u> <u>Clay</u> <u>22-47</u> <u>Sand</u> <u>47-51</u> <u>Rock, sand</u> <u>51-119</u> <u>Clay</u> <u>119-160</u> <u>Sand</u> <u>160-197</u> <u>Clay</u> <u>197-216</u> <u>Sand</u> <u>216-221</u> <u>Rock, sand</u> <u>221-230</u> <u>Clay</u> <u>230-250</u> <u>Sand</u> <u>250-290</u> <u>Clay</u> <u>290-301</u> <u>Sand</u> <u>301-312</u> <u>Clay</u> <u>312-331</u> <u>Sand</u> <u>331-338</u> <u>Clay</u> <u>338-395</u> <u>Sand</u> (Use reverse side if necessary)		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Tap String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>P.V.C.</u></td> <td><u>0</u></td> <td><u>420</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>P.V.C. Liner</u></td> <td><u>410</u></td> <td><u>427</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>S.S. Steel</u></td> <td><u>427</u></td> <td><u>452</u></td> <td><u>.05</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>420</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Liner</u>	<u>410</u>	<u>427</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>S.S. Steel</u>	<u>427</u>	<u>452</u>	<u>.05</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>420</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Liner</u>	<u>410</u>	<u>427</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>S.S. Steel</u>	<u>427</u>	<u>452</u>	<u>.05</u>																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>420</u> ft. No. of sacks used <u>27</u> _____ ft. to _____ ft. No. of sacks used _____ Method used: <u>Precursor</u> Cemented by: <u>CWW.</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>Owner</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>336</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>30</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>July 21, 95</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>27'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4X2 1/2</u></td> <td><u>K</u></td> <td><u>410'</u></td> </tr> </table>					Type	Depth	<u>4X2 1/2</u>	<u>K</u>	<u>410'</u>																				
	Type	Depth																													
<u>4X2 1/2</u>	<u>K</u>	<u>410'</u>																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>Coastal Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>																															
ADDRESS <u>P.O. Box 745</u> (Street or RFD) <u>Porter TX</u> (City) <u>77365</u> (State) (Zip)																															
(Signed) <u>J.R. Nichols</u> (Licensed Well Driller)		(Signed) <u>Keith Schell</u> (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1437	3 of 5	N	4.48 / 23,657.47	Little York VFD TX	WW HARRIS GAL

Well ID:	5421	Diameter (inches):	4
Aggre Lead Well:	5421	Year Drilled:	1995
Permit No:	W2019-5421-193505-0	Depth Drilled:	420
Permit Start Date:	1/9/2019	Depth frm Surf(ft):	400
Permit End Dt:	12/31/2019	County:	H
Well Status:	P - Plugged	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.401666
Owner Name:	Little York VFD		
Billing Contact:	NULL		
Billing Address:	10410 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	Mike Grove		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1437	4 of 5	N	4.48 / 23,657.47	Harris Co. ESD 17 TX	WW HARRIS GAL

Well ID:	13206	Diameter (inches):	5
Aggre Lead Well:	13206	Year Drilled:	0
Permit No:	WP2022-116872	Depth Drilled:	452
Permit Start Date:	1/11/2023 10:27:00 AM	Depth frm Surf(ft):	427
Permit End Dt:	7/31/2024 10:27:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.400833
Owner Name:	Little York VFD		
Billing Contact:	NULL		
Billing Address:	10410 Airline		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1437	5 of 5	N	4.48 / 23,657.47	Little York VFD 10410 Airline Drive Houston TX 77037	SDRW WELLS

Track NO: 409139
Date Submitted: 2015-11-16
Owner Name: Little York VFD
Owner Address: 10410 Airline Drive
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.906944
Longitude: -95.401389
Drilling Date Started: 2015-10-08
Drilling Date Completed: 2015-11-12
Chemical Analysis: Yes
Company Name: Bussell & sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=409139&Type=SDR-Well>

Well Borehole Information

Top Depth: 440
Bottom Depth: 461

Top Depth:
Bottom Depth: 461.0

Top Depth: 0
Bottom Depth: 440

Well Levels

Measurement: 190
Measurement Date: 2015-10-12

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1438	1 of 4	NE	4.48 / 23,666.47	HOOKS MOBILE HOME PARK TX	WUD

Primary Co: LARRY FRITH
Contact Ti: PRESIDENT
Operating Status: OPERATIONAL
PWSID: 1011713
Source ID: G1011713B
Utility Name: HOOKS MOBILE HOME PARK
WTRSRC: G1011713B
Date Drilled:
Well Depth: 480
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 52
CCN: 13027
Latitude: 29.888969
Longitude: -95.356822
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1438	2 of 4	NE	4.48 / 23,666.47	HOOKS MOBILE HOME PARK TX	WUD

Primary Co: LARRY FRITH
Contact Ti: PRESIDENT
Operating Status: OPERATIONAL
PWSID: 1011713
Source ID: G1011713A
Utility Name: HOOKS MOBILE HOME PARK
WTRSRC: G1011713A
Date Drilled: 10/01/1980
Well Depth: 443
Screen Top: 413
Screen Bottom: 443
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 58
CCN: 13027
Latitude: 29.88894167
Longitude: -95.35688056
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1438	3 of 4	NE	4.48 / 23,666.47	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3484 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 4 Year Drilled: 1980 Depth Drilled: 385 Depth frm Surf(ft): 180 County: H Latitude: 29.888888 Longitude: -95.356944 </div> </div> <div> Owner Name: Hooks Mobile Home Park, Ltd. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1438	4 of 4	NE	4.48 / 23,666.47	Houston, City of TX	WW HARRIS GAL
<hr/>					
Well ID:	3483			Diameter (inches):	4
Aggre Lead Well:	1003			Year Drilled:	1980
Permit No:	WP2023-117626			Depth Drilled:	385
Permit Start Date:	2/1/2024 1:23:00 PM			Depth frm Surf(ft):	180
Permit End Dt:	1/31/2025 1:23:00 PM			County:	H
Well Status:	O - Operable			Latitude:	29.888888
Regulatory Aarea:	3			Longitude:	-95.356666
Owner Name:	Hooks Mobile Home Park, Ltd.				
Billing Contact:	Ekaterina Fitos, GISP				
Billing Address:	611 Walker St 18th Floor				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77002				
Correspondence:	Karly Stelzer				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)				
Water Usage:	P - Public Supply				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1439	1 of 1	NNE	4.48 / 23,667.80	JOHN NGUYEN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 06/07/1997
Owners Name: JOHN NGUYEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 255
Depth Drilled: 410
Latitude: 29.9060249
Longtiude: -95.392157

Send original copy by certified return receipt requested mail to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>JOHN NGUYEN</u> ADDRESS <u>14303 LILJA</u> ^{Hou} <u># TX 77066</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																															
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>SAME</u> <small>(Street, RFD or other) (City) (State) (Zip)</small>				GRID # <u>65-05-9</u>																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: Started <u>6-6</u> 19 <u>97</u> Completed <u>6-7</u> 19 <u>97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>6 3/4</u></td> <td><u>0</u></td> <td><u>410</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>6 3/4</u>	<u>0</u>	<u>410</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
	Surface																														
<u>6 3/4</u>	<u>0</u>	<u>410</u>																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-20</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>20-30</u></td><td></td><td><u>SAND</u></td></tr> <tr><td><u>30-250</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>250-290</u></td><td></td><td><u>SAND</u></td></tr> <tr><td><u>290-350</u></td><td></td><td><u>CLAY</u></td></tr> <tr><td><u>350-410</u></td><td></td><td><u>SAND</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-20</u>		<u>CLAY</u>	<u>20-30</u>		<u>SAND</u>	<u>30-250</u>		<u>CLAY</u>	<u>250-290</u>		<u>SAND</u>	<u>290-350</u>		<u>CLAY</u>	<u>350-410</u>		<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.								
From (ft.)	To (ft.)	Description and color of formation material																													
<u>0-20</u>		<u>CLAY</u>																													
<u>20-30</u>		<u>SAND</u>																													
<u>30-250</u>		<u>CLAY</u>																													
<u>250-290</u>		<u>SAND</u>																													
<u>290-350</u>		<u>CLAY</u>																													
<u>350-410</u>		<u>SAND</u>																													
CASING, BLANK PIPE, AND WELL SCREEN DATA:																															
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC CASING</u></td> <td><u>0</u></td> <td><u>400</u></td> <td></td> </tr> <tr> <td><u>2.5</u></td> <td><u>"</u></td> <td><u>" LINER</u></td> <td><u>390</u></td> <td><u>400</u></td> <td></td> </tr> <tr> <td><u>"</u></td> <td><u>"</u></td> <td><u>" SCREN</u></td> <td><u>400</u></td> <td><u>410</u></td> <td><u>.008</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>400</u>		<u>2.5</u>	<u>"</u>	<u>" LINER</u>	<u>390</u>	<u>400</u>		<u>"</u>	<u>"</u>	<u>" SCREN</u>	<u>400</u>	<u>410</u>	<u>.008</u>		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																								
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>400</u>																											
<u>2.5</u>	<u>"</u>	<u>" LINER</u>	<u>390</u>	<u>400</u>																											
<u>"</u>	<u>"</u>	<u>" SCREN</u>	<u>400</u>	<u>410</u>	<u>.008</u>																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>400</u> ft. to <u>200</u> ft. No. of sacks used <u>15</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>10</u> Method used <u>HALLIBURTON</u> Cemented by <u>SWW SCOTT WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>X</u> ft. Method of verification of above distance <u>TO BE INSTALLED</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slat Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>255</u> ft. below land surface Date <u>6-7-97</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>K PACKER</u></td> <td><u>390</u></td> </tr> </table>				Type	Depth	<u>K PACKER</u>	<u>390</u>																						
Type	Depth																														
<u>K PACKER</u>	<u>390</u>																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>SWW SCOTT WATER WELL</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4839</u>																													
ADDRESS <u>11915 GREEN PINE CR.</u> <small>(Street or RFD)</small>		<small>(City)</small>		<small>(State) (Zip)</small>																											
(Signed) <u>Scott Robinson</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1440	1 of 1	NE	4.49 / 23,689.22	Neal, Thomas TX	WW HARRIS GAL

Well ID:	11751	Diameter (inches):	4
Aggre Lead Well:	11751	Year Drilled:	
Permit No:	WP2023-111871	Depth Drilled:	2
Permit Start Date:	8/1/2023 4:16:00 PM	Depth frm Surf(ft):	1
Permit End Dt:	7/31/2024 4:16:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.885277
Regulatory Aarea:	3	Longitude:	-95.352777
Owner Name:	Neal, Thomas		
Billing Contact:	NULL		
Billing Address:	2111 Hartwick Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1441	1 of 1	N	4.49 / 23,700.25	E A TELGE TX	TCEQ WELL LOGS

Grid No: 65-05-8J
 Date Drilled: 07/21/1978
 Owners Name: E A TELGE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 200
 Depth Drilled: 360
 Latitude: 29.907864
 Longtiude: -95.407947

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 65-05-8J
Located on map 1 cc
Received: 7/21/78

WATER WELL REPORT

1) OWNER:
Person having well drilled E.A. Telge Address 416 Bluebell Hwy TX
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 8 miles in N direction from Hou
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
Bluebell K-45 North
West Rd
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Cased ☐ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 360 ft. Depth of completed well 360 ft. Date drilled 7-21-78
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-30		clay
30-45		sand
45-121		clay
121-138		sand
138-204		clay
204-220		sand
220-291		clay
291-326		sand
326-335		clay
335-360		sand

9) CASING:
Type: Old ☒ New ☐ Steel ☒ Plastic ☐ Other _____
Cemented from 0 ft. to 340 ft.
Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 340 Gage _____

10) SCREEN:
Type _____
Perforated ☐ Slotted ☐
Diameter (inches) 2 1/2 Setting From (ft.) 350 To (ft.) 360 Slot Size .012

7) COMPLETION (Check):
☐ Straight wall ☐ Gravel packed ☒ Other K-Packer
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 200 ft. below land surface Date 7-21-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. Hendon JR Water Well Drillers Registration No. 1439
(Type or Print)
ADDRESS 14605 Reeveston Hwy TX
(Street or RFD) (City) (State)
(Signed) A.R. Hendon Jr H+H Water Well
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1442	1 of 1	NNE	4.49 / 23,707.67	Perez, Leopoldo Ibarra TX	WW HARRIS GAL

Well ID:	14543	Diameter (inches):	4
Aggre Lead Well:	14543	Year Drilled:	
Permit No:	WP2022-114099	Depth Drilled:	0
Permit Start Date:	8/1/2022	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023	County:	H
Well Status:	O - Operable	Latitude:	29.904166
Regulatory Aarea:	3	Longitude:	-95.386388
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	14114 Sellers Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1443	1 of 3	N	4.49 / 23,708.42	R W LAMMERT TX	TCEQ WELL LOGS

Grid No: 65-05-9T
 Date Drilled: 06/09/1973
 Owners Name: R W LAMMERT
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 130
 Depth Drilled: 222
 Latitude: 29.907882
 Longtiude: -95.407706

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

65-05-9T 9T Dug

For TWDB use only
Well No. 65-05-9T
Located on map Yes
Received: 93 yrs
dlc

1) OWNER:
Person having well drilled R.W. LAMBERT Address 1000 Emma Ave (City) (State)
Landowner SAME Address SAME (City) (State)

2) LOCATION OF WELL:
County HARRIS 15 miles in N. direction from Houston (Town)
(N.E., S.W., etc.)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
Highway number, etc. Blue Bell X 2 1/2
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 220 ft. Depth of completed well 222 ft. Date drilled 6/9/73
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	190	Unconsolidated
190	222	Sand & Gravel

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 0 ft. to 210 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	210	30
2"	210	202	40

10) SCREEN:
Type SSR
Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	202	210	16 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 130 ft. below land surface Date 7/9/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 169 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No X If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No X
Did any strata contain undesirable water? Yes _____ No X
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell Water Well Drillers Registration No. 207
(Type or Print)
ADDRESS 9735 North Houston Rosslyn Houston Texas
(Street or RFD) (City) (State)
(Signed) Tommy C. Bussell Bussell & Son, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1443	2 of 3	N	4.49 / 23,708.42	Texas Ice Cream TX	WW HARRIS GAL

Well ID:	11703	Diameter (inches):	4
Aggre Lead Well:	6918	Year Drilled:	
Permit No:	WP2022-111234	Depth Drilled:	20
Permit Start Date:	8/1/2022 10:56:00 AM	Depth frm Surf(ft):	10
Permit End Dt:	7/31/2023	County:	H
Well Status:	O - Operable	Latitude:	29.907777
Regulatory Aarea:	3	Longitude:	-95.4075
Owner Name:	Texas Ice Cream		
Billing Contact:	Robert Gol		
Billing Address:	P.O. Box 131234		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1443	3 of 3	N	4.49 / 23,708.42	Texas Ice Cream TX	WW HARRIS GAL

Well ID:	6918	Diameter (inches):	4
Aggre Lead Well:	6918	Year Drilled:	1979
Permit No:	WP2022-111234	Depth Drilled:	360
Permit Start Date:	8/1/2022 10:56:00 AM	Depth frm Surf(ft):	100
Permit End Dt:	7/31/2023	County:	H
Well Status:	2 - No electric or plumbing	Latitude:	29.9075
Regulatory Aarea:	3	Longitude:	-95.407777
Owner Name:	Texas Ice Cream Corp.		
Billing Contact:	Robert Gol		
Billing Address:	P.O. Box 131234		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1444	1 of 1	NNE	4.49 / 23,709.41	B.L. JAEGER TX	TCEQ WELL LOGS

Grid No: 65-06-6K
 Date Drilled: 01/13/1970
 Owners Name: B.L. JAEGER
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 12
 Depth Drilled: 42
 Latitude: 29.9064271
 Longtiude: -95.3935974

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 55 05 6K
Located on map 20-23
Received: 10-23

1) OWNER:
Person having well drilled B. R. Jaeger Address 519 Holman New Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 12 miles in N direction from Houston
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OVER
North
(Use reverse side if necessary)

or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 42 ft. Depth of completed well 42 ft. Date drilled 1-13-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-18</u>	<u>18-42</u>	<u>White Clay</u>
		<u>White Sand 8 ga</u>

9) CASING:
Type: Old _____ New Plastic _____ Steel _____ Other _____
Cemented from None ft. to _____ ft.
Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 37 Gage 40

10) SCREEN:
Type Plastic (Well Supplies 20)
Perforated ✓ Slotted _____
Diameter (inches) 4" Setting From (ft.) 38 To (ft.) 42 Slot Size 8

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 12 ft. below land surface Date 1-13-70
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 35 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No _____ If yes, by whom? Driller
Yield: 850 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ✓
Did any strata contain undesirable water? Yes _____ No ✓
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond Jr Water Well Drillers Registration No. 774
(Type of Driller)
ADDRESS 132 Raymac Houston Texas
(Street or RFD) (City) (State)
(Signed) C. A. Raymond Jr Raymond Anti Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1445	1 of 2	N	4.49 / 23,720.03	786 Management & Investment Group TX	WW HARRIS GAL

Well ID:	12968	Diameter (inches):	5
Aggre Lead Well:	12968	Year Drilled:	NULL
Permit No:	WP2023-111879	Depth Drilled:	0
Permit Start Date:	8/1/2023 4:53:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.906666
Regulatory Aarea:	3	Longitude:	-95.408055
Owner Name:	786 Management & Investment Group		
Billing Contact:	NULL		
Billing Address:	409 Blue Bell Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	Ramila Ahmed		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1445	2 of 2	N	4.49 / 23,720.03	786 Management & Investment Group TX	WW HARRIS GAL

Well ID:	8112	Diameter (inches):	4
Aggre Lead Well:	8112	Year Drilled:	1994
Permit No:	W2019-8112-204073-0	Depth Drilled:	448
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	336
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.907777
Regulatory Aarea:	3	Longitude:	-95.407222
Owner Name:	786 Management & Investment Group		
Billing Contact:	NULL		
Billing Address:	10307 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1446	1 of 1	N	4.49 / 23,722.41	Blue Bell Furniture 10501 Airline Houston TX 77037	SDRW WELLS

Track NO: 150010
Date Submitted: 2008-08-15
Owner Name: Blue Bell Furniture
Owner Address: 10501 Airline
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.907501
Longitude: -95.402778
Drilling Date Started: 2008-07-25
Drilling Date Completed: 2008-07-25
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=150010&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 13
Measurement Date: 2008-07-25

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1447	1 of 2	N	4.49 / 23,726.92	JUANITA HOWELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 10/12/1995
 Owners Name: JUANITA HOWELL
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 243
 Depth Drilled: 395
 Latitude: 29.9079
 Longtiude: -95.4064889

Send original copy by certified mail to: TNRCC, P.O. Box

, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>JUANITA HOWELL</u> (Name) ADDRESS <u>318 BLUEBELL HOUSTON TX 77037</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>HARRIS</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>6505-9</u>		3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging																					
4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)		6) WELL LOG: Date Drilling: Started <u>10-10-95</u> Completed <u>10-12-95</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>385</u></td> </tr> <tr> <td><u>3 1/8</u></td> <td><u>385</u></td> <td><u>395</u></td> </tr> </tbody> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>385</u>	<u>3 1/8</u>	<u>385</u>	<u>395</u>								
DIAMETER OF HOLE																									
Dia. (in.)	From (ft.)	To (ft.)																							
<u>6 3/4</u>	Surface	<u>385</u>																							
<u>3 1/8</u>	<u>385</u>	<u>395</u>																							
7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>375</u></td> <td><u>SCH40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC-WRAPPED</u></td> <td><u>375</u></td> <td><u>395</u></td> <td><u>SCH80</u></td> </tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>375</u>	<u>SCH40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC-WRAPPED</u>	<u>375</u>	<u>395</u>	<u>SCH80</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>375</u>	<u>SCH40</u>																				
<u>2 1/2</u>	<u>N</u>	<u>PVC-WRAPPED</u>	<u>375</u>	<u>395</u>	<u>SCH80</u>																				
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>375</u> ft. No. of sacks used <u>13</u> Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>100</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]		11) WATER LEVEL: Static level <u>243</u> ft. below land surface Date <u>10-12-95</u> Artesian flow _____ gpm. Date _____																					
12) PACKERS: Type Depth		13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>14.0</u> gpm with <u>15</u> ft. drawdown after <u>2</u> hrs.																					
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		COMPANY NAME <u>SUGG WATERWELL DRILLING</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u> ADDRESS <u>13501 CHRISMAN #26 HOUSTON TEXAS 77039</u> (Street or RFD) (City) (State) (Zip) (Signed) <u>James H. Suggs Jr.</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																					

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1447	2 of 2	N	4.49 / 23,726.92	Howell, Juanita TX	WW HARRIS GAL

Well ID:	5490	Diameter (inches):	4
Aggre Lead Well:	5490	Year Drilled:	1995
Permit No:	W2007-5490-129714-0	Depth Drilled:	400
Permit Start Date:	12/31/2006	Depth frm Surf(ft):	360
Permit End Dt:	12/31/2006	County:	H
Well Status:	E - Exempt	Latitude:	29.9075
Regulatory Aarea:	3	Longitude:	-95.406666
Owner Name:	Howell, Juanita		
Billing Contact:	NULL		
Billing Address:	318 Blue Bell		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1448	1 of 2	N	4.50 / 23,735.69	NEBCO CONSTRUCTION TX	TCEQ WELL LOGS


Grid No: 65-05-9
Date Drilled: 10/29/1980
Owners Name: NEBCO CONSTRUCTION
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 306
Latitude: 29.9079093
Longitude: -95.4060825

TDWR-0392 (Rev. 1-12-79)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1448	2 of 2	N	4.50 / 23,735.69	HENRY E BUCK TX	TCEQ WELL LOGS

Grid No: 65-05-8
 Date Drilled: 05/19/1986
 Owners Name: HENRY E BUCK
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 365
 Latitude: 29.9079093
 Longitude: -95.4060825

TWC-0392 (Rev. 06-10-85)



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1449	1 of 1	N	4.50 / 23,743.16	R.M. KENNEDY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 5/4/1983
Owners Name: R.M. KENNEDY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 328
Latitude: 29.9079105
Longtiude: -95.4056158

②

Dup
 65-05-9R

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

1) OWNER R.M. Kennedy Address 228 Blue bell Houston Texas
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 13 miles in 5 direction from Spring
 (N.E., S.W., etc.) (Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. MAP ON 65-05-4EE

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG: Date drilled 5/4/83

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	328

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other Cemented
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	New	Plastic Casing	0	315	40
2 1/2"	New	Plastic Screen	318	328	12

CEMENTING DATA
 Cemented from 315 ft. to 150 ft.
 Method used Pressurized
 Cemented by Ind. (Company or Individual)

9) WATER LEVEL: Static level 220 ft. below land surface Date 5/5/83
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2 1/2" x 4" 3 Ring R+R 312

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Fresh Depth of strata 22'
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Damrell & Patter Drilling Co. Water Well Driller's License No. 1872
 (Type or Print)

ADDRESS 5717 Chippewa Houston Texas 77086
 (Street or RFD) (City) (State) (Zip)

(Signed) Bobby Patter (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 65-05-9R
 Located on map YES-C.F.S.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1450	1 of 1	N	4.50 / 23,751.27	DRA CONSTRUCTION TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 02/24/1984
Owners Name: DRA CONSTRUCTION
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 220
Depth Drilled: 310
Latitude: 29.90801
Longitude: -95.410497

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

Texas Water Well Drillers Board

P. O. Box 13087

Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER DRA Construction Address 602 Korff Houston, Texas

(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris miles in _____ direction from _____

County (N.E., S.W., etc.) (Town)

☐ Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Section No. _____ Block No. _____ Township _____

☐ Abstract No. _____ Survey Name _____

☐ Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-05-5ccc

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening

☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☐ Domestic ☒ Industrial ☐ Public Supply

☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored

☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	
4 3/4"	Surface	322	
6 3/4"	"	310	

Date drilled 2-24-84

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed

☐ Gravel Packed ☒ Other Two-String

 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	2	surface						
2	15	yellow clay						
15	19	red and yellow clay	4"	N	SCH 40 PVC Casing	+18"	310'	
19	50	sand	2 1/2"	N	Well Supplies, Inc.			
50	114	red and yellow clay			PVC Screen	322	312	12ga.
114	125	sand	2 1/2"	N	SCH 40 PVC Blank	312	302	
125	140	red and gray clay						
140	158	sand						
158	203	red and yellow clay						
203	219	sand						
219	250	red and yellow clay						
250	257	sand						
257	267	red and gray clay						
267	277	sand						
277	285	red and gray clay						
285	313	sand 16 ga.						
313	315	red and gray clay						
315	322	sand 16 ga.						

CEMENTING DATA

Cemented from 310' ft. to 175' ft.

Method used Pressure cement

Cemented by Raymond Water Wells

 (Company or Individual)

9) WATER LEVEL:

Static level 220 ft. below land surface Date _____

Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
"K"	302

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder

☐ Other _____

 Depth to pump bowls, cylinder, jet, etc., 272' ft.

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated

 Yield: 14 gpm with 3 ft. drawdown after 2 hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Raymond Water Wells Water Well Driller's License No. 774

(Type or Print)

ADDRESS 10011 Airline Drive Houston, Texas 77037

(Street or RFD) (City) (State) (Zip)

(Signed) CD Raymond Jr (Signed) _____

(Licensee Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only

Well No. 65-05-9RB

Located on map yes c.f.s.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1451	1 of 1	NE	4.50 / 23,752.72	Universal Distributor LLC TX	WW HARRIS GAL

Well ID:	4962	Diameter (inches):	4
Aggre Lead Well:	4962	Year Drilled:	1981
Permit No:	WP2023-114550	Depth Drilled:	388
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	20
Permit End Dt:	7/31/2024 6:06:09 PM	County:	H
Well Status:	O - Operable	Latitude:	29.896111
Regulatory Aarea:	3	Longitude:	-95.366388
Owner Name:	Universal Distributor, LLC		
Billing Contact:	NULL		
Billing Address:	1505 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1452	1 of 1	N	4.50 / 23,758.73	Blue Bell Place Builders TX	WW HARRIS GAL

Well ID:	4209	Diameter (inches):	4
Aggre Lead Well:	4209	Year Drilled:	1969
Permit No:	W1997-4209-55392-0	Depth Drilled:	321
Permit Start Date:	11/1/1997	Depth frm Surf(ft):	312
Permit End Dt:	6/9/1999	County:	H
Well Status:	P - Plugged	Latitude:	29.907777
Regulatory Aarea:	3	Longitude:	-95.410277
Owner Name:	Blue Bell Place Builders		
Billing Contact:	Jerry Denham		
Billing Address:	1330 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1453	1 of 1	NNE	4.50 / 23,767.19	BILLY W PEACOCK TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/18/1992
Owners Name: BILLY W PEACOCK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 398
Latitude: 29.9016376
Longtiude: -95.377002


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>BILLY W. PEACOCK</u> (Name) ADDRESS <u>13926 FABER</u> (Street or RFD) <u>HOUSTON TEXAS 77039</u> (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>HARRIS</u> . <u>10</u> miles in <u>N</u> direction from <u>HOUSTON</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: Started <u>11-17</u> 19 <u>92</u> Completed <u>11-18</u> 19 <u>92</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>388</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>388</u></td> <td><u>398</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>388</u>	<u>3 7/8</u>	<u>388</u>	<u>398</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>388</u>																																																								
<u>3 7/8</u>	<u>388</u>	<u>398</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>38</u></td><td><u>TOP SOIL & RED SHALE</u></td></tr> <tr><td><u>38</u></td><td><u>50</u></td><td><u>RED SAND</u></td></tr> <tr><td><u>50</u></td><td><u>165</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>165</u></td><td><u>184</u></td><td><u>SAND</u></td></tr> <tr><td><u>184</u></td><td><u>243</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>243</u></td><td><u>259</u></td><td><u>SAND</u></td></tr> <tr><td><u>259</u></td><td><u>311</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>311</u></td><td><u>314</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>314</u></td><td><u>377</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>377</u></td><td><u>398</u></td><td><u>SAND</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>38</u>	<u>TOP SOIL & RED SHALE</u>	<u>38</u>	<u>50</u>	<u>RED SAND</u>	<u>50</u>	<u>165</u>	<u>RED SHALE</u>	<u>165</u>	<u>184</u>	<u>SAND</u>	<u>184</u>	<u>243</u>	<u>RED SHALE</u>	<u>243</u>	<u>259</u>	<u>SAND</u>	<u>259</u>	<u>311</u>	<u>RED SHALE</u>	<u>311</u>	<u>314</u>	<u>RED SHALE</u>	<u>314</u>	<u>377</u>	<u>RED SHALE</u>	<u>377</u>	<u>398</u>	<u>SAND</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>383</u></td> <td><u>8x40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>383</u></td> <td><u>398</u></td> <td><u>8x40</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>383</u>	<u>8x40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>383</u>	<u>398</u>	<u>8x40</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0</u>	<u>38</u>	<u>TOP SOIL & RED SHALE</u>																																																								
<u>38</u>	<u>50</u>	<u>RED SAND</u>																																																								
<u>50</u>	<u>165</u>	<u>RED SHALE</u>																																																								
<u>165</u>	<u>184</u>	<u>SAND</u>																																																								
<u>184</u>	<u>243</u>	<u>RED SHALE</u>																																																								
<u>243</u>	<u>259</u>	<u>SAND</u>																																																								
<u>259</u>	<u>311</u>	<u>RED SHALE</u>																																																								
<u>311</u>	<u>314</u>	<u>RED SHALE</u>																																																								
<u>314</u>	<u>377</u>	<u>RED SHALE</u>																																																								
<u>377</u>	<u>398</u>	<u>SAND</u>																																																								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>383</u>	<u>8x40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>383</u>	<u>398</u>	<u>8x40</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>315</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>383</u> ft. No. of Sacks Used <u>23</u> Method used <u>PRESSURE</u> Cemented by <u>SUGG WATERWELL</u>																																																								
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>13.5</u> gpm with <u>15</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pile Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>11-18-92</u> Artesian flow _____ gpm. Date _____																																																								
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>2</u></td> <td><u>3-RING K</u></td> <td><u>380</u></td> </tr> </table>					Type	Depth	<u>2</u>	<u>3-RING K</u>	<u>380</u>																																															
	Type	Depth																																																								
<u>2</u>	<u>3-RING K</u>	<u>380</u>																																																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>SUGG WATERWELL DRILLING</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u>																																																										
ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD) <u>HOUSTON TEXAS 77039</u> (City) (State) (Zip)																																																										
(Signed) <u>James W. Sugg Jr.</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. _____ Located on map <u>65.5.9</u>																																																										

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY




<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1454	1 of 1	N	4.50 / 23,773.61	MCMILLAN CO TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 11/27/1991
Owners Name: MCMILLAN CO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 115
Depth Drilled: 180
Latitude: 29.907666
Longtiude: -95.418575

Please use black ink

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1455	1 of 1	N	4.50 / 23,776.94	JOSS URIBE TX	TCEQ WELL LOGS

Grid No: 65-05-9J
Date Drilled: 08/18/1982
Owners Name: JOSS URIBE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 315
Latitude: 29.9079443
Longtiude: -95.4044554

TDWR-0392 (Rev. 1-12-79)


Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1456	1 of 5	NNW	4.50 / 23,777.30	DEER TRAIL MOBILE HOME PARK TX	WUD

Primary Co: ESMERALDA SANJUAN
Contact Ti: OWNER
Operating Status: OPERATIONAL
PWSID: 1010686
Source ID: G1010686A
Utility Name: DEER TRAIL MOBILE HOME PARK
WTRSRC: G1010686A
Date Drilled: 04/00/1977
Well Depth: 350
Screen Top: 340
Screen Bottom: 350
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 25
CCN: N/A
Latitude: 29.907244
Longitude: -95.423846
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1456	2 of 5	NNW	4.50 / 23,777.30	T.G. THOMAS TX	TCEQ WELL LOGS

Grid No: 65-13-2G
Date Drilled: 09/20/1969
Owners Name: T.G. THOMAS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 162
Depth Drilled: 325
Latitude: 29.907078
Longtiude: -95.42335

TWD8E-GW-53



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1456	3 of 5	NNW	4.50 / 23,777.30	Sanjuan, Esmeralda TX	WW HARRIS GAL

Well ID:	4865	Diameter (inches):	4
Aggre Lead Well:	4865	Year Drilled:	1977
Permit No:	W2020-4865-209852-0	Depth Drilled:	350
Permit Start Date:	6/1/2020	Depth frm Surf(ft):	340
Permit End Dt:	5/31/2021	County:	H
Well Status:	2 - No electric or plumbing	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.423333
Owner Name:	Sanjuan, Esmeralda		
Billing Contact:	NULL		
Billing Address:	4426 Carmel River Ln		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1456	4 of 5	NNW	4.50 / 23,777.30	Sanjuan, Esmeralda TX	WW HARRIS GAL

Well ID:	14011	Diameter (inches):	5
Aggre Lead Well:	14011	Year Drilled:	0
Permit No:	WP2023-108368	Depth Drilled:	525
Permit Start Date:	6/1/2023 2:35:00 PM	Depth frm Surf(ft):	500
Permit End Dt:	5/31/2024 2:35:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.423333
Owner Name:	Sanjuan, Esmeralda		
Billing Contact:	NULL		
Billing Address:	4426 Carmel River Ln		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1456	5 of 5	NNW	4.50 / 23,777.30	Deer Trail Mobile Home Park 9903 Deer Trail Rd Houston TX 77038	SDRW WELLS

Track NO: 536629
Date Submitted: 2020-06-16
Owner Name: Deer Trail Mobile Home Park
Owner Address: 9903 Deer Trail Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.907078
Longitude: -95.42335
Drilling Date Started: 2017-12-18
Drilling Date Completed: 2017-12-20
Chemical Analysis: Yes
Company Name: Robinson Water Well
Company Address: 11819 W Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=536629&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 500

Top Depth: 500
Bottom Depth: 520

Top Depth:
Bottom Depth: 520.0

Well Levels

Measurement: 200
Measurement Date: 2017-12-23

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1457	1 of 3	N	4.50 / 23,782.29	AQUINO SIGN SHOP TX	WUD
Primary Co:		LOC THAN			
Contact Ti:		REGISTERED AGENT			
Operating Status:		OPERATIONAL			
PWSID:		1012931			
Source ID:		G1012931A			
Utility Name:		AQUINO SIGN SHOP			
WTRSRC:		G1012931A			
Date Drilled:		09/25/1995			
Well Depth:		438			
Screen Top:		418			
Screen Bottom:		438			
Water Usage:		ACTIVE - PERMANENT			
Gallons Per Minute:		15			
CCN:		N/A			
Latitude:		29.907478			
Longitude:		-95.402115			
System Status:		ACTIVE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1457	2 of 3	N	4.50 / 23,782.29	HAO THAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 10/12/1995
 Owners Name: HAO THAN
 County: HARRIS
 Water Usage: PUBLIC SUPPLY
 Static Level: 243
 Depth Drilled: 438
 Latitude: 29.907777
 Longtiude: -95.401944

Send original copy by certified mail to: TNRCC, P.O. Box

7, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>HAO THAN</u> (Name)		ADDRESS <u>10504 Airline Houston Texas 77037</u> (Street or RFD) (City) (State) (Zip)																													
2) ADDRESS OF WELL: County <u>Harris</u>		<u>10504 Airline Houston TX 77037</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>6505-9</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: <u>9-25-95</u> Started <u>9-25-95</u> Completed <u>10-12-95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>8 1/2</u></td> <td><u>0</u></td> <td><u>397</u></td> </tr> <tr> <td><u>2 1/8</u></td> <td><u>397</u></td> <td><u>438</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>8 1/2</u>	<u>0</u>	<u>397</u>	<u>2 1/8</u>	<u>397</u>	<u>438</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>8 1/2</u>	<u>0</u>	<u>397</u>																													
<u>2 1/8</u>	<u>397</u>	<u>438</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0 - 50</u> <u>CLAY</u> <u>50 - 68</u> <u>SAND</u> <u>68 - 100</u> <u>CLAY</u> <u>100 - 145</u> <u>SAND</u> <u>145 - 180</u> <u>CLAY</u> <u>180 - 290</u> <u>SAND</u> <u>190 - 210</u> <u>CLAY</u> <u>210 - 250</u> <u>SAND</u> <u>250 - 300</u> <u>CLAY</u> <u>300 - 345</u> <u>SAND</u> <u>345 - 360</u> <u>CLAY</u> <u>360 - 375</u> <u>SAND</u> <u>375 - 410</u> <u>CLAY</u> <u>410 - 438</u> <u>SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval ... from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>5</u></td> <td><u>N</u></td> <td><u>PVC 17 Pipe</u></td> <td><u>0</u></td> <td><u>397</u></td> <td></td> </tr> <tr> <td><u>2 1/8</u></td> <td><u>N</u></td> <td><u>PVC Screen 40</u></td> <td><u>390</u></td> <td><u>418</u></td> <td></td> </tr> <tr> <td><u>2 1/8</u></td> <td></td> <td><u>WAP Slotted</u></td> <td><u>418</u></td> <td><u>438</u></td> <td><u>006</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>5</u>	<u>N</u>	<u>PVC 17 Pipe</u>	<u>0</u>	<u>397</u>		<u>2 1/8</u>	<u>N</u>	<u>PVC Screen 40</u>	<u>390</u>	<u>418</u>		<u>2 1/8</u>		<u>WAP Slotted</u>	<u>418</u>	<u>438</u>	<u>006</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>5</u>	<u>N</u>	<u>PVC 17 Pipe</u>	<u>0</u>	<u>397</u>																											
<u>2 1/8</u>	<u>N</u>	<u>PVC Screen 40</u>	<u>390</u>	<u>418</u>																											
<u>2 1/8</u>		<u>WAP Slotted</u>	<u>418</u>	<u>438</u>	<u>006</u>																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>297</u> ft. to <u>10</u> ft. No. of sacks used <u>51</u> <u>10</u> ft. to <u>0</u> ft. No. of sacks used <u>3</u> Method used <u>Pontland</u> Cemented by <u>John W Tolner Jr</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>Tap</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc., <u>357</u> ft.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <u>6x6x6</u> <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pileless Chapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>17</u> gpm with <u>30</u> ft. drawdown after <u>1/2</u> hrs.		11) WATER LEVEL: Static level <u>243</u> ft. below land surface Date <u>10-12-95</u> Artesian flow <u>25</u> gpm. Date <u>10-12-95</u>																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>SAFT</u> Depth of strata <u>195</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>Pull 3- Sample at 3 in row.</u>		12) PACKERS: <u>Pontland</u> Type Depth <u>397</u>																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>Tolner Water Well Service</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2917 WPK</u>																													
ADDRESS <u>14211 Archwood</u> (Street or RFD)		<u>Houston</u> (City)		<u>Texas</u> (State) <u>77049</u> (Zip)																											
(Signed) <u>John W Tolner Jr.</u> (Licensed Well Driller)		(Signed) _____		(Registered Driller Trainee)																											

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1457	3 of 3	N	4.50 / 23,782.29	Aquino Signs TX	WW HARRIS GAL

Well ID:	5426	Diameter (inches):	4
Aggre Lead Well:	5426	Year Drilled:	1995
Permit No:	WP2023-112321	Depth Drilled:	420
Permit Start Date:	8/1/2023 3:01:00 PM	Depth frm Surf(ft):	400
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.907777
Regulatory Aarea:	3	Longitude:	-95.401944
Owner Name:	Aquino Signs		
Billing Contact:	Loc Than		
Billing Address:	10504 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1458	1 of 1	NE	4.50 / 23,783.24	THURMOND JONES TX	TCEQ WELL LOGS


Grid No: N/A
Date Drilled: 01/21/1971
Owners Name: THURMOND JONES
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 178
Latitude: 29.8844505
Longitude: -95.3516678

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For Texas use only
Well No.
Located on map N12
Received: 7/1
NIT

1) OWNER:
Person having well drilled Thurmond Jones Address 2208 Hartwick
(Name) (Street or RFD) (City) (State)
Landowner (Same) Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locality sketch map showing landmarks, road, highway number, etc.*

(Use reverse side if needed)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 178' ft. Depth of completed well 178' ft. Date drilled 1/21/71
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	40	Clay
40	46	Fine Sand
46	70	Clay
70	84	Sand
84	145	Clay
145	178	Course Sand

9) CASING:
Type: Old ☒ New Steel Plastic Other
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) To (ft.) Casing

10) SCREEN:
Type Filter
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) To (ft.) Slot Size

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 20' ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Jimmy Davis Water Well Drillers Registration No. # 315
ADDRESS 5423 Lotus Houston Texas
(Street or RFD) (City) (State)
(Signed) [Signature] (Water Well Driller) WELICO WATER WELL DRILLING COMPANY (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1459	1 of 2	N	4.51 / 23,790.24	B U BEACHAM TX	TCEQ WELL LOGS

Grid No: 65-05-8FF
Date Drilled: 01/25/1985
Owners Name: B U BEACHAM
County: HARRIS
Water Usage: DOMESTIC
Static Level: 175
Depth Drilled: 442
Latitude: 29.9073375
Longtiude: -95.421805

15

Please use black ink.
Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER B.H. Beacham Address 9904 Deer Trail Houston, Tx.
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris County miles in _____ direction from _____
(Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. Map on 60-61-9MM

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 1-25-85

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
4 3/4	Surface 462	
6 3/4	" 442	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other Two-String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	20	red gray clay						
20	40	red clay						
40	80	red clay	4"	N	SCH 40 PVC Well Casing+24"	442		
80	100	red clay	2 1/2"	N	Well Supplies, Inc.			
100	120	red clay			PVC Screen	462	442	12ga.
120	140	sand	2 1/2"	N	SCH 40 PVC Blank	442	422	
140	160	sand						
160	170	sand						
170	195	red clay						
195	210	sand						
210	214	rocks						
214	238	red clay						
238	258	red clay						
258	263	rock						
263	277	sand-clay						
277	296	sand						
296	315	sand						
315	334	sand						
334	354	sand						
354	364	sand						
364	375	sand and clay						
375	394	clay sand streaks						
394	414	clay						
414	434	sand and clay streaks						
434	462	sand 14 ga.						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 442 ft. to Surface ft.
ft. to _____ ft.
Method used Pressure cement
Cemented by Raymond Water Wells

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 175 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____
"K" 422'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 12 gpm with 5 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Raymond Water Wells Water Well Driller's License No. 774
(Type or Print)

ADDRESS 10011 Airline Drive Houston, Texas 77037
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond J. Raymond (Signed) _____
(Certified Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-05-8EE
Located on map YADLE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1459	2 of 2	N	4.51 / 23,790.24	Hou-Tex Sheet Metal Inc. TX	WW HARRIS GAL

Well ID:	8749	Diameter (inches):	4
Aggre Lead Well:	8749	Year Drilled:	2001
Permit No:	WP2023-107655	Depth Drilled:	300
Permit Start Date:	6/1/2023 1:10:00 PM	Depth frm Surf(ft):	290
Permit End Dt:	5/31/2024 1:10:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.421944
Owner Name:	Hou-Tex Sheet Metal Inc.		
Billing Contact:	NULL		
Billing Address:	PO Box 38505		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77238		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1460	1 of 2	SW	4.51 / 23,802.41	City of Houston Westview TX	GWDB

Well Rep Track No:
State Well No: 6513401
Owner Name: City of Houston Westview
Drilling Start Dt:
Drilling Month: 2
Drilling Day: 21
Drilling Year: 1949
Well Depth: 598
Well Usage: Unused
Water Level Status:
Latitude: 29.7944450
Longitude: -95.4619450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513401&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513401&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1460	2 of 2	SW	4.51 / 23,802.41	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013QJ
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013QJ
Date Drilled: 02/21/1949
Well Depth: 598
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.79417
Longitude: -95.46153
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1461	1 of 2	N	4.51 / 23,811.70	LUAN TRAN TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 03/24/1994
Owners Name: LUAN TRAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 270
Depth Drilled: 500
Latitude: 29.907657
Longitude: -95.419683

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																									
1) OWNER <u>Luan Tran</u> ADDRESS <u>1005 Northville Houston, Tx 77038</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																																																													
2) LOCATION OF WELL: County <u>Harris</u> 11 miles in <u>N</u> direction from <u>Houston</u> <small>(NE, SW, etc.) (Town)</small>																																																													
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. <input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____ <input checked="" type="checkbox"/> SEE ATTACHED MAP <u>60-59.6</u>																																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																									
6) WELL LOG: Date Drilling: <u>3/23</u> <u>1994</u> Completed <u>3/24</u> <u>1994</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <td style="width:33%;">Dia. (in.)</td> <td style="width:33%;">From (ft.)</td> <td style="width:33%;">To (ft.)</td> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>500</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>500</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 String Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																
DIAMETER OF HOLE																																																													
Dia. (in.)	From (ft.)	To (ft.)																																																											
<u>6 3/4</u>	Surface	<u>500</u>																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0</td><td>75</td><td>Clay</td></tr> <tr><td>75</td><td>120</td><td>Sand</td></tr> <tr><td>120</td><td>150</td><td>Shale & Rock</td></tr> <tr><td>150</td><td>220</td><td>Clay</td></tr> <tr><td>220</td><td>300</td><td>Sand</td></tr> <tr><td>300</td><td>360</td><td>Clay</td></tr> <tr><td>360</td><td>410</td><td>Sand</td></tr> <tr><td>410</td><td>440</td><td>Clay</td></tr> <tr><td>440</td><td>500</td><td>Sand</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	75	Clay	75	120	Sand	120	150	Shale & Rock	150	220	Clay	220	300	Sand	300	360	Clay	360	410	Sand	410	440	Clay	440	500	Sand	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td>N</td> <td>PVC Casing</td> <td>0</td> <td>456</td> <td>Sch 40</td> </tr> <tr> <td><u>2 1/2</u></td> <td>N</td> <td>PVC Liner</td> <td>450</td> <td>480</td> <td>Sch 40</td> </tr> <tr> <td><u>2 1/2</u></td> <td>N</td> <td>PVC Screen</td> <td>480</td> <td>500</td> <td>.012</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	N	PVC Casing	0	456	Sch 40	<u>2 1/2</u>	N	PVC Liner	450	480	Sch 40	<u>2 1/2</u>	N	PVC Screen	480	500	.012
From (ft.)	To (ft.)	Description and color of formation material																																																											
0	75	Clay																																																											
75	120	Sand																																																											
120	150	Shale & Rock																																																											
150	220	Clay																																																											
220	300	Sand																																																											
300	360	Clay																																																											
360	410	Sand																																																											
410	440	Clay																																																											
440	500	Sand																																																											
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																								
			From	To																																																									
<u>4</u>	N	PVC Casing	0	456	Sch 40																																																								
<u>2 1/2</u>	N	PVC Liner	450	480	Sch 40																																																								
<u>2 1/2</u>	N	PVC Screen	480	500	.012																																																								
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>357</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>456</u> ft. to <u>256</u> ft. No. of Sacks Used <u>10</u> <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>3</u> Method used <u>Halliburton</u> Cemented by <u>RWW</u>																																																											
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Baller <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>270</u> ft. below land surface Date <u>3/24/94</u> Artesian flow _____ gpm. Date _____																																																											
12) PACKERS: Type _____ Depth <u>450</u>																																																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																													
COMPANY NAME <u>Robinson Water Well Ser., Inc</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>2212</u>																																																											
ADDRESS <u>11819 Tomball Pky</u> <small>(Street or RFD)</small>		<u>Houston, Texas 77086</u> <small>(City) (State) (Zip)</small>																																																											
(Signed) <u>[Signature]</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																																																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																													
For TWC use only: Well No. <u>10</u> Located on map <u>65-5.8</u>																																																													

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1461	2 of 2	N	4.51 / 23,811.70	Hung Uy 1005 Northville St. Lot # 5 Houston TX 77038	SDRW WELLS

Track NO: 565004
Date Submitted: 2021-01-26
Owner Name: Hung Uy
Owner Address: 1005 Northville St. Lot # 5
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908333
Longitude: -95.419722
Drilling Date Started: 2021-01-26
Drilling Date Completed: 2021-01-26
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=565004&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 45

Top Depth:
Bottom Depth: 45.0

Well Levels

Measurement: 10
Measurement Date: 2021-01-26

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1462	1 of 1	N	4.51 / 23,812.92	Cerna, Maria (Chely) TX	WW HARRIS GAL

Well ID:	12649	Diameter (inches):	4
Aggre Lead Well:	12649	Year Drilled:	1970
Permit No:	W2017-12649-191006-0	Depth Drilled:	200
Permit Start Date:	8/1/2017	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2017	County:	H
Well Status:	1 - No electric	Latitude:	29.908055
Regulatory Aarea:	3	Longitude:	-95.403333
Owner Name:	Cerna, Maria (Chely)		
Billing Contact:	NULL		
Billing Address:	126 Blue Bell		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1463	1 of 2	NNW	4.51 / 23,814.76	Garza's Auto Sales TX	WW HARRIS GAL

Well ID:	10330	Diameter (inches):	4
Aggre Lead Well:	10330	Year Drilled:	2006
Permit No:	W2020-10330-209496-0	Depth Drilled:	400
Permit Start Date:	6/1/2020	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.904722
Regulatory Aarea:	3	Longitude:	-95.434722
Owner Name:	Garza's Auto Sales		
Billing Contact:	Rene Garza		
Billing Address:	9711 Veterans Memorial Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1463	2 of 2	NNW	4.51 / 23,814.76	Rene Garza 9711 Veterans Memorial Houston TX 77038	SDRW WELLS

Track NO: 79364
Date Submitted: 2006-03-28
Owner Name: Rene Garza
Owner Address: 9711 Veterans Memorial
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904445
Longitude: -95.434722
Drilling Date Started: 2006-03-23
Drilling Date Completed: 2006-03-27
Chemical Analysis: No
Company Name: Ballard Water Well
Company Address: P. O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=79364&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 360.0

Top Depth: 0
Bottom Depth: 340

Top Depth: 340
Bottom Depth: 360

Well Levels

Measurement: 206
Measurement Date: 2006-03-27

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1464	1 of 4	E	4.51 / 23,827.92	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514103
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1949
Well Depth: 1940
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8425000
Longitude: -95.3338889
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514103&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514103&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1464	2 of 4	E	4.51 / 23,827.92	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: CAPPED
PWSID: 1010013
Source ID: G1010013AN
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013AN
Date Drilled: 12/08/1949
Well Depth: 1940
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - CAPPED
Gallons Per Minute: 1850
CCN: P1552
Latitude: 29.842592
Longitude: -95.33416
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1464	3 of 4	E	4.51 / 23,827.92	Houston, City of TX	WW HARRIS GAL
<hr/>					
Well ID:	1090			Diameter (inches):	24
Aggre Lead Well:	1003			Year Drilled:	1949
Permit No:	W2013-1003-162436-0			Depth Drilled:	1940
Permit Start Date:	2/1/2013			Depth frm Surf(ft):	999
Permit End Dt:	1/31/2014			County:	H
Well Status:	P - Plugged			Latitude:	29.842777
Regulatory Aarea:	3			Longitude:	-95.334444
Owner Name:	Houston, City of				
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director				
Billing Address:	611 Walker St., 18th Floor				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77002				
Correspondence:	Acres Homes #1				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; G1 - permit exempt from disincentive fee based on provisions in GRP (2002); M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)				
Water Usage:	P - Public Supply				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1464	4 of 4	E	4.51 / 23,827.92	USGS-295029095200101 TX	FED USGS

Site No: USGS-295029095200101
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19490101
Well Depth: 1940
Well Depth Unit: ft
Well Hole Depth: 2797
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-103
Latitude: 29.84166667000000
Longitude: -95.33388890000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1465	1 of 4	E	4.51 / 23,833.38	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514401
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1949
Well Depth: 1970
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8327778
Longitude: -95.3352778
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514401&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514401&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1465	2 of 4	E	4.51 / 23,833.38	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013AM
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013AM
Date Drilled: 12/07/1949
Well Depth: 1808
Screen Top: 1020
Screen Bottom: 1846
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 1500
CCN: P1552
Latitude: 29.833464
Longitude: -95.334938
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1465	3 of 4	E	4.51 / 23,833.38	Houston, City of TX	WW HARRIS GAL

Well ID:	1089	Diameter (inches):	24
Aggre Lead Well:	1003	Year Drilled:	1949
Permit No:	W2013-1003-162436-0	Depth Drilled:	1970
Permit Start Date:	2/1/2013	Depth frm Surf(ft):	999
Permit End Dt:	1/31/2014	County:	H
Well Status:	P - Plugged	Latitude:	29.833611
Regulatory Aarea:	2	Longitude:	-95.335
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St., 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Acres Homes #1		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; G1 - permit exempt from disincentive fee based on provisions in GRP (2002); M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1465	4 of 4	E	4.51 / 23,833.38	USGS-294958095200301 TX	FED USGS

Site No: USGS-294958095200301
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19490101
Well Depth: 1970
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-401
Latitude: 29.83305556000000
Longitude: -95.3344444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1466	1 of 1	SW	4.51 / 23,838.30	WEINGARTEN REALTY, INC. TX	WW HARRIS GAL

Well ID:	2070	Diameter (inches):	6
Aggre Lead Well:	2070	Year Drilled:	1969
Permit No:	W1984-2070-20112-0	Depth Drilled:	438
Permit Start Date:	7/1/1984	Depth frm Surf(ft):	413
Permit End Dt:	12/12/1984	County:	H
Well Status:	P - Plugged	Latitude:	29.786111
Regulatory Aarea:	2	Longitude:	-95.450833
Owner Name:	WEINGARTEN REALTY, INC.		
Billing Contact:	JIM WHATLEY		
Billing Address:	P.O. Box 94111		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77292		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1467	1 of 2	N	4.52 / 23,839.90	C G COGBURN TX	TCEQ WELL LOGS

Grid No: 65-05-8DD
 Date Drilled: 09/26/1981
 Owners Name: C G COGBURN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 202
 Depth Drilled: 325
 Latitude: 29.907653
 Longtiude: -95.420404

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-05-800
Located on map yes
Received: 9-63-

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER C.G. COGURN Address 1021 NORTHVILLE HOUSTON TEXAS
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL
County HARRIS 9.5 miles in N direction from HOUSTON
(N.E., S.W., etc.) (Town)

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9-26-81

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>315</u>
<u>3 1/8</u>		<u>325</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0-5</u>		<u>TAP SOIL</u>						
<u>5-10</u>		<u>RED SHALE</u>						
<u>10-17</u>		<u>RED SAND</u>						
<u>17-55</u>		<u>RED SHALE</u>	<u>4 IN</u>		<u>PVC</u>	<u>9</u>	<u>310</u>	<u>5 1/2</u>
<u>55-106</u>		<u>RED SAND SHALE</u>	<u>4 IN</u>		<u>PVC SCREEN</u>	<u>310</u>	<u>325</u>	<u>8 1/2</u>
<u>106-135</u>		<u>SAND</u>						
<u>135-170</u>		<u>RED SHALE</u>						
<u>170-195</u>		<u>SAND</u>						
<u>195-197</u>		<u>ROCK</u>						
<u>197-270</u>		<u>RED SHALE</u>						
<u>270-289</u>		<u>SAND</u>						
<u>289-303</u>		<u>BLUESHALE</u>						
<u>303-325</u>		<u>SAND</u>						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4 IN</u>		<u>PVC</u>	<u>9</u>	<u>310</u>	<u>5 1/2</u>
<u>4 IN</u>		<u>PVC SCREEN</u>	<u>310</u>	<u>325</u>	<u>8 1/2</u>

CEMENTING DATA
Cemented from 0 ft. to 310 ft.
Method used PRESSURE
Cemented by SUGG WATER WELL DRILLING
(Company or Individual)

9) WATER LEVEL:
Static level 202 ft. below land surface Date 9-27-81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☒ Type Test ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: 14.7 gpm with 17 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
(Type or Print)

ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS 77039
(Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1467	2 of 2	N	4.52 / 23,839.90	Singh, Paramjit TX	WW HARRIS GAL

Well ID:	15135	Diameter (inches):	4
Aggre Lead Well:	15135	Year Drilled:	0
Permit No:	WP2023-107404	Depth Drilled:	400
Permit Start Date:	6/1/2023	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.908333
Regulatory Aarea:	3	Longitude:	-95.420555
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	1021 Northville St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1468	1 of 1	NE	4.52 / 23,840.34	Velasquez, Maricela TX	WW HARRIS GAL

Well ID:	14445	Diameter (inches):	4
Aggre Lead Well:	14445	Year Drilled:	
Permit No:	W2019-14445-202758-0	Depth Drilled:	0
Permit Start Date:	4/10/2019	Depth frm Surf(ft):	0
Permit End Dt:	4/10/2019	County:	H
Well Status:	E - Exempt	Latitude:	29.896388
Regulatory Aarea:	3	Longitude:	-95.367222
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	1429 Hill Road #1		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	1 of 12	NW	4.52 / 23,846.98	Mobil Home Estates TX	GWDB

Well Rep Track No:
State Well No: 6505817
Owner Name: Mobil Home Estates
Drilling Start Dt:
Drilling Month: 5
Drilling Day: 12
Drilling Year: 1971
Well Depth: 234
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8980560
Longitude: -95.4502780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505817&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505817&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	2 of 12	NW	4.52 / 23,846.98	Mobil Home Estates TX	GWDB

Well Rep Track No:
State Well No: 6505810
Owner Name: Mobil Home Estates
Drilling Start Dt:
Drilling Month: 5
Drilling Day: 5
Drilling Year: 1967
Well Depth: 325
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8983340
Longitude: -95.4497220
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505810&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505810&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	3 of 12	NW	4.52 / 23,846.98	Mobil Home Estates TX	GWDB

Well Rep Track No:
State Well No: 6505811
Owner Name: Mobil Home Estates
Drilling Start Dt:
Drilling Month: 8
Drilling Day: 27
Drilling Year: 1968
Well Depth: 333
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8980560
Longitude: -95.4491670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505811&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505811&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	4 of 12	NW	4.52 / 23,846.98	MOBILE HOME ESTATES TX	WUD

Primary Co: GREGORY SMITH
Contact Ti: FIELD SUPERVISOR
Operating Status: OPERATIONAL
PWSID: 1010288
Source ID: G1010288A
Utility Name: MOBILE HOME ESTATES
WTRSRC: G1010288A
Date Drilled: 05/05/1967
Well Depth: 325
Screen Top: 300
Screen Bottom: 325
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 110
CCN: 11157
Latitude: 29.897863
Longitude: -95.450955
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	5 of 12	NW	4.52 / 23,846.98	MOBILE HOME ESTATES TX	WUD

Primary Co: GREGORY SMITH
Contact Ti: FIELD SUPERVISOR
Operating Status: OPERATIONAL
PWSID: 1010288
Source ID: G1010288B
Utility Name: MOBILE HOME ESTATES
WTRSRC: G1010288B
Date Drilled: 08/27/1968
Well Depth: 333
Screen Top: 302
Screen Bottom: 326
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 40
CCN: 11157
Latitude: 29.897876
Longitude: -95.450565
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	6 of 12	NW	4.52 / 23,846.98	MOBILE HOME ESTATES TX	WUD

Primary Co: GREGORY SMITH
Contact Ti: FIELD SUPERVISOR
Operating Status: OPERATIONAL
PWSID: 1010288
Source ID: G1010288C
Utility Name: MOBILE HOME ESTATES
WTRSRC: G1010288C
Date Drilled: 05/00/1971
Well Depth: 234
Screen Top: 213
Screen Bottom: 233
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 29
CCN: 11157
Latitude: 29.897876
Longitude: -95.450565
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	7 of 12	NW	4.52 / 23,846.98	North Harris County Regional Water Authority	WW HARRIS GAL

TX

Well ID:	1926	Diameter (inches):	4
Aggre Lead Well:	1359	Year Drilled:	1966
Permit No:	WP2023-116906	Depth Drilled:	0
Permit Start Date:	12/1/2023 8:54:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	11/30/2024 8:54:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.450555
Owner Name:	Aqua Texas, Inc. - Mobile Home Estates		
Billing Contact:	Cyndi Plunkett		
Billing Address:	3648 Cypress Creek Pkwy, Suite 110		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77068		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	8 of 12	NW	4.52 / 23,846.98	North Harris County Regional Water Authority	WW HARRIS GAL

TX

Well ID:	1927	Diameter (inches):	5
Aggre Lead Well:	1359	Year Drilled:	1971
Permit No:	WP2023-116906	Depth Drilled:	0
Permit Start Date:	12/1/2023 8:54:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	11/30/2024 8:54:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.450555
Owner Name:	Aqua Texas, Inc. - Mobile Home Estates		
Billing Contact:	Cyndi Plunkett		
Billing Address:	3648 Cypress Creek Pkwy, Suite 110		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77068		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	9 of 12	NW	4.52 / 23,846.98	North Harris County Regional Water Authority	WW HARRIS GAL

TX

Well ID:	1925	Diameter (inches):	4
Aggre Lead Well:	1359	Year Drilled:	1966
Permit No:	WP2023-116906	Depth Drilled:	0
Permit Start Date:	12/1/2023 8:54:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	11/30/2024 8:54:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.450833
Owner Name:	Aqua Texas, Inc. - Mobile Home Estates		
Billing Contact:	Cyndi Plunkett		
Billing Address:	3648 Cypress Creek Pkwy, Suite 110		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77068		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	10 of 12	NW	4.52 / 23,846.98	USGS-295352095270101 TX	FED USGS

Site No: USGS-295352095270101
Site Type: Well
Formation Type: Chicot Aquifer, Upper
Date Drilled:
Well Depth: 234
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-817
Latitude: 29.89791667000000
Longitude: -95.4504944000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	11 of 12	NW	4.52 / 23,846.98	USGS-295352095270201 TX	FED USGS

Site No: USGS-295352095270201
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled:
Well Depth: 333
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-811
Latitude: 29.89783889000000
Longitude: -95.4505778000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1469	12 of 12	NW	4.52 / 23,846.98	USGS-295352095270301 TX	FED USGS

Site No: USGS-295352095270301
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled:
Well Depth: 325
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-810
Latitude: 29.89784720000000
Longitude: -95.45090560000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1470	1 of 6	NE	4.52 / 23,850.30	Aid Utility Co. TX	GWDB

Well Rep Track No:
State Well No: 6506705
Owner Name: Aid Utility Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1956
Well Depth: 156
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8994450
Longitude: -95.3713890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506705&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506705&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1470	2 of 6	NE	4.52 / 23,850.30	Aqua Texas, Inc. TX	WW HARRIS GAL

Well ID:	5132	Diameter (inches):	4
Aggre Lead Well:	5132	Year Drilled:	1995
Permit No:	WP2023-118281	Depth Drilled:	350
Permit Start Date:	2/1/2024	Depth frm Surf(ft):	320
Permit End Dt:	1/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.899166
Regulatory Aarea:	3	Longitude:	-95.371388
Owner Name:	Aqua Texas, Inc.		
Billing Contact:	Ashley McCaffrey		
Billing Address:	19244 Ella Blvd		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1470	3 of 6	NE	4.52 / 23,850.30	BERGVILLE ADDITION TX	WUD
Primary Co: Contact Ti: Operating Status: PWSID: Source ID: Utility Name: WTRSRC: Date Drilled: Well Depth: Screen Top: Screen Bottom: Water Usage: Gallons Per Minute: CCN: Latitude: Longitude: System Status:		TJ SHEPARD, JR. FIELD SUPERVISOR OPERATIONAL 1010099 G1010099B BERGVILLE ADDITION G1010099B 09/22/1995 529 517 527 ACTIVE - PERMANENT 37 N/A 29.89924777 -95.37139238 ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1470	4 of 6	NE	4.52 / 23,850.30	BERGVILLE ADDITION TX	WUD

Primary Co: TJ SHEPARD, JR.
Contact Ti: FIELD SUPERVISOR
Operating Status: PLUGGED
PWSID: 1010099
Source ID: G1010099A
Utility Name: BERGVILLE ADDITION
WTRSRC: G1010099A
Date Drilled:
Well Depth: 225
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: N/A
Latitude: 29.899239
Longitude: -95.371278
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1470	5 of 6	NE	4.52 / 23,850.30	SOUTHWEST UTILITIES TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 09/22/1995
Owners Name: SOUTHWEST UTILITIES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 245
Depth Drilled: 529
Latitude: 29.8992389
Longitude: -95.3712778

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: SOUTHWEST UTILITIES ADDRESS: PO BOX 907 CITY: EL CAMPO STATE: TX ZIP: 77437-

2) ADDRESS OF WELL: County: HARRIS STATE WELL# Street or RFD: REGINA & HARDY TOLL RD City, State, Zip code: HOUSTON, TX

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: PUBLIC SUPPLY If Public Supply well, were plans submitted to the THRC? No

5) 65-05-6

6) WELL LOG: 02248 7) DRILLING METHOD: 8) BOREHOLE COMPLETION:

DATE DRILLING:	DIAMETER OF HOLE	FROM	TO	DRILLING METHOD:	BOREHOLE COMPLETION:
STARTED: 09/22/95	8 7/8	0	512	MUD ROTARY	STRAIGHT WALL
COMPLETED: / /	4.5	512	529		IF GRAVEL... FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5	N	PVC	0	512	SDR 17
2.5	N	GALV.	506	517	SCH 40
2.5	N	RBSS	517	527	12 GA
2.5	N	DOWN HOLE ASSEMBLY	527	529	SCH 40

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	20	CLAY
20	50	SAND ROCK
50	132	CLAY ROCK
132	162	SAND ROCK
162	174	CLAY
174	182	SAND
182	217	CLAY
217	238	SAND ROCK
238	316	CLAY ROCK
316	330	SAND
330	336	CLAY
336	343	SAND
343	352	CLAY
352	390	SAND
390	394	CLAY

9) CEMENTING DATA:

Cemented from No. of Sacks Used

0 FT. TO 529 FT.

FT. TO FT.

Method used: PRESSURE

Cemented by: WEISINGER WATER WELL

Distance to septic field lines: ft.

Method of verification of above distance:

10) SURFACE COMPLETION:

SURFACE SLAB INST.

11) WATER LEVEL:

STATIC LEVEL : 245 FT. DATE: 09/22/95

ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

BP SEAL 506

RECEIVED
FEB 09 1996

TEXAS NATURAL RESOURCE
CONSERVATION COMMISSION

13) TYPE PUMP: SUBMERSIBLE DEPTH TO PUMP:

14) WELL TEST: JETTED YIELD: 60 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: EXCELLENT DEPTH OF STRATA: NO STRATA OF UNDESIRABLE WATER PENETRATED NO CHEMICAL ANALYSIS MADE

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO. 1541/1991, & 1992 FOR TWC USE ONLY

ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301 WELL NO. LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John E. Weisinger (LICENSED WATER WELL DRILLER) (signed) (REGISTERED DRILLER TRAINEE)

65 05 6 X

STATE OF TEXAS WATER WELL REPORT (PAGE 2)

OWNER: SOUTHWEST UTILITIES		ADDRESS: PO BOX 907	CITY: EL CAMPO	STATE: TX ZIP: 77437-
394	402 SAND ROCK			
402	414 CLAY			
414	420 SAND			
420	445 CLAY			
445	466 SAND			
466	493 CLAY			
493	527 SAND			
527	529 CLAY			

RECEIVED
FEB 09 1996
TEXAS NATURAL RESOURCE
CONSERVATION COMMISSION

65 05 6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1470	6 of 6	NE	4.52 / 23,850.30	Southwest Utilities, Inc. TX	WW HARRIS GAL

Well ID:	2371	Diameter (inches):	3
Aggre Lead Well:	2371	Year Drilled:	1989
Permit No:	W1995-2371-49594-0	Depth Drilled:	0
Permit Start Date:	11/1/1995	Depth frm Surf(ft):	0
Permit End Dt:	10/31/1996	County:	H
Well Status:	P - Plugged	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.371111
Owner Name:	Southwest Utilities, Inc.		
Billing Contact:	Michael W. Merka		
Billing Address:	P.O. Box 907		
Billing Address 2:	NULL		
Billing City:	El Campo		
Billing State:	TX		
Billing Zip:	77437		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1471	1 of 3	WNW	4.52 / 23,866.64	Aldine ISD TX	GWDB

Well Rep Track No:

State Well No:

6505724

Owner Name:

Aldine ISD

Drilling Start Dt:

Drilling Month:

6

Drilling Day:

22

Drilling Year:

1972

Well Depth:

555

Well Usage:

Public Supply

Water Level Status:

Latitude:

29.8827780

Longitude:

-95.4702780

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505724&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505724&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1471	2 of 3	WNW	4.52 / 23,866.64	RAYMOND WATER WELL TX	TCEQ WELL LOGS

Grid No: 65-05-7F
Date Drilled: 06/22/1972
Owners Name: RAYMOND WATER WELL
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 208
Depth Drilled: 555
Latitude: 29.882295
Longitude: -95.470636

65-05-7F

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-7F
Located on map Y65
Received: 72/65
dlr

1) OWNER:
Person having well drilled Raymond water well Address 132 Baymark Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner ALDINE SCHOOL DIST. (Dwight D. Eisenhower School)
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 15 miles in NW direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc. 290 ANTOINE ST 141 N LOOP North
(Use reverse side if necessary)
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal ☒
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 555 ft. Depth of completed well 555 ft. Date drilled 6-22-72
All measurements made from 3.54 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 10		CLAY
10 - 30		SAND
30 - 90		CLAY & SAND
90 - 110		SAND
110 - 130		CLAY
130 - 270		sand w clay streaks
270 - 360		SAND
360 - 370		CLAY
370 - 445		SAND
445 - 512		CLAY & SAND STREAKS
512 - 555		SAND

(Use reverse side if necessary)

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from 512 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
<u>6 5/8</u>	<u>0</u>	<u>512</u>	<u>STG</u>
<u>4</u>	<u>494</u>	<u>515</u>	<u>STG</u>

10) SCREEN:
Type: Plastic Under BAY
Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
<u>4</u>	<u>515</u>	<u>555</u>	<u>1016</u>

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ If yes, by whom? AIR COMPRESSOR
Yield: 200 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No NOT BY US
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Orlen O'Day Water Well Drillers Registration No. 786
(Type or Print)
ADDRESS PO Box 162 Pearland Texas
(Street or RFD) (City) (State)
(Signed) O'Day O'Day Drilling Co
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Q-1736

WB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1471	3 of 3	WNW	4.52 / 23,866.64	Aldine I.S.D. TX	WW HARRIS GAL

Well ID:	2922	Diameter (inches):	6
Aggre Lead Well:	2922	Year Drilled:	1972
Permit No:	W1995-2922-48111-0	Depth Drilled:	555
Permit Start Date:	8/1/1995	Depth frm Surf(ft):	515
Permit End Dt:	7/31/1996	County:	H
Well Status:	P - Plugged	Latitude:	29.884166
Regulatory Aarea:	3	Longitude:	-95.469166
Owner Name:	Aldine I.S.D.		
Billing Contact:	EISENHOWER		
Billing Address:	14910 Aldine Westfield		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77032		
Correspondence:	WAYNE COLEMAN		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1472	1 of 1	W	4.52 / 23,870.45	MRS. EDWARD BINDLEY TX	TCEQ WELL LOGS

Grid No: 65-12-3BB
 Date Drilled: 10/17/1978
 Owners Name: MRS. EDWARD BINDLEY
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 17
 Depth Drilled: 60
 Latitude: 29.839899
 Longtiude: -95.485993

④

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only.
Well No. 65-12-3426
Located on map 1456
Received: 7-7-84

1) OWNER Mrs. Edward Bindley Address 6538 Pine mont Dr., Houston, Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County HARRIS 5 miles in S.E. direction from Jersey Village
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. #4, Map # 65-05-84

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
<u>10/17/78</u>	<u>6 3/4"</u>	Surface	<u>60</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Casing Screen
				From	To	
<u>0-2 top soil</u>						
<u>2-14 gray + tan clay</u>						
<u>14-60 fine sand</u>						
<u>4" New Plastic Casing</u>				<u>0</u>	<u>50</u>	<u>40</u>
<u>2 1/2" New Plastic Screen</u>				<u>50</u>	<u>60</u>	<u>8</u>

CEMENTING DATA

Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____
(Company or Individual)

9) WATER LEVEL:
Static level 17 ft. below land surface Date 10/17/78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2 1/2" x 4" A & R Spring 45'

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 40 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 46'
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bobby Potter Water Well Drillers Registration No. 1872
(Type or Print)

ADDRESS 5717 Chippewa Houston Texas 77086
(Street or RFD) (City) (State) (Zip)

(Signed) Bobby Potter Damrell & Potter Drilling Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1473	1 of 2	N	4.52 / 23,873.77	Arguello, Emilio TX	WW HARRIS GAL

Well ID:	9547	Diameter (inches):	4
Aggre Lead Well:	9547	Year Drilled:	2003
Permit No:	WP2022-111417	Depth Drilled:	400
Permit Start Date:	8/1/2022 11:25:00 AM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.908333
Regulatory Aarea:	3	Longitude:	-95.403055
Owner Name:	Arguello, Emilio		
Billing Contact:	NULL		
Billing Address:	10513 Airline		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1473	2 of 2	N	4.52 / 23,873.77	Emilio Arguello 10513 Airline Dr. Houston TX 77037	SDRW WELLS

Track NO: 23314
Date Submitted: 2003-07-24
Owner Name: Emilio Arguello
Owner Address: 10513 Airline Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.840834
Longitude: -95.520555
Drilling Date Started: 2003-06-24
Drilling Date Completed: 2003-06-26
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=23314&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 220
Measurement Date: 2003-06-26

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1474	1 of 2	NE	4.52 / 23,874.70	JIM HALL (DECO RASTICS) TX	TCEQ WELL LOGS

Grid No:	65-06-7
Date Drilled:	04/27/1995
Owners Name:	JIM HALL (DECO RASTICS)
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	242
Depth Drilled:	393
Latitude:	29.8961271
Longtiude:	-95.3656399

Please use black ink.

1961666

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1474	2 of 2	NE	4.52 / 23,874.70	Universal Distributor LLC TX	WW HARRIS GAL

Well ID:	5386	Diameter (inches):	4
Aggre Lead Well:	5386	Year Drilled:	1995
Permit No:	WP2023-114551	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	350
Permit End Dt:	7/31/2024 6:08:16 PM	County:	H
Well Status:	O - Operable	Latitude:	29.896388
Regulatory Aarea:	3	Longitude:	-95.365833
Owner Name:	Synergy Machine, LLC; Synergy Machine, LLC		
Billing Contact:	NULL		
Billing Address:	1505 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL; NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1475	1 of 4	E	4.52 / 23,876.04	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514102
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1950
Well Depth: 1846
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8473472
Longitude: -95.3342917
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514102&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514102&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1475	2 of 4	E	4.52 / 23,876.04	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013AO
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013AO
Date Drilled: 01/31/1950
Well Depth: 1850
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.84717
Longitude: -95.334099
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1475	3 of 4	E	4.52 / 23,876.04	Houston, City of TX	WW HARRIS GAL

Well ID:	1091	Diameter (inches):	24
Aggre Lead Well:	1002	Year Drilled:	1950
Permit No:	W1992-1002-39964-0	Depth Drilled:	1846
Permit Start Date:	2/1/1992	Depth frm Surf(ft):	698
Permit End Dt:	1/31/1993	County:	H
Well Status:	P - Plugged	Latitude:	29.846944
Regulatory Aarea:	3	Longitude:	-95.333888
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St., 21st Floor, Rm 2152		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Afton Village		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1475	4 of 4	E	4.52 / 23,876.04	USGS-295050095200101 TX	FED USGS

Site No: USGS-295050095200101
Site Type: Well
Formation Type: Chicot and Evangeline Aquifers
Date Drilled: 19500101
Well Depth: 1846
Well Depth Unit: ft
Well Hole Depth: 2506
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-102
Latitude: 29.847500000000000
Longitude: -95.33388890000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1476	1 of 2	N	4.52 / 23,876.34	AL JACOBSEN INC. TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 08/30/1976
Owners Name: AL JACOBSEN INC.
County: HARRIS
Water Usage: DOMESTIC
Static Level: 21
Depth Drilled: 65
Latitude: 29.908354
Longitude: -95.408347

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-059EE
Located on map 9EE
Received: 12/1/76
dlk

1) OWNER:
Person having well drilled Al Jacobsen Inc. Address 2032 Karbach Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner Edward Haile Address 9934 Sweetwater Houston, Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Over North
(Use reverse side if necessary)
or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 65 ft. Depth of completed well 65 ft. Date drilled 8-30-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	30	Clay
30	40	Fine Sand
40	65	Coarse Sand

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4" 0' 55 #40

10) SCREEN:
Type Filter Plastic
Perforated _____ Slotted ☒
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4" 55' 65' #16

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight well ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 21 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 60 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Curtis O. Davis Water Well Drillers Registration No. 732
(Type or Print)
ADDRESS 5423 Lotus Street Houston Texas 77085
(Street or RFD) (City) (State)
(Signed) C. O. Davis Wellco Water Well Drilling Company
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

W

6

RECEIVED
AUG 22 1977
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
FEB 9 1978
Central Records
Texas Dept. of Water Resources

W

5

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1476	2 of 2	N	4.52 / 23,876.34	LGLG, LLC TX	WW HARRIS GAL

Well ID:	12614	Diameter (inches):	4
Aggre Lead Well:	12614	Year Drilled:	201
Permit No:	WP2023-112128	Depth Drilled:	40
Permit Start Date:	8/1/2023 3:50:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:50:00 PM	County:	H
Well Status:	U - Unique see report	Latitude:	29.908333
Regulatory Aarea:	3	Longitude:	-95.408333
Owner Name:	LGLG, LLC		
Billing Contact:	NULL		
Billing Address:	P.O. Box 38523		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77238		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1477	1 of 3	NNW	4.52 / 23,877.21	Union Producing Co. TX	GWDB

Well Rep Track No:

State Well No:

6505803

Owner Name:

Union Producing Co.

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

Well Depth:

300

Well Usage:

Unused

Water Level Status:

Latitude:

29.9038890

Longitude:

-95.4341670

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505803&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505803&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1477	2 of 3	NNW	4.52 / 23,877.21	SOUTHLAND DR CO TX	TCEQ WELL LOGS

Grid No: 65-05-8E
Date Drilled: 11/06/1979
Owners Name: SOUTHLAND DR CO
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 122
Depth Drilled: 338
Latitude: 29.9032565
Longtiude: -95.4393858

DUP

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-8E
 Located on map YES
 Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Southland Dr. Co. Address 9235 Houston Texas 77024
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris miles in 4 mi S.W. direction from S.W. Aldine
 (N.E., S.W., etc.) (Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled Nov. 6, 79

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
6 3/4	Surface 338'	
0	107	clay (brown)
107	132	Sand (coarse)
132	162	clay (brown)
162	177	Sand (coarse)
177	191	clay (brown)
191	201	Sand (med)
201	300	clay (brown)
300	337	Sand (coarse)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	NEW	PLASTIC	0	308'	SN 40
4"	NEW	PLASTIC RIB SC	318	338	014
		Howard Smith Co.			

CEMENTING DATA
 Cemented from _____ ft. to _____ ft.
 Method used _____
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 122 ft. below land surface Date Nov 6-79
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other Jetted
 Depth to pump bowls, cylinder, jet, etc., 300 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN E. BRYSON Water Well Drillers' Registration No. 1315
 (Type or Print)


ADDRESS Box 213 WINNIE TEXAS 77665
 (Street or RFD) (City) (State) (Zip)

(Signed) John E. Bryson B & L WATER WELL SERVICE
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



RECEIVED
OCT 31 1980
CR/TDWM

RECEIVED
MAY 21 1980
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1477	3 of 3	NNW	4.52 / 23,877.21	AmeriCo Energy Resources, LLC TX	WW HARRIS GAL

Well ID:	8386	Diameter (inches):	4
Aggre Lead Well:	8386	Year Drilled:	
Permit No:	WP2023-106652	Depth Drilled:	0
Permit Start Date:	6/1/2023 1:44:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 1:44:00 PM	County:	H
Well Status:	8 - Open Casing	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.439444
Owner Name:	AmeriCo Energy Resources, LLC		
Billing Contact:	Eddie Taj		
Billing Address:	7575 San Felipe, Suite 200		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77063		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1478	1 of 2	N	4.52 / 23,881.16	OLLIE DEMARCO TX	TCEQ WELL LOGS

Grid No:	65-05-9W
Date Drilled:	08/06/1973
Owners Name:	OLLIE DEMARCO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	95
Depth Drilled:	144
Latitude:	29.9081755
Longitude:	-95.4035639

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9W
Located on map yes
Received: 7-2-95
dk

1) OWNER:
Person having well drilled DIII Demarco Address 126 Blue Bell Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,
hiway number, etc. 412 M map on 65-05-70
see map included
North
(Use reverse side if necessary)

Give legal location with distances and directions from
adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ Drill ☐ Deepening
☐ Reconditioning ☐ Plugging
4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other
5) TYPE OF WELL (Check):
☒ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 144 ft ft. Depth of completed well 159 ft ft. Date drilled 8-6-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Yellow Clay
15	50	Sand
50	75	Yellow Clay
75	140	Red Clay
140	159	Sand

9) CASING:
Type: Old ☒ Steel ☒ Other _____
Cemented from 144 ft up ft. to _____ ft.
Diameter (inches) _____ Setting _____
From (ft.) To (ft.) Gage
4" 1 ft 144 ft 40

10) SCREEN:
Type Well Supplies Plastic Wrapped
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) To (ft.) Slot
2 1/2" 149 ft 159 ft 16ga

(Use reverse side if necessary)
7) COMPLETION (Check):
☒ Gravel packed ☐ Other _____
☐ Under reamed ☐ Open Hole
8) WATER LEVEL:
Static level 95 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision), and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, JR. Water Well Drillers Registration No. IDL 774
(Type or Print)
ADDRESS 10011 Airline DR. Houston Texas
(Street or RFD) (City) (State)
(Signed) C.A. Raymond, Jr. Raymond Water Well Drilling Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1478	2 of 2	N	4.52 / 23,881.16	Chhim, Sam & Sophy TX	WW HARRIS GAL
<div> <div> Well ID: 13007 Aggre Lead Well: 13007 Permit No: WP2023-113056 Permit Start Date: 8/1/2023 3:47:00 PM Permit End Dt: 7/31/2024 3:47:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Chhim, Sam Billing Contact: NULL Billing Address: 14610 Treborway Dr. Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77014 Correspondence: NULL Provision: DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion. Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: 1952 Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.908055 Longitude: -95.403611 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1479	1 of 2	NNE	4.52 / 23,885.25	JOSE VELA HOUSTON TX 77039	SDRW WELLS

Track NO: 10030
Date Submitted: 2002-08-09
Owner Name: JOSE VELA
Owner Address: 14110 HENRY ROAD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903889
Longitude: -95.381944
Drilling Date Started: 2002-07-11
Drilling Date Completed: 2002-07-12
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=10030&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 385.0

Top Depth: 0
Bottom Depth: 385

Well Levels

Measurement: 225
Measurement Date: 2002-07-12

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1479	2 of 2	NNE	4.52 / 23,885.25	Vela, Jose & Amada TX	WW HARRIS GAL
<div> <div> Well ID: 15761 Aggre Lead Well: 15761 Permit No: WP2023-114621 Permit Start Date: 10/11/2023 10:31:00 AM Permit End Dt: 7/31/2025 Well Status: O - Operable Regulatory Aarea: 3 Owner Name: NULL Billing Contact: NULL Billing Address: 6514 Frisco St Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77022-5769 Correspondence: NULL Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s). </div> <div> Diameter (inches): 4 Year Drilled: NULL Depth Drilled: NULL Depth frm Surf(ft): NULL County: H Latitude: 29.903888 Longitude: -95.381944 </div> </div>					
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1480	1 of 1	NE	4.52 / 23,885.37	Gonzalez, David R. TX	WW HARRIS GAL

Well ID:	14310	Diameter (inches):	2
Aggre Lead Well:	14310	Year Drilled:	NULL
Permit No:	WP2023-112389	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.884166
Regulatory Aarea:	3	Longitude:	-95.351111
Owner Name:	Gonzalez, David R.		
Billing Contact:	NULL		
Billing Address:	2210 Hartwick Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	Lilina Gonzalez		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1481	1 of 2	NNE	4.52 / 23,885.78	BERT TRAPP TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 8/15/1997
 Owners Name: BERT TRAPP
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 225
 Depth Drilled: 335
 Latitude: 29.9014505
 Longtiude: -95.3757132

Send original copy by certified mail to: TNRC, P.O. Box

, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>Bert Trapp</u> (Name) ADDRESS <u>934 Aldine Mail Rd.</u> (Street or RFD) <u>Houston, Tx.</u> (City) <u>77037</u> (State) (Zip)		2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) <u>Same as above</u> (City) (State) (Zip) GRID # <u>65-05-9</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: _____ Started <u>Aug 11, 1997</u> Completed <u>July 15, 1997</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td><u>Surface</u></td> <td><u>320</u></td> </tr> <tr> <td><u>5</u></td> <td><u>320</u></td> <td><u>335</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	<u>Surface</u>	<u>320</u>	<u>5</u>	<u>320</u>	<u>335</u>																	
Dia. (in.)	From (ft.)	To (ft.)																													
<u>7</u>	<u>Surface</u>	<u>320</u>																													
<u>5</u>	<u>320</u>	<u>335</u>																													
8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>320</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>P.V.C. Line</u></td> <td><u>310</u></td> <td><u>320</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>S. Steel</u></td> <td><u>320</u></td> <td><u>335</u></td> <td><u>.04</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>320</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Line</u>	<u>310</u>	<u>320</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>S. Steel</u>	<u>320</u>	<u>335</u>	<u>.04</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>320</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Line</u>	<u>310</u>	<u>320</u>	<u>40</u>																										
<u>2 1/2</u>	<u>N</u>	<u>S. Steel</u>	<u>320</u>	<u>335</u>	<u>.04</u>																										
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>6</u> <u>150</u> ft. to <u>320</u> ft. No. of sacks used <u>12</u> Method used <u>Pressure</u> Cemented by <u>Crow</u> Distance to septic system field lines or other concentrated contamination <u>100</u> ft. Method of verification of above distance <u>Survey</u>		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
11) WATER LEVEL: Static level <u>225</u> ft. below land surface Date <u>Aug 15, 97</u> Artesian flow _____ gpm. Date _____		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>File #</th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4x2 1/2 R x R</u></td> <td><u>K</u></td> <td><u>310</u></td> </tr> </table>				File #	Type	Depth	<u>4x2 1/2 R x R</u>	<u>K</u>	<u>310</u>																				
File #	Type	Depth																													
<u>4x2 1/2 R x R</u>	<u>K</u>	<u>310</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>250</u> ft.		14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>12</u> gpm with _____ ft. drawdown after _____ hrs.																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>35'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																													
COMPANY NAME <u>COASTAL WATER WELLS</u> (Type or print) ADDRESS <u>P.O. Box 745</u> (Street or RFD) <u>Porter</u> (City) <u>Tx</u> (State) <u>77365</u> (Zip)		WELL DRILLER'S LICENSE NO. <u>812</u> (Signed) <u>Keith Schreder</u> (Licensed Well Driller) (Signed) <u>Keith Schreder</u> (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRC-0199 (Rev. 11-01-94)

TNRC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1481	2 of 2	NNE	4.52 / 23,885.78	Lara, Carlos TX	WW HARRIS GAL

Well ID:	10006	Diameter (inches):	2
Aggre Lead Well:	10006	Year Drilled:	2000
Permit No:	WP2023-112078	Depth Drilled:	225
Permit Start Date:	8/1/2023 1:25:00 PM	Depth frm Surf(ft):	200
Permit End Dt:	7/31/2024 1:25:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.375833
Owner Name:	Lara, Carlos		
Billing Contact:	NULL		
Billing Address:	1006 Aldine Mail Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1482	1 of 1	NNE	4.52 / 23,887.61	Ty Raymond 14205 Stoneshire Houston TX 77060	SDRW WELLS

Track NO: 152086
Date Submitted: 2008-09-03
Owner Name: Ty Raymond
Owner Address: 10011 Airline
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905556
Longitude: -95.387778
Drilling Date Started: 2008-08-11
Drilling Date Completed: 2008-08-11
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=152086&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 45

Top Depth:
Bottom Depth: 45.0

Well Levels

Measurement: 5
Measurement Date: 2008-08-11

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1483	1 of 1	ESE	4.53 / 23,903.04	Newsom's Truck Lines TX	GWDB

Well Rep Track No:

State Well No:

6514432

Owner Name:

Newsom's Truck Lines

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

1939

Well Depth:

210

Well Usage:

Industrial

Water Level Status:

Latitude:

29.8016670

Longitude:

-95.3527780

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514432&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514432&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1484	1 of 1	NE	4.53 / 23,936.58	Abel Elias & Antonio Mendoza 1429 Lot # 3 Hill Rd. Houston TX 77039	SDRW WELLS

Track NO: 504759
Date Submitted: 2019-03-01
Owner Name: Abel Elias & Antonio Mendoza
Owner Address: 1429 Lot # 3 Hill Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.896944
Longitude: -95.366944
Drilling Date Started: 2019-02-28
Drilling Date Completed: 2019-02-28
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=504759&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 5
Measurement Date: 2019-02-28

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1485	1 of 1	N	4.54 / 23,952.94	DANG NGUYEN TX	TCEQ WELL LOGS

Grid No: 65-13-2
 Date Drilled: 10/13/1995
 Owners Name: DANG NGUYEN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 230
 Depth Drilled: 500
 Latitude: 29.9084551
 Longtiude: -95.4145275

Please use black ink.

TABLE 1. *Salmonella* serotypes and their percentages in the isolates

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1486	1 of 1	NNE	4.54 / 23,953.90	Flanges Manufacturing Inc TX	WW HARRIS GAL
Well ID: 11265					
Aggre Lead Well: 11265					
Permit No: WP2023-116144					
Permit Start Date: 12/13/2023 9:43:00 AM					
Permit End Dt: 7/31/2025 9:43:00 AM					
Well Status: O - Operable					
Regulatory Aarea: 3					
Owner Name: Kits Industries, Inc.					
Billing Contact: NULL					
Billing Address: 14131 Henry Rd					
Billing Address 2: NULL					
Billing City: Houston					
Billing State: TX					
Billing Zip: 77060					
Correspondence: NULL					
Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).					
Water Usage: D - Domestic/Commercial					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1487	1 of 2	N	4.54 / 23,957.28	VEGA BROS CONSTRUCTION-CONTRACTOR TX	TCEQ WELL LOGS

Grid No: 65-05-9T
Date Drilled: 12/07/1981
Owners Name: VEGA BROS CONSTRUCTION-CONTRACTOR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 322
Latitude: 29.9085654
Longitude: -95.4112639

TDWR-0392 (Rev. 1-12-79)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1487	2 of 2	N	4.54 / 23,957.28	9930 Enterprises LLC TX	WW HARRIS GAL

Well ID:	14230	Diameter (inches):	4
Aggre Lead Well:	14230	Year Drilled:	NULL
Permit No:	W2018-14230-201208-0	Depth Drilled:	0
Permit Start Date:	11/14/2018	Depth frm Surf(ft):	0
Permit End Dt:	11/14/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.908888
Regulatory Aarea:	3	Longitude:	-95.411388
Owner Name:	9930 Enterprises LLC		
Billing Contact:	NULL		
Billing Address:	11110 Meadowglen Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082-2627		
Correspondence:	NULL		
Provision:	U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1488	1 of 1	WSW	4.54 / 23,961.40	E.D. MOORE TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	02/24/1973
Owners Name:	E.D. MOORE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	3
Depth Drilled:	48
Latitude:	29.812023
Longtiude:	-95.477865

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. _____
Located on map NH
Received: 5-73
THA

1) OWNER:
Person having well drilled F. D. MOORE Address 2117 THONIG HOUSTON
(Name) (Street or RFD) (City) (State)
Landowner _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 10 miles in NW direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
Hampstead Hwy Long Point Thonig North
(Use reverse side if necessary)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW NE SW SE) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 48 ft. Depth of completed well 48 ft. Date drilled 2-24-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	26	GRAY CLAY
26	36	SAND
36	38	GRAY CLAY
38	48	SAND

9) CASING:
Type: Old ☒ Steel ☒ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) To (ft.) Gage
2 0 42 SCH 40

10) SCREEN:
Type PLASTIC
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) To (ft.) Slot Size
2 42 48 8

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 3 ft. below land surface Date 2-24-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 21 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 7507 TANAK DR. HOUSTON TEX 77055
(Street or RFD) (City) (State)
(Signed) John B. Lumpkin, Jr. LONG POINT WATER WELL SERV.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1489	1 of 1	SSW	4.54 / 23,971.27	LMSLP Hines Somerset TX	SDRW WELLS

Track NO: 395323
Date Submitted: 2015-05-15
Owner Name: LMSLP Hines Somerset
Owner Address: 6800 Old Katy Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77021
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.784445
Longitude: -95.446945
Drilling Date Started: 2015-02-02
Drilling Date Completed: 2015-03-06
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: po box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=395323&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 330

Top Depth: 330
Bottom Depth: 360

Top Depth:
Bottom Depth: 360.0

Well Levels

Measurement: 162
Measurement Date: 2015-02-06

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1490	1 of 4	E	4.54 / 23,986.30	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514101
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1950
Well Depth: 1986
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8546750
Longitude: -95.3350306
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514101&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514101&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1490	2 of 4	E	4.54 / 23,986.30	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013AP
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013AP
Date Drilled: 02/22/1950
Well Depth: 1819
Screen Top: 742
Screen Bottom: 1776
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 2000
CCN: P1552
Latitude: 29.85467529
Longitude: -95.3350296
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1490	3 of 4	E	4.54 / 23,986.30	Houston, City of TX	WW HARRIS GAL

Well ID:	1092	Diameter (inches):	24
Aggre Lead Well:	1002	Year Drilled:	1950
Permit No:	W2002-1002-100305-0	Depth Drilled:	1986
Permit Start Date:	2/1/2002	Depth frm Surf(ft):	711
Permit End Dt:	1/31/2003	County:	H
Well Status:	P - Plugged	Latitude:	29.854444
Regulatory Aarea:	3	Longitude:	-95.335
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St., 21st Floor, Rm 2152		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Afton Village		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1490	4 of 4	E	4.54 / 23,986.30	USGS-295116095200401 TX	FED USGS

Site No: USGS-295116095200401
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19500101
Well Depth: 1986
Well Depth Unit: ft
Well Hole Depth: 2502
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-101
Latitude: 29.85472220000000
Longitude: -95.33472220000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1491	1 of 2	NNE	4.54 / 23,986.96	HT Land Company TX	WW HARRIS GAL

Well ID:	14110	Diameter (inches):	1
Aggre Lead Well:	14110	Year Drilled:	NULL
Permit No:	WP2023-112732	Depth Drilled:	0
Permit Start Date:	8/1/2023 12:29:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 12:29:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901388
Regulatory Aarea:	3	Longitude:	-95.373333
Owner Name:	HT Land Company		
Billing Contact:	NULL		
Billing Address:	P.O. Box 26		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1491	2 of 2	NNE	4.54 / 23,986.96	Primevera Soccer Club TX	WW HARRIS GAL

Well ID:	10218	Diameter (inches):	4
Aggre Lead Well:	10218	Year Drilled:	
Permit No:	W2007-10218-129857-0	Depth Drilled:	50
Permit Start Date:	8/1/2007	Depth frm Surf(ft):	40
Permit End Dt:	8/1/2007	County:	H
Well Status:	C - Capped	Latitude:	29.900277
Regulatory Aarea:	3	Longitude:	-95.374166
Owner Name:	Primevera Soccer Club		
Billing Contact:	Mr. Sanchez		
Billing Address:	1030 Aldine Mail Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1492	1 of 4	NE	4.54 / 23,989.39	Krause, Nelbert TX	WW HARRIS GAL

Well ID:	15007	Diameter (inches):	4
Aggre Lead Well:	15007	Year Drilled:	0
Permit No:	W2020-15007-213875-0	Depth Drilled:	370
Permit Start Date:	10/14/2020	Depth frm Surf(ft):	0
Permit End Dt:	12/31/2020	County:	H
Well Status:	N - Not Drilled	Latitude:	29.883888
Regulatory Aarea:	3	Longitude:	-95.350277
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	2212 Hartwick Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	Legacy Belongings, LLC		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1492	2 of 4	NE	4.54 / 23,989.39	Legacy Belongings LLC TX	WW HARRIS GAL

Well ID:	13891	Diameter (inches):	4
Aggre Lead Well:	13891	Year Drilled:	NULL
Permit No:	W2021-13891-218430-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.884166
Regulatory Aarea:	3	Longitude:	-95.35
Owner Name:	Legacy Belongings LLC		
Billing Contact:	NULL		
Billing Address:	19518 Timber Forest Drive		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77346		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1492	3 of 4	NE	4.54 / 23,989.39	Legacy Belongings TX	WW HARRIS GAL
<hr/>					
Well ID:	16412			Diameter (inches):	4
Aggre Lead Well:	16412			Year Drilled:	NULL
Permit No:	WP2023-112262			Depth Drilled:	400
Permit Start Date:	8/1/2023 3:57:00 PM			Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024 3:57:00 PM			County:	H
Well Status:	O - Operable			Latitude:	29.88385
Regulatory Aarea:	3			Longitude:	-95.35021
Owner Name:	NULL				
Billing Contact:	NULL				
Billing Address:	2212 Hartwick Rd				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77093				
Correspondence:	NULL				
Provision:	NULL				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1492	4 of 4	NE	4.54 / 23,989.39	LEGACY BELONGINGS 2212 HARTWICK RD HOUSTON TX 77093	SDRW WELLS

Track NO: 623387
Date Submitted: 2022-11-09
Owner Name: LEGACY BELONGINGS
Owner Address: 2212 HARTWICK RD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: COMM NON PUBLIC
Latitude: 29.884444
Longitude: -95.350556
Drilling Date Started: 2022-10-18
Drilling Date Completed: 2022-10-19
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=623387&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 425.0

Top Depth: 0
Bottom Depth: 425

Well Levels

Measurement: 190
Measurement Date:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1493	1 of 2	NE	4.54 / 23,989.87	C. KING TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 11/01/1990
Owners Name: C. KING
County: HARRIS
Water Usage: DOMESTIC
Static Level: 24.5
Depth Drilled: 49.5
Latitude: 29.8961201
Longtiude: -95.3650069

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711
Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER C. King (Name) ADDRESS Collins Houston TEXAS (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 5 miles in SW direction from Aldine (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP ①

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: _____
Started 11-1-90 1990
Completed 11-1-90 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>4 1/2</u>	Surface	<u>49 1/2</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-19</u>	<u>C</u>	<div> RECEIVED JAN 16 1991 TEXAS WATER COMMISSION </div>
<u>19-24</u>	<u>S</u>	
<u>24-39</u>	<u>C</u>	
<u>39-49 1/2</u>	<u>S</u>	

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>39 1/2</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>39 1/2</u>	<u>49 1/2</u>	<u>2</u>

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 39 1/2 ft. No. of Sacks Used 3
Method used Circ
Cemented by Inv

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 24 1/2 ft. below land surface Date 11-1-90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc (Type or print) WELL DRILLER'S LICENSE NO. 1182

ADDRESS P.O. Box 89 (Street or RFD) Porter (City) Tex (State) 77365 (Zip)

(Signed) Roma L. Lowe (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.


For TWC use only: Well No. 6506.7 Located on map _____

WWD-012 (Rev. 09/21/88)
TEXAS WATER COMMISSION COPY
196154

3852

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1493	2 of 2	NE	4.54 / 23,989.87	Aguilera, Frank TX	WW HARRIS GAL

Well ID:	14172	Diameter (inches):	4
Aggre Lead Well:	14172	Year Drilled:	NULL
Permit No:	WP2023-113081	Depth Drilled:	0
Permit Start Date:	8/1/2023 3:14:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:14:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.896111
Regulatory Aarea:	3	Longitude:	-95.365
Owner Name:	Aguilera, Frank		
Billing Contact:	NULL		
Billing Address:	1533 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1494	1 of 3	N	4.54 / 23,991.47	FLEETWOOD INC TX	TCEQ WELL LOGS

Grid No: 65-06-4
 Date Drilled: 10/02/1997
 Owners Name: FLEETWOOD INC
 County: HARRIS
 Water Usage: SMALL BUS
 Static Level: 240
 Depth Drilled: 447
 Latitude: 29.908647
 Longtiude: -95.407129

Send original copy by certified return receipt requested to:

TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-307

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>FLEETWOOD INC.</u> ADDRESS <u>409 NORTHVILLE HOUSTON TX 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																									
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>409 NORTHVILLE HOUSTON TX 77037</u> GRID # <u>65 06 4</u> <small>(Street, RFD or other) (City) (State) (Zip)</small>																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>SMALL BUS 10-EMPLOYEES</u>		5) <u>X</u>																					
6) WELL LOG: Date Drilling: <u>10-1 19 97</u> Started <u>10-2 19 97</u> Completed <u>10-2 19 97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>440</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>440</u></td> <td><u>447</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>440</u>	<u>3 7/8</u>	<u>440</u>	<u>447</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																							
<u>7</u>	Surface	<u>440</u>																							
<u>3 7/8</u>	<u>440</u>	<u>447</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 5</u> <u>TOPSOIL</u> <u>5 - 25</u> <u>RED SHALE</u> <u>25 - 67</u> <u>SAND</u> <u>67 - 90</u> <u>RED SHALE</u> <u>90 - 135</u> <u>SAND</u> <u>135 - 167</u> <u>RED SHALE</u> <u>167 - 194</u> <u>SAND</u> <u>194 - 210</u> <u>RED SHALE</u> <u>210 - 238</u> <u>SAND</u> <u>238 - 305</u> <u>RED SHALE</u> <u>305 - 330</u> <u>SAND</u> <u>330 - 395</u> <u>RED SHALE</u> <u>395 - 407</u> <u>SAND</u> <u>407 - 422</u> <u>RED SHALE</u> <u>422 - 447</u> <u>SAND</u> <small>(Use reverse side of Well Owner's copy, if necessary)</small>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>427</u></td> <td><u>SC440</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>427</u></td> <td><u>447</u></td> <td><u>SC480</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>427</u>	<u>SC440</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>427</u>	<u>447</u>	<u>SC480</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>427</u>	<u>SC440</u>																				
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>427</u>	<u>447</u>	<u>SC480</u>																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>427</u> ft. No. of sacks used <u>27</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12.5</u> gpm with <u>10</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>10-2-97</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>				Type	Depth																		
Type	Depth																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>SUGG WATER WELL</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>1006 WPAK</u> <u>SEP 10 1998</u>																							
ADDRESS <u>13501 CHRISMAN #26 HOUSTON TEXAS 77039</u> <small>(Street or RFD) (City) (State) (Zip)</small>																									
(Signed) <u>James H. Sugg</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1494	2 of 3	N	4.54 / 23,991.47	Fleetwood, Inc. TX	WW HARRIS GAL

Well ID:	7372	Diameter (inches):	4
Aggre Lead Well:	7372	Year Drilled:	NULL
Permit No:	W2020-7372-210839-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.908611
Regulatory Aarea:	3	Longitude:	-95.406944
Owner Name:	Fleetwood, Inc.		
Billing Contact:	NULL		
Billing Address:	5318 Brookway Willow Drive		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77379		
Correspondence:	Sandra Davis		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1494	3 of 3	N	4.54 / 23,991.47	Fleetwood Inc. TX	WW HARRIS GAL

Well ID:	6155	Diameter (inches):	4
Aggre Lead Well:	6155	Year Drilled:	1997
Permit No:	W2008-6155-134971-0	Depth Drilled:	400
Permit Start Date:	12/31/2007	Depth frm Surf(ft):	360
Permit End Dt:	12/31/2007	County:	H
Well Status:	P - Plugged	Latitude:	29.908888
Regulatory Aarea:	3	Longitude:	-95.406666
Owner Name:	Fleetwood Inc.		
Billing Contact:	Winston Davis		
Billing Address:	409 Northville		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1495	1 of 1	N	4.55 / 23,997.70	Iglesias Realty LLC TX	WW HARRIS GAL

Well ID:	12473	Diameter (inches):	4
Aggre Lead Well:	12473	Year Drilled:	201
Permit No:	WP2023-113916	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	320
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.908611
Regulatory Aarea:	3	Longitude:	-95.406666
Owner Name:	Iglesias Realty LLC		
Billing Contact:	NULL		
Billing Address:	8245 North Fwy Bldg A		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1496	1 of 1	N	4.55 / 24,006.88	CLEVELAND MFG TX	TCEQ WELL LOGS

Grid No: 65-05-5
Date Drilled: 06/02/1981
Owners Name: CLEVELAND MFG
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 210
Depth Drilled: 305
Latitude: 29.908718
Longtiude: -95.409916

State of Texas
WATER WELL REPORT

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

For TDWR use only:
 Well No. 65-05-57
 Located on map Y-4
 Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Cleveland Mfg. Address 521 Northville Houston, Texas 77037
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris County _____ miles in _____ direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map. MAP ON # 65-05-67

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 6-2-81

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
4 3/4"	Surface	317'
6 3/4"	"	305

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other Two-String
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0	2	Surface					
2	21	Yellow & Gray Clay					
21	46	Sand	4"	N	SCH 40 PVC	+18" 305	
46	139	Red & Yellow clay	2 1/2"	N	Well Supplies, Inc.		
139	160	Sand			WOP, PVC Screen	317 307	
160	179	Red and gray clay	2 1/2"	N	SCH 80 PVC Blank		
179	231	Sand			Liner	307 297	
231	236	Red and gray clay					
236	246	Sand					
246	261	red and yellow clay					
261	273	Sand					
273	284	Red and gray clay					
284	317	Sand 16 ga.					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Cemented from 305 ft. to 150 ft.
 Method used Pressure Cement
 Cemented by Raymond Water Wells
 (Company or Individual)

9) WATER LEVEL:
 Static level 210 ft. below land surface Date 6-2-81
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
"K" 297'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 273' ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
 Yield: 12 gpm with 5 ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. 774
 (Type or Print)

ADDRESS 10011 Airline Drive Houston, Texas 77037
 (Street or RFD) (City) (State) (Zip)

(Signed) C.A. Raymond Jr. Raymond Water Wells
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1497	1 of 1	NE	4.55 / 24,017.37	EDDIE OKANSKI TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 08/08/2001
Owners Name: EDDIE OKANSKI
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 390
Latitude: 29.8953957
Longtiude: -95.3637385

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																					
WELL REPORT																									
A. WELL IDENTIFICATION AND LOCATION DATA																									
1) OWNER																									
Name EDDIE OKANSKI		Address 1622 HILL RD.		City HOUSTON	State TX Zip 77037																				
2) WELL LOCATION																									
County HARRIS		Physical Address SAME		City	State Zip																				
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) N↑ Grid # 65-06-7																					
6) Drilling Date Started 8/6/01 Completed 8/8/01		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td>7</td> <td>0</td> <td>370</td> </tr> <tr> <td>4 3/4"</td> <td>370</td> <td>390</td> </tr> </table>		Dia. (in.)	From (ft)	To (ft)	7	0	370	4 3/4"	370	390	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft)	To (ft)																							
7	0	370																							
4 3/4"	370	390																							
From (ft) To (ft) Description and color of formation material		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other TELESCOPE If Gravel Packed give the interval from _____ ft. to _____ ft.																							
0-10 CLAY 330-350 SAND 10-65 SAND 350-360 CLAY 65-130 CLAY 360-390 SAND. 130-180 SAND. 180-215 CLAY 215-225 SAND 225-235 ROCK 235-270 CLAY 270-296 SAND 296-330 CLAY		Casing, Blank Pipe, and Well Screen Data <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>Casing PLASTIC</td> <td>0</td> <td>370</td> <td>SEH-46</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>Screen " "</td> <td>370</td> <td>390</td> <td>006</td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	4	N	Casing PLASTIC	0	370	SEH-46	2 1/2	N	Screen " "	370	390	006
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																				
			From	To																					
4	N	Casing PLASTIC	0	370	SEH-46																				
2 1/2	N	Screen " "	370	390	006																				
(Use reverse side of Well Owner's copy, If necessary)		9) Cementing Data Cementing from 0 ft. to 370 ft. # of sacks used 27 Method Used Pressure Cementing By Raymond Services, Inc. Distance to septic system field or other concentrated contamination 55 ft. Method of verification of above distance Customer																							
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/Bentonite placed in well: _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used			
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																					
14) Type pump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc. 320 ft.		11) Water Level Static level 210 ft. below Date 8/9/01 Artesian Flow _____ gpm. Date _____ RECEIVED NOV 21 2001 MAIL ROOM CB																							
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: 70 gpm with 1 1/2 ft. drawdown after 8 hrs.		12) Packers <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td>1 PIEK</td> <td>365</td> </tr> </table>				Type	Depth	1 PIEK	365																
Type	Depth																								
1 PIEK	365																								
16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No		Company or individual's Name (type or print) Raymond Services, Inc. 4577WI Address 10011 Airline Drive City Houston State TX Zip 77037 Signature 8/10/01 Signature 1/1 Licensed Driller/Pump Installer Date Apprentice Date																							

TDR FORM (01/11/00)

White - TDR

Yellow - Owner

Pink - Driller/Pump Installer

196175

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1498	1 of 2	NE	4.55 / 24,025.78	E C Fisher TX	GWDB

Well Rep Track No:

State Well No:

6506717

Owner Name:

E C Fisher

Drilling Start Dt:

Drilling Month:

4

Drilling Day:

8

Drilling Year:

1968

Well Depth:

363

Well Usage:

Domestic

Water Level Status:

Latitude:

29.8950000

Longitude:

-95.3633340

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506717&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506717&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1498	2 of 2	NE	4.55 / 24,025.78	JOE FRANK SPRADLING TX	TCEQ WELL LOGS

Grid No: 65-05-7BB
Date Drilled: 07/04/1973
Owners Name: JOE FRANK SPRADLING
County: HARRIS
Water Usage: DOMESTIC
Static Level: 180
Depth Drilled: 360
Latitude: 29.8950213
Longtiude: -95.3631323

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TMDB use only
Well No. 65-06-788
Located on map YES
Received 25
alt

1) OWNER:
Person having well drilled Joe Frank Spradling Address 1632 Hill Rd Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 8 miles in N direction from Houston
(W.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks,
hiway number, etc.*
413 K on 65-06-833
see map included
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
~~Reconditioning~~ Deepening
~~Plugging~~
4) PROPOSED USE (Check):
~~Industrial~~ Municipal
~~Irrigation~~ Test Well Other
5) TYPE OF WELL (Check):
~~Driven~~ Dug
~~Cable~~ Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 345 ft. Depth of completed well 360 ft. Date drilled 7-4-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Yellow Clay 260-265 Sand
15	25	Sand 265-270 Red Clay
25	30	Red Clay 270-300 Sand
30	70	Sand 300-330 Red Clay
70	90	Red Clay 330-360 Sand
90	145	Red Gray Clay
145	160	Sand
160	175	Red Clay
175	180	Sand
180	200	Red Gray Clay
200	230	Sand
230	260	Red Clay

9) CASING:
Type: Old XX Steel XXXX Other
Cemented from 345 ft up ft. to ft.
Diameter (inches) 4 Setting From (ft.) 1 To (ft.) 345 Gage 40

10) SCREEN:
Type: Well Supplies Plastic Wrapped
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 350 To (ft.) 360 Slot Size 14 ga

11) WELL TESTS:
Was a pump test made? Yes XX If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes XX
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

7) COMPLETION (Check):
~~Gravel packed~~ Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 180 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME C.A. Raymond Jr. Water Well Drillers Registration No. TDL-774
(Type for Print)
ADDRESS 10011 Pittline Dr Houston Texas
(Street or RFD) (City) (State)
(Signed) C.A. Raymond Jr. Raymond Water Well Drilling Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.
*Additional instructions on reverse side.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1499	1 of 3	NNE	4.55 / 24,027.93	DOGWOOD TREE WATER SYSTEM TX	WUD

Primary Co: DAVID L. GILLEY
Contact Ti: PRESIDENT
Operating Status: OPERATIONAL
PWSID: 1010927
Source ID: G1010927A
Utility Name: DOGWOOD TREE WATER SYSTEM
WTRSRC: G1010927A
Date Drilled: 08/00/1980
Well Depth: 367
Screen Top: 346
Screen Bottom: 366
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 30
CCN: N/A
Latitude: 29.90764339
Longitude: -95.39537826
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1499	2 of 3	NNE	4.55 / 24,027.93	A C M BUILDERS TX	TCEQ WELL LOGS

Grid No: 65-05-9BB
Date Drilled: 09/23/1972
Owners Name: A C M BUILDERS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 325
Latitude: 29.9076384
Longtiude: -95.3954014

Dug

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-988
Located on map Y2C
Received 72
dk

1) OWNER:
Person having well drilled A. C. M. Builders Address P O Box 1195 Bellaire, Texas 77401
(Name) (Street or RFD) (City) (State)
Landowner Same Address 300 Hambrick Houston, Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris County miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4" in. Depth drilled 325' ft. Depth of completed well 325' ft. Date drilled 9/23/72
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0'	50'	Red Clay
50'	70'	Sand
70'	200'	Clay
200'	220'	Sand
220'	305'	Clay
305'	325'	Coarse Sand

9) CASING:
Type: Old New ☒ Steel Plastic Other ☒
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____

10) SCREEN:
Type Filter
Perforated ☒ Slotted
Diameter (inches) 4" Setting From (ft.) 335' To (ft.) 325' Slot Size _____

(Use reverse side if necessary)

7) COMPLETION (Check):
☒ Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 240' ft. below land surface Date 9/23/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 294' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata 325'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Jimmy Davis Water Well Drillers Registration No. # 315
(Type or Print)
ADDRESS 5423 Lotus Street Houston, Texas 77045
(Street or RFD) (City) (State)
(Signed) [Signature] Wellco Water Well Drilling & Service Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JAN 30 1972

Central Records
Texas Water Development Board

RECEIVED
OCT 11 1972
TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1499	3 of 3	NNE	4.55 / 24,027.93	Blue Bell Place Builders TX	WW HARRIS GAL

Well ID:	4212	Diameter (inches):	4
Aggre Lead Well:	4212	Year Drilled:	1980
Permit No:	WP2023-114782	Depth Drilled:	367
Permit Start Date:	11/1/2023 3:34:00 PM	Depth frm Surf(ft):	346
Permit End Dt:	10/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.907777
Regulatory Aarea:	3	Longitude:	-95.395277
Owner Name:	Blue Bell Place Builders		
Billing Contact:	Mark S. Hein		
Billing Address:	1330 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1500	1 of 1	N	4.55 / 24,030.73	Wieghat, Nilah TX	WW HARRIS GAL

Well ID:	7394	Diameter (inches):	2
Aggre Lead Well:	7394	Year Drilled:	1963
Permit No:	W2006-7394-124589-0	Depth Drilled:	45
Permit Start Date:	12/31/2005	Depth frm Surf(ft):	0
Permit End Dt:	12/31/2005	County:	H
Well Status:	E - Exempt	Latitude:	29.908888
Regulatory Aarea:	3	Longitude:	-95.408333
Owner Name:	Wieghat, Nilah		
Billing Contact:	NULL		
Billing Address:	423 Northville		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1501	1 of 1	N	4.55 / 24,038.92	DR. R.A. MCCLIMANS TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	06/04/1973
Owners Name:	DR. R.A. MCCLIMANS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	189
Depth Drilled:	325
Latitude:	29.9085847
Longitude:	-95.4031938

send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. _____ Located on map <u>40</u> Received: <u>7/2</u> <u>2/15</u>																																					
1) OWNER: Person having well drilled <u>Dr. R. A. McClimans</u> Address <u>10525 Airline Dr., Houston, Texas</u> <div style="text-align: center; font-size: x-small;">(Name) (Street or RFD) (City) (State)</div>																																									
Landowner <u>Dr. R. A. McClimans</u> Address <u>10525 Airline Dr., Houston, Texas</u> <div style="text-align: center; font-size: x-small;">(Name) (Street or RFD) (City) (State)</div>																																									
2) LOCATION OF WELL: County <u>Harris</u> miles in _____ direction from _____ (Town) <div style="text-align: center; font-size: x-small;">(N.E., S.W., etc.)</div>																																									
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* <div style="text-align: center; font-size: small;"> See Reverse Side for Map North </div>			OR Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey <u>400</u> <u>000</u> Abstract No. _____ <u>500</u> <u>000</u> (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____																																						
(Use reverse side if necessary)																																									
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																																					
6) WELL LOG: Diameter of hole <u>4</u> in. Depth drilled <u>325</u> ft. Depth of completed well <u>325</u> ft. Date drilled <u>6-4-73</u> All measurements made from <u>0</u> ft. above ground level.																																									
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>19</td><td>Surface & White Clay</td></tr> <tr><td>19</td><td>51</td><td>Sand</td></tr> <tr><td>51</td><td>96</td><td>Clay Light Sand Breaks</td></tr> <tr><td>96</td><td>126</td><td>Shale</td></tr> <tr><td>126</td><td>162</td><td>Sand</td></tr> <tr><td>162</td><td>190</td><td>Shale</td></tr> <tr><td>190</td><td>225</td><td>Sand & Sand Rock</td></tr> <tr><td>225</td><td>261</td><td>Shale Light Sand Breaks</td></tr> <tr><td>261</td><td>276</td><td>Sand</td></tr> <tr><td>276</td><td>288</td><td>Shale Light Sand Breaks</td></tr> <tr><td>288</td><td>299</td><td>Sand</td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material	0	19	Surface & White Clay	19	51	Sand	51	96	Clay Light Sand Breaks	96	126	Shale	126	162	Sand	162	190	Shale	190	225	Sand & Sand Rock	225	261	Shale Light Sand Breaks	261	276	Sand	276	288	Shale Light Sand Breaks	288	299	Sand	9) CASING: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____ Cemented from <u>0</u> ft. to <u>316</u> ft. Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____		
From (ft.)	To (ft.)	Description and color of formation material																																							
0	19	Surface & White Clay																																							
19	51	Sand																																							
51	96	Clay Light Sand Breaks																																							
96	126	Shale																																							
126	162	Sand																																							
162	190	Shale																																							
190	225	Sand & Sand Rock																																							
225	261	Shale Light Sand Breaks																																							
261	276	Sand																																							
276	288	Shale Light Sand Breaks																																							
288	299	Sand																																							
10) SCREEN: Type <u>Stainless Steel Rod Base</u> Perforated <input checked="" type="checkbox"/> Slotted _____ Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____ <u>2 1/2</u> <u>324</u> <u>325</u> <u>2 1/2</u> <u>319</u> <u>324</u> <u>.012</u> <u>2 1/2</u> <u>310</u> <u>319</u>																																									
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under reamed _____ Open Hole _____			11) WELL TESTS: Was a pump test made? Yes _____ No <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailor test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																						
8) WATER LEVEL: Static level <u>-189</u> ft. below land surface Date <u>6-4-73</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>252</u> ft. below land surface.			12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____																																						
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																									
NAME <u>R. B. Lowry</u> <div style="text-align: center; font-size: x-small;">(Type or Print)</div>		Water Well Drillers Registration No. <u>146</u>																																							
ADDRESS <u>4012 ENE Fulton</u> <div style="text-align: center; font-size: x-small;">(Street or RFD)</div>		<u>P. O. Box 8707</u> <div style="text-align: center; font-size: x-small;">(City)</div>		<u>Houston, Texas 77009</u> <div style="text-align: center; font-size: x-small;">(State)</div>																																					
(Signed) <u>R.B. Lowry</u> <div style="text-align: center; font-size: x-small;">(Water Well Driller)</div>		<u>LOWRY WATER WELLS</u> <div style="text-align: center; font-size: x-small;">(Company Name)</div>																																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																																									
*Additional instructions on reverse side.																																									

tw086-W04

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDS-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

299	308	Shale
308	325	Sand

$$\begin{aligned} \gamma_1 &= 1 \\ \gamma_2 &= 1 \end{aligned}$$


RECEIVED
AUG 2 1973
Control Records
Texas Water Development Board

DEVELOPMENT BOARD
SECTION 5000

JUL 9 - 6 70C

RECEIVED

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1502	1 of 1	NNE	4.56 / 24,050.45	TIMPLETON TX	TCEQ WELL LOGS

Grid No: 65-05-9NN
 Date Drilled: 05/22/1980
 Owners Name: TIMPLETON
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 190
 Depth Drilled: 320
 Latitude: 29.9049321
 Longtiude: -95.3837232

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1503	1 of 2	NE	4.56 / 24,056.22	Aung, Thawda TX	WW HARRIS GAL

Well ID:	10512	Diameter (inches):	5
Aggre Lead Well:	10512	Year Drilled:	2006
Permit No:	WP2023-114748	Depth Drilled:	450
Permit Start Date:	8/1/2023 12:55:00 PM	Depth frm Surf(ft):	430
Permit End Dt:	7/31/2024 12:55:39 PM	County:	H
Well Status:	O - Operable	Latitude:	29.885277
Regulatory Aarea:	3	Longitude:	-95.351666
Owner Name:	2210 Hartwick LLC		
Billing Contact:	NULL		
Billing Address:	2219 Hartwick Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1503	2 of 2	NE	4.56 / 24,056.22	Cementera Los Compadress 2219 Hartwick Houston TX 77093	SDRW WELLS

Track NO: 101258
Date Submitted: 2007-01-02
Owner Name: Cementera Los Compadress
Owner Address: 2219 Hartwick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.885278
Longitude: -95.351667
Drilling Date Started: 2006-11-13
Drilling Date Completed: 2006-11-15
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77093
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=101258&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 500

Top Depth:
Bottom Depth: 500.0

Well Levels

Measurement: 205
Measurement Date: 2007-11-20

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1504	1 of 1	NE	4.56 / 24,063.96	Tovar, Tomas TX	WW HARRIS GAL

Well ID:	14216	Diameter (inches):	4
Aggre Lead Well:	14216	Year Drilled:	NULL
Permit No:	W2021-14216-218736-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.8975
Regulatory Aarea:	3	Longitude:	-95.367222
Owner Name:	Tovar, Tomas		
Billing Contact:	NULL		
Billing Address:	1429 Hill Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1505	1 of 1	NNE	4.56 / 24,066.04	Susan Beltran 14134 Henry Road Houston TX 77060	SDRW WELLS

Track NO: 177247
Date Submitted: 2009-05-05
Owner Name: Susan Beltran
Owner Address: 14134 Henry Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900001
Longitude: -95.366944
Drilling Date Started: 2008-02-15
Drilling Date Completed: 2008-02-16
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W Montgomery Rd
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=177247&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 410.0

Top Depth: 380
Bottom Depth: 410

Top Depth: 0
Bottom Depth: 380

Well Levels

Measurement: 195
Measurement Date: 2008-02-16

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1506	1 of 3	N	4.56 / 24,075.24	FRANK WIVCHAR TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 01/20/1971
Owners Name: FRANK WIVCHAR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 330
Latitude: 29.908787
Longtiude: -95.4048367

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. _____
Located on map NO
Received: 91
dt

1) OWNER:
Person having well drilled FRANK WIVCHAR Address 10529 AIRLINE NOV. TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address SAME
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL
County DARRIS 10 miles in N direction from HOUSTON
(N., E., S., W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2" in. Depth drilled 330' ft. Depth of completed well 330' ft. Date drilled 1-30-71
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0'-2'		Top Soil
2'-300'		UNCONSOLIDATED MATERIAL
300'-330'		MEDIUM SAND

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
Cemented from 250' ft. to 300' ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Casing _____
4" 0' 300 #50

10) SCREEN:
Type S.S. WIRE WRAPPED
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot _____
2 1/2" 230 330 #14 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 190 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 232' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Russell Water Well Drillers Registration No. A707
(Type or Print)
ADDRESS 9339 N. Nov. Rosslyn HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) Tommy C. Russell RUSSELL & SON INC.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1506	2 of 3	N	4.56 / 24,075.24	YASIN BHURA TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 10/22/1997
Owners Name: YASIN BHURA
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 14
Depth Drilled: 47
Latitude: 29.908787
Longtiude: -95.4048367

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>Yasin Bhura</u> (Name)		ADDRESS <u>10529 Airline Drive</u> <u>Houston</u> <u>Texas</u> <u>77037</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>Harris</u> same (Street or RFD) (City) (State) (Zip)		GRID # <u>05-05-9</u>																							
3) TYPE OF WORK (Check): <input type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		5) <div style="text-align: center;">0</div>																					
6) WELL LOG: Date Drilling: <u>10/22/97</u> Started <u>10</u> _____ 19____ Completed _____ 19____		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4</u></td> <td>Surface</td> <td><u>47</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4</u>	Surface	<u>47</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>4</u>	Surface	<u>47</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 37 RED & GRAY CLAY</u> <u>37 - 47 SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>37</u> ft. to <u>47</u> ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																							
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2"</u></td> <td><u>N</u></td> <td><u>PLASTIC</u></td> <td><u>0</u></td> <td><u>37</u></td> <td><u>SH40</u></td> </tr> <tr> <td><u>2"</u></td> <td><u>N</u></td> <td><u>WELTIC SCREEN</u></td> <td><u>37</u></td> <td><u>47</u></td> <td><u>DRP</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2"</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>37</u>	<u>SH40</u>	<u>2"</u>	<u>N</u>	<u>WELTIC SCREEN</u>	<u>37</u>	<u>47</u>	<u>DRP</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
<u>2"</u>	<u>N</u>	<u>PLASTIC</u>	<u>0</u>	<u>37</u>	<u>SH40</u>																				
<u>2"</u>	<u>N</u>	<u>WELTIC SCREEN</u>	<u>37</u>	<u>47</u>	<u>DRP</u>																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>37</u> ft. No. of sacks used <u>10</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>Raymond Services</u> Distance to septic system field lines <u>100</u> ft. Method of verification of above distance <u>CUSTOMER</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowl, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jointed <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>14</u> ft. below land surface Date <u>10/22/97</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td colspan="2" style="text-align: center;"><u>NONE</u></td> </tr> </table>				Type	Depth	<u>NONE</u>																	
Type	Depth																								
<u>NONE</u>																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. SEQ # _____ understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>																							
ADDRESS <u>10011 Airline Drive</u> (Street or RFD)		Houston (City)																							
(Signed) _____ (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																							
		EMP # <u>APR 21 1998</u> <u>77037</u> <u>Texas</u> <u>1998</u> <u>77037</u> (State) (Zip)																							
		COMMENT _____																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1506	3 of 3	N	4.56 / 24,075.24	Manuel's Used Auto Parts #2 TX	WW HARRIS GAL
<div> <div> Well ID: 6346 Aggre Lead Well: 6346 Permit No: WP2023-111818 Permit Start Date: 8/1/2023 3:08:00 PM Permit End Dt: 7/31/2024 3:08:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Manuel's Used Auto Parts #2 Billing Contact: NULL Billing Address: 10529 Airline Dr. Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77037 Correspondence: NULL Provision: DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion. Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 2 Year Drilled: 1997 Depth Drilled: 50 Depth frm Surf(ft): 40 County: H Latitude: 29.908888 Longitude: -95.404166 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1507	1 of 1	NNE	4.56 / 24,103.10	MONTGOMERY WARD TX	TCEQ WELL LOGS

Grid No: 65-05-5
Date Drilled: 01/14/1971
Owners Name: MONTGOMERY WARD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 75
Depth Drilled: 372
Latitude: 29.9027771
Longitude: -95.3772881

5N GN 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-5N
Located on map YDS
Received: 91
Form GW 8 db
Form GW 9

1) OWNER:
Person having well drilled Montgomery Ward Address Houston Texas
Landowner C. G. Young Address Sweeney Houston, Texas

2) LOCATION OF WELL:
County Harris Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
12 miles in S.W. direction from Humble
(NE, SW, etc.) (Town)
Humble Hwy. 59
11 mile Mail Route
Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 1/4 in. Depth drilled 372 ft. Depth of completed well 372 ft. Date drilled 1-14-71
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	195	Clay	256	259	Clay
192	205	Sand	259	260	Sand
205	222	Clay	260	320	Clay
222	231	Sand	320	328	Sand
231	240	Clay	328	330	Clay
240	253	Sand	330	342	Sand
253	255	Lime	342	350	Clay
255	256	Sand	350	372	(Use space if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 75 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from _____ ft. to _____ ft.

10) SCREEN:
Type Stainless Steel
Perforated ☐ Slotted ☐

Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)			From (ft.)	To (ft.)	
4	0	240	Med	2	362	372	0.04
2	240	262	Med				

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom? _____
Yield: 10 gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? _____ depth of strata _____

12) PUMP DATA:
Manufacturer's Name Signature
Type _____ H.P. _____
Designed pumping rate _____ gpm ☐ gph ☐
Type power unit _____
Depth to bowls, cylinder, jet, etc., _____ ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Herman Louis Gehrels Water Well Drillers Registration No. 812
(Type or Print)
Address Box 7480 Porter Texas
(Street or RFD) (City) (State)
(Signed) H. L. Gehrels Coastal Water Well Drilling Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1508	1 of 1	SW	4.57 / 24,108.19	American Porcelain Enameling, Inc. TX	GWDB

Well Rep Track No:
State Well No: 6513831
Owner Name: American Porcelain Enameling, Inc.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 438
Well Usage: Industrial
Water Level Status:
Latitude: 29.7858340
Longitude: -95.4505560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513831&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513831&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1509	1 of 4	W	4.57 / 24,111.59	Forrest Lake Townhouse Assoc. TX	WW HARRIS GAL

Well ID:	14972	Diameter (inches):	4
Aggre Lead Well:	14281	Year Drilled:	2020
Permit No:	WP2023-106644	Depth Drilled:	350
Permit Start Date:	6/1/2023	Depth frm Surf(ft):	330
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.851666
Regulatory Aarea:	2	Longitude:	-95.486111
Owner Name:	NULL		
Billing Contact:	General Manager		
Billing Address:	5805 Lumberdale RD		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1509	2 of 4	W	4.57 / 24,111.59	Forrest Lake Townhouse Assoc. TX	WW HARRIS GAL

Well ID:	14281	Diameter (inches):	4
Aggre Lead Well:	14281	Year Drilled:	0
Permit No:	WP2023-106644	Depth Drilled:	400
Permit Start Date:	6/1/2023	Depth frm Surf(ft):	390
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.851111
Regulatory Aarea:	3	Longitude:	-95.486111
Owner Name:	Forrest Lake Townhouse Assoc.		
Billing Contact:	General Manager		
Billing Address:	5805 Lumberdale RD		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1509	3 of 4	W	4.57 / 24,111.59	Forest Lake Townhomes 5805 Lumberdale Houston TX 77092	SDRW WELLS

Track NO: 511501
Date Submitted: 2019-05-21
Owner Name: Forest Lake Townhomes
Owner Address: 5805 Lumberdale
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77092
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.851111
Longitude: -95.486111
Drilling Date Started: 2019-03-20
Drilling Date Completed: 2019-03-21
Chemical Analysis: Yes
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=511501&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 380.0

Top Depth: 0
Bottom Depth: 380

Well Levels

Measurement: 175
Measurement Date: 2019-05-21

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1509	4 of 4	W	4.57 / 24,111.59	Forest Lake Townhomes 2805 Lumberdale Road Houston TX 77092	SDRW WELLS

Track NO: 560553
Date Submitted: 2020-12-02
Owner Name: Forest Lake Townhomes
Owner Address: 2805 Lumberdale Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77092
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.851944
Longitude: -95.484722
Drilling Date Started: 2020-11-02
Drilling Date Completed: 2020-11-03
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=560553&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 360

Top Depth:
Bottom Depth: 360.0

Well Levels

Measurement: 175
Measurement Date:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1510	1 of 1	N	4.57 / 24,116.07	JOSE LUIS LAZARO TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/7/2002
Owners Name: JOSE LUIS LAZARO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 400
Latitude: 29.9082417
Longtiude: -95.4218209

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																																		
WELL REPORT																																						
A. WELL IDENTIFICATION AND LOCATION DATA																																						
1) OWNER																																						
Name <u>Jose Luis Lazaro</u>		Address <u>190 Blue Bell</u>		City <u>Houston</u>	State <u>Texas</u> Zip <u>77038</u>																																	
2) WELL LOCATION																																						
County <u>Harris</u>		Physical Address <u>1117 Norfolk</u>		City <u>Houston</u>	State <u>Texas</u> Zip <u>77037</u>																																	
3) Type of Work		Lat.		Long.	Grid # <u>65-05-9</u>																																	
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>N↑</u>																																		
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)																																		
Started <u>11/5/02</u>		Dia.(in) From (ft) To (ft)		<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																		
Completed <u>11/7/02</u>		<u>7</u> <u>350</u> <u>400</u>																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0 - 10</td><td></td><td>Clay 280-287 Clay</td></tr> <tr><td>10 - 40</td><td></td><td>Sand 287-299 Sand</td></tr> <tr><td>40 - 130</td><td></td><td>Clay 299-305 Clay</td></tr> <tr><td>130 - 170</td><td></td><td>Sand 305-328 Sand</td></tr> <tr><td>170 - 190</td><td></td><td>Clay 328-340 Clay</td></tr> <tr><td>190 - 210</td><td></td><td>Sand 340-360 Sand</td></tr> <tr><td>210 - 215</td><td></td><td>Rock 360-380 Clay</td></tr> <tr><td>215 - 266</td><td></td><td>Clay 380-400 Sand</td></tr> <tr><td>266 - 275</td><td></td><td>Sand</td></tr> <tr><td>275 - 280</td><td></td><td>ROCK</td></tr> </tbody> </table>						From (ft)	To (ft)	Description and color of formation material	0 - 10		Clay 280-287 Clay	10 - 40		Sand 287-299 Sand	40 - 130		Clay 299-305 Clay	130 - 170		Sand 305-328 Sand	170 - 190		Clay 328-340 Clay	190 - 210		Sand 340-360 Sand	210 - 215		Rock 360-380 Clay	215 - 266		Clay 380-400 Sand	266 - 275		Sand	275 - 280		ROCK
From (ft)	To (ft)	Description and color of formation material																																				
0 - 10		Clay 280-287 Clay																																				
10 - 40		Sand 287-299 Sand																																				
40 - 130		Clay 299-305 Clay																																				
130 - 170		Sand 305-328 Sand																																				
170 - 190		Clay 328-340 Clay																																				
190 - 210		Sand 340-360 Sand																																				
210 - 215		Rock 360-380 Clay																																				
215 - 266		Clay 380-400 Sand																																				
266 - 275		Sand																																				
275 - 280		ROCK																																				
8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from _____ ft. to _____ ft.																																						
Casing, Blank Pipe, and Well Screen Data																																						
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4"</td> <td>N</td> <td>PLASTIC CASE</td> <td>0</td> <td>350</td> <td>SCH 40</td> </tr> <tr> <td>2 1/2"</td> <td>N</td> <td>" " LINEAR</td> <td>370</td> <td>380</td> <td>16 "</td> </tr> <tr> <td>2 1/2"</td> <td>N</td> <td>" " SCREEN</td> <td>380</td> <td>400</td> <td>00 "</td> </tr> </tbody> </table>						Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	4"	N	PLASTIC CASE	0	350	SCH 40	2 1/2"	N	" " LINEAR	370	380	16 "	2 1/2"	N	" " SCREEN	380	400	00 "							
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																																	
			From	To																																		
4"	N	PLASTIC CASE	0	350	SCH 40																																	
2 1/2"	N	" " LINEAR	370	380	16 "																																	
2 1/2"	N	" " SCREEN	380	400	00 "																																	
9) Cementing Data																																						
Cementing from <u>0</u> ft. to <u>380</u> ft. # of sacks used <u>38</u> Method Used <u>PRESSURE</u> # of sacks used _____ Cementing By <u>BELOW</u> Distance to septic system field or other concentrated contamination <u>50</u> ft. Method of verification of above distance <u>CUSTOMER</u>																																						
10) Surface Completion																																						
<input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used <div style="text-align: right;"> RECEIVED TDLR MAIL ROOM AR NOV 26 2002 </div>																																						
11) Water Level																																						
Static level <u>350</u> ft. below Date <u>11/7/02</u> Artesian Flow _____ gpm. Date _____																																						
12) Packers																																						
Type _____ Depth <u>370</u> <u>1</u> <u>PKG K</u>																																						
13) Plugged <input type="checkbox"/> Well plugged within 48 hours																																						
Casing left in well: Cement/Bentonite placed in well:																																						
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																												
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																																		
14) Type Pump																																						
<input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc., <u>300</u> ft.																																						
15) Water Test																																						
Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>50</u> gpm with <u>10</u> ft. drawdown after <u>5</u> hrs.																																						
16) Water Quality																																						
Did you knowingly penetrate a strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																						
Company or individual's Name (type or print) <u>Raymond Services Inc</u>				Lic. No. <u>4577</u>																																		
Address <u>10011 Airline Dr.</u>				City <u>Houston</u>	State <u>TX</u> Zip <u>77037</u>																																	
Signature <u>[Signature]</u>		Date <u>11/7/02</u>		Signature _____ Date _____																																		
Licensed Driller/Pump Installer		Apprentice		Date																																		

TDLR FORM 6001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1511	1 of 2	E	4.57 / 24,116.33	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514104
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1950
Well Depth: 160
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8550010
Longitude: -95.3344450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514104&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514104&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1511	2 of 2	E	4.57 / 24,116.33	USGS-295117095200301 TX	FED USGS

Site No: USGS-295117095200301
Site Type: Well
Formation Type: Chicot Aquifer, Upper
Date Drilled: 19500101
Well Depth: 160
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-104
Latitude: 29.855000000000000
Longitude: -95.3344444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1512	1 of 1	SSE	4.57 / 24,130.39	RAY AIRE OF HOUSTON TX	TCEQ WELL LOGS

Grid No: 65-13-9
 Date Drilled: 05/22/1987
 Owners Name: RAY AIRE OF HOUSTON
 County: HARRIS
 Water Usage: SUPPLY
 Static Level: 97
 Depth Drilled: 133
 Latitude: 29.782936
 Longtiude: -95.375476

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Ray Aire of Houston Address 4224 Mangum, Houston, Tx. 77092
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 0 miles in N direction from Houston
County Harris (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ONGS-13-9

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☒ Other Supply

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG: DIAMETER OF HOLE
Date Drilling: 05/20 19 87 Dia. (in.) From (ft.) To (ft.)
Started 05/20 19 87 6-3/4 Surface 133
Completed 05/22 19 87

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	4	Top Soil						
4	18	Clay						
18	32	Sandy Clay						
32	114	Clay	4	N	PVC Casing	0	115	40
114	125	Sand, Salt & Pepper .008	4	N	PVC Screen			
125	133	Clay w/sand streaks			Slotted .006	115	125	40

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 4
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Grouted
Cemented by Paul W. Rhodes

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 97 ft. below land surface Date 05/20/87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Rubber Formation 113' 105' 15'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 118' ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
Yield: 10 gpm with Air ft. drawdown after --- hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 11'
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME WALKER WATER WELL SERVICE, INC. Well Driller's License No. 1827
(Type or Print)


ADDRESS P.O. Box 1580 Alvin Tx. 77512-1580
(Street or RFD) (City) (State) (Zip)

(Signed) Paul W. Rhodes (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. ONGS-13-9
Located on map _____





Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1513	1 of 2	N	4.57 / 24,134.53	BARNIER BUILDING SYSTEMS TX	TCEQ WELL LOGS

Grid No: 65-05-8
 Date Drilled: 10/01/1997
 Owners Name: BARNIER BUILDING SYSTEMS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 235
 Depth Drilled: 365
 Latitude: 29.908383
 Longtiude: -95.421125

Send original copy by certified return receipt requested to TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on an reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																		
1) OWNER <u>BARNIER BUILDING SYSTEMS</u> ADDRESS <u>1105 NORTHVILLE HOU. TX. 77038</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																																						
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>SAME</u> GRID # <u>65-05-8</u> <small>(Street, RFD or other) (City) (State) (Zip)</small>																																						
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																		
6) WELL LOG: Date Drilling: _____ Started <u>9/31</u> 19 <u>97</u> Completed <u>10/1</u> 19 <u>97</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <td style="width:33%;">Dia. (in.)</td> <td style="width:33%;">From (ft.)</td> <td style="width:33%;">To (ft.)</td> </tr> <tr> <td></td> <td style="text-align: center;">Surface</td> <td></td> </tr> <tr> <td><u>6 3/4</u></td> <td style="text-align: center;"><u>0</u></td> <td style="text-align: center;"><u>365</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>6 3/4</u>	<u>0</u>	<u>365</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																						
DIAMETER OF HOLE																																						
Dia. (in.)	From (ft.)	To (ft.)																																				
	Surface																																					
<u>6 3/4</u>	<u>0</u>	<u>365</u>																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0</td><td>30</td><td>clay</td></tr> <tr><td>30</td><td>40</td><td>sand</td></tr> <tr><td>40</td><td>160</td><td>clay</td></tr> <tr><td>160</td><td>185</td><td>sand</td></tr> <tr><td>185</td><td>245</td><td>clay</td></tr> <tr><td>245</td><td>265</td><td>sand</td></tr> <tr><td>265</td><td>310</td><td>clay</td></tr> <tr><td>310</td><td>325</td><td>sand</td></tr> <tr><td>325</td><td>335</td><td>clay</td></tr> <tr><td>335</td><td>365</td><td>sand</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	30	clay	30	40	sand	40	160	clay	160	185	sand	185	245	clay	245	265	sand	265	310	clay	310	325	sand	325	335	clay	335	365	sand	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																				
0	30	clay																																				
30	40	sand																																				
40	160	clay																																				
160	185	sand																																				
185	245	clay																																				
245	265	sand																																				
265	310	clay																																				
310	325	sand																																				
325	335	clay																																				
335	365	sand																																				
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td style="text-align: center;"><u>N</u></td> <td><u>PVC CASING</u></td> <td><u>350</u></td> <td><u>0</u></td> <td></td> </tr> <tr> <td><u>2.5</u></td> <td style="text-align: center;"><u>"</u></td> <td><u>LINER</u></td> <td><u>390</u></td> <td><u>350</u></td> <td></td> </tr> <tr> <td><u>"</u></td> <td style="text-align: center;"><u>"</u></td> <td><u>SCREEN</u></td> <td><u>350</u></td> <td><u>265</u></td> <td style="text-align: center;"><u>.012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>350</u>	<u>0</u>		<u>2.5</u>	<u>"</u>	<u>LINER</u>	<u>390</u>	<u>350</u>		<u>"</u>	<u>"</u>	<u>SCREEN</u>	<u>350</u>	<u>265</u>	<u>.012</u>							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																	
			From	To																																		
<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>350</u>	<u>0</u>																																		
<u>2.5</u>	<u>"</u>	<u>LINER</u>	<u>390</u>	<u>350</u>																																		
<u>"</u>	<u>"</u>	<u>SCREEN</u>	<u>350</u>	<u>265</u>	<u>.012</u>																																	
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>350</u> ft. to <u>150</u> ft. No. of sacks used <u>16</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>10</u> Method used <u>HALLIBURTON</u> Cemented by <u>SCOTT WATER WELL SER. INC.</u> Distance to septic system field lines or other concentrated contamination <u>120</u> ft. Method of verification of above distance <u>VISUAL</u>																																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																				
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>235</u> ft. below land surface Date <u>10/1/97</u> Artesian flow _____ gpm. Date _____																																				
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>K-PACKER</u></td> <td style="text-align: center;"><u>340</u></td> </tr> </table>				Type	Depth	<u>K-PACKER</u>	<u>340</u>																													
Type	Depth																																					
<u>K-PACKER</u>	<u>340</u>																																					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.																																						
COMPANY NAME <u>SCOTT WATER WELL SER. INC.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4839</u> WI		FILE ID <u>SEQ #</u>																																		
ADDRESS <u>11915 GREEN PINE CIR. HOUSTON, TX. 77066</u> <small>(Street or RFD) (City) (State) (Zip)</small>		EMP # <u>OCT 28 1997</u>		TNRCC																																		
(Signed) <u>Scott Robinson</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>		Wg																																		
Please attach electric log, chemical analysis, and other pertinent information, if available.																																						

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC Yellow - DRILLER Pink - WELL OWNER


Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1513	2 of 2	N	4.57 / 24,134.53	Barnier Building Systems, Inc. TX	WW HARRIS GAL


Well ID:	6132	Diameter (inches):	4
Aggre Lead Well:	6132	Year Drilled:	1997
Permit No:	WP2023-106455	Depth Drilled:	400
Permit Start Date:	6/1/2023 12:37:00 PM	Depth frm Surf(ft):	240
Permit End Dt:	5/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.908333
Regulatory Aarea:	3	Longitude:	-95.421388
Owner Name:	Barnier Building Systems, Inc.		
Billing Contact:	Rose M. Barnier		
Billing Address:	1105 Northville St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1514	1 of 1	SSE	4.57 / 24,134.80	RAY AIRE OF HOUSTON TX	TCEQ WELL LOGS

Grid No: 65-13-9
 Date Drilled: 05/22/1987
 Owners Name: RAY AIRE OF HOUSTON
 County: HARRIS
 Water Usage: INJECTION
 Static Level: 97
 Depth Drilled: 137
 Latitude: 29.7829085
 Longitude: -95.3755081

WC-0392 (Rev. 06-10-85)





<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1515	1 of 3	N	4.57 / 24,135.27	PATEL NAGIN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 03/22/1994
 Owners Name: PATEL NAGIN
 County: HARRIS
 Water Usage: RESTROOM
 Static Level: 25
 Depth Drilled: 60
 Latitude: 29.9086311
 Longtiude: -95.4006499

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

1) OWNER PATEL NAGIN (Name) Address 10520 AIRLINE DR HOUSTON TEXAS (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS 13 miles in N direction from HOUSTON (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other RESTROOM

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling: Started 3-20 1994 Completed 3-22 1994
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)
4 1/2 Surface 60

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																				
<u>Surf - 11</u>	<u>11 - 21</u>	<u>Sand</u>	<table border="1"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>2"</u></td> <td><u>N</u></td> <td><u>50 ft 2" PVC Sch 40 Casing</u></td> <td><u>50</u></td> <td><u>60</u></td> <td><u>08GA</u></td> </tr> <tr> <td></td> <td></td> <td><u>10 ft 08GA PVC Screen</u></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2"</u>	<u>N</u>	<u>50 ft 2" PVC Sch 40 Casing</u>	<u>50</u>	<u>60</u>	<u>08GA</u>			<u>10 ft 08GA PVC Screen</u>			
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial					Setting (ft.)			Gage Casing Screen													
				From	To																		
<u>2"</u>	<u>N</u>	<u>50 ft 2" PVC Sch 40 Casing</u>	<u>50</u>	<u>60</u>	<u>08GA</u>																		
		<u>10 ft 08GA PVC Screen</u>																					
<u>21 - 50</u>	<u>50 - 60</u>	<u>White Clay</u>																					
		<u>Red Clay</u>																					
		<u>White Sand OIOGA</u>																					

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from SURF ft. to 50 ft. No. of Sacks Used 7
 ft. to _____ ft. No. of Sacks Used _____
 Method used PRESSURE
 Cemented by L F HULL

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 2.5 ft. below land surface Date 3-22-94
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 35 ft.

14) WELL TESTS:
 Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 5 gpm with 0 ft. drawdown after 2 hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No


I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME L.F. HULL (Type or Print) Water Well Driller's License No. 02044 W-P
 ADDRESS 4933 HARTWICK (Street or RFD) HOUSTON TEXAS (City) (State) (Zip) 77093
 (Signed) L.F. Hull (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)
 Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. _____
 Located on map 65-5-1

TWC-0392 (Rev. 06-10-85)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1515	2 of 3	N	4.57 / 24,135.27	HOLLIDAY ROLLER RINK TX	TCEQ WELL LOGS

Grid No: 65-05-9SS
 Date Drilled: 05/23/1973
 Owners Name: HOLLIDAY ROLLER RINK
 County: HARRIS
 Water Usage: INDUSTRIAL
 Static Level: 100
 Depth Drilled: 152
 Latitude: 29.9086311
 Longtiude: -95.4006499

TABLE WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1515	3 of 3	N	4.57 / 24,135.27	Izaguirre, Noe TX	WW HARRIS GAL

Well ID:	12573	Diameter (inches):	2
Aggre Lead Well:	12573	Year Drilled:	0
Permit No:	WP2021-100793	Depth Drilled:	1
Permit Start Date:	5/13/2021 8:34:13 AM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2022 8:34:23 AM	County:	H
Well Status:	O - Operable	Latitude:	29.908611
Regulatory Aarea:	3	Longitude:	-95.4025
Owner Name:	Izaguirre, Noe		
Billing Contact:	NULL		
Billing Address:	301 S Jamison St.		
Billing Address 2:	NULL		
Billing City:	La Porte		
Billing State:	TX		
Billing Zip:	77571		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1516	1 of 1	N	4.57 / 24,144.44	NULL TX	WW HARRIS GAL

Well ID:	7282	Diameter (inches):	4
Aggre Lead Well:	7282	Year Drilled:	1979
Permit No:	W2009-7282-140700-0	Depth Drilled:	0
Permit Start Date:	NULL	Depth frm Surf(ft):	0
Permit End Dt:	NULL	County:	H
Well Status:	P - Plugged	Latitude:	29.909166
Regulatory Aarea:	3	Longitude:	-95.411666
Owner Name:	Walter Homes, Jim		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1517	1 of 3	NE	4.57 / 24,147.29	RAPID ROOFING CO. TX	TCEQ WELL LOGS

Grid No: 65-06-7GG
Date Drilled: 01/03/1976
Owners Name: RAPID ROOFING CO.
County: HARRIS
Water Usage: DOMESTIC
Static Level: 221
Depth Drilled: 340
Latitude: 29.899997
Longitude: -95.370909

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 65-06-726
Located on map 1-5-5
Received: 7-6-7
dlc

WATER WELL REPORT

1) OWNER:
Person having well drilled RAPID ROOFING CO. Address 12222 E. HARDY HOUSTON TEX.
(Name) (Street or RFD) (City) (State)
Landowner MR DAVIS Address 12222 E. HARDY HOUSTON TEX.
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 11 miles in N direction from HOUSTON
(N, E, S, W, etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
ALDINE MAIL RT.
X WELL
North
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4, NE 1/4, SW 1/4, SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

5) WELL LOG:
Diameter of hole 6 1/4" in. Depth drilled 340 ft. Depth of completed well 340 ft. Date drilled 1-30-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-6		TOP SOIL
6-28		YELLOW SHALE
28-50		SAND
50-85		RED SHALE
85-102		SAND
102-143		RED SHALE
143-181		SAND
181-225		BLUE SAND SHALE
225-280		RED SHALE
280-308		SAND
308-320		BLUE SHALE
320-340		SAND (reverse side if necessary)

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic ☒ Other _____
Cemented from 0 ft. to 320 ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Casing _____
4 1/2" APPROXIMATE 320 SC440
2 1/2" 320 325 SC450

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot _____
2 1/2" 323 - 340 12

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ If yes, by whom? JAMES H. SUGG JR.
Yield: 16.4 gpm with 22 ft. drawdown after 2 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

8) WATER LEVEL:
Static level 221 ft. below land surface Date 2-1-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
(Type or Print)
ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

VOSS-WDS

196158

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1517	2 of 3	NE	4.57 / 24,147.29	VIRGEL L. DAVIS TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 12/07/2000
Owners Name: VIRGEL L. DAVIS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 10
Depth Drilled: 47
Latitude: 29.899997
Longtiude: -95.370909

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1517	3 of 3	NE	4.57 / 24,147.29	Izaguirre, Jaime TX	WW HARRIS GAL

Well ID:	8453	Diameter (inches):	2
Aggre Lead Well:	8453	Year Drilled:	2001
Permit No:	WP2023-112075	Depth Drilled:	50
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.371388
Owner Name:	Izaguirre, Noe A.		
Billing Contact:	NULL		
Billing Address:	32310 Skyway		
Billing Address 2:	NULL		
Billing City:	Waller		
Billing State:	TX		
Billing Zip:	77484		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1518	1 of 1	NE	4.58 / 24,158.42	Entrust Retirement Services Inc TX	WW HARRIS GAL

Well ID:	4997	Diameter (inches):	4
Aggre Lead Well:	4997	Year Drilled:	
Permit No:	WP2021-100958	Depth Drilled:	0
Permit Start Date:	8/1/2021 1:36:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022 1:36:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.894444
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Entrust Retirement Services Inc		
Billing Contact:	NULL		
Billing Address:	17171 Park Row, Suite 100		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	(FBO #10259-21)		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1519	1 of 1	NNE	4.58 / 24,160.97	Alvarez, Gumerindo & Rosalina TX	WW HARRIS GAL

Well ID:	14745	Diameter (inches):	2
Aggre Lead Well:	14745	Year Drilled:	
Permit No:	W2020-14745-210640-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.378055
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	14028 Sweeney Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1520	1 of 5	NW	4.58 / 24,161.77	ROOFING SUPPLY TX	WUD

Primary Co: NICK STAFFORD
Contact Ti: IMPROVEMENT MANAGER
Operating Status: ABANDONED
PWSID: 1013215
Source ID: G1013215A
Utility Name: ROOFING SUPPLY
WTRSRC: G1013215A
Date Drilled: 11/8/1990
Well Depth: 430
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - ABANDONED
Gallons Per Minute: 20
CCN: N/A
Latitude: 29.897828
Longitude: -95.452725
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1520	2 of 5	NW	4.58 / 24,161.77	ROOFING SPECIALTIES TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 01/18/1990
Owners Name: ROOFING SPECIALTIES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 251
Depth Drilled: 430
Latitude: 29.898364
Longitude: -95.4520249

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																							
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side																																									
1) OWNER <u>ROOFING SPECIALTIES</u> ADDRESS <u>17207 Wynnwood Lane</u> <u>ASH</u> <u>TX</u> <u>77008</u> (Name) (Street or RFD) (City) (State) (Zip)																																									
2) LOCATION OF WELL: <u>BIG JOHN STREET + 249</u> County <u>HARRIS</u> miles in _____ direction from _____ (Town) (NE, SW, etc.)																																									
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																									
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																									
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>0760-61-5</u>																																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering																																							
		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																							
6) WELL LOG: Date Drilling: <u>1-17</u> 19 <u>90</u> Started <u>1-18</u> 19 <u>90</u> Completed _____		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																							
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>430</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>430</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>400</u></td> <td></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>Galv</u></td> <td><u>390</u></td> <td><u>400</u></td> <td></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>400</u></td> <td><u>420</u></td> <td><u>.014</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>420</u></td> <td><u>430</u></td> <td><u>.016</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>400</u>		<u>4 1/2</u>	<u>N</u>	<u>Galv</u>	<u>390</u>	<u>400</u>		<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>400</u>	<u>420</u>	<u>.014</u>	<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>420</u>	<u>430</u>	<u>.016</u>
Dia. (in.)	From (ft.)	To (ft.)																																							
<u>6 3/4</u>	Surface	<u>430</u>																																							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen																																				
			From	To																																					
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>400</u>																																					
<u>4 1/2</u>	<u>N</u>	<u>Galv</u>	<u>390</u>	<u>400</u>																																					
<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>400</u>	<u>420</u>	<u>.014</u>																																				
<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>420</u>	<u>430</u>	<u>.016</u>																																				
From (ft.) To (ft.) Description and color of formation material <u>0</u> <u>400</u> <u>Unconsolidated</u> <u>400</u> <u>430</u> <u>SAND</u>		RECEIVED FEB 27 1990 TEXAS WATER COMMISSION																																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of Sacks Used _____ <u>380</u> ft. to <u>430</u> ft. No. of Sacks Used _____ Method used <u>Halliburton</u> Cemented by <u>BUSSELL + SON INC</u>																																							
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																							
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>251</u> ft. below land surface Date <u>1-18-90</u> Artesian flow _____ gpm. Date _____																																							
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>R-Packer</u></td> <td><u>390</u></td> </tr> </table>		Type	Depth	<u>R-Packer</u>	<u>390</u>																																		
Type	Depth																																								
<u>R-Packer</u>	<u>390</u>																																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.																																									
COMPANY NAME <u>Bussell + Son, Inc</u> (Type or print) ADDRESS <u>P.O. Box 874</u> (Street or RFD) (Signed) <u>Ray Bussell</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>2035</u> <u>Tomball</u> <u>TX</u> <u>77375</u> (City) (State) (Zip) (Signed) <u>David L Young</u> (Registered Driller Trainee)																																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																																									
For TWC use only: Well No. <u>65-057</u> Located on map _____																																									

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1520	3 of 5	NW	4.58 / 24,161.77	Roofing Supply Ltd. TX	WW HARRIS GAL

Well ID:	11037	Diameter (inches):	5
Aggre Lead Well:	11037	Year Drilled:	2009
Permit No:	W2018-11037-196833-0	Depth Drilled:	430
Permit Start Date:	6/1/2018	Depth frm Surf(ft):	20
Permit End Dt:	6/1/2018	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.451944
Owner Name:	Roofing Supply Ltd.		
Billing Contact:	NULL		
Billing Address:	2600 W. Mount Houston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1520	4 of 5	NW	4.58 / 24,161.77	Roofing Supply Ltd. TX	WW HARRIS GAL

Well ID:	8802	Diameter (inches):	4
Aggre Lead Well:	8802	Year Drilled:	1991
Permit No:	W2010-8802-145211-0	Depth Drilled:	0
Permit Start Date:	12/31/2009	Depth frm Surf(ft):	0
Permit End Dt:	12/31/2009	County:	H
Well Status:	C - Capped	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.452777
Owner Name:	Roofing Supply Ltd.		
Billing Contact:	Darlene		
Billing Address:	2600 W. Mount Houston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1520	5 of 5	NW	4.58 / 24,161.77	Dahh Inc c/o Roofing Supply 2600 W. Mount Houston Houston TX 77038	SDRW WELLS

Track NO: 228441
Date Submitted: 2010-08-27
Owner Name: Dahh Inc c/o Roofing Supply
Owner Address: 2600 W. Mount Houston
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.897778
Longitude: -95.450834
Drilling Date Started: 2009-06-25
Drilling Date Completed: 2009-06-26
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=228441&Type=SDR-Well>

Well Borehole Information

Top Depth: 400
Bottom Depth: 425

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 425.0

Well Levels

Measurement: 215
Measurement Date: 2009-06-26

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1521	1 of 1	WNW	4.58 / 24,167.48	JOHN KILGORE TX	TCEQ WELL LOGS

Grid No: 65-04-7
Date Drilled: 11/7/1989
Owners Name: JOHN KILGORE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 226
Depth Drilled: 320
Latitude: 29.867542
Longtiude: -95.48138

Send original copy by certified mail to: Texas Water Comm, P.O. Box 13087, Austin, Texas 78711 17 * Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side **State of Texas WELL REPORT** Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711

1) OWNER John Kilgore ADDRESS 10821 ALABONSON HSTN TX. 77088
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 6821 ALABONSON miles in _____ direction from _____
County Harris (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP 0160-59-6 K.M. 411

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG: Date Drilling: _____ Started 11/6/89 Completed 11/7/89

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>1 3/4</u>	Surface	<u>320</u>

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casting Screen
<u>0</u>	<u>23</u>	<u>Top So. 1 + Clay</u>						
<u>23</u>	<u>48</u>	<u>SURFACE SAND</u>						
<u>48</u>	<u>165</u>	<u>CLAY</u>	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>310</u>	
<u>165</u>	<u>174</u>	<u>SAND</u>	<u>2</u>	<u>N</u>	<u>GALV</u>	<u>304</u>	<u>310</u>	
<u>174</u>	<u>225</u>	<u>CLAY + SAND STRAKS</u>	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>310</u>	<u>320</u>	<u>.016</u>
<u>225</u>	<u>250</u>	<u>SAND</u>						
<u>250</u>	<u>275</u>	<u>CLAY</u>						
<u>275</u>	<u>285</u>	<u>SAND</u>						
<u>285</u>	<u>290</u>	<u>CLAY</u>						
<u>290</u>	<u>320</u>	<u>SAND</u>						

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used _____
Method used Halliburton No. of Sacks Used _____
Cemented by BUSSELL + SON INC.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Bitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 226 ft. below land surface Date 11/7/89
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth 304

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS: Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 25 gpm with 15 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell + Son Inc WELL DRILLER'S LICENSE NO. 2035
(Type or print)

ADDRESS PO Box 874 Tomhall TX 77375
(Street or RFD) (City) (State) (Zip)

(Signed) Ray Bussell (Signed) David Young
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 65-05-7 Located on map _____



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1522	1 of 2	NNE	4.58 / 24,172.38	Barrientos, Arturo TX	WW HARRIS GAL

Well ID:	14378	Diameter (inches):	4
Aggre Lead Well:	14378	Year Drilled:	
Permit No:	WP2023-112365	Depth Drilled:	0
Permit Start Date:	8/1/2023 11:04:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 11:04:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.383333
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	14201 Henry Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1522	2 of 2	NNE	4.58 / 24,172.38	Arturo Barrientos 14207 Henry Rd. Houston TX 77060	SDRW WELLS

Track NO: 508881
Date Submitted: 2019-04-18
Owner Name: Arturo Barrientos
Owner Address: 14201 Henry Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905278
Longitude: -95.382778
Drilling Date Started: 2019-04-17
Drilling Date Completed: 2019-04-17
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=508881&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 10
Measurement Date: 2019-04-17

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1523	1 of 3	NE	4.58 / 24,185.21	FELIPE COSTIO TX	TCEQ WELL LOGS

Grid No: 65-06-4
 Date Drilled: 07/10/2001
 Owners Name: FELIPE COSTIO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 5
 Depth Drilled: 45
 Latitude: 29.8990803
 Longitude: -95.3689421

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																					
WELL REPORT																									
A. WELL IDENTIFICATION AND LOCATION DATA																									
1) OWNER																									
Name <u>Felipe Costio</u>		Address <u>12835 Reeveston</u>		City <u>Houston</u>	State <u>TX</u> Zip <u>77060</u>																				
2) WELL LOCATION																									
County <u>Harris</u>		Physical Address <u>Same</u>		City	State Zip																				
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>N↑</u>																					
6) Drilling Date Started <u>7/10/01</u> Completed <u>7/10/01</u>		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia.(in)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td><u>5</u></td> <td><u>Surface</u></td> <td><u>45</u></td> </tr> </table>		Dia.(in)	From (ft)	To (ft)	<u>5</u>	<u>Surface</u>	<u>45</u>	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia.(in)	From (ft)	To (ft)																							
<u>5</u>	<u>Surface</u>	<u>45</u>																							
From (ft) To (ft) Description and color of formation material		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from <u>45</u> ft. to <u>35</u> ft.																							
<u>0</u> <u>12</u> <u>Yellow Clay</u>		Casing, Blank Pipe, and Well Screen Data <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Casing Plastic</u></td> <td><u>Surface</u></td> <td><u>35</u></td> <td><u>5440</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Screen Plastic</u></td> <td><u>35</u></td> <td><u>45</u></td> <td><u>006</u></td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>Casing Plastic</u>	<u>Surface</u>	<u>35</u>	<u>5440</u>	<u>2</u>	<u>N</u>	<u>Screen Plastic</u>	<u>35</u>	<u>45</u>	<u>006</u>
Dia. (in.)	New Or Used								Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen													
						From	To																		
<u>2</u>	<u>N</u>					<u>Casing Plastic</u>	<u>Surface</u>	<u>35</u>	<u>5440</u>																
<u>2</u>	<u>N</u>	<u>Screen Plastic</u>	<u>35</u>	<u>45</u>	<u>006</u>																				
<u>12</u> <u>40</u> <u>Sand & Gg</u>																									
<u>40</u> <u>41</u> <u>Rock</u>																									
<u>41</u> <u>45</u> <u>Sand</u>																									
(Use reverse side of Well Owner's copy, If necessary)		9) Cementing Data Cementing from <u>35</u> ft. to <u>Surface</u> ft. # of sacks used <u>6</u> Method Used <u>Pressure</u> Cementing By <u>Raymond Services, Inc.</u> Distance to septic system field or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u>																							
		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
		11) Water Level Static level <u>5</u> ft. below Date <u>7/10/01</u> Artesian Flow _____ gpm. Date _____																							
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/Bentonite placed in well: _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																12) Packers Type Depth <div style="text-align: center; font-size: 2em; font-family: cursive;">NONE</div>			
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																					
14) Type pump <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc., _____ ft.		15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>15</u> gpm with _____ ft. drawdown after _____ hrs.																							
16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No		Company or individual's Name (type or print) <u>Raymond Services, Inc. 4577WI</u> Address <u>10011 Airline Drive</u> City <u>Houston</u> State <u>TX</u> Zip <u>77037</u> Signature <u>[Signature]</u> Date <u>7/10/01</u> Signature <u>[Signature]</u> Date <u>7/10/01</u>																							

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1523	2 of 3	NE	4.58 / 24,185.21	Ryan, Sheryl TX	WW HARRIS GAL

Well ID:	12329	Diameter (inches):	4
Aggre Lead Well:	12329	Year Drilled:	2019
Permit No:	W2021-12329-218627-0	Depth Drilled:	400
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.369166
Owner Name:	Ryan, Sheryl		
Billing Contact:	NULL		
Billing Address:	1341 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1523	3 of 3	NE	4.58 / 24,185.21	Felipe Castro 12835 Reeveston Rd Houston TX 77039	SDRW WELLS

Track NO: 302222
Date Submitted: 2012-10-24
Owner Name: Felipe Castro
Owner Address: 12835 Reeveston Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898889
Longitude: -95.368889
Drilling Date Started: 2012-10-17
Drilling Date Completed: 2012-10-18
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=302222&Type=SDR-Well>

Well Borehole Information

Top Depth: 375
Bottom Depth: 395

Top Depth: 0
Bottom Depth: 375

Top Depth:
Bottom Depth: 395.0

Well Levels

Measurement: 195
Measurement Date: 2012-10-18

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1524	1 of 5	NNW	4.58 / 24,185.66	Bluebell Utility TX	GWDB

Well Rep Track No:
State Well No: 6505806
Owner Name: Bluebell Utility
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1957
Well Depth: 354
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9063890
Longitude: -95.4330550
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505806&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505806&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1524	2 of 5	NNW	4.58 / 24,185.66	BLUE BELL MANOR SUBDIVISION TX	WUD

Primary Co: MARK HEIN
Contact Ti: OPERATOR
Operating Status: PLUGGED
PWSID: 1010647
Source ID: G1010647B
Utility Name: BLUE BELL MANOR SUBDIVISION
WTRSRC: G1010647B
Date Drilled:
Well Depth: 350
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 120
CCN: 10963
Latitude: 29.906172
Longitude: -95.43305
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1524	3 of 5	NNW	4.58 / 24,185.66	BLUE BELL MANOR SUBDIVISION TX	WUD

Primary Co: MARK HEIN
Contact Ti: OPERATOR
Operating Status: ABANDONED
PWSID: 1010647
Source ID: G1010647A
Utility Name: BLUE BELL MANOR SUBDIVISION
WTRSRC: G1010647A
Date Drilled: 05/00/1984
Well Depth: 356
Screen Top: 314
Screen Bottom: 354
Water Usage: INACTIVE - ABANDONED
Gallons Per Minute: 200
CCN: 10963
Latitude: 29.906202
Longitude: -95.432954
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1524	4 of 5	NNW	4.58 / 24,185.66	Blue Bell Manor Utility Co. TX	WW HARRIS GAL
<hr/>					
Well ID:	1772			Diameter (inches):	6
Aggre Lead Well:	1771			Year Drilled:	1958
Permit No:	W1989-1771-32136-0			Depth Drilled:	355
Permit Start Date:	8/1/1989			Depth frm Surf(ft):	307
Permit End Dt:	7/31/1990			County:	H
Well Status:	P - Plugged			Latitude:	29.906388
Regulatory Aarea:	3			Longitude:	-95.433333
Owner Name:	Blue Bell Manor Utility Co.				
Billing Contact:	LLOYD WHITE				
Billing Address:	1330 Blue Bell Rd.				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77038				
Correspondence:	NULL				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; A - Permittee must submit report to District detailing measures to be taken to increase ratio of water sold to total water produced by XX/XX/XXXX.				
Water Usage:	P - Public Supply				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1524	5 of 5	NNW	4.58 / 24,185.66	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3996 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 8 Year Drilled: 1984 Depth Drilled: 350 Depth frm Surf(ft): 325 County: H Latitude: 29.906111 Longitude: -95.432777 </div> </div> <div> Owner Name: Blue Bell Manor Utility Co. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1525	1 of 1	NE	4.58 / 24,189.74	ERWIN FISCHER TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 01/24/1990
Owners Name: ERWIN FISCHER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 235
Depth Drilled: 370
Latitude: 29.895291
Longtiude: -95.362687

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY

196170



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1526	1 of 1	N	4.58 / 24,194.18	Carol Guillory 810 Northville Houston TX 77038	SDRW WELLS

Track NO: 270722
Date Submitted: 2011-11-07
Owner Name: Carol Guillory
Owner Address: 810 Northville
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909723
Longitude: -95.416112
Drilling Date Started: 2011-11-04
Drilling Date Completed: 2011-11-04
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=270722&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 12
Measurement Date: 2011-11-04

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1527	1 of 1	N	4.58 / 24,195.77	CARROLL CONSTRUCTION CO TX	TCEQ WELL LOGS

Grid No: 65-05-8T
Date Drilled: 06/11/1974
Owners Name: CARROLL CONSTRUCTION CO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 195
Depth Drilled: 369
Latitude: 29.908387
Longitude: -95.42238

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1528	1 of 2	WNW	4.58 / 24,203.72	Inwood Forest CC well #2 TX	GWDB

Well Rep Track No:
State Well No: 6505719
Owner Name: Inwood Forest CC well #2
Drilling Start Dt:
Drilling Month: 9
Drilling Day:
Drilling Year: 1968
Well Depth: 544
Well Usage: Irrigation
Water Level Status:
Latitude: 29.8763890
Longitude: -95.4752780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505719&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505719&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1528	2 of 2	WNW	4.58 / 24,203.72	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 1713 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: 3 - No electric or motor Regulatory Aarea: 3 Owner Name: Houston, City of Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: L - Lake/Pond/Pool </div> <div> Diameter (inches): 6 Year Drilled: 1968 Depth Drilled: 541 Depth frm Surf(ft): 487 County: H Latitude: 29.876388 Longitude: -95.476944 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1529	1 of 5	N	4.58 / 24,207.52	HAPPY HOA CHUONG TX	WUD

Primary Co: CHAMP R. CLARK
Contact Ti: OPERATOR
Operating Status: OPERATIONAL
PWSID: 1013085
Source ID: G1013085A
Utility Name: HAPPY HOA CHUONG
WTRSRC: G1013085A
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 65
CCN: N/A
Latitude: 29.90914
Longitude: -95.41301
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1529	2 of 5	N	4.58 / 24,207.52	HAPPY HOA CHUONG TX	WUD
<i>Primary Co:</i>		CHAMP R. CLARK			
<i>Contact Ti:</i>		OPERATOR			
<i>Operating Status:</i>		OPERATIONAL			
<i>PWSID:</i>		1013085			
<i>Source ID:</i>		G1013085B			
<i>Utility Name:</i>		HAPPY HOA CHUONG			
<i>WTRSRC:</i>		G1013085B			
<i>Date Drilled:</i>					
<i>Well Depth:</i>		395			
<i>Screen Top:</i>		0			
<i>Screen Bottom:</i>		0			
<i>Water Usage:</i>		ACTIVE - PERMANENT			
<i>Gallons Per Minute:</i>		73			
<i>CCN:</i>		N/A			
<i>Latitude:</i>		29.90918			
<i>Longitude:</i>		-95.413017			
<i>System Status:</i>		ACTIVE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1529	3 of 5	N	4.58 / 24,207.52	BEST WESTERN MOTEL TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 04/25/2001
Owners Name: BEST WESTERN MOTEL
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 222
Depth Drilled: 400
Latitude: 29.9091968
Longitude: -95.4135777

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		1. Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
WELL REPORT					
A. WELL IDENTIFICATION AND LOCATION DATA					
1) OWNER					
Name Best Western Motel		Address 2231 Southgate		City Houston	State Tx
2) WELL LOCATION					
County Harris		Physical Address I # 45 at Northville		City Houston	State Tx
3) Type of Work		Lat.		Long.	
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening					
4) Proposed Use (check)		Grid # 65-05-9			
<input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)	
Started 4/20/01		Dia.(in) From (ft) To (ft)		<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
Completed 4/25/01		9 8 1/2 Surface 375 4 7/8 375 400			
From (ft)		To (ft)		Description and color of formation material	
0-40				Clay w/ Rock	
40-50				Sand	
50-120				Red Clay	
120-200				Sand	
200-260				clay w/ Rock	
260-270				Sand	
270-280				Clay	
280-300				Sand	
300-320				Sand	
320-335				Clay	
(Use reverse side of Well Owner's copy, If necessary)					
8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall					
<input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other 2 String If Gravel Packed give the interval from _____ ft. to _____ ft.					
Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)		New Or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	
Setting (ft)		From		To	
		5		N SDR 17 PVC +2-375	
		3		N Sch 40 PVC 370-380	
		3		N Sch 40 Slotted 380-400, 1008	
9) Cementing Data					
Cementing from 0 ft. to 375 ft. # of sacks used 50					
Cementing By Pressure Driller					
Distance to septic system field or other concentrated contamination 150' separation easement					
Method of verification of above distance 150' separation easement					
10) Surface Completion					
<input checked="" type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used					
11) Water Level					
Static level 222 ft. below ground surface					
Artesian Flow _____ gpm Date 4/25/01					
12) Packers					
Type		Depth			
K Packer		3x5		370'	
13) Plugged <input type="checkbox"/> Well plugged within 48 hours					
Casing left in well: _____ Cement/Bentonite placed in well: _____					
From (ft)		To (ft)		Sacks used	
14) Type Pump					
<input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____					
Depth to pump bowls, cylinder, jet etc., _____ ft.					
15) Water Test					
Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated					
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.					
16) Water Quality					
Did you knowingly penetrate a strata which contain undesirable constituents.					
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER					
Type of water _____ Depth of Strata _____					
Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No					
Company or individual's Name (type or print) Johnston's Water Well Service				Lic. No. 2778 WI	
Address 14750 Hooper Rd		City Tomball		State Tx	Zip 77375
Signature Henry R. Johnston		Date 5/15/01		Signature _____ Date _____	
Licensed Driller/Pump Installer		Apprentice		Date	

TDLR FORM 6001 WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

65-05-9

X

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1529	4 of 5	N	4.58 / 24,207.52	Hoa, Bui TX	WW HARRIS GAL
<hr/>					
Well ID:	7236			Diameter (inches):	5
Aggre Lead Well:	7236			Year Drilled:	1998
Permit No:	W2018-7236-199305-0			Depth Drilled:	400
Permit Start Date:	6/1/2018			Depth frm Surf(ft):	380
Permit End Dt:	5/31/2019			County:	H
Well Status:	O - Operable			Latitude:	29.909166
Regulatory Aarea:	3			Longitude:	-95.413055
Owner Name:	Hoa, Bui				
Billing Contact:	NULL				
Billing Address:	9555 W. Sam Houston Parkway S., Suite 160				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77099				
Correspondence:	NULL				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1529	5 of 5	N	4.58 / 24,207.52	Hoa, Bui TX	WW HARRIS GAL
<hr/>					
Well ID:	8576			Diameter (inches):	5
Aggre Lead Well:	7236			Year Drilled:	2001
Permit No:	W2018-7236-199305-0			Depth Drilled:	395
Permit Start Date:	6/1/2018			Depth frm Surf(ft):	375
Permit End Dt:	5/31/2019			County:	H
Well Status:	O - Operable			Latitude:	29.909166
Regulatory Aarea:	3			Longitude:	-95.413055
Owner Name:	Hoa, Bui				
Billing Contact:	NULL				
Billing Address:	9555 W. Sam Houston Parkway S., Suite 160				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77099				
Correspondence:	NULL				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee				
Water Usage:	D - Domestic/Commercial				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1530	1 of 2	NNW	4.59 / 24,212.57	CHIVAR LIM TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 09/24/2001
Owners Name: CHIVAR LIM
County: HARRIS
Water Usage: 2 MOBILE HOMES
Static Level: 280
Depth Drilled: 412
Latitude: 29.908218
Longtiude: -95.423835

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																											
WELL REPORT																															
A. WELL IDENTIFICATION AND LOCATION DATA																															
1) OWNER																															
Name CHIVAR Lim		Address 9927 DARR TRAIL		City HOUSTON	State TX. Zip 77038																										
2) WELL LOCATION																															
County HARRIS		Physical Address 9927 DARR TRAIL		City HOUSTON	State TX. Zip 77038																										
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply <input checked="" type="checkbox"/> 2-MOBILE HOMES If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) N↑																											
6) Drilling Date Started 9/20/01 Completed 9/24/01		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td>8</td> <td>0</td> <td>412</td> </tr> </table>		Dia. (in.)	From (ft)	To (ft)	8	0	412	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia. (in.)	From (ft)	To (ft)																													
8	0	412																													
From (ft) To (ft) Description and color of formation material		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other 2-STRAIN If Gravel Packed give the interval from _____ ft. to _____ ft.																													
		Casing, Blank Pipe, and Well Screen Data																													
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>5</td> <td>N</td> <td>PVC CASING</td> <td>395</td> <td>0</td> <td>SPL17</td> </tr> <tr> <td>2.5</td> <td>N</td> <td>PVC LINEAL</td> <td>395</td> <td>353</td> <td>SCH 40</td> </tr> <tr> <td>2.5</td> <td>N</td> <td>PVC SCREEN</td> <td>412</td> <td>395</td> <td>012</td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	5	N	PVC CASING	395	0	SPL17	2.5	N	PVC LINEAL	395	353	SCH 40	2.5	N	PVC SCREEN	412	395	012
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																										
			From	To																											
5	N	PVC CASING	395	0	SPL17																										
2.5	N	PVC LINEAL	395	353	SCH 40																										
2.5	N	PVC SCREEN	412	395	012																										
		9) Cementing Data Cementing from 375 ft. to 0 ft. # of sacks used 26 Method Used HALLIBURTON Cementing By ROBINSON WATER WELL Distance to septic system field or other concentrated contamination 150 ft. Method of verification of above distance CONSERVED																													
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/Bentonite placed in well: _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used						10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used <div style="text-align: right;"> NOV 09 2001 RECEIPT # AMOUNT </div>																			
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																											
14) Type Pump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc., 340 ft.		11) Water Level Static level 280 ft. below Date 9/24/01 Artesian Flow _____ gpm. Date _____ / _____ / _____																													
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		12) Packers Type Depth <div style="text-align: right;"> K-PACKER 353 </div>																													
16) Water Quality Did you knowingly penetrate a strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		DAVID HELMS																													
Company or individual's Name (type or print) ROBINSON WATER WELL SERVICE, INC.		Lic. No. 54211 PLW																													
Address 11819 W. MART COMPANY RD		City HOUSTON,		State TX. Zip 77086																											
Signature David Helms		Date 10/23/01		Signature _____ Date _____																											
Licensed Driller/Pump Installer		Apprentice		Date																											

TDLR FORM b001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1530	2 of 2	NNW	4.59 / 24,212.57	Wat Khemararam Cambodian TX	WW HARRIS GAL

Well ID:	8950	Diameter (inches):	5
Aggre Lead Well:	8950	Year Drilled:	2001
Permit No:	WP2022-106426	Depth Drilled:	400
Permit Start Date:	6/1/2022 3:19:00 PM	Depth frm Surf(ft):	390
Permit End Dt:	5/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.908333
Regulatory Aarea:	3	Longitude:	-95.424444
Owner Name:	Wat Khemararam Cambodian		
Billing Contact:	Buddhist Temple		
Billing Address:	9919 Deer Trail Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1531	1 of 2	NE	4.59 / 24,221.88	IKE BAUGH TX	TCEQ WELL LOGS

Grid No: 65-14-1G
Date Drilled: 05/20/1976
Owners Name: IKE BAUGH
County: HARRIS
Water Usage: DOMESTIC
Static Level: 142
Depth Drilled: 221
Latitude: 29.8899575
Longtiude: -95.3555678

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-14-18
Located on map V-5
Received: 7/1/76

1) OWNER:
Person having well drilled THE BAUGH Address 12105 ALDINE WESTERN
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS _____ miles in N direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/4 in. Depth drilled 221 ft. Depth of completed well 221 ft. Date drilled 5-20-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-4		TOP SOIL
4-15		YELLOW SHALE
15-27		SAND
27-53		RED SHALE
53-60		SAND
60-116		RED SHALE
116-135		SAND
135-194		BLUE SHALE
194-221		SAND

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from 0 ft. to 200 ft.
Diameter (inches) _____ Setting _____ To (ft.) _____ Gage _____
4 1'-6" ABOVE GROUND 200 SAND
2 1/2 200 206 SCH 80

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____ To (ft.) _____ Slot Size _____
2 1/2 206 221 .006

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other ☒
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 142 ft. below land surface Date 5-21-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 189 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ If yes, by whom? JAMES H. SUGG JR.
Yield: 24.6 gpm with 17 ft. drawdown after 2 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
(Type or Print)
ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1531	2 of 2	NE	4.59 / 24,221.88	Toghani, H. TX	WW HARRIS GAL

Well ID:	10073	Diameter (inches):	4
Aggre Lead Well:	10073	Year Drilled:	
Permit No:	WP2023-112114	Depth Drilled:	130
Permit Start Date:	8/1/2023 2:53:00 PM	Depth frm Surf(ft):	125
Permit End Dt:	7/31/2024 2:53:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.89
Regulatory Aarea:	3	Longitude:	-95.355555
Owner Name:	Toghani, H.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 670683		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77267		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1532	1 of 1	NNE	4.59 / 24,236.66	Vasquez, Hermino TX	WW HARRIS GAL

Well ID:	13420	Diameter (inches):	2
Aggre Lead Well:	13420	Year Drilled:	0
Permit No:	W2015-13420-179956-0	Depth Drilled:	50
Permit Start Date:	9/9/2015	Depth frm Surf(ft):	40
Permit End Dt:	9/9/2015	County:	H
Well Status:	N - Not Drilled	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.390277
Owner Name:	Vasquez, Hermino		
Billing Contact:	NULL		
Billing Address:	14322 Lillja Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1533	1 of 1	SE	4.59 / 24,242.48	C.C. KERN TX	TCEQ WELL LOGS

Grid No: 65-14-4K
Date Drilled: 05/08/1983
Owners Name: C.C. KERN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 98
Depth Drilled: 348
Latitude: 29.791758
Longtiude: -95.359599

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER C. C. Herin Address 3406 Moore St. Houston TX 77009
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris miles in _____ direction from _____ (Town)
(N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Section Texas County General Highway Map and attach the map to this form.

59

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

Map 7 See attached map. Map on 65-14-4A Not on Map

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled June May 7-8 1983

From (ft.)	To (ft.)	Description and color of formation material	DIAMETER OF HOLE		
			Dia. (in.)	From (ft.)	To (ft.)
0	5	Red clay	6 1/2	Surface	230
5	24	Yellow clay	3 3/8	230	248
24	28	Red sand			
28	52	Red clay			
52	74	Blue clay			
74	101	Sand			
101	145	Red sand			
145	162	Blue clay			
162	188	Sand			
188	210	Red clay			
210	230	Blue clay			
230	248	Sand			

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Undecreased
☐ Gravel Packed ☐ Other Dual string
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Cage Casing Screen
			From	To	
4	N	PRC	72	230	40
2 1/2	N	PRC slotted	228	248	12

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 230 ft. to Surface ft.
Method used Halibuton
Cemented by Self

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 98 ft. below land surface Date June May 8
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 142 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Johnson's Water Well Water Well Driller's License No. 1807
(Type or Print)

ADDRESS 8933 Talcott Ln Houston TX 77049
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-14-4K
Located on map Yes DUE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1534	1 of 1	N	4.59 / 24,242.50	Mary Andrade 10549 Berwyn Houston TX 77037	SDRW WELLS

Track NO: 137158
Date Submitted: 2008-03-19
Owner Name: Mary Andrade
Owner Address: 10549 Berwyn
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909167
Longitude: -95.406945
Drilling Date Started: 2005-07-06
Drilling Date Completed: 2005-07-07
Chemical Analysis: No
Company Name: Robinson Water Well Services Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=137158&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 450.0

Top Depth: 425
Bottom Depth: 450

Top Depth: 0
Bottom Depth: 425

Well Levels

Measurement: 205
Measurement Date: 2005-07-07

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1535	1 of 1	N	4.59 / 24,249.88	Reyes, Herminio & Judith TX	WW HARRIS GAL

Well ID:	5408	Diameter (inches):	2
Aggre Lead Well:	5408	Year Drilled:	1997
Permit No:	WP2023-110827	Depth Drilled:	50
Permit Start Date:	6/1/2023 4:23:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	5/31/2024 4:23:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.909166
Regulatory Aarea:	3	Longitude:	-95.409444
Owner Name:	Reyes, Herminio & Judith		
Billing Contact:	NULL		
Billing Address:	10506 Lakebrook Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1536	1 of 4	NE	4.59 / 24,260.69	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 12157 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Keith Weiss Park Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: O - Other </div> <div> Diameter (inches): 4 Year Drilled: 201 Depth Drilled: 400 Depth frm Surf(ft): 380 County: H Latitude: 29.888611 Longitude: -95.353888 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1536	2 of 4	NE	4.59 / 24,260.69	Houston, City of TX	WW HARRIS GAL

Well ID:	3913	Diameter (inches):	4
Aggre Lead Well:	3913	Year Drilled:	
Permit No:	W1991-3913-36385-0	Depth Drilled:	500
Permit Start Date:	2/1/1991	Depth frm Surf(ft):	450
Permit End Dt:	1/31/1992	County:	H
Well Status:	N - Not Drilled	Latitude:	29.889722
Regulatory Aarea:	3	Longitude:	-95.353055
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St., 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Tricon Precast, Ltd.		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1536	3 of 4	NE	4.59 / 24,260.69	Houston, City of TX	WW HARRIS GAL

Well ID:	12435	Diameter (inches):	6
Aggre Lead Well:	12435	Year Drilled:	201
Permit No:	W2013-12435-165418-0	Depth Drilled:	450
Permit Start Date:	4/16/2013	Depth frm Surf(ft):	400
Permit End Dt:	4/16/2013	County:	H
Well Status:	V - Void	Latitude:	29.888611
Regulatory Aarea:	3	Longitude:	-95.353888
Owner Name:	NULL		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St., 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	70002		
Correspondence:	Keith-Weiss Park		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1536	4 of 4	NE	4.59 / 24,260.69	City of Houston, Keith wiess park 12300 Aldine Westfield Houston TX 77093	SDRW WELLS

Track NO: 282397
Date Submitted: 2012-03-30
Owner Name: City of Houston, Keith wiess park
Owner Address: 611 Walker 18th fl
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77002
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.888334
Longitude: -95.353889
Drilling Date Started: 2012-03-28
Drilling Date Completed: 2012-03-29
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=282397&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 385

Top Depth:
Bottom Depth: 385.0

Well Levels

Measurement: 200
Measurement Date: 2012-03-29

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1537	1 of 1	N	4.60 / 24,266.07	Mike Boze 400 Northville Houston TX 77037	SDRW WELLS

Track NO: 338427
Date Submitted: 2013-08-23
Owner Name: Mike Boze
Owner Address: 400 Northville
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908889
Longitude: -95.407501
Drilling Date Started: 2013-07-08
Drilling Date Completed: 2013-07-10
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=338427&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 375.0

Top Depth: 0
Bottom Depth: 375

Well Levels

Measurement: 185
Measurement Date: 2013-08-12

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1538	1 of 1	N	4.60 / 24,269.42	JIM WALTERS HOMES TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 07/28/1983
Owners Name: JIM WALTERS HOMES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 105
Depth Drilled: 180
Latitude: 29.909419
Longtiude: -95.411583

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1539	1 of 2	N	4.60 / 24,272.10	SOUTHWEST DRYWALL TX	TCEQ WELL LOGS

Grid No:	65-05-8U
Date Drilled:	04/25/1976
Owners Name:	SOUTHWEST DRYWALL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	100
Depth Drilled:	160
Latitude:	29.909448
Longtiude:	-95.40911

801
Dwyer

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-811
Located on map yes
Received: 76
dlr

1) OWNER:
Person having well drilled Southwest Drywall Address 510 Northville
(Name) (Street or RFD) (City) (State)
Landowner 11 Address Houston Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: Harris 2 miles in N direction from Houston
County (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*

North
↑

(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 160 ft. Depth of completed well 160 ft. Date drilled 4-25-76
All measurements made from 18" ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-40		CLAY
40-46		SAND (Red)
46-145		CLAY
145-160		SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2"	0-	150	5640

10) SCREEN:
Type plastic
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	150	160	12 GA

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 100 ft. below land surface Date 4-25-76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes NO If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes NO
Did any strata contain undesirable water? Yes No.
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


NAME Robinson Water Well Water Well Drillers Registration No. 1469
(Type or Print)

ADDRESS 11607 F.M. 149 Houston Texas
(Street or RFD) (City) (State)

(Signed) M.E. Robinson Robinson Water Well Service
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.



RECEIVED
JUL - 2 1976
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
OCT 6 4 1976
Texas Water Development Board

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1539	2 of 2	N	4.60 / 24,272.10	Northville Real Estate, Ltd. TX	WW HARRIS GAL
<div> <div> Well ID: 6961 Aggre Lead Well: 6961 Permit No: W2017-6961-191371-0 Permit Start Date: 8/1/2017 Permit End Dt: 8/1/2017 Well Status: P - Plugged Regulatory Aarea: 3 </div> <div> Owner Name: Northville Real Estate, Ltd. Billing Contact: NULL Billing Address: 2611 Arabelle Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77007 Correspondence: NULL Provision: DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion. D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.909166 Longitude: -95.408888 </div> </div>					
Water Usage:					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1540	1 of 3	NNE	4.60 / 24,282.41	TAUTENHAHN, O.R. TX	WW HARRIS GAL

Well ID:	3102	Diameter (inches):	4
Aggre Lead Well:	3102	Year Drilled:	1981
Permit No:	W1978-3102-2102-0	Depth Drilled:	43
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	0
Permit End Dt:	11/30/1953	County:	H
Well Status:	P - Plugged	Latitude:	29.903055
Regulatory Aarea:	3	Longitude:	-95.376111
Owner Name:	TAUTENHAHN, O.R.		
Billing Contact:	NULL		
Billing Address:	1019 Aldine Mail Route Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1540	2 of 3	NNE	4.60 / 24,282.41	TAUTENHAHN, O.R. TX	WW HARRIS GAL

Well ID:	3099	Diameter (inches):	4
Aggre Lead Well:	3099	Year Drilled:	1981
Permit No:	W1978-3099-2099-0	Depth Drilled:	43
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	0
Permit End Dt:	11/30/1953	County:	H
Well Status:	P - Plugged	Latitude:	29.903055
Regulatory Aarea:	3	Longitude:	-95.376111
Owner Name:	TAUTENHAHN, O.R.		
Billing Contact:	NULL		
Billing Address:	1019 Aldine Mail Route Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1540	3 of 3	NNE	4.60 / 24,282.41	TAUTENHAHN, O.R. TX	WW HARRIS GAL

Well ID:	3103	Diameter (inches):	2
Aggre Lead Well:	3103	Year Drilled:	1981
Permit No:	W1978-3103-2103-0	Depth Drilled:	43
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	0
Permit End Dt:	11/30/1953	County:	H
Well Status:	P - Plugged	Latitude:	29.903055
Regulatory Aarea:	3	Longitude:	-95.376111
Owner Name:	TAUTENHAHN, O.R.		
Billing Contact:	NULL		
Billing Address:	1019 Aldine Mail Route Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1541	1 of 1	N	4.60 / 24,296.25	TEODORO SOLAIS TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 06/05/1999
 Owners Name: TEODORO SOLAIS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 10
 Depth Drilled: 50
 Latitude: 29.909431
 Longtiude: -95.405575

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880							
1) OWNER <u>TEODORO SOLAIS</u> (Name)		ADDRESS <u>211 W. HAMMACK RD, TX 77037</u> (Street or RFD) (City) (State) (Zip)									
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u>		Long. _____ Lat. _____ (Street, RFD or other) (City) (State) (Zip) Grid # <u>65-05-9</u>									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____							
6) WELL LOG: Date Drilling: _____ Started <u>6/15</u> 19 <u>99</u> Completed <u>6/15</u> 19 <u>99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5 1/4"</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5 1/4"</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
Dia. (in.)	From (ft.)	To (ft.)									
<u>5 1/4"</u>	Surface	<u>50</u>									
From (ft.) To (ft.) Description and color of formation material <u>0 - 15</u> <u>YELLOW CLAY</u> <u>15 - 38</u> <u>SAND</u> <u>38 - 39</u> <u>ROCK</u> <u>39 - 49</u> <u>SAND</u> <u>49 - 50</u> <u>ROCK</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>40</u> ft. to <u>50</u> ft.									
CASING, BLANK PIPE, AND WELL SCREEN DATA:											
Dia. (in.)		New or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial							
				Setting (ft.) From To							
<u>2</u>		<u>N</u>		<u>Plastic CASE</u> <u>0</u> <u>40</u> <u>2 H40</u>							
<u>2</u>		<u>N</u>		<u>Plastic SCREEN</u> <u>40</u> <u>50</u> <u>.06</u>							
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>9</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>65</u> ft. Method of verification of above distance <u>Customer</u>											
13) <input type="checkbox"/> Well plugged within 48 hours											
Casing left in well:		Cement/bentonite placed in well:		Sacks used:							
From (ft)	To (ft)	From (ft)	To (ft)								
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.											
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>15</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.											
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No											
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used											
11) WATER LEVEL: Static level <u>10</u> ft. below land surface Date <u>6/15/99</u> Artesian flow _____ gpm. Date _____											
12) PACKERS: Type Depth <u>NONE</u>											
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and every one of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.											
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4579WI</u>									
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (Street or RFD) (City) (State) (Zip)		SEP 15 1999 (City) (State) (Zip)									
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) <u>[Signature]</u> (Registered Driller, Trainee)									
Please attach electric log, chemical analysis, and other pertinent information, if available.											

TDLR FORM 001WWDD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1542	1 of 1	N	4.60 / 24,297.01	T D PIERCE TX	TCEQ WELL LOGS

Grid No: 65-05-9W
 Date Drilled: 08/15/1979
 Owners Name: T D PIERCE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 8
 Depth Drilled: 50
 Latitude: 29.909422
 Longtiude: -95.405329

TDWR-0392 (Rev. 1-12-79)


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



LIBERTY COUNTY
GEORGIA
JAN 1967

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1543	1 of 1	N	4.60 / 24,299.87	JOYCE MELENDEZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 05/26/2000
 Owners Name: JOYCE MELENDEZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 220
 Depth Drilled: 370
 Latitude: 29.9094172
 Longtiude: -95.4050643

Send original copy by certified return receipt requested to

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																																								
1) OWNER <u>Joyce Melendez</u> (Name) ADDRESS <u>203 W. Hambrick Ave., Tx., 77031</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL'S LOCATION: County <u>Albany</u> (Street, RFD or other) (City) (State) (Zip)		Long. _____ Lat. _____ Grid # <u>65-05-9</u>																																								
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																																								
6) WELL LOG: Date Drilling: _____ Started <u>5-17-2000</u> Completed <u>5-26-2000</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>350</u></td> </tr> <tr> <td><u>5</u></td> <td><u>350</u></td> <td><u>370</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>350</u>	<u>5</u>	<u>350</u>	<u>370</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																															
Dia. (in.)	From (ft.)	To (ft.)																																										
<u>7</u>	Surface	<u>350</u>																																										
<u>5</u>	<u>350</u>	<u>370</u>																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-19</u></td><td><u>Clay</u></td><td><u>286-299 Sand</u></td></tr> <tr><td><u>19-51</u></td><td><u>Sand</u></td><td><u>299-301 Clay</u></td></tr> <tr><td><u>51-190</u></td><td><u>Clay</u></td><td><u>301-330 Sand</u></td></tr> <tr><td><u>190-212</u></td><td><u>Sand</u></td><td><u>330-335 Clay</u></td></tr> <tr><td><u>212-217</u></td><td><u>Clay</u></td><td><u>335-370 Sand</u></td></tr> <tr><td><u>217-222</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>222-235</u></td><td><u>Clay</u></td><td></td></tr> <tr><td><u>235-248</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>248-260</u></td><td><u>Clay</u></td><td></td></tr> <tr><td><u>260-273</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>273-274</u></td><td><u>Rock</u></td><td></td></tr> <tr><td><u>274-286</u></td><td><u>Clay</u></td><td></td></tr> </table> (Use reverse side of Well Owner's copy, if necessary)		From (ft.)	To (ft.)	Description and color of formation material	<u>0-19</u>	<u>Clay</u>	<u>286-299 Sand</u>	<u>19-51</u>	<u>Sand</u>	<u>299-301 Clay</u>	<u>51-190</u>	<u>Clay</u>	<u>301-330 Sand</u>	<u>190-212</u>	<u>Sand</u>	<u>330-335 Clay</u>	<u>212-217</u>	<u>Clay</u>	<u>335-370 Sand</u>	<u>217-222</u>	<u>Sand</u>		<u>222-235</u>	<u>Clay</u>		<u>235-248</u>	<u>Sand</u>		<u>248-260</u>	<u>Clay</u>		<u>260-273</u>	<u>Sand</u>		<u>273-274</u>	<u>Rock</u>		<u>274-286</u>	<u>Clay</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																										
<u>0-19</u>	<u>Clay</u>	<u>286-299 Sand</u>																																										
<u>19-51</u>	<u>Sand</u>	<u>299-301 Clay</u>																																										
<u>51-190</u>	<u>Clay</u>	<u>301-330 Sand</u>																																										
<u>190-212</u>	<u>Sand</u>	<u>330-335 Clay</u>																																										
<u>212-217</u>	<u>Clay</u>	<u>335-370 Sand</u>																																										
<u>217-222</u>	<u>Sand</u>																																											
<u>222-235</u>	<u>Clay</u>																																											
<u>235-248</u>	<u>Sand</u>																																											
<u>248-260</u>	<u>Clay</u>																																											
<u>260-273</u>	<u>Sand</u>																																											
<u>273-274</u>	<u>Rock</u>																																											
<u>274-286</u>	<u>Clay</u>																																											
CASING, BLANK PIPE, AND WELL SCREEN DATA:																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>350</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Liner</u></td> <td><u>340</u></td> <td><u>350</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>350</u></td> <td><u>370</u></td> <td><u>06</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>350</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>340</u>	<u>350</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>350</u>	<u>370</u>	<u>06</u>	9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>100</u> ft. No. of sacks used <u>6</u> <u>200</u> ft. to <u>350</u> ft. No. of sacks used <u>12</u> Method used <u>Thru</u> Cemented by <u>CWW</u> Distance to septic system field lines or other concentrated contamination <u>60</u> ft. Method of verification of above distance <u>Reliance</u>																
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																				
		From	To																																									
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>350</u>	<u>40</u>																																							
<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>340</u>	<u>350</u>	<u>40</u>																																							
<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>350</u>	<u>370</u>	<u>06</u>																																							
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>From (ft.)</th> <th>To (ft.)</th> <th></th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft.)	To (ft.)	From (ft.)	To (ft.)												10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pileless Adapter Used <input checked="" type="checkbox"/> Approved Alternative Procedure Used																						
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																																								
From (ft.)	To (ft.)	From (ft.)	To (ft.)																																									
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		11) WATER LEVEL: Static level <u>220</u> ft. below land surface Date <u>5-26-00</u> Artesian flow _____ gpm. Date _____																																										
15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>12</u> gpm with _____ ft. drawdown after _____ hrs.		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>4x 2 1/2 PVC</u></td> <td><u>IC</u></td> <td><u>340'</u></td> </tr> </table>					Type	Depth	<u>4x 2 1/2 PVC</u>	<u>IC</u>	<u>340'</u>																																	
	Type	Depth																																										
<u>4x 2 1/2 PVC</u>	<u>IC</u>	<u>340'</u>																																										
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>35'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																																										
COMPANY NAME <u>Casual Waterwell Serv Inc.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>812</u>		ADDRESS <u>P.O. Box 745</u> (Street or RFD) <u>Porter</u> (City) <u>TX</u> (State) <u>77365</u> (Zip)																																										
(Signed) <u>J.R. Gehring</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																										

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1544	1 of 1	NE	4.61 / 24,342.65	Robert Plock 1633 Hill Rd. Houston TX 77039	SDRW WELLS

Track NO: 145494
Date Submitted: 2008-07-01
Owner Name: Robert Plock
Owner Address: 1633 Hill Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.895834
Longitude: -95.362778
Drilling Date Started: 2008-06-26
Drilling Date Completed: 2008-06-27
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=145494&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 12
Measurement Date: 2008-06-27

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1545	1 of 2	W	4.61 / 24,343.49	Newton Nurseries TX	WW HARRIS GAL

Well ID:	12741	Diameter (inches):	6
Aggre Lead Well:	12740	Year Drilled:	201
Permit No:	WP2023-109057	Depth Drilled:	550
Permit Start Date:	6/1/2023 9:31:00 AM	Depth frm Surf(ft):	530
Permit End Dt:	5/31/2024 9:31:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.840277
Regulatory Aarea:	3	Longitude:	-95.488333
Owner Name:	Newton Nurseries		
Billing Contact:	Philippe Joubert		
Billing Address:	5110 Bingle Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	Luke Coello		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1545	2 of 2	W	4.61 / 24,343.49	Newton Nurseries 6613 Pinemont Dr Houston TX 77008	SDRW WELLS

Track NO: 413767
Date Submitted: 2016-01-26
Owner Name: Newton Nurseries
Owner Address: 846 West 27th St
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77008
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.840278
Longitude: -95.4875
Drilling Date Started: 2016-01-05
Drilling Date Completed: 2016-01-14
Chemical Analysis: No
Company Name: Felder Water Well & Pump Service, LLC
Company Address: P.O.Box 1033
CompanyAddress2:
Company City: Angleton
Company State: TX
Company Zip: 77516
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=413767&Type=SDR-Well>

Well Borehole Information

Top Depth: 367
Bottom Depth: 415

Top Depth:
Bottom Depth: 415.0

Top Depth: 0
Bottom Depth: 375

Well Levels

Measurement: 191
Measurement Date: 2016-01-14

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1546	1 of 1	ESE	4.61 / 24,344.15	C.G. VAUGHN TX	TCEQ WELL LOGS

Grid No: 65-14-4J
Date Drilled: 04/12/1985
Owners Name: C.G. VAUGHN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 180
Depth Drilled: 292
Latitude: 29.805405
Longitude: -95.345374

DWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1547	1 of 2	N	4.61 / 24,347.59	Herrera, Araceli TX	WW HARRIS GAL
<div> <div> Well ID: 12101 Aggre Lead Well: 12101 Permit No: WP2023-114129 Permit Start Date: 10/11/2023 4:03:00 PM Permit End Dt: 5/31/2025 Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Herrera, Araceli Billing Contact: Araceli Herrera Billing Address: 900 Northville Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77038 Correspondence: NULL Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s). </div> <div> Diameter (inches): 2 Year Drilled: 2011 Depth Drilled: 50 Depth frm Surf(ft): 40 County: H Latitude: 29.909166 Longitude: -95.4175 </div> </div>					
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1547	2 of 2	N	4.61 / 24,347.59	Araceli Herrera 900 Northville Houston TX 77038	SDRW WELLS

Track NO: 270717
Date Submitted: 2011-11-07
Owner Name: Araceli Herrera
Owner Address: 900 Northville
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908612
Longitude: -95.4175
Drilling Date Started: 2011-11-03
Drilling Date Completed: 2011-11-03
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=270717&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 10
Measurement Date: 2011-11-03

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1548	1 of 4	SSW	4.61 / 24,354.22	USGS EUREKA HTS TX	GWDB

Well Rep Track No:
State Well No: 6513838
Owner Name: USGS EUREKA HTS
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1978
Well Depth: 36
Well Usage: Unused
Water Level Status:
Latitude: 29.7836110
Longitude: -95.4458340
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513838&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513838&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1548	2 of 4	SSW	4.61 / 24,354.22	USGS EUREKA HTS TX	GWDB

Well Rep Track No:

State Well No:

6513839

Owner Name:

USGS EUREKA HTS

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

1978

Well Depth:

55

Well Usage:

Unused

Water Level Status:

Latitude:

29.7830550

Longitude:

-95.4452780

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513839&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513839&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1548	3 of 4	SSW	4.61 / 24,354.22	USGS-294700095264401 TX	FED USGS

Site No: USGS-294700095264401
Site Type: Well
Formation Type: Chicot Aquifer, Upper
Date Drilled: 19780918
Well Depth: 36
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-13-838
Latitude: 29.78361110000000
Longitude: -95.4458333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1548	4 of 4	SSW	4.61 / 24,354.22	USGS-294658095264201 TX	FED USGS

Site No: USGS-294658095264201
Site Type: Well
Formation Type: Chicot Aquifer, Upper
Date Drilled: 19780919
Well Depth: 55
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-13-839
Latitude: 29.78305556000000
Longitude: -95.4452778000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1549	1 of 1	NNE	4.61 / 24,354.59	LAWRENCE CARUSO TX	TCEQ WELL LOGS

Grid No: 65-05-6AA
 Date Drilled: 07/08/1980
 Owners Name: LAWRENCE CARUSO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 215
 Depth Drilled: 321
 Latitude: 29.904424
 Longtiude: -95.379592

Drip

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-0AA
 Located on map Yes
 Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Lawrence Caruso Address 14143 Sweeney Houston, Texas 77060
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris (No 8) miles in _____ direction from _____
 County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-31-89

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 7-8-80

DIAMETER OF HOLE		Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
From (ft.)	To (ft.)					From	To	
0	3	Surface						
3	15	Yellow Clay						
15	21	Red & Yellow Clay	4"	N	PVC Well Casing	18"	321"	SCH40
21	23	Red Sand	2 1/2"	N	Well Supplies			
23	28	Red and Yellow clay			WOP-Plastic Screen	333'	323'	16 ga.
28	33	Red Sand	2 1/2"	N	PVC Blank Liner	323	313	
33	92	Red and Yellow Clay						
92	118	Red and Blue Clay						
118	128	Sand						
128	137	Red and Blue Clay						
137	155	Sand						
155	170	Red and gray clay						
170	175	Sand						
175	195	Red and gray clay						
195	209	Sand						
209	214	Red and gray clay						
214	216	Sand						
216	219	Red and gray clay						
219	228	Sand						
228	247	Red and yellow clay						
247	249	Sand						
249	250	Rock						
250	264	Sand and rock streaks						
264	270	Red and gray clay						
270	280	Sand						
280	281	Rock						
281	314	Red and gray clay						
314	333	(Use reverse side if necessary) Sand						16 ga.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 Cemented from 321' ft. to Surface ft.
 Method used Pressure Cement
 Cemented by Raymond Water Wells
 (Company or Individual)

9) WATER LEVEL:
 Static level 215' ft. below land surface Date 7-8-80
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
"X" 313'
RECEIVED
MAR 26 1982

11) TYPE PUMP: CR/TDWR
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 288' ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
 Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. 774
 (Type or Print)

ADDRESS 10011 Airline Dr. Houston, Texas 77037
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] RAYMOND WATER WELLS
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1550	1 of 1	NW	4.61 / 24,356.00	Dixon, Tom TX	WW HARRIS GAL

Well ID:	14083	Diameter (inches):	4
Aggre Lead Well:	14083	Year Drilled:	0
Permit No:	W2021-14083-216705-0	Depth Drilled:	400
Permit Start Date:	6/1/2021	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2022	County:	H
Well Status:	U - Unique see report	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.453611
Owner Name:	Dixon, Tom		
Billing Contact:	Tom Dixon		
Billing Address:	11931 Firebird Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77099		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1551	1 of 1	NNE	4.61 / 24,359.60	Horacio Cerillo 14102 Sweeney Houston TX 77060	SDRW WELLS

Track NO: 81472
Date Submitted: 2006-04-26
Owner Name: Horacio Cerillo
Owner Address: 14102 Sweeney
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.904167
Longitude: -95.378333
Drilling Date Started: 2006-04-06
Drilling Date Completed: 2006-04-06
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=81472&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 7
Measurement Date: 2006-04-06

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1552	1 of 1	ESE	4.62 / 24,367.76	BIG STATE FREIGHT TX	TCEQ WELL LOGS

Grid No: 65-14-4
Date Drilled: 04/12/1985
Owners Name: BIG STATE FREIGHT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 410
Latitude: 29.80788
Longtiude: -95.343498

TOWR-0392 (Rev. 5-27-82)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1553	1 of 2	NNE	4.62 / 24,368.05	DJ Auto Parts, LLC TX	WW HARRIS GAL

Well ID:	3306	Diameter (inches):	4
Aggre Lead Well:	3305	Year Drilled:	1990
Permit No:	WP2023-111507	Depth Drilled:	375
Permit Start Date:	8/1/2023 3:07:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:07:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.374722
Owner Name:	DJ Auto Parts, LLC		
Billing Contact:	NULL		
Billing Address:	1017 Aldine Mail Route Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1553	2 of 2	NNE	4.62 / 24,368.05	DJ Auto Parts, LLC TX	WW HARRIS GAL

Well ID:	3305	Diameter (inches):	4
Aggre Lead Well:	3305	Year Drilled:	1990
Permit No:	WP2023-111507	Depth Drilled:	370
Permit Start Date:	8/1/2023 3:07:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:07:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.903611
Regulatory Aarea:	3	Longitude:	-95.374722
Owner Name:	DJ Auto Parts, LLC; DJ Auto Parts, LLC		
Billing Contact:	NULL		
Billing Address:	1017 Aldine Mail Route Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL; NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1554	1 of 1	NNW	4.62 / 24,368.20	SOUTHLAND DRILG TX	TCEQ WELL LOGS

Grid No: 65-05-8Y
Date Drilled: 09/30/1981
Owners Name: SOUTHLAND DRILG
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 175
Depth Drilled: 390
Latitude: 29.904774
Longtiude: -95.439226

DUP

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-84
 Located on map YES
 Received: Rub

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Southland Drilg. Address 14811 St. Mary's Ste. 270 Houston, Tx. 77079
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Harris 5 miles in NW direction from Houston
 (N.E., S.W., etc.) (Town)

Pennzoil #1

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 9-30-81

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
	Surface	
6.5	0	390

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Cage Casing Screen
			From	To	
4"	N	PVC Casing	0	300	
4"	N	PVC Slot. Screen	300	380	

CEMENTING DATA
 Cemented from 0 ft. to 10 ft.
 Method used Slurry
 Cemented by J & S
 (Company or individual)

9) WATER LEVEL:
 Static level 175 ft. below land surface Date 10-5-81
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
 Yield: 60 gpm with 0 ft. drawdown after 4 hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME: John E. Richardson Water Well Drillers Registration No. 1994
 (Type or Print)

ADDRESS: P.O. Box 675 Bellville Texas 77418
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] J & S Well Service
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1555	1 of 1	N	4.62 / 24,369.69	DUNCAN CONSTRUCTION TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 11/29/1984
Owners Name: DUNCAN CONSTRUCTION
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 320
Latitude: 29.909116
Longitude: -95.420459

TDWR-0392 (Rev. 5-27-82)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1556	1 of 2	NNE	4.62 / 24,369.84	Tejeda, Rafael TX	WW HARRIS GAL

Well ID:	12066	Diameter (inches):	2
Aggre Lead Well:	12066	Year Drilled:	201
Permit No:	WP2021-100454	Depth Drilled:	50
Permit Start Date:	8/1/2021 10:26:00 AM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2022 10:27:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.375555
Owner Name:	Tejeda, Rafael		
Billing Contact:	NULL		
Billing Address:	939 Aldine Mail Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	American Auto & Truck Salvage		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1556	2 of 2	NNE	4.62 / 24,369.84	Rafael Tejada 939 Aldine Mail Rt. Houston TX 77039	SDRW WELLS

Track NO: 266919
Date Submitted: 2011-09-28
Owner Name: Rafael Tejada
Owner Address: 939 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905001
Longitude: -95.378333
Drilling Date Started: 2011-09-27
Drilling Date Completed: 2011-09-27
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=266919&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 20
Measurement Date: 2011-09-27

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1557	1 of 1	WNW	4.62 / 24,373.43	STEEL CORPORATION OF TEXAS TX	TCEQ WELL LOGS

Grid No: 65-05-7D
Date Drilled: 0/23/1972
Owners Name: STEEL CORPORATION OF TEXAS
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 180
Depth Drilled: 325
Latitude: 29.8611664
Longitude: -95.484604

7D
Dup

TWDRF-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1558	1 of 2	NE	4.62 / 24,389.31	Garza, Ray Jr. TX	WW HARRIS GAL

Well ID:	10757	Diameter (inches):	4
Aggre Lead Well:	10757	Year Drilled:	2007
Permit No:	WP2023-115573	Depth Drilled:	360
Permit Start Date:	10/11/2023	Depth frm Surf(ft):	350
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.896666
Regulatory Aarea:	3	Longitude:	-95.363611
Owner Name:	Garza, Ray Jr.		
Billing Contact:	NULL		
Billing Address:	12531 Chrisman Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1558	2 of 2	NE	4.62 / 24,389.31	Schneider Plumbing 12531 Chrisman Houston TX 77039	SDRW WELLS

Track NO: 238610
Date Submitted: 2010-12-21
Owner Name: Schneider Plumbing
Owner Address: 12531 Chrisman
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.896667
Longitude: -95.363612
Drilling Date Started: 2008-02-25
Drilling Date Completed: 2008-02-27
Chemical Analysis:
Company Name: Lowe Water Wells, Inc.
Company Address: P.O. Box 89
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=238610&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 20

Top Depth: 20
Bottom Depth: 350

Top Depth:
Bottom Depth: 380.0

Top Depth: 350
Bottom Depth: 380

Well Levels

Measurement: 189
Measurement Date: 2008-02-27

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1559	1 of 5	NNW	4.62 / 24,399.36	Mount Houston Road MUD TX	GWDB

Well Rep Track No:
State Well No: 6505824
Owner Name: Mount Houston Road MUD
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1979
Well Depth: 1169
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9055560
Longitude: -95.4461110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505824&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505824&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1559	2 of 5	NNW	4.62 / 24,399.36	MOUNT HOUSTON ROAD MUD TX	WUD
Primary Co: Contact Ti: Operating Status: PWSID: Source ID: Utility Name: WTRSRC: Date Drilled: Well Depth: Screen Top: Screen Bottom: Water Usage: Gallons Per Minute: CCN: Latitude: Longitude: System Status:		PAT J. DANIEL CITY SECRETARY OPERATIONAL 1010728 G1010728B MOUNT HOUSTON ROAD MUD G1010728B 00/00/1979 1169 650 950 ACTIVE - PERMANENT 240 P0377 29.902604 -95.444967 ACTIVE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1559	3 of 5	NNW	4.62 / 24,399.36	WES HUNTER-HERMITAGE OAK MOBILE HOME PARK TX	TCEQ WELL LOGS

Grid No: 65-05-8N
Date Drilled: NOT REPORTED
Owners Name: WES HUNTER-HERMITAGE OAK MOBILE HOME PARK
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 170
Depth Drilled: 450
Latitude: 29.902604
Longitude: -95.444967

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For THIS use only
Well No. 65-05-8N
Located on map 425
Received: 7/7/95
dlc

1) OWNER:
Person having well drilled Wes Hunter Address 2500 W. Montgomery Houston Tx.
(Name) (Street or RFD) (City) (State)

Landowner Hermitage Oak Mobile Home Park Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 3 miles in NW direction from Houston
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
Highway number, etc.*

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6-3/4 in. Depth drilled 450 ft. Depth of completed well 450 ft. Date drilled _____
All measurements made from 18" ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	115	Clay Red
115	135	Sand
135	175	Red Clay
175	195	Sand
195	300	Shale
300	345	Sand
345	400	Shale
400	450	Sand

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 0 ft. to 420 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	260	PVC Sch 40
	260	281	Steel Sch 30
	281	420	PVC Sch 40

10) SCREEN:
Type Plastic
Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2-1/2	420	450	12 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other Cemented
Under reamed _____ Open Hole _____ 2 String

8) WATER LEVEL:
Static level 170 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? potable depth of strata 50'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464
(Type or Print)

ADDRESS 11607 FM 149 Houston Texas 77086
(Street or RFD) (City) (State)

(Signed) M. E. Robinson Jr. Robinson WaterWell Service, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.



RECEIVED
DEC 9 1977
Central Records
Texas Dept. of Water Resources

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1559	4 of 5	NNW	4.62 / 24,399.36	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 2776 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Mount Houston Road M.U.D. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 8 Year Drilled: 1971 Depth Drilled: 530 Depth frm Surf(ft): 420 County: H Latitude: 29.903055 Longitude: -95.445 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1559	5 of 5	NNW	4.62 / 24,399.36	USGS-295419095264501 TX	FED USGS

Site No: USGS-295419095264501
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19790525
Well Depth: 1169
Well Depth Unit: ft
Well Hole Depth: 1169
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-824
Latitude: 29.90555556000000
Longitude: -95.4461111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1560	1 of 1	N	4.62 / 24,405.95	BEST WESTERN MOTEL TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/25/1998
Owners Name: BEST WESTERN MOTEL
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 220
Depth Drilled: 395
Latitude: 29.9097432
Longitude: -95.413567

Send original copy by certified return receipt requested to:

TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																																																											
1) OWNER <u>Best Western Motel</u> (Name)		ADDRESS <u>6700 South Main Houston Tx. 77030</u> (Street or RFD) (City) (State) (Zip)																																																																													
2) ADDRESS OF WELL: County <u>Harris</u> <u>10155 North Freeway Houston Tx. 77037</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-9</u>																																																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		5) 0																																																																											
6) WELL LOG: Date Drilling: Started <u>11-20</u> 19 <u>98</u> Completed <u>11-25</u> 19 <u>98</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>8 1/2"</u></td> <td>Surface</td> <td><u>375</u></td> </tr> <tr> <td><u>4 1/2"</u></td> <td><u>375</u></td> <td><u>395</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>8 1/2"</u>	Surface	<u>375</u>	<u>4 1/2"</u>	<u>375</u>	<u>395</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																																		
Dia. (in.)	From (ft.)	To (ft.)																																																																													
<u>8 1/2"</u>	Surface	<u>375</u>																																																																													
<u>4 1/2"</u>	<u>375</u>	<u>395</u>																																																																													
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 string</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-8</u></td><td></td><td><u>Top Soil - and Fill</u></td></tr> <tr><td><u>8-25</u></td><td></td><td><u>Red & Gray Clay</u></td></tr> <tr><td><u>25-53</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>53-100</u></td><td></td><td><u>Red & Gray Clay</u></td></tr> <tr><td><u>100-110</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>110-118</u></td><td></td><td><u>Sand & Gray Clay</u></td></tr> <tr><td><u>118-172</u></td><td></td><td><u>Sand & Clay streaks</u></td></tr> <tr><td><u>172-190</u></td><td></td><td><u>Red & Gray Clay</u></td></tr> <tr><td><u>190-228</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>228-261</u></td><td></td><td><u>Red & Gray Clay</u></td></tr> <tr><td><u>261-315</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>315-330</u></td><td></td><td><u>Red & Gray Clay</u></td></tr> <tr><td><u>330-360</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>360-365</u></td><td></td><td><u>Red & Gray Clay</u></td></tr> <tr><td><u>365-395</u></td><td></td><td><u>Sand</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-8</u>		<u>Top Soil - and Fill</u>	<u>8-25</u>		<u>Red & Gray Clay</u>	<u>25-53</u>		<u>Sand</u>	<u>53-100</u>		<u>Red & Gray Clay</u>	<u>100-110</u>		<u>Sand</u>	<u>110-118</u>		<u>Sand & Gray Clay</u>	<u>118-172</u>		<u>Sand & Clay streaks</u>	<u>172-190</u>		<u>Red & Gray Clay</u>	<u>190-228</u>		<u>Sand</u>	<u>228-261</u>		<u>Red & Gray Clay</u>	<u>261-315</u>		<u>Sand</u>	<u>315-330</u>		<u>Red & Gray Clay</u>	<u>330-360</u>		<u>Sand</u>	<u>360-365</u>		<u>Red & Gray Clay</u>	<u>365-395</u>		<u>Sand</u>	CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>5</u></td> <td><u>N</u></td> <td><u>SDR17 PVC</u></td> <td><u>+2</u></td> <td><u>375</u></td> <td></td> </tr> <tr> <td><u>3</u></td> <td><u>N</u></td> <td><u>Sch 40 PVC</u></td> <td><u>370</u></td> <td><u>375</u></td> <td></td> </tr> <tr> <td><u>3</u></td> <td><u>N</u></td> <td><u>Slotted PVC sch 40</u></td> <td><u>375</u></td> <td><u>395</u></td> <td><u>.008</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>5</u>	<u>N</u>	<u>SDR17 PVC</u>	<u>+2</u>	<u>375</u>		<u>3</u>	<u>N</u>	<u>Sch 40 PVC</u>	<u>370</u>	<u>375</u>		<u>3</u>	<u>N</u>	<u>Slotted PVC sch 40</u>	<u>375</u>	<u>395</u>	<u>.008</u>
		From (ft.)	To (ft.)	Description and color of formation material																																																																											
<u>0-8</u>		<u>Top Soil - and Fill</u>																																																																													
<u>8-25</u>		<u>Red & Gray Clay</u>																																																																													
<u>25-53</u>		<u>Sand</u>																																																																													
<u>53-100</u>		<u>Red & Gray Clay</u>																																																																													
<u>100-110</u>		<u>Sand</u>																																																																													
<u>110-118</u>		<u>Sand & Gray Clay</u>																																																																													
<u>118-172</u>		<u>Sand & Clay streaks</u>																																																																													
<u>172-190</u>		<u>Red & Gray Clay</u>																																																																													
<u>190-228</u>		<u>Sand</u>																																																																													
<u>228-261</u>		<u>Red & Gray Clay</u>																																																																													
<u>261-315</u>		<u>Sand</u>																																																																													
<u>315-330</u>		<u>Red & Gray Clay</u>																																																																													
<u>330-360</u>		<u>Sand</u>																																																																													
<u>360-365</u>		<u>Red & Gray Clay</u>																																																																													
<u>365-395</u>		<u>Sand</u>																																																																													
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																																										
			From	To																																																																											
<u>5</u>	<u>N</u>	<u>SDR17 PVC</u>	<u>+2</u>	<u>375</u>																																																																											
<u>3</u>	<u>N</u>	<u>Sch 40 PVC</u>	<u>370</u>	<u>375</u>																																																																											
<u>3</u>	<u>N</u>	<u>Slotted PVC sch 40</u>	<u>375</u>	<u>395</u>	<u>.008</u>																																																																										
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>315'</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>375</u> ft. No. of sacks used <u>44</u> ft. to _____ ft. No. of sacks used _____ Method used <u>pressure w 6 1/2 gal</u> Cemented by <u>Driller</u> Distance to septic system field lines or other concentrated contamination <u>150'</u> Method of verification of above distance <u>Sanitary easement</u>																																																																													
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>60</u> gpm with <u>30</u> ft. drawdown after <u>1</u> hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>220</u> ft. below land surface Date <u>11-25-98</u> Artesian flow _____ gpm. Date <u>9-5-1999</u>																																																																													
		12) PACKERS: Type _____ Depth _____ <u>K packer</u> <u>3x5</u> <u>370</u>																																																																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																																															
COMPANY NAME <u>Johnston's Water-Well Service Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2778WI</u>																																																																													
ADDRESS <u>28414 Calvert Rd.</u> (Street or RFD)		<u>Tomball</u> (City)		<u>Tx. 77375</u> (State) (Zip)																																																																											
(Signed) <u>Kenny B. Johnston</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																															

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1561	1 of 1	N	4.62 / 24,406.27	Bishop, Carl A. TX	WW HARRIS GAL

Well ID:	9097	Diameter (inches):	4
Aggre Lead Well:	9097	Year Drilled:	1970
Permit No:	W2020-9097-210691-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.909444
Regulatory Aarea:	3	Longitude:	-95.4
Owner Name:	Bishop, Carl A.		
Billing Contact:	NULL		
Billing Address:	130 Hambrick		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1562	1 of 1	NNE	4.62 / 24,408.41	H T MAXWELL TX	TCEQ WELL LOGS

Grid No:	65-05-6L
Date Drilled:	07/05/1969
Owners Name:	H T MAXWELL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	180
Depth Drilled:	323
Latitude:	29.908093
Longtiude:	-95.392044

65056L

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
 Well No. 65-05-6L
 Located on map 405
 Received 6/9
16

1) OWNER:
 Person having well drilled H.T. Maxwell Address 14317 Lillja Rd. Houston, Texas
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris, 11 miles in N direction from Houston (Town)
 (N.E., S.W., etc.)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Llaja crosses Aldine Rt just east of airline Dr.
 North
 4
 (Use reverse side if necessary)

OR
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well ☒ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal _____
 Irrigation Test Well Other _____

5) TYPE OF WELL (Check):
☒ Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
 Diameter of hole 6½ in. Depth drilled 323 ft. Depth of completed well 323 ft. Date drilled 5 July 69
 All measurements made from 3 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	clay
10	42	sand
42	100	clay
100	113	fine sand
113	297	clay
297	323	course sand

9) CASING:
 Type: Old ☒ New ☒ Steel Plastic Other
 Cemented from 150 ft. to 301 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 301 1½

10) SCREEN:
 Type pipe based stainless steel
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2½ 310 320 16 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall ☒ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 180 ft. below land surface Date 6 July 69
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No ☒
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart Water Well Drillers Registration No. 229
 (Type or Print)
 ADDRESS 524 N. Freeway Houston Texas
 (Street or RFD) (City) (State)
 (Signed) B.J. Swinehart B.J. Swinehart Co., Inc.
 (Water Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

GM

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1563	1 of 5	NE	4.62 / 24,417.64	SUNDOWN MOBILE HOME PARK TX	WUD

Primary Co: BEATRICE HERNANDEZ
Contact Ti: PROPERTY MANAGER
Operating Status: OPERATIONAL
PWSID: 1010533
Source ID: G1010533B
Utility Name: SUNDOWN MOBILE HOME PARK
WTRSRC: G1010533B
Date Drilled:
Well Depth: 400
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 52
CCN: N/A
Latitude: 29.890765
Longitude: -95.355622
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1563	2 of 5	NE	4.62 / 24,417.64	SUNDOWN MOBILE HOME PARK TX	WUD
<i>Primary Co:</i>		BEATRICE HERNANDEZ			
<i>Contact Ti:</i>		PROPERTY MANAGER			
<i>Operating Status:</i>		OPERATIONAL			
<i>PWSID:</i>		1010533			
<i>Source ID:</i>		G1010533A			
<i>Utility Name:</i>		SUNDOWN MOBILE HOME PARK			
<i>WTRSRC:</i>		G1010533A			
<i>Date Drilled:</i>					
<i>Well Depth:</i>		350			
<i>Screen Top:</i>		0			
<i>Screen Bottom:</i>		0			
<i>Water Usage:</i>		ACTIVE - PERMANENT			
<i>Gallons Per Minute:</i>		35			
<i>CCN:</i>		N/A			
<i>Latitude:</i>		29.890846			
<i>Longitude:</i>		-95.355644			
<i>System Status:</i>		ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1563	3 of 5	NE	4.62 / 24,417.64	Ortiz, David TX	WW HARRIS GAL

Well ID:	10061	Diameter (inches):	4
Aggre Lead Well:	10061	Year Drilled:	2000
Permit No:	W2015-10061-179988-0	Depth Drilled:	400
Permit Start Date:	8/1/2015	Depth frm Surf(ft):	150
Permit End Dt:	7/31/2016	County:	H
Well Status:	O - Operable	Latitude:	29.890833
Regulatory Aarea:	3	Longitude:	-95.355277
Owner Name:	Ortiz, David		
Billing Contact:	NULL		
Billing Address:	12125 Aldine Westfield		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1563	4 of 5	NE	4.62 / 24,417.64	Houston, City of TX	WW HARRIS GAL
<hr/>					
Well ID:	3145			Diameter (inches):	4
Aggre Lead Well:	1003			Year Drilled:	1973
Permit No:	WP2023-117626			Depth Drilled:	0
Permit Start Date:	2/1/2024 1:23:00 PM			Depth frm Surf(ft):	0
Permit End Dt:	1/31/2025 1:23:00 PM			County:	H
Well Status:	O - Operable			Latitude:	29.890555
Regulatory Aarea:	3			Longitude:	-95.355555
Owner Name:	Sundown MHP				
Billing Contact:	Ekaterina Fitos, GISP				
Billing Address:	611 Walker St 18th Floor				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77002				
Correspondence:	Karly Stelzer				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)				
Water Usage:	P - Public Supply				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1563	5 of 5	NE	4.62 / 24,417.64	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3146 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Sundown MHP Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 4 Year Drilled: 1978 Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.890555 Longitude: -95.355555 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1564	1 of 4	NNW	4.63 / 24,420.92	Centro Cristiano Misericordia TX	WW HARRIS GAL

Well ID:	11877	Diameter (inches):	4
Aggre Lead Well:	11877	Year Drilled:	
Permit No:	WP2023-107349	Depth Drilled:	410
Permit Start Date:	6/1/2023 2:11:00 PM	Depth frm Surf(ft):	400
Permit End Dt:	5/31/2024 2:11:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.436111
Owner Name:	Centro Cristiano Misericordia		
Billing Contact:	Rev. Joel Mendoza		
Billing Address:	P.O. Box 396		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77347		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1564	2 of 4	NNW	4.63 / 24,420.92	Zion Christian Center TX	WW HARRIS GAL

Well ID:	9676	Diameter (inches):	2
Aggre Lead Well:	9676	Year Drilled:	2004
Permit No:	W2008-9676-139218-0	Depth Drilled:	100
Permit Start Date:	6/1/2008	Depth frm Surf(ft):	90
Permit End Dt:	6/1/2008	County:	H
Well Status:	P - Plugged	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.435833
Owner Name:	Zion Christian Center		
Billing Contact:	Joseph N. Temple		
Billing Address:	9725 Veterans Memorial Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1564	3 of 4	NNW	4.63 / 24,420.92	Centro Cristiano Misericordia 9725 Veterans Memorial Drive Houston TX 77038	SDRW WELLS

Track NO: 250499
Date Submitted: 2011-04-21
Owner Name: Centro Cristiano Misericordia
Owner Address: 9725 Veterans Memorial Drive
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: Replacement
Type of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906112
Longitude: -95.438334
Drilling Date Started: 2011-04-18
Drilling Date Completed: 2011-04-21
Chemical Analysis: No
Company Name: Ballard Water Well
Company Address: P. O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=250499&Type=SDR-Well>

Well Borehole Information

Top Depth: 420
Bottom Depth: 430

Top Depth: 0
Bottom Depth: 420

Top Depth:
Bottom Depth: 430.0

Well Levels

Measurement: 194
Measurement Date: 2011-04-21

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1564	4 of 4	NNW	4.63 / 24,420.92	Rodney Emilien 9725 Veterans Memorial Houston TX 77038	SDRW WELLS

Track NO: 31566
Date Submitted: 2004-01-26
Owner Name: Rodney Emilien
Owner Address: 9725 Veterans Memorial
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905834
Longitude: -95.435556
Drilling Date Started: 2004-01-06
Drilling Date Completed: 2004-01-06
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=31566&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 20.0

Top Depth: 0
Bottom Depth: 20

Well Levels

Measurement: 8
Measurement Date: 2004-01-06

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1565	1 of 2	SSW	4.63 / 24,420.98	WILLIAMS BROTHERS 7030 OLD KATY RD HOUSTON TX	SDRW WELLS

Track NO: 92640
Date Submitted: 2006-09-13
Owner Name: WILLIAMS BROTHERS
Owner Address: P O BOX 66428
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77266
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.785278
Longitude: -95.441667
Drilling Date Started: 2004-04-19
Drilling Date Completed: 2004-04-21
Chemical Analysis: No
Company Name: BUSSELL & SONS LLC
Company Address: P O BOX 874
CompanyAddress2:
Company City: TOMBALL
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=92640&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 360

Top Depth:
Bottom Depth: 360.0

Well Levels

Measurement: 164
Measurement Date: 2004-04-20

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1565	2 of 2	SSW	4.63 / 24,420.98	Williams Brothers 7030 Old Katy Road Houston TX	SDRW WELLS

Track NO: 175056
Date Submitted: 2009-04-16
Owner Name: Williams Brothers
Owner Address: P.O. Box 66428
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77266
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.781111
Longitude: -95.439445
Drilling Date Started: 2005-04-06
Drilling Date Completed: 2005-04-06
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: P.O. Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=175056&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 360

Top Depth:
Bottom Depth: 360.0

Well Levels

Measurement: 164
Measurement Date: 2005-04-06

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1566	1 of 1	N	4.63 / 24,431.62	GULF COAST PLUMBING TX	TCEQ WELL LOGS

Grid No:	65-05-6TT
Date Drilled:	09/15/1980
Owners Name:	GULF COAST PLUMBING
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	218
Depth Drilled:	309
Latitude:	29.9093147
Longtiude:	-95.3993758

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1567	1 of 1	NNE	4.63 / 24,432.13	SCHULZE, GENE TX	WW HARRIS GAL

Well ID:	3026	Diameter (inches):	2
Aggre Lead Well:	3025	Year Drilled:	1987
Permit No:	W1986-3025-25443-0	Depth Drilled:	0
Permit Start Date:	8/1/1986	Depth frm Surf(ft):	0
Permit End Dt:	5/13/1987	County:	H
Well Status:	P - Plugged	Latitude:	29.906388
Regulatory Aarea:	3	Longitude:	-95.383888
Owner Name:	SCHULZE, GENE		
Billing Contact:	G.W. CORNELIUS		
Billing Address:	P.O. Box 249		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77347		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1568	1 of 1	NNE	4.63 / 24,437.11	Ignacio Basulto 14308 Sellers Rd. Houston TX 77060	SDRW WELLS

Track NO: 158030
Date Submitted: 2008-11-03
Owner Name: Ignacio Basulto
Owner Address: 14308 Sellers Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906667
Longitude: -95.385834
Drilling Date Started: 2008-10-30
Drilling Date Completed: 2008-10-31
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=158030&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 47.0

Top Depth: 0
Bottom Depth: 47

Well Levels

Measurement: 8
Measurement Date: 2008-10-31

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1569	1 of 1	N	4.63 / 24,444.90	Larry Bell 140 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 59070
Date Submitted: 2005-05-18
Owner Name: Larry Bell
Owner Address: 2509 Sand Shore Dr.
Owner Address2:
Owner City: Conroe
Owner State: TX
Owner Zip: 77304
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909445
Longitude: -95.399167
Drilling Date Started: 2005-05-04
Drilling Date Completed: 2005-05-05
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=59070&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2005-05-05

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1570	1 of 5	SW	4.63 / 24,449.04	City of Houston Pine Terrace TX	GWDB

Well Rep Track No:
State Well No: 6513402
Owner Name: City of Houston Pine Terrace
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year:
Well Depth: 710
Well Usage: Unused
Water Level Status:
Latitude: 29.8008340
Longitude: -95.4716670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513402&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513402&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1570	2 of 5	SW	4.63 / 24,449.04	City of Houston Pine Terrace TX	GWDB

Well Rep Track No:

State Well No:

6513419

Owner Name:

City of Houston Pine Terrace

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

Well Depth:

590

Well Usage:

Unused

Water Level Status:

Latitude:

29.8008340

Longitude:

-95.4716670

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513419&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513419&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1570	3 of 5	SW	4.63 / 24,449.04	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013OK
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013OK
Date Drilled:
Well Depth: 590
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.800783
Longitude: -95.471608
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1570	4 of 5	SW	4.63 / 24,449.04	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013OL
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013OL
Date Drilled:
Well Depth: 710
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.800783
Longitude: -95.471608
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1570	5 of 5	SW	4.63 / 24,449.04	Houston, City of TX	WW HARRIS GAL

Well ID:	3844	Diameter (inches):	24
Aggre Lead Well:	1001	Year Drilled:	1986
Permit No:	W1985-1001-21803-0	Depth Drilled:	0
Permit Start Date:	2/1/1985	Depth frm Surf(ft):	0
Permit End Dt:	1/31/1986	County:	H
Well Status:	N - Not Drilled	Latitude:	29.801944
Regulatory Aarea:	3	Longitude:	-95.471944
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St, 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	ACRES HOMES #2		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1571	1 of 1	NE	4.63 / 24,453.08	Templo Evangelico La Voz De Dios Iglesia Pentecostes	WW HARRIS GAL

TX

Well ID:	15700	Diameter (inches):	4
Aggre Lead Well:	15700	Year Drilled:	2014
Permit No:	WP2023-112153	Depth Drilled:	NULL
Permit Start Date:	8/1/2023 2:18:00 PM	Depth frm Surf(ft):	NULL
Permit End Dt:	7/31/2024 2:18:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.885
Regulatory Aarea:	3	Longitude:	-95.349444
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	2315 Hartwick Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1572	1 of 1	ESE	4.63 / 24,457.68	B. Cheatham 1910 Fairbanks Houston TX 77026	SDRW WELLS

Track NO: 173156
Date Submitted: 2009-04-01
Owner Name: B. Cheatham
Owner Address: 1910 Fairbanks
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77026
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.810556
Longitude: -95.341389
Drilling Date Started: 2004-12-09
Drilling Date Completed: 2004-12-09
Chemical Analysis: No
Company Name: Coastal Waterwell Service, Inc.
Company Address: P.O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=173156&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 60.0

Top Depth: 0
Bottom Depth: 60

Well Levels

Measurement: 16
Measurement Date: 2004-12-09

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1573	1 of 2	N	4.63 / 24,466.94	JOHN GAUNTT TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 06/28/1976
 Owners Name: JOHN GAUNTT
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 6
 Depth Drilled: 45
 Latitude: 29.9099775
 Longtiude: -95.4083312

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-9RR
Located on map 761 CS
Received: 7/1/76

6505-9RR 9RR *Dump*

1) OWNER:
Person having well drilled JOHN GAUNTT Address 429 MIDLAND DRIVE
(Name) (City) (State)
Landowner " Address "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 11 miles in N-E direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, creeks, highway number, etc.*
FM 149 map on 60-63-90 North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 45 ft. Depth of completed well 45 ft. Date drilled 6-28-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>2</u>	<u>TOP SOIL</u>
<u>2</u>	<u>30</u>	<u>GRAY CLAY</u>
<u>30</u>	<u>45</u>	<u>SAND</u>

9) Casing:
Type: Old ☒ Steel ☐ Plastic ☐ Other ☐
Cemented from 0 ft. to 0 ft.
Diameter (inches) 2 Setting From (ft.) 0 To (ft.) 39 Gage SC#40

10) SCREEN:
Type PLASTIC
Perforated ☒ Slotted ☐
Diameter (inches) 2 Setting From (ft.) 39 To (ft.) 45 Slot Size 6

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight well ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 6 ft. below land surface Date 6/28/76
Artesian pressure 22 lbs. per square inch Date 6/28/76
Depth to pump bowls, cylinder, jet, etc., 22 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom?
Yield: 6 gpm with 6 ft. drawdown after 6 hrs.
Bailer test 6 gpm with 6 ft. drawdown after 6 hrs.
Artesian flow 6 gpm
Temperature of water 6

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? 6 depth of strata 6

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 11630 MUELLER CEM. RD CYPRESS TEX 77429
(Street or RFD) (City) (State)
(Signed) John B. Lumpkin, Jr CYFAIR WATER WELL
(Water Well Driller) (Company Name)
DRILLING & SERVICE

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1573	2 of 2	N	4.63 / 24,466.94	Master Furniture, Inc. TX	WW HARRIS GAL

Well ID:	10893	Diameter (inches):	2
Aggre Lead Well:	10893	Year Drilled:	2008
Permit No:	WP2023-112134	Depth Drilled:	50
Permit Start Date:	8/1/2023 4:10:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 4:10:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.9075
Regulatory Aarea:	3	Longitude:	-95.4025
Owner Name:	Master Furniture, Inc.		
Billing Contact:	NULL		
Billing Address:	11831 S. Sam Houston Parkway W.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77031		
Correspondence:	NULL		
Provision:	U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1574	1 of 1	N	4.64 / 24,476.19	DRA CONSTRUCTION CO TX	TCEQ WELL LOGS

Grid No:	65-05-9FFF
Date Drilled:	07/??/1983
Owners Name:	DRA CONSTRUCTION CO
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	220
Depth Drilled:	348
Latitude:	29.9095974
Longitude:	-95.4186964

8(11) ?
65-05-9000

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER DRA Construction Co. Address 1010 Northville Houston 77038 Texas
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 12 miles in NW direction from Houston
 (N.E., S.W., etc.) (Town)
 Well is located at 1010 Northville.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled July 83

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
6	Surface 348	
0	30	clay
30	41	red sand
41	120	clay
120	135	sand
135	146	clay
146	163	sand
163	190	clay
190	210	sand
210	284	clay
284	322	sand
322	330	rock & sand
330	350	sand
350	351	clay

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Gal casing	2	300	11.00
2 1/2	N	" lap	291	300	
2 1/2	N	plastic scree.	330	350	16 ga
2 1/2	N	set shoe	350	351	

CEMENTING DATA
 Cemented from 0 ft. to 300 ft.
 Method used Pressure method
 Cemented by Swinehart Co.
 (Company or Individual)

9) WATER LEVEL:
 Static level 220 ft. below land surface Date July 83
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____
Lead seal set 291'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test 60 ☐ Pump ☐ Bailor 40 ☒ Jetted ☒ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME B.J. Swinehart Co. Water Well Driller's License No. 229
 (Type or Print)
 ADDRESS B.7524 N. Freeway Houston Texas 77037
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 65-05-9000
 Located on map WRS C-1-S

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1575	1 of 1	N	4.64 / 24,476.35	Marlow, Hollis TX	WW HARRIS GAL

Well ID:	7348	Diameter (inches):	4
Aggre Lead Well:	7348	Year Drilled:	1982
Permit No:	WP2023-111912	Depth Drilled:	270
Permit Start Date:	8/1/2023 2:26:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:26:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.91
Regulatory Aarea:	3	Longitude:	-95.408055
Owner Name:	Marlow, Hollis		
Billing Contact:	NULL		
Billing Address:	409 Midland		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1576	1 of 1	N	4.64 / 24,477.49	Jubreel, Kamal TX	WW HARRIS GAL
<div> <div> Well ID: 14350 Aggre Lead Well: 14350 Permit No: WP2023-114783 Permit Start Date: 8/1/2023 3:42:00 PM Permit End Dt: 7/31/2024 3:42:07 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Jubreel, Kamal Billing Contact: NULL Billing Address: 10611 Airline Drive Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77037 Correspondence: NULL Provision: DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion. D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.91 Longitude: -95.405555 </div> </div>					
Water Usage:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1577	1 of 1	N	4.64 / 24,477.89	HOLLIS MARLOW TX	TCEQ WELL LOGS

Grid No: 65-13-3V
Date Drilled: 12/21/1982
Owners Name: HOLLIS MARLOW
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 320
Latitude: 29.9099961
Longtiude: -95.4076231

FOWR-0392 (Rev. 5-27-82)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1578	1 of 1	N	4.64 / 24,482.99	MARIA QUEZADA TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 10/19/2001
Owners Name: MARIA QUEZADA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 386
Latitude: 29.9099077
Longtiude: -95.4047961

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																																	
WELL REPORT																																					
Name MARIA GUEZADA		Address 124 W. HAMBRICK		City Houston	State Tx. Zip 77037																																
County HARRIS		Physical Address 124 W. HAMBRICK		City Houston	State Tx. Zip 77037																																
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) NT																																	
6) Drilling Date Started 10/16/01 Completed 10/19/01		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td>7"</td> <td>0</td> <td>386'</td> </tr> <tr> <td>12"</td> <td>0</td> <td>40</td> </tr> </table>		Dia. (in)	From (ft)	To (ft)	7"	0	386'	12"	0	40	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																								
Dia. (in)	From (ft)	To (ft)																																			
7"	0	386'																																			
12"	0	40																																			
From (ft) To (ft) Description and color of formation material 0-3 Top Soil 3-60 Red Clay 60-80 Red Sand 80-140 Clay 140-180 Shale, Rock 180-280 Sand 280-360 Clay 360-386 Sand		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other 2-Skin If Gravel Packed give the interval from _____ ft. to _____ ft. Casing, Blank Pipe, and Well Screen Data <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>8</td> <td>N</td> <td>CASING, SURFACE</td> <td>40</td> <td>0</td> <td>SHA40</td> </tr> <tr> <td>4</td> <td>N</td> <td>CASING</td> <td>376</td> <td>0</td> <td>SHA40</td> </tr> <tr> <td>2.5</td> <td>N</td> <td>PIPER</td> <td>376</td> <td>370</td> <td>SHA40</td> </tr> <tr> <td>2.5</td> <td>N</td> <td>SCREEN</td> <td>386</td> <td>376</td> <td>012</td> </tr> </table>				Dia. (in)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	8	N	CASING, SURFACE	40	0	SHA40	4	N	CASING	376	0	SHA40	2.5	N	PIPER	376	370	SHA40	2.5	N	SCREEN	386	376	012
Dia. (in)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																																
			From	To																																	
8	N	CASING, SURFACE	40	0	SHA40																																
4	N	CASING	376	0	SHA40																																
2.5	N	PIPER	376	370	SHA40																																
2.5	N	SCREEN	386	376	012																																
(Use reverse side of Well Owner's copy, If necessary)		9) Cementing Data Cementing from 376 ft. to 0 ft. # of sacks used 20 Method Used HELI DURTOW Cementing By RWW Distance to septic system field or other concentrated contamination 30 ft. Method of verification of above distance OWNER																																			
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Cement/Bentonite placed in well: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																<div style="border: 2px solid black; padding: 5px; display: inline-block;"> RECEIVED TDLR MAIL ROOM JAN 08 2002 </div>															
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																																	
14) Type pump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc. 340 ft.																																					
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) Water Level Static level 225 ft. below Date 10/19/01 Artesian Flow _____ gpm. Date _____																																			
16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) Packers Type K Depth 370																																			
Company or individual's Name (type or print) ROBINSON WATER WELL SERVICE, INC.		DAVID HELMS 54211 PKW																																			
Address 11819 W. MONTGOMERY RD.		City Houston		State Tx. Zip 77066																																	
Signature David Helms		Date 01/02/02		Signature _____																																	

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1579	1 of 1	NE	4.64 / 24,483.59	Jaime, Fredy TX	WW HARRIS GAL

Well ID:	14314	Diameter (inches):	4
Aggre Lead Well:	14314	Year Drilled:	2000
Permit No:	WP2021-103412	Depth Drilled:	0
Permit Start Date:	8/1/2021 12:05:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022 12:05:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.884166
Regulatory Aarea:	3	Longitude:	-95.348333
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	2410 Hartwick rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1580	1 of 1	N	4.64 / 24,486.14	Third Coast Industries, LLC - Midland/Northville Series, a T	WW HARRIS GAL

TX

Well ID:	14257	Diameter (inches):	4
Aggre Lead Well:	14257	Year Drilled:	NULL
Permit No:	W2018-14257-201250-0	Depth Drilled:	0
Permit Start Date:	12/12/2018	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2020	County:	H
Well Status:	E - Exempt	Latitude:	29.910277
Regulatory Aarea:	3	Longitude:	-95.407222
Owner Name:	Third Coast Industries, LLC - Midland/Northville Series, a T		
Billing Contact:	NULL		
Billing Address:	6606 FM 1488, Suite 346		
Billing Address 2:	NULL		
Billing City:	Magnolia		
Billing State:	TX		
Billing Zip:	77354		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1581	1 of 1	N	4.64 / 24,492.02	Pick A Part TX	WW HARRIS GAL

Well ID:	7497	Diameter (inches):	4
Aggre Lead Well:	7497	Year Drilled:	
Permit No:	WP2023-107565	Depth Drilled:	0
Permit Start Date:	6/1/2023 2:38:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 2:38:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.909444
Regulatory Aarea:	3	Longitude:	-95.419166
Owner Name:	Sandlin, Wiley G.		
Billing Contact:	Chad Strickland		
Billing Address:	1100 Northville St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1582	1 of 1	N	4.64 / 24,497.90	OWEN LIGHTING TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 09/19/1985
Owners Name: OWEN LIGHTING
County: HARRIS
Water Usage: DOMESTIC
Static Level: 245
Depth Drilled: 332
Latitude: 29.9100476
Longitude: -95.4115509

15.

3m: SINK
7m: E1WL

Please use black ink.
Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Owen Lighting Address 10034 N. Freeway Houston, Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris miles in _____ direction from _____
County (N.E., S.W., etc.) (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
XX See attached map. map on 65-05-5

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9-19-85

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	
4 3/4	Surface	352	
6 3/4	"	332	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Two-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0	20	red gray clay	4"	N	SCH 40 PVC	+24"	352
20	25	clay	2"	N	Well Supplies, Inc.	352	332
25	30	sand-rock	2"	N	PVC Screen	332	322
35	40	sand			SCH 40 PVC Blank		
40	41	rock					
41	50	sand					
80	60	clay					
60	80	red clay					
80	100	red gray clay					
100	120	red gray clay					
120	125	red gray clay					
125	140	sand					
140	160	clay					
160	178	sand-clay break					
178	197	sand-clay break					
197	210	clay					
210	218	sand					
218	221	clay					
221	237	rock					
221	237	clay					
237	257	sand and clay					
257	276	clay					
276	285	clay					
285	295	sand					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
4"	N	SCH 40 PVC	+24"	352
2"	N	Well Supplies, Inc.	352	332
2"	N	PVC Screen	332	322
2"	N	SCH 40 PVC Blank	332	322

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 332 ft. to Surface ft.
Cemented by Pressure cement
Method used Raymond Water Wells

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 245 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth 322'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
Other _____
Depth to pump bowls, cylinder, jet, etc., 294' ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☒ Estimated
Yield: 10 gpm with 2 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Raymond Water Wells Water Well Driller's License No. 774
(Type or Print)

ADDRESS 10011 Airline Drive Houston, Tx. 77037
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only: Well No. 65-05-9 Located on map _____

TDWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

295	314	sand
314	325	clay
325	333	sand
333	352	sand

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1583	1 of 2	NNE	4.64 / 24,499.68	Herrejon, Angela TX	WW HARRIS GAL

Well ID:	12429	Diameter (inches):	4
Aggre Lead Well:	12429	Year Drilled:	NULL
Permit No:	WP2022-111695	Depth Drilled:	200
Permit Start Date:	8/1/2022 1:56:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023 1:56:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.906944
Regulatory Aarea:	3	Longitude:	-95.386666
Owner Name:	Herrejon, Angela		
Billing Contact:	NULL		
Billing Address:	14310 Sellers Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1583	2 of 2	NNE	4.64 / 24,499.68	Bonifacio Asis 14310 Sellers Rd. Houston TX 77060	SDRW WELLS

Track NO: 167182
Date Submitted: 2009-02-02
Owner Name: Bonifacio Asis
Owner Address: 14310 Sellers Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906667
Longitude: -95.385834
Drilling Date Started: 2009-01-20
Drilling Date Completed: 2009-01-20
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=167182&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 72.0

Top Depth: 0
Bottom Depth: 72

Well Levels

Measurement: 6
Measurement Date: 2009-01-20

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1584	1 of 1	NNE	4.64 / 24,519.79	RAYMOND SANTOS TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 12/10/1993
 Owners Name: RAYMOND SANTOS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 130
 Depth Drilled: 396
 Latitude: 29.907393
 Longtiude: -95.387602

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1585	1 of 2	NNW	4.65 / 24,526.33	LINNIE SLAUGHTER TX	TCEQ WELL LOGS

Grid No:	65-05-8GG
Date Drilled:	05/01/1984
Owners Name:	LINNIE SLAUGHTER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	147
Depth Drilled:	215
Latitude:	29.909151
Longtiude:	-95.423463

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1585	2 of 2	NNW	4.65 / 24,526.33	Iglesias, Manuel A. TX	WW HARRIS GAL

Well ID:	12427	Diameter (inches):	4
Aggre Lead Well:	12427	Year Drilled:	NULL
Permit No:	WP2022-107313	Depth Drilled:	200
Permit Start Date:	6/1/2022 9:03:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.909166
Regulatory Aarea:	3	Longitude:	-95.423611
Owner Name:	Iglesias, Manuel A.		
Billing Contact:	NULL		
Billing Address:	1208 Northville St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1586	1 of 1	NW	4.65 / 24,527.37	Regalado, Federico TX	WW HARRIS GAL

Well ID:	9706	Diameter (inches):	4
Aggre Lead Well:	9706	Year Drilled:	
Permit No:	WP2022-106751	Depth Drilled:	4
Permit Start Date:	6/1/2022 10:31:00 AM	Depth frm Surf(ft):	NULL
Permit End Dt:	5/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.454444
Owner Name:	Regalado, Federico		
Billing Contact:	David		
Billing Address:	6111 N Shepherd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77091		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1587	1 of 1	WNW	4.65 / 24,527.43	Frazier Drilling TX	GWDB

Well Rep Track No:
State Well No: 6513103
Owner Name: Frazier Drilling
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1946
Well Depth: 400
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8652780
Longitude: -95.4844450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513103&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513103&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1588	1 of 2	NNW	4.65 / 24,535.16	Heng, Sereywutt TX	WW HARRIS GAL

Well ID:	9580	Diameter (inches):	4
Aggre Lead Well:	9580	Year Drilled:	2004
Permit No:	WP2023-109069	Depth Drilled:	400
Permit Start Date:	6/1/2023 10:41:00 AM	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.909444
Regulatory Aarea:	3	Longitude:	-95.424166
Owner Name:	Heng, Sereywutt		
Billing Contact:	NULL		
Billing Address:	1220 Northville St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1588	2 of 2	NNW	4.65 / 24,535.16	SereyWutt Heng 1218 Northville Houston TX 77038	SDRW WELLS

Track NO: 38271
Date Submitted: 2004-05-28
Owner Name: SereyWutt Heng
Owner Address: 10502 Walnut Glen Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77064
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909445
Longitude: -95.424167
Drilling Date Started: 2004-04-05
Drilling Date Completed: 2004-04-06
Chemical Analysis: No
Company Name: Robinson Water Well Service, Inc.
Company Address: 11819 W. Montgomery Rd.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=38271&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 510.0

Top Depth: 0
Bottom Depth: 510

Well Levels

Measurement: 200
Measurement Date: 2004-04-06

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1589	1 of 1	NNW	4.65 / 24,536.84	Ahmed, Taha TX	WW HARRIS GAL

Well ID:	11168	Diameter (inches):	4
Aggre Lead Well:	11168	Year Drilled:	2009
Permit No:	WP2023-106849	Depth Drilled:	400
Permit Start Date:	6/1/2023 5:00:00 PM	Depth frm Surf(ft):	385
Permit End Dt:	5/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.435555
Owner Name:	Ahmed, Taha		
Billing Contact:	NULL		
Billing Address:	4422 Country Crossing Dr		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388		
Correspondence:	Taha Ahmed		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1590	1 of 2	N	4.65 / 24,539.03	DDN Properties, LLC TX	WW HARRIS GAL

Well ID:	14463	Diameter (inches):	4
Aggre Lead Well:	14463	Year Drilled:	2008
Permit No:	WP2023-102403	Depth Drilled:	400
Permit Start Date:	4/12/2023 11:08:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 11:08:00 PM	County:	H
Well Status:	E - Exempt	Latitude:	29.909444
Regulatory Aarea:	3	Longitude:	-95.396666
Owner Name:	NULL		
Billing Contact:	Dang Nguyen		
Billing Address:	4100 S. Shepherd Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77098		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	S - Single Family Residential		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1590	2 of 2	N	4.65 / 24,539.03	Barbara Surette 228 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 62038
Date Submitted: 2005-07-06
Owner Name: Barbara Surette
Owner Address: 228 Hambrick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909445
Longitude: -95.396667
Drilling Date Started: 2005-06-02
Drilling Date Completed: 2005-06-04
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=62038&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 395

Top Depth:
Bottom Depth: 395.0

Well Levels

Measurement: 200
Measurement Date:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1591	1 of 4	NNW	4.65 / 24,540.20	BLUE BELL MANOR SUBDIVISION TX	WUD

Primary Co: MARK HEIN
Contact Ti: OPERATOR
Operating Status: PLUGGED
PWSID: 1010647
Source ID: G1010647D
Utility Name: BLUE BELL MANOR SUBDIVISION
WTRSRC: G1010647D
Date Drilled: 12/00/1981
Well Depth: 439
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 200
CCN: 10963
Latitude: 29.908878
Longitude: -95.425336
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1591	2 of 4	NNW	4.65 / 24,540.20	BLUE BELL MANOR SUBDIVISION TX	WUD

Primary Co: MARK HEIN
Contact Ti: OPERATOR
Operating Status: OPERATIONAL
PWSID: 1010647
Source ID: G1010647C
Utility Name: BLUE BELL MANOR SUBDIVISION
WTRSRC: G1010647C
Date Drilled: 12/00/1981
Well Depth: 336
Screen Top: 305
Screen Bottom: 335
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 250
CCN: 10963
Latitude: 29.908878
Longitude: -95.425336
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1591	3 of 4	NNW	4.65 / 24,540.20	Blue Bell Manor Utility Co. TX	WW HARRIS GAL

Well ID:	3543	Diameter (inches):	8
Aggre Lead Well:	1771	Year Drilled:	1980
Permit No:	W2002-1771-103858-0	Depth Drilled:	750
Permit Start Date:	8/1/2002	Depth frm Surf(ft):	510
Permit End Dt:	7/31/2003	County:	H
Well Status:	P - Plugged	Latitude:	29.908333
Regulatory Aarea:	3	Longitude:	-95.425277
Owner Name:	Blue Bell Manor Utility Co.		
Billing Contact:	Jerry Denham		
Billing Address:	1330 Blue Bell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1591	4 of 4	NNW	4.65 / 24,540.20	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3783 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Blue Bell Manor Utility Co. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 8 Year Drilled: 1982 Depth Drilled: 650 Depth frm Surf(ft): 625 County: H Latitude: 29.908888 Longitude: -95.425277 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1592	1 of 1	W	4.65 / 24,542.54	OTIS OLIVER TX	TCEQ WELL LOGS

Grid No: 65-12-3Q
Date Drilled: 08/18/1974
Owners Name: OTIS OLIVER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 21
Depth Drilled: 41
Latitude: 29.849513
Longtiude: -95.487754

1990年10月10日

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1593	1 of 2	N	4.65 / 24,561.71	Truong, Kim-Loan TX	WW HARRIS GAL

Well ID:	12681	Diameter (inches):	4
Aggre Lead Well:	12681	Year Drilled:	1992
Permit No:	WP2023-112129	Depth Drilled:	1
Permit Start Date:	8/1/2023 3:54:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.91
Regulatory Aarea:	3	Longitude:	-95.403333
Owner Name:	Truong, Kim-Loan		
Billing Contact:	NULL		
Billing Address:	17514 Wild Willow Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	NULL		
Provision:	U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1593	2 of 2	N	4.65 / 24,561.71	KIM-LOAN TRUONG TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	09/23/1992
Owners Name:	KIM-LOAN TRUONG
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	236
Depth Drilled:	392
Latitude:	29.910056
Longtiude:	-95.403628

412

Please use black ink.
 Send original copy by
 certified mail to the
 Texas Water Commission
 P.O. Box 13067
 Austin, Texas 78711

State of Texas
WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P. O. Box 13067
 Austin, Texas 78711

1) OWNER Kim-Loan TRUONG Address 10601 Airline Dr Houston Texas 77037
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Harris miles in North direction from Houston
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
 with distance and direction from two intersecting section
 or survey lines, or he must locate and identify the
 well on an official Quarter- or Half-Scale Texas County
 General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. 27 Block No. 2 Township Air-Live Terrace
 Abstract No. _____ Survey Name Windrose Survey Company
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling: _____
 Started 9-19-1993
 Completed 9-23-1993

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
7 1/2	Surface 0	0 - 2. TOP Soil
3 1/8	360 392	2 - 15 Black Clay
		15 - 25 White SAND
		25 - 35 Brown SAND
		35 - 50 Red SAND
		50 - 90 Red Clay
		90 - 105 Red SAND
		105 - 160 Light Red Clay
		105 - 160 SAND
		160 - 190 Light Red Clay
		190 - 240 SAND
		240 - 260 Light Red Clay
		260 - 285 SAND
		285 - 290 Light Red Clay
		290 - 340 SAND
		340 - 360 Light Red Clay
		360 - 392 White SAND
		Water

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4 N		PVC Sech 40	0	360	
2 1/2 N		PVC Sech 40	360	372	
2 1/2 N		PVC Sech 40 Slotted Screen	372	392	008

9) CEMENTING DATA [Rule 287.44(1)]
 Cemented from 360 ft. to 25 ft. No. of Sacks Used 25
25 ft. to 0 ft. No. of Sacks Used 6
 Method used Portland Cement and Sand mix
 Cemented by John W. Tolson

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 287.44(2)(A)] 5-4
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
 Static level 236 ft. below land surface Date 9-23-92
 Artesian flow 25 gpm. Date 9-23-92

12) PACKERS: Portland Type Cemented And SAND MIX Depth 360

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 294 ft.
2 1/2" Pipe 1"

14) WELL TESTS:
 Type Test: ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
 Yield: 15 gpm with 0 ft. drawdown after 0 hrs.

15) WATER QUALITY:
 Did the drilling penetrate any strata which contained undesirable constituents? ☒ Yes ☐ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Soft Depth of strata 150
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the logs being returned for completion and resubmission.

COMPANY NAME Telen Water Well Service Well Driller's License No. 02917-0
 (Type or Print)

ADDRESS 14211 Anchwood Houston Texas 77048
 (Street or RFD) (City) (State) (Zip)

(Signed) John W. Tolson (Registered Driller Trainee)
 (Licensed Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. _____
 Located on map _____

WWD-012 (Rev. 07/15/88)

TEXAS WATER COMMISSION COPY

204702

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1594	1 of 2	NNW	4.66 / 24,580.85	LARRY LENTZ TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 12/07/1992
Owners Name: LARRY LENTZ
County: HARRIS
Water Usage: DOMESTIC
Static Level: 233
Depth Drilled: 320
Latitude: 29.906683
Longitude: -95.435271


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privacy Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Larry Lentz</u> (Name) ADDRESS <u>1001 Fanning #468 Houston TX 77002</u> (Street or RFD) (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>Harris</u> <u>5</u> miles in <u>W</u> direction from <u>Aldine</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>(2)</u>																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>12-4-92</u> Started <u>12-7-92</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>305</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>305</u></td> <td><u>320</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>305</u>	<u>4 1/2</u>	<u>305</u>	<u>320</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>305</u>																																																								
<u>4 1/2</u>	<u>305</u>	<u>320</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0-99</u></td><td><u>C</u></td><td><u>289-297 C</u></td></tr> <tr><td><u>99-119</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>119-131</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>131-146</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>146-155</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>155-173</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>173-179</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>179-215</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>215-281</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>281-289</u></td><td><u>S</u></td><td></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-99</u>	<u>C</u>	<u>289-297 C</u>	<u>99-119</u>	<u>S</u>		<u>119-131</u>	<u>C</u>		<u>131-146</u>	<u>S</u>		<u>146-155</u>	<u>C</u>		<u>155-173</u>	<u>S</u>		<u>173-179</u>	<u>C</u>		<u>179-215</u>	<u>S</u>		<u>215-281</u>	<u>C</u>		<u>281-289</u>	<u>S</u>		8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 N</u></td> <td><u>PC</u></td> <td></td> <td><u>0</u></td> <td><u>305</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2 N</u></td> <td><u>PC</u></td> <td></td> <td><u>305</u></td> <td><u>320</u></td> <td><u>10</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4 N</u>	<u>PC</u>		<u>0</u>	<u>305</u>	<u>40</u>	<u>2 1/2 N</u>	<u>PC</u>		<u>305</u>	<u>320</u>	<u>10</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-99</u>	<u>C</u>	<u>289-297 C</u>																																																								
<u>99-119</u>	<u>S</u>																																																									
<u>119-131</u>	<u>C</u>																																																									
<u>131-146</u>	<u>S</u>																																																									
<u>146-155</u>	<u>C</u>																																																									
<u>155-173</u>	<u>S</u>																																																									
<u>173-179</u>	<u>C</u>																																																									
<u>179-215</u>	<u>S</u>																																																									
<u>215-281</u>	<u>C</u>																																																									
<u>281-289</u>	<u>S</u>																																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4 N</u>	<u>PC</u>		<u>0</u>	<u>305</u>	<u>40</u>																																																					
<u>2 1/2 N</u>	<u>PC</u>		<u>305</u>	<u>320</u>	<u>10</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>294</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>20</u> ft. No. of Sacks Used <u>3</u> <u>260</u> ft. to <u>305</u> ft. No. of Sacks Used <u>6</u> Method used <u>air</u> Cemented by <u>JW</u>																																																								
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>30</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>2.33</u> ft. below land surface Date <u>12-7-92</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: Type Depth																																																										
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>Lone Water Wells Inc</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1182</u>		ADDRESS <u>PO Box 89</u> (Street or RFD) <u>Porter</u> (City) <u>TEXAS</u> (State) <u>77365</u> (Zip)																																																								
(Signed) <u>Romer L. Lone</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>2</u> Located on map <u>655.8</u>																																																										

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1594	2 of 2	NNW	4.66 / 24,580.85	Taha Ahmed 9756 Veterans Memorial Dr. Houston TX 77038	SDRW WELLS

Track NO: 178865
Date Submitted: 2009-05-20
Owner Name: Taha Ahmed
Owner Address: 9756 Veterans Memorial Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906945
Longitude: -95.435278
Drilling Date Started: 2009-05-12
Drilling Date Completed: 2009-05-13
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=178865&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 410

Top Depth:
Bottom Depth: 410.0

Well Levels

Measurement: 210
Measurement Date: 2009-05-14

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1595	1 of 1	NE	4.66 / 24,583.59	Jedco Building Systems, Inc. TX	WW HARRIS GAL

Well ID:	13620	Diameter (inches):	2
Aggre Lead Well:	13620	Year Drilled:	NULL
Permit No:	WP2022-112656	Depth Drilled:	0
Permit Start Date:	8/1/2022 8:04:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023	County:	H
Well Status:	O - Operable	Latitude:	29.895833
Regulatory Aarea:	3	Longitude:	-95.362222
Owner Name:	Jedco Building System Inc.; Jedco Building System Inc.		
Billing Contact:	NULL		
Billing Address:	1645 Hill Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL; NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1596	1 of 10	NW	4.66 / 24,584.75	Tri Angle Eng Co. TX	GWDB

Well Rep Track No:
State Well No: 6505820
Owner Name: Tri Angle Eng Co.
Drilling Start Dt:
Drilling Month: 9
Drilling Day: 11
Drilling Year: 1973
Well Depth: 345
Well Usage:
Water Level Status:
Latitude: 29.9008340
Longitude: -95.4527780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505820&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505820&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1596	2 of 10	NW	4.66 / 24,584.75	Tri Angle Eng Co. TX	GWDB

Well Rep Track No:
State Well No: 6505821
Owner Name: Tri Angle Eng Co.
Drilling Start Dt:
Drilling Month: 9
Drilling Day: 11
Drilling Year: 1973
Well Depth: 345
Well Usage:
Water Level Status:
Latitude: 29.9008340
Longitude: -95.4527780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505821&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505821&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1596	3 of 10	NW	4.66 / 24,584.75	TRIANGLE METAL & MANUFACTURING CO TX	WUD

Primary Co: SHERRY A. SCOTT
Contact Ti: EMERGENCY CONTACT
Operating Status: OPERATIONAL
PWSID: 1011639
Source ID: G1011639B
Utility Name: TRIANGLE METAL & MANUFACTURING CO
WTRSRC: G1011639B
Date Drilled: 00/00/1974
Well Depth: 200
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 50
CCN: N/A
Latitude: 29.900153
Longitude: -95.452356
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1596	4 of 10	NW	4.66 / 24,584.75	TRIANGLE METAL & MANUFACTURING CO TX	WUD

Primary Co: SHERRY A. SCOTT
Contact Ti: EMERGENCY CONTACT
Operating Status: PLUGGED
PWSID: 1011639
Source ID: G1011639A
Utility Name: TRIANGLE METAL & MANUFACTURING CO
WTRSRC: G1011639A
Date Drilled: 00/00/1974
Well Depth: 200
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 20
CCN: N/A
Latitude: 29.900153
Longitude: -95.452356
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1596	5 of 10	NW	4.66 / 24,584.75	TRIANGLE ENGINEERING TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 12/20/2000
Owners Name: TRIANGLE ENGINEERING
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 241
Depth Drilled: 460
Latitude: 29.8996908
Longitude: -95.4521181

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																																								
1) OWNER TRIANGLE ENGINEERING (Name) ADDRESS P.O. BOX 38271 HOUSTON TEXAS (Street or RFD) (City) (State) (Zip)																																												
2) ADDRESS OF WELL'S LOCATION: County HARRIS 11600 BIG JOHN BLVD. HOUSTON TX. (Street, RFD or other) (City) (State) (Zip)		Long. _____ Lat. _____ Grid # 65-05-8																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____ <div style="text-align: center; font-size: 2em;">+</div>																																								
6) WELL LOG: Date Drilling: 12/18/2000 Started 12/18/2000 Completed 12/20/2000		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>8 3/4</td> <td>Surface</td> <td>440</td> </tr> <tr> <td>4 3/4</td> <td>440</td> <td>460</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	8 3/4	Surface	440	4 3/4	440	460	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																															
Dia. (in.)	From (ft.)	To (ft.)																																										
8 3/4	Surface	440																																										
4 3/4	440	460																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0</td><td>25</td><td>CLAY & SAND</td></tr> <tr><td>25</td><td>107</td><td>CLAY</td></tr> <tr><td>107</td><td>187</td><td>CLAY & SAND</td></tr> <tr><td>187</td><td>207</td><td>SAND</td></tr> <tr><td>207</td><td>247</td><td>CLAY</td></tr> <tr><td>247</td><td>267</td><td>CLAY & ROCK</td></tr> <tr><td>267</td><td>292</td><td>CLAY</td></tr> <tr><td>292</td><td>345</td><td>SAND</td></tr> <tr><td>345</td><td>347</td><td>CLAY</td></tr> <tr><td>347</td><td>360</td><td>SAND</td></tr> <tr><td>360</td><td>387</td><td>CLAY & ROCK</td></tr> <tr><td>387</td><td>407</td><td>CLAY ROCK & SAND</td></tr> </table> (Use reverse side of Well Owner's copy, if necessary)		From (ft.)	To (ft.)	Description and color of formation material	0	25	CLAY & SAND	25	107	CLAY	107	187	CLAY & SAND	187	207	SAND	207	247	CLAY	247	267	CLAY & ROCK	267	292	CLAY	292	345	SAND	345	347	CLAY	347	360	SAND	360	387	CLAY & ROCK	387	407	CLAY ROCK & SAND	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																										
0	25	CLAY & SAND																																										
25	107	CLAY																																										
107	187	CLAY & SAND																																										
187	207	SAND																																										
207	247	CLAY																																										
247	267	CLAY & ROCK																																										
267	292	CLAY																																										
292	345	SAND																																										
345	347	CLAY																																										
347	360	SAND																																										
360	387	CLAY & ROCK																																										
387	407	CLAY ROCK & SAND																																										
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>5</td> <td>N</td> <td>SDR17</td> <td>0</td> <td>440</td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>GALVANIZED LINER</td> <td>430</td> <td>440</td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>S.S.R.B.</td> <td>440</td> <td>460</td> <td>.014</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	5	N	SDR17	0	440		3	N	GALVANIZED LINER	430	440		3	N	S.S.R.B.	440	460	.014													
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																							
			From	To																																								
5	N	SDR17	0	440																																								
3	N	GALVANIZED LINER	430	440																																								
3	N	S.S.R.B.	440	460	.014																																							
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)												9) CEMENTING DATA Cemented from 0 ft. to 15 ft. No. of sacks used 10 330 ft. to 440 ft. No. of sacks used 12 Method used HALLIBURTON/TRIMME Cemented by AQUAUTILITY CONSTRUCTION Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																						
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																																								
From (ft)	To (ft)	From (ft)	To (ft)																																									
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., 357 ft.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																																										
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: 60 gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level 241 ft. below land surface Date 12/20/00 Artesian flow _____ gpm. Date _____																																										
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>FILE ID</th> <th>Type</th> <th>Depth (ft.)</th> </tr> <tr> <td>KPACKER</td> <td></td> <td>241</td> </tr> </table> <div style="text-align: center;"> FEB 09 2001 4941 WP </div>				FILE ID	Type	Depth (ft.)	KPACKER		241																																	
FILE ID	Type	Depth (ft.)																																										
KPACKER		241																																										
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																																												
COMPANY NAME AQUAUTILITY CONSTRUCTION (Type or print) ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)		WELL DRILLER'S LICENSE NO. 4941 WP																																										
(Signed) SID MOORY (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																										
Please attach electric log, chemical analysis, and other pertinent information, if available.																																												

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT AMENDED REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																																											
1) OWNER <u>TRIANGLE ENGINEERING</u> ADDRESS <u>P.O. BOX 38271 HOUSTON, TEXAS</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																																															
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>11600 BIG JOHN BLVD. HOUSTON, TEXAS</u> <small>(Street, RFD or other) (City) (State) (Zip)</small>		Long. _____ Lat. _____ Grid # <u>65-05-8</u>																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																																											
6) WELL LOG: Date Drilling: _____ Started <u>12/18/2000</u> Completed <u>12/20/2000</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>8 3/4</u></td> <td>Surface</td> <td><u>440</u></td> </tr> <tr> <td><u>4 3/4</u></td> <td><u>440</u></td> <td><u>460</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>8 3/4</u>	Surface	<u>440</u>	<u>4 3/4</u>	<u>440</u>	<u>460</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																		
Dia. (in.)	From (ft.)	To (ft.)																																													
<u>8 3/4</u>	Surface	<u>440</u>																																													
<u>4 3/4</u>	<u>440</u>	<u>460</u>																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0</td><td>25</td><td>CLAY & SAND</td></tr> <tr><td>25</td><td>107</td><td>CLAY</td></tr> <tr><td>107</td><td>187</td><td>CLAY & SAND</td></tr> <tr><td>187</td><td>207</td><td>SAND</td></tr> <tr><td>207</td><td>247</td><td>CLAY</td></tr> <tr><td>247</td><td>267</td><td>CLAY & ROCK</td></tr> <tr><td>267</td><td>292</td><td>CLAY</td></tr> <tr><td>292</td><td>345</td><td>SAND</td></tr> <tr><td>345</td><td>347</td><td>CLAY</td></tr> <tr><td>347</td><td>360</td><td>SAND</td></tr> <tr><td>360</td><td>387</td><td>CLAY & ROCK</td></tr> <tr><td>387</td><td>407</td><td>CLAY ROCK & SAND</td></tr> <tr><td colspan="3">(OVER) (Use reverse side of Well Owner's copy, if necessary)</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	25	CLAY & SAND	25	107	CLAY	107	187	CLAY & SAND	187	207	SAND	207	247	CLAY	247	267	CLAY & ROCK	267	292	CLAY	292	345	SAND	345	347	CLAY	347	360	SAND	360	387	CLAY & ROCK	387	407	CLAY ROCK & SAND	(OVER) (Use reverse side of Well Owner's copy, if necessary)			8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																													
0	25	CLAY & SAND																																													
25	107	CLAY																																													
107	187	CLAY & SAND																																													
187	207	SAND																																													
207	247	CLAY																																													
247	267	CLAY & ROCK																																													
267	292	CLAY																																													
292	345	SAND																																													
345	347	CLAY																																													
347	360	SAND																																													
360	387	CLAY & ROCK																																													
387	407	CLAY ROCK & SAND																																													
(OVER) (Use reverse side of Well Owner's copy, if necessary)																																															
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>5</td> <td>N</td> <td>SDR17</td> <td>0</td> <td>440</td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>GALVANIZED LINER</td> <td>430</td> <td>440</td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>S.S.R.B.</td> <td>440</td> <td>460</td> <td>014</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	5	N	SDR17	0	440		3	N	GALVANIZED LINER	430	440		3	N	S.S.R.B.	440	460	014																
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																										
			From	To																																											
5	N	SDR17	0	440																																											
3	N	GALVANIZED LINER	430	440																																											
3	N	S.S.R.B.	440	460	014																																										
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)												9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>440</u> ft. No. of sacks used <u>50</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>HALLIBURTON</u> Cemented by <u>AQUAUTILITY CONSTRUCTION</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																									
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																																											
From (ft)	To (ft)	From (ft)	To (ft)																																												
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>357</u> ft.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																																													
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>60</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>241</u> ft. below land surface Date <u>12/20/00</u> Artesian flow _____ gpm. Date _____																																													
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>PACKER</u></td> <td><u>241</u></td> </tr> <tr> <td>ILE IT</td> <td>SEQ #</td> </tr> </table>				Type	Depth	<u>PACKER</u>	<u>241</u>	ILE IT	SEQ #																																				
Type	Depth																																														
<u>PACKER</u>	<u>241</u>																																														
ILE IT	SEQ #																																														
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct and I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																																															
COMPANY NAME <u>AQUAUTILITY CONSTRUCTION</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>4941WP</u> <small>COMMENT</small>																																													
ADDRESS <u>P.O. BOX 874</u> <u>TOMBALL</u> <u>TEXAS</u> <u>77377-0874</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																															
(Signed) <u>Sid Moory</u> SID MOORY <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																																															

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1596	6 of 10	NW	4.66 / 24,584.75	Commercial Plaza, Ltd. TX	WW HARRIS GAL

Well ID:	10555	Diameter (inches):	5
Aggre Lead Well:	10555	Year Drilled:	2007
Permit No:	WP2023-112254	Depth Drilled:	500
Permit Start Date:	8/1/2023 2:19:00 PM	Depth frm Surf(ft):	470
Permit End Dt:	7/31/2024 2:19:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.900277
Regulatory Aarea:	3	Longitude:	-95.4525
Owner Name:	Commercial Plaza, Ltd.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 303369		
Billing Address 2:	NULL		
Billing City:	Austin		
Billing State:	TX		
Billing Zip:	78703		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1596	7 of 10	NW	4.66 / 24,584.75	Triangle Engineering Company TX	WW HARRIS GAL

Well ID:	2708	Diameter (inches):	6
Aggre Lead Well:	2708	Year Drilled:	1974
Permit No:	W2002-2708-104231-0	Depth Drilled:	280
Permit Start Date:	8/1/2002	Depth frm Surf(ft):	0
Permit End Dt:	4/11/2007	County:	H
Well Status:	P - Plugged	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.452222
Owner Name:	Triangle Engineering Company		
Billing Contact:	NULL		
Billing Address:	P.O. Box 303369		
Billing Address 2:	NULL		
Billing City:	Austin		
Billing State:	TX		
Billing Zip:	78703		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1596	8 of 10	NW	4.66 / 24,584.75	Triangle Engineering Company TX	WW HARRIS GAL

Well ID:	8503	Diameter (inches):	5
Aggre Lead Well:	2708	Year Drilled:	
Permit No:	W2002-2708-104231-0	Depth Drilled:	500
Permit Start Date:	8/1/2002	Depth frm Surf(ft):	480
Permit End Dt:	4/11/2007	County:	H
Well Status:	P - Plugged	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.452222
Owner Name:	Triangle Engineering Company		
Billing Contact:	NULL		
Billing Address:	P.O. Box 303369		
Billing Address 2:	NULL		
Billing City:	Austin		
Billing State:	TX		
Billing Zip:	78703		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1596	9 of 10	NW	4.66 / 24,584.75	Triangle Engineering Company TX	WW HARRIS GAL

Well ID:	2709	Diameter (inches):	6
Aggre Lead Well:	2708	Year Drilled:	1974
Permit No:	W2000-2708-65981-0	Depth Drilled:	280
Permit Start Date:	8/1/2000	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2001	County:	H
Well Status:	P - Plugged	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.452222
Owner Name:	TRIANGLE ENGINEERING CO.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 303369		
Billing Address 2:	NULL		
Billing City:	Austin		
Billing State:	TX		
Billing Zip:	78703		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1596	10 of 10	NW	4.66 / 24,584.75	Trinagle Engineering 11600 Big John Blvd. Houston TX	SDRW WELLS

Track NO: 135162
Date Submitted: 2008-02-22
Owner Name: Trinagle Engineering
Owner Address: PO Box 303369
Owner Address2:
Owner City: Austin
Owner State: TX
Owner Zip: 78703
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.893611
Longitude: -95.445278
Drilling Date Started: 2007-01-26
Drilling Date Completed: 2007-01-27
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=135162&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 450.0

Top Depth: 0
Bottom Depth: 430

Top Depth: 430
Bottom Depth: 450

Well Levels

Measurement: 175
Measurement Date: 2006-12-20

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1597	1 of 3	N	4.66 / 24,589.49	PICK A PART TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 04/19/1993
 Owners Name: PICK A PART
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 270
 Depth Drilled: 500
 Latitude: 29.9096113
 Longtiude: -95.4214054

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																																								
1) OWNER <u>Pick A Part</u> <small>(Name)</small>		ADDRESS <u>1100 Northville Houston, Tx</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																																																										
2) LOCATION OF WELL: County <u>Harris</u> , <u>11</u> miles in <u>N.W.</u> direction from <u>Houston</u> <small>(NE, SW, etc.) (Town)</small>																																																																												
<p>Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.</p> <input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____ <input type="checkbox"/> SEE ATTACHED MAP																																																																												
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																																								
6) WELL LOG: Date Drilling: _____ Started <u>4/17</u> 19 <u>93</u> Completed <u>4/19</u> 19 <u>93</u>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: center; font-size: x-small;">DIAMETER OF HOLE</th> </tr> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> </thead> <tbody> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>500</u></td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>500</u>										7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 String Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																						
DIAMETER OF HOLE																																																																												
Dia. (in.)	From (ft.)	To (ft.)																																																																										
<u>6 3/4</u>	Surface	<u>500</u>																																																																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> <th style="width: 60%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0 - 35</td><td>Top Soil</td><td></td></tr> <tr><td>35 - 80</td><td>Clay</td><td></td></tr> <tr><td>80 - 140</td><td>Sand</td><td></td></tr> <tr><td>140 - 275</td><td>Shale</td><td></td></tr> <tr><td>275 - 310</td><td>Clay</td><td></td></tr> <tr><td>310 - 380</td><td>Sand</td><td></td></tr> <tr><td>380 - 415</td><td>Rock</td><td></td></tr> <tr><td>415 - 470</td><td>Clay</td><td></td></tr> <tr><td>470 - 500</td><td>Sand</td><td></td></tr> <tr><td colspan="3" style="height: 20px;">(Use reverse side if necessary)</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0 - 35	Top Soil		35 - 80	Clay		80 - 140	Sand		140 - 275	Shale		275 - 310	Clay		310 - 380	Sand		380 - 415	Rock		415 - 470	Clay		470 - 500	Sand		(Use reverse side if necessary)			8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 10%;">Dia. (in.)</th> <th rowspan="2" style="width: 5%;">New or Used</th> <th rowspan="2" style="width: 45%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width: 20%;">Setting (ft.)</th> <th rowspan="2" style="width: 10%;">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC Casing</u></td> <td><u>0</u></td> <td><u>476</u></td> <td><u>Sch 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Liner</u></td> <td><u>470</u></td> <td><u>480</u></td> <td><u>Sch 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>480</u></td> <td><u>500</u></td> <td><u>012</u></td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>0</u>	<u>476</u>	<u>Sch 40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>470</u>	<u>480</u>	<u>Sch 40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>480</u>	<u>500</u>	<u>012</u>												
From (ft.)	To (ft.)	Description and color of formation material																																																																										
0 - 35	Top Soil																																																																											
35 - 80	Clay																																																																											
80 - 140	Sand																																																																											
140 - 275	Shale																																																																											
275 - 310	Clay																																																																											
310 - 380	Sand																																																																											
380 - 415	Rock																																																																											
415 - 470	Clay																																																																											
470 - 500	Sand																																																																											
(Use reverse side if necessary)																																																																												
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																																							
			From	To																																																																								
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>0</u>	<u>476</u>	<u>Sch 40</u>																																																																							
<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>470</u>	<u>480</u>	<u>Sch 40</u>																																																																							
<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>480</u>	<u>500</u>	<u>012</u>																																																																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>360</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>476</u> ft. to <u>0</u> ft. No. of Sacks Used <u>35</u> <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>6</u> Method used <u>Halliburton</u> Cemented by <u>RWW</u>																																																																										
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Balier <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																																										
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>270</u> ft. below land surface Date <u>4/19/93</u> Artesian flow _____ gpm. Date _____																																																																										
		12) PACKERS: Type Depth <u>K</u> <u>470</u>																																																																										
<p>I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.</p>																																																																												
COMPANY NAME <u>Robinson Water Well Ser. Inc.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>2212</u>																																																																										
ADDRESS <u>11819 Tomball Parkway</u> <small>(Street or RFD)</small>		<u>Houston,</u> <small>(City)</small>		<u>Texas 77086</u> <small>(State) (Zip)</small>																																																																								
(Signed) <u>[Signature]</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																																																																										
<p>Please attach electric log, chemical analysis, and other pertinent information, if available.</p>																																																																												

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1597	2 of 3	N	4.66 / 24,589.49	Pick A Part TX	WW HARRIS GAL

Well ID:	7834	Diameter (inches):	4
Aggre Lead Well:	7497	Year Drilled:	1982
Permit No:	WP2023-107565	Depth Drilled:	0
Permit Start Date:	6/1/2023 2:38:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 2:38:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.909444
Regulatory Aarea:	3	Longitude:	-95.42
Owner Name:	Pick A Part		
Billing Contact:	Chad Strickland		
Billing Address:	1100 Northville St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1597	3 of 3	N	4.66 / 24,589.49	Pick A Part TX	WW HARRIS GAL

Well ID:	7498	Diameter (inches):	4
Aggre Lead Well:	7497	Year Drilled:	
Permit No:	WP2023-107565	Depth Drilled:	0
Permit Start Date:	6/1/2023 2:38:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 2:38:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.909722
Regulatory Aarea:	3	Longitude:	-95.421666
Owner Name:	Pick A Part		
Billing Contact:	Chad Strickland		
Billing Address:	1100 Northville St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1598	1 of 1	W	4.66 / 24,603.09	S.E. KLECKA TX	TCEQ WELL LOGS


Grid No: 65-13-1F
Date Drilled: 01/19/1974
Owners Name: S.E. KLECKA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 5
Depth Drilled: 43
Latitude: 29.842547
Longtiude: -95.48836

end original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-13-1F
Located on map 1/25
Received: 9/17
dk

1) OWNER:
Person having well drilled S. E. KLECKA Address 6633 RENA
(Name) (Street or RFD) (City) (State)
Landowner " " Address " "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 16 miles in NW direction from HOUSTON
(County) (Miles) (Direction) (Town)
Locate by sketch map showing landmarks, roads, creeks,
highway number, etc.*

OR
Give legal location with distances and directions from
adjacent sections or survey lines.
LOT #10 League
Block 39 Survey
Abstract No.
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check):
New Well ☒ Despening
Reconditioning ☐ Plugging
4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐
5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 43 ft. Depth of completed well 43 ft. Date drilled 1-19-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>2</u>	<u>TOP SOIL</u>
<u>2</u>	<u>18</u>	<u>GRAY CLAY</u>
<u>18</u>	<u>20</u>	<u>WHITE SAND</u>
<u>20</u>	<u>43</u>	<u>SAND</u>

9) CASING:
Type: Old ☒ New ☐ Steel ☐ Plastic ☐ Other ☐
Cemented from 0 ft. to 0 ft.
Diameter (inches) 2 Setting From (ft.) 0 To (ft.) 3.5 Casing SCH 40

10) SCREEN:
Type PLASTIC
Perforated ☒ Slotted ☐
Diameter (inches) 2 Setting From (ft.) 35 To (ft.) 43 Slot Size 8

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 5 ft. below land surface Date 1-19-74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 21 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☐ No ☒ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 7507 JANAK DR. HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) John B. Lumpkin LONG POINT WATER WELL
(Water Well Driller) (Company Name) SERV.

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

W088-W08

188,330

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1599	1 of 1	E	4.66 / 24,618.13	JOEL POCKALNIK TX	TCEQ WELL LOGS

Grid No: 65-06-8
 Date Drilled: 07/29/1987
 Owners Name: JOEL POCKALNIK
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 200
 Depth Drilled: 380
 Latitude: 29.853787
 Longtiude: -95.332829

101

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Joel Pockalnik Address Parker 459 Houston, TX
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 5 miles in N direction from Houston, TX
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 0-65-06-7

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG: Date Drilling: Started July 26, 1987 Completed July 27, 1987

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	
6 3/4	Surface	360	
4 1/4	360	380	

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other Two String
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:								
From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-4		Surface Sand						
4-70		Clay						
70-75		Sand - fine	4	N	PVC	0	360	40
75-300		Clay	2 1/2	N	liner	360	365	40
300-308		Sand - fine	2 1/2	N	Screen Every	365	380	80
308-365		Clay						
365-380		Sand						

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 10 ft. No. of Sacks Used 1
200 ft. to 360 ft. No. of Sacks Used 12
 Method used Pressure
 Cemented by C. Well

10) SURFACE COMPLETION ☒ Specified Surface Slab Installed [Rule 319.44(c)] ☐ Pitless Adapter Used [Rule 319.44(d)] ☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 200 ft. below land surface Date July 29, 87
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type RDR 4 1/2 x 2 1/2 Depth 350'

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 380' ft.

14) WELL TESTS: Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Potable Depth of strata 15
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Coastal Water Wells Water Well Driller's License No. 812
 (Type or Print)

ADDRESS P.O. Box 745 Porter Texas 77365
 (Street or RFD) (City) (State) (Zip)


(Signed) J. L. Bettsch (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. 65-06-8
 Located on map _____

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1600	1 of 4	N	4.66 / 24,621.31	ROBERT SAN JUAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 5/14/1998
 Owners Name: ROBERT SAN JUAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 8
 Depth Drilled: 50
 Latitude: 29.9100265
 Longtiude: -95.4011761

ICC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink-Well Owner

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1600	2 of 4	N	4.66 / 24,621.31	D.Z. CLARK TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 06/9/1981
Owners Name: D.Z. CLARK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 205
Depth Drilled: 342
Latitude: 29.9100265
Longtiude: -95.4011761

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-05-874
Located on map YES
Received: C-13

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER D. Z. CLARK Address 131 HAMBRICK HOUSTON TEXAS
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL 10 miles in N direction from HOUSTON
County HARRIS (N.E., S.W., etc.) (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 6-9-81

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	<u>Surface</u>	<u>335</u>
<u>3 7/8</u>		<u>342</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																																																						
<u>0</u>	<u>4</u>	<u>TOP SOIL</u>	<table border="1"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PLASTIC</u></td> <td><u>330</u></td> <td><u>330</u></td> <td><u>SEA</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>11</u></td> <td><u>330</u></td> <td><u>332</u></td> <td><u>SEA</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>11 SCREEN</u></td> <td><u>332</u></td> <td><u>342</u></td> <td><u>SEA</u></td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>330</u>	<u>330</u>	<u>SEA</u>	<u>4 1/2</u>	<u>N</u>	<u>11</u>	<u>330</u>	<u>332</u>	<u>SEA</u>	<u>4 1/2</u>	<u>N</u>	<u>11 SCREEN</u>	<u>332</u>	<u>342</u>	<u>SEA</u>																																																												
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial					Setting (ft.)			Gage Casing Screen																																																																															
				From	To																																																																																				
<u>4</u>	<u>N</u>	<u>PLASTIC</u>		<u>330</u>	<u>330</u>	<u>SEA</u>																																																																																			
<u>4 1/2</u>	<u>N</u>	<u>11</u>		<u>330</u>	<u>332</u>	<u>SEA</u>																																																																																			
<u>4 1/2</u>	<u>N</u>	<u>11 SCREEN</u>		<u>332</u>	<u>342</u>	<u>SEA</u>																																																																																			
<u>4</u>	<u>35</u>	<u>YELLOW SHALE</u>																																																																																							
<u>35</u>	<u>62</u>	<u>SAND</u>																																																																																							
<u>62</u>	<u>109</u>	<u>RED SHALE</u>																																																																																							
<u>109</u>	<u>135</u>	<u>SAND</u>																																																																																							
<u>135</u>	<u>187</u>	<u>RED SHALE</u>																																																																																							
<u>187</u>	<u>201</u>	<u>SAND</u>																																																																																							
<u>201</u>	<u>203</u>	<u>ROCK</u>																																																																																							
<u>203</u>	<u>220</u>	<u>RED SHALE</u>																																																																																							
<u>220</u>	<u>243</u>	<u>SAND</u>																																																																																							
<u>243</u>	<u>285</u>	<u>RED SHALE</u>																																																																																							
<u>285</u>	<u>300</u>	<u>SAND</u>																																																																																							
<u>300</u>	<u>327</u>	<u>RED SHALE</u>																																																																																							
<u>327</u>	<u>342</u>	<u>SAND</u>																																																																																							

CEMENTING DATA
Cemented from 0 ft. to 330 ft.
Method used PRESSURE
Cemented by SUGG WATER WELL DRILLING
(Company or Individual)

9) WATER LEVEL:
Static level 205 ft. below land surface Date 6-10-81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 315 ft.

12) WELL TESTS:
☐ Type Test ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 124 gpm with 51 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006
(Type or Print)

ADDRESS 13501 CHRISMAN #16 HOUSTON TEXAS 77039
(Street or RFD) (City) (State) (Zip)

(Signed) James H. Sugg Jr. SUGG WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1600	3 of 4	N	4.66 / 24,621.31	Campuzano, J. Gustavo TX	WW HARRIS GAL

Well ID:	12592	Diameter (inches):	4
Aggre Lead Well:	12592	Year Drilled:	NULL
Permit No:	WP2023-111908	Depth Drilled:	200
Permit Start Date:	8/1/2023 2:18:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:18:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.91
Regulatory Aarea:	3	Longitude:	-95.400277
Owner Name:	Campuzano, J. Gustavo		
Billing Contact:	NULL		
Billing Address:	2405 W. Mount Houston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1600	4 of 4	N	4.66 / 24,621.31	Renee Alaeinejad 143 Hambrick Rd. Houston TX 77037	SDRW WELLS

Track NO: 616890
Date Submitted: 2022-09-09
Owner Name: Renee Alaeinejad
Owner Address: 143 Hambrick Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.910278
Longitude: -95.398056
Drilling Date Started: 2022-09-08
Drilling Date Completed: 2022-09-08
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=616890&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2022-09-08

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1601	1 of 1	NNE	4.67 / 24,654.14	Lopez, Oscar A. Palos & Ana L Vargas Barcenas	WW HARRIS GAL

TX

Well ID:	14348	Diameter (inches):	4
Aggre Lead Well:	14348	Year Drilled:	NULL
Permit No:	WP2023-115448	Depth Drilled:	0
Permit Start Date:	10/11/2023 2:43:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.382222
Owner Name:	Lopez, Oscar A. Palos & Ana L Vargas Barcenas		
Billing Contact:	NULL		
Billing Address:	14222 Henry Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1602	1 of 1	NE	4.67 / 24,657.74	Crawford, Ronnie Lynn TX	WW HARRIS GAL

Well ID:	10124	Diameter (inches):	2
Aggre Lead Well:	10124	Year Drilled:	1945
Permit No:	W2010-10124-145951-0	Depth Drilled:	80
Permit Start Date:	8/1/2010	Depth frm Surf(ft):	75
Permit End Dt:	12/31/2010	County:	H
Well Status:	E - Exempt	Latitude:	29.891388
Regulatory Aarea:	3	Longitude:	-95.355277
Owner Name:	Crawford, Ronnie Lynn		
Billing Contact:	NULL		
Billing Address:	12205 Aldine Westfield		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1603	1 of 1	NE	4.67 / 24,673.04	NORMAN BONNER TX	TCEQ WELL LOGS

Grid No: 65-14-1K
Date Drilled: 08/05/1979
Owners Name: NORMAN BONNER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 238
Depth Drilled: 368
Latitude: 29.885417
Longtiude: -95.348948

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 45-14-1K
Located on map 14-1K
Received: 11/11/82

1) OWNER NORMAN BONNER (Name) Address 2401 HARTWICK (Street or RFD) HOUSTON (City) TEXAS (State) (Zip)
2) LOCATION OF WELL
County HARRIS 11 miles in N direction from HOUSTON (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging
4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____
5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 8-5-79
Diameter of Hole
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 355
3 3/8 335 368
7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0	4	TOP SOIL					
4	22	YELLOW SHALE					
22	36	RED SHALE	4 N		PLASTIC	ABOVE 350	56 1/2
36	49	RED SAND	2 1/2 N		PLASTIC	350	353
49	63	RED SHALE	2 1/2 N		PLASTIC SCREEN	353	368
63	83	RED SAND					
83	145	RED SHALE					
145	180	SAND					
180	203	RED SHALE					
203	224	FINE SAND					
224	283	RED SHALE					
283	299	SAND					
299	335	RED SHALE					
335	339	SAND					
339	347	RED SHALE					
347	368	SAND					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
Cementing Data
Cemented from 0 ft. to 350 ft.
Method used PRESSURE
Cemented by SUGG WATER WELL DRILLING (Company or Individual)

9) WATER LEVEL:
Static level 238 ft. below land surface Date 8-6-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
AUG 2 1982
CR/10000
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test ☒ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: 13.8 gpm with 17 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Drillers Registration No. 1006
ADDRESS 13501 CHRISMAN #26 (Street or RFD) HOUSTON (City) TEXAS (State) 77039 (Zip)
(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1604	1 of 4	NE	4.67 / 24,678.62	HOUSTON LIGHTING & POWER TX	TCEQ WELL LOGS

Grid No:	65-06-7GG
Date Drilled:	07/02/1980
Owners Name:	HOUSTON LIGHTING & POWER
County:	HARRIS
Water Usage:	SUBSTATION
Static Level:	168
Depth Drilled:	231
Latitude:	29.9012032
Longitude:	-95.3699559

original copy by
mailed mail to the
Texas Department of Water Resources
P.O. Box 13067
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TDWR use only

Well No. 65-06-766

Located on map YES

Received: TH

1) OWNER Houston Lighting & Power Address Aldine-Mail Rt. Houston, TX 77039

(Name)

(Street or RFD)

(City)

(State)

(Zip)

2) LOCATION OF WELL:

County Harris 6 miles in N.E. direction from Houston

(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening

☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☐ Domestic ☐ Industrial ☐ Public Supply

☐ Irrigation ☐ Test Well ☒ Other Substation

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored

☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 7-2-80

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

4 Surface 2X 231

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed

☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial	Setting (ft.)	Gage Casing Screen
0	24	topsoil, clay, sand					
24	48	sand, rock, sand, clay					
48	72	clay, sand, rock, sand	4	new	PVC	216	0
72	96	clay, sand, clay	2 1/2	new	Stainless steel	214	204 #12
96	120	clay					
120	144	clay					
144	168	clay, sand, clay					
168	192	sand, clay					
192	216	clay, sand					
216	231	sand					

CEMENTING DATA

Cemented from 216 ft. to 0 ft.

Method used Halliburton-pressure cmtd.

Cemented by Lowry Water Wells

(Company or Individual)

9) WATER LEVEL:

Static level 168 ft. below land surface Date 7-12-80

Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth

11) TYPE PUMP:

☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder

☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 189 ft.

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME J.F. Johnson Water Well Drillers Registration No. 1733

(Type or Print)

ADDRESS 1327 Aldine-Mail Rt. Houston Texas 77039

(Street or RFD) (City) (State) (Zip)

(Signed) John F. Johnson Lowry Water Wells

(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TDWR-0392

4137

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



APPROVED
20-1-1977
DATE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1604	2 of 4	NE	4.67 / 24,678.62	CenterPoint Energy Houston Electric, LLC	WW HARRIS GAL
				TX	

Well ID:	3521	Diameter (inches):	4
Aggre Lead Well:	3521	Year Drilled:	1980
Permit No:	W2003-3521-110328-0	Depth Drilled:	0
Permit Start Date:	11/1/2003	Depth frm Surf(ft):	0
Permit End Dt:	4/27/2004	County:	H
Well Status:	P - Plugged	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.37
Owner Name:	CenterPoint Energy Houston Electric, LLC		
Billing Contact:	Richard C. Patyrak, P.E., Sup. Eng.		
Billing Address:	P.O. Box 1700		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77251		
Correspondence:	CenterPoint Energy		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1604	3 of 4	NE	4.67 / 24,678.62	CenterPoint Energy Houston Electric, LLC	WW HARRIS GAL
				TX	

Well ID:	9744	Diameter (inches):	4
Aggre Lead Well:	9744	Year Drilled:	2004
Permit No:	WP2023-115241	Depth Drilled:	450
Permit Start Date:	11/1/2023	Depth frm Surf(ft):	430
Permit End Dt:	10/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.37
Owner Name:	CenterPoint Energy Houston Electric, LLC		
Billing Contact:	NULL		
Billing Address:	4500 South Shaver, Bldg. D		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77034		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1604	4 of 4	NE	4.67 / 24,678.62	Centerpoint-Aldine Sub 1130 Aldine Mail Road Houston TX	SDRW WELLS

Track NO: 73992
Date Submitted: 2006-01-12
Owner Name: Centerpoint-Aldine Sub
Owner Address: 1130 Aldine Mail Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.887222
Longitude: -95.400001
Drilling Date Started: 2004-04-16
Drilling Date Completed: 2004-04-19
Chemical Analysis: No
Company Name: O'Day Drilling Company, Inc.
Company Address: 2357 Garden Road
CompanyAddress2:
Company City: Pearland
Company State: TX
Company Zip: 77581
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=73992&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 409.0

Top Depth: 0
Bottom Depth: 409

Well Levels

Measurement: 210
Measurement Date: 2004-04-19

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1605	1 of 2	W	4.67 / 24,680.23	Newton Nurseries TX	WW HARRIS GAL
<div> <div> Well ID: 12740 Aggre Lead Well: 12740 Permit No: WP2023-109057 Permit Start Date: 6/1/2023 9:31:00 AM Permit End Dt: 5/31/2024 9:31:00 AM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Newton Nurseries Billing Contact: Philippe Joubert Billing Address: 5110 Bingle Rd Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77092 Correspondence: Luke Coello Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller Water Usage: O - Other </div> <div> Diameter (inches): 6 Year Drilled: 201 Depth Drilled: 550 Depth frm Surf(ft): 530 County: H Latitude: 29.839722 Longitude: -95.486944 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1605	2 of 2	W	4.67 / 24,680.23	Newton Nurseries 6620 Cherry Tree Dr Houston TX 77008	SDRW WELLS

Track NO: 413763
Date Submitted: 2016-01-26
Owner Name: Newton Nurseries
Owner Address: 846 West 27th St
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77008
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.839722
Longitude: -95.488611
Drilling Date Started: 2015-12-21
Drilling Date Completed: 2016-01-04
Chemical Analysis: No
Company Name: Felder Water Well & Pump Service, LLC
Company Address: P.O.Box 1033
CompanyAddress2:
Company City: Angleton
Company State: TX
Company Zip: 77516
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=413763&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 375

Top Depth:
Bottom Depth: 423.0

Top Depth: 353
Bottom Depth: 423

Well Levels

Measurement: 190
Measurement Date: 2016-01-04

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1606	1 of 1	NW	4.67 / 24,682.06	Myers, Norma TX	WW HARRIS GAL

Well ID:	9895	Diameter (inches):	4
Aggre Lead Well:	9895	Year Drilled:	2004
Permit No:	W2020-9895-209715-0	Depth Drilled:	400
Permit Start Date:	6/1/2020	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.454722
Owner Name:	Myers, Norma		
Billing Contact:	NULL		
Billing Address:	5810 Summer Oak Circle		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77379		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1607	1 of 2	NE	4.68 / 24,685.00	Khosravi, Fazlollah TX	WW HARRIS GAL

Well ID:	9868	Diameter (inches):	4
Aggre Lead Well:	9868	Year Drilled:	2004
Permit No:	WP2022-111359	Depth Drilled:	380
Permit Start Date:	8/1/2022 4:55:00 PM	Depth frm Surf(ft):	370
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.891666
Regulatory Aarea:	3	Longitude:	-95.355
Owner Name:	Khosravi, Fazlollah		
Billing Contact:	NULL		
Billing Address:	1222 Westshore Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77094		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1607	2 of 2	NE	4.68 / 24,685.00	John Munoz 12209 Aldine Westfield Houston TX	SDRW WELLS

Track NO: 170641
Date Submitted: 2009-03-11
Owner Name: John Munoz
Owner Address: 12209 Aldine Westfield
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.891945
Longitude: -95.354723
Drilling Date Started: 2004-09-09
Drilling Date Completed: 2004-09-13
Chemical Analysis: No
Company Name: Coastal Waterwell Service, Inc.
Company Address: P.O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=170641&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 340

Top Depth:
Bottom Depth: 362.0

Top Depth: 340
Bottom Depth: 362

Well Levels

Measurement: 200
Measurement Date: 2004-09-13

Well Strata

Water Type:

Potable

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1608	1 of 1	NNE	4.68 / 24,708.62	R E BRADFORD TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 12/05/1992
Owners Name: R E BRADFORD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 398
Latitude: 29.904671
Longtiude: -95.377446

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																					
1) OWNER <u>R.E. BRADFORD</u> (Name)		ADDRESS <u>14140 SWEENEY</u> <u>HOUSTON</u> <u>TEXAS</u> <u>77060</u> (Street or RFD) (City) (State) (Zip)																							
2) LOCATION OF WELL: County <u>HARRIS</u> <u>10</u> miles in <u>N</u> direction from <u>HOUSTON</u> (NE, SW, etc.) (Town)																									
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																									
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																									
<input checked="" type="checkbox"/> SEE ATTACHED MAP																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																					
6) WELL LOG: Date Drilling: _____ Started <u>12-4-92</u> Completed <u>12-5-92</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>389</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>389</u></td> <td><u>398</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>389</u>	<u>3 7/8</u>	<u>389</u>	<u>398</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval . . . from _____ ft. to _____ ft.									
DIAMETER OF HOLE																									
Dia. (in.)	From (ft.)	To (ft.)																							
<u>6 3/4</u>	Surface	<u>389</u>																							
<u>3 7/8</u>	<u>389</u>	<u>398</u>																							
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																							
<u>0-45</u> <u>TOPSOIL & RED SHALE</u> <u>45-62</u> <u>RED SAND</u> <u>62-169</u> <u>RED SHALE</u> <u>169-188</u> <u>SAND</u> <u>188-234</u> <u>RED SHALE</u> <u>234-254</u> <u>SAND</u> <u>254-307</u> <u>RED SHALE</u> <u>307-311</u> <u>ROCK</u> <u>311-378</u> <u>RED SHALE</u> <u>378-398</u> <u>SAND</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>383</u></td> <td><u>SN40</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>383</u></td> <td><u>398</u></td> <td><u>SN40</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>383</u>	<u>SN40</u>	<u>4 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>383</u>	<u>398</u>	<u>SN40</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>383</u>	<u>SN40</u>																				
<u>4 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>383</u>	<u>398</u>	<u>SN40</u>																				
(Use reverse side if necessary) <u>SEP 24 1993</u>		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>383</u> ft. No. of Sacks Used <u>23</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>316</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																							
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Baller <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>13.5</u> gpm with <u>14</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>12-5-92</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table style="width:100%;"> <tr> <th style="width:50%;">Type</th> <th style="width:50%;">Depth</th> </tr> <tr> <td><u>2</u> <u>3-RING K</u></td> <td><u>380</u></td> </tr> </table>				Type	Depth	<u>2</u> <u>3-RING K</u>	<u>380</u>																
Type	Depth																								
<u>2</u> <u>3-RING K</u>	<u>380</u>																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>SUGG WATERWELL DRILLING</u> (Type of print)		WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u>																							
ADDRESS <u>13501 CHRISMAN #16</u> (Street or RFD)		<u>HOUSTON</u> <u>TEXAS</u> <u>77039</u> (City) (State) (Zip)																							
(Signed) <u>James N. Suggs</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																									
For TWC use only: Well No. _____ Located on map <u>65-5-9</u>																									

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1609	1 of 1	N	4.68 / 24,729.52	ROBERT J TIMM TX	TCEQ WELL LOGS

Grid No: 65-05-9X
Date Drilled: 09/09/1980
Owners Name: ROBERT J TIMM
County: HARRIS
Water Usage: DOMESTIC
Static Level: 217
Depth Drilled: 351
Latitude: 29.9100785
Longitude: -95.3988414

12

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TDWR use only Well No. <u>65-05-98</u> Located on map <u>Yes</u> Received: <u>C.F.S.</u>	
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side					
1) OWNER <u>Robert J. Timms</u> (Name)		Address <u>139 Hambrick</u> <u>Houston, Texas</u> (City) (State) (Zip)			
2) LOCATION OF WELL: County <u>HARRIS</u> <u>13</u> miles in <u>S.E.</u> direction from <u>Spring</u> (Town)					
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.					
<input type="checkbox"/> Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____					
<input checked="" type="checkbox"/> See attached map. <u>map on 60-01-6AA</u>					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other _____		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Driven <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
6) WELL LOG: Date drilled <u>9/9/80</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6 1/2</u> Surface <u>351</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Cemented</u> If Gravel Packed give interval . . . from _____ ft. to _____ ft.	
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial		Setting (ft.) From To Gage Casing Screen	
0-4 top soil		4" New		Plastic Casing 0 340 40	
4-15 red+gray clay		25" New		Plastic Screen 341 351 12	
15-77 fine sand					
77-86 red+gray clay					
86-96 clay+ sand strips					
96-135 red+gray clay					
135-145 clay+ sand strips					
145-164 red+gray clay					
164-174 fine sand					
174-190 red+gray clay					
190-218 coarse sand					
218-234 sand, clay+ rock strips					
234-262 sand+ clay strips					
262-269 red+gray clay					
269-280 coarse sand					
280-307 red+gray clay					
307-329 coarse sand					
329-341 red+gray clay					
341-351 coarse sand					
		CEMENTING DATA Cemented from <u>340</u> ft. to <u>150</u> ft. Method used <u>Pressurized</u> Cemented by <u>Ind.</u> (Company or Individual)			
		9) WATER LEVEL: Static level <u>217</u> ft. below land surface Date <u>9/10/80</u> Artesian flow _____ gpm. Date _____			
		10) PACKERS: Type Depth <u>25" x 4" A+R 3 Ring</u> <u>335'</u>			
		11) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>273</u> ft.			
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Fresh</u> Depth of strata <u>10'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) WELL TESTS: <input type="checkbox"/> Type Test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.					
NAME <u>Bobby Potter</u> (Type or Print)		Water Well Drillers Registration No. <u>1872</u>			
ADDRESS <u>5717 Chippewa</u> <u>Houston</u> <u>Texas</u> <u>77086</u> (Street or RFD) (City) (State) (Zip)					
(Signed) <u>Bobby Potter</u> (Water Well Driller)		<u>Damrell & Potter Drilling Co.</u> (Company Name)			
Please attach electric log, chemical analysis, and other pertinent information, if available.					

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1610	1 of 1	ESE	4.68 / 24,730.63	MILLER WRECKER SERVICE TX	TCEQ WELL LOGS

Grid No: 65-14-4
Date Drilled: 11/19/1990
Owners Name: MILLER WRECKER SERVICE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 275
Depth Drilled: 485
Latitude: 29.824433
Longitude: -95.334168

STATE OF TEXAS WATER WELL REPORT **Km454/K** **65-14-4**

1) OWNER: MILLER WRECKER SERVICE ADDRESS: 7200 EASTEX FRWY CITY: HOUSTON STATE: TX ZIP: 77093-
 2) LOCATION OF WELL: County: HARRIS 0 miles in N direction from HOUSTON

LEGAL DESCRIPTION:
 Section No.: F-9 Block No.: N Township: HOUSTON
 Abstract No.: EASTEX FRWY Survey Name:
 Distance and direction from two intersecting section or survey lines: EASTEX FRWY & BENNINGTON **NO MAP**
0165-22-9

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 12481 DIAMETER OF HOLE 7) BOREHOLE METHOD:
 DIAMETER FROM TO
 6.5 0 485
 STRAIGHT WALL
 IF GRAVEL... FROM FT. TO FT.
 FROM FT. TO FT.

DATE DRILLED: 11/19/90

GEOLOGICAL DESCRIPTION:
 FROM TO DESCRIPTION
 0 3 TOP SOIL
 3 135 CLAY
 135 165 SAND
 165 190 CLAY
 190 250 SAND
 205 250 CLAY
 250 264 SAND
 264 290 CLAY
 290 310 SAND
 310 472 CLAY
 472 485 SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
 4 N PVC CASING 0 437 WW
 2.5 N GALVANIZED LINER 412 475 WW
 2.5 N PVC WRAPPED SCREEN 475 485 08

9) CEMENTING DATA:
 Cemented from 437 FT. TO 0 FT.
 FT. TO FT.
 Method used: PRESSURE
 Cemented by: ODCI **H7**

10) SURFACE COMPLETION:
 OTHER

11) WATER LEVEL:
 STATIC LEVEL : 275 FT. DATE: 11/19/90
 ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
 B P VALVE 412

13) TYPE PUMP:
 SUBMERSIBLE
 DEPTH TO PUMP: 336

14) WELL TEST:
 JETTED
 YIELD: 8 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
 TYPE OF WATER: N/A DEPTH OF STRATA: 13 NO CHEMICAL ANALYSIS MADE
 NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877 FOR TDWR USE ONLY
 ADDRESS: P. O. BOX 162 CITY: PEARLAND STATE: TX ZIP CODE: 77588 WELL NO. **65-14-4**
 LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Michael O'Day (signed) _____
 (LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1611	1 of 2	N	4.69 / 24,743.32	SCOTT MCDONALD TX	TCEQ WELL LOGS

Grid No:	65-05-9
Date Drilled:	02/23/1995
Owners Name:	SCOTT MCDONALD
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	6
Depth Drilled:	48
Latitude:	29.9100982
Longtiude:	-95.3986872

Send original copy by certified mail to: TNRCC, P.O. Box

, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>Scott McDonald</u> (Name) ADDRESS <u>141 Hambrick Houston Tx 77060</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Harris</u> <u>141 Hambrick Houston Tx 77060</u> (Street or RFD) (City) (State) (Zip) GRID # <u>65-05-9</u>		3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging																					
4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)		6) WELL LOG: Date Drilling: Started <u>2-23</u> 19 <u>95</u> Completed <u>2-23</u> 19 <u>95</u>																					
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;"><u>5</u></td> <td style="text-align: center;">Surface</td> <td style="text-align: center;"><u>48</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>48</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5</u>	Surface	<u>48</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 21</u> <u>C</u> <u>21 - 48</u> <u>S</u>		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td style="text-align: center;"><u>2</u></td> <td style="text-align: center;"><u>N</u></td> <td style="text-align: center;"><u>PVC</u></td> <td style="text-align: center;"><u>0</u></td> <td style="text-align: center;"><u>37</u></td> <td style="text-align: center;"><u>40</u></td> </tr> <tr> <td style="text-align: center;"><u>2</u></td> <td style="text-align: center;"><u>N</u></td> <td style="text-align: center;"><u>PVC</u></td> <td style="text-align: center;"><u>37</u></td> <td style="text-align: center;"><u>47</u></td> <td style="text-align: center;"><u>6</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>37</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>37</u>	<u>47</u>	<u>6</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>37</u>	<u>40</u>																				
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>37</u>	<u>47</u>	<u>6</u>																				
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>37</u> ft. No. of sacks used <u>3 sks</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Circ</u> Cemented by <u>Inv</u> Distance to septic system field lines <u>50</u> ft. Method of verification of above distance <u>measured with tape</u>		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
11) WATER LEVEL: Static level <u>6</u> ft. below land surface Date <u>2-23-95</u> Artesian flow _____ gpm. Date _____		12) PACKERS: Type Depth																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>20</u> ft.		14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Slotted <input checked="" type="checkbox"/> Estimated Yield: <u>15</u> gpm with _____ ft. drawdown after _____ hrs.																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal. COMPANY NAME <u>Lowe Water Wells</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4028 WI</u> ADDRESS <u>P.O. Box 89</u> (Street or RFD) <u>Porter</u> <u>Texas</u> <u>77365</u> (City) (State) (Zip) (Signed) <u>Larry W. Lowe</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1611	2 of 2	N	4.69 / 24,743.32	Mike Alaei 141 Hambrick Rd. Houston TX 77037	SDRW WELLS

Track NO: 635775
Date Submitted: 2023-04-05
Owner Name: Mike Alaei
Owner Address: 141 Hambrick Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.910556
Longitude: -95.397778
Drilling Date Started: 2023-04-04
Drilling Date Completed: 2023-04-04
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=635775&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 8
Measurement Date: 2023-04-04

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1612	1 of 2	N	4.69 / 24,744.79	Third Coast Industries LLC-Sweetwater Series	WW HARRIS GAL

TX

Well ID:	12722	Diameter (inches):	2
Aggre Lead Well:	12722	Year Drilled:	NULL
Permit No:	WP2023-112130	Depth Drilled:	200
Permit Start Date:	8/1/2023 3:56:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:56:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.910555
Regulatory Aarea:	3	Longitude:	-95.408611
Owner Name:	Third Coast Industries LLC-Sweetwater Series		
Billing Contact:	NULL		
Billing Address:	6606 FM 1488, Ste. 148 Box 346		
Billing Address 2:	NULL		
Billing City:	Magnolia		
Billing State:	TX		
Billing Zip:	77354		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1612	2 of 2	N	4.69 / 24,744.79	Precision Welding TX	WW HARRIS GAL
<hr/>					
Well ID:	13515			Diameter (inches):	4
Aggre Lead Well:	13515			Year Drilled:	0
Permit No:	W2015-13515-182354-0			Depth Drilled:	400
Permit Start Date:	3/9/2016			Depth frm Surf(ft):	380
Permit End Dt:	3/9/2016			County:	H
Well Status:	N - Not Drilled			Latitude:	29.910833
Regulatory Aarea:	3			Longitude:	-95.408333
Owner Name:	Precision Welding				
Billing Contact:	John Graziano				
Billing Address:	406 Northville				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77037				
Correspondence:	Lisa Miller				
Provision:	G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1613	1 of 1	NNW	4.69 / 24,745.17	Kien, Sam TX	WW HARRIS GAL

Well ID:	9427	Diameter (inches):	4
Aggre Lead Well:	9427	Year Drilled:	2003
Permit No:	W2021-9427-217239-0	Depth Drilled:	400
Permit Start Date:	6/1/2021	Depth frm Surf(ft):	390
Permit End Dt:	5/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.906944
Regulatory Aarea:	3	Longitude:	-95.436666
Owner Name:	Kien, Sam		
Billing Contact:	NULL		
Billing Address:	9805 Veterans Memorial		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1614	1 of 2	NE	4.69 / 24,757.23	Marquez, Lilian TX	WW HARRIS GAL

Well ID:	13442	Diameter (inches):	2
Aggre Lead Well:	13442	Year Drilled:	0
Permit No:	WP2023-112094	Depth Drilled:	50
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.895833
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Perez, Rosa		
Billing Contact:	Lilian Marquez		
Billing Address:	6000 Columbus Ave. #612		
Billing Address 2:	NULL		
Billing City:	Plano		
Billing State:	TX		
Billing Zip:	75024		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1614	2 of 2	NE	4.69 / 24,757.23	Rosa Perez 1725 Hill Rd. Houston TX 77039	SDRW WELLS

Track NO: 403074
Date Submitted: 2015-08-26
Owner Name: Rosa Perez
Owner Address: 246 Lena
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77022
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.896111
Longitude: -95.361389
Drilling Date Started: 2015-08-25
Drilling Date Completed: 2015-08-25
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=403074&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 8
Measurement Date: 2015-08-25

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1615	1 of 2	NW	4.69 / 24,757.90	JIM JORDON TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 05/15/1992
Owners Name: JIM JORDON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 235
Depth Drilled: 385
Latitude: 29.897994
Longtiude: -95.456007

Send original copy by Certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																									
1) OWNER <u>JIM JORDON</u> (Name)		ADDRESS <u>2800 W. Mt HOUSTON</u> (Street or RFD) <u>HOUSTON TX</u> (City) <u>77086</u> (State) (Zip)																																																											
2) LOCATION OF WELL: County <u>HARRIS</u> . <u>12</u> miles in <u>NN</u> direction from <u>HOUSTON</u> (NE, SW, etc.) (Town)																																																													
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																													
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																													
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																									
6) WELL LOG: Date Drilling: Started <u>5-14</u> 19 <u>92</u> Completed <u>5-15</u> 19 <u>92</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>380</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>380</u></td> <td><u>385</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>380</u>	<u>3 7/8</u>	<u>380</u>	<u>385</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																
Dia. (in.)	From (ft.)	To (ft.)																																																											
<u>6 3/4</u>	Surface	<u>380</u>																																																											
<u>3 7/8</u>	<u>380</u>	<u>385</u>																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>4</u></td><td><u>TOP SOIL</u></td></tr> <tr><td><u>4</u></td><td><u>11</u></td><td><u>YELLOW SHALE</u></td></tr> <tr><td><u>11</u></td><td><u>23</u></td><td><u>SAND</u></td></tr> <tr><td><u>23</u></td><td><u>45</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>45</u></td><td><u>60</u></td><td><u>SAND</u></td></tr> <tr><td><u>60</u></td><td><u>85</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>85</u></td><td><u>140</u></td><td><u>SAND</u></td></tr> <tr><td><u>140</u></td><td><u>153</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>153</u></td><td><u>174</u></td><td><u>SAND</u></td></tr> <tr><td><u>174</u></td><td><u>190</u></td><td><u>RED SHALE</u></td></tr> <tr><td colspan="3"><u>(COVER)</u> (Use reverse side if necessary)</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>4</u>	<u>TOP SOIL</u>	<u>4</u>	<u>11</u>	<u>YELLOW SHALE</u>	<u>11</u>	<u>23</u>	<u>SAND</u>	<u>23</u>	<u>45</u>	<u>RED SHALE</u>	<u>45</u>	<u>60</u>	<u>SAND</u>	<u>60</u>	<u>85</u>	<u>RED SHALE</u>	<u>85</u>	<u>140</u>	<u>SAND</u>	<u>140</u>	<u>153</u>	<u>RED SHALE</u>	<u>153</u>	<u>174</u>	<u>SAND</u>	<u>174</u>	<u>190</u>	<u>RED SHALE</u>	<u>(COVER)</u> (Use reverse side if necessary)			8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>370</u></td> <td><u>SH40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC 4C</u></td> <td><u>370</u></td> <td><u>385</u></td> <td><u>SH40</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>370</u>	<u>SH40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC 4C</u>	<u>370</u>	<u>385</u>	<u>SH40</u>
From (ft.)	To (ft.)	Description and color of formation material																																																											
<u>0</u>	<u>4</u>	<u>TOP SOIL</u>																																																											
<u>4</u>	<u>11</u>	<u>YELLOW SHALE</u>																																																											
<u>11</u>	<u>23</u>	<u>SAND</u>																																																											
<u>23</u>	<u>45</u>	<u>RED SHALE</u>																																																											
<u>45</u>	<u>60</u>	<u>SAND</u>																																																											
<u>60</u>	<u>85</u>	<u>RED SHALE</u>																																																											
<u>85</u>	<u>140</u>	<u>SAND</u>																																																											
<u>140</u>	<u>153</u>	<u>RED SHALE</u>																																																											
<u>153</u>	<u>174</u>	<u>SAND</u>																																																											
<u>174</u>	<u>190</u>	<u>RED SHALE</u>																																																											
<u>(COVER)</u> (Use reverse side if necessary)																																																													
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen																																																								
			From	To																																																									
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>370</u>	<u>SH40</u>																																																								
<u>2 1/2</u>	<u>N</u>	<u>PVC 4C</u>	<u>370</u>	<u>385</u>	<u>SH40</u>																																																								
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>294</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>370</u> ft. No. of Sacks Used <u>18</u> Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u>																																																											
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12.5</u> gpm with <u>10</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>235</u> ft. below land surface Date <u>5-15-92</u> Artesian flow _____ gpm. Date _____																																																											
		12) PACKERS: Type Depth																																																											
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																													
COMPANY NAME <u>SUGG WATER WELL SERVICE</u> (Type or print) WELL DRILLERS' LICENSE NO. <u>1006 W</u>																																																													
ADDRESS <u>13501 CHRISMAN #20</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TX</u> (State) <u>77039</u> (Zip)																																																													
(Signed) <u>James H. Sugg Jr.</u> (Licensed Well Driller) AUG 31 1992 (Signed) _____ (Registered Driller Trainee)																																																													
Please attach electric log, chemical analysis, and other pertinent information, if available. TWC use only: Well No. _____ Located on map <u>65.5-8</u>																																																													

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1615	2 of 2	NW	4.69 / 24,757.90	Mackenzie, Barbara TX	WW HARRIS GAL

Well ID:	9250	Diameter (inches):	4
Aggre Lead Well:	9250	Year Drilled:	
Permit No:	W2019-9250-203139-0	Depth Drilled:	NULL
Permit Start Date:	6/1/2019	Depth frm Surf(ft):	NULL
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.455833
Owner Name:	Mackenzie, Barbara		
Billing Contact:	NULL		
Billing Address:	2800 W. Mount Houston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1616	1 of 2	NNE	4.69 / 24,761.70	EDDIE VIZCAINO TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 10/8/2002
 Owners Name: EDDIE VIZCAINO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 14
 Depth Drilled: 50
 Latitude: 29.9070051
 Longtiude: -95.3837193

101

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																					
WELL REPORT																									
A. WELL IDENTIFICATION AND LOCATION DATA																									
1) OWNER																									
Name <u>Eddie Vignacio</u>		Address <u>14315 Henry Rd.</u>		City <u>Houston, Tx.</u>	State <u>Tx</u> Zip <u></u>																				
2) WELL LOCATION																									
County <u>Harris</u>		Physical Address <u>same</u>		City <u></u>	State <u></u> Zip <u></u>																				
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		Lat. Long. Grid # <u>65-05-9</u>		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No																					
6) Drilling Date Started <u>10/7/02</u> Completed <u>10/8/02</u>		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td><u>5 1/2</u></td> <td><u>0</u></td> <td><u>60</u></td> </tr> </table>		Dia. (in.)	From (ft)	To (ft)	<u>5 1/2</u>	<u>0</u>	<u>60</u>	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other <u></u>															
Dia. (in.)	From (ft)	To (ft)																							
<u>5 1/2</u>	<u>0</u>	<u>60</u>																							
From (ft) To (ft) Description and color of formation material <u>0-20</u> <u>Clay</u> <u>20-24</u> <u>Sand</u> <u>24-43</u> <u>Clay</u> <u>43-47</u> <u>Sand</u> <u>47-50</u> <u>Rocky clay</u>		8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give the interval from <u>40</u> ft to <u>50</u> ft.																							
		Casing, Blank Pipe, and Well Screen Data																							
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC.</u></td> <td><u>0-40</u></td> <td><u>40</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC. 5/8"</u></td> <td><u>40-50</u></td> <td><u>.08</u></td> <td></td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>PVC.</u>	<u>0-40</u>	<u>40</u>		<u>2</u>	<u>N</u>	<u>PVC. 5/8"</u>	<u>40-50</u>	<u>.08</u>	
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>PVC.</u>	<u>0-40</u>	<u>40</u>																					
<u>2</u>	<u>N</u>	<u>PVC. 5/8"</u>	<u>40-50</u>	<u>.08</u>																					
		9) Cementing Data Cementing from <u>0</u> ft. to <u>40</u> ft. # of sacks used <u>4</u> Method Used <u>Pneum.</u> Cementing By <u>C.W.W.</u> Distance to septic system field or other concentrated contamination <u>80</u> ft. Method of verification of above distance <u>RECEIVED</u>																							
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well:		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
14) Type Pump <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other <u></u> Depth to pump bowls, cylinder, jet etc., <u>30</u> ft.		11) Water Level Static level <u>14</u> ft. below Date <u>10/8/02</u> Artesian Flow _____ gpm. Date _____																							
15) Water Test Type test <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>5</u> gpm with _____ ft. drawdown after _____ hrs.		12) Packers Type _____ Depth <u>46'</u>																							
16) Water Quality Did you knowingly penetrate a strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water <u>Potable</u> Depth of Strata <u>5'</u> Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Company or individual's Name (type or print) <u>COASTAL WATER WELL Serv Inc.</u> Lic. No. <u>812</u> Address <u>P.O. Box 745</u> City <u>Porter</u> State <u>Tx</u> Zip <u>77365</u> Signature <u>J.P. Gehring</u> Date <u>10/8/02</u> Signature <u>Melvin W. Riddle</u> Date <u>10/8/02</u> Licensed Driller/Pump Installer Apprentice																							

TDLR FORM b001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1616	2 of 2	NNE	4.69 / 24,761.70	Calderon, Rosa TX	WW HARRIS GAL

Well ID:	11475	Diameter (inches):	4
Aggre Lead Well:	11475	Year Drilled:	
Permit No:	WP2023-111445	Depth Drilled:	2
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	1
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.907222
Regulatory Aarea:	3	Longitude:	-95.383055
Owner Name:	Vizcaino, Christian		
Billing Contact:	NULL		
Billing Address:	14315 Henry Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1617	1 of 1	N	4.69 / 24,768.88	PAUL HAFFNER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 7/25/1973
Owners Name: PAUL HAFFNER
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 90
Depth Drilled: 158
Latitude: 29.910789
Longtiude: -95.411786

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1618	1 of 1	N	4.69 / 24,775.46	Airline Auto Parts TX	WW HARRIS GAL

Well ID:	6875	Diameter (inches):	2
Aggre Lead Well:	6875	Year Drilled:	
Permit No:	W2021-6875-218042-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.910277
Regulatory Aarea:	3	Longitude:	-95.403055
Owner Name:	Airline Auto Parts		
Billing Contact:	NULL		
Billing Address:	10616 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1619	1 of 1	NE	4.69 / 24,777.76	Parada, Rafael TX	WW HARRIS GAL

Well ID:	14387	Diameter (inches):	2
Aggre Lead Well:	14387	Year Drilled:	
Permit No:	WP2022-112449	Depth Drilled:	0
Permit Start Date:	8/1/2022 4:36:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023 4:36:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.369166
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	7538 Trinity Hills Lane		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77396		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1620	1 of 1	NE	4.69 / 24,783.81	Gonzalez, Daniel & Norma Elaida TX	WW HARRIS GAL

Well ID:	14408	Diameter (inches):	4
Aggre Lead Well:	14408	Year Drilled:	2005
Permit No:	WP2023-114710	Depth Drilled:	300
Permit Start Date:	8/1/2023 10:37:00 AM	Depth frm Surf(ft):	200
Permit End Dt:	7/31/2024 10:37:12 AM	County:	H
Well Status:	O - Operable	Latitude:	29.892222
Regulatory Aarea:	3	Longitude:	-95.356111
Owner Name:	NULL; NULL		
Billing Contact:	NULL		
Billing Address:	12217 Aldine Westfield Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL; NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1621	1 of 1	NNE	4.70 / 24,796.05	Harris Co. Toll Road Authority TX	WW HARRIS GAL

Well ID:	4252	Diameter (inches):	4
Aggre Lead Well:	4252	Year Drilled:	1988
Permit No:	W2012-4252-160973-0	Depth Drilled:	357
Permit Start Date:	11/1/2012	Depth frm Surf(ft):	347
Permit End Dt:	5/5/2016	County:	H
Well Status:	P - Plugged	Latitude:	29.8975
Regulatory Aarea:	3	Longitude:	-95.371944
Owner Name:	Harris Co. Toll Road Authority		
Billing Contact:	Gail Miller		
Billing Address:	7701 Wilshire Place Dr., 5th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77040		
Correspondence:	Felita Fischer		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1622	1 of 1	NE	4.70 / 24,796.07	NAHPP Interests TX	WW HARRIS GAL

Well ID:	11776	Diameter (inches):	4
Aggre Lead Well:	11776	Year Drilled:	
Permit No:	W2012-11776-159204-0	Depth Drilled:	50
Permit Start Date:	12/31/2011	Depth frm Surf(ft):	40
Permit End Dt:	12/31/2011	County:	H
Well Status:	C - Capped	Latitude:	29.899722
Regulatory Aarea:	3	Longitude:	-95.367222
Owner Name:	NAHPP Interests		
Billing Contact:	Moe Nahidi		
Billing Address:	7590 Fallbrook Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77086		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1623	1 of 2	NNE	4.70 / 24,805.61	Patino, Maria L. TX	WW HARRIS GAL

Well ID:	14784	Diameter (inches):	4
Aggre Lead Well:	14784	Year Drilled:	
Permit No:	WP2023-111997	Depth Drilled:	0
Permit Start Date:	8/1/2023 2:35:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:35:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.3775
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	14144 Sweeney Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1623	2 of 2	NNE	4.70 / 24,805.61	BOBBY CHRISTOPHER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 12/02/1992
Owners Name: BOBBY CHRISTOPHER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 398
Latitude: 29.904957
Longtiude: -95.37743

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>BOBBY CHRISTOPHER</u> (Name) ADDRESS <u>14144 SWEENEY</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TEXAS</u> (State) <u>77060</u> (Zip)																																																										
2) LOCATION OF WELL: County <u>HARRIS</u> <u>10</u> miles in <u>N</u> direction from <u>HOUSTON</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: _____ Started <u>12-1</u> 19 <u>92</u> Completed <u>12-2</u> 19 <u>92</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> </thead> <tbody> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>389</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>389</u></td> <td><u>398</u></td> </tr> </tbody> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>389</u>	<u>3 7/8</u>	<u>389</u>	<u>398</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give Interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>389</u>																																																								
<u>3 7/8</u>	<u>389</u>	<u>398</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0</u></td><td><u>45</u></td><td><u>TAP SOIL & RED SHALE</u></td></tr> <tr><td><u>45</u></td><td><u>63</u></td><td><u>RED SAND</u></td></tr> <tr><td><u>63</u></td><td><u>170</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>170</u></td><td><u>190</u></td><td><u>SAND</u></td></tr> <tr><td><u>190</u></td><td><u>235</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>235</u></td><td><u>255</u></td><td><u>SAND</u></td></tr> <tr><td><u>255</u></td><td><u>308</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>308</u></td><td><u>311</u></td><td><u>ROCKY LIME</u></td></tr> <tr><td><u>311</u></td><td><u>378</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>378</u></td><td><u>398</u></td><td><u>SAND</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>45</u>	<u>TAP SOIL & RED SHALE</u>	<u>45</u>	<u>63</u>	<u>RED SAND</u>	<u>63</u>	<u>170</u>	<u>RED SHALE</u>	<u>170</u>	<u>190</u>	<u>SAND</u>	<u>190</u>	<u>235</u>	<u>RED SHALE</u>	<u>235</u>	<u>255</u>	<u>SAND</u>	<u>255</u>	<u>308</u>	<u>RED SHALE</u>	<u>308</u>	<u>311</u>	<u>ROCKY LIME</u>	<u>311</u>	<u>378</u>	<u>RED SHALE</u>	<u>378</u>	<u>398</u>	<u>SAND</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>383</u></td> <td><u>SN 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>383</u></td> <td><u>398</u></td> <td><u>SN 40</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>383</u>	<u>SN 40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>383</u>	<u>398</u>	<u>SN 40</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0</u>	<u>45</u>	<u>TAP SOIL & RED SHALE</u>																																																								
<u>45</u>	<u>63</u>	<u>RED SAND</u>																																																								
<u>63</u>	<u>170</u>	<u>RED SHALE</u>																																																								
<u>170</u>	<u>190</u>	<u>SAND</u>																																																								
<u>190</u>	<u>235</u>	<u>RED SHALE</u>																																																								
<u>235</u>	<u>255</u>	<u>SAND</u>																																																								
<u>255</u>	<u>308</u>	<u>RED SHALE</u>																																																								
<u>308</u>	<u>311</u>	<u>ROCKY LIME</u>																																																								
<u>311</u>	<u>378</u>	<u>RED SHALE</u>																																																								
<u>378</u>	<u>398</u>	<u>SAND</u>																																																								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>383</u>	<u>SN 40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>383</u>	<u>398</u>	<u>SN 40</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>315</u> ft.		CEMENTING DATA (Rule 287.44(1)) Cemented from <u>0</u> ft. to <u>383</u> ft. No. of Sacks Used <u>23</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u>																																																								
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>13.5</u> gpm with <u>14</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>12-2-92</u> Artesian flow _____ gpm. Date _____																																																								
		12) PACKERS: Type Depth <u>2</u> <u>3-RING K</u> <u>380</u>																																																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>SUGG WATER WELL DRILLING</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u>																																																										
ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD) <u>HOUSTON</u> (City) <u>TEXAS</u> (State) <u>77039</u> (Zip)																																																										
(Signed) <u>James N. Sugg Jr.</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. _____ Located on map <u>65-5-9</u>																																																										

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1624	1 of 2	NE	4.70 / 24,818.46	L D Trading TX	WW HARRIS GAL

Well ID:	10641	Diameter (inches):	4
Aggre Lead Well:	10641	Year Drilled:	2007
Permit No:	W2021-10641-218418-0	Depth Drilled:	50
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.901111
Regulatory Aarea:	3	Longitude:	-95.368055
Owner Name:	L D Trading		
Billing Contact:	NULL		
Billing Address:	1230 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1624	2 of 2	NE	4.70 / 24,818.46	Aldine Imports 1230 Aldine Mail Rt. Houston TX 77039	SDRW WELLS

Track NO: 114574
Date Submitted: 2007-06-15
Owner Name: Aldine Imports
Owner Address: 1230 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901945
Longitude: -95.368889
Drilling Date Started: 2007-06-11
Drilling Date Completed: 2007-06-11
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=114574&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2007-06-11

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1625	1 of 2	WSW	4.70 / 24,822.07	PPG Architectural Coatings TX	WW HARRIS GAL
<hr/>					
Well ID:	4681			Diameter (inches):	4
Aggre Lead Well:	4680			Year Drilled:	
Permit No:	W2017-4680-193413-0			Depth Drilled:	0
Permit Start Date:	11/1/2017			Depth frm Surf(ft):	0
Permit End Dt:	11/1/2017			County:	H
Well Status:	P - Plugged			Latitude:	29.825277
Regulatory Aarea:	3			Longitude:	-95.4875
Owner Name:	PPG Architectural Coatings				
Billing Contact:	NULL				
Billing Address:	3530 Lang Road				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77092				
Correspondence:	NULL				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller				
Water Usage:	I - Industrial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1625	2 of 2	WSW	4.70 / 24,822.07	PPG Architectural Coatings TX	WW HARRIS GAL
<hr/>					
Well ID:	4680			Diameter (inches):	4
Aggre Lead Well:	4680			Year Drilled:	1990
Permit No:	W2017-4680-193413-0			Depth Drilled:	400
Permit Start Date:	11/1/2017			Depth frm Surf(ft):	294
Permit End Dt:	11/1/2017			County:	H
Well Status:	2 - No electric or plumbing			Latitude:	29.825
Regulatory Aarea:	3			Longitude:	-95.488333
Owner Name:	PPG Architectural Coatings				
Billing Contact:	NULL				
Billing Address:	3530 Lang Road				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77092				
Correspondence:	NULL				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller				
Water Usage:	I - Industrial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1626	1 of 1	NE	4.70 / 24,823.48	Sanchez, Irma TX	WW HARRIS GAL

Well ID:	14411	Diameter (inches):	2
Aggre Lead Well:	14411	Year Drilled:	
Permit No:	W2019-14411-202706-0	Depth Drilled:	0
Permit Start Date:	3/13/2019	Depth frm Surf(ft):	0
Permit End Dt:	3/13/2019	County:	H
Well Status:	O - Operable	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.369166
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	1214 Aldine Mail Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1627	1 of 1	NW	4.70 / 24,823.78	Casey's Auto Repair TX	WW HARRIS GAL

Well ID:	13435	Diameter (inches):	4
Aggre Lead Well:	13435	Year Drilled:	0
Permit No:	WP2023-107724	Depth Drilled:	400
Permit Start Date:	6/1/2023 1:08:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.455
Owner Name:	Casey's Auto Repair		
Billing Contact:	Jose Rosas		
Billing Address:	11602 Mckinley St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1628	1 of 6	ESE	4.70 / 24,827.47	Goodwill Industries TX	GWDB

Well Rep Track No:
State Well No: 6514440
Owner Name: Goodwill Industries
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1984
Well Depth: 561
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8083340
Longitude: -95.3411110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514440&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514440&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1628	2 of 6	ESE	4.70 / 24,827.47	Goodwill Industries #3 TX	GWDB

Well Rep Track No:
State Well No: 6514431
Owner Name: Goodwill Industries #3
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1955
Well Depth: 579
Well Usage: Industrial
Water Level Status:
Latitude: 29.8072230
Longitude: -95.3400000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514431&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514431&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1628	3 of 6	ESE	4.70 / 24,827.47	GOODWILL INDUSTRIES TX	TCEQ WELL LOGS

Grid No:	65-14-4E
Date Drilled:	04/29/1984
Owners Name:	GOODWILL INDUSTRIES
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	NOT REPORTED
Depth Drilled:	561
Latitude:	29.808574
Longitude:	-95.341355

Send original copy by certified mail to the Texas Department of Water Resources
P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-14-4E
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Goeder II Industries Address 5200 Jensen Houston TX
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harri miles in _____ direction from _____
County _____ (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☒ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Well #1 (Standby)
Date drilled 4/29/84

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>10</u>	<u>Surface</u>	<u>500</u>
<u>8</u>	<u>500</u>	<u>561</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>5 7/8</u>	<u>N</u>	<u>Blank Steel cas</u>	<u>42</u>	<u>500</u>	
<u>3 1/2</u>	<u>N</u>	<u>Blank Steel casing</u>	<u>417</u>	<u>509</u>	
		<u>Lead seal</u>	<u>417</u>		
<u>3 1/2</u>	<u>N</u>	<u>Stainless steel screen</u>	<u>509</u>	<u>560</u>	<u>.010</u>
		<u>Berweld</u>			

CEMENTING DATA
Cemented from Surface ft. to 500 ft.
Method used Pelluburn
Cemented by Pelluburn
(Company or Individual)

9) WATER LEVEL:
Static level ? ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth Above

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☒ Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
Yield: 100 gpm with ? ft. drawdown after 4 hrs.

13) WATER QUALITY: Surface water could off
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☒ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leland Lawson Water Well Drillers Registration No. 28
(Type or Print)
ADDRESS PO Box 9469 Houston TX 77261
(Street or RFD) (City) (State) (Zip)
(Signed) Leland Lawson #28 Logan Texas Co
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

L. VINE TEXAS COMPANY
HOUSTON -:- DALLAS

WELL LOG

REPORT NO.
S. O. 1102-2408
PAGE 1 of 1
FILE NO. 4139
DATE 4/29/84

CUSTOMER LOCATION		WELL DATA	
FOR	Goodwill Industries	NAME WELL	WELL NO. 1
LOCATION WELL	5200 Block Jensen	ELEVATION	DATUM
SURVEY	FIELD	RT	C GR
COUNTY	Harris	TEST HOLE SIZE	7 7/8" TD 561'
STATE	Texas	DATE STARTED DRILLING	4/28/84
OTHER LAND MARKS		DATE FINISHED DRILLING	4/29/84
		DRILLER	B. Baker
		RIG NO.	13
		TYPE MUD	Gel
		NO. SACKS	10
		ELECTRIC LOG	TYPE
		SURVEY	None
		TYPE	
		OTHER	

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES		
			DEPTH	TYPE	NUMBER
0		Surface			
10'	10'	Top soil			
150'	140'	Clay			
198'	48'	Sand			
220'	22'	Clay			
228'	8'	Sand			
230'	2'	Clay			
252'	22'	Sand			
256'	4'	Clay			
270'	14'	Sand			
315'	45'	Clay			
322'	7'	Sand			
379'	57'	Clay			
404'	25'	Sand			
424'	20'	Clay			
437'	13'	Sand			
444'	7'	Clay			
453'	9'	Sandy clay			
480'	27'	Sand			
490'	10'	Clay			
497'	7'	Sand			
500'	3'	Clay			
561'	61'	Sand			

4E

EDNA WOOD LABORATORIES, INC.
WATER TECHNOLOGISTS · CHEMISTS · MICROBIOLOGISTS

7 May 1984

To: Layne Texas Company
P. O. Box 9469
Houston, Texas 77261

SO #1102-2408

Sample marked: Well No. 3, Sample No. 1, Goodwell 5200 Janston. Pumping at 100 gpm. Screened: 510' to 560'. Clear - By Birdwell

Received: 5-1-84. Turbid sample, filtered for analysis thru 0.45µ membrane.

WATER ANALYSIS
results in parts per million (mg/l) except as noted

Dissolved Residue at 350° C	280	Conductance, micromhos/cm, 25°C	500
Total Dissolved Solids, actual†	396	Color, units	15
Total Dissolved Solids, calc.	407	Turbidity, units	19
Silica SiO ₂	23	As Calcium Carbonate, CaCO ₃ :	
Calcium Ca	54	Phenolphthalein Alkalinity	0
Magnesium Mg	7	Total Alkalinity	188
Sodium (diff.) Na + K as Na	42	Total Hardness	163
Carbonate CO ₃	0	Free Carbon Dioxide CO ₂	10
Bicarbonate HCO ₃	229	pH . . . 7.53 at 23°C	
Sulfate SO ₄	12	HYPOTHETICAL COMBINATIONS	
Chloride Cl	38		
Total Fluoride F	0.15		
Total Nitrate NO ₃	1.6		
Total Manganese * Mn	0.02		
Total Iron * Fe	1.1		
Iron, filtered sample * Fe	0.02		

*By Atomic Absorption

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO₃) ion

EDNA WOOD LABORATORIES, INC.

9717
pm

By: *Alice Perry*
Alice Perry, Supervising Chemi

45

EDNA WOOD LABORATORIES, INC.

WATER TECHNOLOGISTS · CHEMISTS · MICROBIOLOGISTS

7 May 1984

To: Layne Texas Company
P. O. Box 9469
Houston, Texas 77261

SO #1102-2408

Sample marked: Well No. 3, Sample No. 1, Goodwell 5200 Janston. Pumping at 100 gpm. Screened: 510' to 560'. Clear - By Birdwell

Received: 5-1-84. Turbid sample, filtered for analysis thru 0.45µ membrane.

WATER ANALYSIS
results in parts per million (mg/l) except as noted

Dissolved Residue at 350° C	280	Conductance, micromhos/cm, 25°C	500
Total Dissolved Solids, actual†	396	Color, units	15
Total Dissolved Solids, calc.	407	Turbidity, units	19
Silica SiO ₂	23	As Calcium Carbonate, CaCO ₃ :	
Calcium Ca	54	Phenolphthalein Alkalinity	0
Magnesium Mg	7	Total Alkalinity	188
Sodium (diff.) Na + K as Na	42	Total Hardness	163
Carbonate CO ₃	0	Free Carbon Dioxide CO ₂	10
Bicarbonate HCO ₃	229	pH . . . 7.53 at 23°C	
Sulfate SO ₄	12	HYPOTHETICAL COMBINATIONS	
Chloride Cl	38		
Total Fluoride F	0.15		
Total Nitrate NO ₃	1.6		
Total Manganese * Mn	0.02		
Total Iron * Fe	1.1		
Iron, filtered sample * Fe	0.02		

*By Atomic Absorption

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO₃) ion

EDNA WOOD LABORATORIES, INC.

9717
pm

By: *Alice Perry*
Alice Perry, Supervising Chemist

AE



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1628	4 of 6	ESE	4.70 / 24,827.47	GOODWILL INDUSTRIES OF HOUSTON TX	WW HARRIS GAL

Well ID:	3993	Diameter (inches):	5
Aggre Lead Well:	2270	Year Drilled:	1990
Permit No:	W1996-2270-52787-0	Depth Drilled:	540
Permit Start Date:	11/13/1996	Depth frm Surf(ft):	500
Permit End Dt:	6/30/1998	County:	H
Well Status:	L - Lost	Latitude:	29.808055
Regulatory Aarea:	2	Longitude:	-95.340833
Owner Name:	GOODWILL INDUSTRIES OF HOUSTON		
Billing Contact:	H. BARKLEY WEDEMEYER		
Billing Address:	P.O. Box 21185		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77026		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1628	5 of 6	ESE	4.70 / 24,827.47	GOODWILL INDUSTRIES OF HOUSTON TX	WW HARRIS GAL

Well ID:	2270	Diameter (inches):	10
Aggre Lead Well:	2270	Year Drilled:	1955
Permit No:	W1998-2270-57865-0	Depth Drilled:	579
Permit Start Date:	7/1/1998	Depth frm Surf(ft):	496
Permit End Dt:	6/30/1999	County:	H
Well Status:	P - Plugged	Latitude:	29.808055
Regulatory Aarea:	2	Longitude:	-95.340833
Owner Name:	GOODWILL INDUSTRIES OF HOUSTON		
Billing Contact:	H. BARKLEY WEDEMEYER		
Billing Address:	P.O. Box 21185		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77026		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1628	6 of 6	ESE	4.70 / 24,827.47	USGS-294829095202702 TX	FED USGS

Site No: USGS-294829095202702
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19840429
Well Depth: 561
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-440
Latitude: 29.80833333000000
Longitude: -95.34111111000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1629	1 of 2	NE	4.70 / 24,828.59	BOULAIS MOBILE HOME PARK TX	WUD

Primary Co: JOSEPH A. BOULAIS
Contact Ti: OWNER
Operating Status: OPERATIONAL
PWSID: 1012741
Source ID: G1012741A
Utility Name: BOULAIS MOBILE HOME PARK
WTRSRC: G1012741A
Date Drilled: 06/22/1982
Well Depth: 368
Screen Top: 348
Screen Bottom: 368
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 28
CCN: N/A
Latitude: 29.89916992
Longitude: -95.36538696
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1629	2 of 2	NE	4.70 / 24,828.59	Boulais, Joe TX	WW HARRIS GAL

Well ID:	4603	Diameter (inches):	4
Aggre Lead Well:	4603	Year Drilled:	1980
Permit No:	WP2022-112497	Depth Drilled:	400
Permit Start Date:	8/1/2022 2:54:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.365277
Owner Name:	Boulais, Joe		
Billing Contact:	NULL		
Billing Address:	13525 Aldine Westfield		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1630	1 of 1	NNE	4.70 / 24,830.66	Daryl & Ruth Jaeger 316 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 164781
Date Submitted: 2009-01-09
Owner Name: Daryl & Ruth Jaeger
Owner Address: 5905 Jaeger Rd.
Owner Address2:
Owner City: Burton
Owner State: TX
Owner Zip: 77835
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909445
Longitude: -95.391945
Drilling Date Started: 2008-12-16
Drilling Date Completed: 2008-12-16
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=164781&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2008-12-16

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1631	1 of 1	NNE	4.70 / 24,841.94	Allen Bishop 235 Hambrick Rd. Houston TX 77060	SDRW WELLS

Track NO: 284798
Date Submitted: 2012-04-25
Owner Name: Allen Bishop
Owner Address: 235 Hambrick Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909723
Longitude: -95.396111
Drilling Date Started: 2012-04-23
Drilling Date Completed: 2012-04-23
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=284798&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2012-04-24

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1632	1 of 1	NW	4.71 / 24,847.52	JOHN RODRIGUEZ TX	TCEQ WELL LOGS

Grid No: 65-05-7G
Date Drilled: 03/02/1973
Owners Name: JOHN RODRIGUEZ
County: HARRIS
Water Usage: DOMESTIC
Static Level: 178
Depth Drilled: 311
Latitude: 29.896875
Longtiude: -95.45823

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-95-76
Located on map yes
Received: 73 dk

1) OWNER:
Person having well drilled John Rodriguez (Name) Address Balton W. Mc Huron Houston Texas (Street or RFD) (City) (State)
Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in 4 direction from Houston (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Washington
W. 17th Houston
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rough ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 311 ft. Depth of completed well 311 ft. Date drilled 3/2/73
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 3		Top Soil
3 - 295		Unconsolidated
295 - 311		SAND

9) Casing:
Type: Old ☒ New ☐ Steel ☐ Plastic ☐ Other ☐
Cemented from 240 ft. to 290 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	290	30
2	290	301	40

10) SCREEN:
Type SSR
Perforated ☒ Slotted ☐
Diameter (inches) 2 Setting From (ft.) 301 To (ft.) 311 Slot Size 12g

7) COMPLETION (Check):
Straight well ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 178 ft. below land surface Date 3/3/73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☐ No ☒ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussele (Type or Print) Water Well Drillers Registration No. 707
ADDRESS 7737 North Houston Rosslyn Houston Texas (Street or RFD) (City) (State)
(Signed) Tommy C. Bussele (Water Well Driller) Bussele & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWOBE-WDS

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1633	1 of 2	NNE	4.71 / 24,868.83	DAVID TURNER TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 07/30/1997
Owners Name: DAVID TURNER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 406
Latitude: 29.9068724
Longtiude: -95.3822928

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																								
1) OWNER <u>DAVID TURNER</u> (Name)		ADDRESS <u>14310 HENRY HOUSTON TX 77060</u> (Street or RFD) (City) (State) (Zip)																																										
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>14310 HENRY HOUSTON TX 77060</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65 05 6</u>																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <div style="text-align: center; font-size: 2em;">X</div>																																								
6) WELL LOG: Date Drilling: <u>7-28-97</u> Started <u>7-28-97</u> Completed <u>7-30-97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>400</u></td> </tr> <tr> <td><u>3 1/8</u></td> <td><u>400</u></td> <td><u>406</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>400</u>	<u>3 1/8</u>	<u>400</u>	<u>406</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																															
Dia. (in.)	From (ft.)	To (ft.)																																										
<u>7</u>	Surface	<u>400</u>																																										
<u>3 1/8</u>	<u>400</u>	<u>406</u>																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0</u></td><td><u>6</u></td><td><u>TOP SOIL</u></td></tr> <tr><td><u>6</u></td><td><u>20</u></td><td><u>YELLOW SHALE</u></td></tr> <tr><td><u>20</u></td><td><u>42</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>42</u></td><td><u>60</u></td><td><u>RED SAND</u></td></tr> <tr><td><u>60</u></td><td><u>105</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>105</u></td><td><u>133</u></td><td><u>SAND</u></td></tr> <tr><td><u>133</u></td><td><u>172</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>172</u></td><td><u>230</u></td><td><u>SAND</u></td></tr> <tr><td><u>230</u></td><td><u>297</u></td><td><u>RED SALE</u></td></tr> <tr><td><u>297</u></td><td><u>345</u></td><td><u>SAND</u></td></tr> <tr><td><u>345</u></td><td><u>377</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>377</u></td><td><u>406</u></td><td><u>SAND</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>6</u>	<u>TOP SOIL</u>	<u>6</u>	<u>20</u>	<u>YELLOW SHALE</u>	<u>20</u>	<u>42</u>	<u>RED SHALE</u>	<u>42</u>	<u>60</u>	<u>RED SAND</u>	<u>60</u>	<u>105</u>	<u>RED SHALE</u>	<u>105</u>	<u>133</u>	<u>SAND</u>	<u>133</u>	<u>172</u>	<u>RED SHALE</u>	<u>172</u>	<u>230</u>	<u>SAND</u>	<u>230</u>	<u>297</u>	<u>RED SALE</u>	<u>297</u>	<u>345</u>	<u>SAND</u>	<u>345</u>	<u>377</u>	<u>RED SHALE</u>	<u>377</u>	<u>406</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																										
<u>0</u>	<u>6</u>	<u>TOP SOIL</u>																																										
<u>6</u>	<u>20</u>	<u>YELLOW SHALE</u>																																										
<u>20</u>	<u>42</u>	<u>RED SHALE</u>																																										
<u>42</u>	<u>60</u>	<u>RED SAND</u>																																										
<u>60</u>	<u>105</u>	<u>RED SHALE</u>																																										
<u>105</u>	<u>133</u>	<u>SAND</u>																																										
<u>133</u>	<u>172</u>	<u>RED SHALE</u>																																										
<u>172</u>	<u>230</u>	<u>SAND</u>																																										
<u>230</u>	<u>297</u>	<u>RED SALE</u>																																										
<u>297</u>	<u>345</u>	<u>SAND</u>																																										
<u>345</u>	<u>377</u>	<u>RED SHALE</u>																																										
<u>377</u>	<u>406</u>	<u>SAND</u>																																										
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>386</u></td> <td><u>SCH 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>386</u></td> <td><u>406</u></td> <td><u>SCH 80</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>386</u>	<u>SCH 40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>386</u>	<u>406</u>	<u>SCH 80</u>																			
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																							
			From	To																																								
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>386</u>	<u>SCH 40</u>																																							
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>386</u>	<u>406</u>	<u>SCH 80</u>																																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>386</u> ft. No. of sacks used <u>25</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>130</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																																										
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																										
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>225</u> ft. below land surface Date <u>7-30-97</u> Artesian flow _____ gpm. Date _____																																										
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Type</th> <th style="width: 40%;">Depth</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		Type	Depth							I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																		
Type	Depth																																											
COMPANY NAME <u>SUGG WATER WELL</u> (Type or print) ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD) (City) (State) (Zip) (Signed) <u>James H. Sugg</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u> EMP # <u>1006 WPKL</u> (State) (Zip) (Signed) _____ (Registered Driller Trainee)																																										

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY












<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1633	2 of 2	NNE	4.71 / 24,868.83	DAVE B. TURNER TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 02/14/1973
Owners Name: DAVE B. TURNER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 189
Depth Drilled: 336
Latitude: 29.9068724
Longitude: -95.3822928

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. _____ Located on map <u>NO</u> Received: <u>73</u> <u>dlf</u>																																														
1) OWNER: Person having well drilled <u>Dave B. Turner</u> Address <u>14310 Henry Road - Houston, Texas</u> <small>(Name) (Street or RFD) (City) (State)</small> Landowner <u>Same</u> Address <u>Same</u> <small>(Name) (Street or RFD) (City) (State)</small>																																																		
2) LOCATION OF WELL: County <u>Harris</u> miles in _____ direction from _____ <small>(N.E., S.W., etc.) (Town)</small> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* <div style="text-align: center;"> North  </div> </div> <div style="width: 45%;"> OR Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____ </div> </div>																																																		
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																																														
6) WELL LOG: Diameter of hole <u>4"</u> in. Depth drilled <u>336</u> ft. Depth of completed well <u>336</u> ft. Date drilled <u>2/14/73</u> All measurements made from <u>0</u> ft. above ground level.																																																		
<table border="1" style="width:100%; border-collapse: collapse; font-size: 0.8em;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>26</td><td>Surface Yellow & red clay</td></tr> <tr><td>26</td><td>32</td><td>Sand</td></tr> <tr><td>32</td><td>44</td><td>Red Clay</td></tr> <tr><td>44</td><td>48</td><td>Sand & sand rock</td></tr> <tr><td>48</td><td>62</td><td>Red Clay</td></tr> <tr><td>62</td><td>86</td><td>Sand</td></tr> <tr><td>86</td><td>120</td><td>Clay</td></tr> <tr><td>120</td><td>160</td><td>Clay</td></tr> <tr><td>160</td><td>176</td><td>Sand</td></tr> <tr><td>176</td><td>216</td><td>Clay</td></tr> <tr><td>216</td><td>264</td><td>Clay - light sand breaks & rock</td></tr> <tr><td>264</td><td>288</td><td>Clay light sandy rock</td></tr> <tr><td>288</td><td>314</td><td>Clay</td></tr> <tr><td>314</td><td>336</td><td>Sand</td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material	0	26	Surface Yellow & red clay	26	32	Sand	32	44	Red Clay	44	48	Sand & sand rock	48	62	Red Clay	62	86	Sand	86	120	Clay	120	160	Clay	160	176	Sand	176	216	Clay	216	264	Clay - light sand breaks & rock	264	288	Clay light sandy rock	288	314	Clay	314	336	Sand	9) CASING: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____ Cemented from <u>0</u> ft. to <u>327</u> ft. Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gauge _____ <u>4"</u> <u>0</u> <u>327 ft.</u>		
From (ft.)	To (ft.)	Description and color of formation material																																																
0	26	Surface Yellow & red clay																																																
26	32	Sand																																																
32	44	Red Clay																																																
44	48	Sand & sand rock																																																
48	62	Red Clay																																																
62	86	Sand																																																
86	120	Clay																																																
120	160	Clay																																																
160	176	Sand																																																
176	216	Clay																																																
216	264	Clay - light sand breaks & rock																																																
264	288	Clay light sandy rock																																																
288	314	Clay																																																
314	336	Sand																																																
10) SCREEN: Type <u>Stainless steel rod base</u> Perforated <input checked="" type="checkbox"/> Slotted _____ Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____ <u>2 1/2" blank</u> <u>334</u> <u>336</u> <u>2 1/2" screen</u> <u>329</u> <u>334</u> <u>.012 RBS</u> <u>2 1/2" blank</u> <u>322</u> <u>329</u>																																																		
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel-packed _____ Other _____ Under reamed _____ Open-hole _____			11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> No _____ If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailor test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																															
8) WATER LEVEL: Static level <u>189</u> ft. below land surface Date <u>2/14/73</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>231</u> ft. below land surface.			12) WATER QUALITY: Was a chemical analysis made? Yes <input checked="" type="checkbox"/> No _____ Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____																																															
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																		
NAME <u>R/ B. Lowry</u> <small>(Type or Print)</small>		Water Well Drillers Registration No. <u>146</u>																																																
ADDRESS <u>4012 Fulton - P. O. Box 8707</u> <small>(Street or RFD)</small>		<u>Houston, Texas 77009</u> <small>(City) (State)</small>																																																
(Signed) <u>John E. Johnson</u> <small>(Water Well Driller)</small>		LOWRY WATER WELLS <small>(Company Name)</small>																																																
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																		

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1634	1 of 1	NNE	4.71 / 24,868.99	Fabiola Gamez 320 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 327698
Date Submitted: 2013-07-29
Owner Name: Fabiola Gamez
Owner Address: 320 Hambrick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909445
Longitude: -95.392778
Drilling Date Started: 2013-07-25
Drilling Date Completed: 2013-07-25
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=327698&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 53

Top Depth:
Bottom Depth: 53.0

Well Levels

Measurement: 15
Measurement Date: 2013-07-25

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1635	1 of 1	NE	4.71 / 24,871.40	Boulais, Joe TX	WW HARRIS GAL

Well ID:	4606	Diameter (inches):	4
Aggre Lead Well:	4606	Year Drilled:	19
Permit No:	WP2022-112499	Depth Drilled:	0
Permit Start Date:	8/1/2022 2:58:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.368333
Owner Name:	Boulais, Joe		
Billing Contact:	NULL		
Billing Address:	13525 Aldine Westfield		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1636	1 of 2	WSW	4.71 / 24,874.49	MONARCH PAINT CO TX	TCEQ WELL LOGS

Grid No: 65-13-4V
 Date Drilled: 03/27/1980
 Owners Name: MONARCH PAINT CO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 331
 Latitude: 29.824401
 Longtiude: -95.486468

8

State of Texas		WATER WELL REPORT		For TDWR use only	
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711		ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		Well No. <u>65-13-4V</u> Located on map <u>YES</u> Received: <u>TH</u>	
1) OWNER <u>Monarch Paint Co.</u> (Name)		Address <u>3530 Lang Rd.</u> (Street or RFD)		<u>Houston</u> (City) <u>Texas</u> (State) <u></u> (Zip)	
2) LOCATION OF WELL: County <u>Harris</u> <u>7</u> miles in <u>SE</u> direction from <u>Jersey Village</u> (N.E., S.W., etc.) (Town)					
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.		<input type="checkbox"/> Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____			
<u>1</u>		<input checked="" type="checkbox"/> See attached map. <u>Map on 65-02-8L</u>			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other _____		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Driven <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
6) WELL LOG: Date drilled <u>3/27/80</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6 1/2</u> Surface <u>331</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:			
0-8 blackland		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To Gauge Casing Screen
8-30 red+gray clay					
30-54 red clay+ sand strips		4"	New	Plastic Casing	0 320 40
54-113 red+gray clay					
113-128 fine sand		2 1/2"	New	Plastic Screen	326 331 12
128-217 red+gray clay					
217-219 rock					
219-236 coarse sand					
236-272 red+gray clay					
272-286 coarse sand					
286-300 red+gray clay					
300-317 rock, shell, + sand					
317-331 coarse sand					
		CEMENTING DATA Cemented from <u>320</u> ft. to <u>150</u> ft. Method used <u>Pressurized</u> Cemented by <u>Ind.</u> (Company or individual)			
		9) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>3/28/80</u> Artesian flow _____ gpm. Date _____			
		10) PACKERS: Type Depth <u>2 1/2" x 4" A+B 3 Ring</u> <u>316'</u>			
		11) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.			
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Fresh</u> Depth of strata <u>14'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) WELL TESTS: <input type="checkbox"/> Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.					
NAME <u>Bobby Patter</u> (Type or Print)		Water Well Drillers Registration No. <u>1872</u>			
ADDRESS <u>5717 Chippewa</u> (Street or RFD)		<u>Houston</u> (City)		<u>Texas</u> (State) <u>77086</u> (Zip)	
(Signed) <u>Bobby Patter</u> (Water Well Driller)		<u>Damrell + Patter Drilling Co.</u> (Company Name)			
Please attach electric log, chemical analysis, and other pertinent information, if available.					

TDWR-0392 (Rev. 1-12-79)


DEPARTMENT OF WATER RESOURCES COPY

8

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TDWR use only Well No. <u>65-13-4V</u> Located on map <u>YES</u> Received: <u>TH</u>	
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side					
1) OWNER <u>Monarch Paint Co.</u> (Name) 2) LOCATION OF WELL: County <u>Harris</u> <u>7</u> miles in <u>S.E.</u> direction from <u>Jersey Village</u> (Town)		Address <u>3530 Lang Rd.</u> <u>Houston</u> <u>Texas</u> (Street or RFD) (City) (State) (Zip)			
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. <div style="display: flex; justify-content: space-between;"> <div> <u>1</u> </div> <div> <input type="checkbox"/> Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____ </div> </div>					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other _____		5) DRILLING METHOD (Check): <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Driven <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
6) WELL LOG: Date drilled <u>3/27/80</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6 1/2</u> Surface <u>331</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial		Setting (ft.) From To Gage Casing Screen	
<u>0-8 blackland</u>					
<u>8-30 red + gray clay</u>					
<u>30-54 red clay + sand strips</u>		<u>4" New</u>		<u>Plastic Casing</u>	
<u>54-113 red + gray clay</u>					
<u>113-128 fine sand</u>		<u>2 1/2" New</u>		<u>Plastic Screen</u>	
<u>128-217 red + gray clay</u>					
<u>217-219 rock</u>					
<u>219-236 coarse sand</u>					
<u>236-272 red + gray clay</u>					
<u>272-286 coarse sand</u>					
<u>286-300 red + gray clay</u>					
<u>300-317 rock, shell, + sand</u>					
<u>317-331 coarse sand</u>					
		CEMENTING DATA Cemented from <u>320</u> ft. to <u>150</u> ft. Method used <u>Pressurized</u> Cemented by <u>Ind.</u> (Company or Individual)			
		9) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>3/28/80</u> Artesian flow _____ gpm. Date _____			
		10) PACKERS: Type Depth <u>2 1/2" x 4" B+R 3 Ring</u> <u>316'</u>			
		11) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.			
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Fresh</u> Depth of strata <u>14'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) WELL TESTS: <input type="checkbox"/> Type Test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.					
NAME <u>Bobby Potter</u> (Type or Print) ADDRESS <u>5717 Chippewa</u> <u>Houston</u> <u>Texas</u> <u>77086</u> (Street or RFD) (City) (State) (Zip)		Water Well Drillers Registration No. <u>1872</u>			
(Signed) <u>Bobby Potter</u> (Water Well Driller) Please attach electric log, chemical analysis, and other pertinent information, if available.		<u>Damrell + Potter Drilling Co.</u> (Company Name)			

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1636	2 of 2	WSW	4.71 / 24,874.49	MONARCH PAINT CO TX	TCEQ WELL LOGS

Grid No: 65-13-4
Date Drilled: 01/24/1990
Owners Name: MONARCH PAINT CO
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 238
Depth Drilled: 400
Latitude: 29.824401
Longitude: -95.486468

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

State of Texas
WELL REPORT

ATTENTION OWNER: Confidentiality
 Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P.O. Box 13087
 Austin, Texas 78711

1) OWNER Monarch Paint Co. ADDRESS 3530 Lang Rd Houston Tex.
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Harris 5 miles in NW direction from Houston
 (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
 Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP (3) 65-05-4 No Map

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☒ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling: 1-23 1990
 Started 1-24 1990
 Completed _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>7</u>	Surface	<u>380</u>
<u>5</u>	<u>380</u>	<u>400</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
<u>0-33</u>	<u>C</u>	<u>281-296 C</u>	<u>5</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>380</u>	<u>Sch. 80</u>
<u>33-38</u>	<u>S</u>	<u>296-400 S</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC UVC wrap</u>	<u>380</u>	<u>400</u>	<u>10</u>
<u>38-112</u>	<u>C</u>							
<u>112-131</u>	<u>S</u>							
<u>131-212</u>	<u>C</u>							
<u>212-235</u>	<u>S</u>							
<u>235-255</u>	<u>C</u>							
<u>255-261</u>	<u>S</u>							
<u>261-275</u>	<u>C</u>							
<u>275-281</u>	<u>S</u>							

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 287.44(1)]
 Cemented from 0 ft. to 10 ft. No. of Sacks Used 5
380 ft. to 390 ft. No. of Sacks Used 8
 Method used _____
 Cemented by _____

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
 Static level 238 ft. below land surface Date 1-24-90
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowie Water Wells Inc. WELL DRILLER'S LICENSE NO. 1182
 (Type or print)

ADDRESS P.O. Box 89 Porter Texas 77365
 (Street or RFD) (City) (State) (Zip)

(Signed) Lowie L. Lowie (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-13-4 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1637	1 of 1	NNE	4.71 / 24,883.43	Duque, Luis G. TX	WW HARRIS GAL

Well ID:	8901	Diameter (inches):	4
Aggre Lead Well:	8901	Year Drilled:	2001
Permit No:	WP2022-110675	Depth Drilled:	400
Permit Start Date:	8/1/2022 12:47:00 PM	Depth frm Surf(ft):	390
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.379444
Owner Name:	Duque, Luis G.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 8843		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77249		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1638	1 of 1	N	4.71 / 24,889.21	ROBERT TURNER TX	TCEQ WELL LOGS

Grid No: 65-05-9TT
 Date Drilled: 07-09/1973
 Owners Name: ROBERT TURNER
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 190
 Depth Drilled: 340
 Latitude: 29.910891
 Longtiude: -95.4026582

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

85	-	95	Sand
95	-	120	Red Gray Clay
120	-	155	Sand
155	-	160	Blue Clay
160	-	170	Sand
170	-	180	Gray Clay
180	-	200	Sand
200	-	201	Rock
201	-	215	Sand
215	-	220	Red Clay
220	-	225	Sand
225	-	230	Red Clay
230	-	235	Sand
235	-	260	Red Gray Clay
260	-	275	Sand
275	-	276	Rock
276	-	300	Red Gray Clay
300	-	320	Sand
320	-	330	White Clay
330	-	345	Sand
345	-	346	Rock
346	-	355	Sand
355	-	375	Sand

RECEIVED
JUL 30 1975
TOWNSHIP CLERK
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
NOV 4 1974
TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1639	1 of 2	NNE	4.71 / 24,891.37	Daryl & Ruth Jaeger 328 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 164808
Date Submitted: 2009-01-09
Owner Name: Daryl & Ruth Jaeger
Owner Address: 5905 Jaeger Rd.
Owner Address2:
Owner City: Burton
Owner State: TX
Owner Zip: 77835
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909723
Longitude: -95.391945
Drilling Date Started: 2008-12-17
Drilling Date Completed: 2008-12-17
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=164808&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2008-12-17

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1639	2 of 2	NNE	4.71 / 24,891.37	Yuliana Pena 328 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 327726
Date Submitted: 2013-07-29
Owner Name: Yuliana Pena
Owner Address: 328 Hambrick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909445
Longitude: -95.3925
Drilling Date Started: 2013-07-29
Drilling Date Completed: 2013-07-29
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=327726&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 53.0

Top Depth: 0
Bottom Depth: 53

Well Levels

Measurement: 15
Measurement Date: 2013-07-29

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1640	1 of 1	NNE	4.72 / 24,900.16	NE JOHNSON TX	TCEQ WELL LOGS

Grid No: 65-05-6R
 Date Drilled: 06/03/1975
 Owners Name: NE JOHNSON
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 200
 Depth Drilled: 351
 Latitude: 29.9042848
 Longtiude: -95.3750734

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-6R
Located on map yes
Received: 25 yes
dk

1) OWNER:
Person having well drilled NE. JOHNSON Address 13111 W. HARDY ST.
(Name) (Street or RFD) (City) (State)
Landowner SAME Address HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in 1 direction from HOUSTON, TEX
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, FM 525 or Give legal location with distances and directions from adjacent sections or survey lines.
WELL AT HARDY 13111 W. HARDY E. HARDY ST ALDINE MAIL MO. RD
(Use reverse side if necessary) (NW NE SW SE) of Section

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 351 ft. Depth of completed well 351 ft. Date drilled JUNE 2, 35
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	89	CLAY
89	94	SAND
94	117	CLAY
117	146	SAND
146	197	CLAY
197	229	SAND
229	322	CLAY
322	340	SAND
340	342	CLAY
342	351	SAND

(Use reverse side if necessary)

9) CASING:
Type: Old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 220 ft. to 320 ft.
Diameter (inches) Setting From (ft.) To (ft.) Gage
4" 0 320
2 1/2" 320 332

10) SCREEN:
Type: PLASTIC - RIBBED
Perforated ☐ Slotted ☒
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 1/2" 341 251 #14
2 1/2" 332 337 #14

7) COMPLETION (Check):
Straight well ☐ Gravel packed ☒ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 200 ft. below land surface Date JUNE 2, 35
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 252' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☐ No ☒ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? GOOD depth of strata 28'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
(Type or Print)
ADDRESS Box 67, WESTFIELD TEXAS
(Street or RFD) (City) (State)
(Signed) E.L. Bode E.L. BODE DRILLING CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1641	1 of 1	NNE	4.72 / 24,907.54	Mario Suarez 332 Hambrick Houston TX 77037	SDRW WELLS

Track NO: 339770
Date Submitted: 2013-08-30
Owner Name: Mario Suarez
Owner Address: 13502 Robertsvale
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909445
Longitude: -95.391945
Drilling Date Started: 2013-08-20
Drilling Date Completed: 2013-08-20
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=339770&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 15
Measurement Date: 2013-08-20

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1642	1 of 1	SSE	4.72 / 24,909.93	Beauchamps Springs TX	GWDB

Well Rep Track No:

State Well No:

6514768

Owner Name:

Beauchamps Springs

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

Well Depth:

Well Usage:

Water Level Status:

Latitude:

29.7811110

Longitude:

-95.3741670

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514768&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514768&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1643	1 of 3	NNE	4.72 / 24,914.38	J.R. OWENS TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 8/3/1978
 Owners Name: J.R. OWENS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 210
 Depth Drilled: 355
 Latitude: 29.9074445
 Longtiude: -95.3837032

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-966
Located on map 12-5
Received: 781

1) OWNER:
 Person having well drilled J. R. OWENS Address 14323 1/2 Henry Houston TX
 (Name) (Street or RFD) (City) (State)
 Landowner same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS 10 miles in N direction from HOUSTON
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
FM 525
Aldine Mail Rt North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
☒ Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
☒ Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 355 ft. Depth of completed well 355 ft. Date drilled 8-3-78
 All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 40	clay	311-316 sand
40 - 55	sand red	316-330 clay
55 - 80	clay	330-355 sand
80 - 90	sand	
90 - 161	clay	
161 - 178	sand	
178 - 243	clay	
243 - 256	sand	
256 - 275	clay	
275 - 292	sand	
292 - 311	clay	

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed ☒ Other
 Under reamed Open Hole K-Packer

8) WATER LEVEL:
 Static level 210 ft. below land surface Date 8-3-78
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

9) CASING:
 Type: Old New Steel ☒ Plastic Other
 Cemented from 0 ft. to 340 ft.
 Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 340 Gage

10) SCREEN:
 Type Everflo
 Perforated ☒ Slotted
 Diameter (inches) 2 1/2 Setting From (ft.) 345 To (ft.) 355 Slot Size .012

11) WELL TESTS:
 Was a pump test made? Yes ☒ No ☐ If yes, by whom _____
 Yield: _____ gpm with _____ ft. drawdown after _____
 Bailer test _____ gpm with _____ ft. drawdown after _____
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes ☒ No ☐
 Did any strata contain undesirable water? Yes ☐ No ☒
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A. R. Hendon Jr. (Type or Print) Water Well Drillers Registration No. 1439
 ADDRESS 14605 Reeveston Houston TX (Street or RFD) (City) (State)
 (Signed) A. R. Hendon Jr. (Water Well Driller) H & H Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-6

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1643	2 of 3	NNE	4.72 / 24,914.38	FELIX FERNANDEZ TX	TCEQ WELL LOGS

Grid No:	65-05-6
Date Drilled:	09/02/1993
Owners Name:	FELIX FERNANDEZ
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	240
Depth Drilled:	440
Latitude:	29.9074445
Longtiude:	-95.3837032

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

16

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																												
1) OWNER <u>FELIX FERNANDEZ</u> <small>(Name)</small>		ADDRESS <u>14323 HENRY RD.</u> <u>HOUSTON TX 77060</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																																														
2) LOCATION OF WELL: <u>ALDINE MAIL RT.</u> County <u>HARRIS</u> miles in _____ direction from _____ <small>(NE, SW, etc.) (Town)</small>																																																																
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																																
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																																
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>65-19-3</u>																																																																
3) TYPE OF WORK (Check): <input type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																												
6) WELL LOG: Date Drilling: <u>9-1</u> Started <u>9-2</u> Completed <u>9-2</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>420</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>420</u></td> <td><u>440</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>420</u>	<u>3 7/8</u>	<u>420</u>	<u>440</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																
DIAMETER OF HOLE																																																																
Dia. (in.)	From (ft.)	To (ft.)																																																														
<u>6 3/4</u>	Surface	<u>420</u>																																																														
<u>3 7/8</u>	<u>420</u>	<u>440</u>																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>16</u></td><td><u>TOP SOIL + CLAY</u></td></tr> <tr><td><u>16</u></td><td><u>26</u></td><td><u>SURFACE SAND</u></td></tr> <tr><td><u>26</u></td><td><u>65</u></td><td><u>CLAY</u></td></tr> <tr><td><u>65</u></td><td><u>83</u></td><td><u>SAND</u></td></tr> <tr><td><u>83</u></td><td><u>197</u></td><td><u>CLAY</u></td></tr> <tr><td><u>197</u></td><td><u>224</u></td><td><u>SAND</u></td></tr> <tr><td><u>224</u></td><td><u>249</u></td><td><u>CLAY</u></td></tr> <tr><td><u>249</u></td><td><u>300</u></td><td><u>SAND</u></td></tr> <tr><td><u>300</u></td><td><u>310</u></td><td><u>CLAY</u></td></tr> <tr><td><u>310</u></td><td><u>319</u></td><td><u>SANDY CLAY</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>16</u>	<u>TOP SOIL + CLAY</u>	<u>16</u>	<u>26</u>	<u>SURFACE SAND</u>	<u>26</u>	<u>65</u>	<u>CLAY</u>	<u>65</u>	<u>83</u>	<u>SAND</u>	<u>83</u>	<u>197</u>	<u>CLAY</u>	<u>197</u>	<u>224</u>	<u>SAND</u>	<u>224</u>	<u>249</u>	<u>CLAY</u>	<u>249</u>	<u>300</u>	<u>SAND</u>	<u>300</u>	<u>310</u>	<u>CLAY</u>	<u>310</u>	<u>319</u>	<u>SANDY CLAY</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>420</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>GALVANIZED</u></td> <td><u>409</u></td> <td><u>420</u></td> <td></td> </tr> <tr> <td><u>5 1/4</u></td> <td><u>N</u></td> <td><u>SSRB</u></td> <td><u>420</u></td> <td><u>440</u></td> <td><u>.010</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>420</u>		<u>2 1/2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>409</u>	<u>420</u>		<u>5 1/4</u>	<u>N</u>	<u>SSRB</u>	<u>420</u>	<u>440</u>	<u>.010</u>
From (ft.)	To (ft.)	Description and color of formation material																																																														
<u>0</u>	<u>16</u>	<u>TOP SOIL + CLAY</u>																																																														
<u>16</u>	<u>26</u>	<u>SURFACE SAND</u>																																																														
<u>26</u>	<u>65</u>	<u>CLAY</u>																																																														
<u>65</u>	<u>83</u>	<u>SAND</u>																																																														
<u>83</u>	<u>197</u>	<u>CLAY</u>																																																														
<u>197</u>	<u>224</u>	<u>SAND</u>																																																														
<u>224</u>	<u>249</u>	<u>CLAY</u>																																																														
<u>249</u>	<u>300</u>	<u>SAND</u>																																																														
<u>300</u>	<u>310</u>	<u>CLAY</u>																																																														
<u>310</u>	<u>319</u>	<u>SANDY CLAY</u>																																																														
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																											
			From	To																																																												
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>420</u>																																																												
<u>2 1/2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>409</u>	<u>420</u>																																																												
<u>5 1/4</u>	<u>N</u>	<u>SSRB</u>	<u>420</u>	<u>440</u>	<u>.010</u>																																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>19</u> ft. No. of Sacks Used <u>6</u> <u>370</u> ft. to <u>420</u> ft. No. of Sacks Used <u>3</u> Method used <u>HALLIBURTON / TRIMM</u> Cemented by <u>BUSSELL & SON INC.</u>																																																														
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Baller <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>50</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																														
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>9-2-93</u> Artesian flow _____ gpm. Date _____																																																														
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>K-PACKER</u></td> <td><u>409</u></td> </tr> </table>				Type	Depth	<u>K-PACKER</u>	<u>409</u>																																																							
Type	Depth																																																															
<u>K-PACKER</u>	<u>409</u>																																																															
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																																
COMPANY NAME <u>BUSSELL & SON INC.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>2035</u>																																																														
ADDRESS <u>P.O. Box 874</u> <small>(Street or RFD)</small>		<u>Tomball TX 77377-0874</u> <small>(City) (State) (Zip)</small>																																																														
(Signed) <u>Craig Buswell</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																																																														
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																
For TWC use only: Well No. <u>16</u> Located on map <u>65-5-6</u>																																																																

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1643	3 of 3	NNE	4.72 / 24,914.38	Jennifer Asis 14323 Henry Rd. Houston TX 77060	SDRW WELLS

Track NO: 404903
Date Submitted: 2015-09-18
Owner Name: Jennifer Asis
Owner Address: 14323 Henry Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.907223
Longitude: -95.383611
Drilling Date Started: 2015-09-17
Drilling Date Completed: 2015-09-17
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=404903&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 15
Measurement Date: 2015-09-17

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1644	1 of 1	NNE	4.72 / 24,915.32	Hugo Suarez Tovar 336 Hambrick Rd. Houston TX 77060	SDRW WELLS

Track NO: 601452
Date Submitted: 2022-04-06
Owner Name: Hugo Suarez Tovar
Owner Address: 336 Hambrick Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909722
Longitude: -95.391944
Drilling Date Started: 2022-04-05
Drilling Date Completed: 2022-04-05
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=601452&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2022-04-05

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1645	1 of 1	NW	4.72 / 24,920.00	KHAI NGUYGEN TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 05/05/1992
Owners Name: KHAI NGUYGEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 402
Latitude: 29.899201
Longtiude: -95.454909


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Khai Nguyen</u> (Name) ADDRESS <u>11614 McKinney Hou. Texas</u> <u>77086</u> (Street or RFD) (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>Harris</u> <u>11</u> miles in <u>NNW</u> direction from <u>Houston</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: _____ Started <u>5-4</u> 19 <u>92</u> Completed <u>5-5</u> 19 <u>92</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <td style="width:33%;">Dia. (in.)</td> <td style="width:33%;">From (ft.)</td> <td style="width:33%;">To (ft.)</td> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>402</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>402</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-String Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																													
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>402</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0</td><td>11</td><td>Clay</td></tr> <tr><td>11</td><td>25</td><td>Sand</td></tr> <tr><td>25</td><td>95</td><td>Clay</td></tr> <tr><td>95</td><td>160</td><td>Sand</td></tr> <tr><td>160</td><td>245</td><td>Clay</td></tr> <tr><td>245</td><td>280</td><td>Sand</td></tr> <tr><td>280</td><td>360</td><td>Clay</td></tr> <tr><td>360</td><td>402</td><td>Sand</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	11	Clay	11	25	Sand	25	95	Clay	95	160	Sand	160	245	Clay	245	280	Sand	280	360	Clay	360	402	Sand	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>PVC</td> <td>0</td> <td>376</td> <td>Sch. 40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC</td> <td>372</td> <td>382</td> <td>Sch. 40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC Slotted</td> <td>382</td> <td>402</td> <td>.012</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC	0	376	Sch. 40	2 1/2	N	PVC	372	382	Sch. 40	2 1/2	N	PVC Slotted	382	402	.012
From (ft.)	To (ft.)	Description and color of formation material																																																								
0	11	Clay																																																								
11	25	Sand																																																								
25	95	Clay																																																								
95	160	Sand																																																								
160	245	Clay																																																								
245	280	Sand																																																								
280	360	Clay																																																								
360	402	Sand																																																								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
4	N	PVC	0	376	Sch. 40																																																					
2 1/2	N	PVC	372	382	Sch. 40																																																					
2 1/2	N	PVC Slotted	382	402	.012																																																					
13) TYPE PUMP: <u>1 H.P.</u> <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>260</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>376</u> ft. to <u>176</u> ft. No. of Sacks Used <u>15</u> <u>0</u> ft. to <u>15</u> ft. No. of Sacks Used <u>3</u> Method used <u>Halliburton</u> Cemented by <u>RWW</u>																																																								
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Baller <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>200</u> ft. below land surface Date <u>5-5-92</u> Artesian flow _____ gpm. Date _____																																																								
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>K</u></td> <td><u>372</u></td> </tr> </table>				Type	Depth	<u>K</u>	<u>372</u>																																																	
Type	Depth																																																									
<u>K</u>	<u>372</u>																																																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>Robinson Water Well Serv., Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2212</u>																																																								
ADDRESS <u>11819 Tomball Pkwy.</u> (Street or RFD)		<u>Houston, Texas</u> (City)		<u>77086</u> (State) (Zip)																																																						
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>38</u> Located on map <u>65.5.8</u>																																																										

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1646	1 of 4	ESE	4.72 / 24,920.74	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514402
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1949
Well Depth: 1901
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8258333
Longitude: -95.3333361
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514402&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514402&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1646	2 of 4	ESE	4.72 / 24,920.74	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013AL
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013AL
Date Drilled: 10/25/1949
Well Depth: 1900
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.82587
Longitude: -95.33312
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1646	3 of 4	ESE	4.72 / 24,920.74	Houston, City of TX	WW HARRIS GAL

Well ID:	1088	Diameter (inches):	24
Aggre Lead Well:	1020	Year Drilled:	1949
Permit No:	W1994-1020-44754-0	Depth Drilled:	1901
Permit Start Date:	2/1/1994	Depth frm Surf(ft):	999
Permit End Dt:	1/31/1995	County:	H
Well Status:	P - Plugged	Latitude:	29.825833
Regulatory Aarea:	2	Longitude:	-95.333611
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St, 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	ACRES HOMES #2		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1646	4 of 4	ESE	4.72 / 24,920.74	USGS-294932095200601 TX	FED USGS

Site No: USGS-294932095200601
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19490101
Well Depth: 1901
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-402
Latitude: 29.82583333000000
Longitude: -95.33527780000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1647	1 of 2	NNE	4.72 / 24,923.98	MR. LOUIS HUDSON TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 09/09/1972
Owners Name: MR. LOUIS HUDSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 10
Depth Drilled: 35
Latitude: 29.9068956
Longitude: -95.381865

end original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. _____
Located on map A/C
Received: 72
215

1) OWNER: MR. LOUIS HUDSON 808 ISETTA ST. HOUSTON, TEXAS
Person having well drilled (Name) (Street or RFD) (City) (State)
Landowner (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County HARRIS 10 miles in NORTH direction from HOUSTON
(H.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG: Diameter of hole 3 7/8 in. Depth drilled 35 ft. Depth of completed well 35 ft. Date drilled 9-9-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top soil
3	18	Gray clay
18	26	Red clay
26	35	Sand

9) CASING: Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
2 1/2 0 30 Schedule 40

10) SCREEN: Type Plastic
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 30 35 8 gage

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL: Static level 10 ft. below land surface Date 9-9-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 20 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY: Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME JOHN B. LUMPKIN, JR. Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 7507 JANAK DRIVE HOUSTON TEXAS 77055
(Street or RFD) (City) (State)
(Signed) John B. Lumpkin, Jr. LONG POINT WATER WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.
*Additional instructions on reverse side.
W02-004

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1647	2 of 2	NNE	4.72 / 24,923.98	L W HUDSON TX	TCEQ WELL LOGS

Grid No: 65-05-6SS
Date Drilled: 03/18/1980
Owners Name: L W HUDSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 353
Latitude: 29.9068956
Longtiude: -95.381865

65-05-655 Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-655
 Located on map YES
 Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER L.W. Hudson Address 808 South Houston Trp
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Harris miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 65-16-4V

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 3-18-80

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
	Surface	
<u>10 3/4</u>	<u>0</u>	<u>353</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other String
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0-28</u>	<u>28-33</u>	<u>Top Soil & Clay</u>	<u>4</u>	<u>N</u>	<u>PVC well casing</u>	<u>0-343</u>		
<u>33-40</u>	<u>40-47</u>	<u>Clay</u>	<u>4 1/2</u>	<u>N</u>	<u>Slotted Screen</u>	<u>343-353</u>		<u>10</u>
<u>47-63</u>	<u>63-75</u>	<u>Clay</u>						
<u>75-130</u>	<u>130-180</u>	<u>Clay</u>						
<u>180-320</u>	<u>320-353</u>	<u>Clay</u>						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Cementing Data
 Cemented from 0 ft. to 343 ft.
 Method used Pressure
 Cemented by David Otto (Company or Individual)

9) WATER LEVEL:
 Static level 210 ft. below land surface Date 3-19-80
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
4X2 1/2 K Pack 340'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 260 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☒ None ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME D.P. BILLINGS Water Well Drillers Registration No. 1929
 (Type or Print)

ADDRESS 25330 RICHARD RD Spring Trp 77373
 (Street or RFD) (City) (State) (Zip)

(Signed) D.P. Billings Allweather W-W-Per
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1648	1 of 3	NE	4.72 / 24,931.97	J C NORRIS TX	TCEQ WELL LOGS

Grid No: 65-06-4V
 Date Drilled: 05/26/1974
 Owners Name: J C NORRIS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 105
 Depth Drilled: 200
 Latitude: 29.9001649
 Longtiude: -95.3665141

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-66-4V
Located on map 745
Received: 7/24/74
dlr

1) OWNER:
Person having well drilled J. C. Norris (Name) Address 12866 Reeves Rd (Street or RFD) Reeves (City) Houston (State)
Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
346 W. Hardy Remedy W. Well
Aldine - Mail Rd
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 200 ft. Depth of completed well 200 ft. Date drilled 5/26/74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 3		Sur Soil
3 - 17		Gr. Ch
17 - 54		tan sd
54 - 152		Mx Ch
152 - 154		sd. Stone
154 - 200		tan sd
200 -		sd. Stone

9) CASING:
Type: Old ☐ New ☒ Steel ☒ Plastic ☐ Other
Cemented from 0 ft. to 17 ft.
Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 185' Casing Sch 40

10) SCREEN:
Type PVC
Perforated ☐ Slotted ☒
Diameter (inches) 4" Setting From (ft.) 185 To (ft.) 200 Slot Size .012

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 105 ft. below land surface Date 5-27-74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 126 ft. below land surface.

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes, by whom?
Yield: 12 gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? ☒ Yes ☐ No
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. B. Waldorf, Jr. (Type or Print) Water Well Drillers Registration No. 1456
ADDRESS Rt 4 Box 549 (Street or RFD) Conroe (City) Tx (State)
(Signed) W. B. Waldorf, Jr. (Water Well Driller) B. W. W. Serv. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1648	2 of 3	NE	4.72 / 24,931.97	Grimaldo, Vincente & Rudy TX	WW HARRIS GAL

Well ID:	12483	Diameter (inches):	4
Aggre Lead Well:	12483	Year Drilled:	201
Permit No:	WP2023-113110	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.366111
Owner Name:	Grimaldo, Vincente & Rudy		
Billing Contact:	NULL		
Billing Address:	13614 Chrisman Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1648	3 of 3	NE	4.72 / 24,931.97	Rudy Grimaldo 12866 Reeveston Houston TX 77039	SDRW WELLS

Track NO: 342478
Date Submitted: 2013-10-04
Owner Name: Rudy Grimaldo
Owner Address: 12866 Reeveston
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900001
Longitude: -95.366667
Drilling Date Started: 2013-08-27
Drilling Date Completed: 2013-08-28
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=342478&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 400.0

Top Depth: 0
Bottom Depth: 400

Well Levels

Measurement: 200
Measurement Date: 2013-09-25

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1649	1 of 1	E	4.72 / 24,934.12	FRANCIS ALANIZ TX	TCEQ WELL LOGS

Grid No: 65-14-2E
 Date Drilled: 02/27/1979
 Owners Name: FRANCIS ALANIZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 120
 Depth Drilled: 171
 Latitude: 29.848415
 Longtiude: -95.331062

*Additional instructions on reverse side.
TOWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description, information furnished in 5-value of the other data on

survey abstract.

located on a map the



Texas Dept. of Water Resources

AUG 13 1979

RECEIVED
CR/

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1650	1 of 1	NNW	4.72 / 24,939.44	Melgar, Juan Jose TX	WW HARRIS GAL

Well ID:	7359	Diameter (inches):	4
Aggre Lead Well:	7359	Year Drilled:	1992
Permit No:	WP2023-107269	Depth Drilled:	320
Permit Start Date:	6/1/2023 3:39:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 3:39:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.9075
Regulatory Aarea:	3	Longitude:	-95.436111
Owner Name:	Melgar, Juan Jose		
Billing Contact:	NULL		
Billing Address:	9804 Veterans Memorial Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1651	1 of 1	NW	4.72 / 24,940.03	Picco Coatings Co., Inc. TX	WW HARRIS GAL

Well ID:	8553	Diameter (inches):	2
Aggre Lead Well:	8553	Year Drilled:	1980
Permit No:	W2020-8553-209779-0	Depth Drilled:	25
Permit Start Date:	6/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.898611
Regulatory Aarea:	3	Longitude:	-95.456111
Owner Name:	Picco Coatings Co., Inc.		
Billing Contact:	Harold Tornberg		
Billing Address:	11601 McKinley		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1652	1 of 2	WSW	4.73 / 24,948.19	CONDEN GARDENS TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 02/10/1993
Owners Name: CONDEN GARDENS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 238
Depth Drilled: 450
Latitude: 29.811434
Longtiude: -95.481013

Original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

11 Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER CONDEN GARDENS ADDRESS 1214 AUGUSTA DR. HSTN TX. 77057
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: HAMMERLY
County HARRIS miles in _____ direction from _____
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: _____
Started 2-8-93 1993
Completed 2-10-93 1993

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	420
4 3/4	420	450

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	26	TOP SOIL & CLAY
26	34	SURFACE SAND
34	54	CLAY
54	71	SAND
71	112	CLAY
112	130	SAND
130	228	CLAY & ROCK
228	255	SAND & ROCK
255	280	SAND & ROCK
280	301	SAND & ROCK

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
5 N		SPRIT PVC	0	420	
2 1/2 N		GALVANIZED	410	420	
2 1/2 N		SSRB	420	430	.014
2 1/2 N		SSRB	430	440	.016
2 1/2 N		LINER	440	450	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 8
320 ft. to 420 ft. No. of Sacks Used 3
Method used HALLIBURTON - TRIMM
Cemented by BUSSELL & SON INC

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Specified Steel Sieve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 238 ft. below land surface Date 2-10-93
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Depth
K-PACKER 410

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 315 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☒ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC. WELL DRILLER'S LICENSE NO. 2035
(Type or print)

ADDRESS PO BOX 874 Tomball TX 77377-0874
(Street or RFD) (City) (State) (Zip)

(Signed) Ray Busell (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

204823

720

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
301	310	Clay
310	335	SAND
335	337	Clay
337	397	SAND + Rock
397	405	Clay
405	440	SAND
440	450	Clay

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1652	2 of 2	WSW	4.73 / 24,948.19	7706 Properties, LLC. TX	WW HARRIS GAL

Well ID:	5221	Diameter (inches):	5
Aggre Lead Well:	5221	Year Drilled:	1983
Permit No:	W2018-5221-196264-0	Depth Drilled:	450
Permit Start Date:	6/1/2018	Depth frm Surf(ft):	420
Permit End Dt:	6/1/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.811388
Regulatory Aarea:	3	Longitude:	-95.481388
Owner Name:	7706 Properties, LLC.		
Billing Contact:	Bonnie Ford		
Billing Address:	7707 S. Fall Run Crossing		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1653	1 of 2	N	4.73 / 24,948.97	Arizaga, Ranferi TX	WW HARRIS GAL
<div> <div> Well ID: 5347 Aggre Lead Well: 5347 Permit No: WP2023-107008 Permit Start Date: 5/10/2023 1:44:00 PM Permit End Dt: 7/31/2024 1:44:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Airline Skate Center Billing Contact: Elsa Arizaga Billing Address: 911 Shirefield Lane Billing Address 2: NULL Billing City: Spring Billing State: TX Billing Zip: 77373 Correspondence: NULL Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s). </div> <div> Diameter (inches): 5 Year Drilled: 1991 Depth Drilled: 557 Depth frm Surf(ft): 530 County: H Latitude: 29.911388 Longitude: -95.404722 </div> </div>					
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1653	2 of 2	N	4.73 / 24,948.97	USGS-295441095241801 TX	FED USGS

Site No: USGS-295441095241801
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19900327
Well Depth: 558
Well Depth Unit: ft
Well Hole Depth: 558
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-954
Latitude: 29.91166667000000
Longitude: -95.4052778000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1654	1 of 2	N	4.73 / 24,952.00	CLAYTON ADAMS TX	TCEQ WELL LOGS

Grid No:	65-05-9B
Date Drilled:	12/11/1973
Owners Name:	CLAYTON ADAMS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	15
Depth Drilled:	36
Latitude:	29.9105
Longtiude:	-95.3973

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1654	2 of 2	N	4.73 / 24,952.00	Ghaemi , Kerramatollah TX	WW HARRIS GAL

Well ID:	12667	Diameter (inches):	2
Aggre Lead Well:	12667	Year Drilled:	0
Permit No:	WP2023-111309	Depth Drilled:	1
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.910277
Regulatory Aarea:	3	Longitude:	-95.397222
Owner Name:	Ghaemi , Kerramatollah		
Billing Contact:	NULL		
Billing Address:	221 Hambrick Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1655	1 of 1	SE	4.73 / 24,955.45	GEORGE & LORI RODRIGUEZ 315 EMERY HOUSTON TX 77009	SDRW WELLS

Track NO: 44920
Date Submitted: 2004-09-15
Owner Name: GEORGE & LORI RODRIGUEZ
Owner Address: 315 EMERY
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77009
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.784167
Longitude: -95.3675
Drilling Date Started: 2004-07-20
Drilling Date Completed: 2004-07-22
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=44920&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 450.0

Top Depth: 0
Bottom Depth: 450

Well Levels

Measurement: 185
Measurement Date: 2004-07-22

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1656	1 of 1	NNE	4.73 / 24,955.91	BRENDA BUDENT TX	TCEQ WELL LOGS

Grid No: 65-14-1E
 Date Drilled: 09/12/1980
 Owners Name: BRENDA BUDENT
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 215
 Depth Drilled: 352
 Latitude: 29.9068944
 Longtiude: -95.3815753

Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-14-1E
Located on map YU
Received: _____

1) OWNER Brenda Budent (Name) Address 810 Isella St. (Street or RFD) Houston Tx (City) (State) (Zip)

2) LOCATION OF WELL: County Harris app 35 miles in southeast direction from Spring (Town)
(N.E., S.W., etc.)

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
9-12-80		Surface	
	6 3/4	0	352

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string
If Gravel Packed give interval... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0 - 25		top soil + clay
25 - 35		sand
35 - 42		clay
42 - 47		sand
47 - 46		clay
46 - 90		sand
90 - 134		clay
134 - 165		sand
165 - 277		clay
277 - 282		sand + rock
282 - 315		clay
315 - 352		sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N.P.V.C.	Well casing	0	342	
2 1/2	N.P.V.C.	slotted screen	342	352	#12

CEMENTING DATA
Cemented from 0 ft. to 342 ft.
Method used Pressure
Cemented by O.R. Billings (Company or Individual)

9) WATER LEVEL:
Static level 215 ft. below land surface Date 9-13-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth 4 x 2 1/2 K-Packers 339

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 280 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☒ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS: None
☐ Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O.R. Billings (Type or Print)
ADDRESS 25350 Richard Rd. (Street or RFD) Spring (City) Texas (State) 77373 (Zip)

Water Well Drillers Registration No. 1929
(Signed) O.R. Billings (Water Well Driller)
All Weather Water Well Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1657	1 of 1	NNE	4.73 / 24,959.96	MYRNA DELAGARZA TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 10/29/2001
 Owners Name: MYRNA DELAGARZA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 400
 Latitude: 29.905982
 Longtiude: -95.378917

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																											
WELL REPORT																															
A. WELL IDENTIFICATION AND LOCATION DATA																															
1) OWNER																															
Name MYRNA DELAGARZA		Address 14215 SWERNEY		City HOUSTON	State TX.																										
				Zip 77060																											
2) WELL LOCATION																															
County HARRIS		Physical Address 14215 SWERNEY		City HOUSTON	State TX.																										
				Zip 77060																											
3) Type of Work																															
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		Lat. Long. Grid # 65-05-9		5) • N↑																											
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply <input checked="" type="checkbox"/> Multi-family <input type="checkbox"/> Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No																															
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)																											
Started 10/26/01		Dia.(in) From (ft) To (ft)		<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																											
Completed 10/29/01		7" 0 400'																													
From (ft) To (ft) Description and color of formation material		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall																													
0-30 BLACK CLAY		<input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other 2-STIR If Gravel Packed give the interval from _____ ft. to _____ ft.																													
30-70 RED SAND		Casing, Blank Pipe, and Well Screen Data																													
70-100 WHITE SAND		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4"</td> <td>N</td> <td>PVC CASING</td> <td>380-0</td> <td>SCH 40</td> <td></td> </tr> <tr> <td>2.5"</td> <td>N</td> <td>PVC LINER</td> <td>380-370</td> <td>SCH 40</td> <td></td> </tr> <tr> <td>2.5"</td> <td>N</td> <td>PVC SCREEN</td> <td>400-380</td> <td>W12</td> <td></td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	4"	N	PVC CASING	380-0	SCH 40		2.5"	N	PVC LINER	380-370	SCH 40		2.5"	N	PVC SCREEN	400-380	W12	
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																										
			From	To																											
4"	N	PVC CASING	380-0	SCH 40																											
2.5"	N	PVC LINER	380-370	SCH 40																											
2.5"	N	PVC SCREEN	400-380	W12																											
100-240 CLAY																															
240-320 SAND																															
320-360 CLAY																															
360-400 SAND																															
(Use reverse side of Well Owner's copy, If necessary)																															
9) Cementing Data																															
Cementing from 380 ft. to 0 ft. # of sacks used 18 0 ft. to 15 ft. # of sacks used 10 Method Used HALLOWATION RECEIVED Cementing By ROBINSON WATER WELL SERVICE, INC. Distance to septic system field or other concentrated contamination 100 ft. Method of verification of above distance OWNER																															
10) Surface Completion																															
<input type="checkbox"/> Specified Surface Slope Installed <input checked="" type="checkbox"/> Specified Surface Slope Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																															
11) Water Level																															
Static level 240 ft. below Date 10/29/01 Artesian Flow _____ gpm. Date ____/____/____																															
12) Packers																															
Type 1K Depth 370 DAVID HELMS																															
Company or individual's Name (type or print)		ROBINSON WATER WELL SERVICE, INC.		Lic. No. 54211 PKW																											
Address 11819 W. MONTGOMERY RD.		City HOUSTON		State TX.																											
				Zip 77086																											
Signature David Helms BK		Date 01/02/02		Signature _____																											
Licensed Driller/Pump Installer		Date		Apprentice _____																											

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1658	1 of 1	N	4.73 / 24,964.99	Campuzano, Jose Luis TX	WW HARRIS GAL

Well ID:	12591	Diameter (inches):	4
Aggre Lead Well:	12591	Year Drilled:	NULL
Permit No:	W2017-12591-190998-0	Depth Drilled:	200
Permit Start Date:	8/1/2017	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.911111
Regulatory Aarea:	3	Longitude:	-95.408333
Owner Name:	Campuzano, Jose Luis		
Billing Contact:	NULL		
Billing Address:	10600 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1659	1 of 2	NNE	4.73 / 24,981.16	Jaeger, Ruth TX	WW HARRIS GAL

Well ID:	10221	Diameter (inches):	4
Aggre Lead Well:	10221	Year Drilled:	2005
Permit No:	W2013-10221-165104-0	Depth Drilled:	100
Permit Start Date:	8/1/2013	Depth frm Surf(ft):	80
Permit End Dt:	10/31/2013	County:	H
Well Status:	E - Exempt	Latitude:	29.909722
Regulatory Aarea:	3	Longitude:	-95.391666
Owner Name:	Jaeger, Ruth		
Billing Contact:	NULL		
Billing Address:	5905 Jaeger Rd.		
Billing Address 2:	NULL		
Billing City:	Burton		
Billing State:	TX		
Billing Zip:	77835		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1659	2 of 2	NNE	4.73 / 24,981.16	Ruth Jaeger 14441 Lillja Houston TX 77060	SDRW WELLS

Track NO: 71187
Date Submitted: 2005-11-23
Owner Name: Ruth Jaeger
Owner Address: 14441 Lillja
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909723
Longitude: -95.391389
Drilling Date Started: 2005-11-18
Drilling Date Completed: 2005-11-18
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=71187&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 53

Top Depth:
Bottom Depth: 53.0

Well Levels

Measurement: 12
Measurement Date: 2005-11-18

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1660	1 of 2	NNE	4.73 / 24,981.80	RAYMOND WATER WELL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 12/07/1993
 Owners Name: RAYMOND WATER WELL
 County: HARRIS
 Water Usage: COMMERCIAL
 Static Level: 235
 Depth Drilled: 397
 Latitude: 29.9101068
 Longtiude: -95.3941984

STATE OF TEXAS WATER WELL REPORT

1) OWNER: RAYMOND WATER WELL ADDRESS: 305 HAMBRICK CITY: HOUSTON STATE: TX ZIP: 77060-
2) LOCATION OF WELL: County: HARRIS 3 miles in N direction from HOUSTON

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: COMMERCIAL 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00770 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO TWO STRING/K-PACKER
6.75 0 380' IF GRAVEL... FROM FT. TO FT.
3.875 380' 397' FROM FT. TO FT.

DATE DRILLED: 12/07/93

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
4 N P.V.C. SCH.40 0 380' CASING
2.5 N P.V.C. SCH.40 375' 380' LINER
2.5 N P.V.C. - SLOTTED 380' 395' .008
2.5 N P.V.C. SCH.40 395' 397' BLANK

WELL # 65-05-9

GEOLOGICAL DESCRIPTION:

FROM TO DESCRIPTION
0 3 SOIL
3 16 CLAY-WHITE
16 31 SAND-RED-.006-.008
31 53 BROKEN SAND & CLAY ROCK
53 65 BROKEN SAND & CLAY
65 79 SAND-TAN-FINE SAND-TAN-.006-.008
79 161 CLAY-RED CLAY-GRAY
161 168 SAND-GRAY-.006-.008
168 170 CLAY-BLUE
170 177 SAND-GRAY-.010-.012
177 178 ROCK
178 199 CLAY-RED
199 229 SAND-TAN-.006-.008 SAND-TAN-.010-.012
229 234 ROCK
234 278 CLAY-TAN

9) CEMENTING DATA:

Cemented from 0 FT. TO 380 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AMWS

10) SURFACE COMPLETION:

APP. ALTER. PROCD.

11) WATER LEVEL:

STATIC LEVEL : 235' FT. DATE: 12/07/93
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
-----	---
-----	---
-----	---

13) TYPE PUMP:

SUBMERSIBLE
DEPTH TO PUMP:

14) WELL TEST:

JETTED
YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:

TYPE OF WATER: GOOD DEPTH OF STRATA: 397'
NO STRATA OF UNDESIRABLE WATER PENETRATED

NO CHEMICAL ANALYSIS MADE

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843 FOR TDWR USE ONLY
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578 WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Mike L. B. R. (signed) _____
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)



STATE OF TEXAS WATER WELL REPORT (PAGE 2)

OWNER: RAYMOND WATER WELL ADDRESS: 555 HAMBRICK CITY: HOUSTON STATE: TX ZIP: 77060-

278	279	ROCK	:
279	291	SHALE	:
291	294	SAND-TAN-.010-.012	:
294	313	CLAY-TAN	:
313	339	SAND-TAN-.010-.012 SAND-TAN-.014-.020	:
339	355	BROKEN SAND & CLAY	:
355	362	SAND-TAN-.010-.012	:
362	371	CLAY-TAN	:
371	395	SAND-TAN-.006-.008 SAND-TAN-.010-.012	:
395	397	CLAY-TAN	:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1660	2 of 2	NNE	4.73 / 24,981.80	Hoyafam Holdings, Ltd. dba Builtrite Reel & Lumber	WW HARRIS GAL

TX

Well ID:	4732	Diameter (inches):	4
Aggre Lead Well:	4732	Year Drilled:	1994
Permit No:	WP2022-112147	Depth Drilled:	380
Permit Start Date:	8/1/2022 1:01:00 PM	Depth frm Surf(ft):	360
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.91
Regulatory Aarea:	3	Longitude:	-95.394444
Owner Name:	Hoyafam Holdings, Ltd. dba Builtrite Reel & Lumber		
Billing Contact:	Michael P. Schieffer		
Billing Address:	305 Hambrick Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1661	1 of 2	N	4.73 / 24,989.29	CECIL CLEPPER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 6/29/1983
Owners Name: CECIL CLEPPER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 336
Latitude: 29.910531
Longtiude: -95.396775

7

Dup
65-05-9EE

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Cecil Clepper Address 229 Hambrick Houston, Texas 77037
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris County miles in _____ direction from _____
(Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Map 65-05-8FF

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
6/29/83	4"	Surface	336'
	6 3/4"	"	324'

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☒ Gravel Packed ☒ Other Two-String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	1	fill						
1	3	surface						
3	21	yellow clay	4"	N	PVC Casing	+18"	324'	40
21	46	sand	2 1/2"	N	PVC Liner	316'	326'	40
46	48	rock	2 1/2"	N	PVC Screen 10ga.	326'	336'	40
48	81	sand						
81	198	red and gray clay						
198	212	sand 10 ga.						
212	213	rock						
213	224	sand						
224	227	red and gray clay						
227	228	rock						
228	244	red and yellow clay						
244	245	rock						
245	248	red and gray clay						
248	249	sand						
249	265	red and gray clay						
265	266	rock						
266	270	sand						
270	271	rock						
271	275	sand						
275	305	red and gray clay						
305	336	sand						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA

Cemented from 324 ft. to 224 ft.
Method used Pressure
Cemented by Raymond Water Wells
(Company or Individual)

9) WATER LEVEL: Static level 225 ft. below land surface Date 6-30-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Raymond Water Wells Water Well Driller's License No. 774
(Type or Print)

ADDRESS 10011 Airline Drive Houston, Tx. 77037
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) [Signature]
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only:
Well No. 65-05-9EE
Located on map 785C-F-3

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1661	2 of 2	N	4.73 / 24,989.29	Fairbanks Industrial LLC TX	WW HARRIS GAL
Well ID: 12991					
Aggre Lead Well: 12991					
Permit No: WP2023-114746					
Permit Start Date: 10/11/2023 8:25:00 PM					
Permit End Dt: 7/31/2025					
Well Status: O - Operable					
Regulatory Aarea: 3					
Owner Name: Fairbanks Industrial LLC - William Faraji					
Billing Contact: William Faraji					
Billing Address: 8676 Taub Rd					
Billing Address 2: NULL					
Billing City: Houston					
Billing State: TX					
Billing Zip: 77064					
Correspondence: NULL					
Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).					
Water Usage: D - Domestic/Commercial					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1662	1 of 1	NE	4.74 / 25,005.21	Manchester, Douglas TX	WW HARRIS GAL

Well ID:	13657	Diameter (inches):	4
Aggre Lead Well:	13657	Year Drilled:	NULL
Permit No:	W2021-13657-218461-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.3625
Owner Name:	Manchester, Douglas		
Billing Contact:	NULL		
Billing Address:	1614 Isom		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1663	1 of 1	NNE	4.74 / 25,016.28	JOHN DAVIS TX	TCEQ WELL LOGS

Grid No: 65-05-9LL
Date Drilled: 12/09/1977
Owners Name: JOHN DAVIS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 205
Depth Drilled: 352
Latitude: 29.9068886
Longtiude: -95.3810241

413 F

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-944
Located on map 281
Received: 281

1) OWNER:
Person having well drilled John Davis Address 818 Isetta Houston TX
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in direction from (Town)
(N., E., S., W., etc.)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*

Give legal location with distances and directions from adjacent sections or survey line.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW 1/4, NE 1/4, SW 1/4, SE 1/4) of Section _____

See Map Attached
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 332 ft. Depth of completed well 352 ft. Date drilled 12-9-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-4		Surface
4-18		Clay-yellow
18-22		Clay-gray
22-44		Clay-red
44-48		Sand & rock streaks
48-80		Clay-red
80-115		Clay-red & blue & gray
115-140		Clay-white
140-165		Sand-fine
165-175		SAND clay-blue
175-176		rock
176-185		clay-blue & gray

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 332 up _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	1'	332	40

10) SCREEN:
Type Well Supplies, Inc. Plastic Wrapped
Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2"	342	352	14 ga.

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 205 ft. below land surface Date 12-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)

ADDRESS 10011 Airline Dr. Houston TX
(Street or RFD) (City) (State)

(Signed) C.A. Raymond Jr. RAYMOND WATER WELL DRILLING
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDS

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

185-195	Clay-blue & red
195-196	rock
196-218	sand
218-250	Clay-red & gray
250-253	rock
253-262	clay-white & red
262-279	Rock-sand & clay
279-281	Rock
281-317	Clay-red & white & rock
317-352	Sand & gravel

RECEIVED
OCT 9 - 1978
JAN 30 1979
WATER RESOURCES
DEPT. OF
RECEIVED



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1664	1 of 3	N	4.74 / 25,035.75	AUTO ZONE 1476 TX	WUD
<i>Primary Co:</i>		DESIREE JONES			
<i>Contact Ti:</i>		MANAGER ENERGY			
<i>Operating Status:</i>		OPERATIONAL			
<i>PWSID:</i>		1013006			
<i>Source ID:</i>		G1013006A			
<i>Utility Name:</i>		AUTO ZONE 1476			
<i>WTRSRC:</i>		G1013006A			
<i>Date Drilled:</i>					
<i>Well Depth:</i>		391			
<i>Screen Top:</i>		0			
<i>Screen Bottom:</i>		0			
<i>Water Usage:</i>		ACTIVE - PERMANENT			
<i>Gallons Per Minute:</i>		20			
<i>CCN:</i>		N/A			
<i>Latitude:</i>		29.911614			
<i>Longitude:</i>		-95.4036			
<i>System Status:</i>		ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1664	2 of 3	N	4.74 / 25,035.75	AUTO ZONE 1476 TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 8/6/1997
 Owners Name: AUTO ZONE 1476
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 221
 Depth Drilled: 357
 Latitude: 29.9113328
 Longitude: -95.4031786

Send original copy by certified return receipt requested to:

TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																								
1) OWNER <u>Autozone #1476</u> (Name)		ADDRESS <u>10710 Airline Dr. Houston TX 77037</u> (Street or RFD) (City) (State) (Zip)																																										
2) ADDRESS OF WELL: County <u>Harris</u> <u>10710 Airline Dr. Houston TX 77037</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-9</u>																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>+</u>																																								
6) WELL LOG: Date Drilling: <u>8/5</u> 19 <u>97</u> Started <u>8/6</u> 19 <u>97</u> Completed <u>8/6</u> 19 <u>97</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>8 3/4</u></td> <td>Surface</td> <td><u>335</u></td> </tr> <tr> <td><u>4 3/4</u></td> <td><u>335</u></td> <td><u>357</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>8 3/4</u>	Surface	<u>335</u>	<u>4 3/4</u>	<u>335</u>	<u>357</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																												
DIAMETER OF HOLE																																												
Dia. (in.)	From (ft.)	To (ft.)																																										
<u>8 3/4</u>	Surface	<u>335</u>																																										
<u>4 3/4</u>	<u>335</u>	<u>357</u>																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>28</u></td><td><u>TOP SOIL + CLAY</u></td></tr> <tr><td><u>28</u></td><td><u>42</u></td><td><u>Surface Sand</u></td></tr> <tr><td><u>42</u></td><td><u>123</u></td><td><u>CLAY</u></td></tr> <tr><td><u>123</u></td><td><u>161</u></td><td><u>SAND</u></td></tr> <tr><td><u>161</u></td><td><u>190</u></td><td><u>CLAY</u></td></tr> <tr><td><u>190</u></td><td><u>220</u></td><td><u>SAND</u></td></tr> <tr><td><u>220</u></td><td><u>260</u></td><td><u>CLAY</u></td></tr> <tr><td><u>260</u></td><td><u>275</u></td><td><u>SAND</u></td></tr> <tr><td><u>275</u></td><td><u>303</u></td><td><u>CLAY</u></td></tr> <tr><td><u>303</u></td><td><u>325</u></td><td><u>SAND</u></td></tr> <tr><td><u>325</u></td><td><u>330</u></td><td><u>CLAY</u></td></tr> <tr><td><u>330</u></td><td><u>357</u></td><td><u>SAND</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>28</u>	<u>TOP SOIL + CLAY</u>	<u>28</u>	<u>42</u>	<u>Surface Sand</u>	<u>42</u>	<u>123</u>	<u>CLAY</u>	<u>123</u>	<u>161</u>	<u>SAND</u>	<u>161</u>	<u>190</u>	<u>CLAY</u>	<u>190</u>	<u>220</u>	<u>SAND</u>	<u>220</u>	<u>260</u>	<u>CLAY</u>	<u>260</u>	<u>275</u>	<u>SAND</u>	<u>275</u>	<u>303</u>	<u>CLAY</u>	<u>303</u>	<u>325</u>	<u>SAND</u>	<u>325</u>	<u>330</u>	<u>CLAY</u>	<u>330</u>	<u>357</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																										
<u>0</u>	<u>28</u>	<u>TOP SOIL + CLAY</u>																																										
<u>28</u>	<u>42</u>	<u>Surface Sand</u>																																										
<u>42</u>	<u>123</u>	<u>CLAY</u>																																										
<u>123</u>	<u>161</u>	<u>SAND</u>																																										
<u>161</u>	<u>190</u>	<u>CLAY</u>																																										
<u>190</u>	<u>220</u>	<u>SAND</u>																																										
<u>220</u>	<u>260</u>	<u>CLAY</u>																																										
<u>260</u>	<u>275</u>	<u>SAND</u>																																										
<u>275</u>	<u>303</u>	<u>CLAY</u>																																										
<u>303</u>	<u>325</u>	<u>SAND</u>																																										
<u>325</u>	<u>330</u>	<u>CLAY</u>																																										
<u>330</u>	<u>357</u>	<u>SAND</u>																																										
(Use reverse side of Well Owner's copy, if necessary)		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="5">CASING, BLANK PIPE, AND WELL SCREEN DATA:</th> </tr> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>5</u></td> <td><u>N</u></td> <td><u>SDR17 PVC</u></td> <td><u>0</u></td> <td><u>335</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>GALVANIZED</u></td> <td><u>330</u></td> <td><u>337</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>337</u></td> <td><u>357</u></td> <td><u>.014</u></td> </tr> </table>				CASING, BLANK PIPE, AND WELL SCREEN DATA:					Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>5</u>	<u>N</u>	<u>SDR17 PVC</u>	<u>0</u>	<u>335</u>		<u>2 1/2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>330</u>	<u>337</u>		<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>337</u>	<u>357</u>	<u>.014</u>								
CASING, BLANK PIPE, AND WELL SCREEN DATA:																																												
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																							
			From	To																																								
<u>5</u>	<u>N</u>	<u>SDR17 PVC</u>	<u>0</u>	<u>335</u>																																								
<u>2 1/2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>330</u>	<u>337</u>																																								
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>337</u>	<u>357</u>	<u>.014</u>																																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>335</u> ft. No. of sacks used <u>55</u> ft. to _____ ft. No. of sacks used _____ Method used <u>Halliburton</u> Cemented by <u>Russell + Son Inc</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																																										
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>125</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																										
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>221</u> ft. below land surface Date <u>8/6/97</u> Artesian flow _____ gpm. Date _____																																										
		12) PACKERS: Type Depth <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>FILE ID</td> <td><u>K-PACKER 330</u></td> </tr> <tr> <td>EM #</td> <td><u>887</u></td> </tr> <tr> <td>WELL DRILLER'S LICENSE NO.</td> <td><u>2035</u></td> </tr> <tr> <td>STATE</td> <td><u>TEXAS</u></td> </tr> <tr> <td>WELL</td> <td><u>77377-0874</u></td> </tr> </table>				FILE ID	<u>K-PACKER 330</u>	EM #	<u>887</u>	WELL DRILLER'S LICENSE NO.	<u>2035</u>	STATE	<u>TEXAS</u>	WELL	<u>77377-0874</u>																													
FILE ID	<u>K-PACKER 330</u>																																											
EM #	<u>887</u>																																											
WELL DRILLER'S LICENSE NO.	<u>2035</u>																																											
STATE	<u>TEXAS</u>																																											
WELL	<u>77377-0874</u>																																											
<p>I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.</p> <p>COMPANY NAME <u>Russell + Son Inc</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2035</u></p> <p>ADDRESS <u>P.O. Box 874</u> (Street or RFD) <u>Tomball</u> (City) <u>TEXAS</u> (State) <u>77377-0874</u> (Zip)</p> <p>(Signed) <u>Craig Russell</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)</p> <p style="text-align: center;">Please attach electric log, chemical analysis, and other pertinent information, if available.</p>																																												

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1664	3 of 3	N	4.74 / 25,035.75	Auto Zone, Inc. #1476 TX	WW HARRIS GAL

Well ID:	6057	Diameter (inches):	5
Aggre Lead Well:	6057	Year Drilled:	1997
Permit No:	W2019-6057-204117-0	Depth Drilled:	405
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	385
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.911388
Regulatory Aarea:	3	Longitude:	-95.403055
Owner Name:	Auto Zone, Inc. #1476; Auto Zone, Inc. #1476		
Billing Contact:	Kim Braswell, Compliance Specialist		
Billing Address:	P.O. Box 2198 Dept. 8350		
Billing Address 2:	NULL		
Billing City:	Memphis		
Billing State:	TN		
Billing Zip:	38101		
Correspondence:	NULL; NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1665	1 of 1	SSE	4.74 / 25,036.89	NATIONAL BEVERAGE CO TX	TCEQ WELL LOGS

Grid No: 65-14-7H
Date Drilled: 06/12/1975
Owners Name: NATIONAL BEVERAGE CO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 150
Depth Drilled: 338
Latitude: 29.7759174
Longitude: -95.388592

65-147H

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-14-7H
Located on map YES
Received: 26 YES
dc

1) OWNER:
Person having well drilled NATIONAL BEVERAGE CO. Address 1600 STUDEMONT HOUSTON TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address SAME
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
map on #82
65-08-9X
North ↑
(Use reverse side if necessary)

OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2" in. Depth drilled 338 ft. Depth of completed well 338 ft. Date drilled 6-12-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4'	Top Soil
4'	290'	UNCONSOLIDATED
290'	338'	SAND + GRAVEL

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
Cemented from 240 ft. to 290 ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Gage _____
4" 0 290

10) SCREEN:
Type S.S. Rod Bore
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot Size _____
2" 318 338 16ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 15' ft. below land surface Date 6-12-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 190' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Buswell Water Well Drillers Registration No. 707
(Type or Print)
ADDRESS 923 N. Hwy. 100 Houston Tex
(Street or RFD) (City) (State)
(Signed) Tommy C. Buswell Buswell & Son Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDB



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1666	1 of 1	SW	4.74 / 25,044.47	U.S.S. AGRI CHEMICALS TX	TCEQ WELL LOGS

Grid No:	65-13-7
Date Drilled:	06/26/1986
Owners Name:	U.S.S. AGRI CHEMICALS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	246
Depth Drilled:	460
Latitude:	29.785045
Longtiude:	-95.4546136

4m: SWNL
1m: WEL

90 ✓

Please use black ink, and original copy by certified mail to the Texas Department of Water Resources, P.O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER: U.S.S. Agri Chemicals Address 7310 KATY Rd HSTN TX 77054
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 7310 Old KATY Rd.
County HARRIS miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

3) Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

4) See attached map: Map on 60-62-7

5) TYPE OF WORK (Check):
☐ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

6) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

7) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

8) WELL LOG:
Date drilled 6/26/86

DIAMETER OF HOLE		Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
From (ft.)	To (ft.)					From	To	
0	18	Top Soil + Clay						
18	50	Surface Sand						
50	158	CLAY	4	N	GAIV.	0	443	
158	185	SAND	2	N	GAIV	434	443	
185	215	CLAY	2	N	PVC	443	460	.014
215	225	SAND						
225	265	CLAY						
265	340	SAND						
340	365	CLAY						
365	390	SAND						
390	415	CLAY						
415	460	SAND						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 40 ft.
390 ft. to 443 ft.
Method used: Haliburton
Cemented by: BUSSELL & SON INC.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 246 ft. below land surface Date 6/27/86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc Water Well Driller's License No. 2035
(Type or Print)

ADDRESS P.O. Box 874 Tomball TX 77375
(Street or RFD) (City) (State) (Zip)

(Signed) raig Bussell (Signed) David Young
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-13-7
Located on map _____

DWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1667	1 of 2	NNE	4.75 / 25,059.63	Blanche Bale 321 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 203257
Date Submitted: 2009-12-30
Owner Name: Blanche Bale
Owner Address: 321 Hambrick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.910278
Longitude: -95.396111
Drilling Date Started: 2009-12-15
Drilling Date Completed: 2009-12-17
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=203257&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 395

Top Depth:
Bottom Depth: 395.0

Well Levels

Measurement: 200
Measurement Date: 2009-12-21

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1667	2 of 2	NNE	4.75 / 25,059.63	Linda Heron 321 Hambrick Houston TX 77060	SDRW WELLS

Track NO: 21308
Date Submitted: 2003-06-06
Owner Name: Linda Heron
Owner Address: 321 Hambrick
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.839722
Longitude: -95.345
Drilling Date Started: 2003-06-05
Drilling Date Completed: 2003-06-05
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=21308&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 54.0

Top Depth: 0
Bottom Depth: 54

Well Levels

Measurement: 10
Measurement Date: 2003-06-05

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1668	1 of 1	NW	4.75 / 25,061.38	Parada, Victor Arnoldo TX	WW HARRIS GAL

Well ID:	9384	Diameter (inches):	2
Aggre Lead Well:	9384	Year Drilled:	NULL
Permit No:	WP2023-113240	Depth Drilled:	0
Permit Start Date:	6/1/2023 2:14:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2024 2:14:23 PM	County:	H
Well Status:	O - Operable	Latitude:	29.899722
Regulatory Aarea:	3	Longitude:	-95.455
Owner Name:	Parada, Victor Arnoldo		
Billing Contact:	Heather Heidi Parada		
Billing Address:	11630 McKinley Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1669	1 of 1	WSW	4.75 / 25,071.18	The Womesm's Home TX	SDRW WELLS

Track NO: 219707
Date Submitted: 2010-06-16
Owner Name: The Womesm's Home
Owner Address: 1829 Jacquelyn
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77007
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.803056
Longitude: -95.475833
Drilling Date Started: 2009-12-28
Drilling Date Completed: 2010-01-05
Chemical Analysis: No
Company Name: Almeda Warer Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=219707&Type=SDR-Well>

Well Borehole Information

Top Depth: 359
Bottom Depth: 375

Top Depth: 0
Bottom Depth: 359

Top Depth:
Bottom Depth: 375.0

Well Levels

Measurement: 198
Measurement Date: 2010-01-05

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1670	1 of 1	NW	4.75 / 25,084.13	Gilberto Zerneno 2814 Lincoln Houston TX 77095	SDRW WELLS

Track NO: 554966
Date Submitted: 2020-09-28
Owner Name: Gilberto Zerneno
Owner Address: 2814 Lincoln
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77095
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898333
Longitude: -95.457222
Drilling Date Started: 2020-07-17
Drilling Date Completed: 2020-07-18
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=554966&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 360.0

Top Depth: 0
Bottom Depth: 360

Well Levels

Measurement: 185
Measurement Date: 2020-09-28

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1671	1 of 1	SSE	4.75 / 25,092.54	BRH GARVER TX	TCEQ WELL LOGS

Grid No: 65-13-9
Date Drilled: 06/29/1992
Owners Name: BRH GARVER
County: HARRIS
Water Usage: DE-WATERING
Static Level: 20
Depth Drilled: 65
Latitude: 29.775265
Longtiude: -95.390793

Send original copy by certified mail to: Texas Water Commis

P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality
Privacy Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER BRN GARVER ADDRESS 5402 Lawndale Hstn TX 77023
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Studemont
County HARRIS miles in _____ direction from _____
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☒ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 6/24 1992
Started 6/24 1992
Completed _____ 19____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>12 3/4</u>	Surface	<u>65</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																													
<u>0</u>	<u>22</u>	<u>Top Soil & Clay</u>	<table border="1"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>8</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>35</u></td> <td rowspan="4"><u>.025</u></td> </tr> <tr> <td><u>8</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>35</u></td> <td><u>55</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>8</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>35</u>	<u>.025</u>	<u>8</u>	<u>N</u>	<u>PVC</u>	<u>35</u>	<u>55</u>										
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial					Setting (ft.)			Gage Casting Screen																						
				From	To																											
<u>8</u>	<u>N</u>	<u>PVC</u>		<u>0</u>	<u>35</u>	<u>.025</u>																										
<u>8</u>	<u>N</u>	<u>PVC</u>		<u>35</u>	<u>55</u>																											
<u>22</u>	<u>25</u>	<u>SAND</u>																														
<u>25</u>	<u>36</u>	<u>CLAY</u>																														
<u>36</u>	<u>55</u>	<u>SAND</u>																														
<u>55</u>	<u>70</u>	<u>CLAY</u>																														

3 WELLS TOTAL

(Use reverse side if necessary)

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted Estimated
Yield: 100 gpm with _____ ft. drawdown after _____ hrs. 2 3 1992

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 8
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Trimme
Cemented by BUSSCK & SON INC.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Spigotted Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Press Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 20 ft. below land surface Date 6/29/92
Fountain flow _____ gpm. Date _____

12) PACKERS: Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSCK & SON INC WELL DRILLER'S LICENSE NO. 2035
(Type or print)

ADDRESS PO Box 874 Tomball TX 77377-0874
(Street or RFD) (City) (State) (Zip)

(Signed) Ray Busck (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 2 Located on map 651134

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1672	1 of 1	NE	4.75 / 25,096.98	Mejia, Luis TX	WW HARRIS GAL

Well ID:	9155	Diameter (inches):	4
Aggre Lead Well:	9155	Year Drilled:	
Permit No:	W2002-9155-109046-0	Depth Drilled:	400
Permit Start Date:	5/8/2002	Depth frm Surf(ft):	380
Permit End Dt:	12/31/2002	County:	H
Well Status:	E - Exempt	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.367222
Owner Name:	Mejia, Luis		
Billing Contact:	NULL		
Billing Address:	P.O. Box 11775		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77293		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1673	1 of 2	NNE	4.76 / 25,113.02	JON LYONS TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 03/30/1973
 Owners Name: JON LYONS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 185
 Depth Drilled: 384
 Latitude: 29.9036981
 Longtiude: -95.372268

Send original copy by certified mail to the Texas Water Development Board, P.O. Box 13087, Austin, Texas 78711

State of Texas

For TWDB use only
Well No. _____
Located on map ND
Received: 7/1
DE

WATER WELL REPORT

1) OWNER:
Person having well drilled TON LYONS Address 13000 LUTHE RD HO-TEX
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS _____ 3 miles in NORTH direction from HO.
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
FM 525
LUTHE RD
North
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
☒ New Well Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 384 ft. Depth of completed well 384 ft. Date drilled 3-30-73
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-32	CLAY	328-360 CLAY
32-38	SAND	360-384 SAND
38-97	CLAY	
97-102	SAND	
102-170	CLAY	
170-202	SAND	
202-214	CLAY	
214-238	SAND	
238-260	CLAY	
260-280	SAND	
280-302	CLAY	

9) CASING:
Type: Old ☒ New ☐ Steel ☐ Plastic ☐ Other _____
Cemented from 0 ft. to 357 ft.
Diameter (inches) _____ Setting _____ To (ft.) _____ Gage _____
4 0 357

10) SCREEN:
Type STAINLESS STEEL
Perforated ☐ Slot ☒
Diameter (inches) _____ Setting _____ To (ft.) _____ Slot Size _____
2 1/2 364-384 12

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? _____ depth of strata _____

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☒ HEAD SEAL

8) WATER LEVEL:
Static level 185 ft. below land surface Date 3-20-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 294 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. HENDON Water Well Drillers Registration No. 334
(Type or Print)
ADDRESS 14605 REEVES TON HO. TEX.
(Street or RFD) (City) (State)
Signed) A.R. Hendon H & H WATER WELL DRILLING
(Water Well Driller) (Company Name)

*Please attach electric log, chemical analysis, and other pertinent information, if available.

Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1673	2 of 2	NNE	4.76 / 25,113.02	Shojaie, Mansour TX	WW HARRIS GAL

Well ID:	6598	Diameter (inches):	2
Aggre Lead Well:	6598	Year Drilled:	
Permit No:	W2002-6598-104214-0	Depth Drilled:	0
Permit Start Date:	8/1/2002	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2002	County:	H
Well Status:	E - Exempt	Latitude:	29.904166
Regulatory Aarea:	3	Longitude:	-95.371944
Owner Name:	Shojaie, Mansour		
Billing Contact:	NULL		
Billing Address:	13102 E. Hardy Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1674	1 of 1	NE	4.76 / 25,133.92	Garland Holdings LLC TX	WW HARRIS GAL

Well ID:	13610	Diameter (inches):	2
Aggre Lead Well:	13610	Year Drilled:	NULL
Permit No:	WP2023-112644	Depth Drilled:	0
Permit Start Date:	8/1/2023 10:29:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.363333
Owner Name:	Garland Holdings LLC		
Billing Contact:	NULL		
Billing Address:	6901 Lyons Avenue		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77020		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1675	1 of 3	NNE	4.76 / 25,138.85	JAMES OWEN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 8/28/1997
Owners Name: JAMES OWEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 403
Latitude: 29.9081041
Longtiude: -95.3837263

Send original copy by certified return receipt requested m

TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>James Owen</u> (Name)		ADDRESS <u>14335 Henry Houston Tx 77060</u> (Street or RFD) (City) (State) (Zip)																													
2) ADDRESS OF WELL: County <u>Harris</u>		<u>14335 Henry Houston Tx 77060</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-9</u>																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>0</u>																											
6) WELL LOG: Date Drilling: <u>8-26</u> 19 <u>97</u> Started <u>8-26</u> 19 <u>97</u> Completed <u>8-29</u> 19 <u>97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>390</u></td> </tr> <tr> <td><u>4 3/4</u></td> <td><u>390</u></td> <td><u>403</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>390</u>	<u>4 3/4</u>	<u>390</u>	<u>403</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>6 3/4</u>	Surface	<u>390</u>																													
<u>4 3/4</u>	<u>390</u>	<u>403</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0 - 2</u> <u>Top Soil</u> <u>2 - 60</u> <u>Red + Gray Clay</u> <u>60 - 85</u> <u>Sand</u> <u>85 - 133</u> <u>Red + Gray Clay</u> <u>133 - 142</u> <u>Sand</u> <u>142 - 163</u> <u>Red + Gray Clay</u> <u>163 - 186</u> <u>Sand</u> <u>186 - 323</u> <u>Red + Gray Clay</u> <u>323 - 340</u> <u>Sand</u> <u>340 - 380</u> <u>Red Clay</u> <u>380 - 389</u> <u>Red + Gray Clay</u> <u>389 - 403</u> <u>Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 string</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>Sch 40 PVC</u></td> <td><u>42</u></td> <td><u>390</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Sch 40 PVC</u></td> <td><u>385</u></td> <td><u>393</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Slotted PVC sch 40</u></td> <td><u>393</u></td> <td><u>403</u></td> <td><u>.008</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>Sch 40 PVC</u>	<u>42</u>	<u>390</u>		<u>2 1/2</u>	<u>N</u>	<u>Sch 40 PVC</u>	<u>385</u>	<u>393</u>		<u>2 1/2</u>	<u>N</u>	<u>Slotted PVC sch 40</u>	<u>393</u>	<u>403</u>	<u>.008</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>Sch 40 PVC</u>	<u>42</u>	<u>390</u>																											
<u>2 1/2</u>	<u>N</u>	<u>Sch 40 PVC</u>	<u>385</u>	<u>393</u>																											
<u>2 1/2</u>	<u>N</u>	<u>Slotted PVC sch 40</u>	<u>393</u>	<u>403</u>	<u>.008</u>																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>+1</u> ft. to <u>390</u> ft. No. of sacks used <u>35</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure w 8% Gcl</u> Cemented by <u>Driller</u> Distance to septic system field lines or other concentrated contamination <u>110 ft</u> Method of verification of above distance <u>Owner's measurement</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <u>07 1997</u> <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71] WG																													
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>15</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>220</u> ft. below land surface Date <u>8-28-97</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>K Packer</u></td> <td><u>2 1/2 x 4</u></td> <td><u>385</u></td> </tr> </table>					Type	Depth	<u>K Packer</u>	<u>2 1/2 x 4</u>	<u>385</u>																				
	Type	Depth																													
<u>K Packer</u>	<u>2 1/2 x 4</u>	<u>385</u>																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>Johnston's Water Well Service</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>27784-I</u>																													
ADDRESS <u>28414 Calbert Rd.</u> (Street or RFD)		<u>Tomball Tx.</u> (City)		<u>77375</u> (State) (Zip)																											
(Signed) <u>Kenny K. Johnston</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1675	2 of 3	NNE	4.76 / 25,138.85	Sandra Gonzalez 14335 Henry Road Houston TX 77060	SDRW WELLS

Track NO: 467703
Date Submitted: 2017-12-28
Owner Name: Sandra Gonzalez
Owner Address: 14335 Henry Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908
Longitude: -95.384
Drilling Date Started: 2017-12-13
Drilling Date Completed: 2017-12-13
Chemical Analysis: No
Company Name: Coastal Waterwell Services Inc.
Company Address: P.O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=467703&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 45

Top Depth:
Bottom Depth: 45.0

Well Levels

Measurement: 6
Measurement Date: 2017-12-13

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1675	3 of 3	NNE	4.76 / 25,138.85	Sandra Gonzales 14335 Henry Rd. Houston TX 77060	SDRW WELLS

Track NO: 530088
Date Submitted: 2019-12-17
Owner Name: Sandra Gonzales
Owner Address: 14335 Henry Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908056
Longitude: -95.384167
Drilling Date Started: 2019-10-22
Drilling Date Completed: 2019-10-23
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=530088&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 185
Measurement Date: 2019-12-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1676	1 of 2	NNE	4.76 / 25,149.39	De La Garza, Juan & Myrna TX	WW HARRIS GAL

Well ID:	12620	Diameter (inches):	4
Aggre Lead Well:	12620	Year Drilled:	201
Permit No:	WP2023-116118	Depth Drilled:	400
Permit Start Date:	8/1/2023 1:01:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024 1:01:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.906388
Regulatory Aarea:	3	Longitude:	-95.379444
Owner Name:	De La Garza, Ezequiel		
Billing Contact:	NULL		
Billing Address:	14215 Sweeney Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060-5632		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1676	2 of 2	NNE	4.76 / 25,149.39	Ezequiel De La Garza 14215 Sweeney Houston TX 77060	SDRW WELLS

Track NO: 349365
Date Submitted: 2013-12-17
Owner Name: Ezequiel De La Garza
Owner Address: 14215 Sweeney
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906389
Longitude: -95.379444
Drilling Date Started: 2013-12-12
Drilling Date Completed: 2013-12-13
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=349365&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 380

Top Depth: 380
Bottom Depth: 430

Top Depth:
Bottom Depth: 430.0

Well Levels

Measurement: 185
Measurement Date: 2013-12-16

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1677	1 of 1	NNE	4.76 / 25,150.23	Joseph Garcia 807 Isetta Ln. Houston TX 77060	SDRW WELLS

Track NO: 27674
Date Submitted: 2003-11-03
Owner Name: Joseph Garcia
Owner Address: 807 Isetta Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.906389
Longitude: -95.382222
Drilling Date Started: 2003-10-08
Drilling Date Completed: 2003-10-08
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=27674&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 12
Measurement Date: 2003-10-08

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1678	1 of 2	NNE	4.76 / 25,157.28	CHARLIE HUYNH TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 03/16/2000
 Owners Name: CHARLIE HUYNH
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 13
 Depth Drilled: 52
 Latitude: 29.9069584
 Longtiude: -95.3800102

Send original copy by certified return receipt requested

o: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																									
1) OWNER <u>Charlie Huynh</u> (Name) ADDRESS <u>826 Isetta</u> <u>Houston TX</u> (City) (State) (Zip)		2) ADDRESS OF WELL'S LOCATION: County <u>Harris</u> <u>Seaw</u> (City) (State) (Zip) Grid # <u>65-06-9</u>																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																									
6) WELL LOG: Date Drilling: _____ Started <u>3-16-2000</u> Completed <u>3-16-2000</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td><u>52</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface	<u>52</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																			
Dia. (in.)	From (ft.)	To (ft.)																											
	Surface	<u>52</u>																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>18</td><td>Yellow clay</td></tr> <tr><td>18</td><td>24</td><td>Red clay</td></tr> <tr><td>24</td><td>25</td><td>Rock</td></tr> <tr><td>25</td><td>29</td><td>Red clay</td></tr> <tr><td>29</td><td>31</td><td>Sand Red</td></tr> <tr><td>31</td><td>42</td><td>Red clay</td></tr> <tr><td>42</td><td>52</td><td>Sand</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	18	Yellow clay	18	24	Red clay	24	25	Rock	25	29	Red clay	29	31	Sand Red	31	42	Red clay	42	52	Sand	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																											
0	18	Yellow clay																											
18	24	Red clay																											
24	25	Rock																											
25	29	Red clay																											
29	31	Sand Red																											
31	42	Red clay																											
42	52	Sand																											
(Use reverse side of Well Owner's copy, if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>Plastic casing</td> <td>0</td> <td>42</td> <td>SC410</td> </tr> <tr> <td>4</td> <td>N</td> <td>Plastic screen</td> <td>42</td> <td>52</td> <td>100L6</td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	4	N	Plastic casing	0	42	SC410	4	N	Plastic screen	42	52	100L6				
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																								
			From	To																									
4	N	Plastic casing	0	42	SC410																								
4	N	Plastic screen	42	52	100L6																								
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)							9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>42</u> ft. No. of sacks used <u>14</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>100</u> ft. Method of verification of above distance <u>Customer</u>												
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																									
From (ft)	To (ft)	From (ft)	To (ft)																										
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																											
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12</u> gpm with <u>5</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>13</u> ft. below land surface Date <u>3-19-2000</u> Artesian flow _____ gpm. Date _____																											
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Type</th> <th style="width: 40%;">Depth</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> </tbody> </table>				Type	Depth																						
Type	Depth																												
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																													
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print) ADDRESS <u>10011 Airline Drive</u> <u>Houston, TX 77037</u> (City) (State) (Zip) (Signed) <u>[Signature]</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>4577WI</u> EMP # <u>05</u> Date <u>05-2000</u> DESC CC _____ (Registered Driller Trainee)																											

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1678	2 of 2	NNE	4.76 / 25,157.28	Navarro, Norma TX	WW HARRIS GAL
<hr/>					
Well ID:	8095			Diameter (inches):	4
Aggre Lead Well:	8095			Year Drilled:	2000
Permit No:	W2015-8095-182213-0			Depth Drilled:	50
Permit Start Date:	2/10/2016			Depth frm Surf(ft):	40
Permit End Dt:	2/10/2016			County:	H
Well Status:	E - Exempt			Latitude:	29.906666
Regulatory Aarea:	3			Longitude:	-95.379722
Owner Name:	Navarro, Norma				
Billing Contact:	NULL				
Billing Address:	10913 Lucerne				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77016				
Correspondence:	NULL				
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).				
Water Usage:	D - Domestic/Commercial				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1679	1 of 1	E	4.76 / 25,158.08	City of Houston Dodson Lake TX	GWDB

Well Rep Track No:
State Well No: 6514208
Owner Name: City of Houston Dodson Lake
Drilling Start Dt:
Drilling Month: 4
Drilling Day: 4
Drilling Year: 1936
Well Depth: 518
Well Usage: Recreation
Water Level Status:
Latitude: 29.8411110
Longitude: -95.3297220
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514208&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514208&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1680	1 of 8	NNE	4.77 / 25,160.69	Aldine Village Subd. TX	GWDB

Well Rep Track No:
State Well No: 6505944
Owner Name: Aldine Village Subd.
Drilling Start Dt:
Drilling Month: 1
Drilling Day:
Drilling Year: 1977
Well Depth: 496
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9088890
Longitude: -95.3875000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505944&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505944&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1680	2 of 8	NNE	4.77 / 25,160.69	Aldine Village Subd. TX	GWDB

Well Rep Track No:
State Well No: 6505943
Owner Name: Aldine Village Subd.
Drilling Start Dt:
Drilling Month: 12
Drilling Day:
Drilling Year: 1976
Well Depth: 801
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9094450
Longitude: -95.3875000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505943&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505943&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1680	3 of 8	NNE	4.77 / 25,160.69	ALDINE VILLAGE SUBDIVISION TX	WUD

Primary Co: MELISSA RICH
Contact Ti: VP OF OPERATIONS
Operating Status: OPERATIONAL
PWSID: 1010931
Source ID: G1010931B
Utility Name: ALDINE VILLAGE SUBDIVISION
WTRSRC: G1010931B
Date Drilled: 01/00/1977
Well Depth: 496
Screen Top: 476
Screen Bottom: 496
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 169
CCN: N/A
Latitude: 29.90891111
Longitude: -95.38635833
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1680	4 of 8	NNE	4.77 / 25,160.69	ALDINE VILLAGE SUBDIVISION TX	WUD

Primary Co: MELISSA RICH
Contact Ti: VP OF OPERATIONS
Operating Status: OPERATIONAL
PWSID: 1010931
Source ID: G1010931A
Utility Name: ALDINE VILLAGE SUBDIVISION
WTRSRC: G1010931A
Date Drilled: 12/00/1976
Well Depth: 801
Screen Top: 781
Screen Bottom: 801
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 136
CCN: N/A
Latitude: 29.90888889
Longitude: -95.38638889
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1680	5 of 8	NNE	4.77 / 25,160.69	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 2512 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: J & S Water Co. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 6 Year Drilled: 1976 Depth Drilled: 600 Depth frm Surf(ft): 500 County: H Latitude: 29.908888 Longitude: -95.386388 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1680	6 of 8	NNE	4.77 / 25,160.69	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 2513 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: J & S Water Co. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 6 Year Drilled: 1976 Depth Drilled: 600 Depth frm Surf(ft): 500 County: H Latitude: 29.908888 Longitude: -95.386111 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1680	7 of 8	NNE	4.77 / 25,160.69	USGS-295432095231001 TX	FED USGS

Site No: USGS-295432095231001
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled:
Well Depth: 496
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-944
Latitude: 29.90891110000000
Longitude: -95.38635830000000


Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1680	8 of 8	NNE	4.77 / 25,160.69	USGS-295432095231101 TX	FED USGS

Site No: USGS-295432095231101
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled:
Well Depth: 801
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-943
Latitude: 29.90888889000000
Longitude: -95.38638890000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1681	1 of 1	E	4.77 / 25,162.07	JUNIOR FISHER TX	TCEQ WELL LOGS

Grid No: 65-14-2T
Date Drilled: 02/17/1981
Owners Name: JUNIOR FISHER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 235
Depth Drilled: 373
Latitude: 29.8549846
Longtiude: -95.3313253

FDWR-0392 (Rev. 1-12-79)



RECEIVED
AUG 2 1982
CR/T...

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1682	1 of 4	NE	4.77 / 25,193.96	Harris County Emergency Corps TX	WW HARRIS GAL

Well ID:	14774	Diameter (inches):	5
Aggre Lead Well:	5380	Year Drilled:	0
Permit No:	W2019-14774-207635-0	Depth Drilled:	400
Permit Start Date:	11/13/2019	Depth frm Surf(ft):	370
Permit End Dt:	7/31/2024	County:	H
Well Status:	5 - No plumbing	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Harris County ESD No. 1		
Billing Contact:	Purchasing		
Billing Address:	2800 Aldine Bender Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77032		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1682	2 of 4	NE	4.77 / 25,193.96	HARRIS COUNTY ESD #1 TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 05/05/1995
Owners Name: HARRIS COUNTY ESD #1
County: HARRIS
Water Usage: DOMESTIC
Static Level: 233
Depth Drilled: 368
Latitude: 29.8979473
Longitude: -95.3614568

Send original copy by certified mail to: TNRCC, P.O. Box 1, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Harris County ESD #1 ADDRESS 1620 Isom Houston Tx 77039
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 1620 Isom Houston Tx 77039 GRID # 65-06-7
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling:
Started 5-4-95
Completed 5-5-95

DIAETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>7 1/2</u>	Surface	<u>340</u>
<u>4 3/4</u>	<u>340</u>	<u>368</u>

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft.)	To (ft.)	Description and color of formation material
<u>0-2</u>		<u>Top Soil</u>
<u>2-15</u>		<u>Red & Gray Clay</u>
<u>15-30</u>		<u>Sand</u>
<u>30-100</u>		<u>Red Clay w sand streaks</u>
<u>100-132</u>		<u>Red & Gray Clay</u>
<u>132-160</u>		<u>Sand</u>
<u>160-205</u>		<u>Red & Gray Clay</u>
<u>205-225</u>		<u>Sand w clay streaks</u>
<u>225-226</u>		<u>Rock</u>
<u>226-295</u>		<u>Sand w few clay streaks</u>
<u>295-297</u>		<u>Rock</u>
<u>297-327</u>		<u>Sand w clay streaks</u>
<u>327-338</u>		<u>Sand .008-.010</u>
<u>338-340</u>		<u>Red & Gray Clay</u>
<u>340-368</u>		<u>Sand .010-.012</u>

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☒ Other 2 string
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>5</u>	<u>N</u>	<u>SDR 17</u>	<u>+2</u>	<u>340</u>	
<u>2 1/2</u>	<u>N</u>	<u>Sch 40 PVC</u>	<u>335</u>	<u>340</u>	
<u>2 1/2</u>	<u>N</u>	<u>Slotted PVC sch 40</u>	<u>340</u>	<u>360</u>	<u>.012</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from +1 ft. to 340 ft. No. of sacks used 31
_____ ft. to _____ ft. No. of sacks used _____
Method used Pressure cemented w 8% bel
Cemented by Driller
Distance to septic system field lines 150 ft.
Method of verification of above distance Measurement

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 273 ft.

14) WELL TESTS:
Type test: ☒ Pump ☐ Bailor ☐ Jet ☐ Estimated
Yield: 15 gpm with 10 ft. drawdown

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pileless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

WATER LEVEL:
Static level 233 ft. below land surface Date 5-5-95
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>R Packer</u>	<u>5X3 335</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Johnston's Water Well Service WELL DRILLER'S LICENSE NO. 2778 WI
(Type or print)

ADDRESS 28414 Calverton Rd Tomball Tx 77375
(Street or RFD) (City) (State) (Zip)

(Signed) Kenny R. Johnston (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1682	3 of 4	NE	4.77 / 25,193.96	Harris County Emergency Corps TX	WW HARRIS GAL

Well ID:	5380	Diameter (inches):	5
Aggre Lead Well:	5380	Year Drilled:	1995
Permit No:	W2019-14774-207635-0	Depth Drilled:	400
Permit Start Date:	11/13/2019	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.361388
Owner Name:	Harris County Emergency Corps		
Billing Contact:	Purchasing		
Billing Address:	2800 Aldine Bender Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77032		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1682	4 of 4	NE	4.77 / 25,193.96	Harris County ESD #1 1618 Isom Road Houston TX 77039	SDRW WELLS

Track NO: 535300
Date Submitted: 2020-02-09
Owner Name: Harris County ESD #1
Owner Address: 2800 Aldine Bender Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77032
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Commercial Domestic
Latitude: 29.897778
Longitude: -95.361389
Drilling Date Started: 2019-11-25
Drilling Date Completed: 2019-11-29
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=535300&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 372.0

Top Depth: 0
Bottom Depth: 346

Top Depth: 346
Bottom Depth: 372

Well Levels

Measurement: 185
Measurement Date: 2019-11-29

Well Strata

Water Type:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1683	1 of 2	N	4.77 / 25,194.16	HOUSTON LIGHTING & POWER TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 08/02/1972
Owners Name: HOUSTON LIGHTING & POWER
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 190
Depth Drilled: 443
Latitude: 29.911111
Longitude: -95.422777

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT	For TWDB use only Well No. _____ Located on map <u>A/O</u> Received: <u>72</u>																																																				
1) OWNER: Person having well drilled <u>Houston Lighting & Power</u> Address <u>Deer Trail Road - Hidden Valley</u> <small>(Name) (Street or RFD) (City) (State)</small> Landowner <u>Houston Lighting & Power Co.</u> Address <u>P. O. Box 1700 - Houston, Texas 77001</u> <small>(Name) (Street or RFD) (City) (State)</small>																																																							
2) LOCATION OF WELL: County <u>Harris</u> miles in _____ direction from _____ <small>(N.E., S.W., etc.) (Town)</small> Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p style="text-align: center;">See Map reverse side</p> <p style="text-align: center;">North ↑</p> <p style="text-align: center;">(Use reverse side if necessary)</p> </div> <div style="width: 50%;"> <p>OR Give legal location with distances and directions from adjacent sections or survey lines.</p> <p>Labor _____ League _____</p> <p>Block _____ Survey _____</p> <p>Abstract No. _____</p> <p>(NW, NE, SW, SE) of Section _____</p> </div> </div>																																																							
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic _____ Industrial _____ Municipal <input checked="" type="checkbox"/> Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																																																			
6) WELL LOG: Diameter of hole <u>4"</u> in. Depth drilled <u>443'</u> ft. Depth of completed well <u>43'</u> ft. Date drilled <u>8-2-72</u> All measurements made from <u>0</u> ft. above ground level.																																																							
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>37</td><td>Surface & hard red clay</td></tr> <tr><td>37</td><td>48</td><td>sand broken clay</td></tr> <tr><td>48</td><td>96</td><td>hard red - broken clay</td></tr> <tr><td>96</td><td>101</td><td>blue soft clay</td></tr> <tr><td>101</td><td>111</td><td>sand broken</td></tr> <tr><td>111</td><td>120</td><td>blue clay</td></tr> <tr><td>120</td><td>159</td><td>sand xx</td></tr> <tr><td>159</td><td>165</td><td>blue shale broken sand</td></tr> <tr><td>165</td><td>194</td><td>white clay</td></tr> <tr><td>194</td><td>207</td><td>sand xx</td></tr> <tr><td>207</td><td>231</td><td>tough clay</td></tr> <tr><td>231</td><td>244</td><td>sand xx</td></tr> <tr><td>244</td><td>272</td><td>red clay</td></tr> <tr><td>272</td><td>286</td><td>sand xxx</td></tr> <tr><td>286</td><td>287</td><td>soft break</td></tr> <tr><td>287</td><td>345</td><td>sand xxx</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	37	Surface & hard red clay	37	48	sand broken clay	48	96	hard red - broken clay	96	101	blue soft clay	101	111	sand broken	111	120	blue clay	120	159	sand xx	159	165	blue shale broken sand	165	194	white clay	194	207	sand xx	207	231	tough clay	231	244	sand xx	244	272	red clay	272	286	sand xxx	286	287	soft break	287	345	sand xxx	9) CASING: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____ Cemented from <u>0</u> ft. to <u>394</u> ft. Diameter (inches) _____ Setting From (ft.) To (ft.) Casing Size <u>4"</u> <u>0</u> <u>443</u>		
From (ft.)	To (ft.)	Description and color of formation material																																																					
0	37	Surface & hard red clay																																																					
37	48	sand broken clay																																																					
48	96	hard red - broken clay																																																					
96	101	blue soft clay																																																					
101	111	sand broken																																																					
111	120	blue clay																																																					
120	159	sand xx																																																					
159	165	blue shale broken sand																																																					
165	194	white clay																																																					
194	207	sand xx																																																					
207	231	tough clay																																																					
231	244	sand xx																																																					
244	272	red clay																																																					
272	286	sand xxx																																																					
286	287	soft break																																																					
287	345	sand xxx																																																					
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under reamed _____ Open Hole _____		10) SCREEN: Type <u>Stainless</u> Perforated <input checked="" type="checkbox"/> Slotted _____ Diameter (inches) _____ Setting From (ft.) To (ft.) Slot Size <u>2 1/2"</u> blank <u>442</u> <u>443</u> <u>2 1/2"</u> screen <u>422</u> <u>442</u> <u>2 1/2"</u> blank <u>385</u> <u>422</u>																																																					
8) WATER LEVEL: Static level <u>190</u> ft. below land surface Date <u>8-2-72</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>252'</u> ft. below land surface.		11) WELL TESTS: Was a pump test made? Yes _____ No <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailor test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																																					
12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____																																																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																							
NAME <u>R. B. Lowry</u>		Water Well Drillers Registration No. <u>146</u>																																																					
ADDRESS <u>4012 Fulton</u> - <u>P. O. Box 8707</u> <u>Houston</u> <u>Texas 77009</u>		<small>(Street or RFD) (City) (State)</small>																																																					
(Signed) <u>R. B. Lowry</u>		LOWRY WATER WELLS																																																					
<small>(Water Well Driller)</small>		<small>(Company Name)</small>																																																					

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1683	2 of 2	N	4.77 / 25,194.16	CenterPoint Energy Houston Electric, LLC	WW HARRIS GAL
				TX	

Well ID:	1193	Diameter (inches):	4
Aggre Lead Well:	1193	Year Drilled:	1972
Permit No:	W2019-1193-205708-0	Depth Drilled:	443
Permit Start Date:	11/1/2019	Depth frm Surf(ft):	422
Permit End Dt:	10/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.911111
Regulatory Aarea:	3	Longitude:	-95.422777
Owner Name:	CenterPoint Energy Houston Electric, LLC		
Billing Contact:	NULL		
Billing Address:	P.O. Box 1700		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77251		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1684	1 of 1	NW	4.77 / 25,199.45	Campbell, Mike TX	WW HARRIS GAL

Well ID:	9720	Diameter (inches):	2
Aggre Lead Well:	9720	Year Drilled:	
Permit No:	W2019-9720-202841-0	Depth Drilled:	100
Permit Start Date:	6/1/2019	Depth frm Surf(ft):	25
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.455277
Owner Name:	Campbell, Mike		
Billing Contact:	NULL		
Billing Address:	11702 McKinley		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1685	1 of 2	NW	4.78 / 25,223.26	RICARDO DIAZ BOLANOS TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 09/05/2000
Owners Name: RICARDO DIAZ BOLANOS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 20
Depth Drilled: 47
Latitude: 29.897995
Longitude: -95.458495

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

**State of Texas
WELL REPORT**

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER JB Well Drilling & Repair Shop ADDRESS 2846 1/2 W. Mt. Houston Houston TX 77008
(Name) (Street, RFD or other) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: Scme Long. Lat.
County Harris (Street, RFD or other) (City) (State) (Zip) Grid #

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: 9-5-00
Completed: 9-5-00

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
5	Surface	17

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

8) Borehole Completion (Check): ☐ Open Hole ☐ Stringer Wall ☐ Underreamed ☒ Gravel Packed ☐ Other
If Gravel Packed give interval from 35 ft. to 45 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Cage Casing Screen
			From	To	
2	N	Plastic Casing	Surface	35	Screen
2	N	Plastic Screen	35	45	0.006

9) CEMENTING DATA
Cemented from 35 ft. to 0 ft. No. of sacks used 8
ft. to ft. No. of sacks used
Method used Pressure
Cemented by Raymond Services, Inc.
Distance to septic system field lines or other concentrated contamination ft.
Method of verification of above distance Customer

13) ☐ Well plugged within 48 hours.
(Use reverse side of Well Owner's copy, if necessary)

Casing left in well: None Cement/bentonite placed in well: None Sacks used:

14) TYPE PUMP:
☐ Turbine ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc. ft.

15) WELL TESTS:
Type test: ☐ Pump ☐ Boiler ☒ Jetted ☐ Estimated
Yield: 8 gpm with ft. drawdown after hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed
☒ Specified Steel Sleeve Installed
☐ Pileless Adapter Used
☐ Approved Alternative Procedure Used

11) WATER LEVEL:
Static level 20 ft. below land surface Date 9/8/00
Artesian flow gpm. Date

12) PACKERS: Type Depth

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmission.

COMPANY NAME Raymond Services, Inc. WELL DRILLER'S LICENSE NO. 4577WI
(Type or print)

ADDRESS 10011 Airline Drive, Houston, TX 77037
(Street, RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) [Signature]
(Licensed Well Driller) (Registered Driller/Trainer)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

203,924

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1685	2 of 2	NW	4.78 / 25,223.26	Bolanos, Ricardo TX	WW HARRIS GAL

Well ID:	8326	Diameter (inches):	2
Aggre Lead Well:	8326	Year Drilled:	2000
Permit No:	WP2023-105949	Depth Drilled:	50
Permit Start Date:	6/1/2023 2:19:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	5/31/2024 2:19:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.458611
Owner Name:	J.B. Welding & Body Shop		
Billing Contact:	NULL		
Billing Address:	2846 West Mount Houston Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1686	1 of 2	NW	4.78 / 25,224.87	NGZ Investments LLC TX	WW HARRIS GAL

Well ID:	14992	Diameter (inches):	4
Aggre Lead Well:	14992	Year Drilled:	0
Permit No:	WP2023-111304	Depth Drilled:	400
Permit Start Date:	6/1/2021	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024 3:59:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.4575
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	2826 Lincoln Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1686	2 of 2	NW	4.78 / 25,224.87	BILL MILLER TX	TCEQ WELL LOGS

Grid No: 65-05-8N
 Date Drilled: 08/20/1973
 Owners Name: BILL MILLER
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 165
 Depth Drilled: 303
 Latitude: 29.8986649
 Longitude: -95.4574607

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-8N
Located on map YPS
Received: 7/4/73
dl

1) OWNER:
Person having well drilled Bill Miller (Name) Address P.O. Box 10615 (77018) (Street or RFD) (City) (State) Wash. Houston Tex
Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in _____ direction from Houston (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* (19) or Give legal location with distances and directions from adjacent sections or survey lines.
map n. 65-04-37 North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 303 ft. Depth of completed well 303 ft. Date drilled 8/20/73
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	280	Unconsolidated
280	303	Sand.

9) CASING:
Type: Old ☒ New ☐ Steel ☐ Plastic ☐ Other ☐
Cemented from 248 ft. to 303 ft.
Diameter (inches) Setting From (ft.) To (ft.) Gage
4 0 290'
2 290- 293

10) SCREEN:
Type SSR
Perforated ☒ Slotted ☐
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 293 303 14 ga

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other ☐
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 16.5 ft. below land surface Date 8/21/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 232' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☒ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Carl K. Buswell (Type or Print) Water Well Drillers Registration No. 1581
ADDRESS 9739 Houston Road (Street or RFD) Houston (City) Tex (State)
(Signed) Carl Buswell (Water Well Driller) Buswell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	1 of 10	NNE	4.78 / 25,230.78	Jet Machine Works, Inc. TX	WW HARRIS GAL

Well ID:	9915	Diameter (inches):	5
Aggre Lead Well:	6486	Year Drilled:	2004
Permit No:	W2008-6486-135031-0	Depth Drilled:	420
Permit Start Date:	8/1/2008	Depth frm Surf(ft):	400
Permit End Dt:	5/13/2009	County:	H
Well Status:	P - Plugged	Latitude:	29.902222
Regulatory Aarea:	3	Longitude:	-95.370833
Owner Name:	Jet Machine Works, Inc.		
Billing Contact:	Tina Tillman		
Billing Address:	1107 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	2 of 10	NNE	4.78 / 25,230.78	JET MACHINE WORKS TX	WUD
Primary Co:		TINA TILLMAN			
Contact Ti:		EMERGENCY CONTACT			
Operating Status:		PLUGGED			
PWSID:		1011617			
Source ID:		G1011617A			
Utility Name:		JET MACHINE WORKS			
WTRSRC:		G1011617A			
Date Drilled:					
Well Depth:		0			
Screen Top:		0			
Screen Bottom:		0			
Water Usage:		INACTIVE - PLUGGED			
Gallons Per Minute:		N/A			
CCN:		N/A			
Latitude:		29.902297			
Longitude:		-95.371033			
System Status:		ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	3 of 10	NNE	4.78 / 25,230.78	JET MACHINE WORKS TX	WUD

Primary Co: TINA TILLMAN
Contact Ti: EMERGENCY CONTACT
Operating Status: PLUGGED
PWSID: 1011617
Source ID: G1011617B
Utility Name: JET MACHINE WORKS
WTRSRC: G1011617B
Date Drilled: 12/03/2004
Well Depth: 385
Screen Top: 365
Screen Bottom: 385
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 70
CCN: N/A
Latitude: 29.90253056
Longitude: -95.37059444
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	4 of 10	NNE	4.78 / 25,230.78	JET MACHINE WORKS TX	WUD

Primary Co: TINA TILLMAN
Contact Ti: EMERGENCY CONTACT
Operating Status: OPERATIONAL
PWSID: 1011617
Source ID: G1011617C
Utility Name: JET MACHINE WORKS
WTRSRC: G1011617C
Date Drilled: 03/19/2009
Well Depth: 380
Screen Top: 360
Screen Bottom: 380
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 11
CCN: N/A
Latitude: 29.903028
Longitude: -95.370792
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	5 of 10	NNE	4.78 / 25,230.78	Jet Machine Works, Inc. TX	WW HARRIS GAL

Well ID:	4828	Diameter (inches):	4
Aggre Lead Well:	4828	Year Drilled:	1977
Permit No:	W2002-4828-104033-0	Depth Drilled:	290
Permit Start Date:	8/1/2002	Depth frm Surf(ft):	NULL
Permit End Dt:	12/31/2004	County:	H
Well Status:	P - Plugged	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.371388
Owner Name:	Jet Machine Works, Inc.		
Billing Contact:	Tina Tillman		
Billing Address:	1107 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	6 of 10	NNE	4.78 / 25,230.78	MORRIS, GORDON R. TX	WW HARRIS GAL

Well ID:	2355	Diameter (inches):	2
Aggre Lead Well:	2355	Year Drilled:	1969
Permit No:	W1992-2355-40502-0	Depth Drilled:	0
Permit Start Date:	8/1/1992	Depth frm Surf(ft):	0
Permit End Dt:	7/31/1993	County:	H
Well Status:	P - Plugged	Latitude:	29.903888
Regulatory Aarea:	3	Longitude:	-95.371666
Owner Name:	MORRIS, GORDON R.		
Billing Contact:	NULL		
Billing Address:	14922 Lillja Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	7 of 10	NNE	4.78 / 25,230.78	Jet Machine Works, Inc. TX	WW HARRIS GAL

Well ID:	11076	Diameter (inches):	5
Aggre Lead Well:	11076	Year Drilled:	2009
Permit No:	W2020-11076-210992-0	Depth Drilled:	400
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.371388
Owner Name:	Jet Machine Works, Inc.		
Billing Contact:	Tina Tillman		
Billing Address:	1107 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	8 of 10	NNE	4.78 / 25,230.78	Jet Machine Works, Inc. TX	WW HARRIS GAL

Well ID:	6486	Diameter (inches):	4
Aggre Lead Well:	6486	Year Drilled:	1980
Permit No:	W2008-6486-135031-0	Depth Drilled:	NULL
Permit Start Date:	8/1/2008	Depth frm Surf(ft):	NULL
Permit End Dt:	5/13/2009	County:	H
Well Status:	P - Plugged	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.370277
Owner Name:	Jet Machine Works, Inc.		
Billing Contact:	Tina Tillman		
Billing Address:	1107 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	9 of 10	NNE	4.78 / 25,230.78	Jet Machine Works Inc. 1107 Aldine Mail Rt. Houston TX 77039	SDRW WELLS

Track NO: 50276
Date Submitted: 2004-12-20
Owner Name: Jet Machine Works Inc.
Owner Address: 1107 Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.902501
Longitude: -95.370555
Drilling Date Started: 2004-12-01
Drilling Date Completed: 2004-12-03
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=50276&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 385

Top Depth:
Bottom Depth: 385.0

Well Levels

Measurement: 200
Measurement Date: 2004-12-03

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1687	10 of 10	NNE	4.78 / 25,230.78	Jet Machine 1107 Aldine Mail Route Houston TX 77039	SDRW WELLS

Track NO: 174569
Date Submitted: 2009-04-13
Owner Name: Jet Machine
Owner Address: 1107 Aldine Mail Route
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.902501
Longitude: -95.371389
Drilling Date Started: 2009-03-18
Drilling Date Completed: 2009-03-19
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=174569&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 380

Top Depth:
Bottom Depth: 380.0

Well Levels

Measurement: 195
Measurement Date: 2009-03-27

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1688	1 of 1	NW	4.78 / 25,232.26	Ayala, Luis Alberto TX	WW HARRIS GAL

Well ID:	9136	Diameter (inches):	4
Aggre Lead Well:	9136	Year Drilled:	
Permit No:	W2019-9136-208879-0	Depth Drilled:	156
Permit Start Date:	9/22/2022 1:29:00 PM	Depth frm Surf(ft):	NULL
Permit End Dt:	5/31/2024 1:29:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.899722
Regulatory Aarea:	3	Longitude:	-95.456388
Owner Name:	Alberto, Luis & Ana Estela Ayala		
Billing Contact:	NULL		
Billing Address:	2809 Washington Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038-3318		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1689	1 of 1	NNE	4.78 / 25,232.49	LELA LONG TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 2/13/1999
Owners Name: LELA LONG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 5
Depth Drilled: 47
Latitude: 29.9103542
Longtiude: -95.3917281

Send original copy by certified return receipt requested to

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>Lela Long</u> (Name) ADDRESS <u>14521 Lillija Hou, Tx 77037</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL'S LOCATION: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip)		Long. <u>90</u> Lat. <u>29</u> Grid # <u>65-05-9</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: <u>2-13</u> 19 <u>99</u> Started <u>2-13</u> 19 <u>99</u> Completed <u>2-13</u> 19 <u>99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>4"</td> <td>Surface</td> <td>47</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	4"	Surface	47	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other															
Dia. (in.)	From (ft.)	To (ft.)																							
4"	Surface	47																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 5</u> <u>Top soil</u> <u>5 - 17</u> <u>white clay</u> <u>17 - 23</u> <u>sand</u> <u>23 - 33</u> <u>red clay</u> <u>33 - 37</u> <u>sand</u> <u>37 - 39</u> <u>red clay</u> <u>39 - 47</u> <u>sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval from <u>37</u> ft. to <u>47</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>2"</td> <td>N</td> <td>Plastic</td> <td>0</td> <td>37</td> <td></td> </tr> <tr> <td>2"</td> <td>N</td> <td>Plastic</td> <td>37</td> <td>47</td> <td>006</td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	2"	N	Plastic	0	37		2"	N	Plastic	37	47	006				
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																	
		From	To																						
2"	N	Plastic	0	37																					
2"	N	Plastic	37	47	006																				
9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>37</u> ft. No. of sacks used <u>8</u> Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>100'</u> Method of verification of above distance <u>Customer</u>																									
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																									
11) WATER LEVEL: Static level <u>5</u> ft. below land surface Date <u>2-13-99</u> Artesian flow _____ gpm. Date _____																									
12) PACKERS: Type Depth <u>None</u>																									
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used: From (ft) To (ft) From (ft) To (ft)																									
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc., _____ ft.																									
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																									
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmission.																									
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		FILE ID <u>45771</u> SEQ # _____		WELL DRILLER'S LICENSE NO. _____																					
ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (Street or RFD) (City) (State) (Zip)		EMP # _____		DESC CO _____																					
(Signed) _____ (Licensed Well Driller)		(Signed) _____ (Registered Driller Trained)		COMMENT _____																					
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001WWDD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1690	1 of 3	NNE	4.78 / 25,239.34	PRECISION FLANGE MACHINE TX	WUD
<i>Primary Co:</i>		EDDIE SHIELDS			
<i>Contact Ti:</i>		CONTROLLER			
<i>Operating Status:</i>		OPERATIONAL			
<i>PWSID:</i>		1013109			
<i>Source ID:</i>		G1013109A			
<i>Utility Name:</i>		PRECISION FLANGE MACHINE			
<i>WTRSRC:</i>		G1013109A			
<i>Date Drilled:</i>					
<i>Well Depth:</i>		400			
<i>Screen Top:</i>		0			
<i>Screen Bottom:</i>		0			
<i>Water Usage:</i>		ACTIVE - PERMANT			
<i>Gallons Per Minute:</i>		20			
<i>CCN:</i>		N/A			
<i>Latitude:</i>		29.90493			
<i>Longitude:</i>		-95.374153			
<i>System Status:</i>		ACTIVE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1690	2 of 3	NNE	4.78 / 25,239.34	A.J. WEAVER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 6/28/1999
Owners Name: A.J. WEAVER
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 210
Depth Drilled: 405
Latitude: 29.9049301
Longitude: -95.3741531

Send original copy by certified return receipt requested m

TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																																		
1) OWNER <u>A.J. WEAVER</u> (Name) ADDRESS <u>13123 W. hardy</u> HOUSTON, TX 77060 (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <u>SAME</u> (Street, RFD or other) (City) (State) (Zip) Grid # <u>65-05-9</u>																																				
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																		
6) WELL LOG: Date Drilling: Started <u>6-25</u> 19 <u>99</u> Completed <u>6-28</u> 19 <u>99</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>8 7/8</u></td> <td><u>0</u></td> <td><u>405</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>8 7/8</u>	<u>0</u>	<u>405</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																									
Dia. (in.)	From (ft.)	To (ft.)																																				
	Surface																																					
<u>8 7/8</u>	<u>0</u>	<u>405</u>																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0</td><td>25</td><td>CLAY</td></tr> <tr><td>25</td><td>50</td><td>SAND</td></tr> <tr><td>50</td><td>105</td><td>CLAY</td></tr> <tr><td>105</td><td>170</td><td>SAND</td></tr> <tr><td>170</td><td>190</td><td>CLAY</td></tr> <tr><td>190</td><td>260</td><td>SAND</td></tr> <tr><td>260</td><td>290</td><td>SHALE</td></tr> <tr><td>290</td><td>305</td><td>SAND</td></tr> <tr><td>305</td><td>320</td><td>CLAY</td></tr> <tr><td>320</td><td>405</td><td>SAND</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	25	CLAY	25	50	SAND	50	105	CLAY	105	170	SAND	170	190	CLAY	190	260	SAND	260	290	SHALE	290	305	SAND	305	320	CLAY	320	405	SAND	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 STRING</u> If Gravel Packed give interval from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																				
0	25	CLAY																																				
25	50	SAND																																				
50	105	CLAY																																				
105	170	SAND																																				
170	190	CLAY																																				
190	260	SAND																																				
260	290	SHALE																																				
290	305	SAND																																				
305	320	CLAY																																				
320	405	SAND																																				
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>5</u></td> <td><u>N</u></td> <td><u>PVC CASING</u></td> <td><u>0</u></td> <td><u>385</u></td> <td></td> </tr> <tr> <td><u>5</u></td> <td><u>N</u></td> <td><u>PVC LINER</u></td> <td><u>375</u></td> <td><u>385</u></td> <td></td> </tr> <tr> <td><u>5</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>385</u></td> <td><u>405</u></td> <td><u>.006</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>5</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>385</u>		<u>5</u>	<u>N</u>	<u>PVC LINER</u>	<u>375</u>	<u>385</u>		<u>5</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>385</u>	<u>405</u>	<u>.006</u>							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																	
			From	To																																		
<u>5</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>385</u>																																		
<u>5</u>	<u>N</u>	<u>PVC LINER</u>	<u>375</u>	<u>385</u>																																		
<u>5</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>385</u>	<u>405</u>	<u>.006</u>																																	
(Use reverse side of Well Owner's copy, if necessary)		9) CEMENTING DATA Cemented from <u>385</u> ft. to <u>0</u> ft. No. of sacks used <u>40</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>12</u> Method used <u>HALLIBURTON</u> Cemented by <u>SWW</u> Distance to septic system field lines or other concentrated contamination <u>160</u> ft. Method of verification of above distance <u>OWNER VERIFICATION</u>																																				
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)												10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pileless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																																		
From (ft)	To (ft)	From (ft)	To (ft)																																			
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		11) WATER LEVEL: Static level <u>210</u> ft. below land surface Date <u>6/28/99</u> Artesian flow _____ gpm. Date _____																																				
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>100</u> gpm with _____ ft. drawdown after _____ hrs.		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>K-PACKER</u></td> <td><u>375</u></td> </tr> </table>				Type	Depth	<u>K-PACKER</u>	<u>375</u>																													
Type	Depth																																					
<u>K-PACKER</u>	<u>375</u>																																					
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																						
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																																						
COMPANY NAME <u>SCOTT WATER WELLS INC.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4839WI</u>		SEQ # _____																																		
ADDRESS <u>11915 GREEN PINE CIR.</u> HOUSTON, TEXAS <u>77066</u> (Street or RFD) (City) (State) (Zip)		(Signed) <u>Scott Robinson</u> (Licensed Well Driller) <u>Edurn Ritter</u> (Registered Driller Trainee)																																				
Please attach electric log, chemical analysis, and other pertinent information, if available.																																						

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1690	3 of 3	NNE	4.78 / 25,239.34	Weaver, A. J. TX	WW HARRIS GAL

Well ID:	7803	Diameter (inches):	5
Aggre Lead Well:	7803	Year Drilled:	NULL
Permit No:	W2021-7803-218785-0	Depth Drilled:	400
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	300
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.374166
Owner Name:	Weaver, A. J.		
Billing Contact:	NULL		
Billing Address:	Precision Flange & Machine, Inc.		
Billing Address 2:	13123 W Hardy Rd		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1691	1 of 1	NNW	4.78 / 25,239.72	SAM KIEN TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 03/31/2003
Owners Name: SAM KIEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 230
Depth Drilled: 402
Latitude: 29.907842
Longtiude: -95.437743

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us				This form must be completed and filed with the department and owner within 60 days upon completion of the well.																									
WELL REPORT																															
A. WELL IDENTIFICATION AND LOCATION DATA																															
1) OWNER																															
Name <u>SAM KIEH</u>		Address <u>9805 VETERANS MEMORIAL</u>		City <u>HOUSTON</u>		State <u>TX</u> Zip <u>77038</u>																									
2) WELL LOCATION																															
County <u>HARRIS</u> <u>101</u>		Physical Address <u>9805 VETERANS MEMORIAL</u>		City <u>HOUSTON</u>		State <u>TX</u> Zip <u>77038</u>																									
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic ^{MULTI-FAMILY} <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No		Grid # <u>65-05-7</u>		5) <u>NT</u>																									
6) Drilling Date Started <u>03 / 28 / 03</u> Completed <u>03 / 31 / 03</u>		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia.(in)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td><u>7</u></td> <td><u>0</u></td> <td><u>402</u></td> </tr> </table>		Dia.(in)	From (ft)	To (ft)	<u>7</u>	<u>0</u>	<u>402</u>	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia.(in)	From (ft)	To (ft)																													
<u>7</u>	<u>0</u>	<u>402</u>																													
From (ft) To (ft) Description and color of formation material <u>0 - 60 CLAY</u> <u>60 - 100 SAND, RED, WHITE</u> <u>100 - 230 CLAY, ROCK</u> <u>230 - 275 SAND, FINE</u> <u>275 - 360 CLAY, SHALE</u> <u>360 - 402 SAND</u>				8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>25 ft. casing</u> If Gravel Packed give the interval from _____ ft. to _____ ft.																											
				Casing, Blank Pipe, and Well Screen Data																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>CASING</u></td> <td><u>385</u></td> <td><u>0</u></td> <td><u>SH 90</u></td> </tr> <tr> <td><u>2.5</u></td> <td><u>N</u></td> <td><u>LINER</u></td> <td><u>385</u></td> <td><u>380</u></td> <td><u>SH 90</u></td> </tr> <tr> <td><u>2.5</u></td> <td><u>N</u></td> <td><u>SCREEN</u></td> <td><u>402</u></td> <td><u>385</u></td> <td><u>012</u></td> </tr> </table>		Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	<u>4 1/2</u>	<u>N</u>	<u>CASING</u>	<u>385</u>	<u>0</u>	<u>SH 90</u>	<u>2.5</u>	<u>N</u>	<u>LINER</u>	<u>385</u>	<u>380</u>	<u>SH 90</u>	<u>2.5</u>	<u>N</u>	<u>SCREEN</u>	<u>402</u>	<u>385</u>	<u>012</u>		
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)				Gage Casing Screen																								
			From	To																											
<u>4 1/2</u>	<u>N</u>	<u>CASING</u>	<u>385</u>	<u>0</u>	<u>SH 90</u>																										
<u>2.5</u>	<u>N</u>	<u>LINER</u>	<u>385</u>	<u>380</u>	<u>SH 90</u>																										
<u>2.5</u>	<u>N</u>	<u>SCREEN</u>	<u>402</u>	<u>385</u>	<u>012</u>																										
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/Bentonite placed in well: _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>				From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																9) Cementing Data Cementing from <u>385</u> ft. to <u>0</u> ft. # of sacks used <u>18</u> <u>0</u> ft. to <u>15</u> ft. # of sacks used <u>4</u> Method Used <u>HEILBURTON</u> Cementing By <u>RWW</u> Distance to septic system field or other concentrated contamination <u>100</u> ft. Method of verification of above distance <u>OWNER</u>							
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																											
14) Type Pump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc., <u>320</u> ft.				10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																											
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.				11) Water Level Static level <u>230</u> ft. below Date <u>3 / 31 / 03</u> Artesian Flow _____ gpm. Date _____																											
16) Water Quality Did you knowingly penetrate a strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				12) Packers <u>RECEIVED</u> Type <u>PK</u> Depth <u>380</u> <u>TDLR MAIL ROOM</u> bh _____ <u>JUN 03 2003</u>																											
Company or individual's Name (type or print) <u>ROBINSON WATER WELL SERVICE, INC.</u>		License # <u>54211</u> Amount <u>DAVID HELMS</u>		City <u>HOUSTON</u> State <u>TX</u> Zip <u>77086</u>		Address <u>11819 W. MOST GOMERY RD.</u>																									
Signature <u>David Helms</u> Date <u>5 / 28 / 03</u>		Signature _____ Date _____		Signature _____ Date _____		Signature _____ Date _____																									
Licensed Driller/Pump Installer		Apprentice		Apprentice		Apprentice																									

TDLR FORM 6001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1692	1 of 1	W	4.78 / 25,243.29	GARY OESER TX	TCEQ WELL LOGS

Grid No: 65-13-1
Date Drilled: 04/12/2001
Owners Name: GARY OESER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 11
Depth Drilled: 50
Latitude: 29.8461477
Longtiude: -95.4902707

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX: (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
WELL REPORT					
A. WELL IDENTIFICATION AND LOCATION DATA					
1) OWNER					
Name	Address	City	State	Zip	
Gary Oeser	18518 FM 2145	Ledbetter	TX	78946	
2) WELL LOCATION					
County	Physical Address	City	State	Zip	
Aciris	6733 Grove Crest	Houston	TX	77092	
3) Type of Work		Lat.	Long.	Grid #	
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning				65-13-1	
4) Proposed Use (check)		5)			
<input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		N↑			
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)	
Started 4/12/01		Dia. (in.) From (ft) To (ft)		<input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other	
Completed 4/12/01		5 surface 50			
From (ft)	To (ft)	Description and color of formation material			
Surface	22	Yellow Clay			
22	47	Sand & ssc			
8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall					
<input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give the interval from 47 ft. to 37 ft.					
Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen	
2	N	Casing Plastic	Surface 37	5x4x8	
2	N	Screen Plastic			
9) Cementing Data					
Cementing from 37 ft. to 51 ft. # of sacks used 10					
Method Used Pressure					
Cementing By Raymond Services, Inc.					
Distance to septic system field or other concentrated contamination ft.					
Method of verification of above distance Customer					
10) Surface Completion # 6 2001					
<input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used					
11) Water Level					
Static level 11 ft. below Date 4/12/01					
Artesian Flow gpm. Date					
12) Packers Type Depth					
NONE					
13) Plugged <input type="checkbox"/> Well plugged within 48 hours					
Casing left in well: Cement/Bentonite placed in well:					
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used	
14) Typepump					
<input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other					
Depth to pump bowls, cylinder, jet etc. ft.					
15) Water Test					
Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated					
Yield: 10 gpm with 5 ft. drawdown after 1 hrs.					
16) Water Quality					
Did you knowingly penetrate and strata which contain undesirable constituents.					
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER					
Type of water Depth of Strata					
Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No					
Company or individual's Name (type or print)		Raymond Services, Inc. 4577WI			
Address 10011 Airline Drive		City Houston		State TX	Zip 77037
Signature		Signature		Date 4/12/01	
Licensed Driller/Pump Installer		Apprentice		Date	

TDLR FORM 001 WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1693	1 of 2	NNE	4.78 / 25,243.35	JUAN OCHOA TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/13/1998
Owners Name: JUAN OCHOA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 370
Latitude: 29.9095347
Longtiude: -95.3878901

Send original copy by certified return receipt requested r TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																																					
1) OWNER <u>Juan Ochoa</u> ADDRESS <u>14421 Sellers Road, Houston, TX 77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>Same</u> Long. <u> </u> Lat. <u> </u> <small>County (Street, RFD or other) (City) (State) (Zip) Grid # <u>65-05-9</u></small>																																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <small>If Public Supply well, were plans submitted to the TNRC? <input type="checkbox"/> Yes <input type="checkbox"/> No</small>		5) <u> </u>																																					
6) WELL LOG: Date Drilling: <u>4/10/98</u> Started <u>4/10/98</u> Completed <u>4/13/98</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>4 3/4</u></td> <td><u>Surface</u></td> <td><u>394</u></td> </tr> <tr> <td><u>7</u></td> <td><u>11 "</u></td> <td><u>370</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>4 3/4</u>	<u>Surface</u>	<u>394</u>	<u>7</u>	<u>11 "</u>	<u>370</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other <u> </u>																												
Dia. (in.)	From (ft.)	To (ft.)																																							
<u>4 3/4</u>	<u>Surface</u>	<u>394</u>																																							
<u>7</u>	<u>11 "</u>	<u>370</u>																																							
From (ft.) To (ft.) Description and color of formation material <u>0-15</u> <u>YELLOW CLAY</u> <u>15-48</u> <u>WHITE SAND</u> <u>48-50</u> <u>ROCK</u> <u>50-65</u> <u>RED CLAY</u> <u>65-100</u> <u>SAND</u> <u>100-140</u> <u>RED CLAY</u> <u>140-178</u> <u>SAND 16 GA</u> <u>178-210</u> <u>CLAY WHITE RED</u> <u>210-284</u> <u>CLAY</u> <u>284-313</u> <u>SAND 12</u> <u>313-330</u> <u>SAND 12</u> <u>330-338</u> <u>CLAY</u> <small>(Use reverse side of Well Owner's copy, if necessary)</small>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>TELESCOPE</u> <small>If Gravel Packed give interval from <u> </u> ft. to <u> </u> ft.</small>																																							
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)							CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>370</u></td> <td><u>SHAD</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Plastic LINEAR</u></td> <td><u>360</u></td> <td><u>370</u></td> <td><u>" "</u></td> </tr> <tr> <td><u>11</u></td> <td><u>"</u></td> <td><u>" " " SCREEN</u></td> <td><u>370</u></td> <td><u>390</u></td> <td><u>.006</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>370</u>	<u>SHAD</u>	<u>2 1/2</u>	<u>N</u>	<u>Plastic LINEAR</u>	<u>360</u>	<u>370</u>	<u>" "</u>	<u>11</u>	<u>"</u>	<u>" " " SCREEN</u>	<u>370</u>	<u>390</u>	<u>.006</u>
From (ft)	To (ft)	From (ft)	To (ft)																																						
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																				
			From	To																																					
<u>4</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>370</u>	<u>SHAD</u>																																				
<u>2 1/2</u>	<u>N</u>	<u>Plastic LINEAR</u>	<u>360</u>	<u>370</u>	<u>" "</u>																																				
<u>11</u>	<u>"</u>	<u>" " " SCREEN</u>	<u>370</u>	<u>390</u>	<u>.006</u>																																				
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other <u> </u> Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>37</u> ft. No. of sacks used <u>48</u> <u> </u> ft. to <u> </u> ft. No. of sacks used <u> </u> Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>70</u> ft. Method of verification of above distance <u>Customer</u>																																							
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Slotted <input type="checkbox"/> Estimated Yield: <u>50</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																																							
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u> </u> Depth of strata <u> </u> Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>220</u> ft. below land surface Date <u>4/13/98</u> Artesian flow <u> </u> gpm. Date <u> </u>																																							
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>1</u></td> <td><u>RTG K</u></td> <td><u>360</u></td> </tr> </table>			Type	Depth	<u>1</u>	<u>RTG K</u>	<u>360</u>	I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																																	
	Type	Depth																																							
<u>1</u>	<u>RTG K</u>	<u>360</u>																																							
COMPANY NAME <u>Raymond Services, Inc.</u> <small>(Type or print)</small> ADDRESS <u>10011 Airline Drive, Houston, TX 77036</u> <small>(Street or RFD) (City) (State) (Zip)</small> (Signed) <u>[Signature]</u> <small>Licensed Well Driller</small>		WELL DRILLER LICENSE NO. <u>4577W</u> <u>MAR 10 1999</u> (Signed) <u>[Signature]</u> <small>(Registered Driller Trainee)</small>																																							
Please attach electronic log, chemical analysis, and other pertinent information, if available.																																									

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1693	2 of 2	NNE	4.78 / 25,243.35	Ochoa, Juan TX	WW HARRIS GAL

Well ID:	7218	Diameter (inches):	4
Aggre Lead Well:	7218	Year Drilled:	
Permit No:	W2005-7218-119692-0	Depth Drilled:	390
Permit Start Date:	9/1/2005	Depth frm Surf(ft):	370
Permit End Dt:	9/1/2005	County:	H
Well Status:	L - Lost	Latitude:	29.909444
Regulatory Aarea:	3	Longitude:	-95.387777
Owner Name:	Ochoa, Juan		
Billing Contact:	Manager		
Billing Address:	10305 Timberswitch Rd. C		
Billing Address 2:	NULL		
Billing City:	Cleveland		
Billing State:	TX		
Billing Zip:	77328		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1694	1 of 1	NNE	4.78 / 25,244.00	Moses Construction 14402 Hernry Rd. Houston TX 77060	SDRW WELLS

Track NO: 71656
Date Submitted: 2005-12-02
Owner Name: Moses Construction
Owner Address: 14402 Henry Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908334
Longitude: -95.382222
Drilling Date Started: 2005-12-01
Drilling Date Completed: 2005-12-02
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=71656&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 18
Measurement Date: 2005-12-02

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1695	1 of 1	NNE	4.78 / 25,246.25	Dana Alexander 819 Isetta Ln. Houston TX 77060	SDRW WELLS

Track NO: 550886
Date Submitted: 2020-08-13
Owner Name: Dana Alexander
Owner Address: 819 Isetta Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.9075
Longitude: -95.381111
Drilling Date Started: 2020-08-12
Drilling Date Completed: 2020-08-12
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=550886&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 8
Measurement Date: 2020-08-12

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1696	1 of 5	N	4.78 / 25,253.37	UNDERWRITERS SALVAGE TX	GWDB

Well Rep Track No:
State Well No: 6505920
Owner Name: UNDERWRITERS SALVAGE
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1968
Well Depth: 224
Well Usage: Commercial
Water Level Status:
Latitude: 29.9122230
Longitude: -95.4119450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505920&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505920&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1696	2 of 5	N	4.78 / 25,253.37	VIKKI VINES TX	TCEQ WELL LOGS

Grid No: 65-06-4
 Date Drilled: 09/25/1997
 Owners Name: VIKKI VINES
 County: HARRIS
 Water Usage: SMALL BUS
 Static Level: 240
 Depth Drilled: 415
 Latitude: 29.9121401
 Longtiude: -95.4104512

Send original copy by certified return receipt requested m/c

TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on an reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>VIKKI VINES</u> (Name)		ADDRESS <u>10555 SWEETWATER HOUSTON TX 77037</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: <u>HARRIS</u> County		<u>10555 SWEETWATER HOUSTON TX 77037</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65064</u>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		5) <input checked="" type="checkbox"/>																					
6) WELL LOG: Date Drilling: <u>9-23 19 97</u> Started <u>9-25 19 97</u> Completed <u>9-25 19 97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>7</td> <td>Surface</td> <td>405</td> </tr> <tr> <td>3 7/8</td> <td>405</td> <td>415</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	7	Surface	405	3 7/8	405	415	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																							
7	Surface	405																							
3 7/8	405	415																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 6</u> <u>TOP SOIL</u> <u>6 - 27</u> <u>RED SHALE</u> <u>27 - 64</u> <u>WHITE SAND</u> <u>64 - 91</u> <u>RED SHALE</u> <u>91 - 137</u> <u>SAND</u> <u>137 - 166</u> <u>RED SHALE</u> <u>166 - 190</u> <u>SAND</u> <u>190 - 211</u> <u>RED SHALE</u> <u>211 - 240</u> <u>SAND</u> <u>240 - 302</u> <u>RED SHALE</u> <u>302 - 345</u> <u>SAND</u> <u>345 - 390</u> <u>RED SHALE</u> <u>390 - 415</u> <u>SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>NYC</td> <td>0</td> <td>395</td> <td>SH40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>NYC SCREEN</td> <td>395</td> <td>415</td> <td>SH80</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	4	N	NYC	0	395	SH40	2 1/2	N	NYC SCREEN	395	415	SH80
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																				
			From	To																					
4	N	NYC	0	395	SH40																				
2 1/2	N	NYC SCREEN	395	415	SH80																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>395</u> ft. No. of sacks used <u>24</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>170</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12.5</u> gpm with <u>15</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>9-25-97</u> Artesian flow _____ gpm. Date _____																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>				Type	Depth																		
Type	Depth																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>SUGG WATER WELL</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>1006WPH</u>		FILE ID _____ SEQ # _____																					
ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD)		<u>HOUSTON</u> (City)		<u>TEXAS 77039</u> (State) (Zip)																					
(Signed) <u>James N. Sugg</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)		COMMENT _____																					

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1696	3 of 5	N	4.78 / 25,253.37	UNDERWRITERS SALVAGE INC TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 06/04/1968
Owners Name: UNDERWRITERS SALVAGE INC
County:
Water Usage: COMMERCIAL
Static Level: 132
Depth Drilled: 224
Latitude: 29.9121401
Longitude: -95.4104512

File original copy with Texas Water Commission P. O. Box 12311, Capitol Station Austin, Texas 78711
State of Texas
For use by TWC only Well No. _____ Located on map _____ By _____ Date _____ Map no. _____

DRILLERS LOG AND WELL DATA REPORT

1) Well Owner: Underwriters Salvage, Inc., 10210 N. Freeway, Houston, Texas
2) Land Owner:
3) Intended use: Industrial ☐ Municipal ☐ Irrigation ☐ Other Commercial
4) Location of well: County Harris Labor _____ League _____ Abstract No. _____ NE ¹/₄ NW ¹/₄ SW ¹/₄ SE ¹/₄ of Section _____ Block No. _____ Survey _____

_____ miles in _____ direction from _____

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL
Method of drilling: Rotary Diameter of hole 6 1/2 in. Date drilled June 4, 1968

All measurements made from _____ ft. above ground level.		
From (ft)	To (ft)	Description and color of formation material
0	8	Top Soil
8	30	Clay, Red
30	56	Sand
56	150	Clay, Yellow & Red
150	167	Sand
167	212	Clay, Red
212	224	Sand, 12-Gauge

COMPLETION DATA

COMPLETION
Straight well ☐ Under reamed ☐ Gravel packed ☐ Open hole ☐ Other 4 x 2 1/2 two string

CASING
Type: Old ☐ New ☒ Cemented from Bottom ft. to 150 ft.

SCREEN
Type Bar Lug Perforated ☐ Slotted ☐

Setting		
Diameter (inches)	from (ft)	to (ft)
4	Surface	214

Setting		
Diameter (inches)	from (ft)	to (ft)
2 1/2	214	224

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
A. Chrysty Kuhlmann A. Chrysty Kuhlmann Reg. No. 139

Please attach electric log, chemical analysis, and other pertinent information if available.
If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 132 ft. below

Pumping level

Pump type Submersible
Designed pumping rate 30 GPM gpm ☒ xph ☐
Type power unit Electric
Horsepower 1 1/2
Depth to bowls, cylinder, jet, etc., 170 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-6)

TX65022U14

200 240

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1696	4 of 5	N	4.78 / 25,253.37	Vines, Vikki TX	WW HARRIS GAL

Well ID:	6290	Diameter (inches):	4
Aggre Lead Well:	6290	Year Drilled:	1997
Permit No:	W2011-6290-152391-0	Depth Drilled:	400
Permit Start Date:	12/31/2010	Depth frm Surf(ft):	360
Permit End Dt:	12/31/2010	County:	H
Well Status:	P - Plugged	Latitude:	29.911944
Regulatory Aarea:	3	Longitude:	-95.408888
Owner Name:	Vines, Vikki		
Billing Contact:	NULL		
Billing Address:	10205 Sweetwater		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	Gallery Auctions, Inc.		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1696	5 of 5	N	4.78 / 25,253.37	USGS-295443095244201 TX	FED USGS

Site No: USGS-295443095244201
Site Type: Well
Formation Type: Chicot Aquifer, Upper
Date Drilled: 19680604
Well Depth: 224
Well Depth Unit: ft
Well Hole Depth: 224
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-920
Latitude: 29.91222220000000
Longitude: -95.4119444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1697	1 of 2	N	4.78 / 25,256.45	HERRERA TILE CO. INC TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 4/10/1998
 Owners Name: HERRERA TILE CO. INC
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 450
 Latitude: 29.912019
 Longtiude: -95.404442

Send original copy by certified return receipt request

1 to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>Herrera Tile Co., Inc.</u> ADDRESS <u>10719 Airline Dr., Houston, TX 77037</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																															
2) ADDRESS OF WELL'S LOCATION: County <u>Harris</u> Same <u>Same</u> (City) (State) (Zip) Grid # <u>65-05-9</u> <small>(Street, RFD or other) (City) (State) (Zip)</small>																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: <u>4/05</u> 19 <u>98</u> Started <u>4/05</u> 19 <u>98</u> Completed <u>4/10</u> 19 <u>98</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td>Surface</td> <td><u>450</u></td> </tr> <tr> <td><u>7 1/2</u></td> <td><u>11</u></td> <td><u>11</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>450</u>	<u>7 1/2</u>	<u>11</u>	<u>11</u>																	
Dia. (in.)	From (ft.)	To (ft.)																													
<u>5</u>	Surface	<u>450</u>																													
<u>7 1/2</u>	<u>11</u>	<u>11</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0-110 WHITE CLAY</u> <u>110-237 SAND 12 CA</u> <u>237-310 WHITE CLAY</u> <u>310-360 SAND 12 CA</u> <u>360-401 SAND</u> <u>401-410 RED CLAY</u> <u>410-450 SAND 12 CA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>TELESCOPE</u> If Gravel Packed give interval from _____ ft. to _____ ft.																													
CASING, BLANK PIPE, AND WELL SCREEN DATA:																															
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>430</u></td> <td><u>SC-H-40</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>Plastic LINE PIPE</u></td> <td><u>430</u></td> <td><u>430</u></td> <td><u>" "</u></td> </tr> <tr> <td><u>11</u></td> <td><u>N</u></td> <td><u>" " SCREEN</u></td> <td><u>430</u></td> <td><u>450</u></td> <td><u>.006</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>430</u>	<u>SC-H-40</u>	<u>4 1/2</u>	<u>N</u>	<u>Plastic LINE PIPE</u>	<u>430</u>	<u>430</u>	<u>" "</u>	<u>11</u>	<u>N</u>	<u>" " SCREEN</u>	<u>430</u>	<u>450</u>	<u>.006</u>	9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>430</u> ft. No. of sacks used <u>13</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>60</u> ft. Method of verification of above distance <u>Customer</u>			
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																							
		From	To																												
<u>4</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>430</u>	<u>SC-H-40</u>																										
<u>4 1/2</u>	<u>N</u>	<u>Plastic LINE PIPE</u>	<u>430</u>	<u>430</u>	<u>" "</u>																										
<u>11</u>	<u>N</u>	<u>" " SCREEN</u>	<u>430</u>	<u>450</u>	<u>.006</u>																										
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)							10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used														
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																											
From (ft)	To (ft)	From (ft)	To (ft)																												
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>4/15/98</u> Artesian flow _____ gpm. Date _____																													
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>30</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		12) PACKERS: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>1 B&K</u></td> <td><u>420</u></td> </tr> </table>				Type	Depth	<u>1 B&K</u>	<u>420</u>																						
Type	Depth																														
<u>1 B&K</u>	<u>420</u>																														
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal. COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print) ADDRESS <u>10011 Airline Dr., Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small> (Signed) <u>[Signature]</u> (Registered Driller Trainee) SEP 13 1999 Please attach electric log, chemical analysis, and other pertinent information, if available.																													

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1697	2 of 2	N	4.78 / 25,256.45	HERRERA, FRANCISCO TX	WW HARRIS GAL

Well ID:	5178	Diameter (inches):	4
Aggre Lead Well:	5178	Year Drilled:	1968
Permit No:	W1994-5178-47019-0	Depth Drilled:	160
Permit Start Date:	10/12/1994	Depth frm Surf(ft):	150
Permit End Dt:	7/31/1996	County:	H
Well Status:	P - Plugged	Latitude:	29.912222
Regulatory Aarea:	3	Longitude:	-95.404166
Owner Name:	HERRERA, FRANCISCO		
Billing Contact:	NULL		
Billing Address:	10719 AIRLINE Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1698	1 of 4	N	4.78 / 25,262.41	Saldana, Vincente TX	WW HARRIS GAL

Well ID:	11200	Diameter (inches):	4
Aggre Lead Well:	11200	Year Drilled:	2010
Permit No:	W2018-11200-198120-0	Depth Drilled:	420
Permit Start Date:	8/1/2018	Depth frm Surf(ft):	320
Permit End Dt:	7/31/2023	County:	H
Well Status:	P - Plugged	Latitude:	29.911666
Regulatory Aarea:	3	Longitude:	-95.401944
Owner Name:	Saldana, Vincente		
Billing Contact:	Waldo Saldana		
Billing Address:	8801 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1698	2 of 4	N	4.78 / 25,262.41	Saldana, Vincent TX	WW HARRIS GAL

Well ID:	14091	Diameter (inches):	4
Aggre Lead Well:	14091	Year Drilled:	0
Permit No:	W2018-14091-199263-0	Depth Drilled:	420
Permit Start Date:	8/1/2018	Depth frm Surf(ft):	400
Permit End Dt:	7/31/2023	County:	H
Well Status:	O - Operable	Latitude:	29.911666
Regulatory Aarea:	3	Longitude:	-95.401944
Owner Name:	Saldana, Vincent		
Billing Contact:	Vincent		
Billing Address:	8801 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1698	3 of 4	N	4.78 / 25,262.41	Victor Saldana 10720 Airline Drive Houston TX 77037	SDRW WELLS

Track NO: 481410
Date Submitted: 2018-06-06
Owner Name: Victor Saldana
Owner Address: 8801 Airline Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.911389
Longitude: -95.401667
Drilling Date Started: 2018-05-10
Drilling Date Completed: 2018-05-11
Chemical Analysis: No
Company Name: Bussell & sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=481410&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 350.0

Top Depth: 0
Bottom Depth: 337

Top Depth: 337
Bottom Depth: 350

Well Levels

Measurement: 185
Measurement Date: 2018-05-11

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1698	4 of 4	N	4.78 / 25,262.41	Saldana, Vincent 10720 Airline Houston TX 77037	SDRW WELLS

Track NO: 217459
Date Submitted: 2010-05-25
Owner Name: Saldana, Vincent
Owner Address: 8801 Airline Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77037
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.911389
Longitude: -95.403612
Drilling Date Started: 2009-11-12
Drilling Date Completed: 2009-11-16
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=217459&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 352.0

Top Depth: 332
Bottom Depth: 352

Top Depth: 0
Bottom Depth: 332

Well Levels

Measurement: 198
Measurement Date: 2009-11-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1699	1 of 1	N	4.79 / 25,273.05	Sanjuan, Benjamin TX	WW HARRIS GAL

Well ID:	5197	Diameter (inches):	5
Aggre Lead Well:	5197	Year Drilled:	1984
Permit No:	W2013-5197-164239-0	Depth Drilled:	566
Permit Start Date:	6/1/2012	Depth frm Surf(ft):	546
Permit End Dt:	6/1/2012	County:	H
Well Status:	P - Plugged	Latitude:	29.912222
Regulatory Aarea:	3	Longitude:	-95.408611
Owner Name:	Sanjuan, Benjamin		
Billing Contact:	Esmeralda Sanjuan		
Billing Address:	11330 Chelsea Walk Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77066		
Correspondence:	Golden Carriage		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1700	1 of 1	NE	4.79 / 25,280.89	TALMA WALLACE TX	TCEQ WELL LOGS

Grid No: 65-06-4V
Date Drilled: 06/17/1970
Owners Name: TALMA WALLACE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 12
Depth Drilled: 40
Latitude: 29.90275
Longtiude: -95.369227

65064V

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
 Well No. 65 06-4V
 Located on map YES
 Received: 10-70

1) OWNER:
 Person having well drilled Talma Wallace (Name) Address 1209 Oldline Mail Hwy Tex (Street or RFD) (City) (State)
 Landowner Talma Wallace (Name) Address 1209 Oldline Mail Hwy Tex (Street or RFD) (City) (State)

2) LOCATION OF WELL
 County Harris 12 miles in N direction from Houston (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OVER
 North
 (Use reverse side if necessary)

OR
 Give legal location with distances and directions from adjacent sections or survey line.
 Labor Customer could not furnish this info-
 Block _____ Section _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
 Diameter of hole 6 in. Depth drilled 40 ft. Depth of completed well 40 ft. Date drilled 6-17-70
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-18</u>	<u>18-40</u>	<u>White Clay</u>
		<u>White Sand 10 ga</u>

9) CASING:
 Type: Old ☒ New ☒ Steel ☒ Plastic ☐ Other
 Cemented from Now 5 ft. to _____ ft.
 Diameter (inches) 4" Setting From (ft.) +1 To (ft.) 35 Gage 40

10) SCREEN: Plastic (Well Supplies)
 Type _____
 Perforated ☒ Slotted _____
 Diameter (inches) 4" Setting From (ft.) 35 To (ft.) 40 Slot Size 10

(Use reverse side if necessary)

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
 Static level 12 ft. below land surface Date 6-17-70
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes ☒ No ☐ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailor test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes ☒ No ☐
 Did any strata contain undesirable water? Yes ☒ No ☐
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. Raymond Jr. (Type of Printer) Water Well Drillers Registration No. 774
 ADDRESS 132 Raymac (Street or RFD) Houston (City) Texas (State)
 (Signed) C. Raymond Jr. (Water Well Driller) Raymond Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



NCV 16 1970
Control Center
Texas Water Development Board

RECEIVED
OCT 19 1970
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1701	1 of 1	NW	4.79 / 25,298.18	Martir, Jessica TX	WW HARRIS GAL

Well ID:	12767	Diameter (inches):	2
Aggre Lead Well:	12767	Year Drilled:	NULL
Permit No:	W2019-12767-203145-0	Depth Drilled:	9999
Permit Start Date:	6/1/2019	Depth frm Surf(ft):	9999
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.458888
Owner Name:	Martir, Jessica		
Billing Contact:	NULL		
Billing Address:	9730 Pale Star Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77064		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1702	1 of 1	W	4.79 / 25,303.99	Inocencio Martinez 6735 Grovecrest Houston TX 77092	SDRW WELLS

Track NO: 58262
Date Submitted: 2005-05-06
Owner Name: Inocencio Martinez
Owner Address: 6735 Grovecrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77092
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.845834
Longitude: -95.490278
Drilling Date Started: 2005-04-28
Drilling Date Completed: 2005-04-28
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=58262&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 10
Measurement Date: 2005-04-28

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1703	1 of 1	ESE	4.79 / 25,305.44	FREEDMAN BROTHERS PACKING CO. TX	WW HARRIS GAL
Well ID: 2334					
Aggre Lead Well: 2334					
Permit No: W1993-2334-42441-0					
Permit Start Date: 7/1/1993					
Permit End Dt: 6/30/1994					
Well Status: L - Lost					
Regulatory Aarea: 2					
Owner Name: FREEDMAN BROTHERS PACKING CO.					
Billing Contact: NULL					
Billing Address: P.O. Box 7789					
Billing Address 2: NULL					
Billing City: Houston					
Billing State: TX					
Billing Zip: 77270					
Correspondence: NULL					
Provision: T - Requirement that the permittee must reduce its reliance on groundwater in accordance with requirements of the District Plan is suspended for term of permit.					
Water Usage: I - Industrial					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1704	1 of 4	ESE	4.80 / 25,320.04	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514403
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1949
Well Depth: 1839
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8188889
Longitude: -95.3341667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514403&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514403&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1704	2 of 4	ESE	4.80 / 25,320.04	Houston, City of TX	WW HARRIS GAL

Well ID:	1087	Diameter (inches):	24
Aggre Lead Well:	1015	Year Drilled:	1949
Permit No:	W2013-1015-162445-0	Depth Drilled:	1839
Permit Start Date:	2/1/2013	Depth frm Surf(ft):	999
Permit End Dt:	1/31/2014	County:	H
Well Status:	P - Plugged	Latitude:	29.819166
Regulatory Aarea:	2	Longitude:	-95.334444
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St., 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Braeswood		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1704	3 of 4	ESE	4.80 / 25,320.04	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013AK
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013AK
Date Drilled: 12/00/1949
Well Depth: 1794
Screen Top: 1058
Screen Bottom: 1698
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 2200
CCN: P1552
Latitude: 29.819232
Longitude: -95.334083
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1704	4 of 4	ESE	4.80 / 25,320.04	USGS-294909095200301 TX	FED USGS

Site No: USGS-294909095200301
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19490101
Well Depth: 1839
Well Depth Unit: ft
Well Hole Depth: 2815
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-403
Latitude: 29.81944444000000
Longitude: -95.33444444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1705	1 of 1	NNE	4.80 / 25,325.63	Jose Escobar 14406 Henry Rd. Houston TX 77060	SDRW WELLS

Track NO: 66448
Date Submitted: 2005-09-06
Owner Name: Jose Escobar
Owner Address: 14406 Henry Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908334
Longitude: -95.382222
Drilling Date Started: 2005-09-01
Drilling Date Completed: 2005-09-01
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77060
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=66448&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 10
Measurement Date: 2005-08-01

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1706	1 of 1	W	4.80 / 25,326.17	BRAY, ROY H & EDWARD LINDSAY TX	WW HARRIS GAL

Well ID:	2225	Diameter (inches):	4
Aggre Lead Well:	2225	Year Drilled:	1919
Permit No:	W1978-2225-1225-0	Depth Drilled:	83
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	0
Permit End Dt:	11/30/1953	County:	H
Well Status:	P - Plugged	Latitude:	29.849166
Regulatory Aarea:	3	Longitude:	-95.490277
Owner Name:	BRAY, ROY H & EDWARD LINDSAY		
Billing Contact:	NULL		
Billing Address:	4507 SAN JACINTO		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77004		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1707	1 of 3	NE	4.80 / 25,333.50	Sevilla, Hilda TX	WW HARRIS GAL

Well ID:	14910	Diameter (inches):	2
Aggre Lead Well:	14910	Year Drilled:	0
Permit No:	W2020-14910-210588-0	Depth Drilled:	50
Permit Start Date:	5/13/2020	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2021	County:	H
Well Status:	O - Operable	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.365
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	12907 Slater Ln.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1707	2 of 3	NE	4.80 / 25,333.50	BOU NNHEUNE INTHIFONE TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 08/06/1998
Owners Name: BOU NNHEUNE INTHIFONE
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 16
Depth Drilled: 46
Latitude: 29.9008009
Longitude: -95.3653176

Send original copy by certified return receipt requested to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-301

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530	
1) OWNER <u>BOU NINHUNG INTHIFONE</u> (Name)		ADDRESS <u>12903 SCATER HAV TX 77039</u> (Street or RFD) (City) (State) (Zip)			
2) ADDRESS OF WELL: County <u>HARRIS</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-06-7</u>			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: <u>8/6/98</u> Started <u>8/6/98</u> Completed <u>8/6/98</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>4 1/2</u> Surface <u>46</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other	
From (ft.) To (ft.) Description and color of formation material <u>0-15</u> <u>YELLOW CLAY</u> <u>15-46</u> <u>SAND & GRAVEL</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval ... from _____ ft. to _____ ft.			
CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)		New or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	
Setting (ft.)		From		To	
2		N		Plastic PIPE 0 36 5H40	
2		N		Plastic SCREEN 36 46 1.06	
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>36</u> ft. No. of sacks used <u>9</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u>					
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]					
11) WATER LEVEL: Static level <u>16</u> ft. below land surface Date <u>8/6/98</u> Artesian flow _____ gpm. Date _____					
12) PACKERS: Type Depth <u>NONE</u>					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.					
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>6</u> gpm with <u>8</u> ft. drawdown after <u>1</u> hrs.					
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.					
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u> SEQ # _____			
ADDRESS <u>10011 Airline Drive</u> (Street or RFD)		Houston TX (City) (State)		DESC: <u>77037</u> (Zip)	
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)			
Please attach electric log, chemical analysis, and other pertinent information, if available.					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1707	3 of 3	NE	4.80 / 25,333.50	Hilda Sevilla 12907 Slater Ln. Houston TX 77039	SDRW WELLS

Track NO: 541231
Date Submitted: 2020-04-20
Owner Name: Hilda Sevilla
Owner Address: 12907 Slater Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900833
Longitude: -95.364722
Drilling Date Started: 2020-03-31
Drilling Date Completed: 2020-03-31
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=541231&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2020-03-31

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1708	1 of 1	NE	4.80 / 25,335.38	Zavala, Herlinda TX	WW HARRIS GAL

Well ID:	14388	Diameter (inches):	4
Aggre Lead Well:	14388	Year Drilled:	
Permit No:	WP2023-111651	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.367222
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	1302 B Aldine Mail Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1709	1 of 1	NW	4.80 / 25,341.49	San Juan, Abel TX	WW HARRIS GAL

Well ID:	16651	Diameter (inches):	4
Aggre Lead Well:	16651	Year Drilled:	NULL
Permit No:	WP2023-116329	Depth Drilled:	350
Permit Start Date:	11/8/2023 7:02:00 PM	Depth frm Surf(ft):	330
Permit End Dt:	5/31/2025 7:02:00 PM	County:	H
Well Status:	N - Not Drilled	Latitude:	29.898611
Regulatory Aarea:	3	Longitude:	-95.457778
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	2834 Lincoln Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1710	1 of 2	NNE	4.80 / 25,348.88	CONNIE KYLE TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 12/16/1991
 Owners Name: CONNIE KYLE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 234
 Depth Drilled: 340
 Latitude: 29.9080511
 Longitude: -95.3815847

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Connie Kyle</u> (Name) ADDRESS <u>810 Carroll St. Houston Tex 77060</u> (Street or RFD) (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>Harri's</u> <u>2</u> miles in <u>S.W.</u> direction from <u>Aldine</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>(1)</u>																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>12-13-91</u> Started <u>12-16-91</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td><u>6 1/2</u></td> <td>Surface</td> <td><u>327</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>327</u></td> <td><u>340</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 1/2</u>	Surface	<u>327</u>	<u>4 1/2</u>	<u>327</u>	<u>340</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 1/2</u>	Surface	<u>327</u>																																																								
<u>4 1/2</u>	<u>327</u>	<u>340</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> <tr><td><u>0-42</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>42-49</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>49-67</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>67-90</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>90-125</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>125-156</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>156-261</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>261-278</u></td><td><u>S</u></td><td></td></tr> <tr><td><u>278-317</u></td><td><u>C</u></td><td></td></tr> <tr><td><u>317-340</u></td><td><u>S</u></td><td></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-42</u>	<u>C</u>		<u>42-49</u>	<u>S</u>		<u>49-67</u>	<u>C</u>		<u>67-90</u>	<u>S</u>		<u>90-125</u>	<u>C</u>		<u>125-156</u>	<u>S</u>		<u>156-261</u>	<u>C</u>		<u>261-278</u>	<u>S</u>		<u>278-317</u>	<u>C</u>		<u>317-340</u>	<u>S</u>		8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>327</u></td> <td><u>40</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>327</u></td> <td><u>337</u></td> <td><u>12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>327</u>	<u>40</u>	<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>327</u>	<u>337</u>	<u>12</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-42</u>	<u>C</u>																																																									
<u>42-49</u>	<u>S</u>																																																									
<u>49-67</u>	<u>C</u>																																																									
<u>67-90</u>	<u>S</u>																																																									
<u>90-125</u>	<u>C</u>																																																									
<u>125-156</u>	<u>S</u>																																																									
<u>156-261</u>	<u>C</u>																																																									
<u>261-278</u>	<u>S</u>																																																									
<u>278-317</u>	<u>C</u>																																																									
<u>317-340</u>	<u>S</u>																																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>327</u>	<u>40</u>																																																					
<u>4 1/2</u>	<u>N</u>	<u>PVC</u>	<u>327</u>	<u>337</u>	<u>12</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>327</u> ft. No. of Sacks Used <u>31</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>Circ</u> Cemented by <u>INW</u>																																																								
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>234</u> ft. below land surface Date <u>12-16-91</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 60%;">Type</th> <th style="width: 40%;">Depth</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>		Type	Depth																																																							
Type	Depth																																																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>Lowie Water Wells Inc</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1182</u>																																																										
ADDRESS <u>P.O. Box 89</u> (Street or RFD) <u>Porter</u> (City) <u>Tex</u> (State) <u>77365</u> (Zip)																																																										
(Signed) <u>Homer L. Lowie</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																																										
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>1</u> Located on map <u>65-5-9</u>																																																										

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1710	2 of 2	NNE	4.80 / 25,348.88	WAYNE HERRING TX	TCEQ WELL LOGS

Grid No: 65-05-9LL
Date Drilled: 04/17/1974
Owners Name: WAYNE HERRING
County: HARRIS
Water Usage: DOMESTIC
Static Level: 185
Depth Drilled: 329
Latitude: 29.9080511
Longitude: -95.3815847

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-911
Located on map
Received: 25 yrs
dlc

1) OWNER:
Person having well drilled Wayne Herring m 810 Corvett Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in direction from (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* OR Give legal location with distances and directions from adjacent sections or survey lines.
413 F
map on 65-06-833 North
(Use reverse side if necessary) Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
☒ Deepening
☐ Reconditioning
☐ Plugging

4) PROPOSED USE (Check):
☒ Industrial
☐ Municipal
☐ Irrigation
☐ Test Well
☐ Other

5) TYPE OF WELL (Check):
☒ Driven
☐ Dug
☐ Jetted
☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 329 ft. Depth of completed well 344 ft. Date drilled 4-17-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Yellow Sandy Clay
15	20	Red Yellow Clay
20	25	Red Gray Clay
25	30	Sand
30	40	Red Clay
40	45	Sand
45	70	Red Yellow Clay
70	90	Sand
90	145	Red Clay
145	155	Sand
155	160	Red Clay
160	170	Sand

7) COMPLETION (Check):
☒ Gravel packed
☐ Other
☐ Under reamed
☐ Open Hole

8) WATER LEVEL:
Static level 185 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

9) CASING:
Type: Old XX Steel XXXX Other
Cemented from 329 ft up ft. to ft.
Diameter (inches) 4" Setting From (ft.) 1 ft To (ft.) 329 ft Gage 40

10) SCREEN:
Type Well Supplies Plastic Wrapped
Perforated Slotted
Diameter (inches) 2 1/2" Setting From (ft.) 334 ft To (ft.) 344 ft Slot Size 14

11) WELL TESTS:
Was a pump test made? Yes XX No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes 96
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CA Raymond Jr Water Well Drillers Registration No. 774
(Type or Print)
ADDRESS 10011 Aubine Houston TX
(Street or RFD) (City) (State)
(Signed) CA Raymond Jr Raymond Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDDE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

170	255	Pink Gray Clay
255	270	Sand
270	275	Red Yellow Clay
275	280	Rock
280	295	Red Gray Clay
295	300	Sand
300	310	Red Gray Clay
310	344	Sand

RECEIVED
JUL 30 1975
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
NOV 4 1974
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1711	1 of 1	NNE	4.80 / 25,350.66	Guevara, Pablo Cruz TX	WW HARRIS GAL

Well ID:	14199	Diameter (inches):	4
Aggre Lead Well:	14199	Year Drilled:	NULL
Permit No:	WP2023-112158	Depth Drilled:	0
Permit Start Date:	8/1/2023 2:35:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:35:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.908611
Regulatory Aarea:	3	Longitude:	-95.383611
Owner Name:	Guevara, Pablo Cruz		
Billing Contact:	NULL		
Billing Address:	14417 Henry Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1712	1 of 1	N	4.80 / 25,358.80	JOSTO GANZALES TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 04/06/1995
Owners Name: JOSTO GANZALES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 232
Depth Drilled: 420
Latitude: 29.9118192
Longtiude: -95.3987999

Send original copy by certified mail to: Texas Water Comm' , P.O. Box 13087, Austin, TX 78711-3087 Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Josto Gonzales ADDRESS 240 McFarland Hou, Tx.
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☐ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 4/3 19 95
Started 4/6 19 95
Completed _____ 19 _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>380</u>
<u>3 7/8</u>	<u>380</u>	<u>420</u>

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>15</u>	<u>Clay</u>
<u>15</u>	<u>40</u>	<u>Rock</u>
<u>40</u>	<u>80</u>	<u>Rock & Shale</u>
<u>80</u>	<u>140</u>	<u>Sand</u>
<u>140</u>	<u>210</u>	<u>Clay</u>
<u>210</u>	<u>305</u>	<u>Sand</u>
<u>305</u>	<u>375</u>	<u>Clay</u>
<u>370</u>	<u>420</u>	<u>Sand</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>0</u>	<u>386</u>	<u>Sch 40</u>
<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>380</u>	<u>410</u>	<u>Sch 40</u>
<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>410</u>	<u>420</u>	<u>.012</u>

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 386 ft. to 186 ft. No. of Sacks Used 10
0 ft. to 10 ft. No. of Sacks Used 6
Method used Halliburton
Cemented by RWW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 232 ft. below land surface Date 4/6/95
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type _____ Depth 380
K

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 300 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Ser., Inc WELL DRILLER'S LICENSE NO. 2212
(Type or print)

ADDRESS 11819 Tomball Pky Hou., Tx. 77086
(Street or RFD) (City) (State) (Zip)

(Signed) Jim Robinson (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1713	1 of 1	NNE	4.80 / 25,362.80	Thomas P. Null 14525 Lillja Houston TX 77060	SDRW WELLS

Track NO: 66441
Date Submitted: 2005-09-06
Owner Name: Thomas P. Null
Owner Address: 14525 Lillja
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.910556
Longitude: -95.391667
Drilling Date Started: 2005-08-26
Drilling Date Completed: 2005-08-26
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=66441&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 8
Measurement Date: 2005-08-26

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1714	1 of 1	N	4.80 / 25,363.02	Nuno Santiago, Jesus Galileo TX	WW HARRIS GAL

Well ID:	6726	Diameter (inches):	4
Aggre Lead Well:	6726	Year Drilled:	1998
Permit No:	WP2023-111432	Depth Drilled:	400
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.912222
Regulatory Aarea:	3	Longitude:	-95.404722
Owner Name:	Jesus Galileo Nuno Santiago		
Billing Contact:	NULL		
Billing Address:	10719 Airline Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1715	1 of 1	N	4.81 / 25,370.45	PATRICIA SALAZAR TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 01/10/2001
Owners Name: PATRICIA SALAZAR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 6
Depth Drilled: 50
Latitude: 29.9119176
Longtiude: -95.3993827

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name
Address
City
State
Zip

PATRICIA SALAZAR
236 M^S HALLAND AVE
HOUSTON
TX
77060

2) WELL LOCATION

County
Physical Address
City
State
Zip

HARRIS
SAME
HOUSTON
TX
77060

3) Type of Work

☒ New Well
☐ Deepening
☐ Reconditioning

4) Proposed Use (check)
☐ Monitor
☐ Environmental Soil Boring
☒ Domestic
☐ Industrial
☐ Irrigation
☐ Injection
☐ Public Supply
☐ De-watering
☐ Testwell

If Public Supply well, were plans submitted to the TNRCC?
☐ Yes
☒ No

6) Drilling Date

Started
Completed

11/10/01
11/10/01

7) Drilling Method (check)

☐ Air Rotary
☒ Mud Rotary
☐ Bored
☐ Air Hammer
☐ Cable Tool
☐ Jetted
☐ Other

From (ft)
To (ft)
Description and color of formation material

0-16
16-50
YELLOW CLAY
SAND & GA.

8) Borehole Completion
☐ Open Hole
☐ Straight Wall
☒ Under-reamed
☐ Gravel Packed
☐ Other

If Gravel Packed give the interval from 40 ft. to 50 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen
2	N	Casing	0 40	SEA 40
2	N	Screen	40 50	006

9) Cementing Data

Cementing from 0 ft. to 40 ft. # of sacks used 12
ft. to ft. # of sacks used

Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 100 ft.
Method of verification of above distance Customer

10) Surface Completion

☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level

Static level 6 ft. below Date 11/10/01
Artesian Flow gpm. Date

12) Packers

Type Depth
NONE

13) Plugged
☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump

☐ Turbine
☒ Jet
☐ Submersible
☐ Cylinder
☐ Other

Depth to pump bowls, cylinder, jet etc. 30 ft.

15) Water Test

Type test ☐ Pump
☒ Bailor
☒ Jetted
☐ Estimated

Yield: 10 gpm with 5 ft. drawdown after 1 hrs.

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES
☒ NO
If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes
☒ No

Company or individual's Name (type or print)

Raymond Services, Inc.

Address
City
State
Zip

10011 Airline Drive
Houston
TX
77037

Signature
Date

Signature
Date

APR 06 2001

DESC CO

TDLR FORM 001WWD

White - TDLR Yellow - Owner Pink - Driller/Pump Installer

4421

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1716	1 of 1	N	4.81 / 25,377.76	Raymond Sarabia Sr. 230 Mc Farland Rd. Houston TX 77060	SDRW WELLS

Track NO: 116960
Date Submitted: 2007-07-16
Owner Name: Raymond Sarabia Sr.
Owner Address: 230 Mc Farland Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.912501
Longitude: -95.400001
Drilling Date Started: 2007-07-13
Drilling Date Completed: 2007-07-13
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=116960&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 6
Measurement Date: 2007-07-13

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1717	1 of 5	NNW	4.81 / 25,399.21	Hermitage Oaks TX	GWDB

Well Rep Track No:
State Well No: 6505818
Owner Name: Hermitage Oaks
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1971
Well Depth: 528
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9050010
Longitude: -95.4444450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505818&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505818&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1717	2 of 5	NNW	4.81 / 25,399.21	MOUNT HOUSTON ROAD MUD TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: OPERATIONAL
PWSID: 1010728
Source ID: G1010728A
Utility Name: MOUNT HOUSTON ROAD MUD
WTRSRC: G1010728A
Date Drilled: 00/00/1971
Well Depth: 530
Screen Top: 420
Screen Bottom: 530
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 1038
CCN: P0377
Latitude: 29.905609
Longitude: -95.445084
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1717	3 of 5	NNW	4.81 / 25,399.21	MOUNT HOUSTON ROAD MUNICIPAL UTILITY DIST TX	TCEQ WELL LOGS

Grid No: 65-05-8P
Date Drilled: 05/25/1979
Owners Name: MOUNT HOUSTON ROAD MUNICIPAL UTILITY DIST
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 345.90
Depth Drilled: NOT REPORTED
Latitude: 29.905609
Longitude: -95.445084

K.R.

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
NOV 20 1980
CR/TDWR



RECEIVED
JUL 2 1980
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1717	4 of 5	NNW	4.81 / 25,399.21	MT HOUSTON RD MUNICIPAL UTIL DIST TX	TCEQ WELL LOGS

Grid No: 65-05-8Y
 Date Drilled: 05/25/1979
 Owners Name: MT HOUSTON RD MUNICIPAL UTIL DIST
 County: HARRIS
 Water Usage: PUBLIC SUPPLY
 Static Level: 348.5
 Depth Drilled: 1169
 Latitude: 29.905609
 Longtiude: -95.445084

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-05-8Y
Located on map YES
Received: TH

1) OWNER Mt. Houston Rd. Municipal Util. Dist. 6750 W. Loop South - Ste. 150
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map Log in pocket

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☐ Domestic ☐ Industrial ☒ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled _____

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
16"		
	Surface	

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from 606 ft. to 961 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
16	New	Steel API 5L	-0-	706	3/8
		Grade B			
10 3/4	New	Steel API 5L	-0-	706	3/8
		Grade B			
See Attached Addendum					

CEMENTING DATA

Cemented from 0 ft. to 706 ft.
Method used Pump through Drill Stem
Cemented by Haliburton
(Company or Individual)

9) WATER LEVEL:
Static level 348.5 ft. below land surface Date 5-25-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

None

11) TYPE PUMP:

☒ Turbin ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:

☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1016 gpm with 102 ft. drawdown after 12 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME J. L. Dickson (Type or Print) Water Well Drillers Registration No. 943

ADDRESS 14760 Memorial Drive, Suite 209, Houston, Texas 77079
(Street or RFD) (City) (State) (Zip)

(Signed) J. L. Dickson (Water Well Driller) Alsay - Pippin Corporation (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



DESCRIPTION AND COLOR OF FORMATION MATERIAL

Mt. Houston Road Municipal Utility District E-131

0-21	Clay and Sand
21-25	Sandy Clay (White)
25-46	Clay (Brown & White)
46-88	Red Clay
88-112	Red & White Clay
112-120	Red Clay & Sand Rock
120-125	Sand Rock with some Clay
125-137	Hard White & Red Clay
137-170	White Sandy Clay
170-180	Blue Clay & Sand Rock
180-224	Brown & White Clay
224-230	Sand & Clay
230-242	Brown Clay
242-290	Sand
290-310	Sandy Clay with San Streaks
310-217	Sandy Clay
317-369	Sand & Gravel
369-378	Sandy Clay
378-395	Clay with Sand Streaks
395-412	Sand & Gravel
412-448	Clay & Sand
448-460	Sand
460-525	White Sandy Clay
525-555	White Clay
555-590	Brown & White Clay
590-622	Sand
622-637	Sand & Clay
637-659	Sandy Clay
659-664	Blue Clay
664-675	Sandy Clay
675-680	Sand
680-700	Sand
700-708	Sandy Clay
708-735	Sand
735-757	Sandy Shale
757-776	Sand
776-780	Shale
780-820	Sand
820-862	Mostly Shale with some Sand
862-956	Sand with Shale streaks throughout
956-1096	Dense Shale
1096-1128	Sand
1128-1150	Shale
1150-1162	Sand
1162-1169 TD	Shale

BLANK PIPE AND WELL SCREEN DATA

Mt. Houston Road Municipal Utility District E-131

Screen is .035

606-708	Blank
708-735	Screen
735-757	Blank
757-820	Screen
820-884	Blank
884-956	Screen
956-961	Blank

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1717	5 of 5	NNW	4.81 / 25,399.21	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3302 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Mount Houston Road M.U.D. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 16 Year Drilled: 1979 Depth Drilled: 1100 Depth frm Surf(ft): 800 County: H Latitude: 29.906388 Longitude: -95.445555 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1718	1 of 1	NNE	4.81 / 25,419.52	S THOMAS TX	TCEQ WELL LOGS

Grid No: 65-06-4
 Date Drilled: 08/22/1980
 Owners Name: S THOMAS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 210
 Depth Drilled: 385
 Latitude: 29.908073
 Longtiude: -95.381017

2 mi. N151
9 mi. E1W

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

1) OWNER S Thomas (Name) Address Corvette st Houston TX 62 (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 18 miles in N direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 65-06-4

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
 Date Drilling Started 8/22/85
 Completed 19

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
6 3/4	0 - 385	clay
	60 - 85	sand Red Fin
	85 - 175	clay Red white
	175 - 190	sand Fin
	190 - 340	clay Red
	340 - 385	sand -

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other TWO STRING
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4 1/2		PVC	0	365	
0 12		Slotted PVC	365	385	

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 365 ft. No. of Sacks Used 15
 Method used Pressure
 Cemented by me

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 210 ft. below land surface Date 8/22/85
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 260 ft.

14) WELL TESTS:
 Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
 Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Burk N Water well (Type or Print) Water Well Driller's License No. 1696

ADDRESS 2360 Nichols SAW Mill (Street or RFD) Hockley TX 75441 (City) (State) (Zip)

(Signed) SA Burk (Licensee Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. 65-06-4
 Located on map _____

TWC-0392 (Rev. 06-10-85)

TEXAS WATER COMMISSION COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1719	1 of 5	ENE	4.81 / 25,421.90	Greenwood Village TX	GWDB

Well Rep Track No:

State Well No:

6506724

Owner Name:

Greenwood Village

Drilling Start Dt:

Drilling Month:

5

Drilling Day:

1

Drilling Year:

1982

Well Depth:

563

Well Usage:

Public Supply

Water Level Status:

Latitude:

29.8763890

Longitude:

-95.3391670

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506724&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506724&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1719	2 of 5	ENE	4.81 / 25,421.90	GREENWOOD VILLAGE TX	WUD

Primary Co: TJ SHEPARD, JR.
Contact Ti: FIELD SUPERVISOR
Operating Status: OPERATIONAL
PWSID: 1010011
Source ID: G1010011B
Utility Name: GREENWOOD VILLAGE
WTRSRC: G1010011B
Date Drilled: 05/01/1982
Well Depth: 563
Screen Top: 415
Screen Bottom: 559
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 345
CCN: N/A
Latitude: 29.87629431
Longitude: -95.33909224
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1719	3 of 5	ENE	4.81 / 25,421.90	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3903 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 8 Year Drilled: 1982 Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.876388 Longitude: -95.339166 </div> </div>					
Owner Name:		Aqua Texas, Inc.			
Billing Contact:		Ekaterina Fitos, GISP			
Billing Address:		611 Walker St 18th Floor			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77002			
Correspondence:		Karly Stelzer			
Provision:		E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)			
Water Usage:		P - Public Supply			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1719	4 of 5	ENE	4.81 / 25,421.90	Aqua Tx 3101 Cedar Hill Lane Greenwood Village Houston TX 77093	SDRW WELLS

Track NO: 486181
Date Submitted: 2018-08-06
Owner Name: Aqua Tx
Owner Address: 2211 Louetta Rd
Owner Address2:
Owner City: Spring
Owner State: TX
Owner Zip: 77388
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.876389
Longitude: -95.339167
Drilling Date Started: 2018-05-21
Drilling Date Completed: 2018-06-08
Chemical Analysis: Yes
Company Name: Felder Water Well & Pump Service, LLC
Company Address: P.O.Box 1033
CompanyAddress2:
Company City: Angleton
Company State: TX
Company Zip: 77516
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=486181&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 585

Top Depth:
Bottom Depth: 660.0

Top Depth: 585
Bottom Depth: 660

Well Levels

Measurement: 187
Measurement Date: 2018-06-08

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1719	5 of 5	ENE	4.81 / 25,421.90	USGS-295234095202001 TX	FED USGS

Site No: USGS-295234095202001
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19820501
Well Depth: 563
Well Depth Unit: ft
Well Hole Depth: 563
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-06-724
Latitude: 29.87638889000000
Longitude: -95.3391667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1720	1 of 7	ENE	4.81 / 25,422.49	Seaboard Utilities Greenwood Village #2 TX	GWDB

Well Rep Track No:
State Well No: 6506701
Owner Name: Seaboard Utilities Greenwood Village #2
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1953
Well Depth: 521
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8763890
Longitude: -95.3369450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506701&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506701&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1720	2 of 7	ENE	4.81 / 25,422.49	Southwest Utilities, Inc. TX	WW HARRIS GAL

Well ID:	2638	Diameter (inches):	4
Aggre Lead Well:	2360	Year Drilled:	
Permit No:	W1981-2360-13668-0	Depth Drilled:	0
Permit Start Date:	11/1/1981	Depth frm Surf(ft):	0
Permit End Dt:	10/31/1982	County:	H
Well Status:	P - Plugged	Latitude:	29.876944
Regulatory Aarea:	3	Longitude:	-95.337777
Owner Name:	PEOPLES NATIONAL UTILITY CO.		
Billing Contact:	Michael W. Merka		
Billing Address:	P.O. Box 907		
Billing Address 2:	NULL		
Billing City:	El Campo		
Billing State:	TX		
Billing Zip:	77437		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1720	3 of 7	ENE	4.81 / 25,422.49	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 13975 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Aqua Texas, Inc. Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 10 Year Drilled: 0 Depth Drilled: 570 Depth frm Surf(ft): 415 County: H Latitude: 29.876111 Longitude: -95.339166 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1720	4 of 7	ENE	4.81 / 25,422.49	PEOPLES NATIONAL UTILITY CO. TX	WW HARRIS GAL

Well ID:	2361	Diameter (inches):	4
Aggre Lead Well:	2361	Year Drilled:	
Permit No:	W1978-2361-1361-0	Depth Drilled:	521
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	0
Permit End Dt:	11/30/1953	County:	H
Well Status:	P - Plugged	Latitude:	29.876944
Regulatory Aarea:	3	Longitude:	-95.337777
Owner Name:	PEOPLES NATIONAL UTILITY CO.		
Billing Contact:	TED B. DODD		
Billing Address:	P.O. Box 1170		
Billing Address 2:	NULL		
Billing City:	Bellaire		
Billing State:	TX		
Billing Zip:	77401		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1720	5 of 7	ENE	4.81 / 25,422.49	GREENWOOD VILLAGE TX	WUD
Primary Co:		TJ SHEPARD, JR.			
Contact Ti:		FIELD SUPERVISOR			
Operating Status:		TEST			
PWSID:		1010011			
Source ID:		G1010011F			
Utility Name:		GREENWOOD VILLAGE			
WTRSRC:		G1010011F			
Date Drilled:		06/08/2018			
Well Depth:		660			
Screen Top:		0			
Screen Bottom:		0			
Water Usage:		ACTIVE - PERMANENT			
Gallons Per Minute:		500			
CCN:		N/A			
Latitude:		29.876212			
Longitude:		-95.339053			
System Status:		ACTIVE			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1720	6 of 7	ENE	4.81 / 25,422.49	GREENWOOD VILLAGE TX	WUD

Primary Co: TJ SHEPARD, JR.
Contact Ti: FIELD SUPERVISOR
Operating Status: PLUGGED
PWSID: 1010011
Source ID: G1010011C
Utility Name: GREENWOOD VILLAGE
WTRSRC: G1010011C
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: N/A
Latitude: 29.876336
Longitude: -95.338822
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1720	7 of 7	ENE	4.81 / 25,422.49	GREENWOOD VILLAGE TX	WUD

Primary Co: TJ SHEPARD, JR.
Contact Ti: FIELD SUPERVISOR
Operating Status: PLUGGED
PWSID: 1010011
Source ID: G1010011D
Utility Name: GREENWOOD VILLAGE
WTRSRC: G1010011D
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: N/A
Latitude: 29.876336
Longitude: -95.338822
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1721	1 of 1	NNE	4.81 / 25,422.57	Young, Shirley TX	WW HARRIS GAL

Well ID:	14318	Diameter (inches):	4
Aggre Lead Well:	14318	Year Drilled:	NULL
Permit No:	WP2023-113290	Depth Drilled:	0
Permit Start Date:	8/1/2023 9:04:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 9:04:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.908333
Regulatory Aarea:	3	Longitude:	-95.38
Owner Name:	Young, Shirley		
Billing Contact:	NULL		
Billing Address:	830 Corvette Ln		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060-5602		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1722	1 of 2	NW	4.82 / 25,428.26	STEVE ALDINE PUMP TX	TCEQ WELL LOGS

Grid No:	65-05-7
Date Drilled:	08/03/1989
Owners Name:	STEVE ALDINE PUMP
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	10
Depth Drilled:	55
Latitude:	29.898016
Longtiude:	-95.459534


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																							
1) OWNER <u>Steve - Aldine Pump</u> ADDRESS <u>Houston, Tx</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																																											
2) LOCATION OF WELL: County <u>Harris</u> <u>10</u> miles in <u>N.E.</u> direction from <u>Houston, Tx</u> <small>(NE, SW, etc.) (Town)</small>																																											
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																											
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																											
<input checked="" type="checkbox"/> SEE ATTACHED MAP																																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																							
6) WELL LOG: Date Drilling: <u>8-3-89</u> Started <u>8-3-89</u> Completed <u>8-3-89</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <td style="width:33%;">Dia. (in.)</td> <td style="width:33%;">From (ft.)</td> <td style="width:33%;">To (ft.)</td> </tr> <tr> <td><u>4 1/2</u></td> <td>Surface</td> <td><u>55</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>4 1/2</u>	Surface	<u>55</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>30</u> ft. to <u>55</u> ft.																														
DIAMETER OF HOLE																																											
Dia. (in.)	From (ft.)	To (ft.)																																									
<u>4 1/2</u>	Surface	<u>55</u>																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0-3</u></td> <td></td> <td><u>Surface Sand</u></td> </tr> <tr> <td><u>3-18</u></td> <td></td> <td><u>clay</u></td> </tr> <tr> <td><u>18-22</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>22-30</u></td> <td></td> <td><u>clay</u></td> </tr> <tr> <td><u>30-55</u></td> <td></td> <td><u>Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-3</u>		<u>Surface Sand</u>	<u>3-18</u>		<u>clay</u>	<u>18-22</u>		<u>Sand</u>	<u>22-30</u>		<u>clay</u>	<u>30-55</u>		<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>P.V.C.</u></td> <td><u>0</u></td> <td><u>45</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>P.V.C. Screen</u></td> <td><u>45</u></td> <td><u>55</u></td> <td><u>012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>45</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>45</u>	<u>55</u>	<u>012</u>
From (ft.)	To (ft.)	Description and color of formation material																																									
<u>0-3</u>		<u>Surface Sand</u>																																									
<u>3-18</u>		<u>clay</u>																																									
<u>18-22</u>		<u>Sand</u>																																									
<u>22-30</u>		<u>clay</u>																																									
<u>30-55</u>		<u>Sand</u>																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																						
			From	To																																							
<u>2</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>45</u>	<u>40</u>																																						
<u>2</u>	<u>N</u>	<u>P.V.C. Screen</u>	<u>45</u>	<u>55</u>	<u>012</u>																																						
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of Sacks Used <u>2</u> _____ ft. to _____ ft. No. of Sacks Used _____ Method used <u>Hand mix</u> Cemented by <u>CHW</u>																																									
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																									
15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>20</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>10</u> ft. below land surface Date <u>8-3-89</u> Artesian flow _____ gpm. Date _____																																									
12) PACKERS: _____ Type _____ Depth _____																																											
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																											
COMPANY NAME <u>Coastal Water Works</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>812</u>																																									
ADDRESS <u>PO Box 745 Porter</u> <small>(Street or RFD)</small>		<u>Tx</u> <small>(City)</small>		<u>77365</u> <small>(State) (Zip)</small>																																							
(Signed) <u>A. L. Gehring</u> <small>(Licensed Well Driller)</small>		(Signed) _____ <small>(Registered Driller Trainee)</small>																																									
Please attach electric log, chemical analysis, and other pertinent information, if available.																																											
For TWC use only: Well No. <u>65057</u> Located on map _____																																											

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1722	2 of 2	NW	4.82 / 25,428.26	Schoppe, Edwin C. TX	WW HARRIS GAL

Well ID:	12694	Diameter (inches):	2
Aggre Lead Well:	12694	Year Drilled:	197
Permit No:	WP2022-107026	Depth Drilled:	1
Permit Start Date:	6/1/2022 3:39:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.459444
Owner Name:	Schoppe, Edwin C.		
Billing Contact:	Lois Poole		
Billing Address:	7041 County Road 119		
Billing Address 2:	NULL		
Billing City:	Caldwell		
Billing State:	TX		
Billing Zip:	77836		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1723	1 of 1	NE	4.82 / 25,434.30	Sanchez, Irma TX	WW HARRIS GAL

Well ID:	13834	Diameter (inches):	4
Aggre Lead Well:	13834	Year Drilled:	NULL
Permit No:	WP2023-112304	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.368333
Owner Name:	Sanchez, Irma		
Billing Contact:	NULL		
Billing Address:	11903 Snowberry Drive		
Billing Address 2:	NULL		
Billing City:	Cypress		
Billing State:	TX		
Billing Zip:	77429		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1724	1 of 1	NNE	4.82 / 25,436.91	822 CORVETTE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 4/2/1979
Owners Name: 822 CORVETTE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 206
Depth Drilled: 350
Latitude: 29.9080349
Longtiude: -95.3807478

MAP # 3 ELL # 1 **RECEIVED** *Dup*

AUG 1 - 1979

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only:
Well No. 65-05-911
Located on map W82
Received: 79 SAC

1) OWNER DAMON. SMITH. Address 822 CORVETT. HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County HARRIS 2 miles in NORTH direction from HOUSTON, TEX
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. # 1

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled APR. 2, 79

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
<u>6 1/2</u>	Surface <u>330</u>	
<u>2 3/8</u>	<u>330</u> <u>350</u>	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other TWO-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0</u>	<u>30</u>	<u>CLAY.</u>						
<u>30</u>	<u>36</u>	<u>SAND</u>						
<u>36</u>	<u>44</u>	<u>CLAY.</u>	<u>4"</u>	<u>N</u>	<u>PLASTIC.</u>	<u>0</u>	<u>330</u>	
<u>44</u>	<u>55</u>	<u>SAND</u>	<u>2 1/2"</u>	<u>N</u>	<u>GALVANIZED</u>	<u>330</u>	<u>335</u>	
<u>55</u>	<u>141</u>	<u>CLAY.</u>						
<u>141</u>	<u>156</u>	<u>SAND</u>						
<u>156</u>	<u>267</u>	<u>CLAY.</u>						
<u>267</u>	<u>288</u>	<u>SAND</u>	<u>2 1/2"</u>	<u>N</u>	<u>PLASTIC-SCREEN</u>	<u>335</u>	<u>350</u>	<u>#14</u>
<u>288</u>	<u>290</u>	<u>CLAY.</u>						
<u>290</u>	<u>305</u>	<u>SAND</u>						
<u>305</u>	<u>311</u>	<u>CLAY.</u>						
<u>311</u>	<u>350</u>	<u>SAND</u>						

CEMENTING DATA
Cemented from 230 ft. to 330 ft.
Method used PUMP.
Cemented by BODE DRILLING CO. INC.
(Company or Individual)

9) WATER LEVEL:
Static level 206 ft. below land surface Date APR. 2, 79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 27.9 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata 39 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE (Type or Print) Water Well Drillers Registration No. 46
ADDRESS P.O. Box 90067. HOUSTON, TEX. 77090
(Street or RFD) (City) (State) (Zip)
(Signed) E.L. Bode (Water Well Driller) BODE DRILLING CO. INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
MAY 17 1971
CE/DM/12



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1725	1 of 1	NNE	4.82 / 25,441.14	Odie Wells 14522 Lillja Houston TX 77060	SDRW WELLS

Track NO: 522113
Date Submitted: 2019-09-23
Owner Name: Odie Wells
Owner Address: 14522 Lillja
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.910556
Longitude: -95.390278
Drilling Date Started: 2019-08-05
Drilling Date Completed: 2019-08-06
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=522113&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 405.0

Top Depth: 0
Bottom Depth: 405

Well Levels

Measurement: 190
Measurement Date: 2019-09-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1726	1 of 4	N	4.82 / 25,454.60	MCFARLAND VILLAGE APARTMENTS TX	WUD

Primary Co: JEREK R. MIGGINS
Contact Ti: OPERATOR
Operating Status: OPERATIONAL
PWSID: 1012982
Source ID: G1012982A
Utility Name: MCFARLAND VILLAGE APARTMENTS
WTRSRC: G1012982A
Date Drilled: 09/06/1994
Well Depth: 335
Screen Top: 315
Screen Bottom: 335
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 75
CCN: N/A
Latitude: 29.91179085
Longitude: -95.39839172
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1726	2 of 4	N	4.82 / 25,454.60	COASTEL CONCRETE SAWING TX	TCEQ WELL LOGS

Grid No: 65-05-9NN
Date Drilled: 07/03/1981
Owners Name: COASTEL CONCRETE SAWING
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 210
Depth Drilled: 340
Latitude: 29.9119633
Longitude: -95.3978021

WL #2 *Map*

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR (use only)
Well No. *65-05-9NN*
Located on map
Received: *Blus*

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER *Coastal Concrete Sawing* Address *P.O. Box 38100* *Houston* *Tx* *77088*
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: *M. Farland Rd.*
County *Harris* *17* miles in *N* direction from *None*
(N.E., S.W., etc.) (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. *Map on 65-11-4y*

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled *July 3, 1981*

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
<i>6 3/4</i>	<i>Surface</i>	<i>Clay + Sandy Clay</i>
	<i>340</i>	<i>Sand</i>

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>Galvanized Steel</i>	<i>0</i>	<i>315</i>	
<i>2</i>	<i>N</i>	<i>Plastic</i>	<i>320</i>	<i>340</i>	<i>020</i>

CEMENTING DATA
Cemented from *265* ft. to *315* ft.
Method used *Haliburton*
Cemented by *Bussell + Son, Inc.*
(Company or Individual)

9) WATER LEVEL:
Static level *210'* ft. below land surface Date *7/4/81*
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., *273* ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated
Yield: *25* gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If Yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME *Craig O Bussell* Water Well Drillers Registration No. *#2035*
(Type or Print)

ADDRESS *9739 N. Houston Rosslyn* *Houston* *Texas* *77088*
(Street or RFD) (City) (State) (Zip)

(Signed) *Craig Bussell* *Bussell + Son, Inc.*
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1726	3 of 4	N	4.82 / 25,454.60	W.M. KEELS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 9/6/1984
Owners Name: W.M. KEELS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 315
Latitude: 29.9119633
Longtiude: -95.3978021

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER W.M. Keels Address 246 McFarland Houston, Tx. 77060
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harris miles in _____ direction from _____
 County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-05-5ccc

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dis. (in.)	From (ft.)	To (ft.)
<u>9-6-84</u>	<u>4 3/4</u>	Surface	<u>335'</u>
	<u>6 3/4</u>	"	<u>315'</u>

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other Two-String
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0</u>	<u>20</u>	<u>red gray clay</u>						
<u>20</u>	<u>35</u>	<u>sand</u>						
<u>35</u>	<u>50</u>	<u>sand</u>	<u>5"</u>	<u>N</u>	<u>Class 200 ASTM F-480</u>	<u>+24</u>	<u>315</u>	
<u>50</u>	<u>55</u>	<u>clay</u>						
<u>55</u>	<u>75</u>	<u>sand- clay streaks</u>	<u>3"</u>	<u>N</u>	<u>Well Supplies, Inc.</u>			
<u>75</u>	<u>95</u>	<u>sand and clay</u>			<u>PVC Screen</u>	<u>335</u>	<u>315</u>	<u>12ga.</u>
<u>95</u>	<u>115</u>	<u>red gray clay</u>	<u>3"</u>	<u>N</u>	<u>SCH 40 PVC Blank</u>	<u>315</u>	<u>305</u>	
<u>115</u>	<u>135</u>	<u>clay and sand</u>						
<u>135</u>	<u>155</u>	<u>red gray clay</u>						
<u>155</u>	<u>175</u>	<u>clay</u>						
<u>175</u>	<u>195</u>	<u>clay-sand streaks</u>						
<u>195</u>	<u>215</u>	<u>sand and clay</u>						
<u>215</u>	<u>235</u>	<u>sand and clay</u>						
<u>235</u>	<u>255</u>	<u>sand and clay</u>						
<u>255</u>	<u>275</u>	<u>sand and clay</u>						
<u>275</u>	<u>295</u>	<u>clay</u>						
<u>295</u>	<u>305</u>	<u>clay</u>						
<u>305</u>	<u>335</u>	<u>sand</u>						

CEMENTING DATA
 Cemented from 315 ft. to Surface ft.
 Method used Pressure Cement
 Cemented by Raymond Water Wells
 (Company or Individual)

9) WATER LEVEL: Static level 220 ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type "K" Depth 305

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS: ☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
 Yield: 15 gpm with 5 ft. drawdown after 2 hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Raymond Water Wells Water Well Driller's License No. 774
 (Type or Print)

ADDRESS 10011 Airline Drive Houston, Texas 77037
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 65-05-9w
 Located on map YES C.F.S.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1726	4 of 4	N	4.82 / 25,454.60	McFarland Village, Inc. TX	WW HARRIS GAL

Well ID:	6940	Diameter (inches):	4
Aggre Lead Well:	6940	Year Drilled:	
Permit No:	WP2023-111827	Depth Drilled:	0
Permit Start Date:	8/1/2023 4:07:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 4:07:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.911944
Regulatory Aarea:	3	Longitude:	-95.398611
Owner Name:	McFarland Village, Inc.		
Billing Contact:	NULL		
Billing Address:	4008 Louetta Rd., Suite 167		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77388		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1727	1 of 1	WSW	4.82 / 25,462.64	TCEQ 7424 Long Point Rd Houston TX 77055	SDRW WELLS

Track NO: 550985
Date Submitted: 2020-08-14
Owner Name: TCEQ
Owner Address: P.O. Box 13087
Owner Address2:
Owner City: Austin
Owner State: TX
Owner Zip: 77087
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Monitor/Injection
Latitude: 29.802993
Longitude: -95.477404
Drilling Date Started: 2020-08-06
Drilling Date Completed: 2020-08-06
Chemical Analysis: No
Company Name: Envirotech Drilling Services LLC
Company Address: PO BOX 19064
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77224
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=550985&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1728	1 of 1	NNE	4.82 / 25,473.64	CLOVIS BLACKSTOCK TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 9/24/1999
Owners Name: CLOVIS BLACKSTOCK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 14
Depth Drilled: 47
Latitude: 29.908659
Longtiude: -95.382349

Send original copy by certified return receipt requested

o: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>CLOVIS BLACKSTOCK</u> ADDRESS <u>14410 HENRY HWY TX 77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																									
2) ADDRESS OF WELL'S LOCATION: County <u>HARRIS</u> <small>(Street, RFD or other) (City) (State) (Zip)</small> Grid # <u>65-05-9</u> Long. _____ Lat. _____																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																					
6) WELL LOG: Date Drilling: <u>9/24</u> 19 <u>99</u> Started <u>9/24</u> 19 <u>99</u> Completed <u>9/24</u> 19 <u>99</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td><u>5 1/4"</u></td> <td><u>Surface</u></td> <td><u>47</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5 1/4"</u>	<u>Surface</u>	<u>47</u>														
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5 1/4"</u>	<u>Surface</u>	<u>47</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-20</u> <u>YELLOW CLAY</u> <u>20-30</u> <u>RED CLAY</u> <u>30-34</u> <u>SAND</u> <u>34-42</u> <u>CLAY (RED)</u> <u>42-46</u> <u>SAND & EA</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>37</u> ft. to <u>47</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>37</u></td> <td><u>2H40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic SCREEN</u></td> <td><u>37</u></td> <td><u>47</u></td> <td><u>.006</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>37</u>	<u>2H40</u>	<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>37</u>	<u>47</u>	<u>.006</u>	9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>37</u> ft. No. of sacks used <u>10</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>50</u> ft. Method of verification of above distance <u>Customer</u>			
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																	
		From	To																						
<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>37</u>	<u>2H40</u>																				
<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>37</u>	<u>47</u>	<u>.006</u>																				
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ From (ft) To (ft) From (ft) To (ft)		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>30</u> ft.		11) WATER LEVEL: Static level <u>14</u> ft. below land surface Date <u>9/24/99</u> Artesian flow _____ gpm. Date _____																							
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		12) PACKERS: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 60%;">Type</th> <th style="width: 40%;">Depth</th> </tr> <tr> <td><u>NONE</u></td> <td></td> </tr> </table>				Type	Depth	<u>NONE</u>																	
Type	Depth																								
<u>NONE</u>																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal. COMPANY NAME <u>Raymond Services, Inc.</u> WELL DRILLER'S LICENSE NO. <u>4577WI</u> <small>(Type or print)</small> ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small> (Signed) <u>[Signature]</u> (Signed) _____ <small>(Authorized Well Driller) (Registered Driller Trainee)</small>																							

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1729	1 of 3	NE	4.83 / 25,487.89	Progressive Waste Solutions of TX, Inc. TX	WW HARRIS GAL

Well ID:	13794	Diameter (inches):	4
Aggre Lead Well:	13794	Year Drilled:	2016
Permit No:	W2018-13794-198071-0	Depth Drilled:	0
Permit Start Date:	8/1/2018	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2018	County:	H
Well Status:	P - Plugged	Latitude:	29.899166
Regulatory Aarea:	3	Longitude:	-95.361944
Owner Name:	Progressive Waste Solutions of TX, Inc.		
Billing Contact:	NULL		
Billing Address:	2010 Wilson Road		
Billing Address 2:	NULL		
Billing City:	Humble		
Billing State:	TX		
Billing Zip:	77396		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1729	2 of 3	NE	4.83 / 25,487.89	Vega, Martin TX	WW HARRIS GAL

Well ID:	16230	Diameter (inches):	2
Aggre Lead Well:	16230	Year Drilled:	NULL
Permit No:	WP2023-112864	Depth Drilled:	50
Permit Start Date:	8/1/2023 3:26:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 3:26:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.361389
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	PO Box 91243		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77291		
Correspondence:	Nancy		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1729	3 of 3	NE	4.83 / 25,487.89	Martin Vega 1617 Isom St. Houston TX 77093	SDRW WELLS

Track NO: 603868
Date Submitted: 2022-04-29
Owner Name: Martin Vega
Owner Address: 1617 Isom St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77093
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899722
Longitude: -95.361111
Drilling Date Started: 2022-04-28
Drilling Date Completed: 2022-04-28
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=603868&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 45

Top Depth:
Bottom Depth: 45.0

Well Levels

Measurement: 10
Measurement Date: 2022-04-28

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1730	1 of 2	N	4.83 / 25,488.42	TYE NGUYEN TX	TCEQ WELL LOGS

Grid No: 65-05-3
Date Drilled: 05/18/2000
Owners Name: TYE NGUYEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 260
Depth Drilled: 420
Latitude: 29.911944
Longitude: -95.396944

ORIGINAL

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
 Privilege Notice on reverse side
 of Well Owner's copy

State of Texas
 WELL REPORT

Texas Department of Licensing &
 Regulation
 P.O. Box 12157
 Austin, TX 78711
 512-463-7880

1) OWNER <u>TYE NGUYEN</u> (Name)		<u>13310 ATLASTA</u> <u>HOUSTON</u> <u>TEXAS</u> <u>77037</u> (Street or RFD) (City) (State) (Zip)																											
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>260 McFARLAND</u> <u>HOUSTON, TX</u> <u>77060</u> (Street, RFD or other) (City) (State) (Zip)		Long. <u>95°39.86W</u> Lat. <u>29°31.32N</u> GRID# <u>65-05-3</u>																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boding <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No																											
6) WELL LOG: Date Drilling: _____ Started <u>MAY 17</u> <u>2000</u> Completed <u>MAY 18</u> <u>2000</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other <u>2 STRING</u>																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr> <td><u>7 1/4</u></td> <td>Surface</td> <td><u>420</u></td> </tr> </tbody> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>7 1/4</u>	Surface	<u>420</u>	5) _____ <div style="text-align: right;">X N</div>																		
DIAMETER OF HOLE																													
Dia. (in.)	From (ft.)	To (ft.)																											
<u>7 1/4</u>	Surface	<u>420</u>																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0</u></td><td><u>165</u></td><td><u>SAND/CLAY</u></td></tr> <tr><td><u>165</u></td><td><u>190</u></td><td><u>SAND/ROCK/CLAY</u></td></tr> <tr><td><u>190</u></td><td><u>210</u></td><td><u>CLAY/SAND</u></td></tr> <tr><td><u>210</u></td><td><u>250</u></td><td><u>SAND/ROCK</u></td></tr> <tr><td><u>250</u></td><td><u>370</u></td><td><u>SAND/CLAY</u></td></tr> <tr><td><u>370</u></td><td><u>390</u></td><td><u>SAND/ROCK/CLAY</u></td></tr> <tr><td><u>390</u></td><td><u>420</u></td><td><u>SAND</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>165</u>	<u>SAND/CLAY</u>	<u>165</u>	<u>190</u>	<u>SAND/ROCK/CLAY</u>	<u>190</u>	<u>210</u>	<u>CLAY/SAND</u>	<u>210</u>	<u>250</u>	<u>SAND/ROCK</u>	<u>250</u>	<u>370</u>	<u>SAND/CLAY</u>	<u>370</u>	<u>390</u>	<u>SAND/ROCK/CLAY</u>	<u>390</u>	<u>420</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>CEMENT</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																											
<u>0</u>	<u>165</u>	<u>SAND/CLAY</u>																											
<u>165</u>	<u>190</u>	<u>SAND/ROCK/CLAY</u>																											
<u>190</u>	<u>210</u>	<u>CLAY/SAND</u>																											
<u>210</u>	<u>250</u>	<u>SAND/ROCK</u>																											
<u>250</u>	<u>370</u>	<u>SAND/CLAY</u>																											
<u>370</u>	<u>390</u>	<u>SAND/ROCK/CLAY</u>																											
<u>390</u>	<u>420</u>	<u>SAND</u>																											
CASING, BLANK PIPE, AND WELL SCREEN DATA:																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td><u>4</u></td><td><u>N</u></td><td><u>PVC CASING</u></td><td><u>0</u></td><td><u>410</u></td><td><u>40</u></td></tr> <tr><td><u>2 1/2</u></td><td><u>N</u></td><td><u>PVC LINER</u></td><td><u>405</u></td><td><u>410</u></td><td><u>40</u></td></tr> <tr><td><u>2 1/2</u></td><td><u>N</u></td><td><u>PVC SCREEN</u></td><td><u>410</u></td><td><u>420</u></td><td><u>010</u></td></tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>410</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC LINER</u>	<u>405</u>	<u>410</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>410</u>	<u>420</u>	<u>010</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																						
			From	To																									
<u>4</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>410</u>	<u>40</u>																								
<u>2 1/2</u>	<u>N</u>	<u>PVC LINER</u>	<u>405</u>	<u>410</u>	<u>40</u>																								
<u>2 1/2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>410</u>	<u>420</u>	<u>010</u>																								
(Use reverse side if necessary)																													
13) <input type="checkbox"/> Well plugged within 48 hours		9) CEMENTING DATA																											
Casing left in well: _____		Cemented from <u>410</u> ft. to <u>15</u> ft. No. of sacks used <u>20</u>																											
From (ft) To (ft) Cement/bentonite placed in well: _____ Sacks used: _____		<u>15</u> ft. to <u>0</u> ft. No. of sacks used <u>13</u>																											
Method used <u>HALIBURTON</u>		Cemented by <u>GLEN R. BONDS</u>																											
Distance to septic system field lines or other concentrated contamination <u>NA</u> ft.		Method of verification of above distance <u>NA</u>																											
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input checked="" type="checkbox"/> Approved Alternative Procedure Used																											
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>30/35</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL Static Level <u>260</u> ft. below land surface Date <u>5/18/00</u> Artesian flow _____ gpm Date _____																											
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>GOOD</u> Depth of strata <u>30 FT.</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth <u>4</u> <u>X</u> <u>2 1/2</u> <u>TRI-SEAL</u> <u>405 FT.</u>																											
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																													
COMPANY NAME <u>NORTHWEST WATER WELLS</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>50950-WP</u>																											
ADDRESS <u>25997 BRUSHY CREEK DRIVE</u> <u>HOCKLEY</u> <u>TX</u> <u>77447</u> (Street or RFD) (City) (State) (Zip)																													
(Signed) <u>Glen R. Bonds</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																											

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98)

Copies to TDLR, DRILLER, and WELL OWNER

Form provided by Forms On-A-Disk, Inc. - Dallas, Texas - (214) 340-9429

201681

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1730	2 of 2	N	4.83 / 25,488.42	Nguyen, Ty TX	WW HARRIS GAL

Well ID:	14220	Diameter (inches):	4
Aggre Lead Well:	14220	Year Drilled:	NULL
Permit No:	W2021-14220-218533-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.911944
Regulatory Aarea:	3	Longitude:	-95.396944
Owner Name:	Nguyen, Ty		
Billing Contact:	NULL		
Billing Address:	260 McFarland Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1731	1 of 1	N	4.83 / 25,493.13	NAM NGUYEN 262 MCFARLAND HOUSTON TX 77060	SDRW WELLS

Track NO: 3288
Date Submitted: 2001-11-07
Owner Name: NAM NGUYEN
Owner Address: 13309 ATLANTA
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77064
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.912223
Longitude: -95.396111
Drilling Date Started: 2001-10-25
Drilling Date Completed: 2001-10-26
Chemical Analysis: No
Company Name: NORTHWEST WATER WELLS
Company Address: 25143 FM 1488
CompanyAddress2:
Company City: MAGNOLIA
Company State: TX
Company Zip: 77355
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=3288&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 420.0

Top Depth: 0
Bottom Depth: 420

Well Levels

Measurement: 225
Measurement Date: 2001-10-26

Well Strata

Water Type:

GOOD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1732	1 of 1	N	4.83 / 25,504.22	LAAJ Company LLC TX	WW HARRIS GAL

Well ID:	9180	Diameter (inches):	2
Aggre Lead Well:	9180	Year Drilled:	
Permit No:	W2012-9180-159141-0	Depth Drilled:	50
Permit Start Date:	8/1/2012	Depth frm Surf(ft):	40
Permit End Dt:	8/1/2012	County:	H
Well Status:	C - Capped	Latitude:	29.912777
Regulatory Aarea:	3	Longitude:	-95.408611
Owner Name:	LAAJ Company LLC		
Billing Contact:	NULL		
Billing Address:	13115 Durbridge Trail Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77965		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1733	1 of 1	NNE	4.83 / 25,504.63	IRA REDDEN TX	TCEQ WELL LOGS

Grid No: 65-06-4S
Date Drilled: 06/29/1971
Owners Name: IRA REDDEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 10
Depth Drilled: 38
Latitude: 29.906226
Longtiude: -95.375314

45 DOP


Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-0645
Located on map 88C
Received: 5-27
Paul

1) OWNER:
Person having well drilled IRA REDDEN Address 13223 W Hardy Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner " " " "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 17 miles in NW direction from HOUSTON
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* HWY 525

(Use reverse side if necessary)

OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 5 1/4 in. Depth drilled 38 ft. Depth of completed well 38 ft. Date 6/29/71
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top soil
3	20	Gray clay
20	30	White sand
30	38	Brown sand

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
3 0 32 Standard

10) SCREEN:
Type Plastic
Perforated _____ Slotted ☒
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
3 32 38 8

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 10 ft. below land surface Date 6/29/71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 21 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. Water Well Drillers Registration No. 1101
(Type or Print)

ADDRESS 7507 IANAK DR. HOUSTON TEXAS
(Street or RFD) (City) (State)

(Signed) John B. Lumpkin Jr. LONG POINT WATER WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1734	1 of 1	NE	4.83 / 25,505.60	Clark, Michael TX	WW HARRIS GAL

Well ID:	13611	Diameter (inches):	4
Aggre Lead Well:	13611	Year Drilled:	NULL
Permit No:	WP2023-101669	Depth Drilled:	0
Permit Start Date:	5/1/2023 11:03:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 11:03:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.3625
Owner Name:	Clark, Michael		
Billing Contact:	NULL		
Billing Address:	P.O. Box 16053		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77222		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1735	1 of 1	NNE	4.83 / 25,508.57	Vela, Jose & Amada TX	WW HARRIS GAL

Well ID:	15755	Diameter (inches):	2
Aggre Lead Well:	15755	Year Drilled:	NULL
Permit No:	WP2023-114617	Depth Drilled:	NULL
Permit Start Date:	10/11/2023 10:19:00 AM	Depth frm Surf(ft):	NULL
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.909166
Regulatory Aarea:	3	Longitude:	-95.383055
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	6514 Frisco St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77022-5769		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1736	1 of 1	NW	4.83 / 25,509.57	ALLAN W DOWNS 2909 LINCOLN DR HOUSTON TX 77038	SDRW WELLS

Track NO: 17968
Date Submitted: 2003-03-19
Owner Name: ALLAN W DOWNS
Owner Address: 2908 FM 149
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.898056
Longitude: -95.460556
Drilling Date Started: 2003-02-24
Drilling Date Completed: 2003-02-25
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=17968&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 370.0

Top Depth: 0
Bottom Depth: 370

Well Levels


Measurement: 215
Measurement Date: 2003-02-25

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1737	1 of 4	NW	4.83 / 25,513.11	ELIZONDO RV PARK TX	WUD

Primary Co: JESSE VELA
Contact Ti: OPERATOR
Operating Status: OPERATIONAL
PWSID: 1010812
Source ID: G1010812A
Utility Name: ELIZONDO RV PARK
WTRSRC: G1010812A
Date Drilled: 06/15/1973
Well Depth: 304
Screen Top: 290
Screen Bottom: 304
Water Usage: INACTIVE - OTHER
Gallons Per Minute: 24
CCN: N/A
Latitude: 29.898835
Longitude: -95.458732
System Status: INACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1737	2 of 4	NW	4.83 / 25,513.11	ERNESTO ELIZONDO TX	TCEQ WELL LOGS

Grid No: 65-05-7S
 Date Drilled: 06/15/1973
 Owners Name: ERNESTO ELIZONDO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 183
 Depth Drilled: 305
 Latitude: 29.898835
 Longtiude: -95.458732

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-25</u> Located on map <u>720</u> Received: <u>7/31</u> <u>235</u>																															
1) OWNER: Person having well drilled <u>Ernesto Elizondo</u> Address _____ (Street or RFD) (City) (State) Landowner <u>Same</u> Address _____ (Street or RFD) (City) (State)																																			
2) LOCATION OF WELL: County <u>HARRIS Co.</u> <u>4 1/2</u> miles in <u>N.W.</u> direction from <u>HOUSTON TEX.</u> (N.E., S.W., etc.) (Town)																																			
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.  (Use reverse side if necessary)			or Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block <u>UNKNOWN</u> Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____																																
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other		5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored																															
6) WELL LOG: Diameter of hole <u>6"</u> in. Depth drilled <u>305'</u> ft. Depth of completed well <u>304'</u> ft. Date drilled <u>6-15/73</u> All measurements made from <u>0</u> ft. above ground level.																																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0 - 93</td><td></td><td>Clay</td></tr> <tr><td>93 - 136</td><td></td><td>Sand</td></tr> <tr><td>136 - 162</td><td></td><td>Sandy Shale</td></tr> <tr><td>162 - 238</td><td></td><td>Shale</td></tr> <tr><td>238 - 256</td><td></td><td>Broken Sand</td></tr> <tr><td>256 - 266</td><td></td><td>Sandy (loose)</td></tr> <tr><td>266 - 270</td><td></td><td>Sand</td></tr> <tr><td>270 - 284</td><td></td><td>Sand & Clay</td></tr> <tr><td>284 - 305</td><td></td><td>SAND (loose)</td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material	0 - 93		Clay	93 - 136		Sand	136 - 162		Sandy Shale	162 - 238		Shale	238 - 256		Broken Sand	256 - 266		Sandy (loose)	266 - 270		Sand	270 - 284		Sand & Clay	284 - 305		SAND (loose)	9) Casing: Type: Old _____ New _____ Steel _____ Plastic _____ Other _____ Cemented from <u>0'</u> ft. to <u>266'</u> ft. Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____		
From (ft.)	To (ft.)	Description and color of formation material																																	
0 - 93		Clay																																	
93 - 136		Sand																																	
136 - 162		Sandy Shale																																	
162 - 238		Shale																																	
238 - 256		Broken Sand																																	
256 - 266		Sandy (loose)																																	
266 - 270		Sand																																	
270 - 284		Sand & Clay																																	
284 - 305		SAND (loose)																																	
(Use reverse side if necessary)			10) SCREEN: Type <u>15' 2 1/2" PL.</u> Perforated _____ Slotted _____ Diameter (inches) <u>2 1/2"</u> Setting From (ft.) <u>290'</u> To (ft.) <u>304'</u> Slot Size <u>.016</u>																																
7) COMPLETION (Check): Straight wall _____ Gravel packed _____ Other <u>4" x 2 1/2"</u> Under reamed _____ Open Hole _____			11) WELL TESTS: Was a pump test made? Yes _____ No _____ If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																
8) WATER LEVEL: Static level <u>183'</u> ft. below land surface Date <u>6/15/73</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.			12) WATER QUALITY: Was a chemical analysis made? Yes _____ No _____ Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____																																
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																			
NAME <u>PAUL'S WELL SERV.</u> (Type or Print) ADDRESS <u>Rt. 9 Box: 807</u> (Street or RFD) (Signed) <u>O. D. Harmon</u> (Water Well Driller)		Water Well Drillers Registration No. <u>1000</u> <u>HOUSTON (40)</u> (City) <u>TEX.</u> (State) <u>SAME</u> (Company Name)																																	
Please attach electric log, chemical analysis, and other pertinent information, if available.																																			

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1737	3 of 4	NW	4.83 / 25,513.11	ALOZONDOS MOBIL HOME PARK TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 04/28/1995
Owners Name: ALOZONDOS MOBIL HOME PARK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 225
Depth Drilled: 370
Latitude: 29.898835
Longitude: -95.458732

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																								
1) OWNER <u>Alzondos mobil Home Park</u> ADDRESS <u>7518 Ralick Court Spring TX 77379</u> (Name) (Street or RFD) (City) (State) (Zip)																																												
2) ADDRESS OF WELL: <u>2842 LINCOLN Houston TX 77038</u> GRID # <u>65-05-7</u> County <u>HARRIS</u> (Street, RFD or other) (City) (State) (Zip)																																												
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																								
6) WELL LOG: Date Drilling: _____ Started <u>4-27-95</u> Completed <u>4-28-95</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>350</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>350</u></td> <td><u>370</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>350</u>	<u>3 7/8</u>	<u>350</u>	<u>370</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																												
DIAMETER OF HOLE																																												
Dia. (in.)	From (ft.)	To (ft.)																																										
<u>6 3/4</u>	Surface	<u>350</u>																																										
<u>3 7/8</u>	<u>350</u>	<u>370</u>																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>14</u></td><td><u>TOP SOIL + CLAY</u></td></tr> <tr><td><u>14</u></td><td><u>23</u></td><td><u>SURFACE SAND</u></td></tr> <tr><td><u>23</u></td><td><u>94</u></td><td><u>CLAY</u></td></tr> <tr><td><u>94</u></td><td><u>138</u></td><td><u>SAND</u></td></tr> <tr><td><u>138</u></td><td><u>155</u></td><td><u>CLAY</u></td></tr> <tr><td><u>155</u></td><td><u>165</u></td><td><u>SAND</u></td></tr> <tr><td><u>165</u></td><td><u>260</u></td><td><u>CLAY</u></td></tr> <tr><td><u>260</u></td><td><u>272</u></td><td><u>SAND</u></td></tr> <tr><td><u>272</u></td><td><u>285</u></td><td><u>CLAY</u></td></tr> <tr><td><u>285</u></td><td><u>305</u></td><td><u>SAND</u></td></tr> <tr><td><u>305</u></td><td><u>315</u></td><td><u>CLAY</u></td></tr> <tr><td><u>315</u></td><td><u>370</u></td><td><u>SAND</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>14</u>	<u>TOP SOIL + CLAY</u>	<u>14</u>	<u>23</u>	<u>SURFACE SAND</u>	<u>23</u>	<u>94</u>	<u>CLAY</u>	<u>94</u>	<u>138</u>	<u>SAND</u>	<u>138</u>	<u>155</u>	<u>CLAY</u>	<u>155</u>	<u>165</u>	<u>SAND</u>	<u>165</u>	<u>260</u>	<u>CLAY</u>	<u>260</u>	<u>272</u>	<u>SAND</u>	<u>272</u>	<u>285</u>	<u>CLAY</u>	<u>285</u>	<u>305</u>	<u>SAND</u>	<u>305</u>	<u>315</u>	<u>CLAY</u>	<u>315</u>	<u>370</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																										
<u>0</u>	<u>14</u>	<u>TOP SOIL + CLAY</u>																																										
<u>14</u>	<u>23</u>	<u>SURFACE SAND</u>																																										
<u>23</u>	<u>94</u>	<u>CLAY</u>																																										
<u>94</u>	<u>138</u>	<u>SAND</u>																																										
<u>138</u>	<u>155</u>	<u>CLAY</u>																																										
<u>155</u>	<u>165</u>	<u>SAND</u>																																										
<u>165</u>	<u>260</u>	<u>CLAY</u>																																										
<u>260</u>	<u>272</u>	<u>SAND</u>																																										
<u>272</u>	<u>285</u>	<u>CLAY</u>																																										
<u>285</u>	<u>305</u>	<u>SAND</u>																																										
<u>305</u>	<u>315</u>	<u>CLAY</u>																																										
<u>315</u>	<u>370</u>	<u>SAND</u>																																										
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr><td><u>4</u></td><td><u>N</u></td><td><u>PVC</u></td><td><u>0</u></td><td><u>350</u></td><td></td></tr> <tr><td><u>2</u></td><td><u>N</u></td><td><u>GALVANIZED</u></td><td><u>345</u></td><td><u>350</u></td><td></td></tr> <tr><td><u>2</u></td><td><u>N</u></td><td><u>PVC SCREENS</u></td><td><u>350</u></td><td><u>360</u></td><td><u>.014</u></td></tr> <tr><td><u>2</u></td><td><u>N</u></td><td><u>PVC SCREENS</u></td><td><u>360</u></td><td><u>370</u></td><td><u>.016</u></td></tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>350</u>		<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>345</u>	<u>350</u>		<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>350</u>	<u>360</u>	<u>.014</u>	<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>360</u>	<u>370</u>	<u>.016</u>							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																							
			From	To																																								
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>350</u>																																								
<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>345</u>	<u>350</u>																																								
<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>350</u>	<u>360</u>	<u>.014</u>																																							
<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>360</u>	<u>370</u>	<u>.016</u>																																							
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>350</u> ft. No. of sacks used <u>35</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>HALLIBURTON</u> Cemented by <u>BUSSELL & SON INC.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																																										
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																										
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>45</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>225</u> ft. below land surface Date <u>4-28-95</u> Artesian flow _____ gpm. Date _____																																										
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>R-PACKER</u></td> <td><u>345</u></td> </tr> </table>				Type	Depth	<u>R-PACKER</u>	<u>345</u>																																			
Type	Depth																																											
<u>R-PACKER</u>	<u>345</u>																																											
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																												
COMPANY NAME <u>BUSSELL & SON INC.</u> WELL DRILLER'S LICENSE NO. <u>2035</u> (Type or print)																																												
ADDRESS <u>P.O. Box 874 Tomball TX 77377-0874</u> (Street or RFD) (City) (State) (Zip)																																												
(Signed) <u>Raig Busell</u> (Signed) _____ (Licensed Well Driller) (Registered Driller Trainee)																																												
Please attach electric log, chemical analysis, and other pertinent information, if available.																																												

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1737	4 of 4	NW	4.83 / 25,513.11	Elizondo RV Park TX	WW HARRIS GAL

Well ID:	5366	Diameter (inches):	4
Aggre Lead Well:	5366	Year Drilled:	1995
Permit No:	WP2023-105947	Depth Drilled:	350
Permit Start Date:	6/1/2023 4:00:00 PM	Depth frm Surf(ft):	340
Permit End Dt:	5/31/2024 4:00:00 PM	County:	H
Well Status:	E - Exempt	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.458611
Owner Name:	Elizondo RV Park		
Billing Contact:	Jesse Vela, Jr.		
Billing Address:	2842 Lincoln Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038-3325		
Correspondence:	Dominga Elizondo		
Provision:	NULL		
Water Usage:	S - Single Family Residential		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1738	1 of 3	NW	4.83 / 25,517.36	CHURCH OIL TOOL TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 01/14/1998
Owners Name: CHURCH OIL TOOL
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 219
Depth Drilled: 340
Latitude: 29.900335
Longtiude: -95.456345

Send original copy by certified return receipt requested to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-0177

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																	
1) OWNER <u>Church Oil Tool</u> (Name)		ADDRESS <u>2810 Washington Dr. Houston TX 77038</u> (Street or RFD) (City) (State) (Zip)																																			
2) ADDRESS OF WELL: County <u>Harris</u> <u>2810 Washington Dr. HSTN TX 77038</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-7</u>																																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																	
6) WELL LOG: Date Drilling: <u>1-13</u> 19 <u>98</u> Started <u>1-13</u> 19 <u>98</u> Completed <u>1-14</u> 19 <u>98</u>		<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <tr><th colspan="3">DIAMETER OF HOLE</th></tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>320</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>320</u></td> <td><u>340</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>320</u>	<u>3 7/8</u>	<u>320</u>	<u>340</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
DIAMETER OF HOLE																																					
Dia. (in.)	From (ft.)	To (ft.)																																			
<u>6 3/4</u>	Surface	<u>320</u>																																			
<u>3 7/8</u>	<u>320</u>	<u>340</u>																																			
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0</u></td> <td><u>305</u></td> <td><u>Unconsolidated</u></td> </tr> <tr> <td><u>305</u></td> <td><u>340</u></td> <td><u>SAND</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>305</u>	<u>Unconsolidated</u>	<u>305</u>	<u>340</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																										
From (ft.)	To (ft.)	Description and color of formation material																																			
<u>0</u>	<u>305</u>	<u>Unconsolidated</u>																																			
<u>305</u>	<u>340</u>	<u>SAND</u>																																			
CASING, BLANK PIPE, AND WELL SCREEN DATA:																																					
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>330</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>GALVANIZED</u></td> <td><u>310</u></td> <td><u>320</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>320</u></td> <td><u>330</u></td> <td><u>.012</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>330</u></td> <td><u>340</u></td> <td><u>.014</u></td> </tr> </table>						Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>330</u>		<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>310</u>	<u>320</u>		<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>320</u>	<u>330</u>	<u>.012</u>	<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>330</u>	<u>340</u>	<u>.014</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																
			From	To																																	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>330</u>																																	
<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>310</u>	<u>320</u>																																	
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>320</u>	<u>330</u>	<u>.012</u>																																
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>330</u>	<u>340</u>	<u>.014</u>																																
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>8</u> <u>270</u> ft. to <u>320</u> ft. No. of sacks used <u>3</u> Method used <u>Halliburton / Trimmer</u> Cemented by <u>RUSSELL + Son Inc</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																																					
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																					
11) WATER LEVEL: Static level <u>219</u> ft. below land surface Date <u>1-16-98</u> Artesian flow _____ gpm. Date _____																																					
12) PACKERS: Type _____ Depth <u>310</u> MAR 20 1998																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>280</u> ft.																																					
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>45</u> gpm with _____ ft. drawdown after _____ hrs.																																					
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																					
<div style="border: 1px solid black; padding: 5px; font-size: x-small;"> FILE ID _____ SERIAL _____ 12) PACKERS: _____ Type _____ Depth _____ EMP # _____ MAR 20 1998 COMMENT _____ </div>																																					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																					
COMPANY NAME <u>RUSSELL + Son Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2035</u>																																			
ADDRESS <u>PO Box 874</u> (Street or RFD)		<u>Tomball</u> (City)		<u>TEXAS 77377-0874</u> (State) (Zip)																																	
(Signed) <u>Craig O. Russell</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																			

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1738	2 of 3	NW	4.83 / 25,517.36	Consortia International dba Hendrix Specialty Fabrication	WW HARRIS GAL

TX

Well ID:	6147	Diameter (inches):	4
Aggre Lead Well:	6147	Year Drilled:	1997
Permit No:	WP2023-105215	Depth Drilled:	300
Permit Start Date:	6/1/2023 10:25:00 AM	Depth frm Surf(ft):	280
Permit End Dt:	5/31/2024 10:25:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.456111
Owner Name:	AXON Energy Products		
Billing Contact:	Accounts Payable		
Billing Address:	2810 Washington Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1738	3 of 3	NW	4.83 / 25,517.36	Victoria Baptist Church TX	WW HARRIS GAL

Well ID:	8510	Diameter (inches):	2
Aggre Lead Well:	8510	Year Drilled:	1950
Permit No:	W2012-8510-158234-0	Depth Drilled:	0
Permit Start Date:	6/1/2012	Depth frm Surf(ft):	0
Permit End Dt:	6/1/2012	County:	H
Well Status:	O - Operable	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.456111
Owner Name:	Victoria Baptist Church		
Billing Contact:	NULL		
Billing Address:	11619 McKinley St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1739	1 of 2	NE	4.83 / 25,526.90	Martinez, Adan TX	WW HARRIS GAL

Well ID:	11304	Diameter (inches):	4
Aggre Lead Well:	11304	Year Drilled:	2009
Permit No:	W2020-11304-211070-0	Depth Drilled:	400
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	385
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.365555
Owner Name:	Martinez, Adan		
Billing Contact:	NULL		
Billing Address:	1340 Aldine Mail Rd., # 3		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1739	2 of 2	NE	4.83 / 25,526.90	Adan Martinez 1340 Aldine Mail Route Houston TX 77039	SDRW WELLS

Track NO: 196473
Date Submitted: 2009-10-16
Owner Name: Adan Martinez
Owner Address: 1340 Aldine Mail Route
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.901945
Longitude: -95.365556
Drilling Date Started: 2009-10-05
Drilling Date Completed: 2009-10-06
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=196473&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 380.0

Top Depth: 0
Bottom Depth: 380

Well Levels

Measurement: 200
Measurement Date: 2009-10-13

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1740	1 of 1	N	4.84 / 25,534.81	Walid Hattab 10202 Deer Trail Dr Houston TX 77038	SDRW WELLS

Track NO: 315141
Date Submitted: 2013-04-04
Owner Name: Walid Hattab
Owner Address: 10202 Deer Trail Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.907501
Longitude: -95.42
Drilling Date Started: 2013-04-02
Drilling Date Completed: 2013-04-03
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=315141&Type=SDR-Well>

Well Borehole Information

Top Depth: 415
Bottom Depth: 435

Top Depth:
Bottom Depth: 435.0

Top Depth: 0
Bottom Depth: 415

Well Levels

Measurement: 190
Measurement Date: 2013-04-03

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1741	1 of 1	NW	4.84 / 25,550.17	Downs, Allan TX	WW HARRIS GAL

Well ID:	9393	Diameter (inches):	4
Aggre Lead Well:	9393	Year Drilled:	
Permit No:	W2003-9393-108397-0	Depth Drilled:	400
Permit Start Date:	2/9/2003	Depth frm Surf(ft):	385
Permit End Dt:	2/9/2003	County:	H
Well Status:	O - Operable	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.460277
Owner Name:	Downs, Allan		
Billing Contact:	NULL		
Billing Address:	2908 FM 149		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1742	1 of 1	NNE	4.84 / 25,554.51	A. KAMINSKI TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 1/29/1976
Owners Name: A. KAMINSKI
County: HARRIS
Water Usage: DOMESTIC
Static Level: 197
Depth Drilled: 347
Latitude: 29.908896
Longtiude: -95.382352

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-966
Located on map
Received: 25 yrs
dlf

1) OWNER:
Person having well drilled A. KAMINSKI Address 14414 HENRY RD (City) (State)
Landowner SAMIE Address HOUSTON, TEX. (City) (State)

2) LOCATION OF WELL:
County HARRIS 2 miles in NO direction from HOUSTON T&T (Town)
(N.E., S.W., etc.)
Locate by sketch map showing landmarks, roads, creeks, highway number, or Give legal location with distances and directions from adjacent sections or survey lines.
WELL AT 14414 HENRY RD
HARDY ST
North
VALDINE MAIL RD
(Use reverse side if necessary)
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 347 ft. Depth of completed well 347 ft. Date drilled JAN 29, 76
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	48	CLAY
48	58	SAND
58	63	CLAY
63	75	SAND
75	267	CLAY
267	280	SAND
280	295	CLAY
295	305	SAND
305	315	CLAY
315	347	SAND

(Use reverse side if necessary)

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from 150 ft. to 225 ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Gage _____
4" 0 325
2 1/2" 325 332

10) SCREEN: PLASTIC - RIBBED
Type _____ Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 332 347 #14

7) COMPLETION (Check):
Straight wall _____ Gravel packed TWO STRINGS Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 192' ft. below land surface Date JAN 29, 76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
(Type or Print)
ADDRESS Box 167, WESTFIELD, TEXAS (City) (State)
(Signed) E.L. Bode E.L. BODE DRILLING CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1743	1 of 1	NNE	4.84 / 25,555.15	Campbell, Douglas TX	WW HARRIS GAL

Well ID:	12912	Diameter (inches):	4
Aggre Lead Well:	12912	Year Drilled:	1981
Permit No:	WP2023-111557	Depth Drilled:	0
Permit Start Date:	8/1/2023 3:27:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.911388
Regulatory Aarea:	3	Longitude:	-95.395833
Owner Name:	Campbell, Douglas		
Billing Contact:	NULL		
Billing Address:	P.O. Box 38548		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77238		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1744	1 of 2	NNE	4.84 / 25,565.87	DIXIE CALLAND TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 07/18/2000
 Owners Name: DIXIE CALLAND
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 10
 Depth Drilled: 50
 Latitude: 29.9104657
 Longtiude: -95.3879337

Send original copy by certified return receipt requested

to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>Dixie Calland</u> (Name) ADDRESS <u>14523 Sellers Rd., Houston, TX 77060</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL'S LOCATION: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip) Long. <u>95-05-9</u> Lat. <u>30-05-9</u> Grid # <u>605-05-9</u>		3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging																					
4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)		6) WELL LOG: Date Drilling: Started <u>7-18-2000</u> Completed <u>7-18-2000</u> DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Dia. (in.)</th> <th style="width: 33%;">From (ft.)</th> <th style="width: 33%;">To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td><u>Surface</u></td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	<u>Surface</u>	<u>50</u>														
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5</u>	<u>Surface</u>	<u>50</u>																							
7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from _____ ft. to _____ ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic Casing</u></td> <td><u>Surface</u></td> <td><u>40</u></td> <td><u>Sch 40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic Screen</u></td> <td><u>40</u></td> <td><u>50</u></td> <td><u>100G</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic Casing</u>	<u>Surface</u>	<u>40</u>	<u>Sch 40</u>	<u>2</u>	<u>N</u>	<u>Plastic Screen</u>	<u>40</u>	<u>50</u>	<u>100G</u>	9) CEMENTING DATA Cemented from <u>Surface</u> to <u>15</u> ft. No. of sacks used <u>8</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u>			
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																	
		From	To																						
<u>2</u>	<u>N</u>	<u>Plastic Casing</u>	<u>Surface</u>	<u>40</u>	<u>Sch 40</u>																				
<u>2</u>	<u>N</u>	<u>Plastic Screen</u>	<u>40</u>	<u>50</u>	<u>100G</u>																				
(Use reverse side of Well Owner's copy, if necessary)																									
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>From (ft.)</th> <th>To (ft.)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>						From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used															
From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used																					
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.																									
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																									
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																									
11) WATER LEVEL: Static level <u>10</u> ft. below land surface Date <u>7-18-00</u> Artesian flow _____ gpm. Date _____																									
12) PACKERS: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>File ID</th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>SEP #</u></td> <td><u>DISC CD</u></td> <td><u> </u></td> </tr> </table>						File ID	Type	Depth	<u>SEP #</u>	<u>DISC CD</u>	<u> </u>														
File ID	Type	Depth																							
<u>SEP #</u>	<u>DISC CD</u>	<u> </u>																							
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4577WI</u> ADDRESS <u>10011 Airline Drive., Houston, TX 77037</u> (Street or RFD) (City) (State) (Zip) (Signed) <u>[Signature]</u> (License Well Driller) (Signed) <u>[Signature]</u> (Registered Driller Trainee)																									
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TDLR FORM 001VVWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1744	2 of 2	NNE	4.84 / 25,565.87	Alvarez Pimentel, Liliana TX	WW HARRIS GAL

Well ID:	14311	Diameter (inches):	4
Aggre Lead Well:	14311	Year Drilled:	1955
Permit No:	WP2023-112348	Depth Drilled:	0
Permit Start Date:	8/1/2023	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.910555
Regulatory Aarea:	3	Longitude:	-95.387222
Owner Name:	Alvarez Pimentel, Liliana		
Billing Contact:	NULL		
Billing Address:	14523 Sellers Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1745	1 of 4	NNE	4.84 / 25,566.24	TOM MALEK TX	TCEQ WELL LOGS

Grid No: 65-05-6
 Date Drilled: 09/09/1999
 Owners Name: TOM MALEK
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 226
 Depth Drilled: 396
 Latitude: 29.9109429
 Longtiude: -95.3900187

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>Tom MALEK</u> (Name) ADDRESS <u>14530 LILJA Houston, TX 77060</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL'S LOCATION: <u>14530 LILJA Houston TX 77060</u> (Street, RFD or other) (City) (State) (Zip)		Long. _____ Lat. _____ Grid # <u>65-05-6</u>																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																											
6) WELL LOG: Date Drilling: _____ Started <u>9-8-99</u> Completed <u>9-9-99</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>376</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>376</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia. (in.)	From (ft.)	To (ft.)																													
<u>7</u>	Surface	<u>376</u>																													
From (ft.) To (ft.) Description and color of formation material <u>0-20</u> <u>Red Clay</u> <u>20-65</u> <u>Red Sand</u> <u>65-140</u> <u>Clay</u> <u>140-240</u> <u>Sand</u> <u>240-320</u> <u>Shale, Clay</u> <u>320-360</u> <u>Red Sandy Pack</u> <u>360-375</u> <u>Shale</u> <u>375-396</u> <u>Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2 string</u> If Gravel Packed give interval from _____ ft. to _____ ft.																													
(Use reverse side of Well Owner's copy, if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4"</u></td> <td><u>N</u></td> <td><u>CASING</u></td> <td><u>380</u></td> <td><u>0</u></td> <td><u>52.40</u></td> </tr> <tr> <td><u>2 1/2"</u></td> <td><u>N</u></td> <td><u>LINER</u></td> <td><u>380</u></td> <td><u>370</u></td> <td><u>52.40</u></td> </tr> <tr> <td><u>2 1/2"</u></td> <td><u>N</u></td> <td><u>SCREEN</u></td> <td><u>376</u></td> <td><u>380</u></td> <td><u>1.012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4"</u>	<u>N</u>	<u>CASING</u>	<u>380</u>	<u>0</u>	<u>52.40</u>	<u>2 1/2"</u>	<u>N</u>	<u>LINER</u>	<u>380</u>	<u>370</u>	<u>52.40</u>	<u>2 1/2"</u>	<u>N</u>	<u>SCREEN</u>	<u>376</u>	<u>380</u>	<u>1.012</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4"</u>	<u>N</u>	<u>CASING</u>	<u>380</u>	<u>0</u>	<u>52.40</u>																										
<u>2 1/2"</u>	<u>N</u>	<u>LINER</u>	<u>380</u>	<u>370</u>	<u>52.40</u>																										
<u>2 1/2"</u>	<u>N</u>	<u>SCREEN</u>	<u>376</u>	<u>380</u>	<u>1.012</u>																										
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ From (ft.) To (ft.) From (ft.) To (ft.)		9) CEMENTING DATA Cemented from <u>380</u> ft. to <u>0</u> ft. No. of sacks used <u>20</u> <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>12</u> Method used <u>HALIBURTON</u> Cemented by <u>RWW</u> Distance to septic system field lines or other concentrated contamination <u>120</u> ft. Method of verification of above distance <u>OWNER</u>																													
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																													
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>226</u> ft. below land surface Date <u>9-9-99</u> Artesian flow _____ gpm. Date _____																													
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type <u>K</u> Depth <u>370</u>																													
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal. COMPANY NAME <u>ROBINSON WATER WELL SERVICE, INC.</u> WELL DRILLER'S LICENSE NO. <u>54211 PLW</u> (Type or print) ADDRESS <u>11819 W. MONTGOMERY RD. Houston TX 77086</u> (Street or RFD) (City) (State) (Zip) (Signed) <u>David Helms B.A.</u> (Signed) _____ (Registered Driller Trainee) (Licensed Well Driller)																															

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1745	2 of 4	NNE	4.84 / 25,566.24	MR MALEK TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 12/14/1979
Owners Name: MR MALEK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 349
Latitude: 29.9109429
Longitude: -95.3900187

TDWR-0392 (Rev. 1-12-79)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1745	3 of 4	NNE	4.84 / 25,566.24	Hosein, Imla TX	WW HARRIS GAL
<hr/>					
Well ID:	14493			Diameter (inches):	2
Aggre Lead Well:	14493			Year Drilled:	
Permit No:	W2020-14493-210945-0			Depth Drilled:	0
Permit Start Date:	8/1/2020			Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020			County:	H
Well Status:	O - Operable			Latitude:	29.911111
Regulatory Aarea:	3			Longitude:	-95.390277
Owner Name:	NULL				
Billing Contact:	NULL				
Billing Address:	14530 Lillja Road				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77060				
Correspondence:	NULL				
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1745	4 of 4	NNE	4.84 / 25,566.24	Desselle, Roy TX	WW HARRIS GAL

Well ID:	14410	Diameter (inches):	4
Aggre Lead Well:	14410	Year Drilled:	NULL
Permit No:	WP2023-112714	Depth Drilled:	0
Permit Start Date:	8/1/2023 11:23:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 11:23:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.910833
Regulatory Aarea:	3	Longitude:	-95.39
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	14526 Lillja		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1746	1 of 1	NE	4.84 / 25,566.95	Leija, Sergio & Maria TX	WW HARRIS GAL

Well ID:	9549	Diameter (inches):	4
Aggre Lead Well:	9549	Year Drilled:	NULL
Permit No:	WP2023-111926	Depth Drilled:	400
Permit Start Date:	7/1/2023 2:43:00 PM	Depth frm Surf(ft):	390
Permit End Dt:	6/30/2028	County:	H
Well Status:	O - Operable	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.368333
Owner Name:	Leija, Sergio & Maria		
Billing Contact:	NULL		
Billing Address:	13105 Reeveston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1747	1 of 1	NE	4.84 / 25,571.29	SCOTT WIZIG TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 9/12/1997
Owners Name: SCOTT WIZIG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 16
Depth Drilled: 50
Latitude: 29.901234
Longtiude: -95.36471

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530	
1) OWNER <u>Scott Wizig</u> (Name)		ADDRESS <u>12914 Slaters Lane, Houston, Texas 77039</u> (Street or RFD) (City) (State) (Zip)			
2) ADDRESS OF WELL: County <u>Harris</u> same (Street or RFD) (City) (State) (Zip)		GRID # <u>65-05-9</u>			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: <u>9/12/97</u> Started <u>9/12/97</u> Completed <u>9/12/97</u>		DIAMETER OF HOLE Dia (in.) From (ft.) To (ft.) <u>4</u> Surface <u>50</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other	
From (ft.) To (ft.) Description and color of formation material <u>0-27 CLAY WHITE</u> <u>27-30 SAND</u> <u>30-40 CLAY RED</u> <u>40-50 SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval ... from <u>40</u> ft. to <u>50</u> ft.			
		CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial		Setting (ft.) From To Gauge Casing Screen	
		<u>2 N 1/2" SLotted</u>		<u>0 40 50</u>	
		<u>1 1" SLotted</u>		<u>40 50 08</u>	
		<u>1 1" BL RE SCREEN</u>			
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>10</u> ft. to ft. No. of sacks used Method used <u>PRESSURE</u> Cemented by <u>4577WI</u> Distance to septic system field lines <u>120</u> ft. Method of verification of above distance <u>CUSTOMER</u>			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc., ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>6</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>16</u> ft. below land surface Date <u>9/12/97</u> Artesian flow gpm. Date			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit 'REPORT OF UNDESIRABLE WATER' Type of water? Depth of strata Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: Type Depth <u>none</u> FILE ID SEQ #			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.		EMP # <u>4577WI</u> DESC CO <u>APR 21 1998</u>			
COMPANY NAME <u>Raymond Services Inc.</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>4577WI</u>			
ADDRESS <u>10011 Airline Drive</u> (Street or RFD)		Houston Texas 77037 (City) (State) (Zip)			
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)			

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1748	1 of 1	NNE	4.84 / 25,574.82	MR YOUNG TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 04/18/1971
Owners Name: MR YOUNG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 340
Latitude: 29.907257
Longtiude: -95.377403

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. _____
Located on map _____
Received: 8-51
9/11/11

WATER WELL REPORT

1) OWNER:
Person having well drilled BIRMAN PUMP SERVICES Address 201 CORONADO HOUSTON
(Name) (Street or RFD) (City) (State)
Landowner MR BOUNG Address 14259 SWEENEY RD. HOUSTON
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 11 miles in N direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4, NE 1/4, SW 1/4, SE 1/4) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New ☒ Deepening
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 340 ft. Depth of completed well 340 ft. Date drilled 4-18-11
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-26		CLAY
26-31		FINI SAND
31-44		RED CLAY
44-108		RED CLAY
108-136		SAND
136-210		SANDY SHALIE
210-205		SAND
205-315		SANDY SHALIE
315-340		SAND

9) CASING:
Type: Old ☒ New ☒ Plastic _____ Other _____
Cemented from 315 ft. to 200 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
4 315 - SURFACE

10) SCREEN:
Type UNDER BAR
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 340 330 12 CA

7) COMPLETION (Check):
LEAD SEAL
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 210 ft. below land surface Date 4-18-11
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 293 ft. below land surface.

11) WELL TESTS:
Was a pump test made? ☒ Yes No If yes, by whom? _____
Yield: 800 GPH gpm with 8 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No _____
Did any strata contain undesirable water? Yes ☒ No _____
Type of water? _____ depth of strata 25 ft

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME BRUND DIETZ Water Well Drillers Registration No. 323
(Type or Print)
ADDRESS 3051 ROTHER MEEL HOUSTON TEXAS 77016
(Street or RFD) (City) (State)
(Signed) BRUND DIETZ DIETZ PUMP WELL SERVICES
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



TEXAS WATER
DEVELOPMENT BOARD

JUL 26 1971

RECEIVED

AUG 17 1971

Geological Records
Texas Water Development Board

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1749	1 of 1	W	4.84 / 25,578.24	GLAD TIDINGS TX	TCEQ WELL LOGS

Grid No: 65-13-1
Date Drilled: 12/01/1988
Owners Name: GLAD TIDINGS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 254
Depth Drilled: 370
Latitude: 29.844967
Longtiude: -95.4913865

02425

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Glad Tidings Address 6903 Grovecrest Houston TX 77092
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Grovecrest
County HARRIS miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 0765-04-9

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 11-30 1988
Completed 12-1 1988

DIAMETER OF HOLE		Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgr., if commercial	Setting (ft.)		Gage Casing Screen
From (ft.)	To (ft.)					From	To	
0'	18'	Top Soil & Clay						
18'	50'	Surface Sand						
50'	95'	Clay	4	N	PVC	0'	360'	
95'	110'	Sand	2	N	galvanized	350'	360'	
110'	174'	Clay	2	N	PVC	360'	370'	.04
174'	230'	Sand						
230'	258'	Clay						
258'	280'	Sand						
280'	291'	Clay						
291'	334'	Sand						
334'	339'	Clay						
339'	341'	Sand						
341'	358'	Clay						
358'	370'	Sand						

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used _____
350 ft. to 360 ft. No. of Sacks Used _____
Method used: Haliburton
Cemented by: Bussell & Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 254 ft. below land surface Date 12-1-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated
Yield: 25 gpm with 15 ft. drawdown after 3 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc. Water Well Driller's License No. 2035
(Type or Print)

ADDRESS P.O. Box 874 Tomball TX 77375
(Street or RFD) (City) (State) (Zip)

(Signed) raig Bussell (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log/chemical analysis, and other pertinent information, if available.

For TWC use only.
Well No. 65 / 13-1
Located on map _____

WWD-012 (Rev 01-28-87)

TEXAS WATER COMMISSION COPY

188,328

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1750	1 of 2	NW	4.84 / 25,578.44	Superior Auto Body TX	WW HARRIS GAL

Well ID:	14645	Diameter (inches):	4
Aggre Lead Well:	14645	Year Drilled:	0
Permit No:	WP2023-113767	Depth Drilled:	400
Permit Start Date:	6/1/2023 2:04:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024 2:04:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.902777
Regulatory Aarea:	3	Longitude:	-95.451944
Owner Name:	NULL		
Billing Contact:	Mike Hurgoiu		
Billing Address:	11830 Big John St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1750	2 of 2	NW	4.84 / 25,578.44	Superior Auto Body 1183 Big John Houston TX 77038	SDRW WELLS

Track NO: 527540
Date Submitted: 2019-11-22
Owner Name: Superior Auto Body
Owner Address: 1183 Big John
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.9025
Longitude: -95.453333
Drilling Date Started: 2019-09-16
Drilling Date Completed: 2019-09-17
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=527540&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 180

Top Depth:
Bottom Depth: 180.0

Well Levels

Measurement: 100
Measurement Date: 2019-11-15

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1751	1 of 2	N	4.85 / 25,588.68	Alpha Auto Parts TX	WW HARRIS GAL
Well ID: 9181					
Aggre Lead Well: 9181					
Permit No: WP2023-113172					
Permit Start Date: 8/1/2023 3:43:00 PM					
Permit End Dt: 7/31/2024 3:43:00 PM					
Well Status: O - Operable					
Regulatory Aarea: 3					
Owner Name: Alpha Auto Parts					
Billing Contact: Luis Alvarenga					
Billing Address: 10805 Airline Dr.					
Billing Address 2: NULL					
Billing City: Houston					
Billing State: TX					
Billing Zip: 77037					
Correspondence: NULL					
Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5					
Water Usage: D - Domestic/Commercial					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1751	2 of 2	N	4.85 / 25,588.68	Sanchez, Salvador TX	WW HARRIS GAL
<div> <div> Well ID: 12803 Aggre Lead Well: 12803 Permit No: WP2023-113785 Permit Start Date: 8/9/2023 4:04:00 PM Permit End Dt: 7/31/2024 4:04:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: Sanchez, Salvador Billing Contact: NULL Billing Address: 10725 Airline Drive Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77371 Correspondence: NULL Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee D - Domestic/Commercial </div> <div> Diameter (inches): 4 Year Drilled: NULL Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.912777 Longitude: -95.404722 </div> </div>					
Water Usage:					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1752	1 of 2	NNW	4.85 / 25,594.56	KIPP Texas, Inc. TX	WW HARRIS GAL

Well ID:	12374	Diameter (inches):	5
Aggre Lead Well:	12374	Year Drilled:	201
Permit No:	WP2023-117316	Depth Drilled:	400
Permit Start Date:	1/10/2024 4:12:00 PM	Depth frm Surf(ft):	315
Permit End Dt:	2/28/2025 4:12:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.91
Regulatory Aarea:	3	Longitude:	-95.433888
Owner Name:	KIPP Texas, Inc.		
Billing Contact:	NULL		
Billing Address:	10711 Kipp Way St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77099		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1752	2 of 2	NNW	4.85 / 25,594.56	Daniel Bonilla 9900 Veterans Memorial Houston TX 77038	SDRW WELLS

Track NO: 318337
Date Submitted: 2013-05-10
Owner Name: Daniel Bonilla
Owner Address: 4407 Aspenbrook
Owner Address2:
Owner City: Spring
Owner State: TX
Owner Zip: 77388
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.910001
Longitude: -95.433889
Drilling Date Started: 2013-03-22
Drilling Date Completed: 2013-03-23
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=318337&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 430

Top Depth:
Bottom Depth: 430.0

Well Levels

Measurement: 200
Measurement Date: 2013-04-15

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1753	1 of 1	NNE	4.85 / 25,595.77	L A MORAN TX	TCEQ WELL LOGS

Grid No: 65-06-4
 Date Drilled: 08/19/1985
 Owners Name: L A MORAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 215
 Depth Drilled: 385
 Latitude: 29.9080976
 Longtiude: -95.3795542

2m: NIS
9m: E10

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

**State of Texas
WATER WELL REPORT**

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER L A MORAN (Name) Address Cowith st Houston Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 18 miles in North direction from Houston (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 65-06-4

3) TYPE OF WORK (Check):
☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling Started 8/19/85
Completed 19

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
1 3/4 0 385

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other TWO STIRRS
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	45	clay
45	75	sand Red
75	78	clay
78	110	sand Red
110	260	clay Red
260	280	sand fine
280	341	clay
341	385	sand-

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	New	PVC	0	365	
		20' .010	365	385	
		Slotted TA			

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 365 ft. No. of Sacks Used 18
ft. to _____ ft. No. of Sacks Used _____
Method used Pressure
Cemented by me

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 215 ft. below land surface Date 8/19/85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bucklin Water Well Water Well Driller's License No. 1696

ADDRESS 23610 Nichols San Mill Hockley TX 77447
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-06-4
Located on map _____

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1754	1 of 2	NE	4.85 / 25,598.72	1300 ALDINE MAIL ROUTE OFFICE PARK TX	WUD

Primary Co: KIRAN PATEL
Contact Ti: LESSEE
Operating Status: OPERATIONAL
PWSID: 1011354
Source ID: G1011354A
Utility Name: 1300 ALDINE MAIL ROUTE OFFICE PARK
WTRSRC: G1011354A
Date Drilled: 00/00/1977
Well Depth: 380
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 15
CCN: N/A
Latitude: 29.902669
Longitude: -95.367122
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1754	2 of 2	NE	4.85 / 25,598.72	Patel, Kiran TX	WW HARRIS GAL

Well ID:	4857	Diameter (inches):	4
Aggre Lead Well:	4857	Year Drilled:	1978
Permit No:	WP2022-112079	Depth Drilled:	300
Permit Start Date:	8/1/2022 4:12:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.9025
Regulatory Aarea:	3	Longitude:	-95.366944
Owner Name:	Patel, Kiran		
Billing Contact:	Aldine Mail Shopping Center LLC		
Billing Address:	1301 Aldine Mail Rt		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		


<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1755	1 of 1	N	4.85 / 25,606.97	TIM MOORE TX	TCEQ WELL LOGS

Grid No: 65-05-9A
Date Drilled: 08/21/1984
Owners Name: TIM MOORE
County: HARRIS
Water Usage: GOLF DRIVING RANGE
Static Level: 200
Depth Drilled: 389
Latitude: 29.912933
Longtiude: -95.4159434

MAP #10 - WELL #1

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1756	1 of 5	NW	4.85 / 25,607.36	Harris County MUD 118 TX	GWDB

Well Rep Track No:
State Well No: 6505729
Owner Name: Harris County MUD 118
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1982
Well Depth: 935
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8937167
Longitude: -95.4662000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505729&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505729&Cnty=Harris>


<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1756	2 of 5	NW	4.85 / 25,607.36	HARRIS COUNTY MUD 118 TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: OPERATIONAL
PWSID: 1010897
Source ID: G1010897A
Utility Name: HARRIS COUNTY MUD 118
WTRSRC: G1010897A
Date Drilled: 06/22/1982
Well Depth: 935
Screen Top: 635
Screen Bottom: 920
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 1200
CCN: P0195
Latitude: 29.893419
Longitude: -95.466563
System Status: ACTIVE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1756	3 of 5	NW	4.85 / 25,607.36	HARRIS COUNTY MUD 118 TX	TCEQ WELL LOGS

Grid No: 65-04-9
Date Drilled: 06/22/1982
Owners Name: HARRIS COUNTY MUD 118
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 395
Depth Drilled: 935
Latitude: 29.893419
Longitude: -95.466563

TDWR-0392 (Rev. 1-12-79)





TEST HOLE REPORT

Layne-Western Company, Inc.

WATER SUPPLY SERVICES SINCE 1924
 TEST DRILLING • WATER WELLS • PUMPS

Contract Name Harris County MUD #118

Job No. M-1365

Date 6-22-82

TEST HOLE No. _____

City _____

State _____

Driller _____

Location of Test Hole _____

Elevation of Test
Hole _____

Static Water Level _____

Measured _____ Hours After Completion

$\frac{1}{4}$ Sec. of T _____

R _____ Co., _____

From	To	Description of Strata	Water Bearing	
	0	Surface Clay		
	12	Sand		
	23	Clay		
	96	Sand		
	103	Clay		
	105	Sand		
	133	Clay		
	141	Sand		
	169	Clay		
	171	Sand		
	174	Clay		
	240	Sand		
	248	Clay		
	250	Sand		
	452	Shale		
	468	Sand		
	554	Shale		
	564	Sand		
	567	Shale		
	570	Sand		

Remarks:

LW-62



TEST HOLE REPORT

Layne-Western Company, Inc.

WATER SUPPLY SERVICES SINCE 1924
 TEST DRILLING • WATER WELLS • PUMPS

Page 2

Contract Name Harris County MUD #118

Job No. M-1365

Date 6-22-82

TEST HOLE
No. _____

City _____

State _____

Driller _____

Location of Test Hole _____

Elevation of Test
 Hole _____

Static Water Level _____

Measured _____ Hours After Completion

1/4 1/4 Sec. of T _____

R _____ Co., _____

From	To	Description of Strata	Water Bearing	
	589	Shale		
	601	Sand		
	671	Shale		
	673	Sand		
	687	Shale		
	702	Sand		
	783	Shale		
	816	Sand		
	920	Shale		
	935	Sand		
	993	Shale		
	1012	Sand		
	1020	Clay and Sand Stks.		
	1023	Sand		
	1031	Clay		
	1042	Sand		
	1060	Shale		
	1096	Sand		
	1118	Clay		
	1148	Sand and Rock		

Remarks:

LW-62



Page 3

R _____ Co., _____

Remarks:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1756	4 of 5	NW	4.85 / 25,607.36	Houston, City of TX	WW HARRIS GAL
<div> <div> Well ID: 3532 Aggre Lead Well: 1003 Permit No: WP2023-117626 Permit Start Date: 2/1/2024 1:23:00 PM Permit End Dt: 1/31/2025 1:23:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Owner Name: Harris Co. M.U.D. 118 Billing Contact: Ekaterina Fitos, GISP Billing Address: 611 Walker St 18th Floor Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77002 Correspondence: Karly Stelzer Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015) Water Usage: P - Public Supply </div> <div> Diameter (inches): 24 Year Drilled: 1981 Depth Drilled: 1200 Depth frm Surf(ft): 540 County: H Latitude: 29.893611 Longitude: -95.466388 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1756	5 of 5	NW	4.85 / 25,607.36	USGS-295335095275601 TX	FED USGS

Site No: USGS-295335095275601
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19820622
Well Depth: 935
Well Depth Unit: ft
Well Hole Depth: 935
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-729
Latitude: 29.89333333000000
Longitude: -95.4658333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1757	1 of 1	NNE	4.85 / 25,612.94	Iglesia Cristiana Rios de Aqua Viva TX	WW HARRIS GAL

Well ID:	6746	Diameter (inches):	4
Aggre Lead Well:	6746	Year Drilled:	
Permit No:	WP2023-112080	Depth Drilled:	0
Permit Start Date:	8/1/2023 1:28:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 1:28:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.371388
Owner Name:	Iglesia Cristiana Rios de Aqua Viva		
Billing Contact:	NULL		
Billing Address:	4510 Mccleester Dr		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77373		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1758	1 of 1	NE	4.85 / 25,632.88	Rubio, Jose Antonio Ochoa TX	WW HARRIS GAL

Well ID:	14338	Diameter (inches):	4
Aggre Lead Well:	14338	Year Drilled:	NULL
Permit No:	W2021-14338-218560-0	Depth Drilled:	0
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022	County:	H
Well Status:	O - Operable	Latitude:	29.900833
Regulatory Aarea:	3	Longitude:	-95.364166
Owner Name:	Rubio, Jose Antonio Ochoa		
Billing Contact:	NULL		
Billing Address:	12901 Chrisman Road, # A		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1759	1 of 2	NNE	4.86 / 25,634.77	LLOYD BOWER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 08/25/1995
Owners Name: LLOYD BOWER
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 400
Latitude: 29.9095426
Longitude: -95.3837231

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

17, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Lloyd Bower ADDRESS 14513 Henry Rd. Houston, Tx. 77037
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 14513 Henry Road GRID # 65-05-9
County HARRIS (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
☐ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: 8/24 95
Started 19
Completed 8/25 19 95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>380</u>
<u>3 7/8</u>	<u>380</u>	<u>400</u>

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft.) To (ft.) Description and color of formation material
0 - 20 Clay
20 - 160 Sand
160 - 220 Clay & Rock
220 - 280 Sand
280 - 340 Clay & Shale
340 - 360 Sand & Shale
360 - 400 Sand

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☒ Other 2 String Com.
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>0</u>	<u>376</u>	<u>Sch 40</u>
<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>370</u>	<u>376</u>	<u>Sch 40</u>
<u>2 1/8</u>	<u>N</u>	<u>PVC Screen</u>	<u>376</u>	<u>400</u>	<u>.012</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 376 ft. No. of sacks used 14
0 ft. to 15 ft. No. of sacks used 6
Method used Halliburton
Cemented by RWW
Distance to septic system field lines or other concentrated contamination 150 ft.
Method of verification of above distance Stepped

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 300 ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>K</u>	<u>370</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.
COMPANY NAME Robinson Water Well Service, Inc WELL DRILLER'S LICENSE NO. 2212
11819 Tomball Parkway Houston, Tx. 77086
ADDRESS (Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____
(License Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1759	2 of 2	NNE	4.86 / 25,634.77	Turcios, Oscar TX	WW HARRIS GAL

Well ID:	14377	Diameter (inches):	4
Aggre Lead Well:	14377	Year Drilled:	
Permit No:	W2020-14377-211364-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.909444
Regulatory Aarea:	3	Longitude:	-95.383333
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	14513 Henry Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1760	1 of 2	NW	4.86 / 25,638.23	A & A Auto Rentals TX	WW HARRIS GAL

Well ID:	9188	Diameter (inches):	4
Aggre Lead Well:	9188	Year Drilled:	2002
Permit No:	W2002-9188-105077-0	Depth Drilled:	330
Permit Start Date:	6/6/2011 7:51:15 PM	Depth frm Surf(ft):	320
Permit End Dt:	6/5/2012 7:51:15 PM	County:	H
Well Status:	O - Operable	Latitude:	29.898333
Regulatory Aarea:	3	Longitude:	-95.460277
Owner Name:	A & A Auto Rentals		
Billing Contact:	Allen Downs		
Billing Address:	2909 Lincoln St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1760	2 of 2	NW	4.86 / 25,638.23	Salinas, Pablo E. TX	WW HARRIS GAL

Well ID:	7845	Diameter (inches):	2
Aggre Lead Well:	7845	Year Drilled:	
Permit No:	W2021-7845-217024-0	Depth Drilled:	0
Permit Start Date:	6/1/2021	Depth frm Surf(ft):	0
Permit End Dt:	5/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.8975
Regulatory Aarea:	3	Longitude:	-95.460555
Owner Name:	Salinas, Pablo E.		
Billing Contact:	NULL		
Billing Address:	2917 Lincoln St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	Juanita Salinas		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1761	1 of 2	NNE	4.86 / 25,642.06	H R SMITH TX	TCEQ WELL LOGS

Grid No: 65-05-9LL
 Date Drilled: 06/??/1976
 Owners Name: H R SMITH
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 195
 Depth Drilled: 335
 Latitude: 29.9087337
 Longtiude: -95.3810381

9LL *Dup*

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-9LL
Located on map yes
Received: 76 yes
dlc

1) OWNER:
Person having well drilled H.R. Smith Address 819 Corvett Lane, Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* 413F *Dup*
map on 65-05-9AA North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 335 ft. Depth of completed well 354 ft. Date drilled June 1976
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 20		Gray Clay
20 - 35		Sand
35 - 140		Red Gray Clay
140 - 155		Sand
155 - 160		Red Gray Clay
160 - 167		Sand
167 - 185		Red Gray Clay
185 - 200		Sand
200 - 203		Rock Sand
203 - 250		Red Gray Clay
250 - 255		Rock & Clay

(Use reverse side if necessary)

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 335 up _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	1	335	40

10) SCREEN:
Type Well Supplies Inc. Plastic wrapped
Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2	339	354	16

7) COMPLETION (Check):
Straight wall Gravel packed Other _____
Under reamed Open Hole

8) WATER LEVEL:
Static level 195 ft. below land surface Date June 1976
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr., Inc. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 Airline Dr. Houston Texas
(Street or RFD) (City) (State)
(Signed) *C.A. Raymond Jr.* Raymond Water Well Drilling
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-6

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

255- 270	Red Gray Clay
270-275	Sand
275-300	Red Gray Clay
300-305	Sand
305-315	Red Gray Clay
315-354	Sand



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1761	2 of 2	NNE	4.86 / 25,642.06	Waters, Yolanda TX	WW HARRIS GAL

Well ID:	14241	Diameter (inches):	4
Aggre Lead Well:	14241	Year Drilled:	NULL
Permit No:	WP2023-112058	Depth Drilled:	0
Permit Start Date:	8/1/2023 2:52:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.908888
Regulatory Aarea:	3	Longitude:	-95.381111
Owner Name:	Waters, Yolanda		
Billing Contact:	NULL		
Billing Address:	819 Corvette Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1762	1 of 1	NNE	4.86 / 25,652.53	Arbor Care, Inc. TX	WW HARRIS GAL

Well ID:	7192	Diameter (inches):	4
Aggre Lead Well:	7192	Year Drilled:	1998
Permit No:	W2020-7192-210653-0	Depth Drilled:	440
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	430
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.9125
Regulatory Aarea:	3	Longitude:	-95.393611
Owner Name:	Arbor Care, Inc.		
Billing Contact:	John Dailey		
Billing Address:	336 McFarland		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1763	1 of 1	NNE	4.86 / 25,659.03	786 Management & Invest Group TX	WW HARRIS GAL

Well ID:	14219	Diameter (inches):	2
Aggre Lead Well:	14219	Year Drilled:	NULL
Permit No:	WP2023-111877	Depth Drilled:	0
Permit Start Date:	8/1/2023 4:50:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 4:50:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.911111
Regulatory Aarea:	3	Longitude:	-95.390555
Owner Name:	786 Management & Invest Group		
Billing Contact:	NULL		
Billing Address:	409 Blue Bell		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1764	1 of 3	NW	4.86 / 25,665.68	Allstate Brick Company TX	WW HARRIS GAL

Well ID:	10587	Diameter (inches):	4
Aggre Lead Well:	10587	Year Drilled:	2007
Permit No:	WP2023-108193	Depth Drilled:	400
Permit Start Date:	6/1/2023 11:30:00 AM	Depth frm Surf(ft):	385
Permit End Dt:	5/31/2024 11:30:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.459722
Owner Name:	Allstate Brick Company		
Billing Contact:	NULL		
Billing Address:	2930 Lincoln Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1764	2 of 3	NW	4.86 / 25,665.68	Lincoln & David , LLC TX	WW HARRIS GAL

Well ID:	10179	Diameter (inches):	4
Aggre Lead Well:	10179	Year Drilled:	1978
Permit No:	W2007-10179-128999-0	Depth Drilled:	175
Permit Start Date:	6/1/2007	Depth frm Surf(ft):	200
Permit End Dt:	6/1/2007	County:	H
Well Status:	U - Unique see report	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.459722
Owner Name:	Lincoln & David , LLC		
Billing Contact:	Ezequiel Guajardo		
Billing Address:	2930 Lincoln Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1764	3 of 3	NW	4.86 / 25,665.68	All State Brick 2906 Lincoln Houston TX 77038	SDRW WELLS

Track NO: 111676
Date Submitted: 2007-05-10
Owner Name: All State Brick
Owner Address: 2930 Lincoln Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898889
Longitude: -95.459723
Drilling Date Started: 2007-03-21
Drilling Date Completed: 2007-03-22
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=111676&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 425.0

Top Depth: 0
Bottom Depth: 425

Well Levels

Measurement: 205
Measurement Date: 2007-04-05

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1765	1 of 1	NNE	4.86 / 25,669.20	Sergio Santacruz 14420 Henry Rd. Houston TX 77060	SDRW WELLS

Track NO: 69442
Date Submitted: 2005-10-25
Owner Name: Sergio Santacruz
Owner Address: 14420 Henry Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.908889
Longitude: -95.381944
Drilling Date Started: 2005-10-14
Drilling Date Completed: 2005-10-14
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77060
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=69442&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 10
Measurement Date: 2005-10-14

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1766	1 of 2	N	4.87 / 25,688.00	BEREAN BAPTIST TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 11/19/1982
Owners Name: BEREAN BAPTIST
County: HARRIS
Water Usage: DOMESTIC
Static Level: 227
Depth Drilled: 522
Latitude: 29.913329
Longitude: -95.410896

copy by
to the
Department of Water Resources
13087
Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-05-68
Located on map YES
Received: C.F.S.

1) OWNER BEREAN BAPTIST Address 10250 N. FREEWAY HOUSTON TEX 77039
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County HARRIS 10 miles in NORTH direction from HOUSTON
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 11-19-82

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
<u>6 1/2</u>	<u>0</u> <u>32</u>	<u>CLAY</u>
	<u>32</u> <u>60</u>	<u>SAND</u>
	<u>60</u> <u>80</u>	<u>CLAY</u>
	<u>80</u> <u>85</u>	<u>SAND</u>
	<u>85</u> <u>140</u>	<u>CLAY</u>
	<u>140</u> <u>155</u>	<u>SAND</u>
	<u>155</u> <u>182</u>	<u>CLAY</u>
	<u>182</u> <u>193</u>	<u>SAND</u>
	<u>193</u> <u>256</u>	<u>CLAY</u>
	<u>256</u> <u>270</u>	<u>SAND</u>
	<u>270</u> <u>292</u>	<u>CLAY</u>
	<u>292</u> <u>315</u>	<u>SAND</u>
	<u>315</u> <u>362</u>	<u>CLAY</u>
	<u>362</u> <u>380</u>	<u>SAND</u>
	<u>380</u> <u>428</u>	<u>CLAY</u>
	<u>428</u> <u>442</u>	<u>SAND</u>
	<u>442</u> <u>460</u>	<u>CLAY</u>
	<u>460</u> <u>475</u>	<u>SAND</u>
	<u>475</u> <u>502</u>	<u>CLAY</u>
	<u>502</u> <u>522</u>	<u>SAND</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other LEAD SEAL
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Cage Casing Screen
			From	To	
<u>2 1/2</u>	<u>N</u>	<u>STAINLESS STEEL</u>	<u>502</u>	<u>522</u>	<u>12</u>
<u>4</u>	<u>N</u>	<u>GAL. STEEL</u>	<u>0</u>	<u>502</u>	

CEMENTING DATA
Cemented from 0 ft. to 502 ft.
Method used PRESSURE
Cemented by H & H
(Company or Individual)

9) WATER LEVEL:
Static level 327 ft. below land surface Date 11-19-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 336 ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. HENDON Water Well Drillers Registration No. 334
(Type or Print)

ADDRESS 14605 REEVES HOUSTON TEX 77039
(Street or RFD) (City) (State) (Zip)

(Signed) A.R. Hendon H & H Water Well
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1766	2 of 2	N	4.87 / 25,688.00	BEREAN BAPTIST CHURCH TX	WW HARRIS GAL

Well ID:	5124	Diameter (inches):	4
Aggre Lead Well:	5124	Year Drilled:	1982
Permit No:	W2007-5124-129564-0	Depth Drilled:	1500
Permit Start Date:	8/1/2007	Depth frm Surf(ft):	200
Permit End Dt:	11/20/2007	County:	H
Well Status:	P - Plugged	Latitude:	29.913055
Regulatory Aarea:	3	Longitude:	-95.410277
Owner Name:	BEREAN BAPTIST CHURCH		
Billing Contact:	Randall Prewitt		
Billing Address:	10250 N. Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1767	1 of 3	NE	4.87 / 25,690.66	DeLeon, Abelino TX	WW HARRIS GAL

Well ID:	11809	Diameter (inches):	2
Aggre Lead Well:	11809	Year Drilled:	
Permit No:	W2019-11809-204219-0	Depth Drilled:	50
Permit Start Date:	8/1/2019	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.361111
Owner Name:	DeLeon, Abelino		
Billing Contact:	NULL		
Billing Address:	1631 Isom Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1767	2 of 3	NE	4.87 / 25,690.66	Janie Garza 1631 Isom Houston TX 77039	SDRW WELLS

Track NO: 174581
Date Submitted: 2009-04-13
Owner Name: Janie Garza
Owner Address: 1631 Isom
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898334
Longitude: -95.362778
Drilling Date Started: 2009-03-17
Drilling Date Completed: 2009-03-17
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=174581&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 9
Measurement Date: 2009-03-17

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1767	3 of 3	NE	4.87 / 25,690.66	Avelino De Leon 1631 Isom Houston TX 77039	SDRW WELLS

Track NO: 145221
Date Submitted: 2008-06-26
Owner Name: Avelino De Leon
Owner Address: 1631 Isom
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898334
Longitude: -95.362778
Drilling Date Started: 2008-06-17
Drilling Date Completed: 2008-06-18
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=145221&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 12
Measurement Date: 2008-06-18

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1768	1 of 1	ESE	4.87 / 25,691.12	LOLA HOLT TX	TCEQ WELL LOGS

Grid No: 65-14-4
 Date Drilled: 05/08/2001
 Owners Name: LOLA HOLT
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 20
 Depth Drilled: 68
 Latitude: 29.80732
 Longtiude: -95.339041

Well Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
WELL REPORT					
A. WELL IDENTIFICATION AND LOCATION DATA					
1) OWNER					
Name <u>Lola Holt</u>		Address <u>5016 Neches</u>		City <u>Houston</u>	State <u>TX</u>
				Zip <u>77026</u>	
2) WELL LOCATION					
County <u>Harris</u>		Physical Address		City	State
					Zip
		Lat.		Long.	Grid # <u>65-14-41</u>
3) Type of Work		4) Proposed Use (check)			
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		<input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No			
6) Drilling Date		Diameter of Hole		7) Drilling Method (check)	
Started <u>5/8/01</u>		Dia. (in.) From (ft) To (ft)		<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
Completed <u>5/8/01</u>		<u>5</u> <u>surface</u> <u>68</u>			
From (ft)		To (ft)		Description and color of formation material	
<u>0</u>		<u>22</u>		<u>Red clay</u>	
<u>22</u>		<u>25</u>		<u>Sand & Gg</u>	
<u>25</u>		<u>50</u>		<u>Red clay</u>	
<u>50</u>		<u>52</u>		<u>Sand & Gg</u>	
<u>52</u>		<u>55</u>		<u>Red clay</u>	
<u>55</u>		<u>68</u>		<u>Sand & Gg</u>	
<u>65</u>		<u>68</u>		<u>Red clay</u>	
8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from <u>65</u> ft. to <u>55</u> ft.					
Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)		New Or Used		Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To Gage Casing Screen
<u>2</u>		<u>N</u>		<u>Casing Plastic</u>	<u>52-40</u>
<u>2</u>		<u>N</u>		<u>Screen Plastic</u>	<u>00-0</u>
9) Cementing Data					
Cementing from <u>55</u> ft. to <u>surface</u> ft. # of sacks used <u>5</u>					
Method Used <u>Pressure</u>					
Cementing By <u>Raymond Services, Inc.</u>					
Distance to septic system field or other concentrated contamination _____ ft.					
Method of verification of above distance <u>Customer</u>					
13) Plugged <input type="checkbox"/> Well plugged within 48 hours					
Casing left in well: Cement/Bentonite placed in well:					
From (ft)		To (ft)		Sacks used	
14) Type pump					
<input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc. _____ ft.					
15) Water Test					
Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated					
Yield: <u>4</u> gpm with _____ ft. drawdown after _____ hrs.					
16) Water Quality					
Did you knowingly penetrate and strata which contain undesirable constituents.					
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER					
Type of water _____ Depth of Strata _____					
Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No					
Company or individual's Name (type or print) <u>Raymond Services, Inc. 457741</u>					
Address <u>10011 Airline Drive</u>		City <u>Houston</u>		State <u>TX</u>	Zip <u>77037</u>
Signature <u>[Signature]</u>		Date <u>5/8/01</u>		Signature <u>[Signature]</u>	
Licensed Driller/Pump Installer		Date		Apprentice <u>[Signature]</u>	
				Date <u>5/8/01</u>	

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1769	1 of 1	N	4.87 / 25,694.81	MR G L BURNETT TX	TCEQ WELL LOGS

Grid No: 65-05-9SS
Date Drilled: 04/08/1982
Owners Name: MR G L BURNETT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 202
Depth Drilled: 320
Latitude: 29.9128311
Longtiude: -95.3995205

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1770	1 of 1	NE	4.87 / 25,700.05	RAYMOND ANSLEY TX	TCEQ WELL LOGS

Grid No: 65-06-4
Date Drilled: 10/14/1989
Owners Name: RAYMOND ANSLEY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 227
Depth Drilled: 365
Latitude: 29.900591
Longtiude: -95.36291

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

n, P.O. Box 13087, Austin, Texas 78711

13

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Raymond Anstey ADDRESS 12730 Chrisman Hlth Tx 77039
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Chrisman
County Harris miles in _____ direction from _____
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0260-61-5

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling: 10/13/89
Started 10/14/89
Completed _____

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	365

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0	18	Top Soil + Clay
18	48	Surface Sand
48	65	Clay
65	75	Sand
75	88	Clay
88	91	Sand
91	130	Clay
130	184	Sand
184	200	Clay
200	230	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	355	
2	N	Galv	347	355	
2	N	PVC	355	365	.020

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 15 ft. No. of Sacks Used _____
30.5 ft. to 355 ft. No. of Sacks Used _____
Method used Halliburton
Cemented by Bussell + Son Inc.

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylindrical
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 20 gpm with 15 ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 227 ft. below land surface Date 10/14/89
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type _____ Depth 347

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME _____ (Type or print) WELL DRILLER'S LICENSE NO. _____

ADDRESS _____ (Street or RFD) (City) _____ (State) _____ (Zip)

(Signed) Ray Bussell (Signed) David L Young
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 6506-4 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1771	1 of 1	N	4.87 / 25,702.18	MR LONNIE SHARP TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 7/12/1984
Owners Name: MR LONNIE SHARP
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 342
Latitude: 29.912823
Longtiude: -95.3992577

end original copy
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

OWNER

Mr. Lonnie Sharp

(Name)

Address

237 McFarland

(Street or RFD)

Houston, Tx.

(City)

(State)

(Zip)

LOCATION OF WELL:

County Harris

11

miles in

N

(N.E., S.W., etc.)

direction from

Houston

(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

1) TYPE OF WORK (Check):

☒ New Well

☐ Deepening

☐ Reconditioning

☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic

☐ Industrial

☐ Public Supply

☐ Irrigation

☐ Test Well

☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary

☐ Air Hammer

☐ Driven

☐ Bored

☐ Air Rotary

☐ Cable Tool

☐ Jetted

☐ Other _____

3) WELL LOG:

Date drilled

7/12/84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	342

7) BOREHOLE COMPLETION:

☐ Open Hole

☐ Straight Wall

☐ Underreamed

☐ Gravel Packed

☒ Other

2 string cemented

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	36	Clay						
36	85	Sand						
85	170	Clay	4"	N	PVC Casing	0	320	Sch.
170	215	Sand	2 1/2"	N	Blank Pipe Steel	216	332	882X
215	266	Clay	2 1/2"	N	PVC Slotted Screen	332	342	.012
266	283	Sand						
283	293	Clay						
293	342	Sand						

CEMENTING DATA

Cemented from

320

ft. to

surface

ft.

Method used

Halliburton

Cemented by

Robinson Water Well

(Company or Individual)

9) WATER LEVEL:

Static level _____ ft. below land surface

Date _____

Artesian flow _____ gpm.

Date _____

10) PACKERS:

Type

K

Depth

316

11) TYPE PUMP:

1 1/2 HP #251 Tank

☐ Turbine

☐ Jet

☒ Submersible

☐ Cylinder

☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:

☐ Type Test:

☐ Pump

☐ Bailer

☐ Jetted

☐ Estimated

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water?

☐ Yes

☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? potable

Depth of strata _____

Was a chemical analysis made?

☐ Yes

☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME

Robinson Water Well Service, Inc.

(Type or Print)

Water Well Driller's License No.

1464

ADDRESS

11607 FM 148

(Street or RFD)

Houston,

(City)

Tx.

(State)

77086

(Zip)

(Signed)

M. E. Robinson

(Licensed Water Well Driller)

(Signed)

(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TOWR use only

Well No. 65-05-9

Located on map _____

4570

erisinfo.com | Environmental Risk Information Services

Order No: 24022901156

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1772	1 of 1	NW	4.87 / 25,707.84	Salatíel Acosta and Jaime Blanca 2822 Washington Drive Houston TX 77038	SDRW WELLS

Track NO: 588944
Date Submitted: 2021-11-12
Owner Name: Salatíel Acosta and Jaime Blanca
Owner Address: 2822 Washington Drive
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.9
Longitude: -95.4575
Drilling Date Started: 2021-11-07
Drilling Date Completed: 2021-11-08
Chemical Analysis: No
Company Name: Bell's Drilling Service
Company Address: 3218 Picturesque
CompanyAddress2:
Company City: Kountze
Company State: TX
Company Zip: 77625
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=588944&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 175

Top Depth:
Bottom Depth: 175.0

Well Levels

Measurement: 100
Measurement Date: 2021-11-08

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1773	1 of 1	NE	4.87 / 25,708.38	BILL WARD TX	TCEQ WELL LOGS

Grid No: 65-06-7U
 Date Drilled: 11/11/1976
 Owners Name: BILL WARD
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 8
 Depth Drilled: 48
 Latitude: 29.8990671
 Longtiude: -95.3604654

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 65-06-70
Located on map yes
Received: 7/7/76
alc

WATER WELL REPORT

1) OWNER:
Person having well drilled BILL WARD (Name) Address 1327 ISOM HOUSTON, TEX. (Street or RFD) (City) (State)
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 10.5 miles in N direction from HOUSTON (N., S., E., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
ALDINE MAR. R.
NEW ISOM
ALDINE MAR. R.
ALDINE MAR. R.
(Use reverse side if necessary)
or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 3 1/2 in. Depth drilled 48 ft. Depth of completed well 48 ft. Date drilled 11-11-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-5		TOP SOIL
5-16		YELLOW SHALE
16-20		RED SAND
20-33		RED SHALE
33-48		SAND

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from 0 ft. to 40 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing Size _____
2 FG ABOVE GROUND 40 SCH 40

10) SCREEN:
Type: PLASTIC SCH 40
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 40 48 .008

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 8 ft. below land surface Date 11-11-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 30 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ if yes, by whom? JAMES H. SUGG JR.
Yield: 12.5 gpm with _____ ft. drawdown after 2 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Driller Registration No. 1006
ADDRESS 13501 CHRISMAN #26 (Street or RFD) HOUSTON, TEXAS (City) (State)
(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

W05E-W05E

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1774	1 of 3	ESE	4.87 / 25,717.33	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6514404
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1949
Well Depth: 1980
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8125000
Longitude: -95.3361111
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514404&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514404&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1774	2 of 3	ESE	4.87 / 25,717.33	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013AJ
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013AJ
Date Drilled: 05/00/1949
Well Depth: 1980
Screen Top: 1060
Screen Bottom: 1960
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 1900
CCN: P1552
Latitude: 29.81205
Longitude: -95.33612
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1774	3 of 3	ESE	4.87 / 25,717.33	USGS-294844095200901 TX	FED USGS

Site No: USGS-294844095200901
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19490101
Well Depth: 1980
Well Depth Unit: ft
Well Hole Depth: 2502
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-404
Latitude: 29.812500000000000
Longitude: -95.3361111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1775	1 of 1	NW	4.87 / 25,721.03	MR J M SMITH TX	TCEQ WELL LOGS

Grid No: 65-05-8W
 Date Drilled: 08/02/1978
 Owners Name: MR J M SMITH
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 195
 Depth Drilled: 310
 Latitude: 29.898686
 Longtiude: -95.460049

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-8W
 Located on map veg
 Received: 79 Oct

1) OWNER Mr. J. M. Smith **Address** 2906 Lincoln **Houston, Tx. 77038**
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Harris 14 miles in NW direction from Houston
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. #8, map on Dup 65-05-9LL

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 8/2/78

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
6-3/4	Surface 310	Clay
		Sand
		Clay
		Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 string cemented
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4		Casing	0	290	Sch
2-1/2		Liner	300	280	40
2-1/2		Screen	300	310	.012

CEMENTING DATA
 Cemented from 290 ft. to 130 ft.
 Method used Halliburton
 Cemented by Robinson Water Wells
 (Company or Individual)

9) WATER LEVEL:
 Static level 195 ft. below land surface Date 8/3/78
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
K 280

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? potable Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. **Water Well Drillers Registration No.** 1464
 (Type or Print)

ADDRESS 11607 FM 149 **Houston** **Tx. 77086**
 (Street or RFD) (City) (State) (Zip)

(Signed) M. E. Robinson Jr. Robinson Water Well Service, Inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
 TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1776	1 of 1	NNE	4.87 / 25,723.09	OCampo, Leon TX	WW HARRIS GAL
<hr/>					
Well ID:	14183			Diameter (inches):	2
Aggre Lead Well:	14183			Year Drilled:	NULL
Permit No:	W2018-14183-200605-0			Depth Drilled:	0
Permit Start Date:	10/10/2018			Depth frm Surf(ft):	0
Permit End Dt:	10/10/2018			County:	H
Well Status:	O - Operable			Latitude:	29.905833
Regulatory Aarea:	3			Longitude:	-95.371944
Owner Name:	OCampo, Leon				
Billing Contact:	NULL				
Billing Address:	535 1/2 King Street				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77022				
Correspondence:	NULL				
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).				
Water Usage:	D - Domestic/Commercial				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1777	1 of 2	NNE	4.87 / 25,728.52	ROBERT PEREZ TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 03/08/1994
 Owners Name: ROBERT PEREZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 344
 Latitude: 29.910935
 Longtiude: -95.387957

Send original copy by certified mail to: TNRCC, P.O. Box

37, Austin, TX 78711-3087

Km 413

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Robert Perez</u> (Name)		ADDRESS <u>14537 Sellers St</u> (Street or RFD) <u>Houston</u> (City) <u>Tx</u> (State) <u></u> (Zip)																																																								
2) LOCATION OF WELL: County <u>Harris</u> <u>10</u> miles in <u>11</u> direction from <u>Houston</u> (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>65-6-2</u>																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>Mar. 4</u> 19 <u>94</u> Started <u>Mar. 8</u> 19 <u>94</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>320</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>320</u></td> <td><u>344</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>320</u>	<u>4 1/2</u>	<u>320</u>	<u>344</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two String</u> If Gravel Packed give Interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>320</u>																																																								
<u>4 1/2</u>	<u>320</u>	<u>344</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> <tr> <td><u>0-30</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>30-50</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>50-135</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>135-160</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>160-300</u></td> <td></td> <td><u>Clay, rock</u></td> </tr> <tr> <td><u>300-310</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>310-320</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>320-344</u></td> <td></td> <td><u>Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-30</u>		<u>Clay</u>	<u>30-50</u>		<u>Sand</u>	<u>50-135</u>		<u>Clay</u>	<u>135-160</u>		<u>Sand</u>	<u>160-300</u>		<u>Clay, rock</u>	<u>300-310</u>		<u>Sand</u>	<u>310-320</u>		<u>Clay</u>	<u>320-344</u>		<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>320</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC, L, 1/2"</u></td> <td><u>310</u></td> <td><u>324</u></td> <td><u>40</u></td> </tr> <tr> <td><u>1 1/2</u></td> <td><u>N</u></td> <td><u>PVC, Screen</u></td> <td><u>324</u></td> <td><u>344</u></td> <td><u>.08</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>320</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC, L, 1/2"</u>	<u>310</u>	<u>324</u>	<u>40</u>	<u>1 1/2</u>	<u>N</u>	<u>PVC, Screen</u>	<u>324</u>	<u>344</u>	<u>.08</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-30</u>		<u>Clay</u>																																																								
<u>30-50</u>		<u>Sand</u>																																																								
<u>50-135</u>		<u>Clay</u>																																																								
<u>135-160</u>		<u>Sand</u>																																																								
<u>160-300</u>		<u>Clay, rock</u>																																																								
<u>300-310</u>		<u>Sand</u>																																																								
<u>310-320</u>		<u>Clay</u>																																																								
<u>320-344</u>		<u>Sand</u>																																																								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>320</u>	<u>40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC, L, 1/2"</u>	<u>310</u>	<u>324</u>	<u>40</u>																																																					
<u>1 1/2</u>	<u>N</u>	<u>PVC, Screen</u>	<u>324</u>	<u>344</u>	<u>.08</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>294</u> ft.		CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>3</u> <u>150</u> ft. to <u>320</u> ft. No. of Sacks Used <u>11</u> Method used <u>Precise</u> Cemented by <u>C.W.W.</u>																																																								
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>24</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>240</u> ft. below land surface Date <u>Mar 8, 94</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: <u>4 1/2"</u> <u>K</u> <u>310</u>		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																								
COMPANY NAME <u>CONSTAL WATER WELL</u> (Type or print) ADDRESS <u>P.O. Box 748</u> (Street or RFD) <u>Porter</u> (City) <u>Tx</u> (State) <u>77365</u> (Zip)		WELL DRILLER'S LICENSE NO. <u>812</u> (Signed) <u>A.P. Gafu</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TNRCC use only: Well no. _____ Located on map <u>65-5-9</u>																																																										

TNRCC-0199 (Rev. 05-18-90)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1777	2 of 2	NNE	4.87 / 25,728.52	Perez, Margaret TX	WW HARRIS GAL

Well ID:	14394	Diameter (inches):	4
Aggre Lead Well:	14394	Year Drilled:	
Permit No:	WP2021-100517	Depth Drilled:	0
Permit Start Date:	8/1/2021 11:10:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2022 11:10:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.911111
Regulatory Aarea:	3	Longitude:	-95.387777
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	14537 Sellers Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1778	1 of 1	NE	4.87 / 25,732.27	MCCURDY WILSON DEVELOPMENT TX	TCEQ WELL LOGS

Grid No:	65-05-6A
Date Drilled:	10/28/1975
Owners Name:	MCCURDY WILSON DEVELOPMENT
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	210
Depth Drilled:	367
Latitude:	29.903071
Longitude:	-95.3670677

65-05-6A *Dup*

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-6A
Located on map yes
Received: 76 yes
dlc

1) OWNER:
 Person having well drilled McCurdy Wilson Development Address 13022 Reeveston Rd; Houston, TX
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address Same
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris miles in direction from (Town)
 (N.E., S.W., etc.)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
 See reverse side
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well ☒ Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial ☒ Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary ☒ Driven Dug
 Cable Jetted Bored

6) WELL LOG:
 Diameter of hole 4 in. Depth drilled 367 ft. Depth of completed well 367 ft. Date drilled 10-28-75
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
000	024	Surface
024	048	Clay
048	072	Clay
072	096	Sandy Clay
096	120	Clay
120	144	Sand
144	168	Sand
168	192	Sand
192	216	Sand
216	240	Gravel
240	264	Clay (Over)

(Use reverse side if necessary)

9) CASING:
 Type: Old New Steel Plastic ☒ Other
 Cemented from _____ ft. to _____ ft.
 Diameter (inches) Setting From (ft.) To (ft.) Gage

10) SCREEN:
 Type: stainless steel rodbase
 Perforated ☒ Slotted
 Diameter (inches) Setting From (ft.) To (ft.) Slot Size
10' of #12 gauge 300 290
30' of 2 1/2 blk 330 300

7) COMPLETION (Check):
 Straight wall ☒ Gravel packed Other
 Under reamed Open Hole

8) WATER LEVEL:
 Static level 210 ft. below land surface Date 10-28-75
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 315 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes No ☒ If yes, by whom?
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes No ☒
 Did any strata contain undesirable water? Yes No
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry Water Well Drillers Registration No. 146
 (Type or Print)
 ADDRESS 4012 Fulton Street P. O. Box 8707; Houston, TX 77009
 (Street or RFD) (City) (State)
 (Signed) R. B. Lowry Lowry Water Wells
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-6

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

264	288	Sand
288	312	Clay
312	336	Clay and Sand
336	360	Sand
360	367	Sand



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1779	1 of 2	NNE	4.87 / 25,734.93	L J WELLS TX	TCEQ WELL LOGS

Grid No: 65-06-4LL
Date Drilled: 12/21/1979
Owners Name: L J WELLS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 354
Latitude: 29.907737
Longtiude: -95.377405

TWOBE-WO-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description


Information furnished in Section the value of the other data contained

the described area, e.g. survey abstract.

Well can be accurately located on a map



288	312	clay, b/sand, clay
312	336	clay, sand, clay
336	354	sand



RECEIVED
FEB -5 1991
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1779	2 of 2	NNE	4.87 / 25,734.93	Monge, Jose H. TX	WW HARRIS GAL
<hr/>					
Well ID:	15210			Diameter (inches):	4
Aggre Lead Well:	15210			Year Drilled:	2018
Permit No:	WP2023-114932			Depth Drilled:	0
Permit Start Date:	8/1/2023 2:27:00 PM			Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:27:50 PM			County:	H
Well Status:	O - Operable			Latitude:	29.907777
Regulatory Aarea:	3			Longitude:	-95.3775
Owner Name:	NULL				
Billing Contact:	NULL				
Billing Address:	9219 Cornett Dr				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77064				
Correspondence:	NULL				
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1780	1 of 3	N	4.87 / 25,736.83	Lowry Traylor Park TX	GWDB

Well Rep Track No:
State Well No: 6505937
Owner Name: Lowry Traylor Park
Drilling Start Dt:
Drilling Month: 1
Drilling Day: 20
Drilling Year: 1971
Well Depth: 333
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9130560
Longitude: -95.4019450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505937&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505937&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1780	2 of 3	N	4.87 / 25,736.83	CHENG'S FLEA MARKET TX	WUD

Primary Co: JOANNE CHING CHENG
Contact Ti: PRESIDENT
Operating Status: OPERATIONAL
PWSID: 1012642
Source ID: G1012642A
Utility Name: CHENG'S FLEA MARKET
WTRSRC: G1012642A
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 5
CCN: N/A
Latitude: 29.912869
Longitude: -95.403756
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1780	3 of 3	N	4.87 / 25,736.83	Market Place Innovation Inc. TX	WW HARRIS GAL

Well ID:	4629	Diameter (inches):	4
Aggre Lead Well:	4629	Year Drilled:	1993
Permit No:	WP2023-117031	Depth Drilled:	100
Permit Start Date:	11/1/2023 3:12:00 PM	Depth frm Surf(ft):	25
Permit End Dt:	10/31/2024 3:12:54 PM	County:	H
Well Status:	O - Operable	Latitude:	29.912777
Regulatory Aarea:	3	Longitude:	-95.403888
Owner Name:	Market Place Innovation Inc.		
Billing Contact:	Ms. Joanne Cheng		
Billing Address:	6968 Howell-Sugar Land Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77083		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1781	1 of 1	NNE	4.88 / 25,746.27	Jose Hernandez 14422 Henry Rd. Houston TX 77060	SDRW WELLS

Track NO: 63782
Date Submitted: 2005-07-29
Owner Name: Jose Hernandez
Owner Address: 14422 Henry Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909167
Longitude: -95.380833
Drilling Date Started: 2005-07-28
Drilling Date Completed: 2005-07-28
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=63782&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 55.0

Top Depth: 0
Bottom Depth: 55

Well Levels

Measurement: 10
Measurement Date: 2005-07-28

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1782	1 of 3	NW	4.88 / 25,750.89	AMERICAN STORAGE LTD TX	TCEQ WELL LOGS

Grid No:	65-05-8HH
Date Drilled:	04/24/1984
Owners Name:	AMERICAN STORAGE LTD
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	81
Depth Drilled:	145
Latitude:	29.895
Longtiude:	-95.465277

Please use black ink.
 Send original copy by
 certified mail to the
 Texas Department of Water Resources
 P. O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER American Sougell Ltd Address 14225 Gawn Drive Houston TX
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 8 miles in North direction from Houston TX
 (N.E., S.W., etc.) (Town)

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 65-05-BHH

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 4-24-84

Diameter of Hole	Diameter of Hole	
	From (ft.)	To (ft.)
5	0	145

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
		0-5 Sanded Top Soil	2"	new	PVC	0	-135	50#40
		5-30 Red Clay	2"	new	PVC Screen	135	-145	50#40
		30-40 Red Sand			underbar			
		40-90 Red Clay			10 Gauge			
		90-130 Shale						
		130-145 Sand						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 10 ft.
 Method used Hand Poured
 Cemented by Mesched Water Well Drilling

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 81 ft. below land surface Date 5-3-84
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Rubber Depth 120

13) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:
 Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 3 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Mesched Water Well Drilling Water Well Driller's License No. 2032
 (Type or Print)

ADDRESS 9427 Main Rd. Sugar Land TX 77478
 (Street or RFD) (City) (State) (Zip)

(Signed) Alton Mesched (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.


For TDWR use only
 Well No. 65-05-BHH
 Located on map 490 mm

TDWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

Dup

American Storage Ltd



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1782	2 of 3	NW	4.88 / 25,750.89	HARRIS CO. M.U.D. 220 TX	WW HARRIS GAL

Well ID:	3714	Diameter (inches):	16
Aggre Lead Well:	3714	Year Drilled:	1983
Permit No:	W1984-3714-19885-0	Depth Drilled:	1500
Permit Start Date:	6/1/1984	Depth frm Surf(ft):	700
Permit End Dt:	5/31/1985	County:	H
Well Status:	N - Not Drilled	Latitude:	29.895
Regulatory Aarea:	3	Longitude:	-95.465277
Owner Name:	HARRIS CO. M.U.D. 220		
Billing Contact:	DORIS BENTLEY		
Billing Address:	1100 Louisiana St., Suite 400		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	SMITH, MURDAUGH, LITTLE & BONHAM		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1782	3 of 3	NW	4.88 / 25,750.89	TX	TCEQ WELL LOGS

Grid No: 65-05-8P
 Date Drilled: 10/16/1975
 Owners Name: HENRY PARTIDA
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 30
 Depth Drilled: 50
 Latitude: 29.895
 Longtiude: -95.465277

#12 Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-85-8P
Located on map YCS
Received: 7/5/75
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Henry Partida Address 4722 dlh mt. Houston
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same Houston, Tex.
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
miles in _____ direction from Houston
(NE, SW, etc.) (Town)

NORTH
↑

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 50 ft. Depth of completed well 50 ft. Date drilled 10-16-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	9	TOP SOIL
9	17	RED CLAY
17	19	RED SAND
19	49	RED CLAY
49	53	RED SAND

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☒
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 30 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☒ Steel ☐ Plastic ☒ Other ☐
Cemented from 0 ft. to 0 ft.

10) SCREEN:
Type _____
Perforated ☒ Slotted ☐

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2"	0	50	

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot size

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes by whom? Chilton Pump & Well Service
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? _____ depth of strata _____

12) PUMP DATA:
Manufacturer's Name STA-RITE
Type _____ H.P. _____
Designed pumping rate _____ gpm ☐ gph ☐
Type power unit _____
Depth to bowls, cylinder, jet, etc., _____ ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.L. Chilton (Type or Print)
Address 6322 1/2 N. Shepherd Houston Texas
(Street or RFD) (City) (State)
(Signed) Bobby L. Chilton Chilton Pump & Well Serv.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1783	1 of 3	N	4.88 / 25,751.09	B J USED AUTO PARTS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 06/05/1999
Owners Name: B J USED AUTO PARTS
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 10
Depth Drilled: 47
Latitude: 29.913474
Longtiude: -95.40668

Send original copy by certified return receipt request

to: TDLR, P.O. Box 12157, Austin, TX 78711

<p>ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)</p>		<p>State of Texas WELL REPORT</p>		<p>Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880</p>																					
<p>1) OWNER <u>B.J. Used Auto Parts</u> ADDRESS <u>10823 Airline Hwy</u> <u>TX</u> <u>77037</u> (Name) (Street or RFD) (City) (State) (Zip)</p>																									
<p>2) ADDRESS OF WELL'S LOCATION: <u>10823 Airline Dr</u> <u>Hou.</u> <u>TX</u> <u>77037</u> Long. _____ Lat. _____ County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip) Grid # <u>65-05-9</u></p>																									
<p>3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging</p>		<p>4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No</p>		<p>5) _____</p>																					
<p>6) WELL LOG: Date Drilling: <u>6/4/99</u> Started <u>6-4-99</u> Completed <u>6-5-99</u></p>		<p>DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>4.5</u> Surface <u>47</u></p>		<p>7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____</p>																					
<p>From (ft.) To (ft.) Description and color of formation material <u>0 - 40 ft Red + yellow Clay</u> <u>40 - 47 ft Sand 10 ga</u></p>		<p>8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>37</u> ft. to <u>47</u> ft.</p>																							
<p>CASING, BLANK PIPE, AND WELL SCREEN DATA:</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic Sch 40</u></td> <td><u>18</u></td> <td><u>37</u></td> <td><u>Casing</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic Sch 40</u></td> <td><u>37</u></td> <td><u>47</u></td> <td><u>Screen</u></td> </tr> </table>						Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic Sch 40</u>	<u>18</u>	<u>37</u>	<u>Casing</u>	<u>2</u>	<u>N</u>	<u>Plastic Sch 40</u>	<u>37</u>	<u>47</u>	<u>Screen</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>Plastic Sch 40</u>	<u>18</u>	<u>37</u>	<u>Casing</u>																				
<u>2</u>	<u>N</u>	<u>Plastic Sch 40</u>	<u>37</u>	<u>47</u>	<u>Screen</u>																				
<p>(Use reverse side of Well Owner's copy, if necessary)</p>																									
<p>13) <input type="checkbox"/> Well plugged within 48 hours</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>						Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)											
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																					
From (ft)	To (ft)	From (ft)	To (ft)																						
<p>14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>20</u> ft.</p>		<p>9) CEMENTING DATA Cemented from <u>15</u> ft. to <u>37</u> ft. No. of sacks used <u>10</u> ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u> <u>No Septic System</u></p>																							
<p>15) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>8</u> gpm with _____ ft. drawdown after _____ hrs.</p>		<p>10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used</p>																							
<p>16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No</p>		<p>11) WATER LEVEL: Static level <u>10</u> ft. below land surface Date <u>6/5/99</u> Artesian flow _____ gpm. Date _____</p>																							
<p>12) PACKERS: _____ Type _____ Depth _____ <u>None</u></p>																									
<p>I certify that I drilled this well (or the well was drilled under my direct supervision) and that each of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.</p>																									
<p>COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)</p>		<p>WELL DRILLER'S LICENSE NO. <u>49877MI</u> EMP # _____ SEP 15 1999 (City) (State) (Zip)</p>																							
<p>ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> (Street or RFD) (City) (State) (Zip)</p>		<p>(Signed) <u>[Signature]</u> (Licensed Well Driller)</p>																							
<p>Please attach electric log, chemical analysis, and other pertinent information, if available.</p>																									

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1783	2 of 3	N	4.88 / 25,751.09	MUSTAFA KAMAL TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 05/23/2002
Owners Name: MUSTAFA KAMAL
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 8
Depth Drilled: 40
Latitude: 29.913474
Longitude: -95.40668

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.	
WELL REPORT					
1) OWNER					
Name <u>Mustafa Kamal</u>		Address <u>10805 Airline Dr.</u>		City <u>Houston</u>	State <u>Texas</u> Zip <u>77037</u>
2) WELL LOCATION					
County <u>Harris</u>		Physical Address		City	State Zip
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		Lat. Long. Grid # <u>65-05-6</u>		5) N↑	
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		7) Drilling Method (check) <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Bored <input type="checkbox"/> Other _____			
6) Drilling Date Started <u>5/23/02</u> Completed <u>5/23/02</u>		Diameter of Hole		8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from _____ ft. to _____ ft.	
		Dia.(in.) From (ft.) To (ft.) <u>5</u> <u>0</u> <u>40</u>		Casing, Blank Pipe, and Well Screen Data	
		Dia. (in.) New Or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft) From To Gage Casing Screen <u>2</u> N Casing <u>PVC</u> <u>0</u> <u>30</u> <u>52180</u> <u>2</u> N Screen <u>Slotted</u> <u>30</u> <u>40</u> <u>1006</u>			
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well: From (ft) To (ft) From (ft) To (ft) Sacks used _____ _____ _____		9) Cementing Data Cementing from <u>30</u> ft. to <u>0</u> ft. # of sacks used <u>10</u> _____ ft. to _____ ft. # of sacks used _____ Method Used <u>Pressure</u> Cementing By <u>Raymond Services, Inc.</u> Distance to septic system field or other concentrated contamination <u>521</u> ft. Method of verification of above distance <u>Customer</u>			
14) Typepump <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc. _____ ft.		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used			
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) Water Level Static level <u>8</u> ft. below Date <u>5/23/02</u> Artesian Flow _____ gpm. Date <u>/ /</u>			
16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No		12) Packers Type Depth <u>None</u>			
Company or individual's Name (type or print)		<u>Raymond Services, Inc.</u> 45730112002			
Address <u>10011 Airline Drive</u>		City <u>Houston</u>		State <u>TX</u> Zip <u>77037</u>	
Signature <u>[Signature]</u> Date <u>5/23/02</u>		Signature <u>[Signature]</u> Date <u>5/23/02</u>			

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1783	3 of 3	N	4.88 / 25,751.09	B J Used Auto Parts TX	WW HARRIS GAL
<div> <div> Well ID: 7649 Aggre Lead Well: 7649 Permit No: WP2023-111824 Permit Start Date: 8/1/2023 3:30:00 PM Permit End Dt: 7/31/2024 3:31:00 PM Well Status: O - Operable Regulatory Aarea: 3 Owner Name: B J Used Auto Parts Billing Contact: Shadi Taha Billing Address: 10823 Airline Billing Address 2: NULL Billing City: Houston Billing State: TX Billing Zip: 77037 Correspondence: NULL Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5 Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 2 Year Drilled: 1999 Depth Drilled: 50 Depth frm Surf(ft): 40 County: H Latitude: 29.913611 Longitude: -95.405 </div> </div>					

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1784	1 of 2	NNE	4.88 / 25,755.62	Brown, Gary TX	WW HARRIS GAL

Well ID:	14198	Diameter (inches):	2
Aggre Lead Well:	14198	Year Drilled:	NULL
Permit No:	WP2023-113804	Depth Drilled:	0
Permit Start Date:	8/1/2023 2:19:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.911388
Regulatory Aarea:	3	Longitude:	-95.391111
Owner Name:	Brown, Gary		
Billing Contact:	NULL		
Billing Address:	14546 Lillja		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1784	2 of 2	NNE	4.88 / 25,755.62	GARY BROWN TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 09/14/2001
Owners Name: GARY BROWN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 3
Depth Drilled: 42
Latitude: 29.911471
Longtiude: -95.389981

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

Name
Address
City
State
Zip

GARY BROWN
14546 LILJA
HOUSTON
TX
77037

2) WELL LOCATION

County
Physical Address
City
State
Zip

HARRIS
SAME

3) Type of Work

Lat.
Long.
Grid#

65-05-6

4) Proposed Use (check)

☒ New Well
☐ Deepening
☐ Reconditioning
☐ Monitor
☐ Environmental Soil Boring
☒ Domestic
☐ Industrial
☐ Irrigation
☐ Injection
☐ Public Supply
☐ De-watering
☐ Testwell

5)

N↑

6) Drilling Date

Started
Completed

9/14/01
9/14/01

7) Drilling Method (check)

☐ Air Rotary
☒ Mud Rotary
☐ Air Hammer
☐ Cable Tool
☐ Jetted
☐ Other

8) Borehole Completion

☐ Open Hole
☒ Straight Wall
☐ Under-reamed
☐ Gravel Packed
☐ Other

9) Cementing Data

Cementing from
Cementing to
of sacks used

32
0
0

10) Surface Completion

☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level

Static level
Artesian Flow

3

12) Packers

Type
Depth

None

13) Plugged

☐ Well plugged within 48 hours

14) Typepump

☐ Turbine
☒ Jet
☐ Submersible
☐ Cylinder
☐ Other

15) Water Test

Type
Yield

Test
10 gpm

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
YES
NO

NO

Company or individual's Name (type or print)

Raymond Services, Inc. 4577WI

Address
City
State
Zip


10011 Airline Drive
Houston
TX
77037

Signature
Date


[Signature]
9/14/01


Signature
Date

[Signature]
/ /









NORTH GREEN MUD #2
PROPOSED RECOMMENDED MATERIAL SETTINGS 3/11/85

<u>DEPTH</u>	<u>20" SURFACE</u>	<u>BLANK</u>	<u>SCREEN</u>
0 - 640'	640'		
540 - 646'		106'	
646 - 682'			36'
682 - 728'		46'	
728 - 796'			68'
796 - 820'		24'	
820 - 846'			26'
846 - 884'		38'	
884 - 896'			12'
896 - 950'		54'	
950 - 968'			18'
968 - 1020'		52'	
1020 - 1050'			30'
1050 - 1060'		10'	
1060 - 1088'			28'
1088 - 1108' TD		20'	
		350'	218'

TOTAL MATERIALS

20" Surface Casing = 640'
14" Blank Liner = 350'
14" S.S. Screen = 218'

65-056

NORTH GREEN MUD #2

3/11/85

DRILLER'S LOG

<u>DEPTH</u>	<u>DESCRIPTION</u>
0 - 5 ft.	Substructure
5 - 8 ft.	Top soil
8 - 14 ft.	Clay red
14 - 21 ft.	Sand w/yellow clay
21 - 31 ft.	Sand tan
31 - 36 ft.	Clay gray
36 - 56 ft.	Sand
56 - 82 ft.	Clay gray
82 - 108 ft.	Sand tan
108 - 186 ft.	Clay gray
186 - 225 ft.	Sand white
225 - 250 ft.	Clay blue/w sand
250 - 270 ft.	Sand white
270 - 300 ft.	Clay gray
300 - 365 ft.	Sand tan
365 - 380 ft.	Clay white
380 - 582 ft.	Sand w/clay stringers
582 - 648 ft.	Clay brown & gray
648 - 683 ft.	Sand white to tan
683 - 720 ft.	Clay white
720 - 800 ft.	Sand w/Clay stringers
800 - 818 ft.	Shale gray
818 - 850 ft.	Sand gray
850 - 948 ft.	Shale gray
948 - 970 ft.	Sand gray
970 - 1020 ft.	Shale gray
1020 - 1052 ft.	Sand gray
1052 - 1063 ft.	Shale gray
1063 - 1090 ft.	Sand w/shale stringers
1090 - 1100 ft. T.D.	Shale gray

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1785	1 of 1	W	4.88 / 25,765.21	NULL TX	WW HARRIS GAL

Well ID:	2226	Diameter (inches):	4
Aggre Lead Well:	2226	Year Drilled:	1982
Permit No:	W2006-2226-123514-0	Depth Drilled:	83
Permit Start Date:	NULL	Depth frm Surf(ft):	0
Permit End Dt:	NULL	County:	H
Well Status:	P - Plugged	Latitude:	29.85
Regulatory Aarea:	3	Longitude:	-95.491944
Owner Name:	Nash, Jerome		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1786	1 of 1	N	4.88 / 25,781.48	Marcella Torres 247 Mc Farland Houston TX 77060	SDRW WELLS

Track NO: 61987
Date Submitted: 2005-07-05
Owner Name: Marcella Torres
Owner Address: 247 Mc Farland
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.912501
Longitude: -95.397778
Drilling Date Started: 2005-06-10
Drilling Date Completed: 2005-06-10
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=61987&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 7
Measurement Date: 2005-06-10

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1787	1 of 1	NE	4.88 / 25,783.48	Ruth Guidry 1738 Isom St. Houston TX 77039	SDRW WELLS

Track NO: 573601
Date Submitted: 2021-05-14
Owner Name: Ruth Guidry
Owner Address: 1738 Isom St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899722
Longitude: -95.358889
Drilling Date Started: 2021-05-13
Drilling Date Completed: 2021-05-14
Chemical Analysis: No
Company Name: Raymond Services
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=573601&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement: 8
Measurement Date: 2021-05-14

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1788	1 of 1	N	4.89 / 25,794.64	Marta Salazar 255 Mc Farland Houston TX 77060	SDRW WELLS

Track NO: 12975
Date Submitted: 2002-10-15
Owner Name: Marta Salazar
Owner Address: 255 Mc Farland
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.912501
Longitude: -95.397222
Drilling Date Started: 2002-10-11
Drilling Date Completed: 2002-10-12
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=12975&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 11
Measurement Date: 2002-10-12

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1789	1 of 2	N	4.89 / 25,796.61	MB VAUGHN TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 09/28/1972
 Owners Name: MB VAUGHN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 180
 Depth Drilled: 324
 Latitude: 29.913211
 Longtiude: -95.419092

Send original copy by certified mail to the Texas Water Development Board, P.O. Box 13087, Austin, Texas 78711

State of Texas

For TWDB use only
Well No. _____
Located on map NO
Received: 73
WJF

WATER WELL REPORT

1) OWNER:
Person having well drilled M.B. VAUGHN - Address 325. WEST. RD
(Name) (Street or RFD) (City) (State)
Landowner SAME Address HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 2 miles in N-W direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 324 ft. Depth of completed well 324 ft. Date drilled SEPT. 28, 72
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	71	CLAY.
71	82	SAND
82	124	CLAY.
124	163	SAND
163	195	CLAY.
195	204	SAND
204	230	CLAY.
230	237	SAND
237	296	CLAY.
296	324	SAND

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from 230 ft. to 297 ft.
Diameter (inches) _____ Setting _____
From (ft.) To (ft.) Casing _____
4" 0 297'
2 1/2" 297 309

10) SCREEN:
Type PLASTIC - RIBBED
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____ Slot _____
From (ft.) To (ft.) Size _____
2 1/2" 309 - 324 #14

7) COMPLETION (Check):
Straight wall _____ Gravel-packed _____ Other TWO-SPRING.
Under reamed _____ Open hole _____

8) WATER LEVEL:
Static level 180' ft. below land surface Date SEPT. 28, 72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc. 231' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata 28'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
(Type or Print)
ADDRESS Box 67 WESTFIELD TEX. (City) (State)
(Signed) E.L. Bode E.L. BODE DRILLING CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WD-66-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1789	2 of 2	N	4.89 / 25,796.61	Hattab, Walid TX	WW HARRIS GAL

Well ID:	12423	Diameter (inches):	4
Aggre Lead Well:	12423	Year Drilled:	201
Permit No:	WP2023-107722	Depth Drilled:	400
Permit Start Date:	6/1/2023 12:26:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024 12:26:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.9125
Regulatory Aarea:	3	Longitude:	-95.422777
Owner Name:	Hattab, Walid		
Billing Contact:	NULL		
Billing Address:	16250 Pinon Vista Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77095		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1790	1 of 2	NE	4.89 / 25,801.21	NULL TX	WW HARRIS GAL
Well ID:		13665	Diameter (inches): 4		
Aggre Lead Well:		NULL	Year Drilled:		
Permit No:		NULL	Depth Drilled: 0		
Permit Start Date:		NULL	Depth frm Surf(ft): 0		
Permit End Dt:		NULL	County: H		
Well Status:			Latitude: 29.902777		
Regulatory Aarea:		3	Longitude: -95.366111		
Owner Name:		NULL			
Billing Contact:		NULL			
Billing Address:		NULL			
Billing Address 2:		NULL			
Billing City:		NULL			
Billing State:		NULL			
Billing Zip:		NULL			
Correspondence:		NULL			
Provision:		NULL			
Water Usage:		D			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1790	2 of 2	NE	4.89 / 25,801.21	Hajikhani, Ahmad	WW HARRIS GAL
				TX	
Well ID:		13667	Diameter (inches):		4
Aggre Lead Well:		13667	Year Drilled:		NULL
Permit No:		WP2023-111307	Depth Drilled:		0
Permit Start Date:		8/1/2023	Depth frm Surf(ft):		0
Permit End Dt:		7/31/2024	County:		H
Well Status:		O - Operable	Latitude:		29.902777
Regulatory Aarea:		3	Longitude:		-95.366111
Owner Name:		Hajikhani, Ahmad			
Billing Contact:		NULL			
Billing Address:		1323 Aldine Mail Route			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77039			
Correspondence:		NULL			
Provision:		NULL			
Water Usage:		D - Domestic/Commercial			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1791	1 of 3	NW	4.89 / 25,811.06	RUFUS SALINAS TX	TCEQ WELL LOGS

Grid No:	65-05-7
Date Drilled:	12/05/1985
Owners Name:	RUFUS SALINAS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	NOT REPORTED
Depth Drilled:	320
Latitude:	29.898101
Longitude:	-95.461373

TDWR-0392 (Rev. 5-27-82)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1791	2 of 3	NW	4.89 / 25,811.06	RUFUS SALINAS TX	TCEQ WELL LOGS

Grid No: 65-05-8
Date Drilled: 01/06/1997
Owners Name: RUFUS SALINAS
County: HARRIS
Water Usage: CAR LOT
Static Level: 30
Depth Drilled: 60
Latitude: 29.898101
Longitude: -95.461373

Please use black ink.

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1791	3 of 3	NW	4.89 / 25,811.06	Lashkarwala, Fuad M. TX	WW HARRIS GAL

Well ID:	5902	Diameter (inches):	2
Aggre Lead Well:	5902	Year Drilled:	
Permit No:	W2007-5902-128679-0	Depth Drilled:	70
Permit Start Date:	6/1/2007	Depth frm Surf(ft):	60
Permit End Dt:	6/1/2007	County:	H
Well Status:	C - Capped	Latitude:	29.898055
Regulatory Aarea:	3	Longitude:	-95.461944
Owner Name:	Lashkarwala, Fuad M.		
Billing Contact:	NULL		
Billing Address:	11570 Highway 249		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77086		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1792	1 of 1	WSW	4.89 / 25,812.18	GULF OIL COMPANY - U.S. TX	WW HARRIS GAL

Well ID:	2765	Diameter (inches):	4
Aggre Lead Well:	2765	Year Drilled:	1962
Permit No:	W1979-2765-3129-0	Depth Drilled:	210
Permit Start Date:	5/1/1979	Depth frm Surf(ft):	0
Permit End Dt:	3/12/1980	County:	H
Well Status:	P - Plugged	Latitude:	29.823055
Regulatory Aarea:	3	Longitude:	-95.488888
Owner Name:	GULF OIL COMPANY - U.S.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 4256		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	HOUSTON DISTRICT OFFICE		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1793	1 of 3	NW	4.89 / 25,815.92	Hudson, Patricia F. TX	WW HARRIS GAL

Well ID:	4922	Diameter (inches):	4
Aggre Lead Well:	4922	Year Drilled:	1967
Permit No:	W2010-4922-145040-0	Depth Drilled:	180
Permit Start Date:	6/1/2010	Depth frm Surf(ft):	0
Permit End Dt:	6/1/2010	County:	H
Well Status:	P - Plugged	Latitude:	29.900555
Regulatory Aarea:	3	Longitude:	-95.458055
Owner Name:	Hudson, Patricia F.		
Billing Contact:	NULL		
Billing Address:	2834 Washington Dr. # 6		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1793	2 of 3	NW	4.89 / 25,815.92	Samreth, Sophia TX	WW HARRIS GAL

Well ID:	12888	Diameter (inches):	4
Aggre Lead Well:	12888	Year Drilled:	NULL
Permit No:	WP2023-107261	Depth Drilled:	400
Permit Start Date:	6/1/2023 3:25:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024 3:25:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.900555
Regulatory Aarea:	3	Longitude:	-95.458055
Owner Name:	Washington Drive Trailer Park		
Billing Contact:	Sophia Samreth		
Billing Address:	12130 E Marsham CIR		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77066		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1793	3 of 3	NW	4.89 / 25,815.92	Washington Drive Trailer Park 2834 Washington Dr. Houston TX 77038	SDRW WELLS

Track NO: 363399
Date Submitted: 2014-05-22
Owner Name: Washington Drive Trailer Park
Owner Address: 2834 Washington
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: Replacement
Type of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.900556
Longitude: -95.458056
Drilling Date Started: 2014-04-29
Drilling Date Completed: 2014-04-30
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=363399&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 435.0

Top Depth: 0
Bottom Depth: 435

Well Levels

Measurement: 195
Measurement Date: 2014-04-30

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1794	1 of 1	NNE	4.89 / 25,819.61	Roman, Elena TX	WW HARRIS GAL

Well ID:	14312	Diameter (inches):	3
Aggre Lead Well:	14312	Year Drilled:	NULL
Permit No:	WP2023-111682	Depth Drilled:	0
Permit Start Date:	8/1/2023 2:37:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:37:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.906111
Regulatory Aarea:	3	Longitude:	-95.3725
Owner Name:	Roman, Elena		
Billing Contact:	NULL		
Billing Address:	13215 Luthe Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1795	1 of 2	N	4.89 / 25,824.71	JAMES FLETCHER TX	TCEQ WELL LOGS

Grid No: 65-05-6CC
Date Drilled: 11/??/1975
Owners Name: JAMES FLETCHER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 180
Depth Drilled: 262
Latitude: 29.913249
Longtiude: -95.400082

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

WATER WELL REPORT

650566

For TWDB use only
 Well No. 65-05-666
 Located on map 26-4-5
 Received: 26-4-5

1) OWNER:
 Person having well drilled James Fletcher Address 206 Branding Iron Houston, Texas
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Harris miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* map on 65-05-666
413A North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well _____ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic _____ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary _____ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 262 ft. Depth of completed well 277 ft. Date drilled Nov. 1975
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
160-180	Red Blue clay	
180-200	Sand	
200-201	Rock	
201-208	Red Gray clay	
208-220	Sand	
220-260	Red Yellow clay	
260-277	XXXX Sand	

9) CASING:
 Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
 Cemented from 262 up _____ ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing _____
40 1 ft. 262 ft. ~~40~~

10) SCREEN:
 Type Well Supplies, Inc. Plastic Wrapped
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" ~~2 1/2"~~ 267 277 10

7) COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 180 ft. below land surface Date Nov. 1975
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 220 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
 (Type or Print)
 ADDRESS 10011 Airline Dr. Houston Texas 77037
 (Street or RFD) (City) (State)
 (Signed) C.A. Raymond, Jr. Raymond Water Well Drilling Inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1795	2 of 2	N	4.89 / 25,824.71	JAMES FLETCHER TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 2/16/1975
 Owners Name: JAMES FLETCHER
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 95
 Depth Drilled: 159
 Latitude: 29.913249
 Longtiude: -95.400082

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1796	1 of 2	NW	4.89 / 25,825.56	Shepard Forest Plumbing TX	WW HARRIS GAL

Well ID:	13559	Diameter (inches):	4
Aggre Lead Well:	13559	Year Drilled:	0
Permit No:	W2017-13559-190080-0	Depth Drilled:	400
Permit Start Date:	6/1/2017	Depth frm Surf(ft):	380
Permit End Dt:	6/1/2017	County:	H
Well Status:	O - Operable	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.459444
Owner Name:	Shepard Forest Plumbing		
Billing Contact:	NULL		
Billing Address:	2905 Washington Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77086		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1796	2 of 2	NW	4.89 / 25,825.56	ELIZONDO, DOMINGA TX	WW HARRIS GAL

Well ID:	4899	Diameter (inches):	4
Aggre Lead Well:	4899	Year Drilled:	1969
Permit No:	W1995-4899-47856-0	Depth Drilled:	0
Permit Start Date:	6/1/1995	Depth frm Surf(ft):	0
Permit End Dt:	5/31/1996	County:	H
Well Status:	P - Plugged	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.459444
Owner Name:	ELIZONDO, DOMINGA		
Billing Contact:	NULL		
Billing Address:	2842 Lincoln		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1797	1 of 4	NNE	4.89 / 25,825.70	ROBERT BRYER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 05/10/2001
Owners Name: ROBERT BRYER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 4
Depth Drilled: 50
Latitude: 29.908935
Longitude: -95.380017

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Te. Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																					
WELL REPORT																									
1) OWNER																									
Name Robert Bryer		Address 831 corvette		City Houston	State TX																				
				Zip 77060																					
2) WELL LOCATION																									
County Harris		Physical Address Same		City	State																				
				Zip																					
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) N↑																					
6) Drilling Date Started 5/10/01 Completed 5/10/01		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td>5</td> <td>surface</td> <td>50</td> </tr> </table>		Dia. (in.)	From (ft)	To (ft)	5	surface	50	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft)	To (ft)																							
5	surface	50																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>Description and color of formation material</th> </tr> <tr> <td>0</td> <td>27</td> <td>Clay Red</td> </tr> <tr> <td>27</td> <td>37</td> <td>Rock</td> </tr> <tr> <td>37</td> <td>50</td> <td>Clay Red</td> </tr> <tr> <td></td> <td></td> <td>Sand Log</td> </tr> </table>		From (ft)	To (ft)	Description and color of formation material	0	27	Clay Red	27	37	Rock	37	50	Clay Red			Sand Log	8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from 50 ft. to 40 ft.								
From (ft)	To (ft)	Description and color of formation material																							
0	27	Clay Red																							
27	37	Rock																							
37	50	Clay Red																							
		Sand Log																							
		Casing, Blank Pipe, and Well Screen Data <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>New Or Used</th> <th>Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th>Setting (ft) From To</th> <th>Gage Casing Screen</th> </tr> <tr> <td>2</td> <td>N</td> <td>Casing Plastic</td> <td>Surface</td> <td>40</td> </tr> <tr> <td>2</td> <td>N</td> <td>Screen Plastic</td> <td>40</td> <td>50</td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen	2	N	Casing Plastic	Surface	40	2	N	Screen Plastic	40	50					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen																					
2	N	Casing Plastic	Surface	40																					
2	N	Screen Plastic	40	50																					
		9) Cementing Data Cementing from 40 ft. to Surface ft. # of sacks used 10 _____ ft. to _____ ft. # of sacks used _____ Method Used Pressure Cementing By Raymond Services, Inc. Distance to septic system field or other concentrated contamination 50ft. Method of verification of above distance Customer																							
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: Cement/Bentonite placed in well:		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																11) Water Level Static level 4 ft. below Date 5/10/01 Artesian Flow _____ gpm. Date _____			
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																					
14) Typepump <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc. _____ ft.		12) Packers Type Depth <div style="font-size: 2em; text-align: center;">NONE</div>																							
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: 6 gpm with _____ ft. drawdown after _____ hrs.		16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																							
Company or individual's Name (type or print)		Raymond Services, Inc. 457741																							
Address 10011 Airline Drive		City Houston		State TX	Zip 77037																				
Signature [Signature]		Date 5/14/01		Signature [Signature]																					
Licensed Driller/Pump Installer		Date		Apprentice																					

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1797	2 of 4	NNE	4.89 / 25,825.70	Manning, Walter TX	WW HARRIS GAL

Well ID:	13489	Diameter (inches):	4
Aggre Lead Well:	13445	Year Drilled:	0
Permit No:	WP2023-112315	Depth Drilled:	320
Permit Start Date:	8/1/2023 2:12:00 PM	Depth frm Surf(ft):	310
Permit End Dt:	7/31/2024 2:12:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.909166
Regulatory Aarea:	3	Longitude:	-95.380277
Owner Name:	Manning, Walter		
Billing Contact:	NULL		
Billing Address:	831 Corvette Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1797	3 of 4	NNE	4.89 / 25,825.70	Manning, Walter TX	WW HARRIS GAL

Well ID:	13445	Diameter (inches):	2
Aggre Lead Well:	13445	Year Drilled:	1980
Permit No:	WP2023-112315	Depth Drilled:	50
Permit Start Date:	8/1/2023 2:12:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2024 2:12:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.909166
Regulatory Aarea:	3	Longitude:	-95.380277
Owner Name:	Manning, Walter		
Billing Contact:	NULL		
Billing Address:	831 Corvette Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1797	4 of 4	NNE	4.89 / 25,825.70	Walter Manning 831 Corvette Lane Houston TX 77060	SDRW WELLS

Track NO: 414254
Date Submitted: 2016-02-03
Owner Name: Walter Manning
Owner Address: 831 Corvette Lane
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.909083
Longitude: -95.380139
Drilling Date Started: 2016-01-28
Drilling Date Completed: 2016-02-02
Chemical Analysis: No
Company Name: Coastal Waterwell Services Inc.
Company Address: P.O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=414254&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 320

Top Depth:
Bottom Depth: 340.0

Top Depth: 320
Bottom Depth: 340

Well Levels

Measurement: 190
Measurement Date: 2016-02-02

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1798	1 of 2	N	4.89 / 25,828.62	Tello, Luis Miguel TX	WW HARRIS GAL

Well ID:	12543	Diameter (inches):	2
Aggre Lead Well:	12543	Year Drilled:	201
Permit No:	W2013-12543-168828-0	Depth Drilled:	50
Permit Start Date:	9/30/2013	Depth frm Surf(ft):	40
Permit End Dt:	9/30/2013	County:	H
Well Status:	E - Exempt	Latitude:	29.913055
Regulatory Aarea:	3	Longitude:	-95.396944
Owner Name:	Tello, Luis Miguel		
Billing Contact:	Luis Miguel Tello		
Billing Address:	259 Mc Farland		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1798	2 of 2	N	4.89 / 25,828.62	Luis Miguel Tello 259 Mc Farland Rd. Houston TX 77060	SDRW WELLS

Track NO: 344153
Date Submitted: 2013-10-22
Owner Name: Luis Miguel Tello
Owner Address: 259 Mc Farland Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.912778
Longitude: -95.396945
Drilling Date Started: 2013-10-21
Drilling Date Completed: 2013-10-22
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=344153&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 15
Measurement Date: 2013-10-22

Well Strata

Water Type:

Water

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1799	1 of 1	NW	4.89 / 25,832.11	Hispanic Imports Corporation TX	WW HARRIS GAL

Well ID:	5896	Diameter (inches):	2
Aggre Lead Well:	5896	Year Drilled:	1997
Permit No:	WP2023-107732	Depth Drilled:	50
Permit Start Date:	6/1/2023 2:05:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	5/31/2028	County:	H
Well Status:	O - Operable	Latitude:	29.9
Regulatory Aarea:	3	Longitude:	-95.458611
Owner Name:	Hispanic Imports Corporation		
Billing Contact:	NULL		
Billing Address:	2838 Washington Dr.		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1800	1 of 2	NE	4.89 / 25,839.25	BLUEBONNET MOBILE HOME PARK TX	WUD

Primary Co: JOSE GUADALUPE ALANIZ
Contact Ti: OWNER
Operating Status: OPERATIONAL
PWSID: 1010691
Source ID: G1010691A
Utility Name: BLUEBONNET MOBILE HOME PARK
WTRSRC: G1010691A
Date Drilled:
Well Depth: 383
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 33
CCN: N/A
Latitude: 29.898781
Longitude: -95.35936
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1800	2 of 2	NE	4.89 / 25,839.25	Sanders, Sandra TX	WW HARRIS GAL

Well ID:	11670	Diameter (inches):	4
Aggre Lead Well:	11670	Year Drilled:	1979
Permit No:	WP2022-116996	Depth Drilled:	385
Permit Start Date:	2/8/2023 1:15:00 PM	Depth frm Surf(ft):	365
Permit End Dt:	7/31/2024 1:16:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.359444
Owner Name:	Van Buskirk, Darrell		
Billing Contact:	NULL		
Billing Address:	646 Uvalde Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77015		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1801	1 of 2	N	4.89 / 25,840.58	T-H-JOHLE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 8/24/1973
Owners Name: T-H-JOHLE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 159
Depth Drilled: 278
Latitude: 29.913268
Longtiude: -95.399837

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9HH
Located on map YCS
Received: 74

1) OWNER:
Person having well drilled T-H Jable Address 210 Branding Iron Ave, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Basis _____ miles in _____ direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from
hiway number, etc.* adjacent sections or survey lines.
map on 65-05-8P ① Labor _____ League _____
North Block _____ Survey _____
(Use reverse side if necessary) Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6.5 in. Depth drilled 278 ft. Depth of completed well 278 ft. Date drilled 8/24/73
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	260	Unconsolidated
260	278	Sand

9) CASING:
Type: Old ☒ New ☒ Steel ☒ Plastic ☒ Other _____
Cemented from 200 ft. to 254 ft.
Diameter (inches) Setting From (ft.) To (ft.) Casing
4 0 254 40
2 254 268

10) SCREEN:
Type SSR
Perforated ☒ Slotted _____
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 268 278

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 159 ft. below land surface Date 8/24/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☒
Did any strata contain undesirable water? Yes ☒ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Carl Russell Water Well Drillers Registration No. 1581
(Type or Print)
ADDRESS 9735 North Houston Rd. Hw. Tex.
(Street or RFD) (City) (State)
(Signed) Carl K. Russell Russell & Son, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1801	2 of 2	N	4.89 / 25,840.58	MR CHARLES JOHLE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 9/1/1982
Owners Name: MR CHARLES JOHLE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 221
Depth Drilled: 355
Latitude: 29.913268
Longtiude: -95.399837

Send original copy by certified mail to the Texas Department of Water Resources, P.O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 25-05-9
Located on map yes
Received: C.F.S.

1) OWNER Mr. Charles Johle Address #210 Branding Iron Houston Tx. 77037
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: #210 Branding Iron 8 miles in N direction from HOUSTON
County HARRIS (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9-1-82

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	355

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	18	Topsoil & Clay						
18	27	Surface Sand						
27	86	Clay	4	N	PVC	0	320	
86	178	Sand	2	N	Galvanized Steel	314	335	
178	295	Clay	2	N	PVC	335	345	.014
295	321	Sand	2	N	PVC	345	355	.016
321	336	Clay						
336	355	Sand						

CEMENTING DATA
Cemented from 270 ft. to 320 ft.
Method used Haliburton
Cemented by Busnell & Son, Inc.
(Company or Individual)

9) WATER LEVEL:
Static level 221 ft. below land surface Date 9-2-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig Busnell Water Well Drillers Registration No. 2035
(Type or Print)

ADDRESS P.O. Box 874 Tomball Texas 77375
(Street or RFD) (City) (State) (Zip)

(Signed) Craig Busnell Busnell & Son, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1802	1 of 1	NE	4.89 / 25,842.84	Jagarnauth, Bhoonawatti TX	WW HARRIS GAL

Well ID:	4903	Diameter (inches):	4
Aggre Lead Well:	4903	Year Drilled:	
Permit No:	WP2023-114720	Depth Drilled:	315
Permit Start Date:	8/1/2023 4:13:00 PM	Depth frm Surf(ft):	294
Permit End Dt:	7/31/2024 4:13:36 PM	County:	H
Well Status:	O - Operable	Latitude:	29.904166
Regulatory Aarea:	3	Longitude:	-95.368055
Owner Name:	Jagarnauth, Mabadeo & Bhoonawatti		
Billing Contact:	NULL		
Billing Address:	13109 Reeveston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	Jag's Inc. #2		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1803	1 of 1	N	4.89 / 25,843.49	PRUDENCIO RODRIGUEZ TX	TCEQ WELL LOGS

Grid No: 65-05-6
 Date Drilled: 09/27/1995
 Owners Name: PRUDENCIO RODRIGUEZ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 240
 Depth Drilled: 421
 Latitude: 29.9128683
 Longtiude: -95.3964816

Send original copy by certified mail to: **TNRCC, P.O. Box 67, Austin, TX 78711-3087**

Please use black ink.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1804	1 of 1	NW	4.89 / 25,843.74	BO MAUCH TX	TCEQ WELL LOGS

Grid No: 65-05-8
 Date Drilled: 01/27/1997
 Owners Name: BO MAUCH
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 21
 Depth Drilled: 52
 Latitude: 29.9001567
 Longtiude: -95.458425

Send original copy, by certified return receipt requested to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530	
1) OWNER <u>BO MAUCH</u> (Name)		ADDRESS <u>RT 3 BOX 202 GEORGE TX 78626</u> (Street or RFD) (City) (State) (Zip)			
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>2838 WASHINGTON HWY TX 77038</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-8</u>			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: <u>1/27/97</u> Started <u>1/27/97</u> Completed <u>1/27/97</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>2</u> Surface <u>52</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other	
From (ft.) To (ft.) Description and color of formation material <u>0-10 WHITE CLAY.</u> <u>10-35 RED CLAY.</u> <u>35-38 ROCK & CLAY.</u> <u>38-52 RED SAND. 008</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other If Gravel Packed give interval ... from <u>42</u> ft. to <u>52</u> ft.			
		CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial		Setting (ft.) From To Gage Casting Screen	
		<u>2</u> N Plastic		<u>0</u> <u>42</u> <u>2140</u>	
		<u>2</u> N Plastic <u>SLOTTED</u>		<u>42</u> <u>52</u> <u>008</u>	
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>42</u> ft. No. of sacks used <u>9</u> ft. to ft. No. of sacks used Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>89</u> ft. Method of verification of above distance <u>Customer</u>			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other Depth to pump bowls, cylinder, jet, etc., <u>35</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>6</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		11) WATER LEVEL: Static level <u>21</u> ft. below land surface Date <u>1/27/97</u> Artesian flow gpm. Date			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: Type Depth <u>NONE</u> FILE ID SEQ # EMP # <u>4577WT</u> DECC CC APR 21 1998 COMMENT TEMP TX 77037			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.					
COMPANY NAME <u>Raymond Services, Inc.</u> (Type or print)		WELL DRILLER'S LICENSE <u>4577WT</u> TEMP			
ADDRESS <u>10011 Airline Drive</u> (Street or RFD)		Houston (City) (State) (Zip)			
(Signed) <u>[Signature]</u> (Registered Well Driller)		(Signed) (Registered Driller Trainee)			
Please attach electric log, chemical analysis, and other pertinent information, if available.					

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1805	1 of 1	N	4.89 / 25,843.77	MR ELVIS BURNET TX	TCEQ WELL LOGS

Grid No: 65-05-6AA
Date Drilled: 08/27/1980
Owners Name: MR ELVIS BURNET
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 322
Latitude: 29.9133986
Longtiude: -95.401102

44 pur

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-644
 Located on map YES
 Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Elvis Burnett Address Unknown Redbud St. Houston, Tx.
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Harris 10 miles in N direction from Houston
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-05-44

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 8/27/80

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.) To (ft.)	
	Surface	
	<u>6-3/4</u>	<u>322</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4"</u>	<u>N</u>	<u>PVC casing</u>	<u>0</u>	<u>300</u>	<u>Sch.</u>
<u>2 1/2"</u>	<u>N</u>	<u>PVC Liner</u>	<u>295</u>	<u>302</u>	<u>40</u>
<u>2 1/2"</u>	<u>N</u>	<u>Slotted Screen</u>	<u>302</u>	<u>322</u>	<u>.012</u>

CEMENTING DATA
 Cemented from 300 ft. to 140 ft.
 Method used Halliburton
 Cemented by Robinson Water Well
 (Company or Individual)

9) WATER LEVEL:
 Static level 220 ft. below land surface Date 8/29/80
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
K 295

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Potable Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464
 (Type or Print)

ADDRESS 11607 FM 149 Houston, Tx. 77086
 (Street or RFD) (City) (State) (Zip)

(Signed) M. E. Robinson, Jr. Robinson Water Well Service, inc.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TOWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1806	1 of 1	N	4.90 / 25,864.54	J.R. SARVER TX	TCEQ WELL LOGS


Grid No: N/A
Date Drilled: 01/18/1971
Owners Name: J.R. SARVER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 132
Depth Drilled: 211
Latitude: 29.9132194
Longtiude: -95.3987803

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. _____
Located on map N/A
Received: 7/1
2/1

1) OWNER:
Person having well drilled J. R. SARVER Address 240 Branding Iron Nov. TEARS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address SAME
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 10 miles in N direction from HOUSTON
(N, E, S, W, etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc. OR Give legal location with distances and directions from adjacent sections or survey lines.

(Use reverse side if necessary)
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 211 ft. Depth of completed well 211 ft. Date drilled 1-18-71
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-3		Top Soil
3-188		UNCONSOLIDATED MAT.
188-211		FINE SAND

9) CASING:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from 150 ft. to 200 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 200 #50

10) SCREEN:
Type S.S. WIRE WRAPPED
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 201 211 #40
2 195 201 NUMBER

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 132 ft. below land surface Date 1-19-71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 170 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME TOMMY C. BUSSELL Water Well Drillers Registration No. #707
(Type in Print)
ADDRESS 9239 N. Nov. Rosslyn HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) TOMMY C. BUSSELL BUSSELL & SONS INC.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1807	1 of 1	SW	4.90 / 25,865.90	Station KATL TX	GWDB

Well Rep Track No:
State Well No: 6513802
Owner Name: Station KATL
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1949
Well Depth: 190
Well Usage: Domestic
Water Level Status:
Latitude: 29.7827780
Longitude: -95.4555560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513802&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513802&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1808	1 of 1	SW	4.90 / 25,889.53	O.T.M. CORP. TX	TCEQ WELL LOGS

Grid No:	65-13-8B
Date Drilled:	11/11/1974
Owners Name:	O.T.M. CORP.
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	225
Depth Drilled:	389
Latitude:	29.785974
Longtiude:	-95.460658

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDS use only
Well No. 65-13-88
Located on map yes
Received 75
dk

1) OWNER:
Person having well drilled O.T.M. Corp Address PO Box 7722 Houston, 77007
(Name) (Street or RFD) (City) (State)
Landowner Same Address 7430 KATY RD Houston
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in 4 direction from Houston
(N, S, E, W, etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks,
hwy number, etc.*
See map
North
(Use reverse side if necessary)
Give legal location with distances and directions from
adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☒ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Driven ☐ Dug ☒
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 1/2 x 4 1/2 in. Depth drilled 389 ft. Depth of completed well 389 ft. Date drilled 11-11-74
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 3		Sand + fill
3 - 7		Clay - sandy - grey
7 - 27		Clay - white
27 - 55		Sand - Brown - .008
55 - 137		Clay - brown to blue
137 - 142		Sand - white - .010
142 - 162		Clay - red
162 - 166		Sand - brown - .008
166 - 169		Clay
169 - 180		Sand + gravel
180 - 212		Clay - blue

9) CASING:
Type: Old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 260 ft. to 360 ft.
Diameter (inches) _____ Setting _____
From (ft.) To (ft.) Casing _____
4" 0 360 Std

10) SCREEN:
Type photo on steel - woodstock
Perforated ☐ Slotted ☐
Diameter (inches) _____ Setting _____
From (ft.) To (ft.) Slot _____
2 1/2 369 389 10/2

11) WELL TESTS:
Was a pump test made? Yes ☐ No ☒ If yes, by whom? Blount Lumber Company
Yield: 75 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☒
Type of water? _____ depth of strata _____

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☒ Seal seal

8) WATER LEVEL:
Static level 225 ft. below land surface Date 11-13-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 315 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John A. Ryburn Water Well Drillers Registration No. 843
(Type or Print)
ADDRESS P.O. Box 45474 Houston, Texas 77045
(Street or RFD) (City) (State)
(Signed) John A. Ryburn Alameda Water Well Service
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

088-400

182257

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

212-222	Sand - white - .012
222-229	Clay - blue
229-276	Sand - white - .012 to .014
276-297	Clay - blue
297-325	Sand - white - .012 to .016
325-332	Clay - brown
332-341	Sand - white - .016
341-360	Clay - red
360-389	Sand - tan - .012
389 -	Clay

RECEIVED
AUG 15 1975
TEXAS WATER
DEVELOPMENT BOARD

JAN 20 1976
JAN 20 1976



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1809	1 of 1	WSW	4.90 / 25,891.61	HERBERT GLOYNA TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 10/26/1972
Owners Name: HERBERT GLOYNA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 17
Depth Drilled: 48
Latitude: 29.8065361
Longitude: -95.4813481

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas

For TWDB use only:
Well No. _____
Located on map NO
Received: 2-9-72

WATER WELL REPORT

1) OWNER: Person having well drilled: Herbert Eloyne Address: 1931 Jaczuchon Houston (City) Texas (State)
Landowner: _____ Address: _____ (Street or RFD) _____ (City) _____ (State)

2) LOCATION OF WELL:
County: Harris _____ miles in NW direction from Houston (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 3 3/8 in. Depth drilled 48 ft. Depth of completed well 48 ft. Date drilled 10-26-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top Soil
2	18	Gray Clay
18	29	Red Clay
29	48	Sand

9) CASING:
Type: Old ☒ Steel ☒ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Page _____
2 1/2 0 40 Sch 40

10) SCREEN:
Type: Plastic
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 40 48 8

7) COMPLETION (Check):
Straight well ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 17 ft. below land surface Date 10-26-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 21 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 7507 JANAK DR. HOUSTON TEXAS 77055
(Street or RFD) (City) (State)
(Signed) John B. Lumpkin Jr. LONG POINT WATER WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1810	1 of 1	N	4.90 / 25,895.70	Alkhatib, Akram TX	WW HARRIS GAL

Well ID:	12597	Diameter (inches):	2
Aggre Lead Well:	12597	Year Drilled:	NULL
Permit No:	WP2021-106073	Depth Drilled:	200
Permit Start Date:	3/9/2022 10:26:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2023 10:26:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.913888
Regulatory Aarea:	3	Longitude:	-95.405
Owner Name:	Alkhatib, Akram		
Billing Contact:	NULL		
Billing Address:	22929 Colorado Dr		
Billing Address 2:	NULL		
Billing City:	Porter		
Billing State:	TX		
Billing Zip:	77365		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; U1 - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well. Permittee must provide District with report of feasible groundwater reduction alternative and detail future plans for reducing its usage and include projected time schedule for conversion.; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1811	1 of 1	NNE	4.91 / 25,899.81	Plusco, Inc. TX	WW HARRIS GAL

Well ID:	8225	Diameter (inches):	4
Aggre Lead Well:	8225	Year Drilled:	2000
Permit No:	W2021-8225-218567-0	Depth Drilled:	420
Permit Start Date:	8/1/2021	Depth frm Surf(ft):	400
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.909722
Regulatory Aarea:	3	Longitude:	-95.381388
Owner Name:	Plusco, Inc.		
Billing Contact:	NULL		
Billing Address:	PO Box 7953		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77270		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1812	1 of 1	NNE	4.91 / 25,901.65	NANCY CRADDOCK TX	TCEQ WELL LOGS

Grid No: 65-14-8
 Date Drilled: 05/18/1996
 Owners Name: NANCY CRADDOCK
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 230
 Depth Drilled: 390
 Latitude: 29.9128776
 Longtiude: -95.3954329

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

4949

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>NANCY CRANDOCK</u> (Name) ADDRESS <u>2500 EAST T.C. JESTER #20 HSTN TX 77008</u> (Street or RFD) (City) (State) (Zip)																															
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>319 McFARLAND</u> <u>Houston</u> <u>TX</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-14-8</u>																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: <u>5/17</u> <u>96</u> Started <u>5/17</u> <u>1996</u> Completed <u>5/18</u> <u>1996</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>330</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>330</u></td> <td><u>390</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>330</u>	<u>3 7/8</u>	<u>330</u>	<u>390</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>6 3/4</u>	Surface	<u>330</u>																													
<u>3 7/8</u>	<u>330</u>	<u>390</u>																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0</u></td> <td><u>270</u></td> <td><u>CLAY + SAND</u></td> </tr> <tr> <td><u>270</u></td> <td><u>342</u></td> <td><u>SAND</u></td> </tr> <tr> <td><u>342</u></td> <td><u>370</u></td> <td><u>CLAY</u></td> </tr> <tr> <td><u>370</u></td> <td><u>390</u></td> <td><u>SAND</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>270</u>	<u>CLAY + SAND</u>	<u>270</u>	<u>342</u>	<u>SAND</u>	<u>342</u>	<u>370</u>	<u>CLAY</u>	<u>370</u>	<u>390</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.														
From (ft.)	To (ft.)	Description and color of formation material																													
<u>0</u>	<u>270</u>	<u>CLAY + SAND</u>																													
<u>270</u>	<u>342</u>	<u>SAND</u>																													
<u>342</u>	<u>370</u>	<u>CLAY</u>																													
<u>370</u>	<u>390</u>	<u>SAND</u>																													
CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>330</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>GALVANIZED</u></td> <td><u>323</u></td> <td><u>380</u></td> <td></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREENS</u></td> <td><u>380</u></td> <td><u>390</u></td> <td><u>.010</u></td> </tr> </table>						Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>330</u>		<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>323</u>	<u>380</u>		<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>380</u>	<u>390</u>	<u>.010</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>330</u>																											
<u>2</u>	<u>N</u>	<u>GALVANIZED</u>	<u>323</u>	<u>380</u>																											
<u>2</u>	<u>N</u>	<u>PVC SCREENS</u>	<u>380</u>	<u>390</u>	<u>.010</u>																										
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>8</u> <u>280</u> ft. to <u>330</u> ft. No. of sacks used <u>3</u> Method used <u>HALLIBURTON / TRIMME</u> Cemented by <u>BUSSELL + SON INC.</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																															
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>230</u> ft. below land surface Date <u>5-18-96</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>R-PACKER</u></td> <td><u>323</u></td> </tr> </table>				Type	Depth	<u>R-PACKER</u>	<u>323</u>																						
Type	Depth																														
<u>R-PACKER</u>	<u>323</u>																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>BUSSELL + SON INC.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2035</u>																															
ADDRESS <u>PO Box 874</u> <u>Tomball</u> <u>TEXAS</u> <u>77377-0874</u> (Street or RFD) (City) (State) (Zip)																															
(Signed) <u>Craig D. Busnell</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																															

Please attach electric log, chemical analysis, and other pertinent information, if available.

180670

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1813	1 of 1	NNE	4.91 / 25,918.94	Ortega, Roberto & Vicenta TX	WW HARRIS GAL

Well ID:	14602	Diameter (inches):	4
Aggre Lead Well:	14602	Year Drilled:	2009
Permit No:	W2020-14602-211157-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.905555
Regulatory Aarea:	3	Longitude:	-95.371111
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	327 E Roselane St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77076		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1814	1 of 1	N	4.91 / 25,920.01	MR ALDRICH TX	TCEQ WELL LOGS

Grid No: 65-05-9NN
 Date Drilled: 04/07/1983
 Owners Name: MR ALDRICH
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 218
 Depth Drilled: 347
 Latitude: 29.9132496
 Longtiude: -95.3977503

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-05-9NN
Located on map YES
Received: C.F.S.

1) OWNER Mr. Aldrich Address #242 Branding Iron Hwy. N. 77060
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: # 242 Branding Iron South direction from Aldrich
County Harris miles in (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Map on 65-05-9ERR

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 04-07-83

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 347

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0 335 Unconsolidated
335 347 sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>335</u>	
<u>2</u>	<u>N</u>	<u>GALV. STEEL</u>	<u>327</u>	<u>337</u>	
<u>6</u>	<u>N</u>	<u>P.V.C.</u>	<u>337</u>	<u>347</u>	<u>.014</u>

CEMENTING DATA

Cemented from 285 ft. to 335 ft.
Method used HALLIBURTON
Cemented by RUSSELL & SON, INC.
(Company or Individual)

9) WATER LEVEL:

Static level 218' ft. below land surface Date 4-8-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 254 ft.

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
SEP 12 1983

DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Buswell Water Well Drillers Registration No. 2035
(Type or Print)
ADDRESS P.O. Box 874 Tomball TEXAS 77375
(Street or RFD) (City) (State) (Zip)
(Signed) Craig Buswell Buswell & Son, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1815	1 of 1	NNE	4.91 / 25,920.97	DEMAX'S INC TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 07/21/2000
 Owners Name: DEMAX'S INC
 County: HARRIS
 Water Usage: SMALL BUSINESS
 Static Level: 220
 Depth Drilled: 412
 Latitude: 29.909905
 Longtiude: -95.382158

Send original copy by certified return receipt request to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																											
1) OWNER <u>DE MAX'S, INC.</u> ADDRESS <u>14518 HENRY RD.</u> <u>HOUSTON, TX.</u> <u>77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>14518 HENRY RD.</u> <u>HOUSTON, TX.</u> <u>77060</u> <small>County (Street, RFD or other) (City) (State) (Zip)</small>		Long. _____ Lat. _____ Grid # <u>65-05-9</u>																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>Small Business</u>		5) _____																											
6) WELL LOG: Date Drilling: _____ Started <u>7-21-2000</u> Completed <u>7-24-2000</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7"</u></td> <td><u>Surface</u></td> <td><u>412'</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>7"</u>	<u>Surface</u>	<u>412'</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																					
Dia. (in.)	From (ft.)	To (ft.)																													
<u>7"</u>	<u>Surface</u>	<u>412'</u>																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td>0-40</td><td></td><td>RED CLAY</td></tr> <tr><td>40-80</td><td></td><td>RED SAND</td></tr> <tr><td>80-160</td><td></td><td>CLAY</td></tr> <tr><td>160-240</td><td></td><td>SAND</td></tr> <tr><td>240-320</td><td></td><td>SHALE, ROCK, CLAY</td></tr> <tr><td>320-380</td><td></td><td>CLAY, ROCK</td></tr> <tr><td>380-412</td><td></td><td>SAND</td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	0-40		RED CLAY	40-80		RED SAND	80-160		CLAY	160-240		SAND	240-320		SHALE, ROCK, CLAY	320-380		CLAY, ROCK	380-412		SAND	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STING</u> If Gravel Packed give interval from _____ ft. to _____ ft.					
From (ft.)	To (ft.)	Description and color of formation material																													
0-40		RED CLAY																													
40-80		RED SAND																													
80-160		CLAY																													
160-240		SAND																													
240-320		SHALE, ROCK, CLAY																													
320-380		CLAY, ROCK																													
380-412		SAND																													
(Use reverse side of Well Owner's copy, if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4"</u></td> <td><u>N</u></td> <td><u>PVC CASING</u></td> <td><u>400</u></td> <td><u>0</u></td> <td><u>Set 40</u></td> </tr> <tr> <td><u>2.5"</u></td> <td><u>N</u></td> <td><u>PVC LINER</u></td> <td><u>400</u></td> <td><u>390</u></td> <td><u>Set 40</u></td> </tr> <tr> <td><u>2.5"</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>412</u></td> <td><u>400</u></td> <td><u>1012</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4"</u>	<u>N</u>	<u>PVC CASING</u>	<u>400</u>	<u>0</u>	<u>Set 40</u>	<u>2.5"</u>	<u>N</u>	<u>PVC LINER</u>	<u>400</u>	<u>390</u>	<u>Set 40</u>	<u>2.5"</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>412</u>	<u>400</u>	<u>1012</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
<u>4"</u>	<u>N</u>	<u>PVC CASING</u>	<u>400</u>	<u>0</u>	<u>Set 40</u>																										
<u>2.5"</u>	<u>N</u>	<u>PVC LINER</u>	<u>400</u>	<u>390</u>	<u>Set 40</u>																										
<u>2.5"</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>412</u>	<u>400</u>	<u>1012</u>																										
13) <input type="checkbox"/> Well plugged within 48 hours <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">Casing left in well:</th> <th colspan="2">Cement/bentonite placed in well:</th> <th>Sacks used:</th> </tr> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th></th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		Casing left in well:		Cement/bentonite placed in well:		Sacks used:	From (ft)	To (ft)	From (ft)	To (ft)												9) CEMENTING DATA Cemented from <u>400</u> ft. to <u>0</u> ft. No. of sacks used <u>20</u> <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>14</u> Method used <u>HALLIBURTON</u> Cemented by <u>ROBINSON WATER WELL SERVICE, INC.</u> Distance to septic system field lines or other concentrated contamination <u>130</u> ft. Method of verification of above distance <u>OWNER</u>									
Casing left in well:		Cement/bentonite placed in well:		Sacks used:																											
From (ft)	To (ft)	From (ft)	To (ft)																												
14) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																													
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>220</u> ft. below land surface Date <u>7-24-00</u> Artesian flow _____ gpm. Date <u>CO</u> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <u>OCT 03 2000</u> </div>																													
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata? _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <u>OCT 03 2000</u> </div> Type <u>K</u> Depth <u>390</u> AG																													
I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>ROBINSON WATER WELL SERVICE, INC.</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>54211 PKW</u>																													
ADDRESS <u>11819 W. MONTGOMERY RD.</u> <u>HOUSTON, TX.</u> <u>77086</u> <small>(Street or RFD) (City) (State) (Zip)</small>		(Signed) <u>David Noelma B.</u> (Signed) _____ <small>(Licensed Well Driller) (Registered Driller Trainee)</small>																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

TDLR FORM 001WWD (4/98)

White - TDLR Yellow - DRILLER Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1816	1 of 1	NNE	4.91 / 25,923.69	ANNELIESE BURDICK TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 10/30/1998
Owners Name: ANNELIESE BURDICK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 227
Depth Drilled: 393
Latitude: 29.9128985
Longitude: -95.3951673

Send original copy by certified return receipt requested to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on an reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																											
1) OWNER <u>ANNELESE BURDICK</u> ADDRESS <u>321 MCFARLAND HOUSTON TX 77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>																																															
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>321 MCFARLAND HOUSTON TX 77060</u> GRID # <u>G5056</u> <small>(Street, RFD or other) (City) (State) (Zip)</small>																																															
3) TYPE-OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																											
6) WELL LOG: Date Drilling: <u>10-27-98</u> Started <u>10-30-98</u> Completed <u>10-30-98</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>7</u></td> <td>Surface</td> <td><u>385</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>385</u></td> <td><u>393</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>7</u>	Surface	<u>385</u>	<u>3 7/8</u>	<u>385</u>	<u>393</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																															
DIAMETER OF HOLE																																															
Dia. (in.)	From (ft.)	To (ft.)																																													
<u>7</u>	Surface	<u>385</u>																																													
<u>3 7/8</u>	<u>385</u>	<u>393</u>																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr><td><u>0</u></td><td><u>5</u></td><td><u>TOP SOIL</u></td></tr> <tr><td><u>5</u></td><td><u>35</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>35</u></td><td><u>61</u></td><td><u>RED SAND</u></td></tr> <tr><td><u>61</u></td><td><u>99</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>99</u></td><td><u>130</u></td><td><u>SAND</u></td></tr> <tr><td><u>130</u></td><td><u>169</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>169</u></td><td><u>195</u></td><td><u>SAND</u></td></tr> <tr><td><u>195</u></td><td><u>222</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>222</u></td><td><u>248</u></td><td><u>SAND</u></td></tr> <tr><td><u>248</u></td><td><u>290</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>290</u></td><td><u>312</u></td><td><u>SAND</u></td></tr> <tr><td><u>312</u></td><td><u>349</u></td><td><u>RED SHALE</u></td></tr> <tr><td><u>349</u></td><td><u>393</u></td><td><u>SAND</u></td></tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>5</u>	<u>TOP SOIL</u>	<u>5</u>	<u>35</u>	<u>RED SHALE</u>	<u>35</u>	<u>61</u>	<u>RED SAND</u>	<u>61</u>	<u>99</u>	<u>RED SHALE</u>	<u>99</u>	<u>130</u>	<u>SAND</u>	<u>130</u>	<u>169</u>	<u>RED SHALE</u>	<u>169</u>	<u>195</u>	<u>SAND</u>	<u>195</u>	<u>222</u>	<u>RED SHALE</u>	<u>222</u>	<u>248</u>	<u>SAND</u>	<u>248</u>	<u>290</u>	<u>RED SHALE</u>	<u>290</u>	<u>312</u>	<u>SAND</u>	<u>312</u>	<u>349</u>	<u>RED SHALE</u>	<u>349</u>	<u>393</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																													
<u>0</u>	<u>5</u>	<u>TOP SOIL</u>																																													
<u>5</u>	<u>35</u>	<u>RED SHALE</u>																																													
<u>35</u>	<u>61</u>	<u>RED SAND</u>																																													
<u>61</u>	<u>99</u>	<u>RED SHALE</u>																																													
<u>99</u>	<u>130</u>	<u>SAND</u>																																													
<u>130</u>	<u>169</u>	<u>RED SHALE</u>																																													
<u>169</u>	<u>195</u>	<u>SAND</u>																																													
<u>195</u>	<u>222</u>	<u>RED SHALE</u>																																													
<u>222</u>	<u>248</u>	<u>SAND</u>																																													
<u>248</u>	<u>290</u>	<u>RED SHALE</u>																																													
<u>290</u>	<u>312</u>	<u>SAND</u>																																													
<u>312</u>	<u>349</u>	<u>RED SHALE</u>																																													
<u>349</u>	<u>393</u>	<u>SAND</u>																																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PHYC</u></td> <td><u>0</u></td> <td><u>373</u></td> <td><u>5440</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PHYC-SCREEN</u></td> <td><u>373</u></td> <td><u>393</u></td> <td><u>5480</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PHYC</u>	<u>0</u>	<u>373</u>	<u>5440</u>	<u>2 1/2</u>	<u>N</u>	<u>PHYC-SCREEN</u>	<u>373</u>	<u>393</u>	<u>5480</u>																						
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																																										
			From	To																																											
<u>4</u>	<u>N</u>	<u>PHYC</u>	<u>0</u>	<u>373</u>	<u>5440</u>																																										
<u>2 1/2</u>	<u>N</u>	<u>PHYC-SCREEN</u>	<u>373</u>	<u>393</u>	<u>5480</u>																																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>373</u> ft. No. of sacks used <u>24</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>125</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																													
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12.5</u> gpm with <u>12</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>227</u> ft. below land surface Date <u>10-30-98</u> Artesian flow _____ gpm. Date _____																																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>				Type	Depth																																								
Type	Depth																																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.																																															
COMPANY NAME <u>SUGG WATER WELL</u> WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u> <small>(Type or print) (License #)</small>		ADDRESS <u>13501 CHRISMAN #26 HOUSTON TEXAS 77039</u> <small>(Street or RFD) (City) (State) (Zip)</small>																																													
(Signed) <u>James H. Sugg</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																																															

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC Yellow - DRILLER Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1817	1 of 1	NNE	4.91 / 25,931.53	DAVID SPRABERRY TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 09/27/1995
Owners Name: DAVID SPRABERRY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 185
Depth Drilled: 416
Latitude: 29.9128799
Longitude: -95.3949071

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>David Spraberry</u> (Name) ADDRESS <u>327 McFarland</u> <u>Houston</u> <u>Texas</u> <u>77060</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65 05 40</u>		3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging																					
4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)		6) WELL LOG: Date Drilling: <u>09/26</u> 19 <u>95</u> Started <u>09/26</u> 19 <u>95</u> Completed <u>09/27</u> 19 <u>95</u>																					
7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Cemented</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA:																					
From (ft.) To (ft.) Description and color of formation material <u>0-42 SAND</u> <u>42-124 clay</u> <u>124-226 SAND</u> <u>226-286 SHALE</u> <u>286-416 sand</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>PVC Sch40 Casing</td> <td>0</td> <td>400</td> <td></td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC Slot Screen</td> <td>400</td> <td>416</td> <td>10</td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Sch40 Casing	0	400		2 1/2	N	PVC Slot Screen	400	416	10	9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>400</u> ft. No. of sacks used <u>26</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Halliburton</u> Cemented by <u>A. Rutherford</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____	
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																		
			From	To																					
4	N	PVC Sch40 Casing	0	400																					
2 1/2	N	PVC Slot Screen	400	416	10																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>320</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input checked="" type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]		11) WATER LEVEL: Static level <u>185</u> ft. below land surface Date <u>09/27/95</u> Artesian flow _____ gpm. Date _____																					
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after <u>2</u> hrs.		12) PACKERS: _____ Type _____ Depth _____ <u>2 1/2"</u> <u>K-Packer</u> <u>395</u>		15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Good</u> Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Tomball Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>1366</u>		ADDRESS <u>6517 FM 1488</u> <u>Magnolia</u> <u>Texas</u> <u>77355</u> (Street or RFD) (City) (State) (Zip)		(Signed) <u>Allen Rutherford</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																					
Please attach electric log, chemical analysis, and other pertinent information, if available.																									

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1818	1 of 1	NW	4.91 / 25,937.43	L V PRICE TX	TCEQ WELL LOGS

Grid No: 65-05-8A
 Date Drilled: 04/10/1962
 Owners Name: L V PRICE
 County: HARRIS
 Water Usage: HOME
 Static Level: 5
 Depth Drilled: 63
 Latitude: 29.900346
 Longtiude: -95.458629

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas
DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-05-80
Location on map 422
By WJ Date 2.3
Map No. 102(2)

1) Well Owner: L.V. Price 2842 Wherler Rd. Houston Texas
2) Land Owner: Same
3) Intended use: Industrial ☐ Municipal ☐ Irrigation ☐ Other Home
4) Location of well: County Harris Labor _____ League _____ Abstract No. _____
NW ☐ NE ☐ SW ☐ SE ☐ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)

3 miles in NW direction
from Houston

DRILLERS LOG OF WELL
Method of drilling: Rbtary Diameter of hole 4 in. Date drilled April 10 1962
All measurements made from 1 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	46	Red Clay			
46	50	Red Sand			
50	58	Red Clay			
58	63	Red Sand			

COMPLETION DATA

COMPLETION
Straight wall ☐
Under reamed ☐
Gravel packed ☐
Open hole ☒
Other _____

CASING
Type: Old ☐ New ☒
Cemented from _____ ft.
to _____ ft.

Diameter (inches)	Setting	
	from (ft)	to (ft)
2 1/2	0	58

SCREEN
Type _____
Perforated ☐ Slotted ☐

Diameter (inches)	Setting	
	from (ft)	to (ft)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
Callaway Callaway Drilling co. Reg. No. 42
Please attach electric log, chemical analysis, and other pertinent information if available.
If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA
Static water level 5'
ft. below _____

feet	hours	gpm
30	5	30

Pump type _____
Designed pumping rate _____ gpm ☐ gph ☐
Type power unit _____
Horsepower _____
Depth to bowls, cylinder, jet, etc., _____ ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company: OWNER.

C-34 (62-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1819	1 of 1	NE	4.91 / 25,938.89	Murtala, Ghulam TX	WW HARRIS GAL

Well ID:	13649	Diameter (inches):	2
Aggre Lead Well:	13649	Year Drilled:	NULL
Permit No:	WP2023-111869	Depth Drilled:	0
Permit Start Date:	8/1/2023 3:34:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 3:34:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.901944
Regulatory Aarea:	3	Longitude:	-95.363888
Owner Name:	Murtala, Ghulam		
Billing Contact:	NULL		
Billing Address:	1430 Aldine Mail Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1820	1 of 1	NNE	4.91 / 25,945.94	Joan Milsaps 1006 Walston Houston TX 77060	SDRW WELLS

Track NO: 33659
Date Submitted: 2004-03-05
Owner Name: Joan Milsaps
Owner Address: 1006 Walston
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.907501
Longitude: -95.375833
Drilling Date Started: 2004-03-03
Drilling Date Completed: 2004-03-04
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=33659&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 3
Measurement Date: 2004-03-04

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1821	1 of 1	NNE	4.91 / 25,947.13	Lillja Road Baptist Church TX	WW HARRIS GAL

Well ID:	12599	Diameter (inches):	2
Aggre Lead Well:	12599	Year Drilled:	201
Permit No:	W2020-12599-211028-0	Depth Drilled:	1
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	8/1/2020	County:	H
Well Status:	O - Operable	Latitude:	29.912222
Regulatory Aarea:	3	Longitude:	-95.391944
Owner Name:	Lillja Road Baptist Church		
Billing Contact:	NULL		
Billing Address:	14623 Lillja Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1822	1 of 1	NE	4.92 / 25,953.51	W B Golston TX	GWDB

Well Rep Track No:
State Well No: 6506716
Owner Name: W B Golston
Drilling Start Dt:
Drilling Month: 6
Drilling Day: 6
Drilling Year: 1968
Well Depth: 380
Well Usage: Domestic
Water Level Status:
Latitude: 29.8983340
Longitude: -95.3580560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6506716&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6506716&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1823	1 of 1	NE	4.92 / 25,962.41	Gonzales, Edward TX	WW HARRIS GAL

Well ID:	12083	Diameter (inches):	4
Aggre Lead Well:	12083	Year Drilled:	2011
Permit No:	WP2023-111611	Depth Drilled:	400
Permit Start Date:	8/1/2023 2:08:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	7/31/2024 2:08:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.903888
Regulatory Aarea:	3	Longitude:	-95.3675
Owner Name:	Gonzales, Edward		
Billing Contact:	NULL		
Billing Address:	13102 Reeveston		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1824	1 of 2	N	4.92 / 25,975.52	WILTOR MACHINE TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 05/31/2000
Owners Name: WILTOR MACHINE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 20
Depth Drilled: 50
Latitude: 29.9137636
Longitude: -95.4011127

Send original copy by certified return receipt requested

o: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 512-463-7880																					
1) OWNER <u>WILTOR MACHINE</u> ADDRESS <u>14647 RED BUD HWY TX 77060</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL'S LOCATION: <u>SAME</u> <small>County (City) (State) (Zip)</small>		Long. <u>65-05-9</u> <small>Lat. Grid #</small>																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>•</u>																					
6) WELL LOG: Date Drilling: <u>5/31/00</u> Started <u>5/31/00</u> Completed <u>19</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>5</u></td> <td>Surface</td> <td><u>50</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>5</u>	Surface	<u>50</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																							
<u>5</u>	Surface	<u>50</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-40</u> <u>YELLOW CLAY</u> <u>40-50</u> <u>SAND 6 CH.</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval from <u>40</u> ft. to <u>50</u> ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic CASE</u></td> <td><u>0</u></td> <td><u>40</u></td> <td><u>8480</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Plastic SCREEN</u></td> <td><u>45</u></td> <td><u>50</u></td> <td><u>.006</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>40</u>	<u>8480</u>	<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>45</u>	<u>50</u>	<u>.006</u>	9) CEMENTING DATA Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>12</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pressure</u> Cemented by <u>Raymond Services, Inc.</u> Distance to septic system field lines or other concentrated contamination <u>100</u> ft. Method of verification of above distance <u>Customer</u>			
Dia. (in.)	New or Used				Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																	
		From	To																						
<u>2</u>	<u>N</u>	<u>Plastic CASE</u>	<u>0</u>	<u>40</u>	<u>8480</u>																				
<u>2</u>	<u>N</u>	<u>Plastic SCREEN</u>	<u>45</u>	<u>50</u>	<u>.006</u>																				
13) <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		From (ft.)	To (ft.)	From (ft.)	To (ft.)					10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed <input checked="" type="checkbox"/> Specified Steel Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used															
From (ft.)	To (ft.)	From (ft.)	To (ft.)																						
14) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>35</u> ft.		11) WATER LEVEL: Static level <u>20</u> ft. below land surface Date <u>5/3/00</u> Artesian flow _____ gpm. Date _____																							
15) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>5</u> gpm with <u>10</u> ft. drawdown after <u>1</u> hrs.		12) PACKERS: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>SEQ #</th> <th>Depth</th> </tr> <tr> <td><u>NONE</u></td> <td> </td> </tr> </table>				SEQ #	Depth	<u>NONE</u>																	
SEQ #	Depth																								
<u>NONE</u>																									
16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal. COMPANY NAME <u>Raymond Services, Inc.</u> WELL DRILLER'S LICENSE NO. <u>4577WI</u> <small>(Type or print)</small> ADDRESS <u>10011 Airline Drive, Houston, TX 77037</u> <small>(Street or RFD) (City) (State) (Zip)</small> (Signed) <u>[Signature]</u> (Signed) _____ <small>(Licensed Well Driller) (Registered Driller Trainee)</small> Please attach electric log, chemical analysis, and other pertinent information, if available.																							

TDLR FORM 001WWD (4/98)

White - TDLR

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1824	2 of 2	N	4.92 / 25,975.52	Aguilera, Efren Jr. TX	WW HARRIS GAL

Well ID:	8422	Diameter (inches):	2
Aggre Lead Well:	8422	Year Drilled:	NULL
Permit No:	W2020-8422-211355-0	Depth Drilled:	50
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.913888
Regulatory Aarea:	3	Longitude:	-95.401111
Owner Name:	Trendsetter Engineering Inc		
Billing Contact:	NULL		
Billing Address:	1551 Dawnbrook Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77068		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1825	1 of 1	N	4.92 / 25,981.41	WILLIAM N VEST TX	TCEQ WELL LOGS

Grid No: 65-06-4
 Date Drilled: 03/12/1981
 Owners Name: WILLIAM N VEST
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 205
 Depth Drilled: 345
 Latitude: 29.9132519
 Longtiude: -95.3964789

1.0 mi. N15L
4 mi. E1W

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER William N. Vest Address 302 Branding Iron, Hwy, P.O. 77060
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Harrie miles in _____ direction from _____
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. on 64-09-7

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 3/12 1981
Started 3/12 1981
Completed 3/12 1981

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 345

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2-strap
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-5	Surface							
5-45	red + yellow shale							
45-125	red clay		4	N	Plastic	0	330	40
125-140	Sand							
140-230	red clay		2 1/2	N	Plas. slotted	335	345	12
230-295	white clay							
295-325	blue clay							
325-345	Sand							

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 255 ft. to 330 ft. No. of Sacks Used 5
_____ ft. to _____ ft. No. of Sacks Used _____
Method used pressure
Cemented by driller

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☒ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 205 ft. below land surface Date 3/12/81
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____
N/A

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? ☐ Yes ☒ No

WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME A & L Pump & Well Water Well Driller's License No. 1587
(Type or Print)

ADDRESS 2103 N. MAIN HIGHLANDS TX 77562
(Street or RFD) (City) (State) (Zip)

(Signed) Miller M. Smith (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 6506-4
Located on map _____

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1826	1 of 5	NE	4.92 / 25,982.35	TALLOWS MOBILE HOME PARK TX	WUD

Primary Co: CORAIMA REYNA
Contact Ti: COMPLIANCE COORDINATOR
Operating Status: OPERATIONAL
PWSID: 1010863
Source ID: G1010863B
Utility Name: TALLOWS MOBILE HOME PARK
WTRSRC: G1010863B
Date Drilled: 03/05/2010
Well Depth: 463
Screen Top: 0
Screen Bottom: 0
Water Usage: ACTIVE - PERMANENT
Gallons Per Minute: 38
CCN: N/A
Latitude: 29.903322
Longitude: -95.364992
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1826	2 of 5	NE	4.92 / 25,982.35	TALLOWS MOBILE HOME PARK TX	WUD

Primary Co: CORAIMA REYNA
Contact Ti: COMPLIANCE COORDINATOR
Operating Status: PLUGGED
PWSID: 1010863
Source ID: G1010863A
Utility Name: TALLOWS MOBILE HOME PARK
WTRSRC: G1010863A
Date Drilled:
Well Depth: 0
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: 10
CCN: N/A
Latitude: 29.902442
Longitude: -95.364728
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1826	3 of 5	NE	4.92 / 25,982.35	TALLOWS MOBILE HOME PARK TX	WUD

Primary Co: CORAIMA REYNA
Contact Ti: COMPLIANCE COORDINATOR
Operating Status: TEST
PWSID: 1010863
Source ID: G1010863C
Utility Name: TALLOWS MOBILE HOME PARK
WTRSRC: G1010863C
Date Drilled: 06/19/2013
Well Depth: 530
Screen Top: 0
Screen Bottom: 0
Water Usage: PRELIMINARY - INACTIVE
Gallons Per Minute: 90
CCN: N/A
Latitude: 29.903569
Longitude: -95.364786
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1826	4 of 5	NE	4.92 / 25,982.35	Smith, William D. TX	WW HARRIS GAL

Well ID:	4849	Diameter (inches):	5
Aggre Lead Well:	4849	Year Drilled:	1986
Permit No:	W2009-4849-142186-0	Depth Drilled:	458
Permit Start Date:	11/1/2009	Depth frm Surf(ft):	280
Permit End Dt:	5/12/2010	County:	H
Well Status:	4 - No electric or plumbing or motor	Latitude:	29.903333
Regulatory Aarea:	3	Longitude:	-95.365
Owner Name:	Smith, William D.		
Billing Contact:	NULL		
Billing Address:	10706 Cora St., #71		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77088		
Correspondence:	Tallow M.H.P.		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1826	5 of 5	NE	4.92 / 25,982.35	Tallows Mobile Home Park 1415 Tallows Mobile Home Park Houston TX 77088	SDRW WELLS

Track NO: 340037
Date Submitted: 2013-09-04
Owner Name: Tallows Mobile Home Park
Owner Address: 1415Aldine Mail Rt.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77088
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.903612
Longitude: -95.414723
Drilling Date Started: 2013-06-16
Drilling Date Completed: 2013-06-19
Chemical Analysis: Yes
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=340037&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 530

Top Depth:
Bottom Depth: 530.0

Well Levels

Measurement: 190
Measurement Date: 2013-08-11

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1827	1 of 1	SW	4.92 / 25,985.20	GONZELLO URIOSTEGUI TX	TCEQ WELL LOGS

Grid No:	65-13-4
Date Drilled:	11/07/2000
Owners Name:	GONZELLO URIOSTEGUI
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	12
Depth Drilled:	50
Latitude:	29.7984936
Longtiude:	-95.47548

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202 Email address: water.well@license.state.tx.us		This form must be completed and filed with the department and owner within 60 days upon completion of the well.																					
WELL REPORT																									
A. WELL IDENTIFICATION AND LOCATION DATA																									
1) OWNER																									
Name <u>Gonzello Crietegui</u>		Address <u>1542 Antone</u>		City <u>Houston</u>	State <u>TX</u> Zip <u>77055</u>																				
2) WELL LOCATION																									
County <u>Harris</u>		Physical Address <u>Same</u>		City	State Zip																				
3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>NT</u>																					
6) Drilling Date Started <u>11 / 7 / 00</u> Completed <u>11 / 7 / 00</u>		Diameter of Hole <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia.(in)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td><u>5"</u></td> <td><u>surface</u></td> <td><u>50</u></td> </tr> </table>		Dia.(in)	From (ft)	To (ft)	<u>5"</u>	<u>surface</u>	<u>50</u>	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia.(in)	From (ft)	To (ft)																							
<u>5"</u>	<u>surface</u>	<u>50</u>																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>surface</u></td> <td><u>18</u></td> <td><u>Yellow & Gray clay</u></td> </tr> <tr> <td><u>18</u></td> <td><u>44</u></td> <td><u>Sand & Rock</u></td> </tr> <tr> <td><u>44</u></td> <td><u>50</u></td> <td><u>Sand</u></td> </tr> </table>		From (ft)	To (ft)	Description and color of formation material	<u>surface</u>	<u>18</u>	<u>Yellow & Gray clay</u>	<u>18</u>	<u>44</u>	<u>Sand & Rock</u>	<u>44</u>	<u>50</u>	<u>Sand</u>	8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from <u>40</u> ft. to <u>50</u> ft.											
From (ft)	To (ft)	Description and color of formation material																							
<u>surface</u>	<u>18</u>	<u>Yellow & Gray clay</u>																							
<u>18</u>	<u>44</u>	<u>Sand & Rock</u>																							
<u>44</u>	<u>50</u>	<u>Sand</u>																							
		Casing, Blank Pipe, and Well Screen Data																							
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Casing Plastic</u></td> <td><u>surface</u></td> <td><u>40</u></td> <td><u>50</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>Screen Plastic</u></td> <td><u>40</u></td> <td><u>50</u></td> <td><u>0.006</u></td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	<u>2</u>	<u>N</u>	<u>Casing Plastic</u>	<u>surface</u>	<u>40</u>	<u>50</u>	<u>2</u>	<u>N</u>	<u>Screen Plastic</u>	<u>40</u>	<u>50</u>	<u>0.006</u>
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen																				
			From	To																					
<u>2</u>	<u>N</u>	<u>Casing Plastic</u>	<u>surface</u>	<u>40</u>	<u>50</u>																				
<u>2</u>	<u>N</u>	<u>Screen Plastic</u>	<u>40</u>	<u>50</u>	<u>0.006</u>																				
		9) Cementing Data Cementing from <u>surface</u> ft. to <u>40</u> ft. # of sacks used <u>7</u> _____ ft. to _____ ft. # of sacks used _____ Method Used <u>Pressure</u> Cementing By <u>RAYMOND SERVICES, Inc.</u> Distance to septic system field or other concentrated contamination _____ ft. Method of verification of above distance <u>Customer</u>																							
13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: <u>Cement/Bentonite placed in well:</u>		10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		From (ft)	To (ft)	From (ft)	To (ft)	Sacks used						11) Water Level Static level <u>12</u> ft. below _____ Date <u>11 / 7 / 00</u> Artesian Flow _____ gpm. Date _____													
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																					
14) Typepump <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet etc., _____ ft.		12) Packers <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>NE 1/2 2" x 10'</u></td> <td><u>40'</u></td> </tr> </table>				Type	Depth	<u>NE 1/2 2" x 10'</u>	<u>40'</u>																
Type	Depth																								
<u>NE 1/2 2" x 10'</u>	<u>40'</u>																								
15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		16) Water Quality Did you knowingly penetrate and strata which contain undesirable constituents. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER Type of water _____ Depth of Strata _____ Was a chemical analysis made <input type="checkbox"/> Yes <input type="checkbox"/> No																							
Company or individual's Name (type or print) <u>Raymond Services, Inc.</u>		<u>4577MI</u>																							
Address <u>70011 Airline Drive</u>		City <u>Houston</u>		State <u>TX</u> Zip <u>77037</u>																					
Signature _____ <small>Water Well Driller/Pump Installer</small>		Signature _____ <small>Apprentice</small>		Date <u>11 / 7 / 00</u>																					

TDLR FORM 001WWD

White - TDLR

Yellow - Owner

Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1828	1 of 2	NNE	4.92 / 25,986.67	Jann M. Peralta 1010 Walston Lane Houston TX 77060	SDRW WELLS

Track NO: 169338
Date Submitted: 2009-02-25
Owner Name: Jann M. Peralta
Owner Address: 1010 Walston Lane
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.907778
Longitude: -95.375555
Drilling Date Started: 2004-09-06
Drilling Date Completed: 2004-09-09
Chemical Analysis: No
Company Name: Sugg Water Well
Company Address: 13501 Chrisman #26
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77039
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=169338&Type=SDR-Well>

Well Borehole Information

Top Depth: 380
Bottom Depth: 392

Top Depth: 0
Bottom Depth: 380

Top Depth:
Bottom Depth: 392.0

Well Levels

Measurement: 198
Measurement Date: 2004-09-08

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1828	2 of 2	NNE	4.92 / 25,986.67	Peralta, Aranza TX	WW HARRIS GAL

Well ID:	16590	Diameter (inches):	4
Aggre Lead Well:	16590	Year Drilled:	NULL
Permit No:	WP2023-113851	Depth Drilled:	450
Permit Start Date:	8/9/2023 12:41:00 PM	Depth frm Surf(ft):	NULL
Permit End Dt:	7/31/2024 12:41:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.90786
Regulatory Aarea:	3	Longitude:	-95.37558
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	1010 Walston Ln		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	Tx		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1829	1 of 1	NNE	4.92 / 25,990.37	DIETER BUBENDEY TX	TCEQ WELL LOGS

Grid No:	65-05-9NN
Date Drilled:	08/21/1975
Owners Name:	DIETER BUBENDEY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	100
Depth Drilled:	159
Latitude:	29.9128985
Longitude:	-95.3940059

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-2NN
Located on map 25-10
Received: 2-25-75

1) OWNER:
Person having well drilled Dieter Bubendey Address 343 McFarland Houston Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 8 miles in N direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
see map included 413-A 65-06-8 JJ North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Irrigation ☐ Industrial ☐ Municipal ☐ Other

5) TYPE OF WELL (Check):
☒ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 159 ft ft. Depth of completed well 174 ft ft. Date drilled 8-21-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	Yellow Clay
10	15	Red Yellow Clay
15	40	Red Clay
40	50	Sand and Rock
50	90	Red Clay
90	125	Red Yellow Clay
125	174	Sand

(Use reverse side if necessary)

7) COMPLETION (Check):
☒ Strainer ☐ Gravel packed ☐ Other
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 100 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

9) CASING:
Type: ☒ Old ☐ Steel ☒ Other
Cemented from 159 ft up ft. to _____ ft.
Diameter (inches) 4 Setting From (ft.) 1 To (ft.) 159 Gage 40

10) SCREEN: Well Supplies Plastic Wrapped
Type _____
Perforated _____ Slotted _____
Diameter (inches) 2 1/2 Setting From (ft.) 164 To (ft.) 174 Slot Size 16 ga

11) WELL TESTS:
Was a pump test made? Yes ☐ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ☒
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 AIRLINE DR. HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) C.A. Raymond Jr. Raymond Water Well Drilling Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1830	1 of 1	SW	4.93 / 26,011.28	QUENG VO TX	TCEQ WELL LOGS

Grid No: 65-13-4
 Date Drilled: 11/07/2000
 Owners Name: QUENG VO
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 12
 Depth Drilled: 50
 Latitude: 29.798322
 Longtiude: -95.475431

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name: Quang VO Address: 1538 Antoine City: Houston State: TX Zip: 77055

2) WELL LOCATION

County: Harris Physical Address: Same City: State: Zip:

3) Type of Work

☒ New Well ☐ Deepening
☐ Reconditioning

4) Proposed Use (check)

☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) Drilling Date

Started 11/7/00
Completed 11/7/00

6) Diameter of Hole

Dia.(in.) From (ft) To (ft)
5" surface 50

7) Drilling Method (check)

☐ Air Rotary ☒ Mud Rotary ☐ Driven
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

8) Borehole Completion

☐ Open Hole ☐ Straight Wall
☐ Under-reamed ☒ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<u>2</u>	<u>N</u>	<u>Casing Plastic</u>	<u>surface</u>	<u>40</u>	<u>50.00</u>
<u>2</u>	<u>N</u>	<u>Screen Plastic</u>	<u>40</u>	<u>50.00</u>	<u>0.00</u>

9) Cementing Data

Cementing from surface ft. to 40 ft. # of sacks used 7
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance Customer

10) Surface Completion

☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level

Static level 12 ft. below Date 11/7/00
Artesian Flow Flow gpm. Date 11/7/00

12) Packers

Type 2 7 2000 Depth 11/7/00

13) Plugged

☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:
From (ft) To (ft) From (ft) To (ft) Sacks used

14) Typepump

☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

15) Water Test

Type test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 10 gpm with ft. drawdown after hrs.

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print)

Raymond Services, Inc.

Address

10011 Airline Dr.

City

Houston

State

TX

Zip

77037

Signature

[Signature]

Signature

[Signature]

Date

11/7/00

Date

11/7/00

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1831	1 of 2	SE	4.93 / 26,011.74	Standard Rendering Co. TX	GWDB

Well Rep Track No:
State Well No: 6514417
Owner Name: Standard Rendering Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1951
Well Depth: 515
Well Usage: Industrial
Water Level Status:
Latitude: 29.7980560
Longitude: -95.3458340
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514417&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514417&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1831	2 of 2	SE	4.93 / 26,011.74	Standard Rendering Co. TX	GWDB

Well Rep Track No:
State Well No: 6514416
Owner Name: Standard Rendering Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year:
Well Depth: 520
Well Usage: Industrial
Water Level Status:
Latitude: 29.7980560
Longitude: -95.3458340
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514416&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514416&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1832	1 of 1	N	4.93 / 26,020.99	Joe Martinez 207 Branding Iron Houston TX 77039	SDRW WELLS

Track NO: 189928
Date Submitted: 2009-08-17
Owner Name: Joe Martinez
Owner Address: 207 Branding Iron
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.913889
Longitude: -95.400001
Drilling Date Started: 2006-10-04
Drilling Date Completed: 2006-10-06
Chemical Analysis:
Company Name: Lowe Water Wells, Inc.
Company Address: P.O. Box 89
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=189928&Type=SDR-Well>

Well Borehole Information

Top Depth: 330
Bottom Depth: 390

Top Depth: 20
Bottom Depth: 330

Top Depth: 0
Bottom Depth: 20

Top Depth:
Bottom Depth: 390.0

Well Levels

Measurement: 197
Measurement Date: 2006-10-06

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1833	1 of 1	NNE	4.93 / 26,029.67	W.T. FEW TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 06/11/1968
Owners Name: W.T. FEW
County: HARRIS
Water Usage: DOMESTIC
Static Level: 135
Depth Drilled: 298
Latitude: 29.9129148
Longtiude: -95.3934534

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only:
Well No. 65-05-91
Located on map Y.P.S.
Received: 69
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled W.T. Few (Name) Address 351 McFarland Houston (Street or RFD) (City) (State)
Landowner WT Few (Name) 351 McFarland Houston, Texas (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
miles in 18 direction from Houston (Town)
Well marked on attached map NORTH ↑

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 278 ft. Depth of completed well 298 ft. Date drilled 6-11-68
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
31	43	white clay
42	54	white & red clay
54	58	fine red sand
58	63	red clay
63	84	red clay
84	105	white clay (soft)
105	138	

From (ft.)	To (ft.)	Description and color of formation material
138	169	white sand & gravel
169	182	blue sand & white clay
182	190	sand white 10 ga
190	170	hard red clay
173	298	white sand 14 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐ Two String

9) CASING:
Type: old ☐ New ☒ Steel ☐ Plastic ☐ Other ☐
Cement ☐ 10 bags Cement Plug

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	6"	278	

8) WATER LEVEL:
Static level 135 ft. below land surface Date 6-11-68
Artesian pressure _____ lbs. per square inch Date _____

10) SCREEN:
Type Well Screen Inc
Plastic wrapped Slotted ☐

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot size
2 1/2	278	298	14 ga


11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes by whom? Raymond Carter Wells
Yield: 20 gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? _____ depth of strata _____

12) PUMP DATA:
Manufacturer's Name Reda
Type Sub H.P. 1 1/2
Designed pumping rate _____ gpm ☐ gph ☐
Type power unit 220V
Depth to bowls, cylinder, jet, etc., 184 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. Raymond Jr. (Type or Print) Water Well Drillers Registration No. 774
Address 132 Bayou Houston Texas (Street or RFD) (City) (State)
(Signed) C. Raymond Jr. (Water Well Driller) Raymond Carter Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1834	1 of 1	N	4.93 / 26,031.14	GREATER CLUBS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 04/23/1987
Owners Name: GREATER CLUBS
County: HARRIS
Water Usage: PRIVATE
Static Level: 167
Depth Drilled: 240
Latitude: 29.914245
Longtiude: -95.406706

TEXAS WATER COMMISSION COPY



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1835	1 of 1	N	4.93 / 26,031.26	D E JONES TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 05/08/1986
Owners Name: D E JONES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 318
Latitude: 29.913782
Longitude: -95.3997029

39.

Km. 3A

. 2m: SINL
1.1m: W/EK

TDWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1836	1 of 1	NW	4.93 / 26,038.87	Sauceda, Guadalupe TX	WW HARRIS GAL

Well ID:	9481	Diameter (inches):	4
Aggre Lead Well:	9481	Year Drilled:	1978
Permit No:	WP2023-108181	Depth Drilled:	1
Permit Start Date:	6/1/2023 11:12:00 AM	Depth frm Surf(ft):	1
Permit End Dt:	5/31/2024 11:12:00 AM	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.461388
Owner Name:	Sauceda, Guadalupe		
Billing Contact:	NULL		
Billing Address:	2930 Lincoln Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1837	1 of 2	NW	4.93 / 26,039.94	GEORGE WONG TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 04/25/1991
Owners Name: GEORGE WONG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 412
Latitude: 29.897704
Longitude: -95.463083

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 Please use black ink.

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER George Wong ADDRESS Tomball Parkway Houston, Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 10 miles in NW direction from Houston
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: 4-24-91
Started: 4-25-91
Completed: _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	412

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 4 String Cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	100	Clay
100	200	Sand
200	300	Clay
300	412	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4"	N	Casing	0	400	
2 1/2"	N	Liner	392	402	
2 1/2"	N	Screen	402	412	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 280 ft. to 400 ft. No. of Sacks Used 10
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pileless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 200 ft. below land surface Date 4-25-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
K-Packer 392

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 250 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailor ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Robinson Water Well Service, Inc. WELL DRILLER'S LICENSE NO. 2212
(Type or print)

ADDRESS 11607 FM 149 Houston Texas 77086
(Street or RFD) (City) (State) (Zip)

(Signed) Jim Robinson (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 48 Located on map 65-5-7



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1837	2 of 2	NW	4.93 / 26,039.94	TriStar Convenience Stores, Inc. TX	WW HARRIS GAL

Well ID:	4486	Diameter (inches):	4
Aggre Lead Well:	4486	Year Drilled:	1981
Permit No:	WP2023-107740	Depth Drilled:	339
Permit Start Date:	6/1/2023 2:22:00 PM	Depth frm Surf(ft):	339
Permit End Dt:	5/31/2024 2:22:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.463055
Owner Name:	TriStar Convenience Stores, Inc.		
Billing Contact:	Jimmy Wacha		
Billing Address:	4415 Highway 6		
Billing Address 2:	NULL		
Billing City:	Sugar Land		
Billing State:	TX		
Billing Zip:	77478		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1838	1 of 1	NNE	4.93 / 26,040.13	LEAMON A JONES TX	TCEQ WELL LOGS

Grid No: 65-05-6J
Date Drilled: 03/20/1971
Owners Name: LEAMON A JONES
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 50
Latitude: 29.9132635
Longitude: -95.3954302

Dug

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-61
Located on map 1/2 S
Received: 7/1/71

1) OWNER:
Person having well drilled Leamon A. Jones Address 318 Branding Row Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 7 miles in N direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
map attached
map no 65-05-6R
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 3 1/2 in. Depth drilled 50 ft. Depth of completed well 50 ft. Date drilled 3-20-71
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-18	18	White clay
18-50	50	W Sand 10 gal

9) CASING:
Type: Old ☒ New ☐ Steel ☒ Plastic ☐ Other
Cemented from none ft. to none ft.
Diameter (inches) 2 Setting From (ft.) +1 To (ft.) 45 Gage 40

10) SCREEN:
Type Plastic
Perforated ☐ Slotted ☐
Diameter (inches) 2 Setting From (ft.) 45 To (ft.) 50 Slot Size 10

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 20 ft. below land surface.

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes, by whom?
Yield: 400 gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CA Raymond Jr. Water Well Drillers Registration No. 774
(Type or Print)
ADDRESS 132 RAYMAC Houston Texas
(Street or RFD) (City) (State)
(Signed) CA Raymond Jr. Raymond Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1839	1 of 1	NE	4.93 / 26,041.54	Castellanos, Angie & Jose Lara TX	WW HARRIS GAL

Well ID:	14135	Diameter (inches):	4
Aggre Lead Well:	14135	Year Drilled:	NULL
Permit No:	W2020-14135-210727-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2021	County:	H
Well Status:	O - Operable	Latitude:	29.902222
Regulatory Aarea:	3	Longitude:	-95.363055
Owner Name:	Castellanos, Angie & Jose Lara		
Billing Contact:	NULL		
Billing Address:	P.O. Box 3135		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77383		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1840	1 of 1	NE	4.93 / 26,046.53	GTLD International Property Management	WW HARRIS GAL

TX

Well ID:	14510	Diameter (inches):	4
Aggre Lead Well:	14510	Year Drilled:	0
Permit No:	WP2023-110634	Depth Drilled:	400
Permit Start Date:	6/1/2022	Depth frm Surf(ft):	380
Permit End Dt:	6/30/2024 10:14:00 AM	County:	H
Well Status:	N - Not Drilled	Latitude:	29.901666
Regulatory Aarea:	3	Longitude:	-95.361944
Owner Name:	NULL		
Billing Contact:	Guillermo Marquez		
Billing Address:	P.O. Box 40470		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77240		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1841	1 of 1	NNE	4.93 / 26,050.61	R L COOK TX	TCEQ WELL LOGS

Grid No: 65-06-4CCC
 Date Drilled: 12/01/1977
 Owners Name: R L COOK
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 200
 Depth Drilled: 358
 Latitude: 29.9060396
 Longtiude: -95.3710218

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. LS-06-4CC
Located on map 14
Received: 78-115
alt

1) OWNER:
Person having well drilled R.L. COOK Address 9223 EASTEX. FREEWAY.
(Name) (Street or RFD) (City) (State)
Landowner SAME Address HOUSTON, TEX. 77093
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in 1 direction from HOUSTON, TEX
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from
hiway number, etc.* FM. 525 adjacent sections or survey lines.
WELL AT
1122 LUTHER RD North
ALDINE MAILROAD (Use reverse side if necessary)
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 358 ft. Depth of completed well 358 ft. Date drilled DEC. 1, 77
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	239	CLAY
239	247	SAND
247	315	CLAY
315	336	SAND
336	341	CLAY
341	358	SAND

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from 100 ft. to 325 ft.
Diameter (inches) _____ Setting _____
From (ft.) To (ft.) Casing
4" 0 325
2 1/2" 325 343

10) SCREEN: PLASTIC - RIBBED
Type: Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) To (ft.) Slot Size
2 1/2" 343 358 #14

7) COMPLETION (check):
Straight wall _____ Gravel packed STRING Other _____
Under reamed TWO Open Hole _____

8) WATER LEVEL:
Static level 100 ft. below land surface Date DEC. 1, 77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata 17

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
(Type or Print)
ADDRESS P.O. Box 90067, HOUSTON, TEX. 77090
(Street or RFD) (City) (State)
(Signed) C. A. Bode BODE DRILLING CO. INC.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBS-WDB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1842	1 of 1	SW	4.93 / 26,053.67	M.L. Hilton TX	GWDB

Well Rep Track No:

State Well No:

6513806

Owner Name:

M.L. Hilton

Drilling Start Dt:

Drilling Month:

Drilling Day:

Drilling Year:

Well Depth:

60

Well Usage:

Plugged or Destroyed

Water Level Status:

Latitude:

29.7827780

Longitude:

-95.4575010

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513806&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513806&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1843	1 of 1	NW	4.93 / 26,054.68	PAT MOODY TX	TCEQ WELL LOGS

Grid No: 65-05-4
Date Drilled: 01/15/1998
Owners Name: PAT MOODY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 215
Depth Drilled: 346
Latitude: 29.900347
Longtiude: -95.459257

Send original copy by certified return receipt requested mail to: .RCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>PAT moody</u> (Name) ADDRESS <u>2902 Washington Houston Tx 77086</u> (Street or RFD) (City) (State) (Zip)																															
2) ADDRESS OF WELL: County <u>Harris</u> <u>2902 Washington Houston Tx 77086</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>65-05-4</u>																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: _____ Started <u>1/7/98</u> Completed <u>1/15/98</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>10'</td> <td>Surface</td> <td>10'</td> </tr> <tr> <td>7 1/2</td> <td>10</td> <td>315</td> </tr> <tr> <td>3 3/8</td> <td>315</td> <td>346</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	10'	Surface	10'	7 1/2	10	315	3 3/8	315	346	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																													
10'	Surface	10'																													
7 1/2	10	315																													
3 3/8	315	346																													
From (ft.) To (ft.) Description and color of formation material <u>0-15 SAND</u> <u>15-25 CLAY</u> <u>25-35 SAND</u> <u>35-45 CLAY</u> <u>45-60 SAND</u> <u>60-85 CLAY</u> <u>85-170 SAND</u> <u>170-245 CLAY</u> <u>245-260 SAND</u> <u>260-285 CLAY</u> <u>285-305 SAND</u> <u>305-320 CLAY</u> <u>320-346 SAND WATER</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>Sch 40 CASING</td> <td>0</td> <td>315</td> <td></td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>Solid Sch 40 Pipe</td> <td>310</td> <td>326</td> <td></td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>Slotted Screen</td> <td>326</td> <td>346</td> <td>1.008</td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	Sch 40 CASING	0	315		2 1/2	N	Solid Sch 40 Pipe	310	326		2 1/2	N	Slotted Screen	326	346	1.008
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
4	N	Sch 40 CASING	0	315																											
2 1/2	N	Solid Sch 40 Pipe	310	326																											
2 1/2	N	Slotted Screen	326	346	1.008																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>315</u> ft. to <u>200</u> ft. No. of sacks used <u>9 1/2</u> <u>100</u> ft. to <u>0</u> ft. No. of sacks used <u>10 1/2</u> Method used <u>Portland, Red mix</u> Cemented by <u>Jeff Tolker John Tolker</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>1495</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] SEQ # <u>4X5</u> <input type="checkbox"/> Specified Steel Streets Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71] DESC CD																													
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>12</u> gpm with <u>15</u> ft. drawdown after <u>1HR</u> hrs.		11) WATER LEVEL: Static level <u>215</u> ft. below land surface Date <u>1/8/97</u> Artesian flow <u>25</u> gpm. Date <u>1/8/97</u> COMMENT _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>SOFT</u> Depth of strata <u>131'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: Type Depth <u>Portland sand mix</u> <u>200'</u> <u>Red mix</u>																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>Tolker's Water Well Ser.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>53141 WP</u>																															
ADDRESS <u>14201 Archwood</u> (Street or RFD) <u>Houston</u> (City) <u>Tx</u> (State) <u>77049</u> (Zip)																															
(Signed) <u>Jeff Tolker</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1844	1 of 1	NNE	4.94 / 26,071.33	ELBERT CARROLL TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 06/1/1974
 Owners Name: ELBERT CARROLL
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 4
 Depth Drilled: 43
 Latitude: 29.9083106
 Longtiude: -95.3762577


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-926
Located on map yes
Received: 74 yes
all

1) OWNER:
Person having well drilled ELBERT CARROLL Address 1003 WALSTON
(Name) (Street or RFD) (City) (State)
Landowner _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS _____ 18 miles in N direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 5 1/2 in. Depth drilled 43 ft. Depth of completed well 43 ft. Date drilled 6-1-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	20	GRAY CLAY
20	26	WHITE SAND
26	43	BROWN SAND

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
3	0	35	SCH 40

10) SCREEN:
Type plastic
Perforated ☒ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
3	35	43	8

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 4 ft. below land surface Date 6-1-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 30 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 7507 DANAK DR. HOUSTON TEXAS 77055
(Street or RFD) (City) (State)
(Signed) John B. Lumpkin Jr. LONG POINT WATER WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1845	1 of 1	N	4.94 / 26,075.88	Faith & Grace Ministries TX	WW HARRIS GAL

Well ID:	8829	Diameter (inches):	4
Aggre Lead Well:	8829	Year Drilled:	1970
Permit No:	W2016-8829-184293-0	Depth Drilled:	NULL
Permit Start Date:	8/1/2016	Depth frm Surf(ft):	NULL
Permit End Dt:	8/1/2016	County:	H
Well Status:	P - Plugged	Latitude:	29.914166
Regulatory Aarea:	3	Longitude:	-95.41
Owner Name:	Faith & Grace Ministries		
Billing Contact:	NULL		
Billing Address:	165 West Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1846	1 of 3	NNE	4.94 / 26,077.62	Botello, Otoniel TX	WW HARRIS GAL

Well ID:	10824	Diameter (inches):	4
Aggre Lead Well:	10824	Year Drilled:	
Permit No:	W2009-10824-140337-0	Depth Drilled:	15
Permit Start Date:	8/1/2009	Depth frm Surf(ft):	10
Permit End Dt:	8/1/2009	County:	H
Well Status:	C - Capped	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.368055
Owner Name:	Botello, Otoniel		
Billing Contact:	Tony Botello		
Billing Address:	2204 Eclipse		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77018		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1846	2 of 3	NNE	4.94 / 26,077.62	Botello, Otoniel TX	WW HARRIS GAL

Well ID:	10775	Diameter (inches):	4
Aggre Lead Well:	10775	Year Drilled:	2008
Permit No:	WP2021-100446	Depth Drilled:	50
Permit Start Date:	8/1/2021 4:39:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.905
Regulatory Aarea:	3	Longitude:	-95.368055
Owner Name:	Botello, Otoniel		
Billing Contact:	NULL		
Billing Address:	2204 Eclipse		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77018		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1846	3 of 3	NNE	4.94 / 26,077.62	South Coast Gunite 13203 Reeveston Houston TX 77039	SDRW WELLS

Track NO: 135048
Date Submitted: 2008-02-21
Owner Name: South Coast Gunite
Owner Address: 13203 Freeveston
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905278
Longitude: -95.3675
Drilling Date Started: 2008-01-28
Drilling Date Completed: 2008-01-28
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=135048&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 5
Measurement Date: 2008-01-28

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1847	1 of 2	N	4.94 / 26,078.83	J.D. DAVIS TX	TCEQ WELL LOGS

Grid No: N/A
 Date Drilled: 08/??/1972
 Owners Name: J.D. DAVIS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 180
 Depth Drilled: 342
 Latitude: 29.9137898
 Longtiude: -95.3985738

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. _____ Located on map <u>NO</u> Received: <u>93</u>																																																
1) OWNER: Person having well drilled <u>J.D. Davis</u> Address <u>231 Branding Iron</u> <u>Houston Texas</u> <small>(Name) (Street or RFD) (City) (State)</small> Landowner <u>same</u> Address _____ <small>(Name) (Street or RFD) (City) (State)</small>																																																				
2) LOCATION OF WELL: County <u>Harris</u> _____ 10 miles in <u>N.</u> direction from <u>Houston</u> <small>(N.E., S.W., etc.) (Town)</small> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> Well is located at 231 Branding Iron St. Branding Iron is WWEZE East of IH 45 & North of Aldine Mail Rt. </div> <div style="text-align: center; margin-top: 5px;"> North ↑ </div> </div> <div style="width: 45%;"> OR Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ <small>(NW¼ NE¼ SW¼ SE¼ of Section</small> </div> </div>																																																				
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____																																																
6) WELL LOG: Diameter of hole <u>6</u> in. Depth drilled <u>342</u> ft. Depth of completed well <u>342</u> ft. Date drilled <u>Aug. 72</u> All measurements made from <u>3</u> ft. above ground level.																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>20</td><td>clay</td></tr> <tr><td>20</td><td>48</td><td>red sand</td></tr> <tr><td>48</td><td>138</td><td>" clay</td></tr> <tr><td>138</td><td>160</td><td>sandy clay</td></tr> <tr><td>160</td><td>170</td><td>fine sand</td></tr> <tr><td>170</td><td>193</td><td>clay</td></tr> <tr><td>193</td><td>204</td><td>fine sand</td></tr> <tr><td>204</td><td>268</td><td>clay rock stks</td></tr> <tr><td>268</td><td>278</td><td>fine sand</td></tr> <tr><td>278</td><td>313</td><td>clay</td></tr> <tr><td>313</td><td>341</td><td>good sand</td></tr> <tr><td>342</td><td>342</td><td>clay</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	20	clay	20	48	red sand	48	138	" clay	138	160	sandy clay	160	170	fine sand	170	193	clay	193	204	fine sand	204	268	clay rock stks	268	278	fine sand	278	313	clay	313	341	good sand	342	342	clay	9) CASING: Type: Old _____ New <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Plastic _____ Other _____ Cemented from <u>170</u> ft. to <u>320</u> ft. <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Gage</th> </tr> </thead> <tbody> <tr> <td>6"</td> <td>0</td> <td>320</td> <td>10.89#</td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Gage	6"	0	320	10.89#
From (ft.)	To (ft.)	Description and color of formation material																																																		
0	20	clay																																																		
20	48	red sand																																																		
48	138	" clay																																																		
138	160	sandy clay																																																		
160	170	fine sand																																																		
170	193	clay																																																		
193	204	fine sand																																																		
204	268	clay rock stks																																																		
268	278	fine sand																																																		
278	313	clay																																																		
313	341	good sand																																																		
342	342	clay																																																		
Diameter (inches)	Setting From (ft.)	To (ft.)	Gage																																																	
6"	0	320	10.89#																																																	
		10) SCREEN: Type <u>Plastic pipe based ribbed</u> Perforated _____ Slotted _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Slot Size</th> </tr> </thead> <tbody> <tr> <td>2½</td> <td>321</td> <td>341</td> <td>18 ga.</td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size	2½	321	341	18 ga.																																							
Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size																																																	
2½	321	341	18 ga.																																																	
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed _____ Other _____ Under-reamed _____ Open Hole _____		11) WELL TESTS: Was a pump test made? Yes _____ No <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Sailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																																		
8) WATER LEVEL: Static level <u>180</u> ft. below land surface Date <u>Aug. 72</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump _____ cylinder, jet, etc., <u>232</u> ft. below land surface.		12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No <input checked="" type="checkbox"/> Type of water? _____ depth of strata _____																																																		
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																																				
NAME <u>B.J. Swinehart</u> <small>(Type or Print)</small>		Water Well Drillers Registration No. <u>229</u>																																																		
ADDRESS <u>7524 N. Freeway</u> <u>Houston</u> <u>Texas 77037</u> <small>(Street or RFD) (City) (State)</small>																																																				
(Signed) <u>B.J. Swinehart</u> <small>(Water Well Driller)</small>		<u>B.J. Swinehart Co., Inc.</u> <small>(Company Name)</small>																																																		
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																				

TWDB-WDB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1847	2 of 2	N	4.94 / 26,078.83	THERESA ALMENDAREZ 231 BRANDING IRON LANE HOUSTON TX 77060	SDRW WELLS

Track NO: 613440
Date Submitted: 2022-08-02
Owner Name: THERESA ALMENDAREZ
Owner Address: 231 BRANDING IRON LANE
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.91363
Longitude: -95.39859
Drilling Date Started: 2022-07-15
Drilling Date Completed: 2022-07-16
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=613440&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 385.0

Top Depth: 0
Bottom Depth: 385

Well Levels

Measurement: 189
Measurement Date:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1848	1 of 1	NNE	4.94 / 26,083.10	JIMMY C BAILEY TX	TCEQ WELL LOGS

Grid No: 65-05-9NN
Date Drilled: 10/28/1976
Owners Name: JIMMY C BAILEY
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 221
Depth Drilled: 344
Latitude: 29.9132635
Longtiude: -95.394655

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-9NN
Located on map yes
Received: 77

1) OWNER:
Person having well drilled JIMMY C. BAILEY (Name) Address 330 BRANDING IRON HOUSTON TEX. (Street or RFD) (City) (State)
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 10 miles in N direction from HOUSTON (Town)
(N.E., S.W., etc.)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
THRU WEST ROAD BRANDING IRON WELL North
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW NE SW SE) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 344 ft. Depth of completed well 344 ft. Date drilled 10-28-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-5		TOP SOIL
5-30		YELLOW SHALE
30-59		RED SANDSTONE
59-104		RED SHALE
104-135		SAND
135-173		RED SHALE
173-187		SAND
187-216		BLUE SHALE
216-231		SAND
231-319		BLUE SHALE
319-344		SAND

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other ☒ _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 221 ft. below land surface Date 10-29-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc. 273 ft. below land surface.

9) Casing:
Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
Cemented from 0 ft. to 320 ft.
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Gage _____
4 1/2 320 334 SCH 80

10) SCREEN:
Type PLASTIC SCH 80
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____
From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 334 344 .012

11) WELL TESTS:
Was a pump test made? ☒ Yes _____ If yes, by whom? JAMES H. SUGG JR.
Yield: 12 gpm with 16 ft. drawdown after 2 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒ _____
Did any strata contain undesirable water? Yes _____ No ☒ _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Drillers Registration No. 1006
ADDRESS 13501 CHRISMAN #26 HOUSTON TEXAS (Street or RFD) (City) (State)
(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-6



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1849	1 of 1	N	4.94 / 26,085.35	Jose Crisanto Ruiz 225 Branding Iron Houston TX 77060	SDRW WELLS

Track NO: 224508
Date Submitted: 2010-07-26
Owner Name: Jose Crisanto Ruiz
Owner Address: 225 Branding Iron
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.913334
Longitude: -95.398889
Drilling Date Started: 2010-07-23
Drilling Date Completed: 2010-07-26
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=224508&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 60

Top Depth:
Bottom Depth: 60.0

Well Levels

Measurement: 12
Measurement Date: 2010-07-26

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1850	1 of 1	N	4.94 / 26,088.67	JOHN D CONN TX	TCEQ WELL LOGS

Grid No: 65-05-9B
 Date Drilled: 06/02/1977
 Owners Name: JOHN D CONN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 195
 Depth Drilled: 840
 Latitude: 29.9137843
 Longtiude: -95.3982948

Dug

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-05-9B
Located on map 415
Received 7/15
all

1) OWNER:
 Person having well drilled JOHN D. CONN. Address 235 BRANDING IRON.
 (Name) (Street or RFD) (City) (State)
 Landowner SAME Address HOUSTON, TEX.
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County HARRIS miles in NO direction from HOUSTON, TEX
 (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, HOLYVALE
 highway number, etc. WELL AT 235 BRANDING IRON
ARLNR. RD. DOGWOOD TREE
 (Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (check):
 New Well ☒ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (check):
 Domestic ☒ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (check):
 Rotary ☒ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 1/2 in. Depth drilled 840 ft. Depth of completed well 340 ft. Date drilled JUNE 277
 All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	23	CLAY
23	49	SAND
49	135	CLAY
135	145	SAND
145	160	CLAY
160	183	SAND
183	240	CLAY
240	255	SAND
255	267	CLAY
267	281	SAND
281	303	CLAY
303	340	SAND

9) CASING:
 Type: Old _____ New ☒ Steel _____ Plastic ☒ Other _____
 Cemented from 200 ft. to 315 ft.
 Diameter (inches) _____ Setting _____
 From (ft.) _____ To (ft.) _____ Casing _____
4" 0 315
2 1/2" 315 325

10) SCREEN:
 Type: PLASTIC - RIBBED
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting _____
 From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" 325 340 #14

7) COMPLETION (check):
 Straight well _____ Gravel packed _____
 Under reamed TWO-STRING Open Hole

8) WATER LEVEL:
 Static level 195 ft. below land surface Date JUNE 277
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No ☒
 Did any strata contain undesirable water? Yes _____ No ☒
 Type of water? _____ depth of strata 32

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. L. BODE Water Well Drillers Registration No. 46
 (Type or Print)
 ADDRESS P.O. BOX 90067 HOUSTON, TEX. 77090
 (Street or RFD) (City) (State)
 (Signed) E. L. Bode BODE DRILLING CO. INC.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1851	1 of 1	N	4.94 / 26,089.57	Anamoros Real Estate LLC. TX	WW HARRIS GAL
<div> <div> Well ID: 12890 Aggre Lead Well: 12890 Permit No: WP2023-104971 Permit Start Date: 4/12/2023 12:08:00 PM Permit End Dt: 7/31/2024 12:08:00 PM Well Status: O - Operable Regulatory Aarea: 3 </div> <div> Diameter (inches): 4 Year Drilled: NULL Depth Drilled: 0 Depth frm Surf(ft): 0 County: H Latitude: 29.914444 Longitude: -95.404166 </div> </div>					
Owner Name:		Anamoros Real Estate LLC.			
Billing Contact:		NULL			
Billing Address:		11801 Adel Rd			
Billing Address 2:		NULL			
Billing City:		Houston			
Billing State:		TX			
Billing Zip:		77067			
Correspondence:		NULL			
Provision:		F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).			
Water Usage:		D - Domestic/Commercial			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1852	1 of 1	NE	4.94 / 26,098.37	David Larkin 1609 Irwin Houston TX 77039	SDRW WELLS

Track NO: 67606
Date Submitted: 2005-09-26
Owner Name: David Larkin
Owner Address: 1609 Irwin
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.903889
Longitude: -95.366389
Drilling Date Started: 2003-05-21
Drilling Date Completed: 2003-05-23
Chemical Analysis:
Company Name: Lowe Water Wells, Inc.
Company Address: P. O. Box 89
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=67606&Type=SDR-Well>

Well Borehole Information

Top Depth: 350
Bottom Depth: 380

Top Depth: 20
Bottom Depth: 350

Top Depth:
Bottom Depth: 380.0

Top Depth: 0
Bottom Depth: 20

Well Levels

Measurement: 217.5
Measurement Date: 2003-05-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1853	1 of 2	N	4.94 / 26,103.96	MCDONALD'S RESTURANT TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 12/05/1985
Owners Name: MCDONALD'S RESTURANT
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 225
Depth Drilled: 327
Latitude: 29.914468
Longtiude: -95.411215


TDWR-0392 (12/29/83)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1853	2 of 2	N	4.94 / 26,103.96	MCDONALDS CORPORATION TX	WW HARRIS GAL

Well ID:	4458	Diameter (inches):	6
Aggre Lead Well:	4458	Year Drilled:	1973
Permit No:	W1999-4458-64237-0	Depth Drilled:	240
Permit Start Date:	11/10/1999	Depth frm Surf(ft):	15
Permit End Dt:	7/31/2000	County:	H
Well Status:	P - Plugged	Latitude:	29.924444
Regulatory Aarea:	3	Longitude:	-95.399166
Owner Name:	MCDONALDS CORPORATION		
Billing Contact:	NULL		
Billing Address:	185 W. Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		


Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1854	1 of 1	N	4.95 / 26,110.64	C E CALVERT TX	TCEQ WELL LOGS

Grid No: 65-05-9QQQ
 Date Drilled: 05/06/1975
 Owners Name: C E CALVERT
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 100
 Depth Drilled: 170
 Latitude: 29.9137959
 Longtiude: -95.3978871

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-2000</u> Located on map <u>4-5</u> Received: <u>7-6-78</u> <u>clb</u>																														
1) OWNER: Person having well drilled <u>C. E. Calvert</u> (Name)		<u>239</u> Branding Iron Houston Texas 037 Address (Street or RFD) (City) (State)																																
Landowner _____ (Name)		Address (Street or RFD) (City) (State)																																
2) LOCATION OF WELL: County <u>Harris</u> miles in _____ direction from _____ (Town) (N.E., S.W., etc.) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* <div style="text-align: center;"> <u>413A</u>  North </div> (Use reverse side if necessary)																																		
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other		5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored																														
6) WELL LOG: Diameter of hole <u>6 3/4</u> in. Depth drilled <u>155 ft</u> ft. Depth of completed well <u>170 ft</u> ft. Date drilled <u>5-6-75</u> All measurements made from <u>0</u> ft. above ground level.																																		
<table border="1"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>15</td> <td>Yellow Gray Clay</td> </tr> <tr> <td>15</td> <td>45</td> <td>Sand</td> </tr> <tr> <td>45</td> <td>55</td> <td>Red Gray Clay</td> </tr> <tr> <td>55</td> <td>85</td> <td>Sand</td> </tr> <tr> <td>85</td> <td>125</td> <td>Red Gray Clay</td> </tr> <tr> <td>125</td> <td>170</td> <td>Sand</td> </tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	15	Yellow Gray Clay	15	45	Sand	45	55	Red Gray Clay	55	85	Sand	85	125	Red Gray Clay	125	170	Sand	9) CASING: Type: Old <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Other _____ Cemented from <u>155 ft up</u> ft. to _____ ft. <table border="1"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Gage</th> </tr> </thead> <tbody> <tr> <td>4"</td> <td>1 ft</td> <td>155 ft</td> <td>40</td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Gage	4"	1 ft	155 ft	40
From (ft.)	To (ft.)	Description and color of formation material																																
0	15	Yellow Gray Clay																																
15	45	Sand																																
45	55	Red Gray Clay																																
55	85	Sand																																
85	125	Red Gray Clay																																
125	170	Sand																																
Diameter (inches)	Setting From (ft.)	To (ft.)	Gage																															
4"	1 ft	155 ft	40																															
7) COMPLETION (Check): <input checked="" type="checkbox"/> Gravel packed <input type="checkbox"/> Other _____ <input type="checkbox"/> Under reamed <input type="checkbox"/> Open Hole		10) SCREEN: Type <u>Well Supplies Inc. Plastic Wrapped</u> <input type="checkbox"/> Perforated <input type="checkbox"/> Slotted <table border="1"> <thead> <tr> <th>Diameter (inches)</th> <th>Setting From (ft.)</th> <th>To (ft.)</th> <th>Slot Size</th> </tr> </thead> <tbody> <tr> <td>2 1/2"</td> <td>160 ft</td> <td>170 ft</td> <td>14</td> </tr> </tbody> </table>				Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size	2 1/2"	160 ft	170 ft	14																					
Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size																															
2 1/2"	160 ft	170 ft	14																															
8) WATER LEVEL: Static level <u>100</u> ft. below land surface Date _____ Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>140 ft</u> ft. below land surface.		11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																																
12) WATER QUALITY: Was a chemical analysis made? Yes <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes <input type="checkbox"/> No <input type="checkbox"/> Type of water? _____ depth of strata _____		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME <u>C. A. Raymond Jr.</u> Water Well Drillers Registration No. <u>774 TDL</u> ADDRESS <u>10011 Airline</u> Houston Texas (Street or RFD) (City) (State) (Signed) <u>CA Raymond Jr</u> Raymond Water Well Drilling Inc. (Water Well Driller) (Company Name)																																
Please attach electric log, chemical analysis, and other pertinent information, if available.																																		

*Additional instructions on reverse side.

TWDB-WD-8



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1855	1 of 1	WNW	4.95 / 26,113.81	INWOOD COMMERCE BANK TX	TCEQ WELL LOGS

Grid No: 65-13-1H
Date Drilled: 09/19/1973
Owners Name: INWOOD COMMERCE BANK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 170
Depth Drilled: 304
Latitude: 29.866427
Longtiude: -95.488429

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-13-1H
Located on map Yes
Received: 7-1-1
dk

1) OWNER:
Person having well drilled C.M. Associates Address 2700 Pat Oak Rd. Houston Tex.
(Name) (Street or RFD) (City) (State)
Landowner Timwood Commerce Bank Address W. Little York Hwy, Tex
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* map on 65-04-3T North 17
(Use reverse side if necessary) (Use legal location with distances and directions from adjacent sections or survey lines.)
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rough ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 304 ft. Depth of completed well 304 ft. Date drilled 9/19/73
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	284	Unconsolidated
284	304	Sand

9) CASING:
Type: Old ☒ Steel ☒ Plastic _____ Other _____
Cemented from 225 ft. to 280 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	280	40
2	284	294	30

10) SCREEN:
Type SSR
Perforated ☒ Slotted _____

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
2	294	304	.016

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 170 ft. below land surface Date 9/14/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 232' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒
Did any strata contain undesirable water? Yes ☒ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CARL RUSSELL Water Well Drillers Registration No. 1581
(Type or Print)
ADDRESS 9735 North Hwy. Ross Ln Houston Texas
(Street or RFD) (City) (State)
(Signed) Carl K. Russell Russell & Son Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-ND-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1856	1 of 1	NNE	4.95 / 26,125.04	LOUISE BROWN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 01/31/1969
 Owners Name: LOUISE BROWN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 12
 Depth Drilled: 43
 Latitude: 29.9083292
 Longtiude: -95.3758875

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 12386, Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-98</u> Located on map <u>4-2</u> Received: <u>6-2</u> Form GW 8 Form GW 9																																								
1) OWNER: Person having well drilled <u>Louise Brown</u> (Name) Address <u>1007 Alston</u> (Street or RFD) (City) (State) Landowner <u>Same</u> (Name) Address <u>Same</u> (Street or RFD) (City) (State)																																												
2) LOCATION OF WELL: County <u>Harris</u> Labor _____ League _____ Abstract No. _____ NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. <u>299</u> <u>Alstons Gardens</u> (circle as many as are known) miles in <u>N</u> direction from <u>Houston</u> (Town) <div style="text-align: right;">NORTH ↑</div>																																												
Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.																																												
3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging <input type="checkbox"/>		4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other <input type="checkbox"/>		5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/>																																								
6) WELL LOG: Diameter of hole <u>2"</u> in. Depth drilled <u>43</u> ft. Depth of completed well <u>43</u> ft. Date drilled <u>1-31-69</u> All measurements made from <u>0</u> ft. above ground level.																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>18</td> <td>Reddish white clay</td> </tr> <tr> <td>18</td> <td>43</td> <td>White Sand</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material	0	18	Reddish white clay	18	43	White Sand													<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>			From (ft.)	To (ft.)	Description and color of formation material															
From (ft.)	To (ft.)	Description and color of formation material																																										
0	18	Reddish white clay																																										
18	43	White Sand																																										
From (ft.)	To (ft.)	Description and color of formation material																																										
7) COMPLETION (Check): Straight wall <input checked="" type="checkbox"/> Gravel packed <input type="checkbox"/> Other <input type="checkbox"/> Under reamed <input type="checkbox"/> Open hole <input type="checkbox"/>			8) WATER LEVEL: Static level <u>12</u> ft. below land surface Date <u>1-31-69</u> Artesian pressure _____ lbs. per square inch Date _____																																									
9) CASING: Type: old <input type="checkbox"/> New <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Other <input type="checkbox"/> Cemented from _____ ft. to _____ ft.			10) SCREEN: Type <u>Well Supply Inc</u> Perforated <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Slotted <input type="checkbox"/>																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Diameter (inches)</th> <th colspan="2">Setting</th> <th rowspan="2">Gage</th> </tr> <tr> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			Diameter (inches)	Setting		Gage	From (ft.)	To (ft.)													<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Diameter (inches)</th> <th colspan="2">Setting</th> <th rowspan="2">Slot size</th> </tr> <tr> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr> <td>2"</td> <td>5 ft</td> <td> </td> <td>12gr-</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			Diameter (inches)	Setting		Slot size	From (ft.)	To (ft.)	2"	5 ft		12gr-											
Diameter (inches)	Setting			Gage																																								
	From (ft.)	To (ft.)																																										
Diameter (inches)	Setting		Slot size																																									
	From (ft.)	To (ft.)																																										
2"	5 ft		12gr-																																									
11) WELL TESTS: Was a pump test made? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes by whom? Yield: <u>425 gpm</u> with _____ ft. drawdown after _____ hrs Bailer test _____ gpm with _____ ft. drawdown after _____ hrs Artesian flow _____ gpm Date _____ Temperature of water _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No Did any strata contain undesirable water? <input type="checkbox"/> Yes <input type="checkbox"/> No Type of water? _____ depth of strata _____			12) PUMP DATA: Manufacturer's Name <u>Sto-Lit</u> Type <u>jet</u> H.P. <u>1/2</u> Designed pumping rate <u>425</u> gpm <input type="checkbox"/> gph <input checked="" type="checkbox"/> Type power unit _____ Depth to bowls, cylinder, jet, etc., _____ ft. below land surface.																																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. <div style="display: flex; justify-content: space-between;"> <div> RAYMOND WATER WELLS NAME <u>132 RAYMOND</u> Type of Print <u>HI 7-3184</u> Address _____ HOUSTON TEXAS 77037 (City) (State) (Signed) <u>CR Raymond Jr.</u> (Water Well Driller) (Company Name) </div> <div> Water Well Drillers Registration No. <u>774</u> </div> </div>																																												
Please attach electric log, chemical analysis, and other pertinent information, if available.																																												




<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1857	1 of 1	N	4.95 / 26,125.75	GEORGE RICHARDSON TX	TCEQ WELL LOGS

Grid No: 65-05-9B
Date Drilled: 06/06/1983
Owners Name: GEORGE RICHARDSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 340
Latitude: 29.914305
Longtiude: -95.402697

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1858	1 of 2	NNE	4.95 / 26,147.96	JOHN MOLINA 14534 HENRY RD HOUSTON TX 77060	SDRW WELLS

Track NO: 346404
Date Submitted: 2013-11-12
Owner Name: JOHN MOLINA
Owner Address: 14534 HENRY RD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.910278
Longitude: -95.3825
Drilling Date Started: 2013-11-11
Drilling Date Completed: 2013-11-12
Chemical Analysis: No
Company Name: AQUA STAR LLC
Company Address: 25277 FM 1488
CompanyAddress2:
Company City: MAGNOLIA
Company State: TX
Company Zip: 77355
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=346404&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 420

Top Depth:
Bottom Depth: 420.0

Well Levels

Measurement: 195
Measurement Date: 2013-11-12

Well Strata

Water Type:

GOOD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1858	2 of 2	NNE	4.95 / 26,147.96	Molina, Juan TX	WW HARRIS GAL

Well ID:	15756	Diameter (inches):	4
Aggre Lead Well:	15756	Year Drilled:	NULL
Permit No:	WP2023-114563	Depth Drilled:	NULL
Permit Start Date:	11/8/2023 10:02:00 PM	Depth frm Surf(ft):	NULL
Permit End Dt:	7/31/2025 10:02:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.910555
Regulatory Aarea:	3	Longitude:	-95.381944
Owner Name:	NULL		
Billing Contact:	John Molina		
Billing Address:	14534 Henry Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1859	1 of 1	NE	4.95 / 26,148.55	MADELINE BASS TX	TCEQ WELL LOGS

Grid No: 65-13-3
 Date Drilled: 02/14/2001
 Owners Name: MADELINE BASS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 100
 Depth Drilled: 407
 Latitude: 29.898353
 Longtiude: -95.357181

ORIGINAL

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.		Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616 Toll free (800) 803-9202 Email address: water.well@license.state.tx.us				This form must be completed and filed with the department and owner within 60 days upon completion of the well.																									
WELL REPORT																															
1) OWNER																															
Name MADELINE BASS		Address 1830 ISOM ST.		City HOUSTON		State TX Zip 77039																									
2) WELL LOCATION																															
County HARRIS		Physical Address 1830 ISOM ST.		City HOUSTON		State TX Zip 77039																									
3) Type of Work																															
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning		4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No				5) N†																									
6) Drilling Date Started 2/13/01 Completed 2/14/01		Diameter of Hole Dia. (in) From (ft) To (ft) 7 1/4 0 407		7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other 2 STRING		X																									
From (ft) To (ft)		Description and color of formation material		8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall																											
0 20		CLAY		<input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other CEMENTED																											
20 65		CLAY/SAND		If Gravel Packed give the interval from ft. to ft.																											
65 85		SAND		Casing, Blank Pipe, and Well Screen Data																											
85 125		SAND/CLAY		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>New Or Used</th> <th>Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th>Setting (ft) From</th> <th>To</th> <th>Gage Casing Screen</th> </tr> <tr> <td>4</td> <td>N</td> <td>PVC CASING</td> <td>0</td> <td>397</td> <td>40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC LINER</td> <td>392</td> <td>397</td> <td>40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>PVC SCREEN</td> <td>397</td> <td>407</td> <td>008</td> </tr> </table>				Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	To	Gage Casing Screen	4	N	PVC CASING	0	397	40	2 1/2	N	PVC LINER	392	397	40	2 1/2	N	PVC SCREEN	397	407	008
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	To	Gage Casing Screen																										
4	N	PVC CASING	0	397	40																										
2 1/2	N	PVC LINER	392	397	40																										
2 1/2	N	PVC SCREEN	397	407	008																										
125 200		SAND																													
200 225		CLAY/ROCK																													
225 250		CLAY																													
250 300		CLAY/SHALE																													
300 350		CLAY/SAND																													
350 380		CLAY/ROCK/SAND																													
380 407		SAND																													
(Use reverse side of Well Owner's copy, If necessary)																															
13) Plugged <input type="checkbox"/> Well plugged within 48 hours																															
Casing left in well:				Cement/Bentonite placed in well:																											
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																											
14) Typepump																															
<input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other																															
Depth to pump bowls, cylinder, jet, etc., 300 ft.																															
15) Water Test																															
Typetest <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: 45-50 gpm with ft. drawdown after hrs.																															
16) Water Quality																															
Did you knowingly penetrate any strata which contain undesirable constituents?																															
<input type="checkbox"/> Yes <input type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?																															
Type of water GOOD Depth of Strata 27 FT.																															
Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																															
12) Packers																															
4		X		2 1/2		Type TRI-SEAL Depth 392 FT.																									
Company or Individual's Name (type or print) NORTHWEST WATER WELLS (Glen Bonds) Lic. No. 50950-WP																															
Address 25143 FM 1488		City MAGNOLIA		State TEXAS		Zip 77355																									
Signature <i>Glen R. Bonds</i>		Date 2/22/01		Signature		Date																									
Licensed Driller/Pump Installer		Date 2/22/01		Apprentice		Date																									

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1860	1 of 1	NW	4.95 / 26,148.57	Zermeno, Gilberto TX	WW HARRIS GAL

Well ID:	16128	Diameter (inches):	4
Aggre Lead Well:	16128	Year Drilled:	2004
Permit No:	WP2022-105708	Depth Drilled:	NULL
Permit Start Date:	6/1/2022 11:50:00 AM	Depth frm Surf(ft):	NULL
Permit End Dt:	5/31/2023	County:	H
Well Status:	O - Operable	Latitude:	29.901466
Regulatory Aarea:	3	Longitude:	-95.458124
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	2826 Lincoln Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1861	1 of 1	NNE	4.95 / 26,150.81	Amer, Mosaab TX	WW HARRIS GAL

Well ID:	12567	Diameter (inches):	4
Aggre Lead Well:	12567	Year Drilled:	NULL
Permit No:	WP2023-114625	Depth Drilled:	200
Permit Start Date:	8/1/2023 10:47:00 AM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 10:47:39 AM	County:	H
Well Status:	O - Operable	Latitude:	29.909166
Regulatory Aarea:	3	Longitude:	-95.3775
Owner Name:	Gulfway Eni, Inc.		
Billing Contact:	NULL		
Billing Address:	14422 Sweeney Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1862	1 of 2	N	4.95 / 26,152.31	J KOHNICK TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 9/15/1997
 Owners Name: J KOHNICK
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 6
 Depth Drilled: 50
 Latitude: 29.914313
 Longtiude: -95.401836

Send original copy by certified return receipt requested mail to: NRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087.

TNBCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1862	2 of 2	N	4.95 / 26,152.31	Maria Moreno 144 Hollyvale Dr. Houston TX 77060	SDRW WELLS

Track NO: 413962
Date Submitted: 2016-01-29
Owner Name: Maria Moreno
Owner Address: 144 Hollyvale Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.913889
Longitude: -95.401944
Drilling Date Started: 2016-01-28
Drilling Date Completed: 2016-01-29
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=413962&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 5
Measurement Date: 2016-01-29

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1863	1 of 1	NW	4.95 / 26,152.35	MARVIN D SCROGGINS TX	TCEQ WELL LOGS

Grid No:	65-05-8N
Date Drilled:	09/10/1982
Owners Name:	MARVIN D SCROGGINS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	200
Depth Drilled:	350
Latitude:	29.898721
Longtiude:	-95.462208

TDWR-0392 (Rev. 1-12-79)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1864	1 of 1	WSW	4.95 / 26,152.45	ADA OIL CO TX	TCEQ WELL LOGS

Grid No: 65-04-8
 Date Drilled: 08/01/1973
 Owners Name: ADA OIL CO
 County: HARRIS
 Water Usage: OTHER
 Static Level: 127
 Depth Drilled: 238
 Latitude: 29.809898
 Longtiude: -95.484376

88 Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-04-88
Located on map yes
Received: 23

1) OWNER:
Person having well drilled Ada Oil Co. Address P.O. Box 844 Hou. Tex
(Name) (Street or RFD) (City) (State)
Landowner same Address _____ (City) (State)
(Name) (Street or RFD)

2) LOCATION OF WELL:
County HARRIS _____ 0 miles in W direction from Jersey Village
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
hiway number, etc.*

(Use reverse side if necessary) Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 2 1/2 in. Depth drilled 238 ft. Depth of completed well 238 ft. Date drilled 8-1-72
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top Soil
2	210	UNCONSOLIDATED
210	238	SAND

9) Casing:
Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
Cemented from 150 ft. to 212 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Cage
<u>4</u>	<u>0</u>	<u>212</u>	<u>#30</u>
<u>1/2</u>	<u>212</u>	<u>238</u>	<u>#40</u>

10) SCREEN:
Type: S.S.
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2" 228 238 #20

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 127 ft. below land surface Date 8-2-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 168 ft. below land surface

11) WELL TESTS:
Was a pump test made? Yes _____ No if yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No if yes, by whom?
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Russell Water Well Drillers Registration No. 707
(Type or Print)
ADDRESS 775 N. Hwy. Rosslyn Hou. Tex
(Street or RFD) (City) (State)
(Signed) Tommy C. Russell Russell & Son Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1865	1 of 1	WNW	4.95 / 26,153.76	P.A MIMMS TX	TCEQ WELL LOGS

Grid No: 65-05-7H
 Date Drilled: 09/02/1983
 Owners Name: P.A MIMMS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 219
 Depth Drilled: 395
 Latitude: 29.874701
 Longtiude: -95.484534

Map Key

Number of
Records

Direction

Distance
(mi/ft)

Site

DB

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 45-05-7H
Located on map 45-05-7H
Received: 4/2/83

1) OWNER Mr. P.A. Mimms (Name) Address #13 Shadow Ln. (Street or RFD) Houston TX 77080 (City) (State) (Zip)
2) LOCATION OF WELL: 7200 Ridge Oak (Name)
County Harris miles in _____ direction from _____ (Town)
(N.E., S.W., etc.)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 65-05-9AAA

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 9-2-83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	395

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	Top Soil & Clay
16	19	Sand
19	25	Clay
25	38	Sand
38	80	Clay
80	105	Sand
105	190	Clay
190	195	Sand
195	203	Clay
203	218	Sandy Clay
218	235	Sand
235	265	Clay
265	315	Sand
315	321	Clay
321	326	Sand & Rock
326	381	Clay
381	395	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	P.V.C.	0	380	
2	N	Galvanized	370	375	
2	N	P.V.C.	375	395	.016

CEMENTING DATA

Cemented from 330 ft. to 380 ft.
Method used Halliburton
Cemented by BUSSELL & SON, INC.
(Company or Individual)

9) WATER LEVEL:

Static level 219 ft. below land surface Date 9-3-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

2 H.P. F-M 21 stage P.E.

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell Water Well Drillers Registration No. 2035
(Type or Print)

ADDRESS P.O. Box 874 Tomball Texas 77375
(Street or RFD) (City) (State) (Zip)

Signed) Craig Bussell BUSSELL & SON, INC.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

WR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1866	1 of 2	N	4.95 / 26,158.90	H D HURT TX	TCEQ WELL LOGS

Grid No: 65-05-6CC
Date Drilled: 05/??/1976
Owners Name: H D HURT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 140
Depth Drilled: 211
Latitude: 29.913849
Longtiude: -95.397247

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TMDB use only
 Well No. 65-05-100
 Located on map 405
 Received: 7/6/76

1) OWNER:
 Person having well drilled H.D. Burt Address 255 Branding Iron
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: Harris miles in _____ direction from _____
 County (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* Map 65-05-9AA
413A North
 (Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well _____ Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic _____ Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
 Rotary _____ Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 211 ft. Depth of completed well 226 ft. Date drilled May 1976
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-20	20	Yellow gray clay
20-42	42	Sand
42-46	46	Rock
46-60	60	Sand clay
60-70	70	Red gray clay
70-75	75	Sand
75-130	130	Red gray clay
130-165	165	Sand
165-193	193	Red yellow clay
193-208	208	Sand
208-212	212	Rock
212-226	226	Sand

9) CASING:
 Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
 Cemented from 211 up _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	1	211	40

10) SCREEN:
 Type Well Supplies Inc. Plastic wrapped
 Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2"	216	226	10

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 140 ft. below land surface Date May 1976
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 180 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes _____ No _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
 (Type or Print)
 ADDRESS 10011 Airline Dr. Houston Texas
 (Street or RFD) (City) (State)
 (Signed) C.A. Raymond, Jr. Raymond Water Well Drilling
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1866	2 of 2	N	4.95 / 26,158.90	H.D. BURT TX	TCEQ WELL LOGS
<i>Grid No:</i>		65-05-9			
<i>Date Drilled:</i>		7/23/1975			
<i>Owners Name:</i>		H.D. BURT			
<i>County:</i>		HARRIS			
<i>Water Usage:</i>		DOMESTIC			
<i>Static Level:</i>		95			
<i>Depth Drilled:</i>		151			
<i>Latitude:</i>		29.913849			
<i>Longitude:</i>		-95.397247			

R. J. Ray

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>65-05-9000</u> Located on map Received: <u>7-3-75</u> <i>alt</i>																												
1) OWNER: Person having well drilled <u>H D Burt</u> (Name) Address <u>255 Branding Iron</u> (Street or RFD) <u>Houston</u> (City) <u>Tex</u> (State) Landowner <u>Same</u> (Name) Address <u>Same</u> (Street or RFD) (City) (State)																																
2) LOCATION OF WELL: County <u>Harris</u> miles in _____ direction from _____ (N.E., S.W., etc.) (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* <u>map on 413 A 65-05-9000 North</u> (Use reverse side if necessary)																																
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other		5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored																												
6) WELL LOG: Diameter of hole <u>6 3/4</u> in. Depth drilled <u>136 ft</u> ft. Depth of completed well <u>151 ft</u> ft. Date drilled <u>7-23-75</u> All measurements made from <u>0</u> ft. above ground level.																																
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>5</td><td>Surface</td></tr> <tr><td>5</td><td>15</td><td>Yellow Clay</td></tr> <tr><td>15</td><td>41</td><td>Sand</td></tr> <tr><td>41</td><td>42</td><td>Rock</td></tr> <tr><td>42</td><td>58</td><td>Red Clay</td></tr> <tr><td>58</td><td>79</td><td>Sand</td></tr> <tr><td>79</td><td>130</td><td>Red Gray Clay</td></tr> <tr><td>130</td><td>151</td><td>Sand</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	5	Surface	5	15	Yellow Clay	15	41	Sand	41	42	Rock	42	58	Red Clay	58	79	Sand	79	130	Red Gray Clay	130	151	Sand	9) Casing: Type: Old <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Other _____ Cemented from <u>136 ft</u> up _____ ft. to _____ ft. Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____ <u>4"</u> <u>1 ft</u> <u>136 ft</u> <u>40</u>			
From (ft.)	To (ft.)	Description and color of formation material																														
0	5	Surface																														
5	15	Yellow Clay																														
15	41	Sand																														
41	42	Rock																														
42	58	Red Clay																														
58	79	Sand																														
79	130	Red Gray Clay																														
130	151	Sand																														
7) COMPLETION (Check): <input checked="" type="checkbox"/> Gravel packed, _____ Other _____ <input type="checkbox"/> Under reamed _____ Open Hole _____		10) SCREEN: Type <u>Well Supplies Inc. Plastic Wrapped</u> Perforated _____ Slotted _____ Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____ <u>2 1/2"</u> <u>141 ft</u> <u>151 ft</u> <u>12</u>																														
8) WATER LEVEL: Static level <u>95 ft</u> below land surface Date _____ Artesian pressure <u>115 lbs.</u> per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>120 ft</u> ft. below land surface.		11) WELL TESTS: Was a pump test made? Yes <input checked="" type="checkbox"/> No _____ If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____																														
12) WATER QUALITY: Was a chemical analysis made? Yes _____ No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes _____ No _____ Type of water? _____ depth of strata _____																																
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.																																
NAME <u>C. A. Raymond Jr.</u> (Type or Print) Water Well Drillers Registration No. <u>TDL 774</u> ADDRESS <u>10011 Airline</u> (Street or RFD) (City) <u>Houston</u> (State) <u>Texas</u> <u>77037</u> (Signed) <u>C. A. Raymond Jr.</u> (Water Well Driller) <u>Raymond Water Well Drilling Inc.</u> (Company Name)																																
Please attach electric log, chemical analysis, and other pertinent information, if available.																																

*Additional instructions on reverse side.

TWDBE-WD-6

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1867	1 of 1	N	4.95 / 26,161.57	APOLLO SIX - PLEX TX	TCEQ WELL LOGS

Grid No: 65-05-9A
Date Drilled: 08/25/1981
Owners Name: APOLLO SIX - PLEX
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 343
Latitude: 29.9145278
Longtiude: -95.4146881

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 6505-91A
Located on map 165
Received: RLW

1) OWNER Appollo Srv - Plan (Name) Address 211 West Rd (Street or RFD) Hou (City) TX (State) 77038 (Zip)
2) LOCATION OF WELL: 211 WEST RD. 14 miles in N. direction from HOUSTON (Town)
County HARRIS (N.E., S.W., etc.)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 8/25/81

DIAMETER OF HOLE

Dis. (in.) From (ft.) To (ft.)
8314 Surface 343

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	21	Top Soil + Clay
21	46	Surface Sand
46	117	Clay
117	161	Sand
161	192	Clay
192	212	Sand
212	297	Clay
297	340	Sand (oil)
340	341	Rock
341	343	Sandy Clay
343	400	Sandy Shale

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
5	N	BLACK T&C	0	317	
3	N	SSRB	323	343	.020

CEMENTING DATA

Cemented from 0 ft. to 317 ft.

Method used Haliburton

Cemented by Buswell + Son, Inc. (Company or Individual)

9) WATER LEVEL:

Static level 210 ft. below land surface Date 8/26/81

Artesian flow _____ gpm. Date _____

10) PACKERS:

Type Depth

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 275 ft.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated

Yield: 95 gpm with 31 ft. drawdown after 4 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig Buswell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) HOUSTON (City) TEXAS (State) 77088 (Zip)

(Signed) Craig Buswell (Water Well Driller) Buswell + Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1868	1 of 1	N	4.95 / 26,162.22	Don Franklin 150 Hollyvale Houston TX 77060	SDRW WELLS

Track NO: 210189
Date Submitted: 2010-03-12
Owner Name: Don Franklin
Owner Address: 150 Hollyvale
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.914167
Longitude: -95.401389
Drilling Date Started: 2010-03-10
Drilling Date Completed: 2010-03-11
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=210189&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 5
Measurement Date: 2010-03-11

Well Strata

Water Type:

Fresh

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1869	1 of 1	N	4.96 / 26,163.12	CLIFF HADDOX TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 08/08/1992
Owners Name: CLIFF HADDOX
County: HARRIS
Water Usage: DOMESTIC
Static Level: 230
Depth Drilled: 390
Latitude: 29.9143004
Longtiude: -95.4013257

120

Send original copy by
 registered mail to the
 Texas Department of Water Resources
 P. O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT
 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
 Well No. _____
 Located on map _____
 Received: _____

OWNER CLIFF HADDOX Address 154 Hollyvale Houston Texas 77060
 (Name) (Street or RFD) (City) (State) (Zip)

LOCATION OF WELL
 County Harris miles in _____ direction from _____
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
 the distance and direction from two intersecting sec-
 tion or survey lines, or he must locate and identify the
 all on an official Quarter- or Half-Scale Texas County
 General Highway Map and attach the map to this form.

Legal description:
 Section No. 12 Block No. 6 Township Desiana
 Abstract No. _____ Survey Name AKLAK AKROS
 Distance and direction from two intersecting section or survey lines FROM S.E. corner,
30' WEST + FROM E/W LINE SOUTH END, 50' NORTH
☐ See attached map.

TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

WELL LOG:
 Date drilled 8-8-92

DIAMETER OF HOLE		7) BOREHOLE COMPLETION:	
Dia. (in.)	From (ft.)	To (ft.)	
<u>6 3/4</u>	Surface	<u>390</u>	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0 - 41'		Clay (Red)					
41 - 48'		Fine Sand w/ clay					
48' - 90'		yellow clay					
90' - 143'		Red clay	4" N		P.V.C.	0 - 371'	40
143' - 170'		Sand Fhr	2 1/2" N		SLOTTED P.V.C.	371' - 386'	40
170' - 220'		Red clay	2 1/2" N		P.V.C. BLANK	386' - 390'	40
220' - 242'		Sand (coarse)	2 1/2" N		P.V.C. BLANK	371' - 365'	40
242' - 295'		Red clay					
295' - 315'		White clay					
315' - 335'		Fine Sand					
335' - 368'		White clay + rock					
368' - 386'		coarse sand					
386' - 390'		White clay					

CEMENTING DATA
 Cemented from 0 ft. to 371 ft.
 Method used HAL BURTON
 Cemented by Thomas Water Well Serv.
 (Company or Individual)

9) WATER LEVEL:
 Static level 230' ft. below land surface Date 8-8-92
 Artesian flow _____ gpm. Date _____

10) PACKERS:
 Type _____ Depth 265'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 280' ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
 Yield: 40 gpm with 10 ft. drawdown after 24 hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Thomas E. BUFKIN Water Well Drillers Registration No. 1944
 (Type or Print)

ADDRESS 414 Bush St Houston Texas 77060
 (Street or RFD) (City) (State) (Zip)

Signed Thomas E. Bufkin Thomas Water Well Service
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

WR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

(65-06-9)

204864

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1870	1 of 1	WSW	4.96 / 26,170.24	O.A. FRITSCHÉ TX	TCEQ WELL LOGS

Grid No: 65-13-4M
 Date Drilled: 08/12/1974
 Owners Name: O.A. FRITSCHÉ
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 18
 Depth Drilled: 51
 Latitude: 29.80644
 Longtiude: -95.482299

TWOBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1871	1 of 1	NNE	4.96 / 26,170.56	Alvaro Orona 344 Branding Iron Houston TX 77060	SDRW WELLS

Track NO: 17899
Date Submitted: 2003-03-17
Owner Name: Alvaro Orona
Owner Address: 344 Branding Iron
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.675
Longitude: -95.616112
Drilling Date Started: 2003-03-13
Drilling Date Completed: 2003-03-13
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77060
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=17899&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 5
Measurement Date: 2003-03-13

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1872	1 of 2	NE	4.96 / 26,170.98	PAUL TOWNSEND TX	TCEQ WELL LOGS

Grid No: 65-22-8
Date Drilled: 09/24/2002
Owners Name: PAUL TOWNSEND
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 355
Latitude: 29.8996639
Longtiude: -95.3589588

4792


**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
185	201	Cl.
201	217	Br.cl.
217	231	Sd
231	241	Br.cl.
241	261	Br meally cl w/r.st.
261	281	Br.cl.
281	296	Br.cl. w/ r.st.
296	301	Sd.st.
301	321	Meally cl w/ sd.st.
321	330	Meally cl
330	355	Sd.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1872	2 of 2	NE	4.96 / 26,170.98	Garcia, Juanita TX	WW HARRIS GAL

Well ID:	13647	Diameter (inches):	4
Aggre Lead Well:	13647	Year Drilled:	NULL
Permit No:	W2020-13647-210867-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.899166
Regulatory Aarea:	3	Longitude:	-95.358888
Owner Name:	Garcia, Juanita		
Billing Contact:	NULL		
Billing Address:	1739 Isom Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1873	1 of 2	NNE	4.96 / 26,174.82	MORRIS, GORDON R. TX	WW HARRIS GAL

Well ID:	2354	Diameter (inches):	2
Aggre Lead Well:	2354	Year Drilled:	1959
Permit No:	W1978-2354-1354-0	Depth Drilled:	0
Permit Start Date:	11/30/1953	Depth frm Surf(ft):	0
Permit End Dt:	11/30/1953	County:	H
Well Status:	P - Plugged	Latitude:	29.9075
Regulatory Aarea:	3	Longitude:	-95.372777
Owner Name:	MORRIS, GORDON R.		
Billing Contact:	NULL		
Billing Address:	14922 Lillja Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1873	2 of 2	NNE	4.96 / 26,174.82	SMI Manufacturing TX	WW HARRIS GAL

Well ID:	6578	Diameter (inches):	4
Aggre Lead Well:	6578	Year Drilled:	1976
Permit No:	W2015-6578-178059-0	Depth Drilled:	230
Permit Start Date:	8/1/2015	Depth frm Surf(ft):	200
Permit End Dt:	6/12/2019	County:	H
Well Status:	2 - No electric or plumbing	Latitude:	29.906944
Regulatory Aarea:	3	Longitude:	-95.372777
Owner Name:	SMI Manufacturing, Inc.		
Billing Contact:	NULL		
Billing Address:	945 Bunker Hill, Suite 500		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024-1358		
Correspondence:	Accounts Payable Department		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1874	1 of 2	NW	4.96 / 26,175.62	MARTY BRATHY TX	TCEQ WELL LOGS

Grid No:	65-05-8W
Date Drilled:	05/09/1978
Owners Name:	MARTY BRATHY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	180
Depth Drilled:	266
Latitude:	29.898015
Longtiude:	-95.463323


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 65-05-8W
Located on map yes
Received: 281

WATER WELL REPORT

1) OWNER:
Person having well drilled MARTY BRATHY Address 12406 W. MONTGOMERY
(Name) (Street or RFD) (City) (State)
Landowner " Address " (City) (State)

2) LOCATION OF WELL:
County HARRIS 16 miles in N-W direction from HOUSTON
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, #92 or Give legal location with distances and directions from
hiway number, etc.* I 45 adjacent sections or survey lines.

(Use reverse side if necessary) North
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 266 ft. Depth of completed well 266 ft. Date drilled 5-9-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	20	GRAY CLAY
20	40	RED CLAY
40	50	SAND
50	90	RED CLAY
90	130	SAND
130	170	GRAY CLAY
170	183	SAND & ROCK
183	200	GRAY CLAY
200	210	SAND
210	240	GRAY CLAY
240	266	SAND

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
Cemented from 80 ft. to 240 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Casing Size _____
4 0 240 5CH 40

10) SCREEN:
Type PLASTIC
Perforated ☒ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 256 266 12

7) COMPLETION (Check):
Straight wall ☒ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 180 ft. below land surface Date 5-9-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 222 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 11630 MUELLER CEM. RD. CYPRESS, TEXAS
(Street or RFD) (City) (State)
(Signed) John B. Lumpkin Jr. CYFAIR WATER WELL DRILLING & SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



DEPT. OF
WATER RESOURCES

JUN 26 1978

RECEIVED

RECEIVED
SEP 6 1978
Central Records
Texas Dept. of Water Resources

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1874	2 of 2	NW	4.96 / 26,175.62	RUSCHE DIST CO TX	TCEQ WELL LOGS

Grid No: 65-05-7CC
Date Drilled: 11/22/1981
Owners Name: RUSCHE DIST CO
County: HARRIS
Water Usage: GAS STATION
Static Level: 231
Depth Drilled: 339
Latitude: 29.898015
Longtiude: -95.463323

MAP #1 WELL #1 7CC

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-25-263
Located on map 185
Received: C.F.A.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER RUSCHE DIST Co. Address 9223 EASTEX FRW. HOUSTON, TEX 77093
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County HARRIS 2 miles in NO direction from HOUSTON, TEX
(N.E., S.W., etc.) (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map. FM 149 AT LINCOLN ST.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled NOV. 22, 81

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>306</u>
<u>3 7/8</u>	<u>306</u>	<u>339</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other TWO-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
<u>0</u>	<u>108</u>	<u>CLAY.</u>					
<u>108</u>	<u>128</u>	<u>SAND</u>					
<u>128</u>	<u>153</u>	<u>CLAY.</u>	<u>4"</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>306</u>
<u>153</u>	<u>182</u>	<u>SAND</u>	<u>2 1/2"</u>	<u>N</u>	<u>GALVANIZE</u>	<u>306 - 324</u>	<u>40</u>
<u>182</u>	<u>271</u>	<u>CLAY.</u>					
<u>271</u>	<u>283</u>	<u>SAND</u>					
<u>283</u>	<u>285</u>	<u>CLAY.</u>					
<u>285</u>	<u>290</u>	<u>SAND</u>					
<u>290</u>	<u>300</u>	<u>CLAY.</u>					
<u>300</u>	<u>339</u>	<u>SAND</u>	<u>2 1/2"</u>	<u>N</u>	<u>PVC. SCREEN</u>	<u>324 - 339</u>	<u>#14</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
Cemented from 0 ft. to 306 ft.
Method used PUMP
Cemented by BODE DRILLING CO. INC.
(Company or Individual)

9) WATER LEVEL:
Static level 231' ft. below land surface Date NOV. 22, 81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 283' ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata 39'
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
(Type or Print)

ADDRESS PO BOX 90067 HOUSTON TEX. 77290
(Street or RFD) (City) (State) (Zip)

(Signed) C. L. Bode BODE DRILLING CO. INC.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



1) # 2) 3) 4) 5) 6) 7) 8) 9) 10) 11) 12) 13) 14) 15) 16) 17) 18) 19) 20) 21) 22) 23) 24) 25) 26) 27) 28) 29) 30) 31) 32) 33) 34) 35) 36) 37) 38) 39) 40) 41) 42) 43) 44) 45) 46) 47) 48) 49) 50) 51) 52) 53) 54) 55) 56) 57) 58) 59) 60) 61) 62) 63) 64) 65) 66) 67) 68) 69) 70) 71) 72) 73) 74) 75) 76) 77) 78) 79) 80) 81) 82) 83) 84) 85) 86) 87) 88) 89) 90) 91) 92) 93) 94) 95) 96) 97) 98) 99) 100)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1875	1 of 1	N	4.96 / 26,176.63	FRANK DUNLAP TX	TCEQ WELL LOGS

Grid No: 65-05-9B
Date Drilled: 04/08/1978
Owners Name: FRANK DUNLAP
County: HARRIS
Water Usage: DOMESTIC
Static Level: 182
Depth Drilled: 345
Latitude: 29.914316
Longtiude: -95.401076

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-9B
Located on map 78125
Received: 7/8/78
dlf

1) OWNER:
Person having well drilled Frank Dunlap Address 158 Hollyvale Houston
(Name) (Street or RFD) (City) (State)
Landowner Same Address 77037
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris miles in 1 direction from Houston
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from adjacent sections or survey lines.
West Road Hollyvale North
Highway 45 Outline
Use reverse side if necessary
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rofary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 8 in. Depth drilled 345 ft. Depth of completed well 342 ft. Date drilled 4-8-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	top soil
5	21	gray clay
21	45	red clay
45	49	sand
49	63	red clay
63	73	gray clay
73	79	sand - fine
79	85	gray clay
85	125	red clay
125	135	gray clay
135	156	sand

Use reverse side if necessary

7) COMPLETION (Check):
Straight Wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 182 below land surface Date 4-4-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 262 ft. below land surface.

9) Casing:
Type: Old ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 200 ft. to 317 ft.
Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 317 Gage sch 40

10) SCREEN:
Type Plastic
Perforated ☒ Slotted ☐
Diameter (inches) 2 Setting From (ft.) 322 To (ft.) 342 Slot Size .010

11) WELL TESTS:
Was a pump test made? Yes ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒
Did any strata contain undesirable water? Yes ☒ No ☐
Type of water? Fresh depth of strata 34

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Willie Pazzak Jr Water Well Drillers Registration No. 1722
(Type or Print)
ADDRESS 2502 Melba Rd Wharton Texas
(Street or RFD) (City) (State)
(Signed) Willie Pazzak Jr Willie Pazzak Water Well Drw.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

156	200 gray clay
200	210 sand
210	255 gray clay
255	263 sand-fine
263	310 red clay
310	344 sand
344	345 gray clay

RECEIVED
JUL 27 1978

RECEIVED
APR 24 1978

Central Records
Texas Dept. of Water Resources

DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1876	1 of 1	N	4.96 / 26,187.09	E M HOUSE TX	TCEQ WELL LOGS

Grid No: 65-05-6CC
 Date Drilled: 05/??/1976
 Owners Name: E M HOUSE
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 190
 Depth Drilled: 315
 Latitude: 29.914322
 Longtiude: -95.400821

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-6CC
Located on map yes
Received: 76 YAS

1) OWNER:
Person having well drilled E.M. House Address 162 Hollyvale Houston, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____
(N., E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* map on 65-05-9AA Day
413A North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 315 ft. Depth of completed well 330 ft. Date drilled May 1976
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-20	20	Yellow gray clay
20-35	35	Red gray clay
35-36	36	Rock
36-40	40	Red gray clay
40-45	45	Sand & rock
45-60	60	Red clay
60-75	75	Sand
75-120	120	Red gray clay
120-155	155	Sand
155-190	190	Red gray clay
190-205	205	Sand & Rock
205-255	255	Red gray clay
255-270	270	Sand
270-300	300	Red gray clay
300-330	330	Sand 16 ga.

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 315 up _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	1	315	40

10) SCREEN:
Type Well Supplies Inc. Plastic wrapped
Perforated _____ Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2"	320	330	16

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 190 ft. below land surface Date May 1976
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 Airline Houston Texas
(Street or RFD) (City) (State)
(Signed) C.A. Raymond, Jr. Raymond Water Well Drilling
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	1 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4652	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.7875
Regulatory Aarea:	2	Longitude:	-95.460555
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	2 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4654	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.784444
Regulatory Aarea:	3	Longitude:	-95.465277
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	3 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4648	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.7875
Regulatory Aarea:	3	Longitude:	-95.467777
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	4 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4651	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.7875
Regulatory Aarea:	3	Longitude:	-95.4625
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	5 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4655	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.784444
Regulatory Aarea:	3	Longitude:	-95.463055
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	6 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4649	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.7875
Regulatory Aarea:	3	Longitude:	-95.466666
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	7 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4656	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.784444
Regulatory Aarea:	2	Longitude:	-95.461944
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	8 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4650	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.7875
Regulatory Aarea:	3	Longitude:	-95.463888
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1877	9 of 9	SW	4.96 / 26,187.18	COOPER INDUSTRIES TX	WW HARRIS GAL

Well ID:	4653	Diameter (inches):	4
Aggre Lead Well:	4648	Year Drilled:	
Permit No:	W1993-4648-42753-0	Depth Drilled:	50
Permit Start Date:	5/12/1993	Depth frm Surf(ft):	28
Permit End Dt:	5/31/1994	County:	H
Well Status:	N - Not Drilled	Latitude:	29.784444
Regulatory Aarea:	3	Longitude:	-95.466666
Owner Name:	COOPER INDUSTRIES		
Billing Contact:	MICHAEL O'BRIEN		
Billing Address:	P.O. Box 4446		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1878	1 of 1	SSE	4.96 / 26,196.00	Grocers Supply 3014 Hicks Houston TX 77007	SDRW WELLS

Track NO: 197988
Date Submitted: 2009-11-03
Owner Name: Grocers Supply
Owner Address: 3131 E Holcombe
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77021
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.773333
Longitude: -95.3925
Drilling Date Started: 2009-10-19
Drilling Date Completed: 2009-10-21
Chemical Analysis: No
Company Name: O'Day Drilling Company, Inc
Company Address: 5923 CR 931
CompanyAddress2:
Company City: Rosharon
Company State: TX
Company Zip: 77583
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=197988&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 337

Top Depth:
Bottom Depth: 337.0

Well Levels

Measurement: 170
Measurement Date:

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1879	1 of 1	NW	4.96 / 26,198.44	Eagle Machining, Inc. TX	WW HARRIS GAL

Well ID:	13762	Diameter (inches):	4
Aggre Lead Well:	13762	Year Drilled:	0
Permit No:	W2019-13762-202936-0	Depth Drilled:	400
Permit Start Date:	6/1/2019	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.899444
Regulatory Aarea:	3	Longitude:	-95.461388
Owner Name:	Eagle Machining, Inc.		
Billing Contact:	Joseph Vu		
Billing Address:	2931 Washington Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1880	1 of 1	N	4.96 / 26,199.27	MRS G.W. DANIELS TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 04/12/1984
Owners Name: MRS G.W. DANIELS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 370
Latitude: 29.9142911
Longitude: -95.4001401

MAP # 3 - WELL # 1

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MRS G.W. DANIELS Address 206 HOLLYVALE HOUSTON, TEX
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS 2 miles in NO direction from HOUSTON, TEX
 (N.E., S.W., etc.) (Town)

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled APR. 12, 84

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	352
3 7/8	352	370

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other TWO-STRIALC
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:	
From (ft.)	To (ft.)	Dia. (in.)	New or Used
0	20		
20	36		
36	125	4" N	P.U.C.
125	152	2 1/2" N	P.U.C.
152	208		
208	221		
221	258		
258	278		
278	308		
308	320		
320	352		
352	370		

Setting (ft.)
 From To
 0 352
 352 355
 355 370 #12

CEMENTING DATA
 Cemented from 200 ft. to 352 ft.
 Method used PUMP
 Cemented by BODE DRILLING CO. INC.
 (Company or Individual)

9) WATER LEVEL:
 Static level 220 ft. below land surface Date APR. 12, 84
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata 18'
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME BODE DRILLING CO. INC. Water Well Driller's License No. 46
 (Type or Print)

ADDRESS P.O. Box 90067 HOUSTON, TEX 77280
 (Street or RFD) (City) (State) (Zip)


(Signed) C. E. Bode (Signed) Duf
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 65-05-9TT
 Located on map 423 DLE

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1881	1 of 2	N	4.96 / 26,202.02	TOMMY WILSON TX	TCEQ WELL LOGS

Grid No: 65-05-6
 Date Drilled: 9/10/1980
 Owners Name: TOMMY WILSON
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 170
 Depth Drilled: 340
 Latitude: 29.9138419
 Longtiude: -95.3963054

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-6X
 Located on map YES
 Received: RWB

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tommy Wilson (Name) Address Branding Iron (Street or RFD) Houston (City) Tex (State) (Zip)

2) LOCATION OF WELL: County Harris 10 miles in North (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON 65-23-8R

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 9/10/80

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6 3/4</u>	<u>0</u>	<u>340</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)		To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
							From	To	
<u>0</u>	<u>40</u>		<u>clay Red</u>	<u>4</u>	<u>new</u>	<u>PVC</u>	<u>0</u>	<u>320</u>	<u>40</u>
<u>40</u>	<u>70</u>		<u>Sand Fine Red -</u>						
<u>70</u>	<u>320</u>		<u>clay Red</u>	<u>2 1/2</u>		<u>PVC WOP</u>	<u>320</u>	<u>340</u>	<u>.012</u>
<u>320</u>	<u>340</u>		<u>SAND</u>						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA

Cemented from 0 ft. to 320 ft.
 Method used Pressure
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 170 ft. below land surface Date 9/10/80
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
 Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Stephen Bufkin (Type or Print) Water Well Drillers Registration No. 1696 AUG 25 1982

ADDRESS 23610 Nichols Sawmill Hackney Tex (Street or RFD) (City) (State) (Zip) 77447

(Signed) S. Bufkin (Water Well Driller) Bufkin water well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1881	2 of 2	N	4.96 / 26,202.02	Mendoza, Griselda TX	WW HARRIS GAL

Well ID:	14225	Diameter (inches):	4
Aggre Lead Well:	14225	Year Drilled:	NULL
Permit No:	WP2023-112081	Depth Drilled:	0
Permit Start Date:	8/1/2023 1:30:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 1:30:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.913888
Regulatory Aarea:	3	Longitude:	-95.396388
Owner Name:	Mendoza, Griselda		
Billing Contact:	NULL		
Billing Address:	307 Branding Iron Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1882	1 of 1	NNE	4.96 / 26,204.52	Gallery Auctions, Inc. TX	WW HARRIS GAL

Well ID:	6601	Diameter (inches):	2
Aggre Lead Well:	6601	Year Drilled:	1960
Permit No:	W2020-6601-210858-0	Depth Drilled:	75
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	50
Permit End Dt:	7/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.906666
Regulatory Aarea:	3	Longitude:	-95.371666
Owner Name:	Gallery Auctions, Inc.		
Billing Contact:	Jan Rotenberry		
Billing Address:	13310 Luthe Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	Corey Luna		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1883	1 of 6	N	4.96 / 26,204.72	McDonald's Restaurant TX	GWDB

Well Rep Track No:

State Well No:

6505941

Owner Name:

McDonald's Restaurant

Drilling Start Dt:

Drilling Month:

7

Drilling Day:

2

Drilling Year:

1973

Well Depth:

347

Well Usage:

Public Supply

Water Level Status:

Latitude:

29.9147230

Longitude:

-95.4119450

Data Source:

Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations

Well Info Report:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505941&Type=GWDB>

Document Link:

<https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505941&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1883	2 of 6	N	4.96 / 26,204.72	McDonald's Restaurant TX	GWDB

Well Rep Track No:
State Well No: 6505950
Owner Name: McDonald's Restaurant
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1985
Well Depth: 355
Well Usage: Public Supply
Water Level Status:
Latitude: 29.9147230
Longitude: -95.4119450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505950&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505950&Cnty=Harris>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1883	3 of 6	N	4.96 / 26,204.72	SHELL OIL CO TX	TCEQ WELL LOGS

Grid No: 65-05-9BB
Date Drilled: 06/14/1971
Owners Name: SHELL OIL CO
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 176
Depth Drilled: 317
Latitude: 29.914737
Longtiude: -95.4117682

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1883	4 of 6	N	4.96 / 26,204.72	MCDONALDS HAMBURGERS TX	TCEQ WELL LOGS

Grid No: 65-05-6CC
Date Drilled: 07/02/1973
Owners Name: MCDONALDS HAMBURGERS
County: HARRIS
Water Usage: CAFE
Static Level: 180
Depth Drilled: 347
Latitude: 29.914737
Longitude: -95.4117682

Map Key

Number of
Records

Direction

Distance
(mi/ft)

Site

DB

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-85-600
Located on map yes
Received: 73
dlr

1) OWNER:
Person having well drilled BRIGANCE PUMP SERV. Address 348 AIRWAY HOUSTON, TEX.
(Name) (Street or RFD) (City) (State)
Landowner MC DONALD'S HAMBURGERS - Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS _____, _____ miles in NORTH direction from HOUSTON.
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, _____
highway number, _____
WELL - CONCRETE
WEST RD - HWY. 75
WEST RD
North
HWY. 75
(Use reverse side if necessary)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 347 ft. Depth of completed well 347 ft. Date drilled JULY 2, 73
All measurements made from 2 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	25	CLAY.
25	51	SAND.
51	132	CLAY.
132	166	SAND
166	185	CLAY.
185	208	SAND
208	302	CLAY - ROCK
302	318	SAND
318	320	CLAY.
320	347	SAND

(Use reverse side if necessary)

9) CASING:
Type: Old _____ New ☒ Steel _____ Plastic _____ Other _____
Cemented from 100-150 ft. to 302 ft.
Diameter (inches) _____ Setting _____ To (ft.) _____ Gage _____
4" _____ 0 _____ 302 _____
2 1/2" _____ 302 _____ 332 _____

10) SCREEN:
Type PLASTIC - RIBBED
Perforated _____ Slotted _____
Diameter (inches) _____ Setting _____ To (ft.) _____ Slot _____
2 1/2 _____ 332 _____ 347 _____ #14 _____

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata 27 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
(Type or Print)
ADDRESS Box 67, WESTFIELD TEXAS
(Street or RFD) (City) (State)
(Signed) E.L. Bode E.L. BODE DRILLING CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1883	5 of 6	N	4.96 / 26,204.72	SHELL OIL COMPANY TX	WW HARRIS GAL

Well ID:	2872	Diameter (inches):	4
Aggre Lead Well:	2872	Year Drilled:	1971
Permit No:	W1987-2872-28070-0	Depth Drilled:	336
Permit Start Date:	11/1/1987	Depth frm Surf(ft):	0
Permit End Dt:	10/31/1988	County:	H
Well Status:	P - Plugged	Latitude:	29.914444
Regulatory Aarea:	3	Longitude:	-95.411111
Owner Name:	SHELL OIL COMPANY		
Billing Contact:	M.G. MURRAY		
Billing Address:	520 Post Oak Blvd., Suite 250		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1883	6 of 6	N	4.96 / 26,204.72	USGS-295452095244201 TX	FED USGS

Site No: USGS-295452095244201
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19851205
Well Depth: 355
Well Depth Unit: ft
Well Hole Depth: 355
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-950
Latitude: 29.91472220000000
Longitude: -95.4119444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1884	1 of 1	N	4.96 / 26,207.49	Jones Chapel A.M.E. Church TX	WW HARRIS GAL

Well ID:	5255	Diameter (inches):	5
Aggre Lead Well:	5255	Year Drilled:	1985
Permit No:	WP2023-112553	Depth Drilled:	360
Permit Start Date:	8/1/2023 12:57:00 PM	Depth frm Surf(ft):	340
Permit End Dt:	7/31/2024 12:57:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.914722
Regulatory Aarea:	3	Longitude:	-95.406111
Owner Name:	Jones Chapel A.M.E. Church		
Billing Contact:	NULL		
Billing Address:	115 W. Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77037		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1885	1 of 1	N	4.96 / 26,209.16	Jose Lopez 311 Branding Iron Houston TX 77060	SDRW WELLS

Track NO: 96453
Date Submitted: 2006-10-27
Owner Name: Jose Lopez
Owner Address: 311 Branding Iron
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.913334
Longitude: -95.395834
Drilling Date Started: 2006-10-10
Drilling Date Completed: 2006-10-10
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=96453&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 55

Top Depth:
Bottom Depth: 55.0

Well Levels

Measurement: 15
Measurement Date: 2006-10-10

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1886	1 of 5	N	4.97 / 26,218.45	SAMPSON'S MOBIL TX	GWDB

Well Rep Track No:
State Well No: 6505933
Owner Name: SAMPSON'S MOBIL
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1970
Well Depth:
Well Usage: Commercial
Water Level Status:
Latitude: 29.9147230
Longitude: -95.4133340
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6505933&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6505933&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1886	2 of 5	N	4.97 / 26,218.45	SHELL OIL COMPANY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 11/22/1987
Owners Name: SHELL OIL COMPANY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 530
Latitude: 29.9147373
Longitude: -95.4133416


WWD-012 (Rev.01-28-87)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1886	3 of 5	N	4.97 / 26,218.45	SHELL OIL COMPANY TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 12/03/1988
Owners Name: SHELL OIL COMPANY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 250
Depth Drilled: 530
Latitude: 29.9147373
Longitude: -95.4133416

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1886	4 of 5	N	4.97 / 26,218.45	MOBIL OIL CORPORATION TX	WW HARRIS GAL

Well ID:	2866	Diameter (inches):	4
Aggre Lead Well:	2866	Year Drilled:	1990
Permit No:	W1989-2866-32833-0	Depth Drilled:	0
Permit Start Date:	11/1/1989	Depth frm Surf(ft):	0
Permit End Dt:	10/31/1990	County:	H
Well Status:	P - Plugged	Latitude:	29.913888
Regulatory Aarea:	3	Longitude:	-95.413055
Owner Name:	MOBIL OIL CORPORATION		
Billing Contact:	NULL		
Billing Address:	P.O. Box 2529		
Billing Address 2:	NULL		
Billing City:	Dallas		
Billing State:	TX		
Billing Zip:	75221		
Correspondence:	TEXAS DISTRICT #12MHX		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1886	5 of 5	N	4.97 / 26,218.45	USGS-295452095244702 TX	FED USGS

Site No: USGS-295452095244702
Site Type: Well
Formation Type:
Date Drilled: 19700416
Well Depth:
Well Depth Unit:
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-05-933
Latitude: 29.91472220000000
Longitude: -95.4133333000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1887	1 of 2	S	4.97 / 26,219.61	Robo Car Wash TX	GWDB

Well Rep Track No:
State Well No: 6513945
Owner Name: Robo Car Wash
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1968
Well Depth: 321
Well Usage: Industrial
Water Level Status:
Latitude: 29.7697220
Longitude: -95.4094450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513945&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513945&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1887	2 of 2	S	4.97 / 26,219.61	MR. PRUITT TX	TCEQ WELL LOGS

Grid No: 65-13-9D
 Date Drilled: 06/07/1968
 Owners Name: MR. PRUITT
 County: HARRIS
 Water Usage: ROBO CAR WASH
 Static Level: 153
 Depth Drilled: 321
 Latitude: 29.770226
 Longtiude: -95.411057

65-13-90 GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 65-13-90
Located on map 7-18-5
Received: 6-7-68
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled MR. PRUITT Address _____ (City) _____ (State)
Landowner SAME Address 10315 Briar Dr. Houston, Texas (City) _____ (State)

2) LOCATION OF WELL: HARRIS County Labor _____ LOT 7 Block No. 46 Survey BRUNNER ADDITION
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____
(Circle as many as are known)
miles in _____ direction from HOUSTON, TEXAS (Town)
Washington Ave.
Edwards
well
Edwards
Edwards
NORTH
4

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☒ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐ ROBO CAR WASH

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 321 ft. Depth of completed well 321 ft. Date drilled 6-7-68
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	1	Asphalt & shell	145	194	Sand
1	30	Clay	194	208	Clay
30	37	Sand	208	224	Sand
37	40	Clay	224	250	Clay
40	50	Sand	250	259	Sand
50	84	Clay	259	263	Clay
84	114	Sand	263	321	Sand
114	145	Clay			(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 153 ft. below land surface Date 6-7-68
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 299 ft. to 100 ft.

10) SCREEN:
Type PLASTIC ON STEEL PIPE - UNDERBAR
Perforated ☐ Slotted ☐

Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)			From (ft.)	To (ft.)	
2 1/2	321	301	.012				

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes by whom? Alameda Water Well Service
Pump 75 gpm with _____ ft. drawdown after _____ hrs
Borehole test 75 gpm with 5 ft. drawdown after 2 hrs
Artesian flow _____ gpm Date 6-7-68
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? _____ depth of strata _____

12) PUMP DATA:
Manufacturer's Name RED JACKET
Type SUBMERSIBLE H.P. 5
Designed pumping rate 70 gpm ☒ gph ☐
Type power unit ELECTRIC
Depth to bowls, cylinder, jet, etc., 231 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN A. Pyburn (Type or Print) Water Well Drillers Registration No. 843
Address 13910 Alameda School Rd. (Street or RFD) HOUSTON, TEXAS 77047 (City) _____ (State)
(Signed) John A. Pyburn (Water Well Driller) Alameda Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1888	1 of 1	S	4.97 / 26,219.64	BRH GARVER TX	TCEQ WELL LOGS

Grid No:	65-13-9
Date Drilled:	04/07/1995
Owners Name:	BRH GARVER
County:	HARRIS
Water Usage:	DE-WATERING
Static Level:	NOT REPORTED
Depth Drilled:	50
Latitude:	29.770264
Longtiude:	-95.406906

*, Austin, TX 78711-3087

Please use black ink.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1889	1 of 1	N	4.97 / 26,221.48	Regional Properties TX	WW HARRIS GAL

Well ID:	12874	Diameter (inches):	4
Aggre Lead Well:	12874	Year Drilled:	NULL
Permit No:	WP2023-111919	Depth Drilled:	0
Permit Start Date:	6/5/2023 2:34:00 PM	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2024 2:34:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.914722
Regulatory Aarea:	3	Longitude:	-95.408055
Owner Name:	Ed Bass Telephone Rd Storage		
Billing Contact:	NULL		
Billing Address:	P.O. Box 550648		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77255		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1890	1 of 1	N	4.97 / 26,226.26	Rafael Moran 210 Hollyvale Drive Houston TX 77060	SDRW WELLS

Track NO: 485963
Date Submitted: 2018-08-03
Owner Name: Rafael Moran
Owner Address: 210 Hollyvale Drive
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.914444
Longitude: -95.399722
Drilling Date Started: 2018-03-23
Drilling Date Completed: 2018-04-03
Chemical Analysis: No
Company Name: Terra Power Drilling LLC
Company Address: 9532 FM 682
CompanyAddress2:
Company City: Yoakum
Company State: TX
Company Zip: 77995
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=485963&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 230.0

Top Depth: 0
Bottom Depth: 230

Well Levels

Measurement: 62
Measurement Date: 2018-04-02

Well Strata

Water Type:

good clean water

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1891	1 of 1	NW	4.97 / 26,226.34	Cambodian New Life Church TX	WW HARRIS GAL

Well ID:	8590	Diameter (inches):	4
Aggre Lead Well:	8590	Year Drilled:	1979
Permit No:	W2020-8590-209353-0	Depth Drilled:	311
Permit Start Date:	6/1/2020	Depth frm Surf(ft):	286
Permit End Dt:	5/31/2025	County:	H
Well Status:	O - Operable	Latitude:	29.900277
Regulatory Aarea:	3	Longitude:	-95.460277
Owner Name:	Cambodian New Life Church		
Billing Contact:	Raywood Samreth		
Billing Address:	2922 Washington Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1892	1 of 1	NNE	4.97 / 26,233.44	Mendoza, Arturo TX	WW HARRIS GAL

Well ID:	14384	Diameter (inches):	2
Aggre Lead Well:	14384	Year Drilled:	
Permit No:	W2020-14384-211084-0	Depth Drilled:	0
Permit Start Date:	8/1/2020	Depth frm Surf(ft):	0
Permit End Dt:	7/31/2021	County:	H
Well Status:	O - Operable	Latitude:	29.913888
Regulatory Aarea:	3	Longitude:	-95.395833
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	315 Branding Iron Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1893	1 of 2	NE	4.97 / 26,233.98	Segura, Jose N. TX	WW HARRIS GAL

Well ID:	5938	Diameter (inches):	4
Aggre Lead Well:	5938	Year Drilled:	1997
Permit No:	WP2022-111395	Depth Drilled:	350
Permit Start Date:	8/1/2022 4:39:00 PM	Depth frm Surf(ft):	320
Permit End Dt:	7/31/2027	County:	H
Well Status:	O - Operable	Latitude:	29.902222
Regulatory Aarea:	3	Longitude:	-95.362777
Owner Name:	Segura, Jose N.		
Billing Contact:	NULL		
Billing Address:	1509 Aldine Mail Route		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1893	2 of 2	NE	4.97 / 26,233.98	JOSE N. SEGURA TX	TCEQ WELL LOGS

Grid No: 65-06-7
Date Drilled: 04/17/1997
Owners Name: JOSE N. SEGURA
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 222
Depth Drilled: 345
Latitude: 29.902569
Longitude: -95.3632403

Send original copy by certified return receipt requested m

TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council MC 177 P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>JOSE N. SEGURA</u> (Name)		ADDRESS <u>1509 ALDINE MAIL RT HOUSTON TX 77039</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>HARRIS</u> <u>1509 ALDINE MAIL RT HOUSTON TX 77039</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65067</u>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input checked="" type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>SIX-EMPHOS</u>		5) <u>X</u>																					
6) WELL LOG: Date Drilling: <u>4-15</u> 19 <u>97</u> Started <u>4-17</u> 19 <u>97</u> Completed <u>4-17</u> 19 <u>97</u>		DIAMETER OF HOLE <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>335</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>335</u></td> <td><u>345</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>335</u>	<u>3 7/8</u>	<u>335</u>	<u>345</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																							
<u>6 3/4</u>	Surface	<u>335</u>																							
<u>3 7/8</u>	<u>335</u>	<u>345</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0 - 6</u> <u>TOP SOIL</u> <u>6 - 22</u> <u>YELLOW SHALE</u> <u>22 - 38</u> <u>SAND</u> <u>38 - 96</u> <u>RED SHALE</u> <u>96 - 130</u> <u>SAND</u> <u>130 - 144</u> <u>RED SHALE</u> <u>144 - 160</u> <u>SAND</u> <u>160 - 205</u> <u>RED SHALE</u> <u>205 - 237</u> <u>SAND</u> <u>237 - 290</u> <u>RED SHALE</u> <u>290 - 304</u> <u>SAND</u> <u>304 - 320</u> <u>RED SHALE</u> <u>320 - 345</u> <u>SAND</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-STRING</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																							
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PYC</u></td> <td><u>0</u></td> <td><u>325</u></td> <td><u>SH 40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PYC-WRAPPED</u></td> <td><u>325</u></td> <td><u>345</u></td> <td><u>SH 80</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PYC</u>	<u>0</u>	<u>325</u>	<u>SH 40</u>	<u>2 1/2</u>	<u>N</u>	<u>PYC-WRAPPED</u>	<u>325</u>	<u>345</u>	<u>SH 80</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																				
			From	To																					
<u>4</u>	<u>N</u>	<u>PYC</u>	<u>0</u>	<u>325</u>	<u>SH 40</u>																				
<u>2 1/2</u>	<u>N</u>	<u>PYC-WRAPPED</u>	<u>325</u>	<u>345</u>	<u>SH 80</u>																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. <u>300</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>325</u> ft. No. of sacks used <u>27</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>PRESSURE</u> Cemented by <u>SUGG WATER WELL</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>PROPERTY OWNER</u>																							
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>14.0</u> gpm with <u>20</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>222</u> ft. below land surface Date <u>4-17-97</u> Artesian flow _____ gpm. Date _____																							
		12) PACKERS: <u>RECEIVED</u> <u>JUL 31 1997</u>																							
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>SUGG WATER WELL DRILLING</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>1006 WPKL</u>																							
ADDRESS <u>13501 CHRISMAN #26</u> (Street or RFD) (City) (State) (Zip)		<u>HOUSTON TEXAS 77039</u>																							
(Signed) <u>James N. Sugg Jr.</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96)

White - TNRCC

Yellow - DRILLER

Pink - WELL OWNER

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1894	1 of 1	N	4.97 / 26,236.35	MR. PHAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
 Date Drilled: 12/07/1993
 Owners Name: MR. PHAN
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 250
 Depth Drilled: 421
 Latitude: 29.914331
 Longtiude: -95.399523

Send original copy by certified mail to: Texas Water Com

n, P.O. Box 13087, Austin, Texas 78711

KM41

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Mr. Phan</u> (Name) ADDRESS <u>218 Hollywood Houston Tx.</u> (Street or RFD) (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>Nacogdoches</u> <u>10</u> miles in <u>N</u> direction from <u>Houston Tx.</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																																																										
<input checked="" type="checkbox"/> SEE ATTACHED MAP <u>60-64-8</u>																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>Dec 3 1993</u> Started <u>Dec 3 1993</u> Completed <u>Dec 7 1993</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>390</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>390</u></td> <td><u>421</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>390</u>	<u>4 1/2</u>	<u>390</u>	<u>421</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two Stems</u> If Gravel Packed give Interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>390</u>																																																								
<u>4 1/2</u>	<u>390</u>	<u>421</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0-20</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>20-40</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>40-260</u></td> <td></td> <td><u>Clay, rocks</u></td> </tr> <tr> <td><u>260-280</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>280-300</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>300-330</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>330-400</u></td> <td></td> <td><u>Clay, rocks</u></td> </tr> <tr> <td><u>400-421</u></td> <td></td> <td><u>Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-20</u>		<u>Clay</u>	<u>20-40</u>		<u>Sand</u>	<u>40-260</u>		<u>Clay, rocks</u>	<u>260-280</u>		<u>Sand</u>	<u>280-300</u>		<u>Clay</u>	<u>300-330</u>		<u>Sand</u>	<u>330-400</u>		<u>Clay, rocks</u>	<u>400-421</u>		<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC.</u></td> <td><u>0</u></td> <td><u>390</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC. Liner</u></td> <td><u>390</u></td> <td><u>401</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC. Screen</u></td> <td><u>401</u></td> <td><u>421</u></td> <td><u>10</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>390</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC. Liner</u>	<u>390</u>	<u>401</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC. Screen</u>	<u>401</u>	<u>421</u>	<u>10</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-20</u>		<u>Clay</u>																																																								
<u>20-40</u>		<u>Sand</u>																																																								
<u>40-260</u>		<u>Clay, rocks</u>																																																								
<u>260-280</u>		<u>Sand</u>																																																								
<u>280-300</u>		<u>Clay</u>																																																								
<u>300-330</u>		<u>Sand</u>																																																								
<u>330-400</u>		<u>Clay, rocks</u>																																																								
<u>400-421</u>		<u>Sand</u>																																																								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC.</u>	<u>0</u>	<u>390</u>	<u>40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC. Liner</u>	<u>390</u>	<u>401</u>	<u>40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC. Screen</u>	<u>401</u>	<u>421</u>	<u>10</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>336</u> ft.		9) CEMENTING DATA (Rule 287.44(1)) Cemented from <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>3</u> <u>200</u> ft. to <u>390</u> ft. No. of Sacks Used <u>10</u> Method used <u>Pressure</u> Cemented by <u>CWUW</u>																																																								
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pileless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>21</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>250</u> ft. below land surface Date <u>Dec 7, 93</u> Artesian flow _____ gpm. Date _____																																																								
12) PACKERS: <u>4 X 2 1/2</u> Type <u>R</u> Depth <u>380</u>		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																								
COMPANY NAME <u>COASTAL WATER WELL</u> (Type or print) ADDRESS <u>P.O. Box 745</u> (Street or RFD) (City) <u>Porter</u> (State) <u>Tx</u> (Zip) <u>77365</u>		WELL DRILLER'S LICENSE NO. <u>812</u> (Signed) <u>J.P. Schuch</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. _____ Located on map <u>65-S-9</u>																																																										

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1895	1 of 2	N	4.97 / 26,243.28	MRS MORGAN TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 03/01/1991
Owners Name: MRS MORGAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 264
Depth Drilled: 431
Latitude: 29.9143051
Longtiude: -95.3991021

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Kr. 13A

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																																																						
1) OWNER <u>Mrs Morgan</u> (Name) ADDRESS <u>222 Hollyvale Hwy. TX.</u> (Street or RFD) (City) (State) (Zip)																																																										
2) LOCATION OF WELL: County <u>Harris</u> 10 miles in <u>N</u> direction from <u>Houston, TX</u> (NE, SW, etc.) (Town)																																																										
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																																																										
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____ <input checked="" type="checkbox"/> SEE ATTACHED MAP <u>on 60-647</u>																																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																																																						
6) WELL LOG: Date Drilling: <u>Feb 26 1991</u> Started <u>Mar 1 1991</u> Completed _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>400</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>400</u></td> <td><u>431</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>400</u>	<u>4 1/2</u>	<u>400</u>	<u>431</u>	7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Flow - String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																																										
DIAMETER OF HOLE																																																										
Dia. (in.)	From (ft.)	To (ft.)																																																								
<u>6 3/4</u>	Surface	<u>400</u>																																																								
<u>4 1/2</u>	<u>400</u>	<u>431</u>																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> <tr> <td><u>0-44</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>44-48</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>48-160</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>160-178</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>178-320</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>320-345</u></td> <td></td> <td><u>Sand</u></td> </tr> <tr> <td><u>345-410</u></td> <td></td> <td><u>Clay, rock</u></td> </tr> <tr> <td><u>410-431</u></td> <td></td> <td><u>Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-44</u>		<u>Clay</u>	<u>44-48</u>		<u>Sand</u>	<u>48-160</u>		<u>Clay</u>	<u>160-178</u>		<u>Sand</u>	<u>178-320</u>		<u>Clay</u>	<u>320-345</u>		<u>Sand</u>	<u>345-410</u>		<u>Clay, rock</u>	<u>410-431</u>		<u>Sand</u>	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perfl., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC Casing</u></td> <td><u>0</u></td> <td><u>400</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Liner</u></td> <td><u>390</u></td> <td><u>411</u></td> <td><u>10</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>411</u></td> <td><u>431</u></td> <td><u>12</u></td> </tr> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perfl., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>0</u>	<u>400</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>390</u>	<u>411</u>	<u>10</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>411</u>	<u>431</u>	<u>12</u>
From (ft.)	To (ft.)	Description and color of formation material																																																								
<u>0-44</u>		<u>Clay</u>																																																								
<u>44-48</u>		<u>Sand</u>																																																								
<u>48-160</u>		<u>Clay</u>																																																								
<u>160-178</u>		<u>Sand</u>																																																								
<u>178-320</u>		<u>Clay</u>																																																								
<u>320-345</u>		<u>Sand</u>																																																								
<u>345-410</u>		<u>Clay, rock</u>																																																								
<u>410-431</u>		<u>Sand</u>																																																								
Dia. (in.)	New or Used	Steel, Plastic, etc. Perfl., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																					
			From	To																																																						
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>0</u>	<u>400</u>	<u>40</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC Liner</u>	<u>390</u>	<u>411</u>	<u>10</u>																																																					
<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>411</u>	<u>431</u>	<u>12</u>																																																					
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>336</u> ft.		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>300</u> ft. to <u>400</u> ft. No. of Sacks Used <u>10</u> <u>0</u> ft. to <u>10</u> ft. No. of Sacks Used <u>2</u> Method used <u>Pressure</u> Cemented by <u>Curry</u>																																																								
14) WELL TESTS: Type Test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Dress Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>265</u> ft. below land surface Date <u>3-1-91</u> Artesian flow _____ gpm. Date _____ DIMENSIONS: Type Depth <u>4x2 1/2</u> <u>K</u> <u>390'</u>																																																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																										
COMPANY NAME <u>CRYSTAL WATER WELL</u> (Type or print) ADDRESS <u>P.O. Box 745</u> (Street or RFD) (City) (State) (Zip) (Signed) <u>A. L. Schultz</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>812</u> <u>Porter TX 77365</u> (Signed) _____ (Registered Driller Trainee)																																																								
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																										
For TWC use only: Well No. <u>65-05-9</u> Located on map _____																																																										

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1895	2 of 2	N	4.97 / 26,243.28	Ruiz, Jose Crisanto TX	WW HARRIS GAL

Well ID:	11624	Diameter (inches):	2
Aggre Lead Well:	11624	Year Drilled:	2010
Permit No:	WP2021-101316	Depth Drilled:	50
Permit Start Date:	8/1/2021 2:35:00 PM	Depth frm Surf(ft):	40
Permit End Dt:	7/31/2026	County:	H
Well Status:	O - Operable	Latitude:	29.914166
Regulatory Aarea:	3	Longitude:	-95.398888
Owner Name:	Ruiz, Jose Crisanto		
Billing Contact:	NULL		
Billing Address:	331 Mcfarland Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77060		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1896	1 of 1	ENE	4.97 / 26,258.47	U L UNDERBRINK TX	TCEQ WELL LOGS

Grid No: 65-05-9XX
Date Drilled: 11/22/1974
Owners Name: U L UNDERBRINK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 140
Depth Drilled: 242
Latitude: 29.879864
Longtiude: -95.338403

TMDRE-WD-B

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

70	-	75	Red Clay
76	-	103	Sand
103	-	120	Blue Clay
120	-	124	Sand
124	-	138	Blue Clay
138	-	145	Sand
145	-	155	Blue Clay
155	-	156	Rock
156	-	232	Red Gray Clay
232	-	242	Sand

RECEIVED
JAN 23 1975

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAY 13 1975
Central Records
Texas Water Development Board

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1897	1 of 1	NNE	4.97 / 26,261.23	DOYLE HUGHES TX	TCEQ WELL LOGS

Grid No: 65-05-6
 Date Drilled: 08/22/1997
 Owners Name: DOYLE HUGHES
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 221
 Depth Drilled: 360
 Latitude: 29.9138378
 Longitude: -95.3951485

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																					
1) OWNER <u>Doyle Hughes</u> (Name)		ADDRESS <u>323 Branding Iron Houston, TX 77060</u> (Street or RFD) (City) (State) (Zip)																							
2) ADDRESS OF WELL: County <u>Harris</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>65-05-6</u>																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																					
6) WELL LOG: Date Drilling: _____ Started <u>8-20-97</u> Completed <u>8-22-97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>8 3/4</u></td> <td>Surface</td> <td><u>330</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>330</u></td> <td><u>360</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>8 3/4</u>	Surface	<u>330</u>	<u>4 1/2</u>	<u>330</u>	<u>360</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																							
<u>8 3/4</u>	Surface	<u>330</u>																							
<u>4 1/2</u>	<u>330</u>	<u>360</u>																							
From (ft.) To (ft.) Description and color of formation material <u>0-18 C</u> <u>18-47 S</u> <u>47-126 C</u> <u>126-175 S</u> <u>175-187 C</u> <u>187-209 S</u> <u>209-286 C</u> <u>286-293 S</u> <u>293-305 C</u> <u>305-321 S</u> <u>321-331 Knotty</u> <u>331-345 S+Knotty</u> <u>345-360 C</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>2-5 1/2 in</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																							
CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>330</u></td> <td><u>5440</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>330</u></td> <td><u>345</u></td> <td><u>18/110</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>330</u>	<u>5440</u>	<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>330</u>	<u>345</u>	<u>18/110</u>		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																		
			From	To																					
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>330</u>	<u>5440</u>																				
<u>2 1/2</u>	<u>N</u>	<u>PVC Screen</u>	<u>330</u>	<u>345</u>	<u>18/110</u>																				
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>330</u> ft. No. of sacks used <u>22</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Circ</u> Cemented by <u>Low</u> Distance to septic system field lines or other concentrated contamination <u>80</u> ft. Method of verification of above distance <u>measured</u>																									
10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																									
11) WATER LEVEL: Static level <u>221</u> ft. below land surface Date <u>8-22-97</u> Artesian flow _____ gpm. Date _____																									
12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>EMP #</th> <th>Type</th> <th>Depth</th> </tr> <tr> <td><u>1</u></td> <td><u>OCT 07 1997</u></td> <td></td> </tr> </table>						EMP #	Type	Depth	<u>1</u>	<u>OCT 07 1997</u>															
EMP #	Type	Depth																							
<u>1</u>	<u>OCT 07 1997</u>																								
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.																									
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>35</u> gpm with _____ ft. drawdown after _____ hrs.																									
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit 'REPORT OF UNDESIRABLE WATER' Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																									
COMPANY NAME <u>Low Water Wells, Inc</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>4028 WI</u>																									
ADDRESS <u>P.O. Box 89</u> (Street or RFD) <u>Porter</u> (City) <u>TX. 77365</u> (State) (Zip)																									
(Signed) <u>Terry W. Lowe</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																									

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1898	1 of 3	ENE	4.97 / 26,264.89	City of Houston Pinewood Village TX	GWDB

Well Rep Track No:
State Well No: 6514112
Owner Name: City of Houston Pinewood Village
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1955
Well Depth: 575
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8744444
Longitude: -95.3350000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514112&Type=GWDB>
Document Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514112&Cnty=Harris>

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1898	2 of 3	ENE	4.97 / 26,264.89	CITY OF HOUSTON TX	WUD

Primary Co: PAT J. DANIEL
Contact Ti: CITY SECRETARY
Operating Status: PLUGGED
PWSID: 1010013
Source ID: G1010013ON
Utility Name: CITY OF HOUSTON
WTRSRC: G1010013ON
Date Drilled: 00/00/1955
Well Depth: 575
Screen Top: 0
Screen Bottom: 0
Water Usage: INACTIVE - PLUGGED
Gallons Per Minute: N/A
CCN: P1552
Latitude: 29.874391
Longitude: -95.335496
System Status: ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1898	3 of 3	ENE	4.97 / 26,264.89	USGS-295227095200501 TX	FED USGS

Site No: USGS-295227095200501
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 195505
Well Depth: 575
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-112
Latitude: 29.87444444000000
Longitude: -95.33500000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1899	1 of 1	SE	4.97 / 26,267.60	USGS-294732095205701 TX	FED USGS

Site No: USGS-294732095205701
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19920201
Well Depth: 523
Well Depth Unit: ft
Well Hole Depth: 540
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-14-441
Latitude: 29.792500000000000
Longitude: -95.3494444000000

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1900	1 of 1	NW	4.98 / 26,272.22	MR MYERS TX	TCEQ WELL LOGS

Grid No: 65-05-7W
Date Drilled: 09/23/1980
Owners Name: MR MYERS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 175
Depth Drilled: 310
Latitude: 29.900325
Longtiude: -95.460445

TDWR-0392 (Rev. 1-12-79)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1901	1 of 1	NNE	4.98 / 26,274.65	JERRY WALSTON TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 04/22/1986
Owners Name: JERRY WALSTON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 198
Depth Drilled: 406
Latitude: 29.908674
Longtiude: -95.375616

TDWR-0392 (12/29/83)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1902	1 of 1	NW	4.98 / 26,274.88	DOUG HARRIS TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 05/04/1988
Owners Name: DOUG HARRIS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 415
Latitude: 29.899507
Longtiude: -95.461688

✓ 51 C

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Doug Harris Address 2947 Washington Houston, tex 77086
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 12 miles in NW direction from Houston,
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. 0165-13-3

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling:
Started 5-2- 1988
Completed 5-4 1988

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)

	Dia. (in.)	From (ft.)	To (ft.)
0-5 top soil	6 3/4	Surface	415
5-25 clay			
25-45 sand			
45-150 clay			
150-165 sand			
165-245 clay			
245-310 sand			
310-315 rock			
315-340 sand			
340-370 shale			
370-380 sand			
380-405 shale			
405-415 sand			

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 string cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-5	top soil							
5-25	clay							
25-45	sand		4	N	PVC casing	0	376	S-40
45-150	clay		2 1/2	N	blank liner	365	370	S-40
150-165	sand		2 1/2	N	slotted screen	370	380	.012
165-245	clay		2 1/2	N	blank liner	380	305	S-40
245-310	sand		2 1/2	N	slotted screen	405	415	.012

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 376 ft. to 276 ft. No. of Sacks Used 12
0 ft. to 15 ft. No. of Sacks Used 5
Method used Halliburton
Cemented by RWW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 200 ft. below land surface Date 5-5-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth 376'
k-packer

13) TYPE PUMP: owners 1 HP
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 300 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Water Well Driller's License No. 2212
(Type or Print)

ADDRESS 11607 FM 149 Houston, Texas 77086
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only.
Well No. 6505-7
Located on map _____

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1903	1 of 1	WSW	4.98 / 26,275.39	Women's Home, The TX	WW HARRIS GAL

Well ID:	11347	Diameter (inches):	5
Aggre Lead Well:	11347	Year Drilled:	NULL
Permit No:	WP2023-109601	Depth Drilled:	400
Permit Start Date:	6/1/2023 2:47:00 PM	Depth frm Surf(ft):	370
Permit End Dt:	5/31/2024 2:48:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.805
Regulatory Aarea:	3	Longitude:	-95.481666
Owner Name:	Women's Home, The		
Billing Contact:	James Brodnax		
Billing Address:	607 Westheimer		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77006		
Correspondence:	Rebekah Cornelius		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1904	1 of 1	NNE	4.98 / 26,286.37	A J HOLUB TX	TCEQ WELL LOGS

Grid No: 65-05-9DDD
Date Drilled: 10/29/1975
Owners Name: A J HOLUB
County: HARRIS
Water Usage: DOMESTIC
Static Level: 187
Depth Drilled: 338
Latitude: 29.9138238
Longtiude: -95.3946067

Map Key

Number of
Records

Direction

Distance
(mi/ft)

Site

DB

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-05-9000
Located on map yes
Received: 76 yes
dlr

1) OWNER:

Person having well drilled A. J. HOUW Address 331 BRANDING IRON
(Name) (Street or RFD) (City) (State)
Landowner SAME Address HOUSTON, TEX
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:

County HARRIS 2 miles in NO. direction from HOUSTON
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,
highway number, etc. WELL - A. J. HOUW
331-BRANDING IRON
AIRLINE DR
(Use reverse side if necessary)

Give legal location with distances and directions from
adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):

New Well ☒ Deepening
Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):

Rotary ☒ Driven ☐ Dug
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:

Diameter of hole 6 1/2 in. Depth drilled 338 ft. Depth of completed well 338 ft. Date drilled OCT. 29, 75

All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	40	CLAY.
40	52	SAND
52	55	ROCK
55	142	CLAY.
142	155	SAND
155	313	CLAY.
313	338	SAND.

(Use reverse side if necessary)

7) COMPLETION (Check):

Straight wall ☐ Gravel packed ☐ Other ☒
Under reamed ☒ Open Hole

8) WATER LEVEL:

Static level 187 ft. below land surface Date OCT. 29, 75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.
below land surface.

9) Casing:

Type: Old ☐ New ☒ Steel ☐ Plastic ☒ Other ☐
Cemented from 200 ft. to 315 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	315	
2 1/2"	315	323	

10) SCREEN:

Type PLASTIC - RIBBED

Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2"	323	338	

11) WELL TESTS:

Was a pump test made? Yes ☐ No ☒ If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:

Was a chemical analysis made? Yes ☐ No ☒

Did any strata contain undesirable water? Yes ☐ No ☒

Type of water? _____ depth of strata 25 FT.

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. L. BODE
(Type or Print)

Water Well Drillers Registration No. 46

ADDRESS PO BOX 107 WESTFIELD TEX 77377
(Street or RFD) (City) (State)

(Signed) E. L. Bode EL BODE DRILLING CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-6

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1905	1 of 2	N	4.98 / 26,286.96	H R WOOLERY TX	TCEQ WELL LOGS

Grid No: 65-05-6
Date Drilled: 02/25/1982
Owners Name: H R WOOLERY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 209
Depth Drilled: 342
Latitude: 29.914347
Longitude: -95.398402

MAP#3 - WELL #1

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-6R
 Located on map YES
 Received: RUB

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER H.R. WOOLERY Address 234 HOLYVALE HOUSTON TEX
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS 1 miles in NO direction from HOUSTON TEX
 (N.E., S.W., etc.) (Town)

☐ Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 234 HOLYVALE

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled FEB 20 82

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>320</u>
<u>3 3/8</u>	<u>320</u>	<u>342</u>

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other TWO-SPRING
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
<u>0</u>	<u>23</u>	<u>CLAY</u>					
<u>23</u>	<u>50</u>	<u>SAND</u>					
<u>50</u>	<u>72</u>	<u>CLAY</u>					
<u>72</u>	<u>83</u>	<u>SAND</u>	<u>4" N</u>	<u>P.V.C.</u>		<u>0</u>	<u>320</u>
<u>83</u>	<u>131</u>	<u>CLAY</u>	<u>2 1/2" N</u>	<u>GALVANIZE</u>		<u>320 - 327</u>	<u>40</u>
<u>131</u>	<u>146</u>	<u>SAND</u>					
<u>146</u>	<u>157</u>	<u>CLAY</u>					
<u>157</u>	<u>267</u>	<u>CLAY-ROCK - BROKEN</u>					
<u>267</u>	<u>229</u>	<u>SAND</u>					
<u>229</u>	<u>318</u>	<u>CLAY</u>	<u>2 1/2" N</u>	<u>P.V.C. SCREEN</u>		<u>327 - 342</u>	<u>#14</u>
<u>318</u>	<u>342</u>	<u>SAND</u>					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 Cemented from 320 ft. to 320 ft.
 Method used PUMP
 Cemented by BODE DRILLING CO. INC.
 (Company or Individual)

9) WATER LEVEL:
 Static level 209 ft. below land surface Date FEB 20 82
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 223 ft.

12) WELL TESTS:
☐ Type Test ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata 24'
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE Water Well Drillers Registration No. 46
 (Type or Print)


ADDRESS P.O. Box 90067 HOUSTON TEX 77290
 (Street or RFD) (City) (State) (Zip)

(Signed) E.L. Bode BODE DRILLING CO. INC.
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



MAP # 3

Well # 1

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1905	2 of 2	N	4.98 / 26,286.96	Hal Woolery 234 Hollyvale Houston TX 77060	SDRW WELLS

Track NO: 213301
Date Submitted: 2010-04-16
Owner Name: Hal Woolery
Owner Address: 234 Hollyvale
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77060
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.914445
Longitude: -95.398334
Drilling Date Started: 2006-12-18
Drilling Date Completed: 2006-12-18
Chemical Analysis: No
Company Name: Coastal Water Well Service, Inc.
Company Address: P. O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=213301&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 48.0

Top Depth: 0
Bottom Depth: 48

Well Levels

Measurement: 24
Measurement Date: 2006-12-18

Well Strata

Water Type:

Potable

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1906	1 of 3	NW	4.98 / 26,289.74	M D SCROGGINS TX	TCEQ WELL LOGS

Grid No: 65-05-1C
Date Drilled: 04/29/1973
Owners Name: M D SCROGGINS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 180
Depth Drilled: 309
Latitude: 29.898849
Longtiude: -95.462718

4885

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1906	2 of 3	NW	4.98 / 26,289.74	MARVIN D SCROGGINS TX	TCEQ WELL LOGS

Grid No: 65-05-7
Date Drilled: 12/11/1991
Owners Name: MARVIN D SCROGGINS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 242
Depth Drilled: 440
Latitude: 29.898849
Longtiude: -95.462718


Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

State of Texas WELL REPORT		Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711																					
ATTENTION OWNER: Confidentiality Please Notice on Reverse Side																							
1) OWNER <u>MARVIN D SCROGGINS</u> ADDRESS <u>11602 Fm 249</u> <u>Houston TX 77438</u> (Name) (Street or RFD) (City) (State) (Zip)																							
2) LOCATION OF WELL: County <u>Harris</u> <u>6</u> miles in <u>W</u> direction from <u>Aldine</u> (NE, SW, etc.) (Town)																							
Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.																							
<input type="checkbox"/> LEGAL DESCRIPTION: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____																							
<input checked="" type="checkbox"/> SEE ATTACHED MAP (3)																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Monitor <input type="checkbox"/> Public Supply <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Injection <input type="checkbox"/> De-Watering																					
		5) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Air Hammer <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Air Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____																					
6) WELL LOG: Date Drilling: <u>12-10</u> 19 <u>91</u> Started <u>12-10</u> 19 <u>91</u> Completed <u>12-11</u> 19 <u>91</u>		7) BOREHOLE COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																					
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 1/2</u></td> <td>Surface</td> <td><u>424</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>424</u></td> <td><u>440</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 1/2</u>	Surface	<u>424</u>	<u>4 1/2</u>	<u>424</u>	<u>440</u>													
Dia. (in.)	From (ft.)	To (ft.)																					
<u>6 1/2</u>	Surface	<u>424</u>																					
<u>4 1/2</u>	<u>424</u>	<u>440</u>																					
From (ft.) To (ft.) Description and color of formation material		8) CASING, BLANK PIPE, AND WELL SCREEN DATA:																					
<u>0-54 C</u> <u>295-335 C</u> <u>54-60 S</u> <u>335-362 S</u> <u>60-92 C</u> <u>362-376 C</u> <u>92-114 S</u> <u>376-384 S</u> <u>114-120 C</u> <u>384-424 C</u> <u>120-142 S</u> <u>424-440 S</u> <u>142-174 C</u> <u>174-235 S</u> <u>235-253 C</u> <u>253-295 S</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4 N</u></td> <td><u>PVC</u></td> <td></td> <td><u>0</u></td> <td><u>424</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2 N</u></td> <td><u>PVC</u></td> <td></td> <td><u>425</u></td> <td><u>440</u></td> <td><u>10</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4 N</u>	<u>PVC</u>		<u>0</u>	<u>424</u>	<u>40</u>	<u>2 1/2 N</u>	<u>PVC</u>		<u>425</u>	<u>440</u>	<u>10</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casing Screen																
			From	To																			
<u>4 N</u>	<u>PVC</u>		<u>0</u>	<u>424</u>	<u>40</u>																		
<u>2 1/2 N</u>	<u>PVC</u>		<u>425</u>	<u>440</u>	<u>10</u>																		
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Cylinder <u>1092</u> <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>EVER 1000 ft.</u>		9) CEMENTING DATA [Rule 287.44(1)] Cemented from <u>0</u> ft. to <u>110</u> ft. No. of Sacks Used <u>10</u> <u>380</u> ft. to <u>424</u> ft. No. of Sacks Used <u>5</u> Method used _____ Cemented by _____																					
14) WELL TESTS: Type Test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 287.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 287.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 287.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 287.71]																					
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>242</u> ft. below land surface Date <u>12-11-91</u> Artesian flow _____ gpm. Date _____																					
		12) PACKERS: Type Depth																					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																							
COMPANY NAME <u>Lowe Water Wells Inc.</u> (Type or print) ADDRESS <u>P.O. Box 89</u> (Street or RFD) (Signed) <u>Romer L Lowe</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. <u>1182</u> <u>Porter</u> (City) <u>Texas</u> (State) <u>77365</u> (Zip) (Signed) _____ (Registered Driller Trainee)																					
Please attach electric log, chemical analysis, and other pertinent information, if available.																							
		For TWC use only: Well No. <u>3</u> Located on map <u>65.5.7</u>																					

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1906	3 of 3	NW	4.98 / 26,289.74	Franco, Efrain TX	WW HARRIS GAL

Well ID:	5048	Diameter (inches):	4
Aggre Lead Well:	5048	Year Drilled:	1991
Permit No:	WP2023-110736	Depth Drilled:	453
Permit Start Date:	6/1/2023	Depth frm Surf(ft):	250
Permit End Dt:	5/31/2024	County:	H
Well Status:	O - Operable	Latitude:	29.898888
Regulatory Aarea:	3	Longitude:	-95.463055
Owner Name:	Franco, Efrain		
Billing Contact:	Efrain Franco		
Billing Address:	6219 Jensen Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77093		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1907	1 of 1	NE	4.98 / 26,290.69	Jacobo Vallejo 1826 Isom Houston TX 77039	SDRW WELLS

Track NO: 213273
Date Submitted: 2010-04-16
Owner Name: Jacobo Vallejo
Owner Address: 1826 Isom
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.898611
Longitude: -95.358889
Drilling Date Started: 2009-07-06
Drilling Date Completed: 2009-07-09
Chemical Analysis: No
Company Name: Coastal Waterwell Service
Company Address: P. O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=213273&Type=SDR-Well>

Well Borehole Information

Top Depth: 0
Bottom Depth: 355

Top Depth:
Bottom Depth: 365.0

Top Depth: 355
Bottom Depth: 365

Well Levels

Measurement: 110
Measurement Date: 2009-07-09

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1908	1 of 1	NE	4.98 / 26,294.51	Vivian Haver 13118 Reeveston Houston TX 77039	SDRW WELLS

Track NO: 184783
Date Submitted: 2009-07-01
Owner Name: Vivian Haver
Owner Address: 13118 Reeveston
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77039
County: Harris
Type of Work: Replacement
Type of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.905001
Longitude: -95.367222
Drilling Date Started: 2009-05-28
Drilling Date Completed: 2009-05-29
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=184783&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 350.0

Top Depth: 0
Bottom Depth: 350

Well Levels

Measurement: 195
Measurement Date: 2009-06-02

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1909	1 of 3	NE	4.98 / 26,299.29	VERNON MILLER TX	TCEQ WELL LOGS

Grid No: 65-05-9
Date Drilled: 06/02/1981
Owners Name: VERNON MILLER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 10
Depth Drilled: 50
Latitude: 29.9009777
Longtiude: -95.3602865

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 65-05-9
 Located on map _____
 Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER VERNON MILLER Address 1710 Aldine Mail Rd. Houston TEX
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS miles in 3 direction from HOUSTON TEX
 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
 Date drilled 6-2-81

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>4"</u>		<u>50</u>
	Surface	

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0 - 8</u>	<u>ft</u>	<u>Sand</u>						
<u>8 - 37</u>	<u>ft</u>	<u>Red + white clay</u>						
<u>37 - 50</u>	<u>ft</u>	<u>010 Gravel white Sand</u>						

Cementing Data:
 Cemented from _____ ft. to _____ ft.
 Method used _____
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 10 ft. below land surface Date 7-10-82
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____
3 RUBBER 33-35-37

11) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., 25 ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
 Yield: 8 gpm with 0 ft. drawdown after 2 hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L.F. HULL Water Well Drillers Registration No. 02044W
 (Type or Print)

ADDRESS 4933 HARTWICK Houston TEXAS 77093
 (Street or RFD) (City) (State) (Zip)

(Signed) L.F. Hull L.F. HULL
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1909	2 of 3	NE	4.98 / 26,299.29	EARL G DAVIS TX	TCEQ WELL LOGS

Grid No: 65-05-9X
 Date Drilled: 07/06/1970
 Owners Name: EARL G DAVIS
 County: HARRIS
 Water Usage: DOMESTIC
 Static Level: 11
 Depth Drilled: 47
 Latitude: 29.9009777
 Longtiude: -95.3602865

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-25-9X
Located on map
Received: 90 Yrs

1) OWNER:
Person having well drilled Carl G. Alanis (Name) Address 807 Maryland Ave. Houston, Tex. (City) (State)
Landowner Carl G. Alanis (Name) Address 1618 Oakview Mill (City) (State)

2) LOCATION OF WELL:
County Alanis 13 miles in N (N.E., S.W., etc.) direction from Houston (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OVER
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 3 1/2 in. Depth drilled 47 ft. Depth of completed well 47 ft. Date drilled 7-6-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-18	18	White Clay
18-47	47	White Sand 10ga

9) CASING:
Type: Old ☒ Steel ☒ Plastic ☐ Other
Cemented from _____ ft. to _____ ft.
Diameter (inches) 3 Setting From (ft.) +1 To (ft.) 42 Gage 40

10) SCREEN:
Type Plastic
Perforated ☒ Slotted ☐
Diameter (inches) 3 Setting From (ft.) 42 To (ft.) 47 Slot Size 8

7) COMPLETION (Check):
☒ Straight wall ☐ Gravel packed ☐ Other
☐ Under reamed ☐ Open Hole

8) WATER LEVEL:
Static level 11 ft. below land surface Date 7-6-70
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 20 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☒ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒
Did any strata contain undesirable water? Yes ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C. A. Raymond Jr (Type or Print) Water Well Drillers Registration No. 774
ADDRESS 132 Raymae (Street or RFD) Houston (City) Texas (State)
(Signed) C. A. Raymond Jr (Water Well Driller) Raymond Alan Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1909	3 of 3	NE	4.98 / 26,299.29	Miller MHP, LLC TX	WW HARRIS GAL
<div> <div> Well ID: 4434 Aggre Lead Well: 4434 Permit No: W2009-4434-140536-0 Permit Start Date: 8/1/2009 Permit End Dt: 12/9/2009 Well Status: P - Plugged Regulatory Aarea: 3 Owner Name: Miller MHP, LLC Billing Contact: Brad Davis Billing Address: 4771 Sweetwater Blvd., # 188 Billing Address 2: NULL Billing City: Sugar Land Billing State: TX Billing Zip: 77479 Correspondence: NULL Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee Water Usage: D - Domestic/Commercial </div> <div> Diameter (inches): 2 Year Drilled: 1974 Depth Drilled: 50 Depth frm Surf(ft): 0 County: H Latitude: 29.900555 Longitude: -95.360277 </div> </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Site</i>	<i>DB</i>
1910	1 of 1	NW	4.99 / 26,325.63	MR HOOKS TX	TCEQ WELL LOGS

Grid No: 65-05-7N
Date Drilled: 03/27/1976
Owners Name: MR HOOKS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 160
Depth Drilled: 304
Latitude: 29.900328
Longtiude: -95.460721

12 Dug

Send original copy by certified mail to the Texas Water Development Board, P.O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 63-05-2N
Located on map Y-5
Received: 7/2/76
dlr

1) OWNER:
Person having well drilled Mr. Hooks (Name) Address Washington Houston Texas (Street or RFD) (City) (State)
Landowner same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS miles in (N.E., S.W., etc.) direction from (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
12
North
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other

5) TYPE OF WELL (Check):
☒ Rotary ☐ Driven ☐ Dug
☐ Cable ☐ Jetted ☐ Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 304 ft. Depth of completed well 304 ft. Date drilled 3/27/76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	54	soft clay
54	61	sand
61	105	clay
105	143	sand
143	155	clay
155	185	sand
185	245	clay
245	252	sand
252	292	clay
293	304	sand

(Use reverse side if necessary)

9) CASING:
Type: Old ☒ New ☒ Steel ☒ Plastic ☐ Other
Cemented from 143 ft. to 293 ft.
Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 293 Gage 40

10) SCREEN:
Type plastic
☒ Perforated ☐ Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 294 To (ft.) 304 Slot Size 012

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☒ cemented

8) WATER LEVEL:
Static level 160 ft. below land surface Date 3/27/76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS: Ronald Chilton
Was a pump test made? ☒ Yes ☐ No If yes, by whom?
Yield: 150 gpm with 20 ft. drawdown after 2 hrs.
Bailer test no gpm with no ft. drawdown after hrs.
Artesian flow no gpm
Temperature of water 72°

12) WATER QUALITY:
Was a chemical analysis made? Yes ☒ No ☐
Did any strata contain undesirable water? Yes ☒ No ☐
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ronald Chilton (Type or Print) Water Well Drillers Registration No. #1630
ADDRESS 11803 Beeville Houston Texas (Street or RFD) (City) (State)
(Signed) Ronald W. Chilton CHILTON PUMP & WELL SERVICE (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1911	1 of 1	NW	4.99 / 26,337.10	Pham, Jerry TX	WW HARRIS GAL

Well ID:	14359	Diameter (inches):	5
Aggre Lead Well:	14359	Year Drilled:	0
Permit No:	WP2023-107687	Depth Drilled:	400
Permit Start Date:	6/1/2023 11:37:00 PM	Depth frm Surf(ft):	380
Permit End Dt:	5/31/2024 11:37:00 PM	County:	H
Well Status:	O - Operable	Latitude:	29.897777
Regulatory Aarea:	3	Longitude:	-95.464444
Owner Name:	Pham, Jerry		
Billing Contact:	NULL		
Billing Address:	11910 Bourgeois Forest Dr.		
Billing Address 2:	NULL		
Billing City:	Houston TX		
Billing State:	TX		
Billing Zip:	77066		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1912	1 of 1	ENE	4.99 / 26,338.62	Aldine I.S.D. TX	WW HARRIS GAL
<hr/>					
Well ID:	3051			Diameter (inches):	4
Aggre Lead Well:	1735			Year Drilled:	1989
Permit No:	W2008-1735-134871-0			Depth Drilled:	0
Permit Start Date:	8/1/2008			Depth frm Surf(ft):	0
Permit End Dt:	12/31/2008			County:	H
Well Status:	L - Lost			Latitude:	29.864444
Regulatory Aarea:	3			Longitude:	-95.330277
Owner Name:	Aldine I.S.D.				
Billing Contact:	John Thames				
Billing Address:	14910 Aldine Westfield				
Billing Address 2:	NULL				
Billing City:	Houston				
Billing State:	TX				
Billing Zip:	77032				
Correspondence:	NULL				
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; G - Permittee shall reduce use of groundwater so that no more than 20% of total demand comes from water well by XX/XX/XXXX; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee				
Water Usage:	D - Domestic/Commercial				

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1913	1 of 1	NW	4.99 / 26,361.12	ROY HOUSTON 2951 WASHINGTON HOUSTON TX 77038	SDRW WELLS

Track NO: 6934
Date Submitted: 2002-05-02
Owner Name: ROY HOUSTON
Owner Address: 2951 WASHINGTON
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77038
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899722
Longitude: -95.462223
Drilling Date Started: 2002-04-22
Drilling Date Completed: 2002-04-23
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: <https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=6934&Type=SDR-Well>

Well Borehole Information

Top Depth:
Bottom Depth: 386.0

Top Depth: 0
Bottom Depth: 386

Well Levels

Measurement: 215
Measurement Date: 2002-04-23

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update.

Federal

Wells from NWIS:

[FED USGS](#)

The U.S. Geological Survey's (USGS) National Water Information System (NWIS) is the nation's principal repository of water resources data. The NWIS includes comprehensive information of well-construction details, time-series data for gage height, streamflow, groundwater level, and precipitation and water use data. This select NWIS Wells dataset contains specific Site Types from the overall NWIS Sites data, limited to the following Group Site Types only: Groundwater Group Site Types: Well, Collector or Ranney type well, Hyporheic-zone well, Interconnected Wells, Multiple wells; Spring Group Site Type: Spring; and Other Group Site Types: Aggregate groundwater use, Cistern. Applicable NWIS database information is obtained through the Water Quality Data Portal (WQP). The WQP is a cooperative service sponsored by the USGS, the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC).

Government Publication Date: Sep 27, 2023

State

Well Log Reports from Plotted Water Wells:

[TCEQ WELL LOGS](#)

Locations of TCEQ Water Wells as derived from well logs in the Texas Commission on Environmental Quality (TCEQ) Water Well Report Viewer, which includes unnumbered water wells and those plotted to 2.5 minute grid locations (2-3 miles). In this collection of Well Log Reports, locations have been manually verified.

Government Publication Date: Jul 26, 2022

Select Wells from SDR:

[SDRW WELLS](#)

Locations of wells from the Submitted Drillers Report (SDR) Database with select proposed usage: Domestic, Fracking Supply, Industrial, Irrigation, Other, Public Supply, Rig Supply, Stock, Unknown. SDR is populated from the online Texas Well Report Submission and Retrieval System (TWRSRS), a cooperative Texas Department of Licensing and Regulation (TDLR) and Texas Water Development Board (TWDB) application requiring registered water-well drillers to submit reports. Excludes SDR records with the following proposed usage: Closed-Loop Geothermal, De-watering, Environmental Soil Boring, Extraction, Injection, Monitor, Test Well.

Government Publication Date: Sep 6, 2023

Groundwater Database:

[GWDB](#)

The Texas Water Development Board (TWDB) Groundwater Database (GWDB) contains information on selected water wells, springs, oil/gas tests (that were originally intended to be or were converted to water wells), water levels and water quality.

Government Publication Date: Oct 16, 2023

Fort Bend Subsidence District Water Wells:

[WW FORT BEND](#)

List of water wells in the Fort Bend Subsidence District, boundaries of which are defined as all the territory within Fort Bend County. The Fort Bend Subsidence District was created by the Texas Legislature in 1989 as a conservation and reclamation district to control land subsidence and manage groundwater resources through regulation, conservation, and coordination with suppliers of alternative water sources to assure an adequate quantity and quality of water for the future. The District's purpose is to provide for the regulation of the withdrawal of groundwater within the District to prevent subsidence that contributes to flooding, inundation or overflow of areas within the District, including rising waters resulting from storms or hurricanes.

Government Publication Date: Jan 22, 2024

High Plains Water Wells:

[WW HIGH PLAINS](#)

Inventory of water wells in the High Plains Underground Water Conservation District No. 1 (HPUWCD), which was created in 1951. As a political subdivision of Texas, HPUWCD is charged with protecting, preserving and conserving aquifers within the District's 16-county service area.

Government Publication Date: Apr 17, 2023

Harris Galveston Subsidence District Water Wells:

[WW HARRIS GAL](#)

List of water wells in the Harris-Galveston Subsidence District (HGSD). The HGSD was created by the 64th Texas Legislature as an underground water conservation district in 1975 to provide regulation of groundwater withdrawal to control subsidence.

Government Publication Date: Jan 22, 2024

Water Utility Database:

[WUD](#)

The Water Utility Database is defined as a collection of data from Texas Water Districts, Public Drinking Water Systems and Water and Sewer Utilities who submit information to the TCEQ. This database is an integrated database designed and developed to replace over 160 stand alone legacy systems representing over 5 million records of the former Texas Water Commission and the Texas Department of Health.

Government Publication Date: Oct 1, 2020

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'