City of Houston
Municipal Setting Designations (MSD) – Sampling Requirements after MSD Approval Executive Order 1-72 (EO 1-72)
Acknowledgement Form

RPI Management Company, LLC ("MSD Applicant") has filed or is filing an application for a City of Houston Municipal Setting Designation (MSD). The MSD Applicant acknowledges and understands that such MSD application, whether previously filed or being filed at this time, was

not approved prior to June 5, 2023, and is therefore subject to **City of Houston Executive Order 1-72 ("EO 1-72") - "MUNICIPAL SETTING DESIGNATIONS – Sampling Requirements after MSD Approval", effective as of June 5, 2023** (copy attached)**.**

In accordance with the Code of Ordinance of the City of Houston, Texas, Article XIII ("Municipal Setting Designations), Sec. 47-762d)(24) and EO 1-72, the MSD Applicant acknowledges and agrees to abide by the requirements established in EO 1-72 as set forth below:

1. On and after June 5, 2023 (the effective date of **EO 1-72**), an MSD Applicant whose MSD application is approved ("**Approved MSD Applicant**") is subject to the following additional requirements:
    a. An Approved MSD Applicant shall continue to conduct sampling in accordance with a TCEQ, EPA, or comparable remediation program that is effective at the time an MSD application is approved by the City.
2. An Approved MSD Applicant shall notify the City within 30 days after receiving notice that the sampling required by a TCEQ or EPA or comparable remediation program is discontinued or terminated within the first four years after the date of approval of an MSD.

3. If sampling is discontinued, as identified above, an **Approved MSD Applicant will thereafter be subject to the sampling requirements set forth below**:

    a. If the site of the approved MSD is not subject to any continuing sampling requirements under a TCEQ, EPA, or comparable remediation program, then an Approved MSD Applicant shall conduct and report to the City and TCEQ the results of sampling for COCs identified during the MSD application process on the following schedule:

        i. Four years after the date of MSD approval by the TCEQ, and

        ii. Seven years after the date of MSD approval by the TCEQ.


    b. An Approved MSD Applicant shall comply with any additional response action(s) required by TCEQ, EPA, or a comparable remediation program that is based on or arises because of the sampling conducted pursuant to subparagraph 3.a. above.

Fill out all information below and submit this form with your application packet.

ACKNOWLEDGED, AGREED TO AND ACCEPTED

MSD APPLICANT

Application Number



8/21/2025

Signature **Date**

Thomas J. Friedlander

Print Name

RPI Management Company LLC

Company Name

713-662-7771 tfriedlander@rfminc.com

Phone Number **Email Address**

For more information about the MSD program please visit
https://www.houstonpublicworks.org/municipal-settings-designation

Questions about the MSD Program should be referred to:
E-Mail: mailto:brownfields@houstontx.gov **msd@houstontx.gov or 832.394.8976**

Municipal Setting Designation Application

Memorial Kirkwood Shopping Center
14054 Memorial Dr, Houston, Texas 77081
VCP No. 3323

Prepared For:

RPI Management Co. LLC
5333 Gulfton Dr.
Houston, Texas 77081

August 20, 2025

HOUSTON PUBLIC WORKS
HOUSTON WATER

Application for Approval of Municipal Setting Designation

APPLICANT INFORMATION

Applicant's Name: Thomas J. Friedlander

☐ Individual ☒ Private Entity ☐ Public Entity ☐ Non-Profit Entity ☐ Other _____

Address: 5333 Gulfton St., Houston, Texas 77081
(Street) (City) (State) (Zip)

Phone No.: 713-662-7771 Fax No.: _____

Email: tfriedlander@rfminc.com

CONTACT INFORMATION

Name of Contact: Thomas J. Friedlander

Title: Manager

Address: 5333 Gulton St., Houston, Texas 77081
(Street) (City) (State) (Zip)

Phone No.: 713-662-7771 Fax No.: _____

Email: tfriedlander@rfminc.com

APPLICATION PREPARATION

Application Prepared by: Christine Peach, P.G.

Company: UES Professional Solutions 64, LLC

Address: 14731 Pebble Bend Drive, Houston, Texas 77068
(Street) (City) (State) (Zip)

Phone No.: 281-580-8892 Fax No.: _____

Email: Cpeach@teamues.com

HOUSTON PUBLIC WORKS
HOUSTON WATER

SITE INFORMATION

Site HCAD No(s): 0963700000007

Site Name: Memorial Kirkwood Shopping Center

Site Size: 7.23-acres

Site Address: 14054 Memorial Drive, Houston, Texas 77079
(Street) (City) (State) (Zip)

TCEQ Contact: Austin Klein

Phone No.: 512-239-0217 Email: Austin.Klein@tceq.texas.gov

(List all owners – additional sheet is attached, if needed)

Owner: Memorial Kirkwood Station, A Delaware Limited Liability Company, by Phillips Edison Grocery Center Operating Partnership I L.P. A delaware imited partnership, its sole member By: Phillips Edison Grocery Cetner OP GP I LLC, A Delaware Limited Liability Company, its General Partner

Owner Address: 11501 Northlake Drive, Cincinnati, Ohio, 45249
(Street) (City) (State) (Zip)

Name of Contact: Joseph Schlosser

Title: Executive Vice President

Address: 11501 Northlake Drive, Cincinnati, Ohio 45249
(Street) (City) (State) (Zip)

Phone No.: 513-554-1110 Fax No.:

Email: swhite@phillipsedison.com

Owner:

Owner Address:
(Street) (City) (State) (Zip)

Name of Contact:

Title:

Address:
(Street) (City) (State) (Zip)

Phone No.: Fax No.:

Email:

Owner:

Owner Address:
(Street) (City) (State) (Zip)

Name of Contact:

Title:

ITEM	COH Use Only
**Executive Summary	
1. Provide a legal description of the boundaries of the designated property, including metes and bounds, and a copy of the deed for the property. A professional surveyor currently registered with the Texas Board of Professional Surveying must certify that all property descriptions with metes and bounds are accurate. ***Label "Appendix A"***	
2. A description of the current use, and, to the extent known, the anticipated use(s), of the designated property and properties within 500 feet of the boundary of the designated property. ***Label "Appendix B"***	
3. A site map showing: a. The location of the designated property. b. The topography of the designated property as indicated on publicly available sources, which must note the watershed including the nearest surface water body and whether the designated property is located in a floodplain or floodway, as those terms are defined in Chapter 19 of the Code of Ordinances. c. The detected area of groundwater contamination. d. The location of all soil sampling locations and all groundwater monitoring wells. e. Groundwater gradients, to the extent known, and direction of groundwater flow. f. The ingestion protective concentration level exceedence zone for each contaminant of concern, to the extent known. g. Depth to groundwater for each affected zone. ***Label "Appendix C"***	
4. Provide for each contaminant of concern within the designated groundwater: a. A description of the ingestion protective concentration level exceedence zone and the non-ingestion protective concentration level exceedence zone, including a specification of the horizontal area and the minimum and maximum depth below ground surface. b. The level of contamination, the ingestion protective concentration level, and the non-ingestion protective concentration level, all expressed as mg/L units. c. Its basic geochemical properties (e.g. whether the contaminant of concern migrates with groundwater, floats, or is soluble in water). ***Label "Appendix D"***	
5. A table displaying the following information for each contaminant of concern, to the extent known: a. The maximum concentration level for soil and groundwater, the ingestion protective concentration level, and the non-ingestion protective concentration level, all expressed as mg/L units. b. The critical protective concentration level without the municipal setting designation, highlighting any exceedances. ***Label "Appendix E"***	

ITEM	COH Use Only
6. If the plume extends beyond the limits of property owners listed in this application, list the owners of the additional property beneath which the plume(s) extend(s), and a summary of interactions with those property owners about the plume(s) and this MSD application. Please Note: You are not required under this item to notify affected property owners, only to provide a summary or who affected property owners are, and if there have been any communications. "No contact" can be an acceptable answer. ***Label "Appendix F"***	
7. A statement as to whether the source of the plume has been removed, the plume of contamination is stable (i.e. no change) or contracting, and the plume is delineated, **with the basis for that statement.** Please include historical sampling data. ***Label "Appendix G"***	
8. A statement as to whether contamination on and off the designated property without a Municipal Setting Designation will exceed a residential assessment level as defined in the Texas Risk Reduction Program or analogous residential level set by EPA, if known, and the basis for that statement. ***Label "Appendix H"***	
9. A statement as to whether contamination on and off the designated property with a Municipal Setting Designation will exceed a residential assessment level as defined in the Texas Risk Reduction Program or analogous residential level set by EPA, if known, and the basis for that statement. ***Label "Appendix I"***	
10. Identification of the points of origin of the contamination, to the extent known: **a. Please list the Potentially Responsible Party (RPR), if unknown, state unknown. (*applications without the RPR listed will be deemed incomplete*)** ***Label "Appendix J"***	
11. Environmental regulatory actions, litigation, and plume identification. a. A description of any environmental regulatory actions that have been taken within the past five years in connection with the designated property, to the extent known. b. A description of any litigation that has taken place within the past five years in connection with the designated property, to the extent known. c. A statement as to whether there are any other remediation activities by the applicant, or any other party or agency, which are not listed in the application. d. A statement as to which contamination plume and groundwater zone the applicant is including in the MSD. ***Label "Appendix K"***	

ITEM	COH Use Only
12. A listing of all existing state or EPA registrations, permits, and identification numbers that applies to the designated property. ***Label "Appendix L"***	
13. Provide evidence that the designated property is currently or has previously been under the oversight of the TCEQ or the United States Environmental Protection Agency, as required by the Texas Health and Safety Code §361.8065(c)(2)(A), and a description of the status of the designated property in the program (the program application number is sufficient evidence). Also, include the state or federal cleanup project manager's name. ***Label "Appendix M"***	
14. A summary of any environmental site assessment reports filed with the TCEQ regarding any site investigations or response actions that are planned, ongoing or completed related to the designated property. ***Label "Appendix N"***	
15. A statement as to whether any public drinking water supply system exists that satisfies the requirements of Chapter 341 of the Texas Health and Safety Code and that supplies or is capable of supplying drinking water to the designated property and property within one-half mile of the designated property and the identity of each supply system. ***Label "Appendix O"***	
16. The name and address of each owner or operator of a water well registered or permitted by the state or the Houston-Galveston Subsidence District that is located within five miles of the boundary of the designated property, along with a map showing the location of each well and, to the extent known, a notation of whether each well is used for potable water. Well logs must be included in the electronic copy of the application but should not be included in the hard copies. (An accompanying electronic excel file with mailing information should be included with your application.) ***Label "Appendix P"***	
17. The name and address of each retail public utility, as defined in section 13.002 of the Texas Water Code that owns or operates a groundwater supply well within five miles of the boundary of the designated property. ***Label "Appendix Q"***	
18. A listing of each municipality, other than the City of Houston, with a corporate limit within one-half mile of the boundary of the designated property. ***Label "Appendix R"***	

ITEM	COH Use Only
19. A listing of each municipality, other than the City of Houston, that owns or operates a groundwater supply well within five miles of the boundary of the designated property. ***Label "Appendix S"***	
20. A listing of owners of real property within 2,500 ft. of the boundary of the designated property as indicated by the most recent appraisal district records. Please Note: Depending on the location of your site, this requirement may include real property outside the City of Houston. Be sure to include **ALL** properties in the 2,500 ft. boundary. (An accompanying electronic excel file with mailing information should be included with your application). ***Label "Appendix T"***	
21. Form U-2012-01 **signed and sealed** by a licensed professional engineer or licensed professional geoscientist authorized to practice in the State of Texas with expertise in environmental remediation. Signing and sealing Form U-2012-01 certifies: a. The contaminants of concern from sources on the designated property or migrating from or through the designated property more likely than no [do exceed] OR [do not exceed] a non-ingestion protective concentration level on property beyond the boundaries of the designated property. (select the appropriate statement) b. All requirements of Section 47-762 of the Houston Code of Ordinances have been met, including demonstration that the groundwater contamination plume has been fully delineated and is stable or contracting in size. ***Label "Appendix U"***	
22. If the licensed professional engineer or professional geoscientist determines that contaminants of concern from sources on the designated property are migrating from or through the designated property more than likely do not exceed a non-ingestion protective concentration level on property beyond the boundary of the designated property, then the applicant must: a. Specify the name and address of the owner of each property. b. Send a copy of the application to the owner of the property with the notice of the public meeting. c. Provide documentation that the designated property has been included in a state or federal program that requires that the entire non-ingestion protective concentration level exceedence zone be addressed to the satisfaction of the agency administering the program, along with documentation of the estimated time period in which it is to be addressed. An example of such a program is the Texas Voluntary Cleanup Program (section 361.501 of the Texas Health and Safety Code, as may be amended from time to time). d. Provide documentation upon completion of the state or federal program showing that the non-ingestion protective concentration level exceedences have been addressed to the satisfaction of the agency administering the program. ***Label "Appendix V"***	

ITEM	COH Use Only
23. Form W-2012-01 **certified/signed** by the applicant and any authorized representatives of the applicant(s) listed in the application. ***Label "Appendix W"***	
24. Form X-2012-01 **signed** by the property owner or authorized agent (if an authorized agent, you must provide the legal authorization instrument). ***Label "Appendix X"***	
25. A CD (or other devise) containing the pdf file of the application, Excel spreadsheet of water well owners and property owners for mailing notices. ***Label "Appendix Y"***	

Rev. Date: 10/15/2024

List of Abbreviations

bgs	below ground surface	
cis-1,2-DCE	cis-1,2-Dichloroethene	(or cis-1,2-Dichloroethylene)
CHC	Chlorinated Hydrocarbon(s)	
COC	Contaminant of Concern	
DCE	Dichloroethene (or Dichloroethylene)	
ESA	Environmental Site Assessment	
EPA	U.S. Environmental Protection Agency	
ft	feet	
GW	Groundwater	
GWBU	Groundwater bearing unit	
mg/kg	milligrams per kilogram	
mg/L	milligrams per liter	
MSD	Municipal Setting Designation	
NAPL	Non-aqueous Phase Liquids	
PCE	Tetrachloroethene (or Tetrachloroethylene)	
PCL	Protective Concentration Level	
PCLE	Protective Concentration Level Exceedance	
ppm	parts per million	
TCE	Trichloroethene (or Trichloroethylene)	
trans-1,2-DCE	trans-1,2-Dichloroethene (or trans-1,2-dichloroethylene)	
TCEQ	Texas Commission on Environmental Quality	
TRRP	Texas Risk Reduction Program	
VC	Vinyl Chloride	
VCP	Voluntary Cleanup Program	
VOC	Volatile Organic Compound	

CITY OF HOUSTON

PUBLIC WORKS AND ENGINEERING
PLANNING & DEVELOPMENT DIVISION

EXECUTIVE SUMMARY

Project Overview

UES Professional Solutions 64, LLC (UES), formerly InControl Technologies LLC, was retained by Memorial Kirkwood Station, LLC to conduct an affected property assessment of the Memorial Kirkwood Shopping Center located at 14054 Memorial Drive in Houston, Texas. The subject property (the Site) consists of one parcel totaling 7.23-acres of land located in West Houston, Harris County, Texas (**Figure A**). The property is primarily fully developed with multiple commercial strip center buildings. The surrounding area is commercial and residential (**Figure B**).

The Site is located within the Buffalo Bayou Watershed and is located primarily outside the 0.2% annual chance (500 year) floodplain (**Figure Cb-1**).

Volatile Organic Compounds (VOC) Protective Concentration Level Exceedance (PCLE) zones were identified on a portion of the subject property. The PCLE zones are depicted on **Figure Cc-1** through **Figure Cc-4**.

Historical Environmental Condition

The subject property consists of a parcel of land totaling approximately 6.197 acres. It is improved by two (2) L-shaped retail buildings. The largest building consists of 81,699-square of space constructed circa 1975 situated along the northern and western sides of the property. A 13,744-square foot and 7,200 retail building constructed circa 1981 are located southeast of the main building. These buildings wrap around an outparcel with a Shell Gas Station on the northwest corner of Memorial Drive and N. Kirkwood Drive. The Shell Gas Station is not part of the subject property. UES reviewed the January 25, 2023 EDR Radius Report and identified the following recognized environmental conditions (RECs) on the subject property.

- One Hour Martinizing was previously located at 14088 Memorial Dr (current Taizzi Sushi tenant space). The dry cleaner occupied the southern end cap of the eastern-most L-

shaped building. This dry cleaner historically used perchloroethylene as a dry-cleaning solvent. In 2003, One Hour Martinizing became a drop station. The dry cleaner vacated the tenant space in 2006. Perchloroethylene dry cleaners are commonly considered a recognized environmental concern. Due to the historic use of perchloroethylene, InControl Technologies recommended a limited Phase II ESA to determine if the historical dry-cleaning operations have impacted the subject site. One Hour Martinizing was a registered dry cleaner and is eligible to participate in the Dry Cleaner Remediation Program in the event the site is impacted from historical dry-cleaning operations. Based upon TCEQ records, the site is current in the payment of all required fees.

- Sherman Williams occupies a tenant space located on the western-most L shaped building located at 14040 Memorial Dr. Sherman Williams is listed in the Industrial Hazardous Waste as a RCRA Verified Non-Generator with halogenated and non-halogenated solvents.

- Amazing Cleaners occupies the southern end cap of the western-most L shaped building located at 14090 Memorial Dr. Amazing Cleaners has been listed as a registered drop station since 2007.

- A Shell Station addressed at 14002 Memorial Dr. is located on the northwest corner of Memorial Dr. and Kirkwood Rd and listed as a former Leaking Petroleum Storage Tank (LPST) site and is an active Underground Storage Tank (UST)/gas station.

UES was retained by the previous landowner to assess soil and groundwater for potential impacts from historic onsite businesses and pursue regulatory closure through the Texas Commission on Environmental Quality (TCEQ).

A limited site assessment was conducted on July 19, 2022, which included the advancement of three (3) soil borings/temporary groundwater monitoring wells (B-1 through B-3) in the areas of concern (**Figure Cd-2**). Low levels of chlorinated solvents (PCE, cis-1,2-DCE, trans-1,2-DCE and Vinyl Chloride) were detected in the groundwater sample collected near the former printer. UES returned to the site on August 10, 2022, to install three (3) permanent monitoring wells, MW-1 through MW-3 (**Figure Cd-2**). Monitoring well MW-1 reported PCE and vinyl chloride at concentrations greater than their respective Texas Risk Reduction Program (TRRP) Tier 1 Residential Protection Concentration Levels (PCLs), and the groundwater gradient indicated the flow direction is to the northeast.

UES enrolled the subject site into the Texas Commission on Environmental Quality (TCEQ) Voluntary Cleanup Program (VCP). The site was accepted on September 22, 2022 as VCP No. 3240.

On November 16, 2022, UES returned to the subject site to install two delineation wells, MW-4 and MW-5 (**Figure Cd-2**). All five (5) monitoring wells were sampled on December 8, 2022 and reported concentrations of TCE, and cis-1,2-DCE, and vinyl chloride greater than their respective TRRP Tier 1 Residential $^{GW}GW_{Ing}$ PCLs in MW-5. Two monitoring wells, MW-1 and MW-5, both reported vinyl chloride at concentrations exceeding the Tier 1 Residential PCL.

UES would return to the subject property on January 11, 2023 to install one permanent monitoring well along the northern property boundary (**Figure Cd-2**). After the installation of MW-6 (**Figure Cd-2**), monitoring wells MW-5 and MW-6 were sampled. Both monitoring wells reported concentrations exceeding the respective Tier 1 Residential $^{GW}GW_{Ing}$ PCLs for PCE, TCE and vinyl chloride. MW-5 also reported cis-1,2-DCE greater than its TRRP Tier 1 Residential $^{GW}GW_{Ing}$ PCL.

A site-wide groundwater monitoring event was conducted on June 23, 2023. Only monitoring wells MW-5 and MW-6 reported PCE, TCE and vinyl chloride greater than their respective TRRP Tier 1 Residential $^{GW}GW_{Ing}$ PCLs. MW-5 also reported cis-1,2-DCE at a concentration greater than its TRRP Tier 1 Residential $^{GW}GW_{Ing}$ PCL. The groundwater gradient continues to flow to the east-northeast at a rate of 0.006 ft/ft. It is noted that all reported groundwater concentrations are well below the TRRP Tier 1 Residential $^{Air}GW_{Inh\text{-}V}$ PCLs. It is in UES' experience that these groundwater concentrations would not generate an indoor vapor exposure issue, due to the reported concentrations being several orders of magnitude below the TRRP Tier 1 Residential $^{Air}GW_{Inh\text{-}V}$ PCLs. Multiple soil samples have been collected over the investigation history of the property. To date, concentrations of site related compounds of concern have been less than the TCEQ PCLs.

UES would return to the site on April 14-15, 2024 to install delineation monitoring wells MW-7, MW-8 and MW-9. Four (4) additional site-wide groundwater gauging and monitoring events on April 19, 2024, August 2, 2024, October 23, 2024 and January 28, 2025.

Soil and groundwater samples were analyzed by EPA Method 8260 for VOCs. The results were compared to the most conservative Tier 1 PCLs (**Table E1** and **Table E2**).

The lateral extent of groundwater impact was delineated in all directions (**Figure Cc-1 through Figure Cc-4**). Chlorinated hydrocarbons were present in groundwater at concentrations greater than the applicable Tier 1 $^{GW}GW_{Ing}$ PCLs. The PCLE zones are depicted in **Figures Cc-1 to Cc-4**. The direction of groundwater flow is toward the northeast (**Figure Ce-1**).

Twenty-two (22) water well records were identified within a ½-mile radius of the proposed Municipal Setting Designation (MSD) boundary. Water well Map ID 1, 2, 3, and 4 were not discovered because they were plugged. Two water wells were listed under Map ID 2, State ID 6520314 and State ID 65-20-31. Neither water well, State ID 3513110 or State ID 65-20-31, were identified during the October field inspection. Three wells were listed under Map ID 4. Water well

State ID 65-19-3H and 65-20-2 listed identical lat/long coordinates for both water wells and Well ID 7685 was listed as plugged. Neither water well listed under Map ID 4 were identified during the October field inspection. Water well listed under Map ID 5, State ID 65-20-3 was located. The well was confirmed by the landowner as installed to a depth of 385-ft. This well is upgradient of the contamination plume, approximately 1,243.31-ft west-northwest of the subject property. The remaining wells were not located within the ¼-mile radius required for field verification. All of the wells are drilled to depths of 192-feet or greater and are currently plugged and abandoned. Within a 5-mile radius of the proposed MSD boundary, typical completion depths are greater than 100-ft bgs with the median completion depth of 660-ft bgs.

Buffalo Bayou is located approximately 2,700-ft to the north of the northern boundary of the proposed MSD boundary. Buffalo Bayou is not threatened by the groundwater plume as the plume is full delineated to the north by monitoring wells MW-7 and MW-8 (**Figure Cb-1, Cc-1 through Cc-4**).

Appendix A

Provide a legal description of the boundaries of the designated property, including metes and bounds, and a copy of the deed for the property. A professional surveyor currently registered with the Texas Board of Professional Surveying must certify that all property descriptions with metes and bounds are accurate.

The legal description plus a metes and bounds description for the designated property is included in this section. Also included is a copy of the deed for the property. The proposed Municipal Setting Designation (MSD) boundary encompasses 7.23-acres.

Figure A depicts the proposed MSD boundary.



LEGEND

- Property Boundary
- Former Dry Cleaner

N

0 150 300

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

MSD Boundary Map

SITE: Memorial Kirkwood Shopping Center		PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079		CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104 / FIGURE: A

RP-2024-108496
03/28/2024 ER $37.00

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

STATE OF TEXAS §
§ KNOW ALL MEN BY THESE PRESENTS:
COUNTY OF HARRIS §

SPECIAL WARRANTY DEED

For the consideration of Ten Dollars ($10.00) and other good and valuable consideration, **THOMAS J. FRIEDLANDER, TRUSTEE and ROBERT E. LAPIN, TRUSTEE ("Grantor"),** hereby grants, sells and conveys to **MEMORIAL KIRKWOOD STATION LLC,** a Delaware limited liability company **("Grantee")** whose address is 11501 Northlake Drive, Cincinnati, Ohio 45249, the following described real property situated in Harris County, Texas:

See legal description set forth in **Exhibit "A"** attached and incorporated by this reference (the **"Land")** together with all improvements located on the Land; and Grantor's right, title and interest in an to all easements, if any, benefiting the Land; and all rights, benefits, privileges and appurtenances otherwise pertaining to the Land including, without limitation, all of Grantor's right, title and interest in and to all construction, operating and reciprocal easement agreements affecting the Land, if any (collectively, the **"Property"**);

SUBJECT TO current real property taxes and all unpaid non-delinquent general and special taxes, bonds and assessments; and to the extent applicable to or enforceable against the Property, all covenants, conditions, reservations, rights, easements, leaseholds, rights of way, and restrictions of public record; all zoning ordinances and regulations and any other laws, ordinances or governmental regulations restricting or regulating the use, occupancy or enjoyment of the Property or matters a correct survey of the Property would reflect (the **"Exceptions to Conveyance and Warranty"**);

TO HAVE AND TO HOLD the Property together with all buildings and improvements located on the Property "AS-IS" and "WHERE IS" WITH ALL PHYSICAL DEFECTS, LATENT OR PATENT, in accordance with the next following paragraph, together with all and singular, the rights, and appurtenances thereto belonging or in any wise appertaining, unto said Grantee and its successors and assigns forever. Grantor binds Grantor and Grantor's successors and assigns to warrant and forever defend all and singular the Property to Grantee and Grantee's successors and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof by, through, or under Grantor but not otherwise, except and subject to as to the Exceptions to Conveyance and Warranty.

GRANTEE HAS INSPECTED THE PROPERTY AND ACCEPTS THE PROPERTY "AS-IS" AND "WHERE-IS" WITH ALL PHYSICAL DEFECTS, LATENT OR PATENT, AND WITHOUT ANY WARRANTIES OF WHATSOEVER NATURE, EXPRESS, IMPLIED OR STATUTORY, EXCEPT AS EXPRESSLY SET FORTH IN AND CONSTITUTING A SURVIVING OBLIGATION PURSUANT TO AND AS DEFINED IN AGREEMENT OF PURCHASE AND SALE ENTERED INTO BETWEEN GRANTORS AND GRANTEE (THE "SURVIVING OBLIGATIONS") OR OTHERWISE SET FORTH IN THIS SPECIAL WARRANTY DEED, IT BEING THE INTENTION OF GRANTORS AND GRANTEE TO EXPRESSLY NEGATE AND EXCLUDE ALL OTHER WARRANTIES, INCLUDING

RP-2024-108496

WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR ANY PARTICULAR PURPOSE AND CONTAINED IN OR CREATED BY THE TEXAS UNIFORM COMMERCIAL CODE AND ANY WARRANTIES OF MATERIALS, WORKMANSHIP OR APPLICANCES. THE GRANTORS AND GRANTEE ENTERED INTO AN AGREEMENT OF PURCHASE AND SALE WHICH INCLUDES A SECTION ENTITLED "AS-IS SALE" AND THOSE PROVISIONS SUPPLEMENT THE PRECEDING SENTENCE AND EXPRESSLY SURVIVE THE EXECUTION OF THIS SPECIAL WARRANTY DEED, SUBJECT TO THE SURVIVING OBLIGATIONS.

IN WITNESS WHEREOF, this Special Warranty Deed has been executed by Grantor to be effective as of March 27, 2024.

GRANTOR:

THOMAS J. FRIEDLANDER, TRUSTEE
[NOT INDIVIDUALLY]

STATE OF TEXAS §
§
COUNTY OF HARRIS §

The foregoing instrument was acknowledged before me on this 27th day of March, 2024, by THOMAS J. FRIEDLANDER, TRUSTEE.

JULIE LYLES MCKEVITT
My Notary ID # 11386494
Expires December 27, 2024

Julia Lyles McKevitt
Notary Public in and for the State of Texas

[REMAINDER OF PAGE LEFT INTENTIONALLY BLANK]

RP-2024-108496

ROBERT E. LAPIN, TRUSTEE
[NOT INDIVIDUALLY]

STATE OF TEXAS §
§
COUNTY OF HARRIS §

The foregoing instrument was acknowledged before me on this 27th day of March, 2024, by ROBERT E. LAPIN, TRUSTEE.

JULIE LYLES MCKEVITT
My Notary ID # 11386494
Expires December 27, 2024

Notary Public in and for the State of Texas

[REMAINDER OF PAGE LEFT INTENTIONALLY BLANK]

RP-2024-108496

EXHIBIT A TO SPECIAL WARRANTY DEED

7.2283 acres, more or less, in the W.D. Perkinson Survey, Abstract No. 623 in Harris County, Texas, being that certain tract shown on Reserve "A" on the map of NOTTINGHAM, SECTION THREE, a subdivision in Harris County, Texas, of record in Volume 102, Page 45, Map Records of Harris County; less, SAVE AND EXCEPT, a tract of 23,000 square feet conveyed by J.H. McNaughton, Trustee, to Texaco, Inc. by Deed dated August 15, 1963 of record in Volume 5231, Page 149, Deed Records of Harris County, Texas.

RP-2024-108496

RP-2024-108496

Pages 5

03/28/2024 08:46 AM

e-Filed & e-Recorded in the

Official Public Records of

HARRIS COUNTY

TENESHIA HUDSPETH

COUNTY CLERK

Fees $37.00

RP-2024-108496

RECORDERS MEMORANDUM
This instrument was received and recorded electronically and any blackouts, additions or changes were present at the time the instrument was filed and recorded.

Any provision herein which restricts the sale, rental, or use of the described real property because of color or race is invalid and unenforceable under federal law.
THE STATE OF TEXAS
COUNTY OF HARRIS
I hereby certify that this instrument was FILED in File Number Sequence on the date and at the time stamped hereon by me; and was duly RECORDED in the Official Public Records of Real Property of Harris County, Texas.

COUNTY CLERK
HARRIS COUNTY, TEXAS



Site
Nottingham Park
Spring Forest Middle School
Meadow Wood Elementary School
Terry Hershey Park
Buffalo Bayou
MEMORIAL
Memorial Dr
Memorial Trace Dr
Taylorcrest Rd
Kirkwood Rd
Woodthorpe Ln
Pinerock Ln
Kimberley Ln
Pebblebrook Dr
Penthouse Rd
Queensferry Ln
Yorkchester Dr
Cavrara Ln
Bussellly Ln
Tosca Ln
Alchester Ln
Apple Tree Rd
Bluebell Ln
Cardinal Ln
Clear Spring Dr
Memorial Green Dr
Bellthorpe Dr
Pinehurst Dr
Dale Spring Dr
Rockcliff Dr
Rockcliff Ln
Rockcliff Rd
Rockcliff Cir
Rockcliff Ct
Rockcliff Pl
Rockcliff Way
Rockcliff Trl
Rockcliff Blvd
Rockcliff Ave

EXHIBIT A

7.2283 acres, more or less, in the W.D. Perkinson Survey, Abstract No. 623 in Harris County, Texas, being that certain tract shown on Reserve "A" on the map of NOTTINGHAM, SECTION THREE, a subdivision in Harris County, Texas, of record in Volume 102, Page 45, Map Records of Harris County; less, SAVE AND EXCEPT, a tract of 23,000 square feet conveyed by J.H. McNaughton, Trustee, to Texaco, Inc. by Deed dated August 15, 1963 of record in Volume 5321, Page 149, Deed Records of Harris County, Texas.

Appendix B

A description of the current use, and, to the extent known, the anticipated use(s), of the designated property and properties within 500 feet of the boundary of the designated property.

The proposed MSD area is 7.23-acres of land located 14054 Memorial Dr., Houston, Harris County, Texas. The affected property is in a commercial/industrial and residential land use area of Houston (**Figure B**). **Figure B** provides a description of the surrounding land use within 500-feet of the site.

The tract is developed. A shopping mall comprises the entirety of the subject property, with multiple businesses surrounding a parking lot. The surrounding land use is described as:

- North – Residential Single-family housing
- East – bounded by N Kirkwood Rd., followed by Residential Single-family housing;
- South – bounded by Memorial Dr., followed by commercial buildings;
- West – Residential Multi-family housing (apartments), and some commercial buildings.



LEGEND

- Property Boundary
- Former Print Shop
- 500-ft Radius

N

0 300 600

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

Surrounding Property Usage Map

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: **B**

Appendix C

A site map showing: **Label & address each separately, i.e., a, b, c, d, e, f, g**

a. The location of the designated property.
b. The topography of the designated property as indicated on publicly available sources, which must note the watershed including the nearest surface water body and whether the designated property is located in a floodplain or floodway, as those terms are defined in Chapter 19 of the Code of Ordinances.
c. The detected area of groundwater contamination.
d. The location of all soil sampling locations and all groundwater monitoring wells.
e. Groundwater gradients, to the extent known, and direction of groundwater flow.
f. The ingestion protective concentration level exceedence zone for each contaminant of concern, to the extent known.
g. Depth to groundwater for each affected zone.

The following is a listing of figures included in **Appendix C**.

Figure Ca – Topographic Map
Figure Cb-1 – Watershed Map
Figure Cb-2 - Flood Plain Map
Figure Cc-1 – PCE Concentrations in Groundwater
Figure Cc-2 – TCE Concentrations in Groundwater
Figure Cd-1 – Soil Boring Location Map
Figure Cd-2 – Groundwater Monitoring Well Location Map
Figure Ce – Groundwater Gradient Map

The Site is located within the Buffalo Bayou Watershed and is located primarily outside the 0.2% annual chance (500 year) floodplain (**Figure Cb-2**).


The primary chemicals of concern (COCs) are chlorinated hydrocarbons tetrachloroethene (PCE), and trichloroethene (TCE), (**Figures Cc-1 and Cc-2**).

Figure Cc-1 and **Figure Cc-2** depicts the entire groundwater PCLE zones during the most recent sampling event (April 2025). **Figure Cd-1** and **Figure Cd-2** depict the locations of the soil and groundwater samples, respectively. The groundwater gradient flows to the northeast at 0.004 ft/ft (**Figure Ce**).

The first groundwater bearing unit is comprised of sand and is encountered at a depth of approximately 15- to 20-feet below ground surface (ft bgs) during drilling. The base of the first groundwater bearing unit is encountered at a depth of approximately 29- to 30-ft bgs and is underlain by a clay. The average static depth to groundwater in the monitoring wells is 21- to 24-ft bgs.

Figure Cc-1 through **Figure Cc-4** depicts the entire groundwater PCLE zones during the most recent sampling event (January 2025). **Figure Cd-1** and **Figure Cd-2** depict the locations of the soil and groundwater samples, respectively. The groundwater gradient flows to the northeast at 0.004 ft/ft (**Figure Ce**).

The first groundwater bearing unit is comprised of sand and is encountered at a depth of approximately 15- to 20-feet below ground surface (ft bgs) during drilling. The base of the first groundwater bearing unit is encountered at a depth of approximately 29- to 30-ft bgs and is underlain by a clay. The average static depth to groundwater in the monitoring wells is 21- to 24-ft bgs.



LEGEND

Property Boundary

N


0 1,100 2,200

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

MSD Boundary Map

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: Ca



Source: Harris County Flood Control District

Drainage Area:
103 Sq. Miles

Watershed Population (Harris County):
410,658

Open Strem Miles:
116 Miles


Primary Streams:
Buffalo Bayou

N

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

Buffalo Bayou Watershed Map

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: **Cb-1**



LEGEND

- Property Boundary

Flood Hazard Zones

- 1% Annual Chance Flood Hazard
- Regulatory Floodway
- Special Floodway
- Area of Undetermined Flood Hazard
- 0.2% Annual Chance Flood Hazard
- Future Conditions 1% Annual Chance Flood Hazard
- Area with Reduced Risk Due to Levee

N

0 500 1,000

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

Floodplain Map
FIRM Panel 48201C0640M
Effective: 11/15/2019

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: **Cb-2**



LEGEND

- Property Boundary
- Monitoring Well
- PCLE Zone (0.005 mg/L)

STATE OF TEXAS
TYLER B. ARRINGTON
GEOLOGY
15202
8/20/2025
LICENSED
PROFESSIONAL GEOSCIENTIST

N

0 100 160

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

PCE Concentration in Groundwater July 2025

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 8/21/2025	DESIGNED: JH	PROJECT NO: E19012-104	FIGURE: Cc-1



LEGEND

- Property Boundary
- Monitoring Well
- PCLE Zone (0.005 mg/L)

STATE OF TEXAS
TYLER B. ARRINGTON
GEOLOGY
15202
8/20/2025
LICENSED
PROFESSIONAL GEOSCIENTIST

N

0 100 160

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

TCE Concentration in Groundwater July 2025

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: Cc-2



LEGEND

- Property Boundary
- Monitoring Well
- Temporary Monitoring Well
- Soil Boring
- PCE & TCE Plume

STATE OF TEXAS
TYLER B. ARRINGTON
GEOLOGY
15202
3/25/2025
LICENSED
PROFESSIONAL GEOSCIENTIST

N

0 150 300

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

Soil Boring Location Map

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: Cd-1



LEGEND

- Property Boundary
- Monitoring Well
- Temporary Monitoring Well

N


0 150 300

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

Monitoring Well Location Map

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: Cd-2



LEGEND

- Property Boundary
- Monitoring Well

STATE OF TEXAS
TYLER B. ARRINGTON
GEOLOGY
15202
8/20/2025
LICENSED
PROFESSIONAL GEOSCIENTIST

N

0 100 200

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

Gradient Map July 2025

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: Ce-1

Appendix D

For each contaminant of concern within the designated groundwater:

a. A description of the ingestion protective concentration level exceedence zone and the non-ingestion protective concentration level exceedence zone, including a specification of the horizontal area and the minimum and maximum depth below ground surface.
b. The level of contamination, the ingestion protective concentration level, and the non-ingestion protective concentration level, all expressed as mg/L units.
c. Its basic geochemical properties (e.g. whether the contaminant of concern migrates with groundwater, floats, or is soluble in water).

Protective Concentration Level Exceedence (PCLE) Zone – A review of recent groundwater sampling data from the second stratum indicates that the COCs that exceed the Tier 1 $^{GW}GW_{Ing}$ PCLs are chlorinated hydrocarbons tetrachloroethene (PCE), and trichloroethene (TCE).

The PCLE zones are depicted on **Figure Cc-1** and **Figure Cc-2** and are discussed in more detail below. The area of affected groundwater has been delineated horizontally in all directions and the plume appears to be stable. The current overall PCLE zone is approximately 150-feet long by 50-ft wide. A comparison of the groundwater sampling results with applicable non-ingestion PCLs ($^{Air}GW_{Inh\text{-}V}$) indicates that none of the groundwater samples reported a COC concentration above the $^{Air}GW_{Inh\text{-}V}$ PCL. Therefore, based on the recent groundwater monitoring results, there is no non-ingestion protective concentration level exceedance zone within the proposed MSD boundary.

All soil samples reported chemicals of concern below the Tier 1 residential $^{GW}Soil_{Ing}$ PCLs at all boring locations.

A comparison of the groundwater sampling results with applicable non-ingestion protective concentration levels ($^{Air}GW_{Inh\text{-}V}$) indicates that none of the groundwater samples reported any COC above a $^{Air}GW_{Inh\text{-}V}$ PCL. Therefore, based on the recent groundwater monitoring results, besides the $^{GW}GW_{Ing}$ exceedances, there are no other protective concentration level exceedance zones within the proposed MSD boundary.

The first groundwater bearing unit is comprised of sand and is encountered at a depth of approximately 15- to 20-feet below ground surface (ft bgs) during drilling. The base of the first groundwater bearing unit is encountered at a depth of approximately 29- to 30-ft bgs and is

underlain by a clay. The average static depth to groundwater in the monitoring wells is 21- to 24-ft bgs.

COC: Tetrachloroethene	
Maximum Concentration from analytical data	1.7 mg/L (MW-1; June 2023)
Ingestion-Based PCL (Residential $^{GW}GW_{Ing}$)	0.005 mg/L
Ingestion-Based PCLE Zone (approximate)	Length: 150 ft Width: 50 ft Vertical Extent: 15ft – 25ft below ground surface (bgs)
Non-Ingestion-Based PCL ($^{Air}GW_{Inh-V}$)	500 mg/L
Non-Ingestion-Based PCLE Zone	NONE
Geochemical/ Physical Properties	
Molecular Weight	165.83
Specific Gravity	1.623
Solubility in Water	150 mg/L @ 25°C
Groundwater Migration	along groundwater gradient

COC: Trichloroethene	
Maximum Concentration from analytical data	0.042 mg/L (MW-5; February 2025)
Ingestion-Based PCL (Residential $^{GW}GW_{Ing}$)	0.005 mg/L
Ingestion-Based PCLE Zone (approximate)	Length: 150 ft Width: 50 ft Vertical Extent: 15ft – 25ft below ground surface (bgs)
Non-Ingestion-Based PCL ($^{Air}GW_{Inh-V}$)	24 mg/L
Non-Ingestion-Based PCLE Zone	NONE
Geochemical/ Physical Properties	
Molecular Weight	131.38
Specific Gravity	1.463
Solubility in Water	1,280 mg/L @ 25°C
Groundwater Migration	along groundwater gradient

COC: Cis-1,2-Dichloroethene	
Maximum Concentration from analytical data	0.072 mg/L (MW-1; April 2025)
Ingestion-Based PCL (Residential $^{GW}GW_{Ing}$)	0.07 mg/L
Ingestion-Based PCLE Zone (approximate)	Length: 25 ft Width: 25 ft Vertical Extent: 15ft – 25ft below ground surface (bgs)
Non-Ingestion-Based PCL ($^{Air}GW_{Inh-V}$)	24 mg/L
Non-Ingestion-Based PCLE Zone	NONE
Geochemical/ Physical Properties	
Molecular Weight	96.94
Specific Gravity	1.28
Solubility in Water	3,500 mg/L @ 25°C
Groundwater Migration	along groundwater gradient

Appendix E

A table and **graph** displaying the following information for each contaminant of concern, to the extent known:

a. The maximum concentration level for soil and groundwater, the ingestion protective concentration level, and the non-ingestion protective concentration level, all expressed as mg/kg for soils and mg/L for groundwater.
b. The critical protective concentration level without the municipal setting designation, highlighting any exceedences.

Appendix E contains tables summarizing the concentration levels for the primary chemicals of concern in soil and groundwater. The tables include the concentration level, the ingestion protective concentration limits ($^{GW}Soil_{Ing}$ for soil and $^{GW}GW_{Ing}$ for groundwater), the non-ingestion protective concentration limits for soil ($^{Tot}Soil_{Comb}$ and $^{Air}Soil_{Inh\text{-}V}$) and groundwater ($^{Air}GW_{Inh\text{-}V}$), the critical protective concentration limits assuming no MSD is in place ($^{GW}Soil_{Ing}$ for soil and $^{GW}GW_{Ing}$ for groundwater), and the critical PCLs assuming that an MSD is in place ($^{Tot}Soil_{Comb}$ for soil and $^{Air}GW_{Inh\text{-}V}$ for groundwater). The following is a list of the tables in **Appendix E**.

Table E1 Volatile Organic Compounds (VOCs) in Soil

Table E2 Volatile Organic Compounds (VOCs) in Groundwater

Table E1
Summary of Volatile Organic Compounds in Soil
Memorial Kirkwood Shopping Center
14054 Memorial Dr., Houston, TX 77079
VCP No. 3323

Sample ID	Depth	Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl chloride	1,1-DCE	Ethylbenzene	m,p-Xylenes	o-Xylene	Xylenes,Total
	(ft)		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Residential	$^{Tot}Soil_{Comb}$		710	18	140	590	3.7	2300	6400		48000	6000
Residential	$^{GW}Soil_{Ing}$		**0.05**	**0.034**	**0.25**	**0.49**	**0.022**	**0.05**	**7.6**		**71**	**120**
SB-1	8-10	3/7/2023	<0.00058	<0.0005	<0.00066	<0.00042	<0.00066	<0.00042	<0.00058	<0.0013	<0.00083	<0.00083
SB-2	8-10	3/7/2023	<0.00089	<0.00076	<0.001	<0.00064	<0.001	<0.00064	<0.00089	<0.002	<0.0013	<0.0013
SB-3	7-8	3/7/2023	**0.048**	<0.00049	<0.00065	<0.00041	<0.00065	<0.00041	<0.00057	<0.0013	<0.00082	<0.00082
SB-4	8-10	3/7/2023	<0.00066	<0.00056	<0.00075	<0.00047	<0.00075	<0.00047	<0.00066	<0.0015	<0.00094	<0.00094
SB-5	8-10	3/7/2023	<0.00065	<0.00056	<0.00075	<0.00047	<0.00075	<0.00047	<0.00065	<0.0015	<0.00093	<0.00093
SB-6	8-10	3/7/2023	<0.00075	<0.00064	<0.00086	<0.00053	<0.00086	<0.00053	<0.00075	<0.0017	<0.0011	<0.0011
SB-7	0-2.5	4/12/2023	**0.0056**	<0.00042	<0.00057	<0.00035	<0.00057	<0.00035	<0.0005	<0.0011	<0.00071	<0.00071
	12.5-15	4/12/2023	**0.91**	**0.29**	**0.38**	<0.00046	<0.00073	<0.00046	<0.00064	<0.0015	<0.00091	<0.00091
SB-8	0-1	4/12/2023	**0.01**	<0.00059	<0.00078	<0.00049	<0.00078	<0.00049	<0.00068	<0.0016	<0.00098	<0.00098
	5-6	4/12/2023	**0.014**	<0.00051	<0.00067	<0.00042	<0.00067	<0.00042	<0.00059	<0.0013	<0.00084	<0.00084
SB-9	0-1	4/12/2023	**0.0037 J**	<0.00051	<0.00069	<0.00043	<0.00069	<0.00043	**0.014**	**0.055**	**0.014**	**0.069**
	4-5	4/12/2023	**0.028**	<0.00048	<0.00065	<0.0004	<0.00065	<0.0004	<0.00056	<0.0013	<0.00081	<0.00081
SB-10	5-7.5	2/22/2024	<0.00058	<0.0005	<0.00066	<0.00041	<0.00066	<0.00041	<0.00058	<0.0013	<0.00083	<0.00083
MW-2	2.5-5	5/24/2023	<0.00078	<0.00067	<0.00089	<0.00055	<0.00089	<0.00055	<0.00078	<0.0018	<0.0011	<0.0011
	7.5-10	5/24/2023	<0.00069	<0.00059	<0.00079	<0.0005	<0.00079	<0.0005	<0.00069	<0.0016	<0.00099	<0.00099
MW-4	2.5-5	12/14/2023	<0.00072	<0.00062	<0.00082	<0.00052	<0.00082	<0.00052	-	-	-	-
	10-12.5	12/14/2023	<0.00074	<0.00064	<0.00085	<0.00053	<0.00085	<0.00053	-	-	-	-

Notes: Exceeds TRRP Tier 1 $^{GW}Soil_{Ing}$ PCL

<: Analyte was not detected at or above the reported sample detection limit

J: Analyte was detected at the concentration less than the method detection limit

PCL: Protective Concentration Level (updated as of February 2025)

UES

Table E2
Summary of Volatile Organic Compounds in Groundwater
Memorial Kirkwood Shopping Center
14054 Memorial Dr., Houston, TX 77079
VCP No. 3323

Sample ID	Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl chloride	1,1-DCE
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Residential	$^{GW}GW_{Ing}$	**0.005**	**0.005**	**0.07**	**0.1**	**0.002**	**0.007**
Residential	$^{Air}GW_{Inh-V}$	500	24	1200	770	3.8	1700
MW-1	6/6/2023	**1.7**	**0.04**	**0.055**	<0.0004	<0.0004	**0.00087 J**
	12/19/2023	**1.1**	**0.03**	**0.045**	<0.002	<0.002	<0.0025
	7/24/2024	**0.53**	**0.03**	**0.062**	<0.0004	<0.0004	<0.0005
	10/16/2024	**0.22**	**0.021**	**0.042**	<0.0004	<0.0004	<0.0005
	2/6/2025	**0.8**	**0.025**	**0.058**	<0.0004	<0.0004	<0.0005
	4/21/2025	**0.83**	**0.03**	**0.072**	<0.0004	<0.0004	<0.0002
	7/16/2025	**0.66**	**0.024**	**0.046**	<0.0014	<0.0012	<0.0011
MW-2	6/6/2023	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	12/19/2023	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	7/24/2024	**0.0057**	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	10/16/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	2/6/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	4/21/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0002
	7/16/2025	**0.00041 J**	<0.00035	<0.00043	<0.00027	<0.00023	<0.00022
MW-3	6/6/2023	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	12/19/2023	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	7/24/2024	**0.0026 J**	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	10/16/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	2/6/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	4/21/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0002
	7/16/2025	<0.0003	<0.00035	<0.00043	<0.00027	<0.00023	<0.00022

Table E2
Summary of Volatile Organic Compounds in Groundwater
Memorial Kirkwood Shopping Center
14054 Memorial Dr., Houston, TX 77079
VCP No. 3323

Sample ID	Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl chloride	1,1-DCE
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Residential	$^{GW}GW_{Ing}$	**0.005**	**0.005**	**0.07**	**0.1**	**0.002**	**0.007**
Residential	$^{Air}GW_{Inh-V}$	500	24	1200	770	3.8	1700
MW-4	12/19/2023	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	7/24/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	10/16/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	2/6/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	4/21/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0002
	7/16/2025	<0.0003	<0.00035	<0.00043	<0.00027	<0.00023	<0.00022
MW-5	12/19/2023	**0.16**	**0.039**	**0.028**	<0.0004	**0.0011 J**	<0.0005
	7/24/2024	**0.16**	**0.042**	**0.047**	<0.0004	<0.0004	<0.0005
	10/16/2024	**0.091**	**0.022**	**0.018**	<0.0004	<0.0004	<0.0005
	2/6/2025	**0.15**	**0.042**	**0.041**	<0.0004	**0.0012 J**	<0.0005
	4/21/2025	**0.12**	**0.041**	**0.035**	<0.0004	**0.001 J**	<0.0002
	7/16/2025	**0.11**	**0.046**	**0.031**	**0.00047 J**	**0.00087 J**	**0.00044 J**
MW-6	2/20/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	7/24/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	10/16/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	2/6/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	4/21/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0002
	7/16/2025	<0.0003	<0.00035	<0.00043	<0.00027	<0.00023	<0.00022

Table E2
Summary of Volatile Organic Compounds in Groundwater
Memorial Kirkwood Shopping Center
14054 Memorial Dr., Houston, TX 77079
VCP No. 3323

Sample ID	Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	Vinyl chloride	1,1-DCE
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Residential	$^{GW}GW_{Ing}$	**0.005**	**0.005**	**0.07**	**0.1**	**0.002**	**0.007**
Residential	$^{Air}GW_{Inh-V}$	500	24	1200	770	3.8	1700
MW-7	2/20/2024	<0.0006	<0.0005	**0.005**	<0.0004	**0.0015 J**	<0.0005
	7/24/2024	<0.0006	<0.0005	**0.0026 J**	<0.0004	<0.0004	<0.0005
	10/16/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	2/6/2025	<0.0006	<0.0005	**0.0017 J**	<0.0004	<0.0004	<0.0005
	4/21/2025	<0.0006	<0.0005	**0.0019 J**	<0.0004	**0.00064 J**	<0.0002
	7/16/2025	<0.0003	<0.00035	<0.00043	<0.00027	<0.00023	<0.00022
MW-8	2/26/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	7/24/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	10/16/2024	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	2/6/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0005
	4/21/2025	<0.0006	<0.0005	<0.0006	<0.0004	<0.0004	<0.0002
	7/16/2025	<0.0003	<0.00035	<0.00043	<0.00027	<0.00023	<0.00022

Notes: Exceeds TRRP Tier 1 $^{GW}GW_{Ing}$ PCL

<: Analyte was not detected at or above the reported sample detection limit

J: Analyte was detected at the concentration less than the method detection limit

PCL: Protective Concentration Level (updated as of February 2025)

Appendix F

If the plume extends beyond the limits of property owners listed in this application, list the owners of the additional property beneath which the plume(s) extend(s), and a summary of the interactions with those property owners about the plume(s) and this MSD application. *Please Note: You are not required under this item to notify affected property owners, only to provide a summary of who affected property owners are, and if there have been any communications. "No contact" can be an acceptable answer.*

Based on the results of the most recent groundwater monitoring and sampling event conducted in January 2025, the area of affected groundwater does extend off-site. Notification letters were sent to the following property owners informing them of the potential impact to their property. The property owners are identified on **Figure F**.

Property ID	Property owner name	Physical property address, city, zip	Property owner mailing address, city, state, zip
1	#225 Texas Petroleum Group LLC	14002 Memorial Dr., Houston, TX 77079	11111 Wilcrest Green Dr. Suite 100, Houston, TX 77042-4739



LEGEND

Property Boundary

N

0 100 200

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

Notification Map

SITE: Memorial Kirkwood Shopping Center			PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079			CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104	FIGURE: F

Appendix G

A statement that the plume of contamination is stable (i.e. no change) or contracting and delineated, with the basis for that statement. **Please include historical sampling data and graph.**

Shallow groundwater has been affected by dissolved phase chemicals including tetrachloroethene, trichloroethene, cis-1,2-dichloroethene, and vinyl chloride. These chemicals are believed to be associated with the former printing shop operations located in the strip center on the subject property. These chemicals tend to move rapidly in the sub-surface environment and quickly reach equilibrium as long as there is no ongoing contributing mass source.

The lateral extent of groundwater impact in the first groundwater bearing unit has been delineated to the most practical extent possible and according to the most recent groundwater data, the plume appears to be decreasing to stable (**Table E2**).

In summary, the groundwater data collected to date indicates that the area of affected groundwater is stable.

Mann-Kendall Test for Statistical Trend

UES conducted a statistical trend analysis to determine if chemicals of concern were increasing, decreasing or remaining stable over time. The primary chemicals of concern include tetrachloroethene, trichloroethene, cis-1,2-dichloroethene, and vinyl chloride. UES used the Mann-Kendall Statistical Test for Trends to conduct the trend analysis. The statistical analysis was conducted using QualStat 6.0, a commercially available software package.

The purpose of the Mann-Kendall test is to statistically assess if there is a monotonic upward or downward trend of the variable of interest over time. A monotonic upward (downward) trend means that the variable consistently increases (decreases) through time, but the trend may or may not be linear. The Mann-Kendall test is used in place of a parametric linear regression analysis since the criteria for this test are generally violated with temporal environmental data. The regression analysis requires that the residuals from the fitted regression line be normally distributed; an assumption not required by the Mann-Kendall test since the Mann-Kendall test is a non-parametric or distribution-free statistical test.

Assumptions

The following assumptions underlie the Mann-Kendall test:

- When no trend is present, the measurements (observations or data) obtained over time are independent and identically distributed. The assumption of independence means that the observations are not serially correlated over time.
- The observations obtained over time are representative of the true conditions at the various sampling times.
- The sample collection, handling, and measurement methods provide unbiased and representative observations of the underlying populations over time.

There is no requirement that the measurements be normally distributed or that the trend, if present, is linear. The Mann-Kendall test can be computed if there are missing values and values below the sample detection limit. The assumption of independence requires that the time between samples be sufficiently large so that there is no correlation between measurements collected at different times.

Calculations

The Mann-Kendall Statistical test tests whether to reject the null hypothesis (H_o) and accept the alternative hypothesis (H_a), where:

- Ho: No monotonic trend
- Ha: Monotonic trend is present

The Mann-Kendall test is conducted as follows:

1. List the data in the order in which they were collected over time, $x_1, x_2, \ldots, x_n$, which denote the measurements obtained at times 1, 2, … , n, respectively.

2. Determine the sign of all n(n-1)/2 possible differences $x_j - x_k$, where j>k. These differences are $x_2 - x_1, x_3 - x_1, \ldots, x_n - x_1, x_3 - x_2, x_4 - x_2, \ldots, x_n - x_2, \ldots, x_n - x_{n-2}, x_n - x_{n-1}$.

3. Let sgn ($x_j - x_k$,) be the indicator function that takes on the value s 1, 0, or -1 according to the sign of $x_j - x_k$, that is:

   Error! Bookmark not defined. $$\operatorname{sgn}(x_j - x_k)\begin{cases} 1 & if \quad x_j - x_k > 0 \\ 0 & if \quad x_j - x_k = 0 \\ -1 & if \quad x_j - x_k < 0 \end{cases}$$

4. Compute the statistic S = $\sum_{k-1}^{n-1} \sum_{j-k+1}^{n} \operatorname{sgn}(x_j - x_k)$ which is the number of positive differences

minus the number of negative differences. If **S** is a positive number, observations obtained later in time tend to be larger than observations made earlier. If **S** is a negative number, then observations made later in time tend to be smaller than observations made earlier.

5. Compute the variance of **S** as follows:

$$Var(S) = \frac{1}{18}\left[n(n-1)(2n+5) - \sum_{p-1}^{g} t_p (t_p - 1)((2t_p + 5) \right]$$

Where g is the number of tied groups and t_p is the number of observations in the pth group. When there are ties in the data due to equal values or non-detects, Var(S) is adjusted by the tie correction method described in Helsel (2005, p. 191) and included in the formula above.

6. Compute the Mann-Kendall test statistic, Z_{MK}, as follows:

$$Z_{MK} \begin{cases} \frac{s-1}{\sqrt{Var(S)}} & if \quad S > 0 \\ 0 \quad if & S = 0 \\ \frac{S+1}{\sqrt{Var(S)}} & if \quad S < 0 \end{cases}$$

A positive (negative) value of Z_{MK} indicates that the data tend to increase (decrease) with time. To determine if a trend exists at the Type I error rate α, where 0 < α< 0.5. (Note that α is the tolerable probability that the Mann Kendall test will falsely reject the null hypothesis.), then the Ho is rejected and the Ha is accepted if $Z_{MK} > Z_{1-\alpha}$, where $Z_{1-\alpha}$ is the 100(1-α) percentile of the standard normal distribution. Following standard TRRP Guidance, InControl Technologies used an α of 0.05. If the calculated probability (p) is less than 0.05, the Ho hypothesis (no monotonic trend) is rejected in favor of the Ha hypothesis (a monotonic trend exists in the data. The following sections discuss the results of the Mann-Kendall Statistical Analysis on a well by well basis.


Results from Statistical Trend Analysis

A Statistical Trend Analysis was conducted for each well reporting a chemical of concern above the Tier 1 Residential Protective Concentration Level. Only chemicals with historically detected concentrations exceeding the target PCL within a given well are discussed. Compounds that are below the Tier 1 Residential PCL are not discussed.

First Groundwater Bearing Unit: Monitoring Well MW-1

Several compounds exceeded the Tier 1 Residential PCL for groundwater ingestion during the monitoring history for MW-1. The following table shows the results for the Mann-Kendall Statistical Test for Trends for all groundwater monitoring data since the well was first installed.

Start Date: 6/6/2023, End Date: 7/16/2025




Parameter	Trend	Count	S	S Variance	S Prob	Z Value
1,1-Dichloroethene	No Trend	7	-6	40.6667	21.65	-0.7841
cis-1,2-Dichloroethene	No Trend	7	3	44.3333	38.19	0.3004
Tetrachloroethene	No Trend	7	-7	44.3333	18.38	-0.9011
trans-1,2-Dichloroethene	No Trend	7	1	27.6667	50.00	0.0000
Trichloroethene	No Trend	7	-10	40.6667	7.91	-1.4113
Vinyl chloride	No Trend	7	1	27.6667	50.00	0.0000

This monitoring well has been sampled seven (7) times since its installation in May 2023. Tetrachloroethene (PCE), Trichloroethene (TCE), and cis-1,2-Dichloroethene are the only compounds that currently exceed a Tier 1 Residential $^{GW}GW_{Ing}$ PCL. All of the compounds of concern report a stable trend (i.e. “no trend”), or decreasing trend. 1,1-Dichloroethene, trans-1,2-Dichloroethene, and Vinyl Chloride never reported a concentration above a PCL.

First Groundwater Bearing Unit: Monitoring Well MW-2

Several compounds exceeded the Tier 1 Residential PCL for groundwater ingestion during the monitoring history for MW-1. The following table shows the results for the Mann-Kendall Statistical Test for Trends for all groundwater monitoring data since the well was first installed.

Start Date: 5/24/2023, End Date: 7/16/2025




Parameter	Trend	Count	S	S Variance	S Prob	Z Value
1,1-Dichloroethene	Decreasing	7	-19	63.6667	1.20	-2.2559
cis-1,2-Dichloroethene	Decreasing	7	-21	63.6667	0.61	-2.5065
Tetrachloroethene	Decreasing	7	-18	75.3333	2.51	-1.9586
trans-1,2-Dichloroethene	Decreasing	7	-21	63.6667	0.61	-2.5065
Trichloroethene	Decreasing	7	-21	63.6667	0.61	-2.5065
Vinyl chloride	Decreasing	7	-21	63.6667	0.61	-2.5065

This monitoring well has been sampled nine (9) times since its installation in May 2023. No compound currently exceeds a Tier 1 Residential $^{GW}GW_{Ing}$ PCL. All of the compounds of concern report a stable trend (i.e. “no trend”), or decreasing trend. 1,1-Dichloroethene, cis- and trans-1,2-Dichloroethene, Trichloroethene, and Vinyl Chloride never reported a concentration above a PCL.

First Groundwater Bearing Unit: Monitoring Well MW-5

Several compounds exceeded the Tier 1 Residential PCL for groundwater ingestion during the monitoring history for MW-5. The following table shows the results for the Mann-Kendall Statistical Test for Trends for all groundwater monitoring data since the well was first installed.

Start Date: 12/19/2023, End Date: 7/16/2025



Parameter	Trend	Count	S	S Variance	S Prob	Z Value
1,1-Dichloroethene	No Trend	6	-7	19.6667	8.80	-1.3530
cis-1,2-Dichloroethene	No Trend	6	-1	28.3333	50.00	0.0000
Tetrachloroethene	No Trend	6	-8	27.3333	9.03	-1.3389
trans-1,2-Dichloroethene	No Trend	6	5	11.6667	12.08	1.1711
Trichloroethene	No Trend	6	6	27.3333	16.94	0.9564
Vinyl chloride	No Trend	6	0	27.3333	50.00	0.0000

This monitoring well has been sampled five (5) times since its installation in December 2023. Tetrachloroethene (PCE) and trichloroethene (TCE) are the only compounds that currently exceed a Tier 1 Residential $^{GW}GW_{Ing}$ PCL. All of the compounds of concern report no trend in concentration.

Conclusions

It is UES' understanding that the former print shop has been gone for more than twenty-five (25) years.

With over six (6) sampling events starting in June of 2023, the concentrations of compounds of concern have continued to decline over time and are continuing to degrade, given the presence of daughter compounds such as cis-1,2-dichloroethene. Therefore, UES has concluded that the overall plume is stable to decreasing in the shallow groundwater bearing unit.

Appendix H

A statement as to whether contamination on and off the designated property without a Municipal Setting Designation will exceed a residential assessment level as defined in the Texas Risk Reduction Program or analogous residential level set by EPA, if known, and the basis for that statement.

On the Designated Property

As described in **Appendix D**, several VOCs (tetrachloroethene, trichloroethene, and cis-1,2-Dichloroethene) are reported at concentrations that exceed the TRRP residential assessment levels without a municipal setting designation ($^{GW}GW_{Ing}$) (**Figure Cc-1-2**, **Table E2**). A review of the most recent groundwater sampling data (January 2025) within the proposed MSD boundary confirms these findings.

Off the Designated Property

The area of impacted groundwater has been delineated to the residential assessment level on the subject property for all VOCs except tetrachloroethene and trichloroethene. Tetrachloroethene and trichloroethene have been delineated to the residential assessment level within the AT&T property (adjacent property to the north) to the subject property (**Figure Cc-1-Cc-2**).

Appendix I

A statement as to whether contamination on and off the designated property with a Municipal Setting Designation will exceed a residential assessment level as defined in the Texas Risk Reduction Program or analogous residential level set by EPA, if known, and the basis for that statement.

Recent groundwater monitoring data from January 2025 indicate that the area of groundwater impact is delineated. Groundwater samples collected from the existing groundwater monitoring wells reported COC concentrations less than the Texas Risk Reduction Program (TRRP) residential assessment level with a municipal setting designation ($^{Air}GW_{Inh\text{-}V}$) in all groundwater monitoring wells. Therefore, there is no future contamination exceedance anticipated with the municipal designation for the subject property.

Appendix J

Identification and discussion of the points of origin of the contamination, to the extent known. Please list the Potentially Responsible Party (PRP), if unknown, state unknown. (**applications without the PRP listed will be deemed incomplete**)

It is UES' opinion that the point of origin is the former One Hour Martinizing Dry Cleaner, historically located in the strip center that is now the tenant space for Taizzi Sushi (sushi restaurant). With confirmation from the historical land owner, the former One Hour Martinizing has been gone for approximately 20 to 25 years. The area of impacted groundwater has been delineated. The surrounding properties are primarily commercial and residential developments.

Appendix K

Environmental regulatory actions, litigation, and plume identification. **Label and address each separately, i.e., a, b, c, d**

a. A description of any environmental regulatory actions that have been taken within the past five years in connection with the designated property, to the extent known.
b. A description of any litigation that has taken place within the past five years in connection with the designated property, to the extent known.
c. A statement as to whether there are any other remediation activities by the applicant, or any other party or agency, which are not listed in the application.
d. A statement as to which contamination plume and groundwater zone the applicant is including in the MSD.

To the best of our knowledge:

a. No environmental regulatory actions have been taken in the last five years in connection with the designated property.

b. No litigation has taken place within the past five years in connection with the designated property.

c. There are no other known remediation activities by the applicant or any other party not listed in this application.

d. The proposed MSD includes a VOC plume in the first groundwater bearing unit (GWBU). The first groundwater bearing unit is comprised of sand and is encountered at a depth of approximately 15- to 20-feet below ground surface (ft bgs) during drilling. The base of the first groundwater bearing unit is encountered at a depth of approximately 25- to 29-ft bgs and is underlain by a clay.

Appendix L

A listing of all existing state or EPA registrations, permits, and identification numbers that applies to the designated property.

TCEQ Voluntary Cleanup Program

- Voluntary Cleanup Program – No. 3323

Texas State Customer Number

- Texas State Customer Number – CN603266073

Texas State Registration Number

- Texas State Registration Number – RN100561315

Appendix M

Provide evidence that the designated property is currently or has previously been under the oversight of the TCEQ or the United States Environmental Protection Agency, as required by the Texas Health & Safety Code §361.8065(c)(2)(A), and a description of the status of the designated property in the program (the program application number is sufficient evidence). Also, include the state or federal cleanup project manager's name. Please note, the City of Houston does not accept (consider) sites enrolled in the Innocent Owner/Operator Program due to the lack of state/federal oversight.

The property located at 14092 Memorial Dr is enrolled in the Texas Commission on Environmental Quality (TCEQ) Voluntary Cleanup Program (VCP). The site was assigned VCP No. 3323 and is active in the program. At the time of this report, the project manager assigned to this site is Mr. Austin Kline, P.G.

Appendix N

A summary of any environmental site assessment reports filed with the TCEQ regarding any site investigations or response actions that are planned, ongoing or completed related to the designated property.

Site Investigation Report, April 2023: This report was submitted to the TCEQ with the VCP Application and Agreement packages. This report summarized all the sample collection efforts from initial Limited Phase II ESA and groundwater sampling events from June 2023, December 2023, and February 2024.

Drinking Water Survey Report, May 2024: This report was submitted to the TCEQ. UES determined that no public supply or domestic water wells were impacted. TCEQ provided a letter of no notification required on June 14, 2024.

Groundwater Monitoring Reports: Site-wide groundwater monitoring reports were submitted to the TCEQ on July 2024 and October 2024. All eight (8) monitoring wells were sampled, and the plume was delineated. UES recommended enrollment into the MSD program. In a comment letter dated February 19, 2025, the TCEQ agreed with the recommendations of the groundwater monitoring reports.


.

Appendix O

A statement as to whether any public drinking water supply system exists that satisfies the requirements of Chapter 341 of the Texas Health and Safety Code and that supplies or is capable of supplying drinking water to the designated property and property within one-half mile of the designated property and the identity of each supply system. Please include a map of available water lines within one-half mile found at https://geogimsprod.houstontx.gov/Html5Viewer/index.html?viewer=geolink-public

---

Drinking water for the subject property is provided by the City of Houston. Properties within one-half mile of the designated property are supplied public drinking water by the City of Houston. **Figure O** illustrates the public water supply network in the vicinity of the designated property.



LEGEND

Property Location

N

0 600 1,200

Approximate Scale (feet)

UES
14731 Pebble Bend Drive
Houston, Texas 77068
(281) 580-8892 FAX (281) 580-8853

City of Houston Water Supply Map

SITE: Memorial Kirkwood Shopping Center		PM: TA
LOCATION: 14054 Memorial Dr. Houston, Texas 77079		CHECKED: TA
DETAILED: 3/24/2025	DESIGNED: TA	PROJECT NO: E19012-104 / FIGURE: O

Appendix P

The name and address of each owner or operator of a water well registered or permitted by the state or the Houston-Galveston Subsidence District that is located within **five miles** of the boundary of the designated property, along with a map showing the location of each well and, to the extent known, a notation of whether each well is used for potable water. Well logs must be included in the electronic copy of the application, but should not be included in the hard copies. (An accompanying electronic excel file with mailing information should be included with your application.) (**Certified mail**)

Add Super Neighborhoods & council members in the district to the mailing list.

Included are the names and address of identified water well owners located within five miles of the proposed MDS boundary. A copy of the water well search is included in this section.

Below is a list of the Super Neighborhoods and Council Members within five miles of the proposed MDS boundary.

Super Neighborhoods

Eldridge / West Oaks

Spring Branch North

Spring Branch Central

Westbranch

Sharpstown

Alief

Westchase

Mid West

Briar Forest

Memorial

Spring Branch West

Addicks Park Ten

Council Members

District G: Mary Nan Huffman

District A: Amy Peck

District J: Edward Pollard

District F: Edward Pollard

MUNICIPAL SETTING DESIGNATION REPORT

Project Property:	*Memorial Kirkwood Shopping Center* *14054 Memorial Drive* *Houston TX 77079*
Project No:	*E19012-104*
Order No:	*25032600342*
Requested by:	*InControl Technologies*
Date Completed:	*April 20, 2025*

Environmental Risk Information Services
A division of Glacier Media Inc.
1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....2
Executive Summary.....3
Executive Summary: Report Summary.....4
Executive Summary: Site Report Summary - Project Property.....5
Executive Summary: Site Report Summary - Surrounding Properties.....6
Map.....113
Aerial.....118
Detail Report.....120
Appendix: Database Descriptions.....2338
Definitions.....2340

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property:	*Memorial Kirkwood Shopping Center* *14054 Memorial Drive Houston TX 77079*
Project No:	*E19012-104*
Coordinates:	
Latitude:	*29.7717845*
Longitude:	*-95.5913101*
UTM Northing:	*3,296,312.09*
UTM Easting:	*249,460.66*
UTM Zone:	*15R*
Target Property Geometry:	*POINT*
County/Parish Covered:	*Fort Bend (TX), Harris (TX)*
Zipcode(s) Covered:	*Houston TX: 77024, 77036, 77040, 77041, 77042, 77043, 77055, 77063, 77072, 77074, 77077, 77079, 77080, 77082, 77083, 77084, 77094*
State(s) Covered:	*TX*

Executive Summary: Report Summary

Database	Searched	Project Property	Within 5.00mi	Total
Federal				
FED USGS	Y	0	**108**	**108**
State				
TCEQ WELL LOGS	Y	0	**502**	**502**
SDRW WELLS	Y	0	**93**	**93**
GWDB	Y	0	**210**	**210**
WW FORT BEND	Y	0	0	0
WW HIGH PLAINS	Y	0	0	0
WW HARRIS GAL	Y	0	**387**	**387**
WUD	Y	0	**118**	**118**
	Total:	0	**1418**	**1418**

PO – Property Only

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
1	GWDB	City of Houston Memorial West	TX	ENE	0.19 / 1,013.23	120
			***State Well No	Owner Name:*** *6512704	City of Houston Memorial West*	
1	GWDB	City of Houston Memorial West	TX	ENE	0.19 / 1,013.23	121
			***State Well No	Owner Name:*** *6512703	City of Houston Memorial West*	
1	GWDB	City of Houston	TX	ENE	0.19 / 1,013.23	122
			***State Well No	Owner Name:*** *6512705	City of Houston*	
1	WUD	CITY OF HOUSTON	TX	ENE	0.19 / 1,013.23	123
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013CF	ACTIVE*		
1	WUD	CITY OF HOUSTON	TX	ENE	0.19 / 1,013.23	124
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013IR	ACTIVE*		
1	WW HARRIS GAL	Houston, City of	TX	ENE	0.19 / 1,013.23	125
			Well ID: *3552*			
1	WW HARRIS GAL	Houston, City of	TX	ENE	0.19 / 1,013.23	126
			Well ID: *1206*			
1	FED USGS	USGS-294623095351301	TX	ENE	0.19 / 1,013.23	127
			Site No: *USGS-294623095351301*			
1	FED USGS	USGS-294623095351401	TX	ENE	0.19 / 1,013.23	128
			Site No: *USGS-294623095351401*			
2	TCEQ WELL LOGS	W.E. PRIOR	TX	S	0.26 / 1,353.37	129
			***Grid No	Owners Name:*** *65-12-7R	W.E. PRIOR*		
3	TCEQ WELL LOGS	BOBBIE COOK	TX	S	0.26 / 1,360.23	132
			***Grid No	Owners Name:*** *65-12-7	BOBBIE COOK*		
4	TCEQ WELL LOGS	W.T. HAMILTON	TX	SSW	0.51 / 2,674.33	135
			***Grid No	Owners Name:*** *N/A	W.T. HAMILTON*		

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
4	TCEQ WELL LOGS	W.T. HAMILTON	TX	SSW	0.51 / 2,674.33	137
			***Grid No*	*Owners Name:** *N/A*	*W.T. HAMILTON*	
5	TCEQ WELL LOGS	WILLIAM & SUSAN FROST	TX	SSW	0.56 / 2,980.67	140
			***Grid No*	*Owners Name:** *65-12-8*	*WILLIAM & SUSAN FROST*	
6	TCEQ WELL LOGS	JIM CULPEPPER	TX	SSW	0.69 / 3,629.63	142
			***Grid No*	*Owners Name:** *65-12-7*	*JIM CULPEPPER*	
7	TCEQ WELL LOGS	MERV SCAEFFER	TX	SSW	0.72 / 3,782.56	145
			***Grid No*	*Owners Name:** *65-12-7*	*MERV SCAEFFER*	
8	TCEQ WELL LOGS	JOHN COAD	TX	SSW	0.75 / 3,943.10	148
			***Grid No*	*Owners Name:** *65-12-7*	*JOHN COAD*	
8	TCEQ WELL LOGS	E. MCCLURE	TX	SSW	0.75 / 3,943.10	151
			***Grid No*	*Owners Name:** *N/A*	*E. MCCLURE*	
9	SDRW WELLS	Harry Ahmad	415 White Wing Lane Houston TX 77079	S	0.75 / 3,957.46	153
			***Track NO:** *263028*			
10	TCEQ WELL LOGS	AL MUILENBERG	TX	S	0.77 / 4,060.06	154
			***Grid No*	*Owners Name:** *65-12-7M*	*AL MUILENBERG*	
11	GWDB	Lakeside Country Club	TX	ESE	0.86 / 4,565.56	157
			***State Well No*	*Owner Name:** *6512801*	*Lakeside Country Club*	
11	GWDB	Lakeside Country Club	TX	ESE	0.86 / 4,565.56	158
			***State Well No*	*Owner Name:** *6512806*	*Lakeside Country Club*	
11	GWDB	Lakeside Country Club	TX	ESE	0.86 / 4,565.56	159
			***State Well No*	*Owner Name:** *6512808*	*Lakeside Country Club*	
11	TCEQ WELL LOGS	LAKESIDE COUNTRY CLUB	TX	ESE	0.86 / 4,565.56	160
			***Grid No*	*Owners Name:** *65-12-8D*	*LAKESIDE COUNTRY CLUB*	
11	WW HARRIS GAL	LAKESIDE COUNTRY CLUB	TX	ESE	0.86 / 4,565.56	163
			***Well ID:** *1787*			
11	WW HARRIS GAL	Lakeside Country Club	TX	ESE	0.86 / 4,565.56	164

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *1785*			
11	WW HARRIS GAL	LAKESIDE COUNTRY CLUB	TX	ESE	0.86 / 4,565.56	165
			Well ID: *1786*			
11	FED USGS	USGS-294538095344601	TX	ESE	0.86 / 4,565.56	166
			Site No: *USGS-294538095344601*			
11	FED USGS	USGS-294558095344301	TX	ESE	0.86 / 4,565.56	167
			Site No: *USGS-294558095344301*			
12	GWDB	Spring Branch ISD Stadium well	TX	WNW	0.90 / 4,746.08	168
			State Well No **|** ***Owner Name:*** *6512716 | Spring Branch ISD Stadium well*			
13	TCEQ WELL LOGS	ROBERT LJUNGDAHL	TX	W	0.94 / 4,952.27	169
			Grid No **|** ***Owners Name:*** *65-12-7Q | ROBERT LJUNGDAHL*			
14	GWDB	City of Houston Bittmore	TX	E	0.96 / 5,055.52	171
			State Well No **|** ***Owner Name:*** *6512803 | City of Houston Bittmore*			
14	WUD	CITY OF HOUSTON	TX	E	0.96 / 5,055.52	172
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013KI | ACTIVE*			
14	WUD	CITY OF HOUSTON	TX	E	0.96 / 5,055.52	173
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013KJ | ACTIVE*			
15	TCEQ WELL LOGS	KEITH MOSING	TX	SSW	0.97 / 5,124.89	174
			Grid No **|** ***Owners Name:*** *65-12-8 | KEITH MOSING*			
16	GWDB	City of Houston	TX	SW	0.98 / 5,182.73	176
			State Well No **|** ***Owner Name:*** *6512724 | City of Houston*			
16	GWDB	City of Houston	TX	SW	0.98 / 5,182.73	177
			State Well No **|** ***Owner Name:*** *6512714 | City of Houston*			
16	WUD	CITY OF HOUSTON	TX	SW	0.98 / 5,182.73	178
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013DD | ACTIVE*			
16	WUD	CITY OF HOUSTON	TX	SW	0.98 / 5,182.73	179
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013DE | ACTIVE*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
16	WW HARRIS GAL	Houston, City of	TX **Well ID:** *1049*	SW	0.98 / 5,182.73	180
16	WW HARRIS GAL	Houston, City of	TX **Well ID:** *1050*	SW	0.98 / 5,182.73	181
16	FED USGS	USGS-294537095360402	TX **Site No:** *USGS-294537095360402*	SW	0.98 / 5,182.73	182
16	FED USGS	USGS-294537095360401	TX **Site No:** *USGS-294537095360401*	SW	0.98 / 5,182.73	183
17	TCEQ WELL LOGS	WESTCHESTER CORP	TX **Grid No | Owners Name:** *65-12-7H | WESTCHESTER CORP*	NNE	1.01 / 5,307.13	184
18	WW HARRIS GAL	Ashford Lake Maintenance Assoc.	TX **Well ID:** *8242*	SW	1.05 / 5,536.79	186
19	TCEQ WELL LOGS	FANTASY GOLF	TX **Grid No | Owners Name:** *65-12-8 | FANTASY GOLF*	NE	1.07 / 5,634.65	187
20	WW HARRIS GAL	Cornelius, Inc.	TX **Well ID:** *3194*	NW	1.10 / 5,833.98	190
21	TCEQ WELL LOGS	SHELL OIL COMPANY	TX **Grid No | Owners Name:** *65-12-7N | SHELL OIL COMPANY*	NW	1.16 / 6,150.94	191
22	TCEQ WELL LOGS	GARVER CONSTRUCTION #1	TX **Grid No | Owners Name:** *65-12-8 | GARVER CONSTRUCTION #1*	ENE	1.19 / 6,292.38	195
22	TCEQ WELL LOGS	GARVER CONSTRUCTION #2	TX **Grid No | Owners Name:** *65-12-8 | GARVER CONSTRUCTION #2*	ENE	1.19 / 6,292.38	197
23	TCEQ WELL LOGS	TIFFANY KENNELS	TX **Grid No | Owners Name:** *65-12-8 | TIFFANY KENNELS*	NE	1.21 / 6,374.88	199
24	GWDB	Humble Oil & Refining Co.	TX **State Well No | Owner Name:** *6512702 | Humble Oil & Refining Co.*	NW	1.22 / 6,422.28	202
25	WW HARRIS GAL	Houston, City of	TX	WNW	1.22 / 6,428.35	203

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *8722*			
25	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *11080*	WNW	1.22 / 6,428.35	204
25	FED USGS	USGS-294643095370001	TX ***Site No:*** *USGS-294643095370001*	WNW	1.22 / 6,428.35	205
26	WW HARRIS GAL	Exxon Company U.S.A.	TX ***Well ID:*** *2998*	NW	1.22 / 6,434.61	206
27	TCEQ WELL LOGS	DISCALCED CARMELITE NUNS	TX ***Grid No*** **|** ***Owners Name:*** *65-12-8E | DISCALCED CARMELITE NUNS*	NE	1.23 / 6,514.95	207
28	TCEQ WELL LOGS	W.W. TODD	TX ***Grid No*** **|** ***Owners Name:*** *65-12-8L | W.W. TODD*	NE	1.24 / 6,525.04	209
29	TCEQ WELL LOGS	GEORGE MATHIS	TX ***Grid No*** **|** ***Owners Name:*** *65-12-8K | GEORGE MATHIS*	ENE	1.30 / 6,854.10	212
30	GWDB	Harris-Galveston Subsidence District	TX ***State Well No*** **|** ***Owner Name:*** *6512726 | Harris-Galveston Subsidence District*	NNE	1.30 / 6,858.67	215
30	GWDB	Harris-Galveston Subsidence District	TX ***State Well No*** **|** ***Owner Name:*** *6512725 | Harris-Galveston Subsidence District*	NNE	1.30 / 6,858.67	216
30	GWDB	Harris-Galveston Subsidence District	TX ***State Well No*** **|** ***Owner Name:*** *6512729 | Harris-Galveston Subsidence District*	NNE	1.30 / 6,858.67	217
30	GWDB	City of Houston Katy-Addicks	TX ***State Well No*** **|** ***Owner Name:*** *6512717 | City of Houston Katy-Addicks*	NNE	1.30 / 6,858.67	218
30	GWDB	USGS Katy Addicks	TX ***State Well No*** **|** ***Owner Name:*** *6512735 | USGS Katy Addicks*	NNE	1.30 / 6,858.67	219
30	GWDB	City of Houston Sherwood Oaks	TX ***State Well No*** **|** ***Owner Name:*** *6512718 | City of Houston Sherwood Oaks*	NNE	1.30 / 6,858.67	220
30	GWDB	USGS	TX	NNE	1.30 / 6,858.67	221

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No	Owner Name:*** *6512728	USGS*			
30	GWDB	City of Houston Sherwood Oaks	TX	NNE	1.30 / 6,858.67	222
			***State Well No	Owner Name:*** *6512710	City of Houston Sherwood Oaks*			
30	WUD	CITY OF HOUSTON	TX	NNE	1.30 / 6,858.67	223
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013PG	ACTIVE*			
30	WUD	CITY OF HOUSTON	TX	NNE	1.30 / 6,858.67	224
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013Y	ACTIVE*			
30	WW HARRIS GAL	Houston, City of	TX	NNE	1.30 / 6,858.67	225
			Well ID: *1074*			
30	FED USGS	USGS-294529095371801	TX	NNE	1.30 / 6,858.67	226
			Site No: *USGS-294529095371801*			
30	FED USGS	USGS-294726095350702	TX	NNE	1.30 / 6,858.67	227
			Site No: *USGS-294726095350702*			
30	FED USGS	USGS-294726095351196	TX	NNE	1.30 / 6,858.67	228
			Site No: *USGS-294726095351196*			
30	FED USGS	USGS-294724095351401	TX	NNE	1.30 / 6,858.67	229
			Site No: *USGS-294724095351401*			
31	WW HARRIS GAL	Gehman, Scott	TX	ENE	1.30 / 6,874.51	230
			Well ID: *13915*			
31	WW HARRIS GAL	Gehman, Scott	TX	ENE	1.30 / 6,874.51	231
			Well ID: *13922*			
32	TCEQ WELL LOGS	CHARLES G. KLEMANN	TX	NE	1.37 / 7,232.30	232
			***Grid No	Owners Name:*** *N/A	CHARLES G. KLEMANN*			
32	WW HARRIS GAL	Arnold, David L.	TX	NE	1.37 / 7,232.30	234
			Well ID: *12248*			
32	SDRW WELLS	David Arnold	1214 Sherwood Forest Houston TX	NE	1.37 / 7,232.30	235
			Track NO: *161438*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
33	GWDB	City of Houston Katy-Addicks	TX	NNW	1.37 / 7,254.75	236
			***State Well No	Owner Name:*** *6512719	City of Houston Katy-Addicks*	
33	WUD	CITY OF HOUSTON	TX	NNW	1.37 / 7,254.75	237
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013Z	ACTIVE*	
33	WW HARRIS GAL	Houston, City of	TX	NNW	1.37 / 7,254.75	238
			Well ID: *1075*			
33	FED USGS	USGS-294721095361001	TX	NNW	1.37 / 7,254.75	239
			Site No: *USGS-294721095361001*			
34	GWDB	Wildwood Subd.	TX	SW	1.38 / 7,267.65	240
			***State Well No	Owner Name:*** *6512727	Wildwood Subd.*	
34	WW HARRIS GAL	Wildwood Civic Association	TX	SW	1.38 / 7,267.65	241
			Well ID: *4049*			
35	WW HARRIS GAL	Allday Properties, Ltd. Partnership	TX	ENE	1.38 / 7,294.74	242
			Well ID: *4368*			
36	GWDB	Wade Madley	TX	ENE	1.41 / 7,444.25	243
			***State Well No	Owner Name:*** *6512812	Wade Madley*	
37	GWDB	Ada Oil Co.	TX	NE	1.42 / 7,494.94	244
			***State Well No	Owner Name:*** *6512813	Ada Oil Co.*	
37	TCEQ WELL LOGS	ADA OIL COMPANY	TX	NE	1.42 / 7,494.94	245
			***Grid No	Owners Name:*** *65-12-7B	ADA OIL COMPANY*	
37	WW HARRIS GAL	ADA RESOURCES, #717	TX	NE	1.42 / 7,494.94	248
			Well ID: *2713*			
38	GWDB	City of Houston	TX	NW	1.43 / 7,546.27	249
			***State Well No	Owner Name:*** *6512720	City of Houston*	
38	WUD	CITY OF HOUSTON	TX	NW	1.43 / 7,546.27	250
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013AA	ACTIVE*	
38	WW HARRIS GAL	Houston, City of	TX	NW	1.43 / 7,546.27	251

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *1076*			
38	FED USGS	USGS-294708095363201	TX	NW	1.43 / 7,546.27	252
			Site No: *USGS-294708095363201*			
39	TCEQ WELL LOGS	DAVID KNOLL	TX	WSW	1.43 / 7,576.09	253
			Grid No **|** ***Owners Name:*** *65-12-7* | *DAVID KNOLL*			
40	GWDB	City of Houston Turkey Creek	TX	WNW	1.44 / 7,577.38	256
			State Well No **|** ***Owner Name:*** *6512721* | *City of Houston Turkey Creek*			
40	WUD	CITY OF HOUSTON	TX	WNW	1.44 / 7,577.38	257
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED* | *CITY OF HOUSTON* | *G1010013JK* | *ACTIVE*			
40	SDRW WELLS	Memorial Oaks Cemetery	13001 Katy Freeway Houston TX 77079	WNW	1.44 / 7,577.38	258
			Track NO: *184236*			
40	FED USGS	USGS-294702095364001	TX	WNW	1.44 / 7,577.38	259
			Site No: *USGS-294702095364001*			
41	TCEQ WELL LOGS	SOUTHWESTERN BELL	TX	SW	1.49 / 7,851.08	260
			Grid No **|** ***Owners Name:*** *65-11-9M* | *SOUTHWESTERN BELL*			
41	WW HARRIS GAL	Southwestern Bell Telephone Co.	TX	SW	1.49 / 7,851.08	263
			Well ID: *2885*			
42	TCEQ WELL LOGS	PROVIDENT OAKS	TX	WSW	1.49 / 7,867.34	264
			Grid No **|** ***Owners Name:*** *N/A* | *PROVIDENT OAKS*			
42	WW HARRIS GAL	Provident Oaks	TX	WSW	1.49 / 7,867.34	268
			Well ID: *5400*			
43	GWDB	Memorial Drive Methodist Church	TX	E	1.50 / 7,898.31	269
			State Well No **|** ***Owner Name:*** *6512811* | *Memorial Drive Methodist Church*			
43	GWDB	City of Houston Memorial Bend	TX	E	1.50 / 7,898.31	270
			State Well No **|** ***Owner Name:*** *6512802* | *City of Houston Memorial Bend*			
43	WUD	CITY OF HOUSTON	TX	E	1.50 / 7,898.31	271
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED* | *CITY OF HOUSTON* | *G1010013NY* | *ACTIVE*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
43	WW HARRIS GAL	Houston, City of	TX **Well ID:** *1083*	E	1.50 / 7,898.31	272
44	TCEQ WELL LOGS	HOUSTON LIGHTING & POWER	TX **Grid No | Owners Name:** *65-12-7U | HOUSTON LIGHTING & POWER*	NW	1.51 / 7,978.78	273
44	WW HARRIS GAL	Shell Oil Co.	TX **Well ID:** *3294*	NW	1.51 / 7,978.78	275
45	SDRW WELLS	Ben Tsin	1408 Sherwood Forest Houston TX 77043 **Track NO:** *60445*	NNE	1.53 / 8,087.50	276
46	TCEQ WELL LOGS	MR. JOE GOVNIK	TX **Grid No | Owners Name:** *N/A | MR. JOE GOVNIK*	NE	1.57 / 8,288.85	277
47	TCEQ WELL LOGS	MR. JOHN B. FARR	TX **Grid No | Owners Name:** *65-12-7K | MR. JOHN B. FARR*	NE	1.57 / 8,309.27	279
48	WW HARRIS GAL	Lake at Stonehenge	TX **Well ID:** *13790*	WSW	1.58 / 8,339.06	282
49	TCEQ WELL LOGS	MR. & MRS. SUNIL KAMAR MEHTA	TX **Grid No | Owners Name:** *65-12-7 | MR. & MRS. SUNIL KAMAR MEHTA*	W	1.59 / 8,391.00	283
50	TCEQ WELL LOGS	MALER	TX **Grid No | Owners Name:** *65-12-8 | MALER*	NE	1.59 / 8,415.16	287
50	WW HARRIS GAL	NULL	TX **Well ID:** *14472*	NE	1.59 / 8,415.16	290
50	WW HARRIS GAL	Encourager Church	TX **Well ID:** *14473*	NE	1.59 / 8,415.16	291
51	TCEQ WELL LOGS	MEMORIAL OAKS CEMETARY	TX **Grid No | Owners Name:** *65-12-7 | MEMORIAL OAKS CEMETARY*	WNW	1.59 / 8,421.13	292
51	TCEQ WELL LOGS	S C I MEM. OAK	TX **Grid No | Owners Name:** *65-12-7 | S C I MEM. OAK*	WNW	1.59 / 8,421.13	294
51	WW HARRIS GAL	Houston, City of	TX	WNW	1.59 / 8,421.13	297

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *4230*			
51	WW HARRIS GAL	Memorial Oaks, Inc.	TX ***Well ID:*** *4321*	WNW	1.59 / 8,421.13	298
51	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *4231*	WNW	1.59 / 8,421.13	299
52	TCEQ WELL LOGS	MR. LOWREY	TX ***Grid No*** **|** ***Owners Name:*** *65-12-5C* | *MR. LOWREY*	NE	1.60 / 8,439.43	300
53	TCEQ WELL LOGS	LYLE BULL	TX ***Grid No*** **|** ***Owners Name:*** *65-32-5* | *LYLE BULL*	SSE	1.62 / 8,579.06	302
54	TCEQ WELL LOGS	MUELLER WATER CONDITIONING INC	TX ***Grid No*** **|** ***Owners Name:*** *65-12-5* | *MUELLER WATER CONDITIONING INC*	NNE	1.65 / 8,708.13	304
54	WW HARRIS GAL	Mueller Water Conditioning Inc.	TX ***Well ID:*** *8564*	NNE	1.65 / 8,708.13	306
55	TCEQ WELL LOGS	PAULS GREEN THUMB NURSERY	TX ***Grid No*** **|** ***Owners Name:*** *65-12-7F* | *PAULS GREEN THUMB NURSERY*	SSW	1.66 / 8,745.92	307
56	TCEQ WELL LOGS	C.T. STANLEY	TX ***Grid No*** **|** ***Owners Name:*** *65-12-8G* | *C.T. STANLEY*	NNE	1.67 / 8,794.27	310
57	TCEQ WELL LOGS	TEXAS CORRUGATED BOX	TX ***Grid No*** **|** ***Owners Name:*** *65-12-5W* | *TEXAS CORRUGATED BOX*	ENE	1.67 / 8,796.37	312
58	GWDB	City of Houston Dist 71 South Lake	TX ***State Well No*** **|** ***Owner Name:*** *6520104* | *City of Houston Dist 71 South Lake*	SSW	1.69 / 8,914.34	315
58	WUD	CITY OF HOUSTON	TX ***Operating Status*** **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *OPERATIONAL* | *CITY OF HOUSTON* | *G1010013DV* | *ACTIVE*	SSW	1.69 / 8,914.34	316
58	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *2139*	SSW	1.69 / 8,914.34	317
58	FED USGS	USGS-294452095354501	TX	SSW	1.69 / 8,914.34	318

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Site No: *USGS-294452095354501*			
59	GWDB	City of Houston Katy-Addicks Well #12	TX	NE	1.70 / 8,965.52	319
			***State Well No	Owner Name:*** *6512521	City of Houston Katy-Addicks Well #12*			
59	WUD	CITY OF HOUSTON	TX	NE	1.70 / 8,965.52	320
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013SG	ACTIVE*			
59	TCEQ WELL LOGS	CITY OF HOUSTON	TX	NE	1.70 / 8,965.52	321
			***Grid No	Owners Name:*** *65-12-5	CITY OF HOUSTON*			
59	WW HARRIS GAL	Houston, City of	TX	NE	1.70 / 8,965.52	326
			Well ID: *7242*			
59	WW HARRIS GAL	H & J UTILITY SERVICES	TX	NE	1.70 / 8,965.52	327
			Well ID: *2077*			
59	FED USGS	USGS-294735095344001	TX	NE	1.70 / 8,965.52	328
			Site No: *USGS-294735095344001*			
60	TCEQ WELL LOGS	DAVID MUELLER	TX	NE	1.70 / 8,967.01	329
			***Grid No	Owners Name:*** *65-12-5	DAVID MUELLER*			
60	WW HARRIS GAL	Mueller, David W.	TX	NE	1.70 / 8,967.01	331
			Well ID: *7174*			
60	WW HARRIS GAL	WCM Real Properties, LLC	TX	NE	1.70 / 8,967.01	332
			Well ID: *7173*			
61	GWDB	Mike albanese	TX	SSE	1.72 / 9,060.46	333
			***State Well No	Owner Name:*** *6520217	Mike albanese*			
61	GWDB	City of Houston District 71	TX	SSE	1.72 / 9,060.46	334
			***State Well No	Owner Name:*** *6520225	City of Houston District 71*			
61	GWDB	City of Houston, District 71 #3	TX	SSE	1.72 / 9,060.46	335
			***State Well No	Owner Name:*** *6512817	City of Houston, District 71 #3*			
61	WUD	CITY OF HOUSTON	TX	SSE	1.72 / 9,060.46	336
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013DW	ACTIVE*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
61	WUD	CITY OF HOUSTON	TX	SSE	1.72 / 9,060.46	337
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013DU	ACTIVE*		
61	TCEQ WELL LOGS	CITY OF HOUSTON (WCID #71)	TX	SSE	1.72 / 9,060.46	338
			***Grid No	Owners Name:*** *65-20-2M	CITY OF HOUSTON (WCID #71)*		
61	WW HARRIS GAL	Houston, City of	TX	SSE	1.72 / 9,060.46	342
			Well ID: *2138*			
61	WW HARRIS GAL	Houston, City of	TX	SSE	1.72 / 9,060.46	343
			Well ID: *3315*			
61	FED USGS	USGS-294501095343601	TX	SSE	1.72 / 9,060.46	344
			Site No: *USGS-294501095343601*			
61	FED USGS	USGS-294459095343801	TX	SSE	1.72 / 9,060.46	345
			Site No: *USGS-294459095343801*			
62	WW HARRIS GAL	Houston Garden Center #1	TX	ENE	1.73 / 9,132.53	346
			Well ID: *11092*			
63	TCEQ WELL LOGS	ROBERT W. LJUNGDAHL	TX	ENE	1.73 / 9,135.04	347
			***Grid No	Owners Name:*** *65-12-8J	ROBERT W. LJUNGDAHL*		
64	TCEQ WELL LOGS	MR. DAVID BONE	TX	WSW	1.73 / 9,149.14	350
			***Grid No	Owners Name:*** *65-12-7J	MR. DAVID BONE*		
64	TCEQ WELL LOGS	MR. DAVID BONE	TX	WSW	1.73 / 9,149.14	353
			***Grid No	Owners Name:*** *65-11-6U	MR. DAVID BONE*		
65	WW HARRIS GAL	STANFORD CAPITAL CORP.	TX	SW	1.75 / 9,232.32	356
			Well ID: *3802*			
66	GWDB	City of Houston Turkey Creek	TX	WNW	1.75 / 9,256.74	357
			***State Well No	Owner Name:*** *6512715	City of Houston Turkey Creek*		
66	WUD	CITY OF HOUSTON	TX	WNW	1.75 / 9,256.74	358
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013QF	ACTIVE*		
66	WW HARRIS GAL	Houston, City of	TX	WNW	1.75 / 9,256.74	359

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *1135*			
66	FED USGS	USGS-294642095371001	TX	WNW	1.75 / 9,256.74	360
			Site No: *USGS-294642095371001*			
67	WUD	CITY OF HOUSTON	TX	NE	1.75 / 9,265.26	361
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013SX | ACTIVE*			
67	WW HARRIS GAL	H & J Utility Services	TX	NE	1.75 / 9,265.26	362
			Well ID: *4089*			
68	WW HARRIS GAL	Watson's	TX	SSW	1.77 / 9,325.65	363
			Well ID: *3037*			
68	WW HARRIS GAL	Southwestern Bell Telephone Co.	TX	SSW	1.77 / 9,325.65	364
			Well ID: *2893*			
69	WW HARRIS GAL	Williams Brothers Const. Co., Inc.	TX	ENE	1.77 / 9,333.99	365
			Well ID: *10255*			
69	SDRW WELLS	Houston Garden Center 8B	Katy Freeway Houston TX 77079	ENE	1.77 / 9,333.99	366
			Track NO: *204298*			
70	GWDB	USGS LONGPOINT	TX	ENE	1.77 / 9,342.29	367
			State Well No | Owner Name: *6512819 | USGS LONGPOINT*			
70	GWDB	USGS LONGPOINT	TX	ENE	1.77 / 9,342.29	368
			State Well No | Owner Name: *6512818 | USGS LONGPOINT*			
70	FED USGS	USGS-294704095340001	TX	ENE	1.77 / 9,342.29	369
			Site No: *USGS-294704095340001*			
70	FED USGS	USGS-294704095340401	TX	ENE	1.77 / 9,342.29	370
			Site No: *USGS-294704095340401*			
71	WW HARRIS GAL	McIngvale, Linda	TX	SE	1.77 / 9,361.57	371
			Well ID: *7294*			
72	TCEQ WELL LOGS	GARY MILLIGAN	TX	WSW	1.78 / 9,382.42	372
			Grid No | Owners Name: *65-12-7T | GARY MILLIGAN*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
73	WW HARRIS GAL	SUNBELT ASPHALT & MATERIALS INC.	TX	NE	1.78 / 9,413.98	374
			Well ID: *2029*			
74	GWDB	R.E. Daniels	TX	WSW	1.80 / 9,513.18	375
			State Well No **|** ***Owner Name:*** *6512706* | *R.E. Daniels*			
74	FED USGS	USGS-294527095365801	TX	WSW	1.80 / 9,513.18	376
			Site No: *USGS-294527095365801*			
75	TCEQ WELL LOGS	KEY REALTY COMPANY	TX	NE	1.80 / 9,516.55	377
			Grid No **|** ***Owners Name:*** *N/A* | *KEY REALTY COMPANY*			
76	GWDB	Parker Bros. Co.	TX	NE	1.81 / 9,546.84	379
			State Well No **|** ***Owner Name:*** *6512814* | *Parker Bros. Co.*			
77	GWDB	Texas-Tenn INDUSTRIES	TX	ENE	1.89 / 9,981.78	380
			State Well No **|** ***Owner Name:*** *6512805* | *Texas-Tenn INDUSTRIES*			
77	SDRW WELLS	Williams Brothers	10700 Katy Freeway Houston TX	ENE	1.89 / 9,981.78	381
			Track NO: *184434*			
78	TCEQ WELL LOGS	PACER BLDG SYSTS. INC.	TX	NE	1.89 / 10,002.44	382
			Grid No **|** ***Owners Name:*** *65-12-5G* | *PACER BLDG SYSTS. INC.*			
79	TCEQ WELL LOGS	ACT THREE ARABIAN FARMS	TX	NNE	1.92 / 10,126.85	384
			Grid No **|** ***Owners Name:*** *65-12-4* | *ACT THREE ARABIAN FARMS*			
80	WW HARRIS GAL	CenterPoint Energy Houston Electric, LLC	TX	NE	1.92 / 10,140.09	387
			Well ID: *1185*			
81	TCEQ WELL LOGS	DANIEL DEVELOPMENT CO	TX	SW	1.92 / 10,156.03	388
			Grid No **|** ***Owners Name:*** *65-12-7J* | *DANIEL DEVELOPMENT CO*			
81	WW HARRIS GAL	DANIEL DEVELOPMENT COMPANY	TX	SW	1.92 / 10,156.03	391
			Well ID: *2548*			
81	WW HARRIS GAL	DANIEL DEVELOPMENT COMPANY	TX	SW	1.92 / 10,156.03	392
			Well ID: *2547*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
82	TCEQ WELL LOGS	JIM HEINE	TX	NE	1.95 / 10,290.37	393
			Grid No* | *Owners Name: *65-12-5 | JIM HEINE*			
83	GWDB	Union Carbon Co.	TX	WNW	1.99 / 10,499.00	396
			State Well No* | *Owner Name: *6512712 | Union Carbon Co.*			
83	GWDB	United Carbon Co	TX	WNW	1.99 / 10,499.00	397
			State Well No* | *Owner Name: *6512711 | United Carbon Co*			
83	FED USGS	USGS-294655095371601	TX	WNW	1.99 / 10,499.00	398
			Site No: *USGS-294655095371601*			
83	FED USGS	USGS-294655095372101	TX	WNW	1.99 / 10,499.00	399
			Site No: *USGS-294655095372101*			
84	TCEQ WELL LOGS	D.O. HUTTO	TX	WNW	1.99 / 10,530.15	400
			Grid No* | *Owners Name: *N/A | D.O. HUTTO*			
85	WW HARRIS GAL	MC Beltway 8, LLC	TX	ESE	2.00 / 10,544.90	402
			Well ID: *7414*			
85	WW HARRIS GAL	MI Deerwood North Property Owner, LLC	TX	ESE	2.00 / 10,544.90	403
			Well ID: *16188*			
86	WW HARRIS GAL	G&I X San Paloma LP	TX	WSW	2.01 / 10,588.47	404
			Well ID: *10007*			
87	GWDB	Harris County MUD 223	TX	WSW	2.01 / 10,630.33	405
			State Well No* | *Owner Name: *6512731 | Harris County MUD 223*			
87	GWDB	Northwest Harris Co. MUD 25, well #1	TX	WSW	2.01 / 10,630.33	406
			State Well No* | *Owner Name: *6504812 | Northwest Harris Co. MUD 25, well #1*			
87	WUD	CITY OF HOUSTON	TX	WSW	2.01 / 10,630.33	407
			Operating Status* | *Utility Name* | *WTRSRC* | *System Status: *PLUGGED | CITY OF HOUSTON | G1010013SC | ACTIVE*			
87	TCEQ WELL LOGS	HARRIS COUNTY MUD #223	TX	WSW	2.01 / 10,630.33	408
			Grid No* | *Owners Name: *65-19-3 | HARRIS COUNTY MUD #223*			
87	WW HARRIS GAL	HARRIS CO. M.U.D. 223	TX	WSW	2.01 / 10,630.33	414

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *4060*			
87	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *3778*	WSW	2.01 / 10,630.33	415
87	FED USGS	USGS-294548095372801	TX ***Site No:*** *USGS-294548095372801*	WSW	2.01 / 10,630.33	416
87	FED USGS	USGS-295235095340001	TX ***Site No:*** *USGS-295235095340001*	WSW	2.01 / 10,630.33	417
88	GWDB	City of Houston Katy-Addicks	TX ***State Well No*** **|** ***Owner Name:*** *6512722 | City of Houston Katy-Addicks*	NW	2.02 / 10,669.95	418
88	WUD	CITY OF HOUSTON	TX ***Operating Status*** **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013HF | ACTIVE*	NW	2.02 / 10,669.95	419
88	TCEQ WELL LOGS	CITY OF HOUSTON	TX ***Grid No*** **|** ***Owners Name:*** *65-12-4B | CITY OF HOUSTON*	NW	2.02 / 10,669.95	420
88	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *1077*	NW	2.02 / 10,669.95	423
88	WW HARRIS GAL	USA Dreamland, Inc.	TX ***Well ID:*** *5703*	NW	2.02 / 10,669.95	424
88	FED USGS	USGS-294720095365301	TX ***Site No:*** *USGS-294720095365301*	NW	2.02 / 10,669.95	425
89	GWDB	City of Houston	TX ***State Well No*** **|** ***Owner Name:*** *6512730 | City of Houston*	NW	2.03 / 10,727.81	426
89	WUD	CITY OF HOUSTON	TX ***Operating Status*** **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *OPERATIONAL | CITY OF HOUSTON | G1010013AH | ACTIVE*	NW	2.03 / 10,727.81	427
89	TCEQ WELL LOGS	INDEPENDENCE BANK	TX ***Grid No*** **|** ***Owners Name:*** *65-12-7 | INDEPENDENCE BANK*	NW	2.03 / 10,727.81	428
89	WW HARRIS GAL	CenterPoint Energy Houston Electric, LLC	TX ***Well ID:*** *3829*	NW	2.03 / 10,727.81	431

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
89	WW HARRIS GAL	Houston, City of	TX **Well ID:** *3845*	NW	2.03 / 10,727.81	432
89	FED USGS	USGS-294723095370501	TX **Site No:** *USGS-294723095370501*	NW	2.03 / 10,727.81	433
90	GWDB	City of Houston District 71 Well #4	TX **State Well No | Owner Name:** *6512820 | City of Houston District 71 Well #4*	SE	2.03 / 10,733.94	434
90	WW HARRIS GAL	Houston, City of	TX **Well ID:** *7651*	SE	2.03 / 10,733.94	435
90	WUD	CITY OF HOUSTON	TX **Operating Status | Utility Name | WTRSRC | System Status:** *OPERATIONAL | CITY OF HOUSTON | G1010013SS | ACTIVE*	SE	2.03 / 10,733.94	436
90	TCEQ WELL LOGS	CITY OF HOUSTON	TX **Grid No | Owners Name:** *65-12-8 | CITY OF HOUSTON*	SE	2.03 / 10,733.94	437
90	FED USGS	USGS-294456095341101	TX **Site No:** *USGS-294456095341101*	SE	2.03 / 10,733.94	441
91	TCEQ WELL LOGS	JUDY NEELY	TX **Grid No | Owners Name:** *65-11-9H | JUDY NEELY*	WNW	2.04 / 10,749.17	442
92	TCEQ WELL LOGS	CORROSION COATING CO	TX **Grid No | Owners Name:** *N/A | CORROSION COATING CO*	NE	2.04 / 10,760.28	444
93	WW HARRIS GAL	Houston, City of	TX **Well ID:** *1078*	WNW	2.05 / 10,809.70	447
94	WUD	CITY OF HOUSTON	TX **Operating Status | Utility Name | WTRSRC | System Status:** *OPERATIONAL | CITY OF HOUSTON | G1010013RB | ACTIVE*	WSW	2.05 / 10,821.75	448
94	TCEQ WELL LOGS	MUD 90	TX **Grid No | Owners Name:** *N/A | MUD 90*	WSW	2.05 / 10,821.75	449
94	TCEQ WELL LOGS	PARKWAY/ELDRIDGE POA	TX **Grid No | Owners Name:** *65-12-7 | PARKWAY/ELDRIDGE POA*	WSW	2.05 / 10,821.75	453
94	WW HARRIS GAL	Houston, City of	TX	WSW	2.05 / 10,821.75	456

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *3865*			
94	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *4786*	WSW	2.05 / 10,821.75	457
95	TCEQ WELL LOGS	SUEBA USA	TX ***Grid No*** **|** ***Owners Name:*** *65-12-7* | *SUEBA USA*	W	2.05 / 10,828.28	458
96	GWDB	Robert Sloan	TX ***State Well No*** **|** ***Owner Name:*** *6512810* | *Robert Sloan*	E	2.05 / 10,836.44	461
96	TCEQ WELL LOGS	ROBERT R. SLOAN	TX ***Grid No*** **|** ***Owners Name:*** *65-12-8C* | *ROBERT R. SLOAN*	E	2.05 / 10,836.44	462
97	TCEQ WELL LOGS	BOB LINDALL	TX ***Grid No*** **|** ***Owners Name:*** *65-11-9R* | *BOB LINDALL*	WSW	2.05 / 10,837.30	464
98	GWDB	Buffalo Oaks	TX ***State Well No*** **|** ***Owner Name:*** *6520102* | *Buffalo Oaks*	S	2.06 / 10,885.19	467
99	SDRW WELLS	Deerwood Apartments	10421 Deerwood Rd Houston TX 77042 ***Track NO:*** *630829*	ESE	2.07 / 10,906.25	468
100	TCEQ WELL LOGS	BOB VORKOPER	TX ***Grid No*** **|** ***Owners Name:*** *65-12-7* | *BOB VORKOPER*	WNW	2.07 / 10,942.91	469
101	GWDB	O. D. Hargrave	TX ***State Well No*** **|** ***Owner Name:*** *6512709* | *O. D. Hargrave*	WNW	2.07 / 10,949.03	472
101	GWDB		TX ***State Well No*** **|** ***Owner Name:*** *6512733* |	WNW	2.07 / 10,949.03	473
101	FED USGS	USGS-294711095371501	TX ***Site No:*** *USGS-294711095371501*	WNW	2.07 / 10,949.03	474
102	TCEQ WELL LOGS	PRESTON D BURKE	TX ***Grid No*** **|** ***Owners Name:*** *65-11-9J* | *PRESTON D BURKE*	WNW	2.09 / 11,019.93	475
102	TCEQ WELL LOGS	TED FULLINWEIDER	TX ***Grid No*** **|** ***Owners Name:*** *65-12-7S* | *TED FULLINWEIDER*	WNW	2.09 / 11,019.93	478

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
102	TCEQ WELL LOGS	TED FULLENWEIDER	TX	WNW	2.09 / 11,019.93	481
			***Grid No	Owners Name:*** *65-12-7S	TED FULLENWEIDER*	
103	TCEQ WELL LOGS	IGLOO CORP	TX	ENE	2.10 / 11,077.88	483
			***Grid No	Owners Name:*** *65-12-5Q	IGLOO CORP*	
103	WW HARRIS GAL	IGLOO CORPORATION	TX	ENE	2.10 / 11,077.88	486
			Well ID: *2601*			
103	WW HARRIS GAL	IGLOO CORPORATION	TX	ENE	2.10 / 11,077.88	487
			Well ID: *2154*			
104	TCEQ WELL LOGS	TOMMY GUZMAN, JOE WARNER	TX	WNW	2.10 / 11,111.87	488
			***Grid No	Owners Name:*** *65-11-9	TOMMY GUZMAN, JOE WARNER*	
104	TCEQ WELL LOGS	MRS. GUSMAN	TX	WNW	2.10 / 11,111.87	491
			***Grid No	Owners Name:*** *65-11-9H	MRS. GUSMAN*	
105	WW HARRIS GAL	BHVA Real Estate Holdings, LLC	TX	NE	2.11 / 11,140.68	493
			Well ID: *7138*			
106	GWDB	City of Houston	TX	WNW	2.11 / 11,144.27	494
			***State Well No	Owner Name:*** *6512723	City of Houston*	
106	WUD	CITY OF HOUSTON	TX	WNW	2.11 / 11,144.27	495
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013AB	ACTIVE*		
106	FED USGS	USGS-294707095372201	TX	WNW	2.11 / 11,144.27	496
			Site No: *USGS-294707095372201*			
107	TCEQ WELL LOGS	JOE DICKSON	TX	WNW	2.11 / 11,163.42	497
			***Grid No	Owners Name:*** *65-12-4A	JOE DICKSON*	
107	TCEQ WELL LOGS	JOE DICKSON	TX	WNW	2.11 / 11,163.42	499
			***Grid No	Owners Name:*** *N/A	JOE DICKSON*	
108	GWDB	ATES, CHARLEY	TX	WNW	2.12 / 11,195.17	501
			***State Well No	Owner Name:*** *6512734	ATES, CHARLEY*	
108	FED USGS	USGS-294717095371501	TX	WNW	2.12 / 11,195.17	502

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Site No: *USGS-294717095371501*			
109	TCEQ WELL LOGS	ARTHUR L. SUTER	TX	WNW	2.13 / 11,222.12	503
			Grid No **|** ***Owners Name:*** *65-12-8L* | *ARTHUR L. SUTER*			
110	TCEQ WELL LOGS	HOUSTON SALES CO	TX	NE	2.13 / 11,252.10	506
			Grid No **|** ***Owners Name:*** *65-12-5S* | *HOUSTON SALES CO*			
111	GWDB	R. W. Dickson	TX	WNW	2.14 / 11,279.39	509
			State Well No **|** ***Owner Name:*** *6512708* | *R. W. Dickson*			
112	GWDB	City of Houston	TX	NNE	2.14 / 11,291.51	510
			State Well No **|** ***Owner Name:*** *6512516* | *City of Houston*			
112	WUD	CITY OF HOUSTON	TX	NNE	2.14 / 11,291.51	511
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *OPERATIONAL* | *CITY OF HOUSTON* | *G1010013AC* | *ACTIVE*			
112	WW HARRIS GAL	Houston, City of	TX	NNE	2.14 / 11,291.51	512
			Well ID: *2575*			
112	FED USGS	USGS-294800095344101	TX	NNE	2.14 / 11,291.51	513
			Site No: *USGS-294800095344101*			
113	TCEQ WELL LOGS	EDWARD S. PETERSON	TX	WNW	2.14 / 11,324.83	514
			Grid No **|** ***Owners Name:*** *65-11-9H* | *EDWARD S. PETERSON*			
113	TCEQ WELL LOGS	O.D. HARGRAVE	TX	WNW	2.14 / 11,324.83	517
			Grid No **|** ***Owners Name:*** *N/A* | *O.D. HARGRAVE*			
114	TCEQ WELL LOGS	HENRY SPECKMCIER	TX	NE	2.15 / 11,329.57	519
			Grid No **|** ***Owners Name:*** *65-12-5* | *HENRY SPECKMCIER*			
115	WW HARRIS GAL	Parkway Villages Res. Assoc. Inc.	TX	W	2.16 / 11,391.90	522
			Well ID: *8440*			
116	TCEQ WELL LOGS	MARY EHLER	TX	WNW	2.17 / 11,455.69	523
			Grid No **|** ***Owners Name:*** *65-12-4B* | *MARY EHLER*			
116	TCEQ WELL LOGS	GIL SOUTH	TX	WNW	2.17 / 11,455.69	526
			Grid No **|** ***Owners Name:*** *65-12-7Y* | *GIL SOUTH*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
117	TCEQ WELL LOGS	CAMDEN PROPERTY TRUST	TX	ESE	2.18 / 11,510.97	529
			***Grid No** | **Owners Name:** 65-12-8 | CAMDEN PROPERTY TRUST*			
117	WW HARRIS GAL	Camden Property Trust, Camden Holly Springs	TX	ESE	2.18 / 11,510.97	532
			***Well ID:** 6718*			
118	TCEQ WELL LOGS	M. E. HILDERBAND	TX	WNW	2.18 / 11,534.08	533
			***Grid No** | **Owners Name:** 65-12-7E | M. E. HILDERBAND*			
119	WW HARRIS GAL	Houston EC Development LLC	TX	WNW	2.19 / 11,581.45	535
			***Well ID:** 3405*			
120	GWDB	G. C. Cox	TX	NE	2.21 / 11,669.14	536
			***State Well No** | **Owner Name:** 6512507 | G. C. Cox*			
121	TCEQ WELL LOGS	JJL GREENHOUSE INC	TX	NNE	2.21 / 11,694.01	537
			***Grid No** | **Owners Name:** 65-12-5 | JJL GREENHOUSE INC*			
121	WW HARRIS GAL	JJL Greenhouses	TX	NNE	2.21 / 11,694.01	539
			***Well ID:** 3809*			
121	WW HARRIS GAL	JJL Greenhouses	TX	NNE	2.21 / 11,694.01	540
			***Well ID:** 3810*			
121	WW HARRIS GAL	JJL Greenhouses	TX	NNE	2.21 / 11,694.01	541
			***Well ID:** 7780*			
121	WW HARRIS GAL	Heine Jim C.	TX	NNE	2.21 / 11,694.01	542
			***Well ID:** 4757*			
122	TCEQ WELL LOGS	ENCLAVE PARTNERS, LTD	TX	WSW	2.22 / 11,697.97	543
			***Grid No** | **Owners Name:** 65-20-1 | ENCLAVE PARTNERS, LTD*			
122	TCEQ WELL LOGS	MR. OVERMAN	TX	WSW	2.22 / 11,697.97	545
			***Grid No** | **Owners Name:** 65-12-7C | MR. OVERMAN*			
122	WW HARRIS GAL	Lakeside Enclave Community Assoc.	TX	WSW	2.22 / 11,697.97	548
			***Well ID:** 7212*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
123	WW HARRIS GAL	SCD Memorial Lakes I, LLC	TX	WNW	2.22 / 11,723.18	549
			Well ID: *7363*			
124	GWDB	David Crowell	TX	WNW	2.22 / 11,730.26	550
			State Well No **|** ***Owner Name:*** *6512707* | *David Crowell*			
124	GWDB	David Crowell	TX	WNW	2.22 / 11,730.26	551
			State Well No **|** ***Owner Name:*** *6512732* | *David Crowell*			
124	TCEQ WELL LOGS	DAVID CROWELL	TX	WNW	2.22 / 11,730.26	552
			Grid No **|** ***Owners Name:*** *65-11-9* | *DAVID CROWELL*			
124	FED USGS	USGS-294717095372002	TX	WNW	2.22 / 11,730.26	555
			Site No: *USGS-294717095372002*			
125	TCEQ WELL LOGS	ROBERT STRATTON	TX	E	2.23 / 11,759.61	556
			Grid No **|** ***Owners Name:*** *65-13-7* | *ROBERT STRATTON*			
126	GWDB	Forest Park West Cemetery	TX	SSW	2.25 / 11,895.50	558
			State Well No **|** ***Owner Name:*** *6520106* | *Forest Park West Cemetery*			
126	TCEQ WELL LOGS	CITY OF HOUSTON	TX	SSW	2.25 / 11,895.50	559
			Grid No **|** ***Owners Name:*** *65-20-4* | *CITY OF HOUSTON*			
126	WW HARRIS GAL	Houston, City of	TX	SSW	2.25 / 11,895.50	564
			Well ID: *2205*			
127	TCEQ WELL LOGS	LOUIS M BAROSH	TX	NNE	2.27 / 11,965.24	565
			Grid No **|** ***Owners Name:*** *65-12-5E* | *LOUIS M BAROSH*			
128	WUD	CITY OF HOUSTON	TX	NE	2.29 / 12,099.22	568
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED* | *CITY OF HOUSTON* | *G1010013OW* | *ACTIVE*			
128	TCEQ WELL LOGS	FARNALE INC	TX	NE	2.29 / 12,099.22	569
			Grid No **|** ***Owners Name:*** *65-12-5N* | *FARNALE INC*			
129	TCEQ WELL LOGS	G & W MAINTENANCE	TX	ENE	2.30 / 12,121.03	571
			Grid No **|** ***Owners Name:*** *65-12-8* | *G & W MAINTENANCE*			
130	TCEQ WELL LOGS	ANNIE DOCKAL	TX	S	2.30 / 12,163.32	574

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No	Owners Name:*** *65-20-1	ANNIE DOCKAL*	
131	GWDB	Harris County MUD 90	TX	SW	2.31 / 12,187.61	577
			***State Well No	Owner Name:*** *6520124	Harris County MUD 90*	
131	WUD	CITY OF HOUSTON	TX	SW	2.31 / 12,187.61	578
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013RA	ACTIVE*	
131	TCEQ WELL LOGS	HARRIS COUNTY MUD #90	TX	SW	2.31 / 12,187.61	579
			***Grid No	Owners Name:*** *65-12-7X	HARRIS COUNTY MUD #90*	
131	WW HARRIS GAL	Houston, City of	TX	SW	2.31 / 12,187.61	584
			Well ID: *2900*			
131	FED USGS	USGS-294451095370301	TX	SW	2.31 / 12,187.61	585
			Site No: *USGS-294451095370301*			
132	GWDB	Ardco Co.	TX	WNW	2.32 / 12,243.99	586
			***State Well No	Owner Name:*** *6511908	Ardco Co.*	
133	TCEQ WELL LOGS	COASTAL SAND	TX	ENE	2.33 / 12,325.30	587
			***Grid No	Owners Name:*** *65-12-5	COASTAL SAND*	
134	TCEQ WELL LOGS	CHURCH OF THE HOLY SPIRIT	TX	E	2.35 / 12,410.90	590
			***Grid No	Owners Name:*** *65-12-8	CHURCH OF THE HOLY SPIRIT*	
135	WUD	CITY OF HOUSTON	TX	NNE	2.36 / 12,475.88	592
			***Operating Status	Utility Name	WTRSRC	System Status:*** *CAPPED	CITY OF HOUSTON	G1010013SV	ACTIVE*	
135	WUD	CITY OF HOUSTON	TX	NNE	2.36 / 12,475.88	593
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013SW	ACTIVE*	
135	WUD	CITY OF HOUSTON	TX	NNE	2.36 / 12,475.88	594
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013SY	ACTIVE*	
135	WW HARRIS GAL	H & J Utility Services	TX	NNE	2.36 / 12,475.88	595
			Well ID: *3989*			
135	WW HARRIS GAL	H & J UTILITY SERVICES	TX	NNE	2.36 / 12,475.88	596
			Well ID: *2078*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
136	WW HARRIS GAL	Ethans Glenn Community Association	TX	ESE	2.38 / 12,550.85	597
			Well ID: *4191*			
136	WW HARRIS GAL	ETHANS GLEN COMM. ASSOC.	TX	ESE	2.38 / 12,550.85	598
			Well ID: *4133*			
137	TCEQ WELL LOGS	WALLACE E. JOHNSON, ENTERPRISES	TX	SSW	2.41 / 12,704.47	599
			Grid No | Owners Name: *N/A | WALLACE E. JOHNSON, ENTERPRISES*			
138	WW HARRIS GAL	Arvanetakis. Michel	TX	NE	2.41 / 12,705.64	602
			Well ID: *7148*			
139	TCEQ WELL LOGS	BIG SIX DRILLING CO	TX	NE	2.41 / 12,707.51	603
			Grid No | Owners Name: *65-12-5 | BIG SIX DRILLING CO*			
140	WW HARRIS GAL	Westlake Park Association/Lake Management Svcs	TX	WNW	2.41 / 12,739.30	605
			Well ID: *6345*			
141	WW HARRIS GAL	Central Park West, LP	TX	WNW	2.41 / 12,748.44	606
			Well ID: *4181*			
141	WW HARRIS GAL	Central Park West, LP	TX	WNW	2.41 / 12,748.44	607
			Well ID: *4180*			
141	WW HARRIS GAL	Harris Co. Flood Control District	TX	WNW	2.41 / 12,748.44	608
			Well ID: *2838*			
142	TCEQ WELL LOGS	CONTINENTAL WATER	TX	NE	2.42 / 12,763.11	609
			Grid No | Owners Name: *65-12-5P | CONTINENTAL WATER*			
143	TCEQ WELL LOGS	HENERY SPECKMEIER	TX	NE	2.43 / 12,844.87	611
			Grid No | Owners Name: *65-12-1S | HENERY SPECKMEIER*			
144	TCEQ WELL LOGS	MR. VINCENT KICKERILLO	TX	W	2.44 / 12,870.49	614
			Grid No | Owners Name: *65-11-9 | MR. VINCENT KICKERILLO*			
144	TCEQ WELL LOGS	VINCENT KICKENILLO	TX	W	2.44 / 12,870.49	616
			Grid No | Owners Name: *65-11-9 | VINCENT KICKENILLO*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
144	TCEQ WELL LOGS	VINCENT KIKERILLO	TX	W	2.44 / 12,870.49	618
			***Grid No	Owners Name:*** *65-11-6F	VINCENT KIKERILLO*	
144	WW HARRIS GAL	Kickerillo, Vincent	TX	W	2.44 / 12,870.49	620
			Well ID: *6862*			
144	WW HARRIS GAL	Kickerillo, Vincent	TX	W	2.44 / 12,870.49	621
			Well ID: *5262*			
144	WW HARRIS GAL	Kickerillo, Vincent	TX	W	2.44 / 12,870.49	622
			Well ID: *10069*			
145	TCEQ WELL LOGS	FIRST ALLIANCE CHURCH	TX	WSW	2.45 / 12,951.54	623
			***Grid No	Owners Name:*** *65-12-7P	FIRST ALLIANCE CHURCH*	
145	WW HARRIS GAL	Parkway Fellowship	TX	WSW	2.45 / 12,951.54	626
			Well ID: *7219*			
146	WW HARRIS GAL	RICKS, ESTATE OF MORGAN	TX	NNE	2.46 / 13,007.15	627
			Well ID: *2227*			
147	TCEQ WELL LOGS	SUEBA CONSULTING, INC.	TX	WSW	2.50 / 13,186.44	628
			***Grid No	Owners Name:*** *65-11-9	SUEBA CONSULTING, INC.*	
147	WW HARRIS GAL	San Montego	TX	WSW	2.50 / 13,186.44	630
			Well ID: *6623*			
148	GWDB	City of Houston Walnut Bend	TX	SE	2.50 / 13,219.36	631
			***State Well No	Owner Name:*** *6520210	City of Houston Walnut Bend*	
148	GWDB	City of Houston Walnut Bend	TX	SE	2.50 / 13,219.36	632
			***State Well No	Owner Name:*** *6520218	City of Houston Walnut Bend*	
148	WUD	CITY OF HOUSTON	TX	SE	2.50 / 13,219.36	633
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013IY	ACTIVE*	
148	WUD	CITY OF HOUSTON	TX	SE	2.50 / 13,219.36	634
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013IZ	ACTIVE*	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
148	WW HARRIS GAL	Houston, City of	TX **Well ID:** *3741*	SE	2.50 / 13,219.36	635
148	WW HARRIS GAL	Houston, City of	TX **Well ID:** *1037*	SE	2.50 / 13,219.36	636
148	FED USGS	USGS-294439095334702	TX **Site No:** *USGS-294439095334702*	SE	2.50 / 13,219.36	637
148	FED USGS	USGS-294439095334701	TX **Site No:** *USGS-294439095334701*	SE	2.50 / 13,219.36	638
149	TCEQ WELL LOGS	LAYNE WESTERN	TX **Grid No | Owners Name:** *65-20-2C | LAYNE WESTERN*	SSE	2.52 / 13,297.61	639
150	WW HARRIS GAL	Reflections on the Lake	TX **Well ID:** *9622*	SW	2.53 / 13,342.28	641
151	TCEQ WELL LOGS	FOREST PARK WESTHEIMER	TX **Grid No | Owners Name:** *65-20-1 | FOREST PARK WESTHEIMER*	SSW	2.53 / 13,351.17	642
151	WW HARRIS GAL	Houston, City of	TX **Well ID:** *8548*	SSW	2.53 / 13,351.17	644
151	WW HARRIS GAL	Houston, City of	TX **Well ID:** *10450*	SSW	2.53 / 13,351.17	645
151	SDRW WELLS	Service Corp. Inter.	18200 Westheimer Houston TX 77077 **Track NO:** *219530*	SSW	2.53 / 13,351.17	646
152	WW HARRIS GAL	KENNY PROPERTIES	TX **Well ID:** *2057*	ENE	2.54 / 13,396.26	647
153	WW HARRIS GAL	H & J Utility Services	TX **Well ID:** *3988*	NNE	2.54 / 13,419.62	648
153	WW HARRIS GAL	H & J UTILITY SERVICES	TX **Well ID:** *1833*	NNE	2.54 / 13,419.62	649
153	WW HARRIS GAL	H & J UTILITY SERVICES	TX	NNE	2.54 / 13,419.62	650

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *1837*			
153	WW HARRIS GAL	H & J UTILITY SERVICES	TX ***Well ID:*** *2076*	NNE	2.54 / 13,419.62	651
154	TCEQ WELL LOGS	D.E. MARTIN	TX ***Grid No | Owners Name:*** *65-12-5K | D.E. MARTIN*	NNE	2.55 / 13,482.83	652
155	TCEQ WELL LOGS	LTC CONSTRUCTION - CONTRACTORS	TX ***Grid No | Owners Name:*** *65-20-1 | LTC CONSTRUCTION - CONTRACTORS*	SSW	2.57 / 13,552.13	654
155	WW HARRIS GAL	Exxon Company U.S.A.	TX ***Well ID:*** *2994*	SSW	2.57 / 13,552.13	656
156	TCEQ WELL LOGS	HOUSTON NATURAL GAS CORP	TX ***Grid No | Owners Name:*** *65-20-1L | HOUSTON NATURAL GAS CORP*	SSW	2.57 / 13,556.66	657
157	GWDB	USGS	TX ***State Well No | Owner Name:*** *6511922 | USGS*	WSW	2.57 / 13,559.21	659
157	FED USGS	USGS-294503095373201	TX ***Site No:*** *USGS-294503095373201*	WSW	2.57 / 13,559.21	660
158	GWDB	City of Houston	TX ***State Well No | Owner Name:*** *6512517 | City of Houston*	NNE	2.58 / 13,600.16	661
158	GWDB	City of Houston	TX ***State Well No | Owner Name:*** *6512513 | City of Houston*	NNE	2.58 / 13,600.16	662
158	WUD	CITY OF HOUSTON	TX ***Operating Status | Utility Name | WTRSRC | System Status:*** *OPERATIONAL | CITY OF HOUSTON | G1010013AD | ACTIVE*	NNE	2.58 / 13,600.16	663
158	WUD	CITY OF HOUSTON	TX ***Operating Status | Utility Name | WTRSRC | System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013CJ | ACTIVE*	NNE	2.58 / 13,600.16	664
158	WUD	CITY OF HOUSTON	TX ***Operating Status | Utility Name | WTRSRC | System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013CI | ACTIVE*	NNE	2.58 / 13,600.16	665
158	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *1102*	NNE	2.58 / 13,600.16	666

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
158	WW HARRIS GAL	Houston, City of	TX **Well ID:** *2576*	NNE	2.58 / 13,600.16	667
158	FED USGS	USGS-294820095342001	TX **Site No:** *USGS-294820095342001*	NNE	2.58 / 13,600.16	668
158	FED USGS	USGS-294820095342002	TX **Site No:** *USGS-294820095342002*	NNE	2.58 / 13,600.16	669
159	TCEQ WELL LOGS	RAYKO CONSTRUCTION CO.	TX **Grid No | Owners Name:** *65-20-1E | RAYKO CONSTRUCTION CO.*	SSW	2.58 / 13,621.89	670
160	GWDB	HCO MUD 223	TX **State Well No | Owner Name:** *6511913 | HCO MUD 223*	W	2.58 / 13,628.92	673
160	WUD	CITY OF HOUSTON	TX **Operating Status | Utility Name | WTRSRC | System Status:** *OPERATIONAL | CITY OF HOUSTON | G1010013QZ | ACTIVE*	W	2.58 / 13,628.92	674
160	WW HARRIS GAL	Houston, City of	TX **Well ID:** *3837*	W	2.58 / 13,628.92	675
160	FED USGS	USGS-294605095383001	TX **Site No:** *USGS-294605095383001*	W	2.58 / 13,628.92	676
161	WW HARRIS GAL	ALLEN,EARL,PETER, THOMAS,JR.&RICH	TX **Well ID:** *3883*	WNW	2.61 / 13,757.08	677
161	WW HARRIS GAL	Central Park West, LP	TX **Well ID:** *10079*	WNW	2.61 / 13,757.08	678
161	WW HARRIS GAL	Vinchar Partners, Ltd.	TX **Well ID:** *7133*	WNW	2.61 / 13,757.08	679
161	SDRW WELLS	Vinchar Partners	13922 Old Katy Road Houston TX 77079 **Track NO:** *60540*	WNW	2.61 / 13,757.08	680
162	TCEQ WELL LOGS	INT. STEEL DEPOT INC	TX **Grid No | Owners Name:** *65-11-9Q | INT. STEEL DEPOT INC*	ENE	2.61 / 13,767.54	681
163	GWDB	Robert R. Sloan	TX	NE	2.63 / 13,870.38	683

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No	Owner Name:*** *6512512	Robert R. Sloan*			
164	GWDB	Baker Hughes Inc.	TX	NNE	2.63 / 13,878.71	684
			***State Well No	Owner Name:*** *6512515	Baker Hughes Inc.*			
164	TCEQ WELL LOGS	TOMMY LANDERS	TX	NNE	2.63 / 13,878.71	685
			***Grid No	Owners Name:*** *65-12-5	TOMMY LANDERS*			
165	GWDB	Lone Star Cement Co.	TX	ENE	2.63 / 13,897.23	687
			***State Well No	Owner Name:*** *6512807	Lone Star Cement Co.*			
166	GWDB	City of Houston Rosewood #1	TX	SSW	2.64 / 13,944.17	688
			***State Well No	Owner Name:*** *6520103	City of Houston Rosewood #1*			
166	GWDB	City of Houston Rosewood	TX	SSW	2.64 / 13,944.17	689
			***State Well No	Owner Name:*** *6520126	City of Houston Rosewood*			
166	WUD	CITY OF HOUSTON	TX	SSW	2.64 / 13,944.17	690
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013FF	ACTIVE*			
166	WUD	CITY OF HOUSTON	TX	SSW	2.64 / 13,944.17	691
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013FE	ACTIVE*			
166	TCEQ WELL LOGS	ROSEWOOD MUD WELL #3	TX	SSW	2.64 / 13,944.17	692
			***Grid No	Owners Name:*** *65-20-1W	ROSEWOOD MUD WELL #3*			
166	WW HARRIS GAL	Houston, City of	TX	SSW	2.64 / 13,944.17	697
			Well ID: *3762*			
166	FED USGS	USGS-294414095364201	TX	SSW	2.64 / 13,944.17	698
			Site No: *USGS-294414095364201*			
166	FED USGS	USGS-294414095364202	TX	SSW	2.64 / 13,944.17	699
			Site No: *USGS-294414095364202*			
167	TCEQ WELL LOGS	TOWN & COUNTRY CONCRETE	TX	NE	2.65 / 13,979.79	700
			***Grid No	Owners Name:*** *65-20-1X	TOWN & COUNTRY CONCRETE*			
167	TCEQ WELL LOGS	TOWN & COUNTRY CONCRETE, INC	TX	NE	2.65 / 13,979.79	702
			***Grid No	Owners Name:*** *65-19-3E	TOWN & COUNTRY CONCRETE, INC*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
167	TCEQ WELL LOGS	TOWN & COUNTRY	TX	NE	2.65 / 13,979.79	705
			***Grid No**	**Owners Name:** 65-20-1X | TOWN & COUNTRY*		
168	WW HARRIS GAL	Memorial Lakefront Townhouse Association	TX	W	2.65 / 14,007.57	707
			***Well ID:** 5551*			
169	TCEQ WELL LOGS	SAINT PAUL II SCHOOL	TX	WSW	2.67 / 14,080.38	708
			***Grid No**	**Owners Name:** 65-11-9 | SAINT PAUL II SCHOOL*		
169	WW HARRIS GAL	St. John Paul II Catholic School	TX	WSW	2.67 / 14,080.38	711
			***Well ID:** 7766*			
170	TCEQ WELL LOGS	B.M.C. SOFTWARE	TX	SE	2.67 / 14,089.37	712
			***Grid No**	**Owners Name:** 65-20-2 | B.M.C. SOFTWARE*		
170	WW HARRIS GAL	Parkway Properties	TX	SE	2.67 / 14,089.37	715
			***Well ID:** 4795*			
170	WW HARRIS GAL	Parkway Properties	TX	SE	2.67 / 14,089.37	716
			***Well ID:** 6457*			
171	GWDB	Harris Co. Precinct 3 Camp	TX	WNW	2.67 / 14,098.47	717
			***State Well No**	**Owner Name:** 6511904 | Harris Co. Precinct 3 Camp*		
171	TCEQ WELL LOGS	HARRIS COUNTY PRECINCT 3	TX	WNW	2.67 / 14,098.47	718
			***Grid No**	**Owners Name:** 65-11-9D | HARRIS COUNTY PRECINCT 3*		
171	TCEQ WELL LOGS	PRO SHOT DRIVING RANGE	TX	WNW	2.67 / 14,098.47	720
			***Grid No**	**Owners Name:** 65-12-6 | PRO SHOT DRIVING RANGE*		
171	WW HARRIS GAL	PRO SHOT	TX	WNW	2.67 / 14,098.47	722
			***Well ID:** 5607*			
172	SDRW WELLS	Builders Landscaping, Inc.	12430 Oxford Park Houston TX 77077	SSW	2.67 / 14,116.10	723
			***Track NO:** 170530*			
173	GWDB	City of Houston Wilcrest	TX	SE	2.68 / 14,129.13	724
			***State Well No**	**Owner Name:** 6520216 | City of Houston Wilcrest*		

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
173	WUD	CITY OF HOUSTON	TX	SE	2.68 / 14,129.13	725
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013IP | ACTIVE*			
173	WW HARRIS GAL	Houston, City of	TX	SE	2.68 / 14,129.13	726
			Well ID: *1137*			
173	FED USGS	USGS-294440095341801	TX	SE	2.68 / 14,129.13	727
			Site No: *USGS-294440095341801*			
174	WW HARRIS GAL	Marquis At Westchase	TX	SSE	2.69 / 14,179.30	728
			Well ID: *5418*			
175	WW HARRIS GAL	SMITH, VIVIAN L.	TX	SSE	2.70 / 14,266.07	729
			Well ID: *1896*			
176	GWDB	City of Houston Fleetwood	TX	W	2.72 / 14,368.28	730
			State Well No | Owner Name: *6511914 | City of Houston Fleetwood*			
176	WUD	CITY OF HOUSTON	TX	W	2.72 / 14,368.28	731
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013EV | ACTIVE*			
176	WW HARRIS GAL	Houston, City of	TX	W	2.72 / 14,368.28	732
			Well ID: *2605*			
176	FED USGS	USGS-294627095375801	TX	W	2.72 / 14,368.28	733
			Site No: *USGS-294627095375801*			
177	TCEQ WELL LOGS	HUMPHREY CO INC, THE	TX	SE	2.73 / 14,400.32	734
			Grid No | Owners Name: *N/A | HUMPHREY CO INC, THE*			
178	TCEQ WELL LOGS	CHEVRON	TX	SSE	2.73 / 14,405.31	738
			Grid No | Owners Name: *65-20-1 | CHEVRON*			
178	WW HARRIS GAL	HOUSTON COMMUNITY COLLEGE	TX	SSE	2.73 / 14,405.31	741
			Well ID: *4607*			
178	FED USGS	USGS-294358095342601	TX	SSE	2.73 / 14,405.31	742
			Site No: *USGS-294358095342601*			
179	TCEQ WELL LOGS	KEN EBERLY	TX	S	2.73 / 14,410.14	743

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No**	**Owners Name:** 65-20-2	KEN EBERLY*	
179	WW HARRIS GAL	Alief Independent School District	TX ***Well ID:** 5367*	S	2.73 / 14,410.14	745
180	WW HARRIS GAL	Houston, City of	TX ***Well ID:** 9881*	WSW	2.78 / 14,697.96	746
180	SDRW WELLS	Sueba USA, Corp.	13603-1/2 Morgan Creek Court Houston TX 77077 ***Track NO:** 170524*	WSW	2.78 / 14,697.96	747
181	WW HARRIS GAL	Francis Property Management	TX ***Well ID:** 9204*	SW	2.80 / 14,776.24	748
181	SDRW WELLS	IMF INVESTMENTS # 301 Ltd	2020 Eldrige Parkway Houston TX 77077 ***Track NO:** 87947*	SW	2.80 / 14,776.24	749
182	WW HARRIS GAL	Entex, A Noram Energy Co.	TX ***Well ID:** 2236*	S	2.80 / 14,795.98	750
182	WW HARRIS GAL	Entex, A Noram Energy Co.	TX ***Well ID:** 2235*	S	2.80 / 14,795.98	751
183	WW HARRIS GAL	CWP Asset Corp./Mister Car Wash	TX ***Well ID:** 4419*	SE	2.81 / 14,819.11	752
184	TCEQ WELL LOGS	SUEBA INVESTMENTS NO. 26 LTD	TX ***Grid No**	**Owners Name:** 65-11-6	SUEBA INVESTMENTS NO. 26 LTD*	WSW	2.81 / 14,847.27	753
184	WW HARRIS GAL	Houston, City of	TX ***Well ID:** 11312*	WSW	2.81 / 14,847.27	755
184	WW HARRIS GAL	Houston, City of	TX ***Well ID:** 5498*	WSW	2.81 / 14,847.27	756
184	SDRW WELLS	Lakes of Parkway	13935 1/2 barnhart Houston TX 77077 ***Track NO:** 219789*	WSW	2.81 / 14,847.27	757
185	WW HARRIS GAL	St. Brick Holdings LLC	TX	WNW	2.82 / 14,864.40	758

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *8796*			
186	TCEQ WELL LOGS	MR. SAMUEL BRYANT	TX	NNE	2.82 / 14,904.14	759
			***Grid No	Owners Name:*** *N/A	MR. SAMUEL BRYANT*			
186	TCEQ WELL LOGS	MR. SAMUEL BRYANT	TX	NNE	2.82 / 14,904.14	762
			***Grid No	Owners Name:*** *65-12-5M	MR. SAMUEL BRYANT*			
187	GWDB	City of Houston Shadow Oaks	TX	ENE	2.82 / 14,909.70	765
			***State Well No	Owner Name:*** *6512502	City of Houston Shadow Oaks*			
187	WUD	CITY OF HOUSTON	TX	ENE	2.82 / 14,909.70	766
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013DX	ACTIVE*			
187	FED USGS	USGS-294745095331101	TX	ENE	2.82 / 14,909.70	767
			Site No: *USGS-294745095331101*			
188	GWDB	City of Houston Moss Oaks Plant	TX	ENE	2.83 / 14,920.35	768
			***State Well No	Owner Name:*** *6512501	City of Houston Moss Oaks Plant*			
188	WUD	CITY OF HOUSTON	TX	ENE	2.83 / 14,920.35	769
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013OB	ACTIVE*			
188	WW HARRIS GAL	Houston, City of	TX	ENE	2.83 / 14,920.35	770
			Well ID: *1097*			
189	TCEQ WELL LOGS	HOWARD CHAPMAN	TX	ESE	2.83 / 14,935.13	771
			***Grid No	Owners Name:*** *65-12-8Q	HOWARD CHAPMAN*			
190	GWDB	C.R. Hastings	TX	SSW	2.84 / 14,995.99	774
			***State Well No	Owner Name:*** *6520109	C.R. Hastings*			
190	GWDB	Superior Oil Co	TX	SSW	2.84 / 14,995.99	775
			***State Well No	Owner Name:*** *6520115	Superior Oil Co*			
190	GWDB	Humble Oil & Refining Co.	TX	SSW	2.84 / 14,995.99	776
			***State Well No	Owner Name:*** *6520119	Humble Oil & Refining Co.*			
190	TCEQ WELL LOGS	RIO GRANDE RANCH - PHASE II	TX	SSW	2.84 / 14,995.99	777
			***Grid No	Owners Name:*** *65-12-8	RIO GRANDE RANCH - PHASE II*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
190	WW HARRIS GAL	Rio Grande Ranch - II	TX **Well ID:** *8171*	SSW	2.84 / 14,995.99	779
190	WW HARRIS GAL	Lodge at Shadowlake, The	TX **Well ID:** *12259*	SSW	2.84 / 14,995.99	780
190	WW HARRIS GAL	Rio Grande Ranch - II	TX **Well ID:** *9871*	SSW	2.84 / 14,995.99	781
190	WW HARRIS GAL	SOWELL CONSTRUCTION CO., INC.	TX **Well ID:** *2092*	SSW	2.84 / 14,995.99	782
190	SDRW WELLS	Rio Grande Ranch Apartments	2920 Shadow Briar Dr. Houston TX 77082 **Track NO:** *46515*	SSW	2.84 / 14,995.99	783
191	TCEQ WELL LOGS	MR. G.F. DEVILLIER	TX **Grid No | Owners Name:** *65-12-5B | MR. G.F. DEVILLIER*	NNE	2.84 / 15,017.80	784
192	GWDB	City of Houston Barkers La.	TX **State Well No | Owner Name:** *6511915 | City of Houston Barkers La.*	W	2.85 / 15,062.90	786
192	GWDB	City of Houston Barkers Landing	TX **State Well No | Owner Name:** *6511919 | City of Houston Barkers Landing*	W	2.85 / 15,062.90	787
192	WUD	CITY OF HOUSTON	TX **Operating Status | Utility Name | WTRSRC | System Status:** *PLUGGED | CITY OF HOUSTON | G1010013EY | ACTIVE*	W	2.85 / 15,062.90	788
192	WUD	CITY OF HOUSTON	TX **Operating Status | Utility Name | WTRSRC | System Status:** *PLUGGED | CITY OF HOUSTON | G1010013EX | ACTIVE*	W	2.85 / 15,062.90	789
192	WW HARRIS GAL	Houston, City of	TX **Well ID:** *2628*	W	2.85 / 15,062.90	790
192	WW HARRIS GAL	Houston, City of	TX **Well ID:** *1883*	W	2.85 / 15,062.90	791
192	FED USGS	USGS-294659095375802	TX **Site No:** *USGS-294659095375802*	W	2.85 / 15,062.90	792

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
192	FED USGS	USGS-294659095375801	TX	W	2.85 / 15,062.90	793
			Site No: *USGS-294659095375801*			
193	GWDB	Memorial Baptist Hospital	TX	ENE	2.85 / 15,064.83	794
			State Well No **|** ***Owner Name:*** *6514763* | *Memorial Baptist Hospital*			
193	WW HARRIS GAL	Memorial Hermann Health System	TX	ENE	2.85 / 15,064.83	795
			Well ID: *11490*			
193	SDRW WELLS	Memorial Hermann Medical Center	929 Gessner Road Houston TX 77024	ENE	2.85 / 15,064.83	796
			Track NO: *384414*			
194	GWDB	English Const. Co.	TX	ENE	2.86 / 15,088.35	797
			State Well No **|** ***Owner Name:*** *6512815* | *English Const. Co.*			
194	TCEQ WELL LOGS	GARDNER ENGINEERING CORPORATION	TX	ENE	2.86 / 15,088.35	798
			Grid No **|** ***Owners Name:*** *65-12-9M* | *GARDNER ENGINEERING CORPORATION*			
195	WW HARRIS GAL	Eagle's Trace	TX	W	2.86 / 15,097.67	800
			Well ID: *16401*			
195	SDRW WELLS	Eagle's Trace	14703 Eagle Vista Dr Houston TX 77077	W	2.86 / 15,097.67	801
			Track NO: *635619*			
196	TCEQ WELL LOGS	R.O.C. CARBON CO	TX	NNE	2.86 / 15,098.27	802
			Grid No **|** ***Owners Name:*** *65-12-5F* | *R.O.C. CARBON CO*			
196	TCEQ WELL LOGS	R. & S. KENNELS	TX	NNE	2.86 / 15,098.27	805
			Grid No **|** ***Owners Name:*** *65-12-5J* | *R. & S. KENNELS*			
197	TCEQ WELL LOGS	JIM FISCHER	TX	ESE	2.87 / 15,146.67	807
			Grid No **|** ***Owners Name:*** *65-20-2* | *JIM FISCHER*			
198	TCEQ WELL LOGS	ED KAKOS (UNCLE ED'S NURSERY)	TX	ENE	2.87 / 15,158.62	811
			Grid No **|** ***Owners Name:*** *65-11-6P* | *ED KAKOS (UNCLE ED'S NURSERY)*			
199	TCEQ WELL LOGS	GERCHARD PFUA	TX	NE	2.88 / 15,181.91	814
			Grid No **|** ***Owners Name:*** *65-04-4* | *GERCHARD PFUA*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
200	TCEQ WELL LOGS	HOUSTON LIGHTING & POWER	TX	SW	2.88 / 15,212.59	816
			***Grid No**	**Owners Name:** 65-19-3H	HOUSTON LIGHTING & POWER*	
200	WW HARRIS GAL	CenterPoint Energy Houston Electric, LLC	TX	SW	2.88 / 15,212.59	819
			***Well ID:** 1203*			
201	TCEQ WELL LOGS	GEOTHERMAL INC/ HERB WAGERS	TX	ESE	2.88 / 15,222.35	820
			***Grid No**	**Owners Name:** 65-12-8	GEOTHERMAL INC/ HERB WAGERS*	
202	TCEQ WELL LOGS	JONATHON CUSTOM HOMES	TX	ESE	2.89 / 15,237.32	823
			***Grid No**	**Owners Name:** 65-12-8	JONATHON CUSTOM HOMES*	
202	TCEQ WELL LOGS	VINCE & BETTY HENNESSEY	TX	ESE	2.89 / 15,237.32	825
			***Grid No**	**Owners Name:** 65-12-8	VINCE & BETTY HENNESSEY*	
203	WW HARRIS GAL	Terraces on Memorial	TX	W	2.90 / 15,327.89	827
			***Well ID:** 10175*			
204	TCEQ WELL LOGS	BILLY SENTRE JR	TX	ESE	2.92 / 15,426.73	828
			***Grid No**	**Owners Name:** 65-12-8B	BILLY SENTRE JR*	
205	TCEQ WELL LOGS	ROYAL OAKS L.P.	TX	S	2.93 / 15,454.80	831
			***Grid No**	**Owners Name:** 65-20-2	ROYAL OAKS L.P.*	
205	TCEQ WELL LOGS	ROYAL OAKS L.P	TX	S	2.93 / 15,454.80	834
			***Grid No**	**Owners Name:** 65-20-2	ROYAL OAKS L.P*	
205	TCEQ WELL LOGS	ROYAL OAKS L.P.	TX	S	2.93 / 15,454.80	837
			***Grid No**	**Owners Name:** 65-20-2	ROYAL OAKS L.P.*	
206	TCEQ WELL LOGS	H.C. LIMERICK	TX	WSW	2.94 / 15,532.42	840
			***Grid No**	**Owners Name:** 65-11-9L	H.C. LIMERICK*	
207	SDRW WELLS	Southwestern Measurments	10635 Shadow Wood Dr Houston TX 77043	NE	2.95 / 15,567.02	842
			***Track NO:** 278227*			
208	SDRW WELLS	Le, Don N	611 Crestbend Houston TX	ESE	2.96 / 15,652.14	843
			***Track NO:** 163545*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
209	TCEQ WELL LOGS	RICK GREEN	TX	ESE	2.97 / 15,679.27	844
			***Grid No*	*Owners Name:** *65-12-8*	*RICK GREEN*	
210	WW HARRIS GAL	HOUSTON CHRONICLE PUBLISHING CO.	TX	WNW	2.97 / 15,690.93	847
			***Well ID:** *3715*			
211	TCEQ WELL LOGS	KEITH WISE	TX	WSW	2.98 / 15,715.26	848
			***Grid No*	*Owners Name:** *65-11-9BB*	*KEITH WISE*	
212	WW HARRIS GAL	West Houston Medical Center	TX	S	2.98 / 15,742.81	850
			***Well ID:** *10368*			
212	SDRW WELLS	West Houston Medical Center	12141 Richmond Ave. Houston TX 77082	S	2.98 / 15,742.81	851
			***Track NO:** *278076*			
213	TCEQ WELL LOGS	LONE STAR CEMENT	TX	ENE	2.98 / 15,746.12	852
			***Grid No*	*Owners Name:** *65-12-8F*	*LONE STAR CEMENT*	
213	WW HARRIS GAL	LONE STAR INDUSTRIES, INC.	TX	ENE	2.98 / 15,746.12	854
			***Well ID:** *2347*			
214	TCEQ WELL LOGS	JERRY MORALES	TX	WSW	2.98 / 15,750.29	855
			***Grid No*	*Owners Name:** *65-11-9*	*JERRY MORALES*	
215	SDRW WELLS	Synott Partners, LP	13071 Westhiemer Rd Houston TX 77082	SW	2.99 / 15,762.70	857
			***Track NO:** *205023*			
216	WW HARRIS GAL	Williams Brothers Const. Co., Inc.	TX	WNW	2.99 / 15,771.23	858
			***Well ID:** *10104*			
217	TCEQ WELL LOGS	AUSTIN HOCKER	TX	NE	2.99 / 15,779.11	859
			***Grid No*	*Owners Name:** *65-12-1*	*AUSTIN HOCKER*	
218	GWDB	Harris County MUD 175 Phase One	TX	WSW	3.00 / 15,830.08	861
			***State Well No*	*Owner Name:** *6511918*	*Harris County MUD 175 Phase One*	
218	TCEQ WELL LOGS	HARRIS COUNTY MUD 175	TX	WSW	3.00 / 15,830.08	862
			***Grid No*	*Owners Name:** *65-11-9CC*	*HARRIS COUNTY MUD 175*	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
218	FED USGS	USGS-294519095383201	TX	WSW	3.00 / 15,830.08	870
			Site No: *USGS-294519095383201*			
219	WW HARRIS GAL	Houston, City of	TX	W	3.00 / 15,835.39	871
			Well ID: *1674*			
219	WUD	CITY OF HOUSTON	TX	W	3.00 / 15,835.39	872
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013QY | ACTIVE*			
220	GWDB	City of Houston West Lake Park-Dist 21	TX	WNW	3.01 / 15,878.53	873
			State Well No | Owner Name: *6511916 | City of Houston West Lake Park-Dist 21*			
220	WUD	CITY OF HOUSTON	TX	WNW	3.01 / 15,878.53	874
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013EW | ACTIVE*			
220	WW HARRIS GAL	Houston, City of	TX	WNW	3.01 / 15,878.53	875
			Well ID: *3467*			
220	FED USGS	USGS-294656095382501	TX	WNW	3.01 / 15,878.53	876
			Site No: *USGS-294656095382501*			
221	GWDB	City of Houston Katy-Addicks Well #13	TX	NNE	3.01 / 15,882.61	877
			State Well No | Owner Name: *6512522 | City of Houston Katy-Addicks Well #13*			
221	GWDB	A Fuller (subdivision)	TX	NNE	3.01 / 15,882.61	878
			State Well No | Owner Name: *6512504 | A Fuller (subdivision)*			
221	WUD	CITY OF HOUSTON	TX	NNE	3.01 / 15,882.61	879
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SH | ACTIVE*			
221	TCEQ WELL LOGS	CITY OF HOUSTON	TX	NNE	3.01 / 15,882.61	880
			Grid No | Owners Name: *65-12-5 | CITY OF HOUSTON*			
221	WW HARRIS GAL	Houston, City of	TX	NNE	3.01 / 15,882.61	884
			Well ID: *2574*			
221	WW HARRIS GAL	Houston, City of	TX	NNE	3.01 / 15,882.61	885
			Well ID: *7241*			
221	FED USGS	USGS-294844095342401	TX	NNE	3.01 / 15,882.61	886

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Site No: *USGS-294844095342401*			
222	WW HARRIS GAL	Artesian On Westheimer	TX **Well ID:** *11034*	SW	3.02 / 15,920.73	887
223	GWDB	Lone Star Cement	TX **State Well No** | **Owner Name:** *6519315* | *Lone Star Cement*	SW	3.02 / 15,922.02	888
223	TCEQ WELL LOGS	LONE STAR CEMENT	TX **Grid No** | **Owners Name:** *65-19-3E* | *LONE STAR CEMENT*	SW	3.02 / 15,922.02	889
223	WW HARRIS GAL	Transit Mix Concrete - Baytown, Inc.	TX **Well ID:** *4529*	SW	3.02 / 15,922.02	892
223	WW HARRIS GAL	NOBA 187 LLC	TX **Well ID:** *3469*	SW	3.02 / 15,922.02	893
223	WW HARRIS GAL	Transit Mix Concrete - Baytown, Inc.	TX **Well ID:** *4569*	SW	3.02 / 15,922.02	894
223	FED USGS	USGS-294420095373501	TX **Site No:** *USGS-294420095373501*	SW	3.02 / 15,922.02	895
224	TCEQ WELL LOGS	FRANCISZEK CIBOROWSKI	TX **Grid No** | **Owners Name:** *65-11-9* | *FRANCISZEK CIBOROWSKI*	WSW	3.03 / 15,976.57	896
225	WW HARRIS GAL	Adib, Jay	TX **Well ID:** *7263*	SW	3.03 / 15,977.37	899
226	TCEQ WELL LOGS	BAYOU BEND INVESTMENTS (BUCK STRODE)	TX **Grid No** | **Owners Name:** *65-12-9K* | *BAYOU BEND INVESTMENTS (BUCK STRODE)*	E	3.03 / 15,983.47	900
227	TCEQ WELL LOGS	TAD MAYFIELD	TX **Grid No** | **Owners Name:** *65-12-8* | *TAD MAYFIELD*	ESE	3.03 / 15,991.25	903
228	TCEQ WELL LOGS	RICHARD S. BRADSHAW	TX **Grid No** | **Owners Name:** *65-19-3* | *RICHARD S. BRADSHAW*	WSW	3.05 / 16,086.04	905
229	TCEQ WELL LOGS	R.J.S. & ASSOCIATES INTERNATIONAL INC.	TX	SW	3.06 / 16,146.71	907

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No**	**Owners Name:** 65-20-1	R.J.S. & ASSOCIATES INTERNATIONAL INC.*	
230	SDRW WELLS	Mitch Kobernick	39 Rivercrest Houston TX 77042 ***Track NO:** 62034*	ESE	3.06 / 16,149.05	910
231	SDRW WELLS	Partners in Bouilding - Yoshikan	14415 Westway Houston TX 77077 ***Track NO:** 510779*	WSW	3.07 / 16,205.12	911
232	WW HARRIS GAL	CWP Asset Corp./Mister Car Wash	TX ***Well ID:** 4416*	ENE	3.07 / 16,211.15	912
233	TCEQ WELL LOGS	AVANTI SERVICES	TX ***Grid No**	**Owners Name:** 65-12-4	AVANTI SERVICES*	NNW	3.07 / 16,234.20	913
234	TCEQ WELL LOGS	JOSE E. MOLINA	TX ***Grid No**	**Owners Name:** 65-11-9Z	JOSE E. MOLINA*	WSW	3.08 / 16,241.52	916
235	TCEQ WELL LOGS	LAND & WATER AMENITIES	TX ***Grid No**	**Owners Name:** 65-11-9B	LAND & WATER AMENITIES*	WNW	3.08 / 16,272.93	919
236	TCEQ WELL LOGS	RALPH A. SHOEBERG	TX ***Grid No**	**Owners Name:** 65-20-2B	RALPH A. SHOEBERG*	ESE	3.08 / 16,275.43	921
237	TCEQ WELL LOGS	DANNENBAUM ENGINEERING	TX ***Grid No**	**Owners Name:** 65-11-9B	DANNENBAUM ENGINEERING*	WNW	3.09 / 16,296.66	923
238	WW HARRIS GAL	Eagle's Trace	TX ***Well ID:** 10800*	WSW	3.09 / 16,315.01	925
239	SDRW WELLS	Williams Brothers	14427 "A" Old Katy Road Houston TX ***Track NO:** 175160*	WNW	3.09 / 16,327.68	926
240	TCEQ WELL LOGS	KNIGHT & CONSTRUCTION	TX ***Grid No**	**Owners Name:** 65-20-6G	KNIGHT & CONSTRUCTION*	SE	3.10 / 16,384.09	927
241	TCEQ WELL LOGS	MIKE MCGUIRE	TX ***Grid No**	**Owners Name:** 65-20-2	MIKE MCGUIRE*	ESE	3.11 / 16,398.95	929
242	WW HARRIS GAL	Ivy Club Apartments	TX	ENE	3.11 / 16,444.55	932

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *4670*			
242	FED USGS	USGS-294708095322601	TX ***Site No:*** *USGS-294708095322601*	ENE	3.11 / 16,444.55	933
243	TCEQ WELL LOGS	CITY OF HOUSTON	TX ***Grid No*** **|** ***Owners Name:*** *65-20-1* | *CITY OF HOUSTON*	SSW	3.12 / 16,481.68	934
243	TCEQ WELL LOGS	CITY OF HOUSTON	TX ***Grid No*** **|** ***Owners Name:*** *65-20-1* | *CITY OF HOUSTON*	SSW	3.12 / 16,481.68	936
244	SDRW WELLS	Hann Builders-Ghiz	TX ***Track NO:*** *351535*	WSW	3.12 / 16,483.37	938
245	TCEQ WELL LOGS	QUINTES W. STARK	TX ***Grid No*** **|** ***Owners Name:*** *65-11-9J* | *QUINTES W. STARK*	WNW	3.13 / 16,512.07	939
246	TCEQ WELL LOGS	ROSS MARTELLA	TX ***Grid No*** **|** ***Owners Name:*** *65-11-9U* | *ROSS MARTELLA*	WNW	3.14 / 16,582.22	942
247	TCEQ WELL LOGS	GARY WOOLEY	TX ***Grid No*** **|** ***Owners Name:*** *65-12-7* | *GARY WOOLEY*	ESE	3.14 / 16,584.08	944
248	TCEQ WELL LOGS	NEW COUNTRY PLACE APTS	TX ***Grid No*** **|** ***Owners Name:*** *65-20-2* | *NEW COUNTRY PLACE APTS*	SE	3.14 / 16,590.40	946
248	WW HARRIS GAL	Walden of Westchase	TX ***Well ID:*** *5433*	SE	3.14 / 16,590.40	948
249	WW HARRIS GAL	Draper, Peter E.	TX ***Well ID:*** *9115*	W	3.14 / 16,599.95	949
250	GWDB	Buddy Brock	TX ***State Well No*** **|** ***Owner Name:*** *6511906* | *Buddy Brock*	WSW	3.14 / 16,602.76	950
251	WW HARRIS GAL	GOLBOW, JOE	TX ***Well ID:*** *2690*	WNW	3.14 / 16,603.84	951
252	SDRW WELLS	Terraces on Memorial	Glenwood Canyon Ln. Adicks TX ***Track NO:*** *161801*	W	3.15 / 16,606.47	952

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
253	WW HARRIS GAL	FM 1960 Company	TX **Well ID:** *4942*	W	3.15 / 16,614.69	953
254	TCEQ WELL LOGS	MRS. PEPPER	TX **Grid No | Owners Name:** *65-11-9 | MRS. PEPPER*	WSW	3.15 / 16,618.37	954
255	TCEQ WELL LOGS	GULF OIL CORP	TX **Grid No | Owners Name:** *65-11-9L | GULF OIL CORP*	WSW	3.15 / 16,637.65	956
256	WW HARRIS GAL	MARTELLA, JR., ROSS L.	TX **Well ID:** *7142*	WNW	3.15 / 16,648.28	958
257	TCEQ WELL LOGS	ASHFORD CONSTRUCTION	TX **Grid No | Owners Name:** *65-11-9V | ASHFORD CONSTRUCTION*	WNW	3.16 / 16,684.26	959
258	TCEQ WELL LOGS	DR. WAYNE SPEER	TX **Grid No | Owners Name:** *65-20-2B | DR. WAYNE SPEER*	ESE	3.17 / 16,720.26	962
259	TCEQ WELL LOGS	JOE GOLBOW	TX **Grid No | Owners Name:** *65-11-9U | JOE GOLBOW*	WNW	3.17 / 16,721.57	964
259	WW HARRIS GAL	GOLBOW, JOE	TX **Well ID:** *2562*	WNW	3.17 / 16,721.57	967
259	WW HARRIS GAL	GOLBOW ESTATE, JOE	TX **Well ID:** *3880*	WNW	3.17 / 16,721.57	968
259	WW HARRIS GAL	GOLBOW, JOE	TX **Well ID:** *2561*	WNW	3.17 / 16,721.57	969
260	GWDB	Uncle Ben's Rice	TX **State Well No | Owner Name:** *6520105 | Uncle Ben's Rice*	SSW	3.17 / 16,750.55	970
260	WW HARRIS GAL	UNCLE BEN'S INC.	TX **Well ID:** *1671*	SSW	3.17 / 16,750.55	971
260	WW HARRIS GAL	Artesian on Westheimer	TX **Well ID:** *10447*	SSW	3.17 / 16,750.55	972
260	SDRW WELLS	TX Morrow Construction	2724 Synott Houston TX 77084	SSW	3.17 / 16,750.55	973

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Track NO: *94912*			
261	GWDB	City of Houston	TX	SE	3.18 / 16,775.15	974
			State Well No **|** ***Owner Name:*** *6520208 | City of Houston*			
261	WUD	CITY OF HOUSTON	TX	SE	3.18 / 16,775.15	975
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013BW | ACTIVE*			
261	WW HARRIS GAL	Houston, City of	TX	SE	3.18 / 16,775.15	976
			Well ID: *1017*			
261	FED USGS	USGS-294426095330501	TX	SE	3.18 / 16,775.15	977
			Site No: *USGS-294426095330501*			
262	TCEQ WELL LOGS	JOHN C. DAWSON SR	TX	ESE	3.18 / 16,777.58	978
			Grid No **|** ***Owners Name:*** *65-20-2P | JOHN C. DAWSON SR*			
263	GWDB	Katy-Addicks School Well #2	TX	W	3.18 / 16,778.03	980
			State Well No **|** ***Owner Name:*** *6511912 | Katy-Addicks School Well #2*			
263	TCEQ WELL LOGS	KATY ADDICKS SCHOOL	TX	W	3.18 / 16,778.03	981
			Grid No **|** ***Owners Name:*** *65-11-9G | KATY ADDICKS SCHOOL*			
263	WW HARRIS GAL	KATY I.S.D.	TX	W	3.18 / 16,778.03	986
			Well ID: *2462*			
264	TCEQ WELL LOGS	GENE WERLIN (U-TOT-TEM)	TX	W	3.18 / 16,782.57	987
			Grid No **|** ***Owners Name:*** *65-11-9S | GENE WERLIN (U-TOT-TEM)*			
265	TCEQ WELL LOGS	J.G. COATSWORTH	TX	ESE	3.18 / 16,796.59	989
			Grid No **|** ***Owners Name:*** *65-12-8H | J.G. COATSWORTH*			
266	TCEQ WELL LOGS	7TH DAY ADVENTIST CHURCH	TX	WSW	3.18 / 16,798.57	992
			Grid No **|** ***Owners Name:*** *65-11-9 | 7TH DAY ADVENTIST CHURCH*			
266	WW HARRIS GAL	Seventh Day Adventist Church	TX	WSW	3.18 / 16,798.57	995
			Well ID: *5534*			
267	GWDB	City of Bunker Hill Well #4	TX	E	3.19 / 16,830.60	996
			State Well No **|** ***Owner Name:*** *6512937 | City of Bunker Hill Well #4*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
267	GWDB	City of Bunker Hill Well #1	TX	E	3.19 / 16,830.60	997
			***State Well No	Owner Name:*** *6512913	City of Bunker Hill Well #1*			
267	WUD	CITY OF BUNKER HILL VILLAGE	TX	E	3.19 / 16,830.60	998
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF BUNKER HILL VILLAGE	G1010106A	ACTIVE*			
267	WUD	CITY OF BUNKER HILL VILLAGE	TX	E	3.19 / 16,830.60	999
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF BUNKER HILL VILLAGE	G1010106D	ACTIVE*			
267	WW HARRIS GAL	Bunker Hill, City of	TX	E	3.19 / 16,830.60	1000
			Well ID: *1549*			
267	WW HARRIS GAL	Bunker Hill, City of	TX	E	3.19 / 16,830.60	1001
			Well ID: *1552*			
267	FED USGS	USGS-294542095321801	TX	E	3.19 / 16,830.60	1002
			Site No: *USGS-294542095321801*			
267	FED USGS	USGS-294543095322201	TX	E	3.19 / 16,830.60	1003
			Site No: *USGS-294543095322201*			
268	TCEQ WELL LOGS	BOB WORK	TX	ESE	3.19 / 16,836.22	1004
			***Grid No	Owners Name:*** *65-20-2N	BOB WORK*			
268	SDRW WELLS	Sun Guangxin - Sims Luxury Bldrs	27 W Rivercrest Houston TX 77042	ESE	3.19 / 16,836.22	1006
			Track NO: *674840*			
269	GWDB	Astro KOA Kamp, Inc.	TX	W	3.19 / 16,850.17	1007
			***State Well No	Owner Name:*** *6511910	Astro KOA Kamp, Inc.*			
269	TCEQ WELL LOGS	ASTRO KOA KAMP, INC	TX	W	3.19 / 16,850.17	1008
			***Grid No	Owners Name:*** *65-11-9E	ASTRO KOA KAMP, INC*			
270	TCEQ WELL LOGS	WINDMILL FARMS	TX	WNW	3.19 / 16,853.44	1010
			***Grid No	Owners Name:*** *65-11-9H	WINDMILL FARMS*			
271	TCEQ WELL LOGS	BILL MURRAY	TX	W	3.19 / 16,853.92	1012
			***Grid No	Owners Name:*** *65-11-9	BILL MURRAY*			
271	TCEQ WELL LOGS	CASCO ENTERPRISES	TX	W	3.19 / 16,853.92	1014

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No*	*Owners Name:** *65-11-9DD*	*CASCO ENTERPRISES*		
271	WW HARRIS GAL	King Ranch Turfgrass	TX ***Well ID:** *7082*	W	3.19 / 16,853.92	1017
271	WW HARRIS GAL	Murray BG Sales, William	TX ***Well ID:** *8150*	W	3.19 / 16,853.92	1018
272	GWDB	USACE Addicks	TX ***State Well No*	*Owner Name:** *6511921*	*USACE Addicks*	W	3.20 / 16,904.49	1019
272	WW HARRIS GAL	U.S. Army Corps of Engineers	TX ***Well ID:** *2724*	W	3.20 / 16,904.49	1020
272	FED USGS	USGS-294606095383901	TX ***Site No:** *USGS-294606095383901*	W	3.20 / 16,904.49	1021
273	TCEQ WELL LOGS	ROBERT RANDALL	TX ***Grid No*	*Owners Name:** *65-11-9*	*ROBERT RANDALL*	WSW	3.20 / 16,916.79	1022
274	GWDB	Andrau Airpark	TX ***State Well No*	*Owner Name:** *6520203*	*Andrau Airpark*	S	3.20 / 16,917.32	1025
274	TCEQ WELL LOGS	ANDRAU AIR PARK	TX ***Grid No*	*Owners Name:** *65-20-5*	*ANDRAU AIR PARK*	S	3.20 / 16,917.32	1026
274	WW HARRIS GAL	SUNRISE COLONY II LP	TX ***Well ID:** *4244*	S	3.20 / 16,917.32	1029
274	WW HARRIS GAL	ANDRAU AIR PARK, INC.	TX ***Well ID:** *2718*	S	3.20 / 16,917.32	1030
274	WW HARRIS GAL	ANDRAU AIR PARK, INC.	TX ***Well ID:** *4245*	S	3.20 / 16,917.32	1031
274	FED USGS	USGS-294318095344501	TX ***Site No:** *USGS-294318095344501*	S	3.20 / 16,917.32	1032
275	TCEQ WELL LOGS	CHARLES GRISHAM	TX ***Grid No*	*Owners Name:** *65-11-9H*	*CHARLES GRISHAM*	WNW	3.20 / 16,917.57	1033

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
276	GWDB	City of Houston Memorial Bend #4	TX	E	3.21 / 16,937.44	1036
			***State Well No	Owner Name:*** *6512916	City of Houston Memorial Bend #4*			
276	GWDB	City of Houston Memorial Bend #2	TX	E	3.21 / 16,937.44	1037
			***State Well No	Owner Name:*** *6512903	City of Houston Memorial Bend #2*			
276	WUD	CITY OF HOUSTON	TX	E	3.21 / 16,937.44	1038
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013NZ	ACTIVE*			
276	WUD	CITY OF HOUSTON	TX	E	3.21 / 16,937.44	1039
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013OA	ACTIVE*			
276	WW HARRIS GAL	Bunker Hill, City of	TX	E	3.21 / 16,937.44	1040
			Well ID: *15100*			
276	SDRW WELLS	City of Bunker Hill Village	11950 Taylorcrest Rd Houston TX 77024	E	3.21 / 16,937.44	1041
			Track NO: *585716*			
277	TCEQ WELL LOGS	ROBERT H. SMITH	TX	W	3.21 / 16,941.99	1042
			***Grid No	Owners Name:*** *65-11-9L	ROBERT H. SMITH*			
277	TCEQ WELL LOGS	ROBERT H. SMITH	TX	W	3.21 / 16,941.99	1044
			***Grid No	Owners Name:*** *65-11-9Y	ROBERT H. SMITH*			
278	TCEQ WELL LOGS	HAROLD K. HEUSZEL	TX	ESE	3.21 / 16,965.14	1046
			***Grid No	Owners Name:*** *65-20-2	HAROLD K. HEUSZEL*			
278	WW HARRIS GAL	Sun, Guangxin	TX	ESE	3.21 / 16,965.14	1049
			Well ID: *16752*			
278	SDRW WELLS	Sun Guangxin - Sims Luxury Bldrs	25 W Rivercrest Houston TX 77042	ESE	3.21 / 16,965.14	1050
			Track NO: *674839*			
279	WW HARRIS GAL	Ham, Bill	TX	W	3.21 / 16,965.85	1051
			Well ID: *9144*			
280	GWDB	Western Atlas Intnl. Westheimer	TX	SE	3.22 / 16,986.20	1052
			***State Well No	Owner Name:*** *6520222	Western Atlas Intnl. Westheimer*			
280	GWDB	Western Atlas Intl. Westheimer	TX	SE	3.22 / 16,986.20	1053

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No	Owner Name:*** *6520209	Western Atlas Intl. Westheimer*			
281	GWDB	Park Ten MUD	TX	WNW	3.22 / 16,989.70	1054
			***State Well No	Owner Name:*** *6511920	Park Ten MUD*			
281	WUD	CITY OF HOUSTON	TX	WNW	3.22 / 16,989.70	1055
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013SN	ACTIVE*			
281	TCEQ WELL LOGS	HARRIS COUNTY MUD 102 WELL 6	TX	WNW	3.22 / 16,989.70	1056
			***Grid No	Owners Name:*** *65-11-3	HARRIS COUNTY MUD 102 WELL 6*			
281	WW HARRIS GAL	Houston, City of	TX	WNW	3.22 / 16,989.70	1060
			Well ID: *1768*			
281	WW HARRIS GAL	Houston, City of	TX	WNW	3.22 / 16,989.70	1061
			Well ID: *4789*			
282	TCEQ WELL LOGS	THOMAS BILLINGS	TX	ESE	3.22 / 16,993.43	1062
			***Grid No	Owners Name:*** *65-20-2	THOMAS BILLINGS*			
283	TCEQ WELL LOGS	HIGHWAY 6 TIRE & AUTO	TX	W	3.22 / 16,999.75	1064
			***Grid No	Owners Name:*** *65-11-9S	HIGHWAY 6 TIRE & AUTO*			
284	TCEQ WELL LOGS	FELIZ DRYMALA	TX	W	3.22 / 17,018.24	1066
			***Grid No	Owners Name:*** *65-19-3G	FELIZ DRYMALA*			
285	TCEQ WELL LOGS	MR. RANDALL	TX	WSW	3.23 / 17,061.83	1069
			***Grid No	Owners Name:*** *65-11-9	MR. RANDALL*			
285	WW HARRIS GAL	MCDERMOTT, INC., JOE A.	TX	WSW	3.23 / 17,061.83	1071
			Well ID: *1920*			
286	SDRW WELLS	Carrera Construction, Inc.	32 W. Rivercrest Houston TX 77042	ESE	3.24 / 17,084.82	1072
			Track NO: *168349*			
287	SDRW WELLS	Janett Grossman	14627 Westway Ln. Houston TX 77077	WSW	3.24 / 17,091.32	1073
			Track NO: *435987*			
288	WW HARRIS GAL	GOLBOW, STANLEY J.	TX	W	3.24 / 17,091.88	1074

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *2565*			
289	SDRW WELLS	Nancy Romagnoli	23 West Rivercrest Houston TX 77042	ESE	3.24 / 17,098.18	1075
			Track NO: *251681*			
290	TCEQ WELL LOGS	JUAREZ (MASSEY DEVELOP)	TX	W	3.24 / 17,103.13	1076
			Grid No | Owners Name: *65-11-9M | JUAREZ (MASSEY DEVELOP)*			
291	TCEQ WELL LOGS	J.W. GREEN	TX	ESE	3.24 / 17,117.19	1078
			Grid No | Owners Name: *65-20-3E | J.W. GREEN*			
291	TCEQ WELL LOGS	JOHNSON	TX	ESE	3.24 / 17,117.19	1080
			Grid No | Owners Name: *N/A | JOHNSON*			
292	TCEQ WELL LOGS	THOMAS DRAPER	TX	W	3.24 / 17,126.34	1082
			Grid No | Owners Name: *65-11-6 | THOMAS DRAPER*			
293	GWDB	City of Houston	TX	NNE	3.25 / 17,173.08	1084
			State Well No | Owner Name: *6512518 | City of Houston*			
293	WUD	CITY OF HOUSTON	TX	NNE	3.25 / 17,173.08	1085
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013AE | ACTIVE*			
293	TCEQ WELL LOGS	BREAD OF LIFE CHURCH	TX	NNE	3.25 / 17,173.08	1086
			Grid No | Owners Name: *65-12-5 | BREAD OF LIFE CHURCH*			
293	WW HARRIS GAL	New Life Church	TX	NNE	3.25 / 17,173.08	1088
			Well ID: *7069*			
293	FED USGS	USGS-294852095342202	TX	NNE	3.25 / 17,173.08	1089
			Site No: *USGS-294852095342202*			
294	TCEQ WELL LOGS	COMMERCIAL INDUSTRIAL	TX	W	3.25 / 17,179.26	1090
			Grid No | Owners Name: *65-11-9X | COMMERCIAL INDUSTRIAL*			
295	TCEQ WELL LOGS	FRANCIS VIVIRITO	TX	ESE	3.26 / 17,238.76	1092
			Grid No | Owners Name: *65-20-2 | FRANCIS VIVIRITO*			
295	SDRW WELLS	Bob Babine	TX	ESE	3.26 / 17,238.76	1095
			Track NO: *351556*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
296	TCEQ WELL LOGS	BROCK CONSTRUCTION CO.	TX	WSW	3.27 / 17,248.04	1096
			***Grid No**	**Owners Name:** 65-11-9L | BROCK CONSTRUCTION CO.*		
297	WW HARRIS GAL	Speck, John	TX	WNW	3.27 / 17,263.13	1098
			***Well ID:** 7183*			
298	TCEQ WELL LOGS	ROY SHIPP	TX	W	3.27 / 17,275.37	1099
			***Grid No**	**Owners Name:** 65-11-6P | ROY SHIPP*		
299	TCEQ WELL LOGS	ABBEY SALTER	TX	ESE	3.27 / 17,288.40	1102
			***Grid No**	**Owners Name:** 65-20-1 | ABBEY SALTER*		
300	WW HARRIS GAL	Houston, City of	TX	WSW	3.28 / 17,306.72	1106
			***Well ID:** 10065*			
300	WW HARRIS GAL	Houston, City of	TX	WSW	3.28 / 17,306.72	1107
			***Well ID:** 12507*			
300	SDRW WELLS	Lakes of Parkway	TX	WSW	3.28 / 17,306.72	1108
			***Track NO:** 351883*			
301	WW HARRIS GAL	Houston, City of	TX	SW	3.28 / 17,334.32	1109
			***Well ID:** 10017*			
301	SDRW WELLS	Sueba USA, Corp.	Slate River Lane at Chatham Creek Court Houston TX 77077 ***Track NO:** 154492*	SW	3.28 / 17,334.32	1110
302	TCEQ WELL LOGS	MOTLEY & ASSOCIATES	TX	WSW	3.29 / 17,344.98	1111
			***Grid No**	**Owners Name:** 65-11-9L | MOTLEY & ASSOCIATES*		
302	WW HARRIS GAL	1505 Building, LLC	TX	WSW	3.29 / 17,344.98	1113
			***Well ID:** 4878*			
303	TCEQ WELL LOGS	MR. PETE BEATHARD	TX	W	3.29 / 17,345.89	1114
			***Grid No**	**Owners Name:** 65-11-9X | MR. PETE BEATHARD*		
304	WW HARRIS GAL	HC MUD 372	TX	S	3.29 / 17,360.29	1116
			***Well ID:** 7463*			
304	WW HARRIS GAL	HC MUD 372	TX	S	3.29 / 17,360.29	1117

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *7443*			
304	WW HARRIS GAL	HC MUD 372	TX ***Well ID:*** *7462*	S	3.29 / 17,360.29	1118
305	TCEQ WELL LOGS	MISS TURNER	TX ***Grid No*** **|** ***Owners Name:*** *N/A* | *MISS TURNER*	ESE	3.30 / 17,401.56	1119
305	TCEQ WELL LOGS	RICHARD B. TURNER	TX ***Grid No*** **|** ***Owners Name:*** *65-20-3C* | *RICHARD B. TURNER*	ESE	3.30 / 17,401.56	1121
306	TCEQ WELL LOGS	CAYOTE CONST CO	TX ***Grid No*** **|** ***Owners Name:*** *65-11-8F* | *CAYOTE CONST CO*	WNW	3.30 / 17,409.08	1123
307	TCEQ WELL LOGS	COKER'S TRAILOR PARK	TX ***Grid No*** **|** ***Owners Name:*** *65-20-2* | *COKER'S TRAILOR PARK*	ESE	3.30 / 17,411.75	1125
307	SDRW WELLS	Vanity Homes, LLC	#19 West Rivercrest-Jay Prince Houston TX 77042 ***Track NO:*** *127605*	ESE	3.30 / 17,411.75	1128
308	GWDB	Dr. P. M. Archer	TX ***State Well No*** **|** ***Owner Name:*** *6512927* | *Dr. P. M. Archer*	ESE	3.30 / 17,419.59	1129
309	TCEQ WELL LOGS	SCHOLL LUMBER CO	TX ***Grid No*** **|** ***Owners Name:*** *65-11-9A* | *SCHOLL LUMBER CO*	WNW	3.30 / 17,419.94	1130
310	SDRW WELLS	ALDO SORDELLI	#44 EAST RIVERCREST HOUSTON TX 77042 ***Track NO:*** *381600*	ESE	3.30 / 17,425.06	1132
311	TCEQ WELL LOGS	JOHN METZLER	TX ***Grid No*** **|** ***Owners Name:*** *65-11-9U* | *JOHN METZLER*	WSW	3.32 / 17,524.95	1133
312	TCEQ WELL LOGS	BELLMAN CONST	TX ***Grid No*** **|** ***Owners Name:*** *65-11-9G* | *BELLMAN CONST*	W	3.32 / 17,533.46	1135
313	TCEQ WELL LOGS	DR. GARY FRIEDMAN	TX ***Grid No*** **|** ***Owners Name:*** *65-20-2* | *DR. GARY FRIEDMAN*	ESE	3.33 / 17,557.11	1137
314	GWDB	City of Bunker Hill Well #3	TX ***State Well No*** **|** ***Owner Name:*** *6512931* | *City of Bunker Hill Well #3*	ESE	3.33 / 17,600.86	1139

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
314	WUD	CITY OF BUNKER HILL VILLAGE	TX	ESE	3.33 / 17,600.86	1140
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF BUNKER HILL VILLAGE | G1010106C | ACTIVE*			
314	WW HARRIS GAL	Bunker Hill, City of	TX	ESE	3.33 / 17,600.86	1141
			Well ID: *1551*			
314	FED USGS	USGS-294532095321601	TX	ESE	3.33 / 17,600.86	1142
			Site No: *USGS-294532095321601*			
315	GWDB	City of Houston Spring Oaks	TX	ENE	3.34 / 17,613.00	1143
			State Well No | Owner Name: *6512902 | City of Houston Spring Oaks*			
315	WUD	CITY OF HOUSTON	TX	ENE	3.34 / 17,613.00	1144
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PX | ACTIVE*			
315	WUD	CITY OF HOUSTON	TX	ENE	3.34 / 17,613.00	1145
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PW | ACTIVE*			
315	WW HARRIS GAL	Houston, City of	TX	ENE	3.34 / 17,613.00	1146
			Well ID: *3855*			
316	SDRW WELLS	Chet Dixson	24 W Rivercrest Houston TX 77073	ESE	3.34 / 17,615.61	1147
			Track NO: *555815*			
316	SDRW WELLS	Chet Dickson	24 W. Rivercrest Houston TX 77042	ESE	3.34 / 17,615.61	1148
			Track NO: *436868*			
316	SDRW WELLS	Chet Dixon	26 W. Rivercrest Houston TX 77042	ESE	3.34 / 17,615.61	1149
			Track NO: *186571*			
317	TCEQ WELL LOGS	DANESH PAJOOH	TX	ESE	3.34 / 17,650.70	1150
			Grid No | Owners Name: *65-12-8 | DANESH PAJOOH*			
318	TCEQ WELL LOGS	JOHN C HAND	TX	S	3.34 / 17,659.48	1153
			Grid No | Owners Name: *65-19-3C | JOHN C HAND*			
319	GWDB	J. Y. Allen	TX	ESE	3.35 / 17,671.77	1155
			State Well No | Owner Name: *6520207 | J. Y. Allen*			
319	TCEQ WELL LOGS	VICTOR DAVIDSON	TX	ESE	3.35 / 17,671.77	1156

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No*	*Owners Name:** *65-13-8*	*VICTOR DAVIDSON*		
320	GWDB	Conoco Oil Co. TX		WNW	3.35 / 17,685.11	1158
			***State Well No*	*Owner Name:** *6511909*	*Conoco Oil Co.*		
320	TCEQ WELL LOGS	HUDECK & FAULKNER CONTRACTORS TX		WNW	3.35 / 17,685.11	1159
			***Grid No*	*Owners Name:** *65-11-9A*	*HUDECK & FAULKNER CONTRACTORS*		
320	WW HARRIS GAL	NULL TX		WNW	3.35 / 17,685.11	1161
			***Well ID:** *2773*			
321	GWDB	Andrau Airpark TX		S	3.36 / 17,717.35	1162
			***State Well No*	*Owner Name:** *6520101*	*Andrau Airpark*		
321	GWDB	Andrau Airpark TX		S	3.36 / 17,717.35	1163
			***State Well No*	*Owner Name:** *6520113*	*Andrau Airpark*		
321	TCEQ WELL LOGS	ANDRAU AIR PARK TX		S	3.36 / 17,717.35	1164
			***Grid No*	*Owners Name:** *65-20-2K*	*ANDRAU AIR PARK*		
321	TCEQ WELL LOGS	ANDRAU AIR PARK TX		S	3.36 / 17,717.35	1167
			***Grid No*	*Owners Name:** *65-20-5*	*ANDRAU AIR PARK*		
321	TCEQ WELL LOGS	HOUSTON SCHELL TX		S	3.36 / 17,717.35	1170
			***Grid No*	*Owners Name:** *65-20-1G*	*HOUSTON SCHELL*		
321	WW HARRIS GAL	SUNRISE COLONY II LP TX		S	3.36 / 17,717.35	1172
			***Well ID:** *2719*			
322	TCEQ WELL LOGS	TEXACO OIL CO - TOM NARUM CONST CO TX		WNW	3.36 / 17,733.44	1173
			***Grid No*	*Owners Name:** *65-11-9F*	*TEXACO OIL CO - TOM NARUM CONST CO*		
323	TCEQ WELL LOGS	HOUSTON LIGHTING & POWER TX		W	3.36 / 17,739.61	1175
			***Grid No*	*Owners Name:** *65-11-9S*	*HOUSTON LIGHTING & POWER*		
324	GWDB	City of Houston Westheimer Rd. TX		SW	3.36 / 17,755.04	1178
			***State Well No*	*Owner Name:** *6519305*	*City of Houston Westheimer Rd.*		
324	WUD	CITY OF HOUSTON TX		SW	3.36 / 17,755.04	1179
			***Operating Status*	*Utility Name*	*WTRSRC*	*System Status:** *ABANDONED*	*CITY OF HOUSTON*	*G1010013FN*	*ACTIVE*		

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
324	WW HARRIS GAL	Houston, City of	TX **Well ID:** *1657*	SW	3.36 / 17,755.04	1180
324	FED USGS	USGS-294416095381001	TX **Site No:** *USGS-294416095381001*	SW	3.36 / 17,755.04	1181
325	WW HARRIS GAL	A.A.G. Texas, Inc	TX **Well ID:** *3319*	WSW	3.36 / 17,763.47	1182
325	SDRW WELLS	FM 359 Brookshire Realty, LLC	1603 Hwy. 6 South Houston TX 77077 **Track NO:** *650842*	WSW	3.36 / 17,763.47	1183
325	SDRW WELLS	FM 359 Brookshire Realty, LLC	1603 Hwy. 6 South Houston TX 77077 **Track NO:** *650766*	WSW	3.36 / 17,763.47	1184
325	SDRW WELLS	FM 359 Brookshire Realty, LLC	1603 Hwy. 6 South Houston TX 77077 **Track NO:** *650754*	WSW	3.36 / 17,763.47	1185
325	SDRW WELLS	FM 359 Brookshire Realty, LLC	1603 Hwy. 6 South Houston TX 77077 **Track NO:** *650762*	WSW	3.36 / 17,763.47	1186
326	TCEQ WELL LOGS	SHILOH BUILERS	TX **Grid No | Owners Name:** *65-11-9T | SHILOH BUILERS*	WNW	3.37 / 17,788.91	1187
327	WW HARRIS GAL	Golbow, Thomas H.	TX **Well ID:** *2563*	WNW	3.37 / 17,807.40	1189
327	WW HARRIS GAL	GOLBOW, JOE	TX **Well ID:** *3408*	WNW	3.37 / 17,807.40	1190
328	WW HARRIS GAL	1721 Highway 6 South, LLC	TX **Well ID:** *5379*	WSW	3.38 / 17,821.77	1191
328	WW HARRIS GAL	1721 Highway 6 South, LLC	TX **Well ID:** *11128*	WSW	3.38 / 17,821.77	1192
328	WW HARRIS GAL	1721 Highway 6 South, LLC	TX **Well ID:** *8300*	WSW	3.38 / 17,821.77	1193

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
329	TCEQ WELL LOGS	MR. HARRISON	TX	ESE	3.38 / 17,839.43	1194
			Grid No* | *Owners Name: *65-12-8D* | *MR. HARRISON*			
330	GWDB	Miles Brothers	TX	N	3.38 / 17,842.98	1196
			State Well No* | *Owner Name: *6512402* | *Miles Brothers*			
330	TCEQ WELL LOGS	PHILLIPS PETROLEUM	TX	N	3.38 / 17,842.98	1197
			Grid No* | *Owners Name: *65-12-4* | *PHILLIPS PETROLEUM*			
330	FED USGS	USGS-294933095361201	TX	N	3.38 / 17,842.98	1200
			Site No: *USGS-294933095361201*			
331	TCEQ WELL LOGS	DONNA CLARK	TX	ENE	3.38 / 17,845.33	1201
			Grid No* | *Owners Name: *65-12-5* | *DONNA CLARK*			
332	TCEQ WELL LOGS	JOE NETTLES	TX	WSW	3.38 / 17,864.26	1203
			Grid No* | *Owners Name: *N/A* | *JOE NETTLES*			
332	WW HARRIS GAL	Richard, J.R.	TX	WSW	3.38 / 17,864.26	1206
			Well ID: *5085*			
333	TCEQ WELL LOGS	BARBARA POWELL	TX	ESE	3.39 / 17,882.92	1207
			Grid No* | *Owners Name: *65-12-7A* | *BARBARA POWELL*			
334	TCEQ WELL LOGS	PALMS NURSERY	TX	WSW	3.39 / 17,897.38	1209
			Grid No* | *Owners Name: *65-11-9* | *PALMS NURSERY*			
335	TCEQ WELL LOGS	ROGERS STEEL CORP	TX	NNE	3.39 / 17,907.11	1211
			Grid No* | *Owners Name: *65-12-2C* | *ROGERS STEEL CORP*			
336	SDRW WELLS	Linda Ayers	10029 Hazelhurst Houston TX 77080	ENE	3.40 / 17,941.07	1213
			Track NO: *81440*			
337	TCEQ WELL LOGS	TITUS H. HARRIS JR	TX	ESE	3.40 / 17,941.16	1214
			Grid No* | *Owners Name: *65-20-2H* | *TITUS H. HARRIS JR*			
337	TCEQ WELL LOGS	MRS. WANDA KAFOGLIS	TX	ESE	3.40 / 17,941.16	1216
			Grid No* | *Owners Name: *65-20-3K* | *MRS. WANDA KAFOGLIS*			
338	TCEQ WELL LOGS	KING RESIDENTIAL GRD.	TX	ESE	3.40 / 17,952.88	1218

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No**	**Owners Name:** 65-20-3	KING RESIDENTIAL GRD.*	
338	SDRW WELLS	Tom and Ryland Pirtle	27 E. Rivercrest Houston TX 77402	ESE	3.40 / 17,952.88	1220
			***Track NO:** 42257*			
339	TCEQ WELL LOGS	STAN R. BURYNSKI	TX	ESE	3.40 / 17,972.61	1221
			***Grid No**	**Owners Name:** 65-20-2	STAN R. BURYNSKI*	
339	TCEQ WELL LOGS	DR. MACK RAY	TX	ESE	3.40 / 17,972.61	1223
			***Grid No**	**Owners Name:** 65-20-2B	DR. MACK RAY*	
339	TCEQ WELL LOGS	LYLE & MARTHA METDORF	TX	ESE	3.40 / 17,972.61	1226
			***Grid No**	**Owners Name:** 65-20-2	LYLE & MARTHA METDORF*	
340	WW HARRIS GAL	Sigmor Coroporation	TX	WSW	3.41 / 18,006.29	1228
			***Well ID:** 3730*			
341	SDRW WELLS	LaRue Coleman	11 W Rivercrest Dr. Houston TX 77042	SE	3.42 / 18,042.74	1229
			***Track NO:** 356681*			
341	WW HARRIS GAL	Coleman, Larue	TX	SE	3.42 / 18,042.74	1230
			***Well ID:** 16863*			
342	TCEQ WELL LOGS	KATY ENGINEERING - HORTON & HORTON	TX	WNW	3.43 / 18,091.51	1231
			***Grid No**	**Owners Name:** 65-11-9B	KATY ENGINEERING - HORTON & HORTON*	
343	TCEQ WELL LOGS	SAM FRAZIER	TX	S	3.43 / 18,133.54	1233
			***Grid No**	**Owners Name:** 65-20-1W	SAM FRAZIER*	
344	SDRW WELLS	Kickerillo Homes	9 West Rivercrest Rd. Houston TX	SE	3.45 / 18,190.86	1236
			***Track NO:** 351565*			
345	TCEQ WELL LOGS	LONDELL & GWEN GRAHAM	TX	ESE	3.45 / 18,229.88	1237
			***Grid No**	**Owners Name:** 65-20-3	LONDELL & GWEN GRAHAM*	
345	TCEQ WELL LOGS	BRIAN WOMAC	TX	ESE	3.45 / 18,229.88	1239
			***Grid No**	**Owners Name:** 65-20-2	BRIAN WOMAC*	
346	TCEQ WELL LOGS	DENNIS WALSH	TX	ESE	3.45 / 18,233.99	1242
			***Grid No**	**Owners Name:** 65-20-2	DENNIS WALSH*	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
346	SDRW WELLS	Julie Diez	36 E Rivercrest Houston TX ***Track NO:*** *54638*	ESE	3.45 / 18,233.99	1245
346	SDRW WELLS	Selma & Mustafa Tameez	36 E Rivercrest Dr. Houston TX 77042 ***Track NO:*** *656453*	ESE	3.45 / 18,233.99	1246
347	TCEQ WELL LOGS	QUALITY CONCRETE, INC.	TX ***Grid No | Owners Name:*** *65-11-9W | QUALITY CONCRETE, INC.*	WSW	3.46 / 18,247.61	1247
347	WW HARRIS GAL	Karimbakhsh, Esmail	TX ***Well ID:*** *15661*	WSW	3.46 / 18,247.61	1249
348	TCEQ WELL LOGS	HERB ZIELEN	TX ***Grid No | Owners Name:*** *65-20-3P | HERB ZIELEN*	ESE	3.46 / 18,257.68	1250
349	TCEQ WELL LOGS	GEORGE NOYES	TX ***Grid No | Owners Name:*** *65-20-2 | GEORGE NOYES*	ESE	3.46 / 18,266.70	1252
349	TCEQ WELL LOGS	DR. CRANE	TX ***Grid No | Owners Name:*** *65-20-2E | DR. CRANE*	ESE	3.46 / 18,266.70	1255
350	WW HARRIS GAL	Ak Aslan LLC	TX ***Well ID:*** *13731*	WSW	3.46 / 18,280.62	1259
351	WUD	PAULS SEAFOOD & OYSTER BAR	TX ***Operating Status | Utility Name | WTRSRC | System Status:*** *OPERATIONAL | PAULS SEAFOOD & OYSTER BAR | G1012057A | ACTIVE*	WSW	3.47 / 18,334.52	1260
351	WW HARRIS GAL	Meadows, Travis	TX ***Well ID:*** *5160*	WSW	3.47 / 18,334.52	1261
352	TCEQ WELL LOGS	AVIGNON, MICHAEL	TX ***Grid No | Owners Name:*** *65-20-3 | AVIGNON, MICHAEL*	SE	3.47 / 18,338.22	1262
353	TCEQ WELL LOGS	B.F. SCHNEIDER	TX ***Grid No | Owners Name:*** *N/A | B.F. SCHNEIDER*	ESE	3.48 / 18,359.86	1264
354	WW HARRIS GAL	GLASS & DOOR INTERNATIONAL, INC.	TX ***Well ID:*** *1928*	NNE	3.48 / 18,378.51	1267
355	TCEQ WELL LOGS	CARSON SHEPHERD ADVERTISING	TX	WSW	3.49 / 18,409.21	1268

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Grid No | **Owners Name:** *65-19-3F* | *CARSON SHEPHERD ADVERTISING*			
355	TCEQ WELL LOGS	PAUL CARSON	TX	WSW	3.49 / 18,409.21	1270
			Grid No | **Owners Name:** *65-11-9* | *PAUL CARSON*			
355	TCEQ WELL LOGS	TEXAS CONTEMPORARY	TX	WSW	3.49 / 18,409.21	1273
			Grid No | **Owners Name:** *65-11-9BB* | *TEXAS CONTEMPORARY*			
355	WW HARRIS GAL	DT Investments	TX	WSW	3.49 / 18,409.21	1276
			Well ID: *13289*			
356	TCEQ WELL LOGS	ASH DESMUKH	TX	ESE	3.49 / 18,422.76	1277
			Grid No | **Owners Name:** *65-20-2* | *ASH DESMUKH*			
357	GWDB	Superior Oil co	TX	S	3.49 / 18,428.77	1280
			State Well No | **Owner Name:** *6520114* | *Superior Oil co*			
357	WW HARRIS GAL	SOWELL CONSTRUCTION CO., INC.	TX	S	3.49 / 18,428.77	1281
			Well ID: *2090*			
358	TCEQ WELL LOGS	R.L. PORTLOCK	TX	ESE	3.49 / 18,438.32	1282
			Grid No | **Owners Name:** *65-20-3P* | *R.L. PORTLOCK*			
359	TCEQ WELL LOGS	BACK PORCH RESTAURANT	TX	WSW	3.50 / 18,476.05	1284
			Grid No | **Owners Name:** *65-12-3MM* | *BACK PORCH RESTAURANT*			
359	TCEQ WELL LOGS	MRS SPEARS	TX	WSW	3.50 / 18,476.05	1287
			Grid No | **Owners Name:** *N/A* | *MRS SPEARS*			
360	TCEQ WELL LOGS	MIKE BUSBY	TX	ESE	3.50 / 18,481.28	1290
			Grid No | **Owners Name:** *N/A* | *MIKE BUSBY*			
360	TCEQ WELL LOGS	MIKE BUSBY	TX	ESE	3.50 / 18,481.28	1292
			Grid No | **Owners Name:** *65-12-8M* | *MIKE BUSBY*			
361	WW HARRIS GAL	Inland Machine	TX	WSW	3.50 / 18,489.54	1294
			Well ID: *9829*			
361	SDRW WELLS	Inland Machine	1917 Hwy 6-S Houston TX 77077	WSW	3.50 / 18,489.54	1295

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Track NO: *172537*			
362	TCEQ WELL LOGS	MR. & MRS. BROWN	TX	ESE	3.51 / 18,541.56	1296
			Grid No **|** ***Owners Name:*** *65-20-2* | *MR. & MRS. BROWN*			
362	WW HARRIS GAL	Sun, Attan & Tan, Muoi	TX	ESE	3.51 / 18,541.56	1298
			Well ID: *12824*			
362	SDRW WELLS	Scotti Carden	28 E. Rivercrest Dr Houston TX 77042	ESE	3.51 / 18,541.56	1299
			Track NO: *383230*			
363	WW HARRIS GAL	Obeid, Farah H.	TX	WSW	3.51 / 18,557.84	1300
			Well ID: *9839*			
363	WW HARRIS GAL	Heritage Auto Sales, Inc.	TX	WSW	3.51 / 18,557.84	1301
			Well ID: *7259*			
364	TCEQ WELL LOGS	GARDENLAND	TX	SE	3.52 / 18,589.21	1302
			Grid No **|** ***Owners Name:*** *65-20-2S* | *GARDENLAND*			
365	WW HARRIS GAL	Bet Ezra, LLC	TX	WSW	3.52 / 18,589.50	1305
			Well ID: *13257*			
366	TCEQ WELL LOGS	G.W. KUENSTLER	TX	ESE	3.52 / 18,608.93	1306
			Grid No **|** ***Owners Name:*** *N/A* | *G.W. KUENSTLER*			
366	TCEQ WELL LOGS	GIRAUD & COMPANY	TX	ESE	3.52 / 18,608.93	1309
			Grid No **|** ***Owners Name:*** *65-12-8* | *GIRAUD & COMPANY*			
366	SDRW WELLS	Adrian Villalobos	17 E Rivercrest Houston TX 77042	ESE	3.52 / 18,608.93	1311
			Track NO: *653065*			
367	GWDB	Miles Brothers	TX	NNW	3.53 / 18,632.83	1312
			State Well No **|** ***Owner Name:*** *6512401* | *Miles Brothers*			
367	FED USGS	USGS-294858095365301	TX	NNW	3.53 / 18,632.83	1313
			Site No: *USGS-294858095365301*			
368	WW HARRIS GAL	BAKER HUGHES INCORPORATED	TX	SE	3.53 / 18,644.50	1314
			Well ID: *1623*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
368	WW HARRIS GAL	BAKER HUGHES INCORPORATED	TX	SE	3.53 / 18,644.50	1315
			Well ID: *1624*			
369	TCEQ WELL LOGS	MS. JESSICA WANG	TX	ESE	3.54 / 18,673.38	1316
			Grid No **|** ***Owners Name:*** *65-20-2* | *MS. JESSICA WANG*			
369	SDRW WELLS	Abercrombie Custom Homes	#26 E Rivercrest Houston TX 77063	ESE	3.54 / 18,673.38	1318
			Track NO: *329061*			
370	TCEQ WELL LOGS	D.C. MCCAULEY	TX	WSW	3.54 / 18,681.09	1319
			Grid No **|** ***Owners Name:*** *N/A* | *D.C. MCCAULEY*			
371	GWDB	City of Houston Spring Woods	TX	ENE	3.54 / 18,689.40	1321
			State Well No **|** ***Owner Name:*** *6512601* | *City of Houston Spring Woods*			
371	WUD	CITY OF HOUSTON	TX	ENE	3.54 / 18,689.40	1322
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED* | *CITY OF HOUSTON* | *G1010013PZ* | *ACTIVE*			
371	WW HARRIS GAL	Houston, City of	TX	ENE	3.54 / 18,689.40	1323
			Well ID: *1031*			
372	TCEQ WELL LOGS	LARRY MARTIN	TX	ESE	3.55 / 18,757.04	1324
			Grid No **|** ***Owners Name:*** *65-20-2* | *LARRY MARTIN*			
373	TCEQ WELL LOGS	JIMMY THOMAS	TX	ESE	3.56 / 18,796.05	1326
			Grid No **|** ***Owners Name:*** *N/A* | *JIMMY THOMAS*			
374	TCEQ WELL LOGS	WESTHEIMER STABLES	TX	SW	3.56 / 18,811.49	1329
			Grid No **|** ***Owners Name:*** *65-19-3T* | *WESTHEIMER STABLES*			
374	WW HARRIS GAL	Westheimer BPI Limited	TX	SW	3.56 / 18,811.49	1332
			Well ID: *8252*			
375	SDRW WELLS	Chris Simms Custom Homes	TX	SE	3.57 / 18,856.07	1333
			Track NO: *336372*			
376	TCEQ WELL LOGS	REPUBLIC OF TEX. LAND DEVEL INC.	TX	WSW	3.57 / 18,858.27	1334
			Grid No **|** ***Owners Name:*** *65-11-9L* | *REPUBLIC OF TEX. LAND DEVEL INC.*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
377	TCEQ WELL LOGS	WOLFE CONSTRUCTION CO	TX	WNW	3.57 / 18,862.13	1337
			***Grid No**	**Owners Name:** 65-11-9E | WOLFE CONSTRUCTION CO*		
378	TCEQ WELL LOGS	HALIBURTON LOGGING SERV	TX	WSW	3.57 / 18,870.03	1340
			***Grid No**	**Owners Name:** 65-19-3 | HALIBURTON LOGGING SERV*		
379	SDRW WELLS	Torres, Ignacio & Isabelle	13 E Rivercrest Houston TX 77042	ESE	3.58 / 18,924.13	1343
			***Track NO:** 183688*			
380	SDRW WELLS	Mike Puejol	#22 East Rivercrest Houston TX	ESE	3.58 / 18,928.59	1344
			***Track NO:** 170607*			
381	WW HARRIS GAL	Frank, Angelo	TX	WSW	3.59 / 18,933.37	1345
			***Well ID:** 5525*			
382	GWDB		TX	ENE	3.59 / 18,949.85	1346
			***State Well No** | **Owner Name:** 6512944 |*			
382	TCEQ WELL LOGS	MITCH ZANSKI	TX	ENE	3.59 / 18,949.85	1347
			***Grid No**	**Owners Name:** 65-12-6 | MITCH ZANSKI*		
382	TCEQ WELL LOGS	SOUTH TEXAS STONE	TX	ENE	3.59 / 18,949.85	1349
			***Grid No**	**Owners Name:** N/A | SOUTH TEXAS STONE*		
382	TCEQ WELL LOGS	B.P. CONSTRUCTION	TX	ENE	3.59 / 18,949.85	1351
			***Grid No**	**Owners Name:** 65-11-9A | B.P. CONSTRUCTION*		
382	WW HARRIS GAL	DANIEL INDUSTRIES, INC.	TX	ENE	3.59 / 18,949.85	1353
			***Well ID:** 1880*			
382	WW HARRIS GAL	Daniel Industries, Inc.	TX	ENE	3.59 / 18,949.85	1354
			***Well ID:** 1879*			
382	WW HARRIS GAL	Daniel Industries, Inc.	TX	ENE	3.59 / 18,949.85	1355
			***Well ID:** 8334*			
382	WW HARRIS GAL	South Texas Stone Co.	TX	ENE	3.59 / 18,949.85	1356
			***Well ID:** 9499*			
382	WW HARRIS GAL	Daniel Industries, Inc.	TX	ENE	3.59 / 18,949.85	1357

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *1878*			
383	TCEQ WELL LOGS	CAMERON KREAGER	TX	WSW	3.60 / 18,996.51	1358
			Grid No | Owners Name: *65-19-3 | CAMERON KREAGER*			
383	TCEQ WELL LOGS	CAMERON KREAGER	TX	WSW	3.60 / 18,996.51	1360
			Grid No | Owners Name: *65-19-3 | CAMERON KREAGER*			
383	WW HARRIS GAL	Aivazian, George	TX	WSW	3.60 / 18,996.51	1362
			Well ID: *7054*			
384	GWDB	J. A. Ralmuto	TX	SE	3.60 / 19,013.91	1363
			State Well No | Owner Name: *6520206 | J. A. Ralmuto*			
384	WW HARRIS GAL	Limon, Philip	TX	SE	3.60 / 19,013.91	1364
			Well ID: *12487*			
385	WW HARRIS GAL	TARRANT DISTRIBUTORS	TX	NNE	3.60 / 19,028.51	1365
			Well ID: *2067*			
386	GWDB	Mrs. Nellie E. Rodgers	TX	SE	3.61 / 19,045.49	1366
			State Well No | Owner Name: *6520214 | Mrs. Nellie E. Rodgers*			
387	TCEQ WELL LOGS	MR. W.B. SPENCER	TX	ESE	3.61 / 19,050.41	1367
			Grid No | Owners Name: *65-20-2P | MR. W.B. SPENCER*			
388	TCEQ WELL LOGS	WEST OAKS AUTO PLAZA/DAVE WARD	TX	WSW	3.61 / 19,070.93	1369
			Grid No | Owners Name: *65-11-9 | WEST OAKS AUTO PLAZA/DAVE WARD*			
388	WW HARRIS GAL	Sportline Motors	TX	WSW	3.61 / 19,070.93	1371
			Well ID: *8100*			
388	WW HARRIS GAL	KD and DJ, LLC dba Harveys' The Dam Ice House	TX	WSW	3.61 / 19,070.93	1372
			Well ID: *10481*			
389	SDRW WELLS	Steve Decker Roy Whitley	20A East Rivercrest Houston TX 77042	ESE	3.61 / 19,071.78	1373
			Track NO: *105729*			
390	GWDB	Authur Nichols Co.	TX	NNE	3.62 / 19,097.93	1374

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No	Owner Name:*** *6512514	Authur Nichols Co.*			
391	GWDB	Superior Oil Co. TX		S	3.63 / 19,156.63	1375
			***State Well No	Owner Name:*** *6520117	Superior Oil Co.*			
391	TCEQ WELL LOGS	LIVING WINDOWS TX		S	3.63 / 19,156.63	1376
			***Grid No	Owners Name:*** *65-20-1R	LIVING WINDOWS*			
391	WW HARRIS GAL	SOWELL CONSTRUCTION CO., INC. TX		S	3.63 / 19,156.63	1379
			Well ID: *2091*			
392	TCEQ WELL LOGS	W.H. WHOLESALE ENTERPRISES TX		WSW	3.63 / 19,162.79	1380
			***Grid No	Owners Name:*** *65-19-3	W.H. WHOLESALE ENTERPRISES*			
392	WW HARRIS GAL	W.H. WHOLSALE ENTERPRISES TX		WSW	3.63 / 19,162.79	1383
			Well ID: *4913*			
392	WW HARRIS GAL	Cappelletti, Luciano TX		WSW	3.63 / 19,162.79	1384
			Well ID: *7807*			
393	WW HARRIS GAL	Bhandari, Amit TX		SE	3.63 / 19,172.95	1385
			Well ID: *14004*			
393	SDRW WELLS	Amit Bhandari	4 W. Rivercrest Houston TX 77042	SE	3.63 / 19,172.95	1386
			Track NO: *478804*			
394	TCEQ WELL LOGS	ALLEN CASE TX		ESE	3.63 / 19,192.36	1387
			***Grid No	Owners Name:*** *65-20-2	ALLEN CASE*			
394	SDRW WELLS	R.B. Ratcliff & Associates, Inc.	#18 East Rivercrest Houston TX 77042	ESE	3.63 / 19,192.36	1389
			Track NO: *170510*			
395	GWDB	Sandalwood Civic Club TX		ESE	3.64 / 19,200.43	1390
			***State Well No	Owner Name:*** *6512901	Sandalwood Civic Club*			
395	GWDB	City of Houston Lakeview #3 TX		ESE	3.64 / 19,200.43	1391
			***State Well No	Owner Name:*** *6512917	City of Houston Lakeview #3*			
395	WUD	CITY OF HOUSTON TX		ESE	3.64 / 19,200.43	1392

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NI | ACTIVE*			
395	WUD	CITY OF HOUSTON	TX	ESE	3.64 / 19,200.43	1393
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NJ | ACTIVE*			
395	WUD	CITY OF HOUSTON	TX	ESE	3.64 / 19,200.43	1394
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NH | ACTIVE*			
395	WW HARRIS GAL	Sandalwood Civic Club	TX	ESE	3.64 / 19,200.43	1395
			Well ID: *1770*			
395	WW HARRIS GAL	Houston, City of	TX	ESE	3.64 / 19,200.43	1396
			Well ID: *1079*			
395	FED USGS	USGS-294511095321401	TX	ESE	3.64 / 19,200.43	1397
			Site No: *USGS-294511095321401*			
396	GWDB	Paul A. Smith	TX	ESE	3.64 / 19,202.35	1398
			State Well No | Owner Name: *6520221 | Paul A. Smith*			
396	TCEQ WELL LOGS	ROBERT HORRY	TX	ESE	3.64 / 19,202.35	1399
			Grid No | Owners Name: *65-12-8 | ROBERT HORRY*			
397	GWDB	City of Houston Riedel Estates	TX	E	3.64 / 19,210.97	1401
			State Well No | Owner Name: *6512915 | City of Houston Riedel Estates*			
397	WUD	CITY OF HOUSTON	TX	E	3.64 / 19,210.97	1402
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OU | ACTIVE*			
397	WUD	CITY OF HOUSTON	TX	E	3.64 / 19,210.97	1403
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013KM | ACTIVE*			
397	WUD	CITY OF HOUSTON	TX	E	3.64 / 19,210.97	1404
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OV | ACTIVE*			
398	TCEQ WELL LOGS	DANIEL INDUSTRY	TX	ENE	3.64 / 19,224.91	1405
			Grid No | Owners Name: *65-12-9 | DANIEL INDUSTRY*			
398	TCEQ WELL LOGS	DANIEL INDUSTRIES, INC.	TX	ENE	3.64 / 19,224.91	1407
			Grid No | Owners Name: *65-11-8E | DANIEL INDUSTRIES, INC.*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
399	TCEQ WELL LOGS	LEGEND PARK 10	TX	WNW	3.65 / 19,272.81	1408
			***Grid No*	*Owners Name:** *65-11-6*	*LEGEND PARK 10*	
399	WW HARRIS GAL	Cortland West Houston	TX	WNW	3.65 / 19,272.81	1411
			***Well ID:** *9035*			
400	TCEQ WELL LOGS	MONARCH PAINT	TX	WSW	3.65 / 19,275.20	1412
			***Grid No*	*Owners Name:** *65-19-3*	*MONARCH PAINT*	
400	WW HARRIS GAL	Laredo Holdings LLC	TX	WSW	3.65 / 19,275.20	1415
			***Well ID:** *4682*			
401	TCEQ WELL LOGS	CASTLES DESIGN GROUP	TX	WSW	3.66 / 19,302.08	1416
			***Grid No*	*Owners Name:** *N/A*	*CASTLES DESIGN GROUP*	
402	TCEQ WELL LOGS	ROBERT IVES	TX	ESE	3.66 / 19,325.08	1419
			***Grid No*	*Owners Name:** *65-20-2H*	*ROBERT IVES*	
402	TCEQ WELL LOGS	KING RESIDENTAIL GROUP	TX	ESE	3.66 / 19,325.08	1422
			***Grid No*	*Owners Name:** *65-20-2*	*KING RESIDENTAIL GROUP*	
402	SDRW WELLS	EILEEN LAWAL	#16 EAST RIVERCREST HOUSTON TX 77042	ESE	3.66 / 19,325.08	1424
			***Track NO:** *339035*			
402	SDRW WELLS	Eileen Lawal	16 East Rivercrest Houston TX 77042	ESE	3.66 / 19,325.08	1425
			***Track NO:** *420349*			
403	TCEQ WELL LOGS	FLAIR CONSTRUCTION	TX	SE	3.66 / 19,341.93	1426
			***Grid No*	*Owners Name:** *65-20-2*	*FLAIR CONSTRUCTION*	
403	SDRW WELLS	Rao Polavarapu	2 West Rivercrest Houston TX 77042	SE	3.66 / 19,341.93	1428
			***Track NO:** *493638*			
404	TCEQ WELL LOGS	E.H. RAINWATER	TX	SSE	3.67 / 19,398.41	1429
			***Grid No*	*Owners Name:** *65-20-1U*	*E.H. RAINWATER*	
405	GWDB	Rogers Steel Co.	TX	NNE	3.68 / 19,418.54	1432
			***State Well No*	*Owner Name:** *6512509*	*Rogers Steel Co.*	
406	TCEQ WELL LOGS	BRIAN BRO	TX	ESE	3.69 / 19,476.89	1433

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Grid No **|** ***Owners Name:*** *65-20-2 | BRIAN BRO*			
406	TCEQ WELL LOGS	MR. BRIAN BRO	TX	ESE	3.69 / 19,476.89	1436
			Grid No **|** ***Owners Name:*** *65-12-8N | MR. BRIAN BRO*			
406	SDRW WELLS	Erica Stark	14 E. Rivercrest Houston TX 77042	ESE	3.69 / 19,476.89	1438
			Track NO: *204491*			
407	SDRW WELLS	Geis, Karl	1413 Butlercrest Houston TX 77080	ENE	3.69 / 19,484.89	1439
			Track NO: *137993*			
408	TCEQ WELL LOGS	STEWART MORRIS	TX	SE	3.70 / 19,519.37	1440
			Grid No **|** ***Owners Name:*** *65-20-2 | STEWART MORRIS*			
409	GWDB	Phillips Petroleum Co.	TX	E	3.70 / 19,534.67	1442
			State Well No **|** ***Owner Name:*** *6512928 | Phillips Petroleum Co.*			
409	GWDB		TX	E	3.70 / 19,534.67	1443
			State Well No **|** ***Owner Name:*** *6512945 |*			
409	TCEQ WELL LOGS	PHILLIPS 66 SERVICE STATION	TX	E	3.70 / 19,534.67	1444
			Grid No **|** ***Owners Name:*** *65-12-9G | PHILLIPS 66 SERVICE STATION*			
410	TCEQ WELL LOGS	SALLY DEPLECHAN	TX	NE	3.70 / 19,552.75	1446
			Grid No **|** ***Owners Name:*** *65-12-5 | SALLY DEPLECHAN*			
411	TCEQ WELL LOGS	HOUSTON LIGHTING & POWER CO	TX	NNE	3.70 / 19,560.80	1448
			Grid No **|** ***Owners Name:*** *N/A | HOUSTON LIGHTING & POWER CO*			
412	TCEQ WELL LOGS	EDDIE JAHNKE	TX	ENE	3.71 / 19,589.21	1451
			Grid No **|** ***Owners Name:*** *65-12-6 | EDDIE JAHNKE*			
413	TCEQ WELL LOGS	KEN ANDERSON	TX	ESE	3.71 / 19,598.55	1453
			Grid No **|** ***Owners Name:*** *65-20-3Q | KEN ANDERSON*			
413	SDRW WELLS	Beatrice Fiorito	#12 East Rivercrest Houston TX 77042	ESE	3.71 / 19,598.55	1455
			Track NO: *354617*			
414	TCEQ WELL LOGS	STUCKEY & ASSOC.	TX	SSW	3.74 / 19,725.28	1456
			Grid No **|** ***Owners Name:*** *65-20-1N | STUCKEY & ASSOC.*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
415	TCEQ WELL LOGS	MRS DUFFIN	TX	ENE	3.74 / 19,749.30	1459
			Grid No* | *Owners Name: *65-12-6* | *MRS DUFFIN*			
416	TCEQ WELL LOGS	MR ALFORD	TX	ENE	3.76 / 19,836.92	1462
			Grid No* | *Owners Name: *65-12-6Y* | *MR ALFORD*			
417	GWDB	City of Houston Rosewood#2	TX	SSW	3.76 / 19,858.74	1464
			State Well No* | *Owner Name: *6520122* | *City of Houston Rosewood#2*			
417	WUD	CITY OF HOUSTON	TX	SSW	3.76 / 19,858.74	1465
			Operating Status* | *Utility Name* | *WTRSRC* | *System Status: *ABANDONED* | *CITY OF HOUSTON* | *G1010013FG* | *ACTIVE*			
417	TCEQ WELL LOGS	HCFWSD #63	TX	SSW	3.76 / 19,858.74	1466
			Grid No* | *Owners Name: *65-20-1M* | *HCFWSD #63*			
417	WW HARRIS GAL	Houston, City of	TX	SSW	3.76 / 19,858.74	1468
			Well ID: *1850*			
417	FED USGS	USGS-294326095371601	TX	SSW	3.76 / 19,858.74	1469
			Site No: *USGS-294326095371601*			
418	TCEQ WELL LOGS	S. HOGAN	TX	ESE	3.77 / 19,917.62	1470
			Grid No* | *Owners Name: *65-20-1* | *S. HOGAN*			
419	TCEQ WELL LOGS	PETER NIMMO	TX	ENE	3.77 / 19,926.99	1473
			Grid No* | *Owners Name: *65-12-6* | *PETER NIMMO*			
420	TCEQ WELL LOGS	SUSAN KUANG	TX	SSW	3.78 / 19,936.05	1475
			Grid No* | *Owners Name: *N/A* | *SUSAN KUANG*			
420	WW HARRIS GAL	Phan, Hailey Ha	TX	SSW	3.78 / 19,936.05	1478
			Well ID: *4775*			
421	GWDB		TX	ENE	3.78 / 19,955.20	1479
			State Well No* | *Owner Name: *6512943* |			
422	WW HARRIS GAL	Stone Mountain Properties	TX	ESE	3.78 / 19,961.80	1480
			Well ID: *9468*			
423	GWDB	Charles Garner	TX	ESE	3.78 / 19,967.43	1481

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No	Owner Name:*** *6512912	Charles Garner*			
424	TCEQ WELL LOGS	MR. BILL GUNN	TX	ENE	3.78 / 19,976.61	1482
			***Grid No	Owners Name:*** *65-13-6U	MR. BILL GUNN*			
424	TCEQ WELL LOGS	DATASIGHT - WILLIAM GUNN	TX	ENE	3.78 / 19,976.61	1484
			***Grid No	Owners Name:*** *65-12-6	DATASIGHT - WILLIAM GUNN*			
425	GWDB	Builders Supply Co.	TX	S	3.80 / 20,050.24	1486
			***State Well No	Owner Name:*** *6520120	Builders Supply Co.*			
425	GWDB	The Randolph Co.	TX	S	3.80 / 20,050.24	1487
			***State Well No	Owner Name:*** *6520112	The Randolph Co.*			
425	WW HARRIS GAL	Builders Supply Co. Of Houston	TX	S	3.80 / 20,050.24	1488
			Well ID: *3230*			
425	WW HARRIS GAL	Builders Supply Co. Of Houston	TX	S	3.80 / 20,050.24	1489
			Well ID: *1816*			
426	TCEQ WELL LOGS	JMG BUILDERS	TX	WNW	3.80 / 20,053.23	1490
			***Grid No	Owners Name:*** *65-11-9	JMG BUILDERS*			
426	WW HARRIS GAL	Park Place Houston	TX	WNW	3.80 / 20,053.23	1492
			Well ID: *5555*			
427	TCEQ WELL LOGS	LAYNE WESTERN	TX	SSE	3.81 / 20,097.76	1493
			***Grid No	Owners Name:*** *65-20-2Q	LAYNE WESTERN*			
428	GWDB	Park Ten MUD well #2	TX	SW	3.81 / 20,103.52	1495
			***State Well No	Owner Name:*** *6511804	Park Ten MUD well #2*			
428	WUD	CITY OF HOUSTON	TX	SW	3.81 / 20,103.52	1496
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013SK	ACTIVE*			
428	WW HARRIS GAL	Houston, City of	TX	SW	3.81 / 20,103.52	1497
			Well ID: *2155*			
428	FED USGS	USGS-294717095401001	TX	SW	3.81 / 20,103.52	1498
			Site No: *USGS-294717095401001*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
429	SDRW WELLS	Sherif Chemam	8 RollingWood Dr. Houston TX 77080	ENE	3.81 / 20,142.81	1499
			Track NO: *177608*			
430	GWDB	City of Houston WestHollow Park MUD 98	TX	SW	3.82 / 20,173.53	1500
			State Well No **|** ***Owner Name:*** *6519322 | City of Houston WestHollow Park MUD 98*			
430	WUD	CITY OF HOUSTON	TX	SW	3.82 / 20,173.53	1501
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013FW | ACTIVE*			
430	FED USGS	USGS-294355095380701	TX	SW	3.82 / 20,173.53	1502
			Site No: *USGS-294355095380701*			
431	WUD	CITY OF HOUSTON	TX	NE	3.83 / 20,212.82	1503
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013PY | ACTIVE*			
432	TCEQ WELL LOGS	JOE LAUGHLIN	TX	ENE	3.83 / 20,215.00	1504
			Grid No **|** ***Owners Name:*** *65-12-3GG | JOE LAUGHLIN*			
433	TCEQ WELL LOGS	L.W. NICHOLS	TX	WSW	3.83 / 20,236.61	1506
			Grid No **|** ***Owners Name:*** *65-19-3G | L.W. NICHOLS*			
434	TCEQ WELL LOGS	PINO FARINOLA	TX	ESE	3.83 / 20,243.10	1507
			Grid No **|** ***Owners Name:*** *65-20-3 | PINO FARINOLA*			
434	WW HARRIS GAL	Farinola, Pino & Lenora	TX	ESE	3.83 / 20,243.10	1509
			Well ID: *8515*			
435	TCEQ WELL LOGS	RON STEIGER	TX	ENE	3.84 / 20,269.01	1510
			Grid No **|** ***Owners Name:*** *N/A | RON STEIGER*			
436	TCEQ WELL LOGS	DAVIS BROTHERS CONSTRUCT	TX	WNW	3.84 / 20,275.81	1512
			Grid No **|** ***Owners Name:*** *65-11-6 | DAVIS BROTHERS CONSTRUCT*			
436	WW HARRIS GAL	Marquis on Park Row	TX	WNW	3.84 / 20,275.81	1514
			Well ID: *7267*			
437	GWDB	City of Houston	TX	NNE	3.84 / 20,297.88	1515
			State Well No **|** ***Owner Name:*** *6512520 | City of Houston*			
437	WUD	CITY OF HOUSTON	TX	NNE	3.84 / 20,297.88	1516

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013AF | ACTIVE*			
437	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *3374*	NNE	3.84 / 20,297.88	1517
437	FED USGS	USGS-294925095341201	TX ***Site No:*** *USGS-294925095341201*	NNE	3.84 / 20,297.88	1518
438	SDRW WELLS	Judy Baird	9929 Shadow Wood Houston TX 77080 ***Track NO:*** *10975*	ENE	3.85 / 20,310.23	1519
439	TCEQ WELL LOGS	GEORGE JACKSON	TX ***Grid No | Owners Name:*** *65-12-6 | GEORGE JACKSON*	ENE	3.85 / 20,313.03	1520
440	SDRW WELLS	Mike James	2 East Rivercrest Houston TX 77042 ***Track NO:*** *81383*	SE	3.86 / 20,370.05	1523
441	WUD	WEST HARRIS COUNTY MUD 6	TX ***Operating Status | Utility Name | WTRSRC | System Status:*** *OPERATIONAL | WEST HARRIS COUNTY MUD 6 | G1011258A | ACTIVE*	SW	3.87 / 20,412.08	1524
441	TCEQ WELL LOGS	RENN RD MUD	TX ***Grid No | Owners Name:*** *65-19-3V | RENN RD MUD*	SW	3.87 / 20,412.08	1525
441	TCEQ WELL LOGS	WEST HARRIS COUNTY MUD #6	TX ***Grid No | Owners Name:*** *65-20-1F | WEST HARRIS COUNTY MUD #6*	SW	3.87 / 20,412.08	1528
441	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *3278*	SW	3.87 / 20,412.08	1531
442	GWDB	City of Houston Ashford Pt. Dist 218	TX ***State Well No | Owner Name:*** *6520128 | City of Houston Ashford Pt. Dist 218*	SSW	3.87 / 20,438.88	1532
442	WUD	CITY OF HOUSTON	TX ***Operating Status | Utility Name | WTRSRC | System Status:*** *OPERATIONAL | CITY OF HOUSTON | G1010013FD | ACTIVE*	SSW	3.87 / 20,438.88	1533
442	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *3978*	SSW	3.87 / 20,438.88	1534
442	FED USGS	USGS-294313095365101	TX ***Site No:*** *USGS-294313095365101*	SSW	3.87 / 20,438.88	1535

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
443	TCEQ WELL LOGS	FRIENDSWOOD DEVELOPMENT CORP	TX	ESE	3.87 / 20,449.94	1536
			***Grid No**	**Owners Name:** 65-20-3B	FRIENDSWOOD DEVELOPMENT CORP*	
444	TCEQ WELL LOGS	DOROTHY HOUSE	TX	ENE	3.87 / 20,451.91	1541
			***Grid No**	**Owners Name:** 65-12-5	DOROTHY HOUSE*	
445	TCEQ WELL LOGS	HOUSTON CHRISTIAN HIGH SC	TX	NE	3.88 / 20,508.90	1543
			***Grid No**	**Owners Name:** 65-12-5	HOUSTON CHRISTIAN HIGH SC*	
445	TCEQ WELL LOGS	BASEBALL U.S.A.	TX	NE	3.88 / 20,508.90	1545
			***Grid No**	**Owners Name:** 65-12-5	BASEBALL U.S.A.*	
445	WW HARRIS GAL	Houston, City of	TX	NE	3.88 / 20,508.90	1548
			***Well ID:** 12355*			
445	WW HARRIS GAL	Houston, City of	TX	NE	3.88 / 20,508.90	1549
			***Well ID:** 7302*			
445	SDRW WELLS	Baseball USA	2626 Sam Houston Pkwy Houston TX	NE	3.88 / 20,508.90	1550
			***Track NO:** 316446*			
446	GWDB	Houston Sash and Door	TX	NNE	3.88 / 20,509.95	1551
			***State Well No**	**Owner Name:** 6512511	Houston Sash and Door*	
447	TCEQ WELL LOGS	CRYSTAL MFG. CO	TX	SSE	3.90 / 20,587.99	1552
			***Grid No**	**Owners Name:** 65-20-2L	CRYSTAL MFG. CO*	
447	WW HARRIS GAL	CRYSTAL CHEMICAL CORPORATION	TX	SSE	3.90 / 20,587.99	1554
			***Well ID:** 3085*			
447	WW HARRIS GAL	CRYSTAL CHEMICAL CORPORATION	TX	SSE	3.90 / 20,587.99	1555
			***Well ID:** 2815*			
448	GWDB	The Randolph Tool Co.	TX	S	3.90 / 20,596.64	1556
			***State Well No**	**Owner Name:** 6520110	The Randolph Tool Co.*	
448	WW HARRIS GAL	Randolph Company, The	TX	S	3.90 / 20,596.64	1557
			***Well ID:** 2189*			
448	WW HARRIS GAL	Randolph Company, The	TX	S	3.90 / 20,596.64	1558

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Well ID: *2190*			
448	WW HARRIS GAL	Tradco, Inc.	TX	S	3.90 / 20,596.64	1559
			Well ID: *8665*			
448	FED USGS	USGS-294253095352701	TX	S	3.90 / 20,596.64	1560
			Site No: *USGS-294253095352701*			
449	GWDB	Horton & Horton	TX	WNW	3.91 / 20,619.15	1561
			State Well No **|** ***Owner Name:*** *6511911 | Horton & Horton*			
450	TCEQ WELL LOGS	JERRY THOMPSON	TX	ENE	3.91 / 20,640.98	1562
			Grid No **|** ***Owners Name:*** *65-12-5L | JERRY THOMPSON*			
451	WW HARRIS GAL	PIONEER CONCRETE OF TEXAS, INC.	TX	WSW	3.91 / 20,653.46	1564
			Well ID: *3658*			
452	WW HARRIS GAL	Houston Christian High School	TX	NNE	3.92 / 20,682.61	1565
			Well ID: *5646*			
452	WW HARRIS GAL	Houston Christian High School	TX	NNE	3.92 / 20,682.61	1566
			Well ID: *9249*			
453	TCEQ WELL LOGS	RALPH SCHAEFERIN	TX	ENE	3.92 / 20,718.43	1567
			Grid No **|** ***Owners Name:*** *65-12-6 | RALPH SCHAEFERIN*			
454	TCEQ WELL LOGS	MR. KEN NASH	TX	ENE	3.93 / 20,727.34	1569
			Grid No **|** ***Owners Name:*** *65-12-5H | MR. KEN NASH*			
455	TCEQ WELL LOGS	JOYCE CHAPMAN	TX	ENE	3.93 / 20,732.49	1571
			Grid No **|** ***Owners Name:*** *65-12-6 | JOYCE CHAPMAN*			
456	TCEQ WELL LOGS	RALPH E GARDNER	TX	ENE	3.94 / 20,791.58	1574
			Grid No **|** ***Owners Name:*** *65-12-6 | RALPH E GARDNER*			
457	WUD	CITY OF HOUSTON	TX	NE	3.94 / 20,826.05	1576
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED | CITY OF HOUSTON | G1010013PU | ACTIVE*			
458	TCEQ WELL LOGS	COOLEY PROPERTIES	TX	SW	3.95 / 20,856.89	1577
			Grid No **|** ***Owners Name:*** *65-19-3Y | COOLEY PROPERTIES*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
459	TCEQ WELL LOGS	LILLE WATSON	TX	ENE	3.96 / 20,902.73	1580
			***Grid No	Owners Name:*** *65-12-5	LILLE WATSON*	
460	TCEQ WELL LOGS	MR. R.E. DANIELS	TX	ESE	3.96 / 20,918.25	1582
			***Grid No	Owners Name:*** *65-20-2A	MR. R.E. DANIELS*	
461	GWDB	City of Houston Westchase - Dist. 52	TX	SE	3.96 / 20,933.57	1584
			***State Well No	Owner Name:*** *6520309	City of Houston Westchase - Dist. 52*	
461	WUD	CITY OF HOUSTON	TX	SE	3.96 / 20,933.57	1585
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013QG	ACTIVE*	
461	WW HARRIS GAL	Houston, City of	TX	SE	3.96 / 20,933.57	1586
			Well ID: *1039*			
461	FED USGS	USGS-294410095322001	TX	SE	3.96 / 20,933.57	1587
			Site No: *USGS-294410095322001*			
462	TCEQ WELL LOGS	BUSSELL'S WATER WELL SERVICE	TX	ENE	3.97 / 20,945.90	1588
			***Grid No	Owners Name:*** *65-12-8F	BUSSELL'S WATER WELL SERVICE*	
463	GWDB	Shadow Lake HOA	TX	SSW	3.97 / 20,959.36	1590
			***State Well No	Owner Name:*** *6520130	Shadow Lake HOA*	
463	TCEQ WELL LOGS	JIM SOWELL CONSTRUCTION CO	TX	SSW	3.97 / 20,959.36	1591
			***Grid No	Owners Name:*** *65-20-1	JIM SOWELL CONSTRUCTION CO*	
463	WW HARRIS GAL	Houston, City of	TX	SSW	3.97 / 20,959.36	1592
			Well ID: *9083*			
463	WW HARRIS GAL	Shadow Lake Homeowners Assoc.	TX	SSW	3.97 / 20,959.36	1593
			Well ID: *6021*			
463	SDRW WELLS	Shadowlake H O A	4019 S. Dairy Ashford Houston TX 77072	SSW	3.97 / 20,959.36	1594
			Track NO: *12243*			
463	FED USGS	USGS-294255095361501	TX	SSW	3.97 / 20,959.36	1595
			Site No: *USGS-294255095361501*			
464	GWDB	City of Houston	TX	SSE	3.98 / 20,999.41	1596

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No	Owner Name:*** *6520226	City of Houston*			
464	WUD	CITY OF HOUSTON	TX	SSE	3.98 / 20,999.41	1597
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013DG	ACTIVE*			
464	TCEQ WELL LOGS	HARRIS COUNTY M.U.D. #51	TX	SSE	3.98 / 20,999.41	1598
			***Grid No	Owners Name:*** *65-20-2G	HARRIS COUNTY M.U.D. #51*			
464	WW HARRIS GAL	Houston, City of	TX	SSE	3.98 / 20,999.41	1601
			Well ID: *3328*			
464	FED USGS	USGS-294301095341801	TX	SSE	3.98 / 20,999.41	1602
			Site No: *USGS-294301095341801*			
465	TCEQ WELL LOGS	NATURES WAY RESOURCES	TX	NNE	3.98 / 21,003.42	1603
			***Grid No	Owners Name:*** *65-12-4	NATURES WAY RESOURCES*			
466	TCEQ WELL LOGS	KYLE WILLIS	TX	ENE	3.98 / 21,024.81	1605
			***Grid No	Owners Name:*** *65-12-6	KYLE WILLIS*			
467	TCEQ WELL LOGS	CASCO ENTERPRISES	TX	WNW	3.98 / 21,034.79	1607
			***Grid No	Owners Name:*** *65-11-6	CASCO ENTERPRISES*			
468	TCEQ WELL LOGS	MR. JERRY CONNER	TX	ENE	3.98 / 21,038.23	1610
			***Grid No	Owners Name:*** *65-12-5T	MR. JERRY CONNER*			
469	TCEQ WELL LOGS	CASTONE DEVELOPING CORP.	TX	WNW	3.99 / 21,046.07	1612
			***Grid No	Owners Name:*** *65-11-6Q	CASTONE DEVELOPING CORP.*			
470	TCEQ WELL LOGS	DEE'S NURSERY	TX	WSW	3.99 / 21,051.35	1615
			***Grid No	Owners Name:*** *65-19-3	DEE'S NURSERY*			
471	TCEQ WELL LOGS	SUBURBAN BUILDERS	TX	SSE	4.00 / 21,094.30	1617
			***Grid No	Owners Name:*** *65-20-2J	SUBURBAN BUILDERS*			
471	TCEQ WELL LOGS	LELAND ANDERSON	TX	SSE	4.00 / 21,094.30	1619
			***Grid No	Owners Name:*** *65-20-2J	LELAND ANDERSON*			
472	TCEQ WELL LOGS	ROBERT N. INGLET	TX	S	4.00 / 21,097.42	1621
			***Grid No	Owners Name:*** *65-20-1D	ROBERT N. INGLET*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
473	TCEQ WELL LOGS	JOHN WATSON	TX	ENE	4.00 / 21,107.01	1623
			***Grid No**	**Owners Name:** 65-12-6L | JOHN WATSON*		
474	SDRW WELLS	Constance Aberant	39 Rollingwood Houston TX 77080	ENE	4.00 / 21,116.97	1625
			***Track NO:** 97776*			
475	GWDB	Tim Miles	TX	WSW	4.01 / 21,162.78	1626
			***State Well No**	**Owner Name:** 6519304 | Tim Miles*		
476	GWDB	City of Bunker Hill Well #2	TX	E	4.02 / 21,211.12	1627
			***State Well No**	**Owner Name:** 6512914 | City of Bunker Hill Well #2*		
476	WUD	CITY OF BUNKER HILL VILLAGE	TX	E	4.02 / 21,211.12	1628
			***Operating Status**	**Utility Name**	**WTRSRC**	**System Status:** OPERATIONAL | CITY OF BUNKER HILL VILLAGE | G1010106B | ACTIVE*		
476	WW HARRIS GAL	Bunker Hill, City of	TX	E	4.02 / 21,211.12	1629
			***Well ID:** 1550*			
476	FED USGS	USGS-294624095312801	TX	E	4.02 / 21,211.12	1630
			***Site No:** USGS-294624095312801*			
476	WW HARRIS GAL	Bunker Hill, City of	TX	E	4.02 / 21,211.12	1631
			***Well ID:** 1550*			
476	WW HARRIS GAL	Bunker Hill, City of	TX	E	4.02 / 21,211.12	1632
			***Well ID:** 1550*			
477	TCEQ WELL LOGS	SHELL OIL COMPANY	TX	SW	4.02 / 21,242.31	1633
			***Grid No**	**Owners Name:** 65-19-3L | SHELL OIL COMPANY*		
478	TCEQ WELL LOGS	XUYEN QUANG DOAN	TX	NE	4.03 / 21,252.53	1636
			***Grid No**	**Owners Name:** 65-12-5 | XUYEN QUANG DOAN*		
479	TCEQ WELL LOGS	MR J R LINDSEY	TX	ENE	4.03 / 21,259.51	1639
			***Grid No**	**Owners Name:** 65-12-6E | MR J R LINDSEY*		
480	GWDB	City of Houston West Houston MUD	TX	WSW	4.03 / 21,264.92	1641
			***State Well No**	**Owner Name:** 6519320 | City of Houston West Houston MUD*		
480	WUD	CITY OF HOUSTON	TX	WSW	4.03 / 21,264.92	1642

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013FM	ACTIVE*			
480	TCEQ WELL LOGS	WEST HOUSTON M.U.D. - C/O LOCKWOOD, ANDR	TX	WSW	4.03 / 21,264.92	1643
			***Grid No	Owners Name:*** *N/A	WEST HOUSTON M.U.D. - C/O LOCKWOOD, ANDR*			
480	TCEQ WELL LOGS	WEST HOUSTON M.U.D. - C/O L-A-N	TX	WSW	4.03 / 21,264.92	1651
			***Grid No	Owners Name:*** *65-11-9EE	WEST HOUSTON M.U.D. - C/O L-A-N*			
480	WW HARRIS GAL	Houston, City of	TX	WSW	4.03 / 21,264.92	1653
			Well ID: *3995*			
480	FED USGS	USGS-294428095384501	TX	WSW	4.03 / 21,264.92	1654
			Site No: *USGS-294428095384501*			
481	WW HARRIS GAL	Spring Manor Townhouses	TX	ENE	4.03 / 21,289.70	1655
			Well ID: *5185*			
482	GWDB	H L & P Co. Echo Substation	TX	ENE	4.03 / 21,297.82	1656
			***State Well No	Owner Name:*** *6512936	H L & P Co. Echo Substation*			
482	WW HARRIS GAL	STAR ENTERPRISE	TX	ENE	4.03 / 21,297.82	1657
			Well ID: *3078*			
483	TCEQ WELL LOGS	WOODTRAILS	TX	SE	4.04 / 21,330.58	1658
			***Grid No	Owners Name:*** *65-20-2	WOODTRAILS*			
483	WW HARRIS GAL	GHC Woodtrails, LLC	TX	SE	4.04 / 21,330.58	1660
			Well ID: *9129*			
484	TCEQ WELL LOGS	JIM DESANTO	TX	ENE	4.04 / 21,341.53	1661
			***Grid No	Owners Name:*** *65-12-6	JIM DESANTO*			
485	GWDB	City of Houston Dist 218	TX	SSW	4.04 / 21,348.54	1663
			***State Well No	Owner Name:*** *6520125	City of Houston Dist 218*			
485	WUD	CITY OF HOUSTON	TX	SSW	4.04 / 21,348.54	1664
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013FC	ACTIVE*			
485	TCEQ WELL LOGS	HARRIS COUNTY MUD #218	TX	SSW	4.04 / 21,348.54	1665
			***Grid No	Owners Name:*** *65-20-1Q	HARRIS COUNTY MUD #218*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
485	TCEQ WELL LOGS	HARRIC COUNTY M.U.D. 218	TX	SSW	4.04 / 21,348.54	1668
			***Grid No	Owners Name:*** *65-20-1	HARRIC COUNTY M.U.D. 218*	
485	WW HARRIS GAL	Houston, City of	TX	SSW	4.04 / 21,348.54	1673
			Well ID: *3792*			
485	WW HARRIS GAL	Houston, City of	TX	SSW	4.04 / 21,348.54	1674
			Well ID: *3677*			
485	FED USGS	USGS-294252095362101	TX	SSW	4.04 / 21,348.54	1675
			Site No: *USGS-294252095362101*			
486	WUD	HARRIS COUNTY PCT 3 BEAR CREEK PIO	TX	NNW	4.05 / 21,379.71	1676
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	HARRIS COUNTY PCT 3 BEAR CREEK PIO	G1011015C	ACTIVE*		
486	WUD	HARRIS COUNTY PCT 3 BEAR CREEK PIO	TX	NNW	4.05 / 21,379.71	1677
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	HARRIS COUNTY PCT 3 BEAR CREEK PIO	G1011015B	ACTIVE*		
486	WW HARRIS GAL	Texas United F.C.	TX	NNW	4.05 / 21,379.71	1678
			Well ID: *11925*			
486	WW HARRIS GAL	Harris County	TX	NNW	4.05 / 21,379.71	1679
			Well ID: *2511*			
486	WW HARRIS GAL	West Harris County Regional Water Authority	TX	NNW	4.05 / 21,379.71	1680
			Well ID: *4411*			
487	TCEQ WELL LOGS	MR. NOVACK	TX	ENE	4.06 / 21,432.26	1681
			***Grid No	Owners Name:*** *65-12-9R	MR. NOVACK*		
488	GWDB	Walter Krenek	TX	S	4.07 / 21,468.02	1683
			***State Well No	Owner Name:*** *6520108	Walter Krenek*		
489	GWDB	Houston Shell and Concrete Co.	TX	SSE	4.07 / 21,474.62	1684
			***State Well No	Owner Name:*** *6520220	Houston Shell and Concrete Co.*		
489	GWDB	R.E. Smith	TX	SSE	4.07 / 21,474.62	1685
			***State Well No	Owner Name:*** *6520201	R.E. Smith*		

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
489	GWDB	J.C. Hastings	TX	SSE	4.07 / 21,474.62	1686
			***State Well No** | **Owner Name:** 6520212 | J.C. Hastings*			
489	GWDB	City of Houston TW-3	TX	SSE	4.07 / 21,474.62	1687
			***State Well No** | **Owner Name:** 6520223 | City of Houston TW-3*			
489	TCEQ WELL LOGS	HOUSTON SHELL & CONCRETE	TX	SSE	4.07 / 21,474.62	1688
			***Grid No** | **Owners Name:** 65-20-4B | HOUSTON SHELL & CONCRETE*			
489	WW HARRIS GAL	HOUSTON SHELL & CONCRETE	TX	SSE	4.07 / 21,474.62	1690
			***Well ID:** 2855*			
489	WW HARRIS GAL	HOUSTON SHELL & CONCRETE	TX	SSE	4.07 / 21,474.62	1691
			***Well ID:** 2854*			
490	TCEQ WELL LOGS	HARRIS COUNTY	TX	S	4.07 / 21,486.54	1692
			***Grid No** | **Owners Name:** 65-20-1P | HARRIS COUNTY*			
490	WW HARRIS GAL	Harris County	TX	S	4.07 / 21,486.54	1694
			***Well ID:** 3148*			
491	TCEQ WELL LOGS	JAMES BIVENS	TX	ENE	4.10 / 21,635.11	1695
			***Grid No** | **Owners Name:** 65-12-6Y | JAMES BIVENS*			
492	WW HARRIS GAL	Pham, Tai	TX	S	4.11 / 21,674.73	1698
			***Well ID:** 12794*			
493	TCEQ WELL LOGS	ROBERT VICKERS	TX	ENE	4.11 / 21,703.02	1699
			***Grid No** | **Owners Name:** 65-12-6N | ROBERT VICKERS*			
494	TCEQ WELL LOGS	BUSSELLS WATER WELL SERVICE	TX	ENE	4.12 / 21,730.14	1701
			***Grid No** | **Owners Name:** 65-12-9R | BUSSELLS WATER WELL SERVICE*			
495	GWDB	Reeves Service Station	TX	SSW	4.12 / 21,757.33	1703
			***State Well No** | **Owner Name:** 6520116 | Reeves Service Station*			
495	TCEQ WELL LOGS	BMT	TX	SSW	4.12 / 21,757.33	1704
			***Grid No** | **Owners Name:** 65-20-1P | BMT*			
496	TCEQ WELL LOGS	LISENBY CO, INC.	TX	ENE	4.13 / 21,819.86	1706

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No**	**Owners Name:** 65-20-2	LISENBY CO, INC.*	
497	TCEQ WELL LOGS	MABEL RICHARDSON	TX	SW	4.13 / 21,831.82	1709
			***Grid No**	**Owners Name:** 65-19-3S	MABEL RICHARDSON*	
498	TCEQ WELL LOGS	R.J. ST. GERMAIN	TX	ESE	4.14 / 21,862.99	1712
			***Grid No**	**Owners Name:** 65-12-9F	R.J. ST. GERMAIN*	
499	TCEQ WELL LOGS	DON WATUSEK	TX	ENE	4.14 / 21,879.00	1714
			***Grid No**	**Owners Name:** 65-13-4	DON WATUSEK*	
500	WW HARRIS GAL	CenterPoint Energy Houston Electric, LLC	TX	SSE	4.14 / 21,880.87	1716
			***Well ID:** 3168*			
501	TCEQ WELL LOGS	MIKE KINDRED - A.C. COMPAGNIA	TX	SSW	4.15 / 21,936.40	1717
			***Grid No**	**Owners Name:** 65-12-8J	MIKE KINDRED - A.C. COMPAGNIA*	
502	TCEQ WELL LOGS	MR. R. O. IRELAND	TX	S	4.16 / 21,953.45	1720
			***Grid No**	**Owners Name:** 65-20-2G	MR. R. O. IRELAND*	
502	WW HARRIS GAL	Earthworks, Inc.	TX	S	4.16 / 21,953.45	1722
			***Well ID:** 9490*			
502	SDRW WELLS	Brays Bayou Nursery	11830 High Star Houston TX 77072	S	4.16 / 21,953.45	1723
			***Track NO:** 36121*			
503	TCEQ WELL LOGS	GENE WELCH	TX	ENE	4.16 / 21,985.29	1724
			***Grid No**	**Owners Name:** 65-13-6M	GENE WELCH*	
504	TCEQ WELL LOGS	KEN EUQUA HOMES INC	TX	NW	4.17 / 22,033.32	1726
			***Grid No**	**Owners Name:** 65-11-3	KEN EUQUA HOMES INC*	
505	TCEQ WELL LOGS	MAGGIE PLUMB	TX	ESE	4.17 / 22,041.43	1729
			***Grid No**	**Owners Name:** 65-20-2C	MAGGIE PLUMB*	
506	TCEQ WELL LOGS	MR. GOEHRS	TX	ENE	4.18 / 22,058.12	1731
			***Grid No**	**Owners Name:** N/A	MR. GOEHRS*	
507	WW HARRIS GAL	Geaccone, Donald	TX	NE	4.19 / 22,111.82	1733
			***Well ID:** 11009*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
508	TCEQ WELL LOGS	SCHINDLER ENTERPRISES	TX	ENE	4.19 / 22,143.30	1734
			***Grid No*	*Owners Name:** *65-12-9*	*SCHINDLER ENTERPRISES*	
509	TCEQ WELL LOGS	MR. AIR	TX	S	4.20 / 22,162.24	1737
			***Grid No*	*Owners Name:** *65-20-5*	*MR. AIR*	
510	GWDB	Shell Development Company	TX	SW	4.21 / 22,219.78	1740
			***State Well No*	*Owner Name:** *6519306*	*Shell Development Company*	
510	GWDB	Shell Development Co. Westhollow Research	TX	SW	4.21 / 22,219.78	1741
			***State Well No*	*Owner Name:** *6519307*	*Shell Development Co. Westhollow Research*	
510	GWDB	Shell Development Co. Westhollow Research	TX	SW	4.21 / 22,219.78	1742
			***State Well No*	*Owner Name:** *6519308*	*Shell Development Co. Westhollow Research*	
510	TCEQ WELL LOGS	SHELL OIL COMPANY WELL #3	TX	SW	4.21 / 22,219.78	1743
			***Grid No*	*Owners Name:** *65-19-3K*	*SHELL OIL COMPANY WELL #3*	
510	TCEQ WELL LOGS	CHARLIE WILLIAMS	TX	SW	4.21 / 22,219.78	1745
			***Grid No*	*Owners Name:** *65-19-3F*	*CHARLIE WILLIAMS*	
510	TCEQ WELL LOGS	SHELL OIL COMPANY WELL #2	TX	SW	4.21 / 22,219.78	1747
			***Grid No*	*Owners Name:** *65-19-3K*	*SHELL OIL COMPANY WELL #2*	
510	WW HARRIS GAL	Shell Chem. LP	TX	SW	4.21 / 22,219.78	1749
			***Well ID:** 2133*			
510	WW HARRIS GAL	Shell Chem. LP	TX	SW	4.21 / 22,219.78	1750
			***Well ID:** 2132*			
511	TCEQ WELL LOGS	A.A. ATZENHOFFER	TX	NNE	4.21 / 22,249.67	1751
			***Grid No*	*Owners Name:** *65-12-5J*	*A.A. ATZENHOFFER*	
512	GWDB	Braes U.D. #2	TX	SSW	4.22 / 22,264.60	1753
			***State Well No*	*Owner Name:** *6520123*	*Braes U.D. #2*	
512	GWDB	City of Houston Parkridge #2	TX	SSW	4.22 / 22,264.60	1754
			***State Well No*	*Owner Name:** *6520129*	*City of Houston Parkridge #2*	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
512	GWDB	Braes Utility District Well #2	TX	SSW	4.22 / 22,264.60	1755
			***State Well No	Owner Name:*** *6519608	Braes Utility District Well #2*			
512	WUD	CITY OF HOUSTON	TX	SSW	4.22 / 22,264.60	1756
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013RJ	ACTIVE*			
512	WUD	CITY OF HOUSTON	TX	SSW	4.22 / 22,264.60	1757
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013RI	ACTIVE*			
512	TCEQ WELL LOGS	BRAES UTILITY DISTRICT	TX	SSW	4.22 / 22,264.60	1758
			***Grid No	Owners Name:*** *65-19-6K	BRAES UTILITY DISTRICT*			
512	TCEQ WELL LOGS	BRAES UTIL DIST	TX	SSW	4.22 / 22,264.60	1764
			***Grid No	Owners Name:*** *65-20-1S	BRAES UTIL DIST*			
512	WW HARRIS GAL	Houston, City of	TX	SSW	4.22 / 22,264.60	1770
			Well ID: *3900*					
512	WW HARRIS GAL	Houston, City of	TX	SSW	4.22 / 22,264.60	1771
			Well ID: *2968*					
512	FED USGS	USGS-294106095370401	TX	SSW	4.22 / 22,264.60	1772
			Site No: *USGS-294106095370401*					
512	FED USGS	USGS-294306095371801	TX	SSW	4.22 / 22,264.60	1773
			Site No: *USGS-294306095371801*					
512	FED USGS	USGS-294306095371802	TX	SSW	4.22 / 22,264.60	1774
			Site No: *USGS-294306095371802*					
513	TCEQ WELL LOGS	MRS. COMISKEY	TX	ESE	4.22 / 22,274.74	1775
			***Grid No	Owners Name:*** *65-12-8P	MRS. COMISKEY*			
514	TCEQ WELL LOGS	MARVIN FRANK	TX	ESE	4.23 / 22,309.46	1777
			***Grid No	Owners Name:*** *65-20-3C	MARVIN FRANK*			
515	TCEQ WELL LOGS	HOWARD DYE	TX	ENE	4.23 / 22,324.57	1780
			***Grid No	Owners Name:*** *65-13-4U	HOWARD DYE*			
516	TCEQ WELL LOGS	SUPERIOR BLDG CO.	TX	SW	4.23 / 22,327.91	1783

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No	Owners Name:*** *65-19-3F	SUPERIOR BLDG CO.*		
516	WW HARRIS GAL	Shell Chem. LP	TX ***Well ID:*** *2134*	SW	4.23 / 22,327.91	1785
516	WW HARRIS GAL	SHELL OIL COMPANY	TX ***Well ID:*** *2870*	SW	4.23 / 22,327.91	1786
517	SDRW WELLS	Main Street RV Park, LP	10575 West Office Drive Houston TX ***Track NO:*** *45206*	SE	4.24 / 22,383.48	1787
518	TCEQ WELL LOGS	PACER BUILDING	TX ***Grid No	Owners Name:*** *65-12-5T	PACER BUILDING*	ENE	4.24 / 22,387.60	1788
519	GWDB	City of Houston	TX ***State Well No	Owner Name:*** *6512519	City of Houston*	NNE	4.25 / 22,414.68	1791
519	WUD	CITY OF HOUSTON	TX ***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013AG	ACTIVE*	NNE	4.25 / 22,414.68	1792
519	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *3373*	NNE	4.25 / 22,414.68	1793
519	FED USGS	USGS-294952095342601	TX ***Site No:*** *USGS-294952095342601*	NNE	4.25 / 22,414.68	1794
520	WW HARRIS GAL	Strowmatt, Fritzi	TX ***Well ID:*** *9827*	N	4.25 / 22,416.41	1795
520	SDRW WELLS	Special Cheers	12570 Clay Rd. Houston TX 77041 ***Track NO:*** *42251*	N	4.25 / 22,416.41	1796
521	GWDB	City of Houston Alief Dist. 78	TX ***State Well No	Owner Name:*** *6520118	City of Houston Alief Dist. 78*	S	4.27 / 22,532.66	1797
521	WUD	CITY OF HOUSTON	TX ***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013EG	ACTIVE*	S	4.27 / 22,532.66	1798
521	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *1881*	S	4.27 / 22,532.66	1799

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
521	FED USGS	USGS-294237095351901	TX	S	4.27 / 22,532.66	1800
			Site No: *USGS-294237095351901*			
522	GWDB	Campbell Place	TX	ENE	4.27 / 22,555.65	1801
			State Well No **|** ***Owner Name:*** *6512907 | Campbell Place*			
523	TCEQ WELL LOGS	PAUL CLEVELAND	TX	ENE	4.28 / 22,587.29	1802
			Grid No **|** ***Owners Name:*** *65-12-6W | PAUL CLEVELAND*			
524	TCEQ WELL LOGS	ALIEF ISD	TX	SW	4.29 / 22,637.38	1805
			Grid No **|** ***Owners Name:*** *65-19-3 | ALIEF ISD*			
524	WW HARRIS GAL	Alief Independent School District	TX	SW	4.29 / 22,637.38	1807
			Well ID: *7518*			
525	TCEQ WELL LOGS	MARTY STETSON	TX	ENE	4.30 / 22,680.25	1808
			Grid No **|** ***Owners Name:*** *65-12-6Z | MARTY STETSON*			
526	TCEQ WELL LOGS	CRESTDALE TOWN HOMES	TX	ENE	4.30 / 22,720.70	1810
			Grid No **|** ***Owners Name:*** *65-12-5X | CRESTDALE TOWN HOMES*			
526	WW HARRIS GAL	Crestdale Townhome Assoc.	TX	ENE	4.30 / 22,720.70	1813
			Well ID: *5127*			
527	WW HARRIS GAL	UTOTEM DIV. OF FAIRMONT FOODS	TX	SSW	4.31 / 22,734.98	1814
			Well ID: *2062*			
528	WW HARRIS GAL	Piney Point Manor Water Co.	TX	E	4.31 / 22,742.48	1815
			Well ID: *1943*			
528	WW HARRIS GAL	Piney Point Manor Water Co.	TX	E	4.31 / 22,742.48	1816
			Well ID: *1942*			
529	TCEQ WELL LOGS	PUEJOL, MIKE	TX	ESE	4.31 / 22,746.35	1817
			Grid No **|** ***Owners Name:*** *65-20-3 | PUEJOL, MIKE*			
530	GWDB	City of Houston Long Point	TX	ENE	4.31 / 22,782.14	1819
			State Well No **|** ***Owner Name:*** *6512605 | City of Houston Long Point*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
530	WUD	CITY OF HOUSTON	TX	ENE	4.31 / 22,782.14	1820
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013NP	ACTIVE*			
531	GWDB	City of Houston TW-4	TX	SSW	4.32 / 22,785.94	1821
			***State Well No	Owner Name:*** *6520121	City of Houston TW-4*			
531	TCEQ WELL LOGS	WALKER-KURTH	TX	SSW	4.32 / 22,785.94	1822
			***Grid No	Owners Name:*** *65-20-1Q	WALKER-KURTH*			
532	TCEQ WELL LOGS	TEXACO	TX	E	4.32 / 22,814.67	1825
			***Grid No	Owners Name:*** *65-12-9H	TEXACO*			
533	SDRW WELLS	Ainsworth, Martha	#4 W Shady Lane Houston TX 77063	ESE	4.33 / 22,859.23	1828
			Track NO: *224663*			
534	GWDB	City of Houston Memorial West MUD	TX	W	4.33 / 22,859.81	1829
			***State Well No	Owner Name:*** *6511917	City of Houston Memorial West MUD*			
534	WUD	TEN PLAZA WEST	TX	W	4.33 / 22,859.81	1830
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	TEN PLAZA WEST	G1011997A	ACTIVE*			
534	WW HARRIS GAL	Waste Water Treatment, Inc.	TX	W	4.33 / 22,859.81	1831
			Well ID: *4875*			
534	TCEQ WELL LOGS	TEN PLAZA WEST BLDG	TX	W	4.33 / 22,859.81	1832
			***Grid No	Owners Name:*** *65-11-8E	TEN PLAZA WEST BLDG*			
535	GWDB	City of Houston Spring Woods	TX	ENE	4.34 / 22,931.96	1833
			***State Well No	Owner Name:*** *6512602	City of Houston Spring Woods*			
535	WUD	CITY OF HOUSTON	TX	ENE	4.34 / 22,931.96	1834
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013PT	ACTIVE*			
535	WUD	CITY OF HOUSTON	TX	ENE	4.34 / 22,931.96	1835
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013QA	ACTIVE*			
535	FED USGS	USGS-294821095320101	TX	ENE	4.34 / 22,931.96	1836
			Site No: *USGS-294821095320101*			
536	TCEQ WELL LOGS	THE RANDOLPH COMPANY	TX	ESE	4.35 / 22,957.41	1837

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No*	*Owners Name:** *65-20-3*	*THE RANDOLPH COMPANY*	
537	TCEQ WELL LOGS	ALIEF INDEPENDENT SCHOOL DIST	TX	SSE	4.35 / 22,967.87	1839
			***Grid No*	*Owners Name:** *65-20-5*	*ALIEF INDEPENDENT SCHOOL DIST*	
538	WW HARRIS GAL	HOUSTON LIGHTING & POWER COMPANY	TX	E	4.35 / 22,979.17	1841
			***Well ID:** *1189*			
539	TCEQ WELL LOGS	HOLLAND PLBG CO	TX	ENE	4.35 / 22,982.35	1842
			***Grid No*	*Owners Name:** *65-05-9FF*	*HOLLAND PLBG CO*	
540	GWDB	Village Health Care Center (Well #3)	TX	ENE	4.36 / 23,010.73	1844
			***State Well No*	*Owner Name:** *6512638*	*Village Health Care Center (Well #3)*	
540	GWDB	Village Health Care Center	TX	ENE	4.36 / 23,010.73	1845
			***State Well No*	*Owner Name:** *6512627*	*Village Health Care Center*	
540	TCEQ WELL LOGS	BLALOCK NURSING HOME	TX	ENE	4.36 / 23,010.73	1846
			***Grid No*	*Owners Name:** *65-12-6Z*	*BLALOCK NURSING HOME*	
540	TCEQ WELL LOGS	BLALOCK NURSING HOME	TX	ENE	4.36 / 23,010.73	1848
			***Grid No*	*Owners Name:** *65-12-5T*	*BLALOCK NURSING HOME*	
540	WW HARRIS GAL	Village Healthcare Center, The	TX	ENE	4.36 / 23,010.73	1850
			***Well ID:** *9987*			
540	WW HARRIS GAL	Mariner Healthcare	TX	ENE	4.36 / 23,010.73	1851
			***Well ID:** *4201*			
540	WW HARRIS GAL	Houston, City of	TX	ENE	4.36 / 23,010.73	1852
			***Well ID:** *3857*			
540	WW HARRIS GAL	ARA LIVING CENTERS	TX	ENE	4.36 / 23,010.73	1853
			***Well ID:** *4202*			
540	FED USGS	USGS-294758095312801	TX	ENE	4.36 / 23,010.73	1854
			***Site No:** *USGS-294758095312801*			
541	GWDB	F.W. Liestman	TX	SSW	4.36 / 23,020.98	1855

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No**	**Owner Name:** 6520111 | F.W. Liestman*		
541	FED USGS	USGS-294258095372501	TX ***Site No:** USGS-294258095372501*	SSW	4.36 / 23,020.98	1856
542	SDRW WELLS	Walter Rode	1725 Elmview Dr. Houston TX 77080 ***Track NO:** 25523*	ENE	4.36 / 23,042.50	1857
543	TCEQ WELL LOGS	BESSIE KOVAR	TX ***Grid No**	**Owners Name:** 65-19-3 | BESSIE KOVAR*	SW	4.37 / 23,053.44	1858
543	TCEQ WELL LOGS	JOE KENNEDY	TX ***Grid No**	**Owners Name:** 65-19-3 | JOE KENNEDY*	SW	4.37 / 23,053.44	1860
544	TCEQ WELL LOGS	CAROL CHIU	TX ***Grid No**	**Owners Name:** 65-12-9 | CAROL CHIU*	ESE	4.37 / 23,074.13	1862
544	TCEQ WELL LOGS	CAROL CHIU	TX ***Grid No**	**Owners Name:** 65-12-9 | CAROL CHIU*	ESE	4.37 / 23,074.13	1864
545	GWDB	Earl Miles	TX ***State Well No**	**Owner Name:** 6511901 | Earl Miles*	W	4.38 / 23,101.66	1866
545	GWDB	Earl Miles	TX ***State Well No**	**Owner Name:** 6511902 | Earl Miles*	W	4.38 / 23,101.66	1867
545	TCEQ WELL LOGS	BIG 6 DRILLING CO	TX ***Grid No**	**Owners Name:** 65-11-9AA | BIG 6 DRILLING CO*	W	4.38 / 23,101.66	1868
545	WW HARRIS GAL	MILES, EARL	TX ***Well ID:** 2308*	W	4.38 / 23,101.66	1871
545	FED USGS	USGS-294518095392901	TX ***Site No:** USGS-294518095392901*	W	4.38 / 23,101.66	1872
545	FED USGS	USGS-294518095393401	TX ***Site No:** USGS-294518095393401*	W	4.38 / 23,101.66	1873
546	GWDB	City of Houston	TX ***State Well No**	**Owner Name:** 6520224 | City of Houston*	SSE	4.38 / 23,114.53	1874

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
546	WUD	CITY OF HOUSTON	TX	SSE	4.38 / 23,114.53	1875
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013CT	ACTIVE*			
546	WW HARRIS GAL	Houston, City of	TX	SSE	4.38 / 23,114.53	1876
			Well ID: *1773*			
546	FED USGS	USGS-294237095342301	TX	SSE	4.38 / 23,114.53	1877
			Site No: *USGS-294237095342301*			
547	WUD	HOUSTON DURGA BARI SOCIETY	TX	SW	4.38 / 23,115.09	1878
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	HOUSTON DURGA BARI SOCIETY	G1013150A	ACTIVE*			
547	TCEQ WELL LOGS	HOUSTON DURGA-BARI SOCIETY	TX	SW	4.38 / 23,115.09	1879
			***Grid No	Owners Name:*** *65-19-3	HOUSTON DURGA-BARI SOCIETY*			
547	WW HARRIS GAL	Houston Durga Bari Society	TX	SW	4.38 / 23,115.09	1881
			Well ID: *8305*			
548	GWDB	R.E. Smith	TX	SE	4.39 / 23,171.15	1882
			***State Well No	Owner Name:*** *6520202	R.E. Smith*			
549	TCEQ WELL LOGS	GENE ZOCH	TX	ENE	4.39 / 23,194.21	1883
			***Grid No	Owners Name:*** *65-20-6	GENE ZOCH*			
549	TCEQ WELL LOGS	GENE ZOCH	TX	ENE	4.39 / 23,194.21	1885
			***Grid No	Owners Name:*** *65-12-6	GENE ZOCH*			
550	GWDB	Memorial Village	TX	E	4.40 / 23,233.84	1888
			***State Well No	Owner Name:*** *6512908	Memorial Village*			
550	GWDB	Memorial Village Water Authority	TX	E	4.40 / 23,233.84	1889
			***State Well No	Owner Name:*** *6513749	Memorial Village Water Authority*			
550	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.40 / 23,233.84	1890
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	MEMORIAL VILLAGES WATER AUTHORITY	G1010148D	ACTIVE*			
550	WW HARRIS GAL	Memorial Villages Water Authority	TX	E	4.40 / 23,233.84	1891
			Well ID: *1485*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
550	FED USGS	USGS-294641095295401	TX	E	4.40 / 23,233.84	1892
			Site No: *USGS-294641095295401*			
551	GWDB	Harris County Bear Creek Park	TX	NW	4.40 / 23,255.26	1893
			***State Well No	Owner Name:*** *6511603	Harris County Bear Creek Park*		
551	WUD	HARRIS COUNTY PCT 3 HOUSTON FARM &	TX	NW	4.40 / 23,255.26	1894
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	HARRIS COUNTY PCT 3 HOUSTON FARM &	G1011896A	ACTIVE*		
551	TCEQ WELL LOGS	HARRIS CO BEAR CREEK PARK	TX	NW	4.40 / 23,255.26	1895
			***Grid No	Owners Name:*** *65-11-6J	HARRIS CO BEAR CREEK PARK*		
551	WW HARRIS GAL	Harris County - Bear Creek Farm and Ranch (Pct 4)	TX	NW	4.40 / 23,255.26	1897
			Well ID: *3642*			
551	FED USGS	USGS-294914095382301	TX	NW	4.40 / 23,255.26	1898
			Site No: *USGS-294914095382301*			
552	TCEQ WELL LOGS	JOHNSON, ROY	TX	NNE	4.41 / 23,282.20	1899
			***Grid No	Owners Name:*** *65-12-5	JOHNSON, ROY*		
553	WUD	CITY OF HOUSTON	TX	W	4.42 / 23,345.80	1901
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013EM	ACTIVE*		
553	TCEQ WELL LOGS	CITY OF HOUSTON BELLAIRE WELL #3	TX	W	4.42 / 23,345.80	1902
			***Grid No	Owners Name:*** *65-19-3	CITY OF HOUSTON BELLAIRE WELL #3*		
553	TCEQ WELL LOGS	MEMORIAL WEST WATER UTIL DIST	TX	W	4.42 / 23,345.80	1907
			***Grid No	Owners Name:*** *65-11-9K	MEMORIAL WEST WATER UTIL DIST*		
553	WW HARRIS GAL	Houston, City of	TX	W	4.42 / 23,345.80	1913
			Well ID: *3811*			
553	FED USGS	USGS-294702095394001	TX	W	4.42 / 23,345.80	1914
			Site No: *USGS-294702095394001*			
554	TCEQ WELL LOGS	ROBERT VICKERS	TX	ENE	4.42 / 23,355.49	1915
			***Grid No	Owners Name:*** *65-12-5U	ROBERT VICKERS*		

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
555	TCEQ WELL LOGS	BETHEL LUTHERAN CHURCH	TX	SW	4.42 / 23,362.98	1917
			***Grid No** | **Owners Name:** 65-19-6H | BETHEL LUTHERAN CHURCH*			
555	WW HARRIS GAL	House on the Word	TX	SW	4.42 / 23,362.98	1920
			***Well ID:** 13888*			
555	WW HARRIS GAL	House On The Word	TX	SW	4.42 / 23,362.98	1921
			***Well ID:** 8647*			
555	SDRW WELLS	House of the Word	13950 Schiller Houston TX 77082	SW	4.42 / 23,362.98	1922
			***Track NO:** 481890*			
556	GWDB	Memorial Village	TX	E	4.43 / 23,388.03	1923
			***State Well No** | **Owner Name:** 6512930 | Memorial Village*			
556	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.43 / 23,388.03	1924
			***Operating Status** | **Utility Name** | **WTRSRC** | **System Status:** OPERATIONAL | MEMORIAL VILLAGES WATER AUTHORITY | G1010148C | ACTIVE*			
556	TCEQ WELL LOGS	M.W. WATER AUTHORITY/ MEMORIAL VILLAGE #6	TX	E	4.43 / 23,388.03	1925
			***Grid No** | **Owners Name:** 65-12-9Q | M.W. WATER AUTHORITY/ MEMORIAL VILLAGE #6*			
556	WW HARRIS GAL	MEMORIAL DRIVE COUNTRY CLUB	TX	E	4.43 / 23,388.03	1932
			***Well ID:** 3208*			
556	WW HARRIS GAL	Memorial Villages Water Authority	TX	E	4.43 / 23,388.03	1933
			***Well ID:** 3924*			
556	FED USGS	USGS-294548095310701	TX	E	4.43 / 23,388.03	1934
			***Site No:** USGS-294548095310701*			
557	TCEQ WELL LOGS	THOMAS CRIAG CONSTRUCTION, INC.	TX	ENE	4.43 / 23,391.60	1935
			***Grid No** | **Owners Name:** 65-13-4 | THOMAS CRIAG CONSTRUCTION, INC.*			
557	WW HARRIS GAL	RFallin Series, LLC	TX	ENE	4.43 / 23,391.60	1937
			***Well ID:** 8789*			
558	TCEQ WELL LOGS	DR MOOL NIGAN	TX	ESE	4.44 / 23,417.41	1938
			***Grid No** | **Owners Name:** 65-21-1 | DR MOOL NIGAN*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
559	WW HARRIS GAL	Metronational	TX **Well ID:** *8723*	NNE	4.44 / 23,424.14	1940
560	TCEQ WELL LOGS	HOUSTON PATIO	TX **Grid No | Owners Name:** *65-19-3BB | HOUSTON PATIO*	SW	4.45 / 23,473.78	1941
561	TCEQ WELL LOGS	WALKER, DAVID & KATHY	TX **Grid No | Owners Name:** *65-20-3 | WALKER, DAVID & KATHY*	ESE	4.45 / 23,495.86	1944
562	TCEQ WELL LOGS	JOHN MCMAHON	TX **Grid No | Owners Name:** *65-20-3 | JOHN MCMAHON*	ESE	4.45 / 23,496.17	1946
563	TCEQ WELL LOGS	AUTOTRONIC SYSTEM, INC.	TX **Grid No | Owners Name:** *65-13-7F | AUTOTRONIC SYSTEM, INC.*	ENE	4.46 / 23,528.88	1948
564	WW HARRIS GAL	Ace Electric Sign Co	TX **Well ID:** *9297*	SW	4.46 / 23,557.81	1951
564	SDRW WELLS	ACE SIGN COMPANY	14010 SCHILLER RD HOUSTON TX 77082 **Track NO:** *12787*	SW	4.46 / 23,557.81	1952
565	TCEQ WELL LOGS	CENTRAL BANK	TX **Grid No | Owners Name:** *65-12-5 | CENTRAL BANK*	NNE	4.46 / 23,573.72	1953
565	WW HARRIS GAL	Central Bank	TX **Well ID:** *8613*	NNE	4.46 / 23,573.72	1955
566	GWDB	City of Houston Bellaire - Dist 158	TX **State Well No | Owner Name:** *6520127 | City of Houston Bellaire - Dist 158*	SSW	4.47 / 23,604.83	1956
566	WUD	CITY OF HOUSTON	TX **Operating Status | Utility Name | WTRSRC | System Status:** *EMERGENCY | CITY OF HOUSTON | G1010013FK | ACTIVE*	SSW	4.47 / 23,604.83	1957
566	TCEQ WELL LOGS	CITY OF HOUSTON BELLAIRE #2	TX **Grid No | Owners Name:** *65-20-1G | CITY OF HOUSTON BELLAIRE #2*	SSW	4.47 / 23,604.83	1958
566	WW HARRIS GAL	Houston, City of	TX **Well ID:** *3612*	SSW	4.47 / 23,604.83	1961
566	FED USGS	USGS-294243095371201	TX	SSW	4.47 / 23,604.83	1962

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Site No: *USGS-294243095371201*			
567	TCEQ WELL LOGS	ALBERT CHEN	TX	E	4.47 / 23,611.77	1963
			Grid No | Owners Name: *65-12-7 | ALBERT CHEN*			
568	TCEQ WELL LOGS	F.O. GO	TX	S	4.47 / 23,617.03	1965
			Grid No | Owners Name: *65-20-4U | F.O. GO*			
569	TCEQ WELL LOGS	MR. CHARLIE SCHELLER	TX	SW	4.48 / 23,675.85	1968
			Grid No | Owners Name: *65-19-3D | MR. CHARLIE SCHELLER*			
570	TCEQ WELL LOGS	SAM MULLIN	TX	NE	4.48 / 23,676.16	1970
			Grid No | Owners Name: *65-12-5V | SAM MULLIN*			
571	TCEQ WELL LOGS	BARRY GALLOWAY	TX	ESE	4.49 / 23,707.42	1973
			Grid No | Owners Name: *65-20-3H | BARRY GALLOWAY*			
572	TCEQ WELL LOGS	TOM TANNOUS	TX	ENE	4.49 / 23,723.89	1975
			Grid No | Owners Name: *65-12-6 | TOM TANNOUS*			
573	TCEQ WELL LOGS	MIKE BAKER	TX	ESE	4.50 / 23,734.23	1977
			Grid No | Owners Name: *65-20-3 | MIKE BAKER*			
573	WW HARRIS GAL	West Car Wash Ltd.	TX	ESE	4.50 / 23,734.23	1980
			Well ID: *7925*			
574	TCEQ WELL LOGS	AMTEX MACHINE PRODUCTS	TX	NNE	4.50 / 23,765.61	1981
			Grid No | Owners Name: *65-12-5 | AMTEX MACHINE PRODUCTS*			
574	WW HARRIS GAL	Amtex Machine Products	TX	NNE	4.50 / 23,765.61	1983
			Well ID: *6532*			
575	TCEQ WELL LOGS	SOUTHERN UNITED DEVELOPMENT	TX	NW	4.51 / 23,820.40	1984
			Grid No | Owners Name: *65-11-6 | SOUTHERN UNITED DEVELOPMENT*			
576	TCEQ WELL LOGS	W. HOUSTON VALVE & FTGS	TX	SW	4.52 / 23,844.91	1987
			Grid No | Owners Name: *65-20-1 | W. HOUSTON VALVE & FTGS*			
576	WW HARRIS GAL	Le, Viet	TX	SW	4.52 / 23,844.91	1990
			Well ID: *7278*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
577	TCEQ WELL LOGS	ALIEF INDEPENDENT SCHOOL DISTRICT	TX	SSW	4.53 / 23,924.37	1991
			***Grid No	Owners Name:*** *65-20-4P	ALIEF INDEPENDENT SCHOOL DISTRICT*	
578	GWDB	Harris County Bear Creek Park	TX	NNW	4.53 / 23,934.22	1994
			***State Well No	Owner Name:*** *6511601	Harris County Bear Creek Park*	
578	WUD	HARRIS COUNTY PCT 3 BEAR CREEK PIO	TX	NNW	4.53 / 23,934.22	1995
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	HARRIS COUNTY PCT 3 BEAR CREEK PIONEERS	G1011015A	ACTIVE*		
578	TCEQ WELL LOGS	HARRIS COUNTY	TX	NNW	4.53 / 23,934.22	1996
			***Grid No	Owners Name:*** *65-11-3	HARRIS COUNTY*		
578	TCEQ WELL LOGS	BEAR CREEK PARK C/O T &C	TX	NNW	4.53 / 23,934.22	1998
			***Grid No	Owners Name:*** *65-11-6	BEAR CREEK PARK C/O T &C*		
578	WW HARRIS GAL	Harris County	TX	NNW	4.53 / 23,934.22	2002
			Well ID: *2543*			
578	FED USGS	USGS-294948095373501	TX	NNW	4.53 / 23,934.22	2003
			Site No: *USGS-294948095373501*			
579	TCEQ WELL LOGS	JOHN GEELAN	TX	N	4.54 / 23,968.20	2004
			***Grid No	Owners Name:*** *65-12-1AA	JOHN GEELAN*		
580	TCEQ WELL LOGS	HILMERS HOTHOUSE FARMS INC.	TX	NNE	4.54 / 23,974.37	2007
			***Grid No	Owners Name:*** *65-12-2C	HILMERS HOTHOUSE FARMS INC.*		
580	WW HARRIS GAL	Site One Landscape Supply	TX	NNE	4.54 / 23,974.37	2010
			Well ID: *10996*			
580	SDRW WELLS	John Deere Landscape	4519 Brittmoore Rd. Houston TX 77041	NNE	4.54 / 23,974.37	2011
			Track NO: *163323*			
580	WW HARRIS GAL	Site One Landscape Supply	TX	NNE	4.54 / 23,974.37	2012
			Well ID: *16685*			
581	WW HARRIS GAL	Gabrisch, Mark	TX	E	4.54 / 23,979.21	2013
			Well ID: *13608*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
582	GWDB	City of Houston Westchase - Dist.52	TX	SE	4.54 / 23,987.20	2014
		***State Well No	Owner Name:*** *6520310	City of Houston Westchase - Dist.52*		
582	WUD	CITY OF HOUSTON	TX	SE	4.54 / 23,987.20	2015
		***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013QH	ACTIVE*		
583	TCEQ WELL LOGS	MR. HACK RAGSDILL	TX	ENE	4.55 / 23,998.26	2016
		***Grid No	Owners Name:*** *N/A	MR. HACK RAGSDILL*		
584	TCEQ WELL LOGS	ROSEWOOD GENERAL HOSPITAL	TX	ESE	4.55 / 24,001.09	2019
		***Grid No	Owners Name:*** *65-19-3H	ROSEWOOD GENERAL HOSPITAL*		
584	TCEQ WELL LOGS	ROSEWOOD HOSPITAL	TX	ESE	4.55 / 24,001.09	2021
		***Grid No	Owners Name:*** *65-20-2	ROSEWOOD HOSPITAL*		
584	WW HARRIS GAL	ROSEWOOD MEDICAL CENTER	TX	ESE	4.55 / 24,001.09	2023
		Well ID: *7685*				
585	WW HARRIS GAL	BENNETT ESTATE, JAMES T.	TX	SW	4.55 / 24,004.67	2024
		Well ID: *3253*				
585	WW HARRIS GAL	BENNETT ESTATE, JAMES T.	TX	SW	4.55 / 24,004.67	2025
		Well ID: *3254*				
586	GWDB	City of Houston Windswept	TX	SE	4.55 / 24,019.78	2026
		***State Well No	Owner Name:*** *6520322	City of Houston Windswept*		
586	WUD	CITY OF HOUSTON	TX	SE	4.55 / 24,019.78	2027
		***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013IV	ACTIVE*		
586	WW HARRIS GAL	Houston, City of	TX	SE	4.55 / 24,019.78	2028
		Well ID: *2625*				
586	FED USGS	USGS-294326095321001	TX	SE	4.55 / 24,019.78	2029
		Site No: *USGS-294326095321001*				
587	SDRW WELLS	Ben Saoula	9230 Elizabeth Houston TX 77055	ENE	4.55 / 24,032.92	2030
		Track NO: *53517*				

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
588	TCEQ WELL LOGS	TIDE AIR CO.	TX	NNE	4.55 / 24,048.94	2031
			***Grid No**	**Owners Name:** 65-12-2C | TIDE AIR CO.*		
589	SDRW WELLS	Joe Glass	9221 Elizabeth Rd. Houston TX 77055	ENE	4.56 / 24,057.94	2035
			***Track NO:** 72952*			
590	SDRW WELLS	Dennis Williams	1748 Oak Tree Houston TX 77080	ENE	4.57 / 24,103.73	2036
			***Track NO:** 108516*			
591	GWDB	Joe Schiller	TX	SW	4.58 / 24,180.86	2037
			***State Well No**	**Owner Name:** 6519302 | Joe Schiller*		
592	TCEQ WELL LOGS	METRO NATIONAL CORP.	TX	NE	4.59 / 24,242.48	2038
			***Grid No**	**Owners Name:** 65-12-5 | METRO NATIONAL CORP.*		
593	TCEQ WELL LOGS	NED DAVENPORT	TX	ENE	4.59 / 24,243.96	2042
			***Grid No**	**Owners Name:** 65-12-6 | NED DAVENPORT*		
594	TCEQ WELL LOGS	KATY LANE WESTCAN	TX	SSE	4.59 / 24,252.35	2046
			***Grid No**	**Owners Name:** 65-20-2F | KATY LANE WESTCAN*		
595	TCEQ WELL LOGS	IRONWOOD APTS	TX	ESE	4.61 / 24,348.49	2048
			***Grid No**	**Owners Name:** 65-20-3 | IRONWOOD APTS*		
595	WW HARRIS GAL	Marquis on Westheimer / CWS Apartment Homes, LLC	TX	ESE	4.61 / 24,348.49	2050
			***Well ID:** 7184*			
596	TCEQ WELL LOGS	PETRUS OPERATING	TX	N	4.62 / 24,374.60	2051
			***Grid No**	**Owners Name:** 65-12-1AA | PETRUS OPERATING*		
596	TCEQ WELL LOGS	BSE DRILLING COMPANY	TX	N	4.62 / 24,374.60	2054
			***Grid No**	**Owners Name:** 65-12-1JJ | BSE DRILLING COMPANY*		
597	WW HARRIS GAL	SIGMOR CORPORATION	TX	S	4.62 / 24,391.57	2057
			***Well ID:** 3242*			
598	TCEQ WELL LOGS	JOE J. SEBESTA	TX	SW	4.64 / 24,484.30	2058
			***Grid No**	**Owners Name:** N/A | JOE J. SEBESTA*		

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
599	WW HARRIS GAL	Harris County - Congressman Bill Archer Park	TX	NW	4.64 / 24,509.53	2060
			Well ID: *10419*			
599	SDRW WELLS	Harris County Bill Archer Park	3201 Hwy 6 @ Bear Creek Houston TX 77082	NW	4.64 / 24,509.53	2061
			Track NO: *217480*			
600	TCEQ WELL LOGS	TEXAS PIPE THREADERS	TX	NNE	4.65 / 24,538.39	2062
			Grid No **|** ***Owners Name:*** *65-12-2FF* | *TEXAS PIPE THREADERS*			
600	WW HARRIS GAL	KWK Houston Properties LLC	TX	NNE	4.65 / 24,538.39	2065
			Well ID: *14478*			
601	TCEQ WELL LOGS	FLORIDA EXPLORATION	TX	NNW	4.65 / 24,540.54	2066
			Grid No **|** ***Owners Name:*** *65-12-1Z* | *FLORIDA EXPLORATION*			
602	WW HARRIS GAL	Y.M.C.A. of Greater Houston	TX	NNE	4.66 / 24,607.80	2069
			Well ID: *9705*			
602	SDRW WELLS	YMCA	10665 Clay Road Houston TX	NNE	4.66 / 24,607.80	2070
			Track NO: *170605*			
603	TCEQ WELL LOGS	GRIMES GRASS CO	TX	SW	4.66 / 24,609.07	2071
			Grid No **|** ***Owners Name:*** *65-19-3S* | *GRIMES GRASS CO*			
604	GWDB	City of Spring Valley Bonnie Oaks	TX	ENE	4.68 / 24,692.24	2074
			State Well No **|** ***Owner Name:*** *6512911* | *City of Spring Valley Bonnie Oaks*			
604	GWDB	City of Spring Valley Bonnie Oaks	TX	ENE	4.68 / 24,692.24	2075
			State Well No **|** ***Owner Name:*** *6512906* | *City of Spring Valley Bonnie Oaks*			
604	WUD	CITY OF SPRING VALLEY VILLAGE	TX	ENE	4.68 / 24,692.24	2076
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *OPERATIONAL* | *CITY OF SPRING VALLEY VILLAGE* | *G1010214B* | *ACTIVE*			
604	WUD	CITY OF SPRING VALLEY VILLAGE	TX	ENE	4.68 / 24,692.24	2077
			Operating Status **|** ***Utility Name*** **|** ***WTRSRC*** **|** ***System Status:*** *PLUGGED* | *CITY OF SPRING VALLEY VILLAGE* | *G1010214A* | *ACTIVE*			
604	TCEQ WELL LOGS	CITY OF SPRING VALLEY	TX	ENE	4.68 / 24,692.24	2078
			Grid No **|** ***Owners Name:*** *65-12-6Y* | *CITY OF SPRING VALLEY*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
604	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *3304*	ENE	4.68 / 24,692.24	2081
604	WW HARRIS GAL	SPRING VALLEY, CITY OF	TX ***Well ID:*** *2052*	ENE	4.68 / 24,692.24	2082
604	WW HARRIS GAL	SPRING VALLEY, CITY OF	TX ***Well ID:*** *2053*	ENE	4.68 / 24,692.24	2083
604	WW HARRIS GAL	SPRING VALLEY, CITY OF	TX ***Well ID:*** *2051*	ENE	4.68 / 24,692.24	2084
604	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *13880*	ENE	4.68 / 24,692.24	2085
604	SDRW WELLS	Spring Valley Village	1025 Campbell Rd Houston TX 77055 ***Track NO:*** *532258*	ENE	4.68 / 24,692.24	2086
605	TCEQ WELL LOGS	JIM SCHWABENLAND	TX ***Grid No*** **|** ***Owners Name:*** *65-13-4* | *JIM SCHWABENLAND*	ENE	4.68 / 24,693.08	2087
606	TCEQ WELL LOGS	MR. CHARLES GRAHAM	TX ***Grid No*** **|** ***Owners Name:*** *65-12-9* | *MR. CHARLES GRAHAM*	ENE	4.69 / 24,749.34	2089
607	TCEQ WELL LOGS	DAIVD GRIFFS	TX ***Grid No*** **|** ***Owners Name:*** *65-19-3* | *DAIVD GRIFFS*	SW	4.70 / 24,795.38	2091
607	WW HARRIS GAL	QRV HWY 6, LLC	TX ***Well ID:*** *13748*	SW	4.70 / 24,795.38	2093
607	SDRW WELLS	Schiller Road RV	14350 Schiller Road Houston TX 77082 ***Track NO:*** *473418*	SW	4.70 / 24,795.38	2094
608	TCEQ WELL LOGS	DAVID C. WILLIAMS	TX ***Grid No*** **|** ***Owners Name:*** *65-11-6J* | *DAVID C. WILLIAMS*	NW	4.70 / 24,818.75	2095
609	GWDB	City of Houston West Houston MUD # 1	TX ***State Well No*** **|** ***Owner Name:*** *6519317* | *City of Houston West Houston MUD # 1*	WSW	4.71 / 24,854.98	2097
609	WUD	CITY OF HOUSTON	TX	WSW	4.71 / 24,854.98	2098

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Operating Status** | **Utility Name** | **WTRSRC** | **System Status:** OPERATIONAL | CITY OF HOUSTON | G1010013FH | ACTIVE*			
609	TCEQ WELL LOGS	WEST HOUSTON MUD	TX	WSW	4.71 / 24,854.98	2099
			***Grid No** | **Owners Name:** 65-19-3B | WEST HOUSTON MUD*			
609	TCEQ WELL LOGS	WEST HOUSTON MUD	TX	WSW	4.71 / 24,854.98	2105
			***Grid No** | **Owners Name:** 65-19-3W | WEST HOUSTON MUD*			
609	WW HARRIS GAL	Houston, City of	TX	WSW	4.71 / 24,854.98	2120
			***Well ID:** 3571*			
609	FED USGS	USGS-294356095391501	TX	WSW	4.71 / 24,854.98	2121
			***Site No:** USGS-294356095391501*			
610	WW HARRIS GAL	Grace Community Church	TX	E	4.71 / 24,857.00	2122
			***Well ID:** 2493*			
611	TCEQ WELL LOGS	BIG BEND APARTMENTS	TX	ENE	4.71 / 24,893.36	2123
			***Grid No** | **Owners Name:** 65-12-6J | BIG BEND APARTMENTS*			
611	TCEQ WELL LOGS	BIG BEND APARTMENTS	TX	ENE	4.71 / 24,893.36	2126
			***Grid No** | **Owners Name:** 65-13-6E | BIG BEND APARTMENTS*			
612	TCEQ WELL LOGS	L.L. WAITE	TX	S	4.73 / 24,956.85	2128
			***Grid No** | **Owners Name:** N/A | L.L. WAITE*			
613	GWDB	Owens	TX	SSE	4.73 / 24,967.09	2130
			***State Well No** | **Owner Name:** 6520503 | Owens*			
614	WW HARRIS GAL	HOLMES, W. K.	TX	ENE	4.73 / 24,990.26	2131
			***Well ID:** 2492*			
614	WW HARRIS GAL	HOLMES, W. K.	TX	ENE	4.73 / 24,990.26	2132
			***Well ID:** 2491*			
615	TCEQ WELL LOGS	F.W. RELSHAUSEN	TX	S	4.74 / 25,006.40	2133
			***Grid No** | **Owners Name:** 65-20-4E | F.W. RELSHAUSEN*			
616	GWDB	Harris Co., Bear Creek Golf Course	TX	NW	4.74 / 25,006.72	2135
			***State Well No** | **Owner Name:** 6511602 | Harris Co., Bear Creek Golf Course*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
616	TCEQ WELL LOGS	LAKESIDE AIRPORT	TX	NW	4.74 / 25,006.72	2136
			***Grid No**	**Owners Name:** 65-11-6T | LAKESIDE AIRPORT*		
616	TCEQ WELL LOGS	BEAR CREEK GOLF WORLD	TX	NW	4.74 / 25,006.72	2139
			***Grid No**	**Owners Name:** 65-12-4 | BEAR CREEK GOLF WORLD*		
616	WW HARRIS GAL	Harris County	TX	NW	4.74 / 25,006.72	2141
			***Well ID:** 5385*			
616	WW HARRIS GAL	Harris County	TX	NW	4.74 / 25,006.72	2142
			***Well ID:** 2352*			
616	WW HARRIS GAL	Beat Creek Golf World	TX	NW	4.74 / 25,006.72	2143
			***Well ID:** 2353*			
616	WW HARRIS GAL	Beat Creek Golf World	TX	NW	4.74 / 25,006.72	2144
			***Well ID:** 4542*			
616	WW HARRIS GAL	Harris County	TX	NW	4.74 / 25,006.72	2145
			***Well ID:** 2647*			
617	WW HARRIS GAL	Vargos on the Lake	TX	ESE	4.76 / 25,133.91	2146
			***Well ID:** 14996*			
617	TCEQ WELL LOGS	VARGOS RESTEURANT	TX	ESE	4.76 / 25,133.91	2147
			***Grid No**	**Owners Name:** 65-12-9P | VARGOS RESTEURANT*		
617	TCEQ WELL LOGS	VARGO'S	TX	ESE	4.76 / 25,133.91	2149
			***Grid No**	**Owners Name:** 65-20-3 | VARGO'S*		
618	TCEQ WELL LOGS	BARBARA F APPELT	TX	ENE	4.76 / 25,139.46	2151
			***Grid No**	**Owners Name:** 65-12-6 | BARBARA F APPELT*		
619	TCEQ WELL LOGS	RITA ARN	TX	ENE	4.76 / 25,155.40	2153
			***Grid No**	**Owners Name:** 65-12-6 | RITA ARN*		
620	TCEQ WELL LOGS	CONTINENTAL CONSTRUCTORS	TX	NNE	4.77 / 25,175.87	2155
			***Grid No**	**Owners Name:** 65-12-2D | CONTINENTAL CONSTRUCTORS*		
621	TCEQ WELL LOGS	W.A. SCHEAFER	TX	NNE	4.77 / 25,189.31	2158

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No**	**Owners Name:** N/A	W.A. SCHEAFER*	
622	GWDB	Quillian Memorial Center	TX	S	4.77 / 25,205.81	2160
			***State Well No**	**Owner Name:** 6520401	Quillian Memorial Center*	
622	WW HARRIS GAL	QUILLIAN CENTER	TX	S	4.77 / 25,205.81	2161
			***Well ID:** 2234*			
623	TCEQ WELL LOGS	LANDOR CORPORATION	TX	NNW	4.77 / 25,210.68	2162
			***Grid No**	**Owners Name:** 65-12-1	LANDOR CORPORATION*	
624	TCEQ WELL LOGS	ELISE COWAN	TX	ENE	4.78 / 25,244.27	2166
			***Grid No**	**Owners Name:** 65-12-5	ELISE COWAN*	
625	TCEQ WELL LOGS	H.B. ZACHRY	TX	NW	4.78 / 25,254.03	2168
			***Grid No**	**Owners Name:** 65-11-6	H.B. ZACHRY*	
626	WW HARRIS GAL	Griffis, David L.	TX	SW	4.78 / 25,256.71	2171
			***Well ID:** 6008*			
627	GWDB	Houston Golf Academy	TX	SW	4.78 / 25,263.70	2172
			***State Well No**	**Owner Name:** 6519313	Houston Golf Academy*	
627	TCEQ WELL LOGS	ARYA SAMAJ GREATER HOUSTON	TX	SW	4.78 / 25,263.70	2173
			***Grid No**	**Owners Name:** 65-19-3	ARYA SAMAJ GREATER HOUSTON*	
627	WW HARRIS GAL	Arya Samaj- Greater Houston	TX	SW	4.78 / 25,263.70	2175
			***Well ID:** 5985*			
628	GWDB	L. G. Gaines	TX	E	4.79 / 25,283.38	2176
			***State Well No**	**Owner Name:** 6512909	L. G. Gaines*	
629	GWDB	Ada Oil Co.	TX	SSE	4.79 / 25,313.16	2177
			***State Well No**	**Owner Name:** 6520510	Ada Oil Co.*	
629	TCEQ WELL LOGS	ADA OIL COMPANY	TX	SSE	4.79 / 25,313.16	2178
			***Grid No**	**Owners Name:** 65-20-5B	ADA OIL COMPANY*	
629	WW HARRIS GAL	ADA RESOURCES, INC.	TX	SSE	4.79 / 25,313.16	2181
			***Well ID:** 2711*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
630	TCEQ WELL LOGS	JOE REEVES	TX	E	4.80 / 25,336.91	2182
			Grid No* | *Owners Name: *65-12-9 | JOE REEVES*			
631	WW HARRIS GAL	H & J UTILITY SERVICES	TX	ENE	4.80 / 25,345.33	2184
			Well ID: *3144*			
631	WW HARRIS GAL	H & J UTILITY SERVICES	TX	ENE	4.80 / 25,345.33	2185
			Well ID: *1841*			
632	GWDB	Atlantic Richfield Co.	TX	ESE	4.81 / 25,378.32	2186
			State Well No* | *Owner Name: *6520317 | Atlantic Richfield Co.*			
633	TCEQ WELL LOGS	JAMES GRIGGS	TX	ENE	4.81 / 25,380.26	2187
			Grid No* | *Owners Name: *65-12-6 | JAMES GRIGGS*			
633	TCEQ WELL LOGS	JAMES GRIGGS	TX	ENE	4.81 / 25,380.26	2189
			Grid No* | *Owners Name: *65-12-6 | JAMES GRIGGS*			
634	TCEQ WELL LOGS	FRANCINE T. TISDALE	TX	ENE	4.81 / 25,400.06	2191
			Grid No* | *Owners Name: *65-12-16 | FRANCINE T. TISDALE*			
635	WW HARRIS GAL	Metro-National - Goals Soccer	TX	NE	4.81 / 25,401.94	2193
			Well ID: *8931*			
636	GWDB	USGS	TX	NE	4.81 / 25,406.88	2194
			State Well No* | *Owner Name: *6512636 | USGS*			
636	FED USGS	USGS-294919095320501	TX	NE	4.81 / 25,406.88	2195
			Site No: *USGS-294919095320501*			
637	TCEQ WELL LOGS	SEABOARD COMPANIES	TX	NNE	4.81 / 25,420.18	2196
			Grid No* | *Owners Name: *65-12-4C | SEABOARD COMPANIES*			
638	GWDB	City of Houston Park Ten Central #1	TX	WNW	4.82 / 25,424.17	2199
			State Well No* | *Owner Name: *6511803 | City of Houston Park Ten Central #1*			
638	WUD	CITY OF HOUSTON	TX	WNW	4.82 / 25,424.17	2200
			Operating Status* | *Utility Name* | *WTRSRC* | *System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SJ | ACTIVE*			
638	FED USGS	USGS-294712095401301	TX	WNW	4.82 / 25,424.17	2201

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Site No: *USGS-294712095401301*			
639	TCEQ WELL LOGS	MIKE JOHNSON	TX	NNE	4.82 / 25,427.69	2202
			Grid No | Owners Name: *65-12-2 | MIKE JOHNSON*			
640	TCEQ WELL LOGS	CLARENCE H. COOK	TX	ENE	4.82 / 25,429.88	2205
			Grid No | Owners Name: *65-13-4 | CLARENCE H. COOK*			
640	SDRW WELLS	Clarence H. Cook	9421 Campbell Road Houston TX 77080	ENE	4.82 / 25,429.88	2207
			Track NO: *31000*			
641	TCEQ WELL LOGS	STONE MOUNTAIN PROPERTIES	TX	SE	4.82 / 25,449.20	2208
			Grid No | Owners Name: *65-20-6 | STONE MOUNTAIN PROPERTIES*			
641	WW HARRIS GAL	Stone Mountain Properties	TX	SE	4.82 / 25,449.20	2210
			Well ID: *8989*			
641	WW HARRIS GAL	Stone Mountain Properties	TX	SE	4.82 / 25,449.20	2211
			Well ID: *8987*			
642	WUD	CITY OF HOUSTON	TX	WNW	4.82 / 25,455.10	2212
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SL | ACTIVE*			
642	WW HARRIS GAL	Houston, City of	TX	WNW	4.82 / 25,455.10	2213
			Well ID: *3303*			
642	FED USGS	USGS-294723095382601	TX	WNW	4.82 / 25,455.10	2214
			Site No: *USGS-294723095382601*			
643	TCEQ WELL LOGS	ALIEF YOUTH ASSOCIATION	TX	S	4.82 / 25,459.52	2215
			Grid No | Owners Name: *65-20-4M | ALIEF YOUTH ASSOCIATION*			
644	TCEQ WELL LOGS	WILLIAM L. BUTCHER, JR	TX	ENE	4.83 / 25,506.13	2218
			Grid No | Owners Name: *65-12-6 | WILLIAM L. BUTCHER, JR*			
645	GWDB	Humble Oil & Refining Co.	TX	ESE	4.83 / 25,516.71	2220
			State Well No | Owner Name: *6520314 | Humble Oil & Refining Co.*			
645	TCEQ WELL LOGS	HUMBLE OIL CO STATION	TX	ESE	4.83 / 25,516.71	2221
			Grid No | Owners Name: *65-20-3A | HUMBLE OIL CO STATION*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
646	TCEQ WELL LOGS	JOHNNY MONTALBANO	TX	ESE	4.83 / 25,519.23	2223
			***Grid No	Owners Name:*** *65-13-7	JOHNNY MONTALBANO*	
647	WW HARRIS GAL	ADA RESOURCES, INC.	TX	ENE	4.83 / 25,519.68	2226
			Well ID: *2716*			
648	GWDB	West Harris Co. MUD 4	TX	SW	4.83 / 25,521.14	2227
			***State Well No	Owner Name:*** *6519318	West Harris Co. MUD 4*	
648	GWDB	West Houston MUD City of Houston	TX	SW	4.83 / 25,521.14	2228
			***State Well No	Owner Name:*** *6519319	West Houston MUD City of Houston*	
648	WUD	CITY OF HOUSTON	TX	SW	4.83 / 25,521.14	2229
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013FI	ACTIVE*	
648	WW HARRIS GAL	Houston, City of	TX	SW	4.83 / 25,521.14	2230
			Well ID: *3673*			
648	FED USGS	USGS-294352095385501	TX	SW	4.83 / 25,521.14	2231
			Site No: *USGS-294352095385501*			
649	GWDB	City of Houston, Park Ten Place	TX	WNW	4.86 / 25,643.35	2232
			***State Well No	Owner Name:*** *6511809	City of Houston, Park Ten Place*	
649	WUD	CITY OF HOUSTON	TX	WNW	4.86 / 25,643.35	2233
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013TH	ACTIVE*	
649	WW HARRIS GAL	Houston, City of	TX	WNW	4.86 / 25,643.35	2234
			Well ID: *12904*			
649	SDRW WELLS	CITY OF HOUSTON	1300 LANGHAM CREEK DR HOUSTON TX 77084	WNW	4.86 / 25,643.35	2235
			Track NO: *394203*			
649	FED USGS	USGS-294716095401201	TX	WNW	4.86 / 25,643.35	2236
			Site No: *USGS-294716095401201*			
650	SDRW WELLS	Vlaimir Asinousky	14355 Schiller Houston TX 77082	SW	4.86 / 25,676.21	2237
			Track NO: *145575*			
651	GWDB	Memorial Country Club	TX	E	4.86 / 25,677.25	2238

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***State Well No	Owner Name:*** *6512910	Memorial Country Club*			
651	GWDB	Memorial Villages Water Authority#5	TX	E	4.86 / 25,677.25	2239
			***State Well No	Owner Name:*** *6512939	Memorial Villages Water Authority#5*			
651	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.86 / 25,677.25	2240
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	MEMORIAL VILLAGES WATER AUTHORITY	G1010148E	ACTIVE*			
651	TCEQ WELL LOGS	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.86 / 25,677.25	2241
			***Grid No	Owners Name:*** *65-12-9F	MEMORIAL VILLAGES WATER AUTHORITY*			
651	WW HARRIS GAL	Memorial Villages Water Authority	TX	E	4.86 / 25,677.25	2245
			Well ID: *3599*			
651	FED USGS	USGS-294557095303701	TX	E	4.86 / 25,677.25	2246
			Site No: *USGS-294557095303701*			
652	SDRW WELLS	Mark & Courtney Toon	16 Lacewood Ln Houston TX 77024	E	4.87 / 25,714.99	2247
			Track NO: *190060*			
653	TCEQ WELL LOGS	SINCLAIR REFINING CO	TX	ESE	4.87 / 25,718.66	2248
			***Grid No	Owners Name:*** *65-20-3G	SINCLAIR REFINING CO*			
654	GWDB	R.E. Smith	TX	SE	4.89 / 25,802.47	2250
			***State Well No	Owner Name:*** *6520305	R.E. Smith*			
655	SDRW WELLS	Andy Cao	2319 Campbell Rd. Houston TX 77080	ENE	4.89 / 25,811.57	2251
			Track NO: *28784*			
656	GWDB	Gibbs Meador	TX	ESE	4.89 / 25,813.62	2252
			***State Well No	Owner Name:*** *6512925	Gibbs Meador*			
657	WW HARRIS GAL	Tavakoli, Fred	TX	ESE	4.89 / 25,836.90	2253
			Well ID: *16829*			
658	TCEQ WELL LOGS	RUSSELL LANDSCAPE CO	TX	SE	4.90 / 25,858.02	2254
			***Grid No	Owners Name:*** *65-20-6	RUSSELL LANDSCAPE CO*			
658	TCEQ WELL LOGS	RUSSELL'S NURSERY	TX	SE	4.90 / 25,858.02	2257


Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No	Owners Name:*** *65-20-3M	RUSSELL'S NURSERY*		
659	TCEQ WELL LOGS	FULTON PRODUCTS	TX	W	4.90 / 25,897.18	2259
			***Grid No	Owners Name:*** *65-11-9	FULTON PRODUCTS*		
659	WW HARRIS GAL	Haas, Jeff	TX	W	4.90 / 25,897.18	2262
			Well ID: *8877*			
660	TCEQ WELL LOGS	TERRY HARTMAN	TX	ENE	4.92 / 25,962.15	2263
			***Grid No	Owners Name:*** *65-12-6	TERRY HARTMAN*		
661	TCEQ WELL LOGS	WAYNE LIEBER	TX	ENE	4.92 / 25,974.38	2265
			***Grid No	Owners Name:*** *65-12-6	WAYNE LIEBER*		
662	GWDB	City of Houston	TX	S	4.92 / 26,002.24	2268
			***State Well No	Owner Name:*** *6520512	City of Houston*		
662	WUD	CITY OF HOUSTON	TX	S	4.92 / 26,002.24	2269
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013DC	ACTIVE*		
662	WW HARRIS GAL	Houston, City of	TX	S	4.92 / 26,002.24	2270
			Well ID: *1494*			
662	WW HARRIS GAL	Houston, City of	TX	S	4.92 / 26,002.24	2271
			Well ID: *1493*			
662	FED USGS	USGS-294203095345402	TX	S	4.92 / 26,002.24	2272
			Site No: *USGS-294203095345402*			
663	GWDB	City of Houston	TX	S	4.93 / 26,009.14	2273
			***State Well No	Owner Name:*** *6520508	City of Houston*		
663	WUD	CITY OF HOUSTON	TX	S	4.93 / 26,009.14	2274
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013DB	ACTIVE*		
663	FED USGS	USGS-294203095345401	TX	S	4.93 / 26,009.14	2275
			Site No: *USGS-294203095345401*			
664	WUD	CITY OF HOUSTON	TX	ENE	4.93 / 26,029.92	2276
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013OX	ACTIVE*		

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
665	TCEQ WELL LOGS	HENRY C RICHARDS	TX	ENE	4.93 / 26,042.00	2277
			***Grid No	Owners Name:*** *65-12-5H	HENRY C RICHARDS*	
665	TCEQ WELL LOGS	HENRY C. RICHARDS	TX	ENE	4.93 / 26,042.00	2279
			***Grid No	Owners Name:*** *N/A	HENRY C. RICHARDS*	
666	TCEQ WELL LOGS	BEAR CREEK GOLF WORLD	TX	NW	4.93 / 26,044.40	2281
			***Grid No	Owners Name:*** *65-11-6	BEAR CREEK GOLF WORLD*	
667	WW HARRIS GAL	L & L Funding, Inc.	TX	SW	4.93 / 26,051.81	2285
			Well ID: *5004*			
668	TCEQ WELL LOGS	J.M.MONK CONST.	TX	SW	4.94 / 26,060.19	2286
			***Grid No	Owners Name:*** *65-19-3AA	J.M.MONK CONST.*	
669	GWDB	City of Houston Bellaire Brays	TX	S	4.94 / 26,064.72	2289
			***State Well No	Owner Name:*** *6520405	City of Houston Bellaire Brays*	
669	WUD	CITY OF HOUSTON	TX	S	4.94 / 26,064.72	2290
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	CITY OF HOUSTON	G1010013G	ACTIVE*	
669	WW HARRIS GAL	Houston, City of	TX	S	4.94 / 26,064.72	2291
			Well ID: *1009*			
669	FED USGS	USGS-294201095355601	TX	S	4.94 / 26,064.72	2292
			Site No: *USGS-294201095355601*			
670	GWDB	Memorial Village	TX	E	4.94 / 26,067.88	2293
			***State Well No	Owner Name:*** *6512904	Memorial Village*	
670	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.94 / 26,067.88	2294
			***Operating Status	Utility Name	WTRSRC	System Status:*** *OPERATIONAL	MEMORIAL VILLAGES WATER AUTHORITY	G1010148A	ACTIVE*	
670	WW HARRIS GAL	Memorial Villages Water Authority	TX	E	4.94 / 26,067.88	2295
			Well ID: *1486*			
670	FED USGS	USGS-294651095303301	TX	E	4.94 / 26,067.88	2296
			Site No: *USGS-294651095303301*			
671	TCEQ WELL LOGS	MRS. MILDRED GEORGE	TX	SW	4.94 / 26,071.30	2297

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No	Owners Name:*** *65-19-3B	MRS. MILDRED GEORGE*	
672	WW HARRIS GAL	Lakes of Eldridge, Ltd. /WHCRWA	TX	N	4.94 / 26,083.62	2299
			Well ID: *5337*			
673	WW HARRIS GAL	West Harris County Regional Water Authority	TX	N	4.94 / 26,085.79	2300
			Well ID: *10400*			
674	GWDB	Memorial Village	TX	E	4.95 / 26,120.64	2301
			***State Well No	Owner Name:*** *6512905	Memorial Village*	
674	GWDB	Mem Village well # 1	TX	E	4.95 / 26,120.64	2302
			***State Well No	Owner Name:*** *6512941	Mem Village well # 1*	
674	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.95 / 26,120.64	2303
			***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	MEMORIAL VILLAGES WATER AUTHORITY	G1010148B	ACTIVE*	
674	WW HARRIS GAL	Memorial Villages Water Authority	TX	E	4.95 / 26,120.64	2304
			Well ID: *1484*			
674	FED USGS	USGS-294651095303302	TX	E	4.95 / 26,120.64	2305
			Site No: *USGS-294651095303302*			
675	GWDB	City of Houston Dist 158 - Bellaire #3	TX	SSW	4.95 / 26,124.38	2306
			***State Well No	Owner Name:*** *6520419	City of Houston Dist 158 - Bellaire #3*	
675	WUD	CITY OF HOUSTON	TX	SSW	4.95 / 26,124.38	2307
			***Operating Status	Utility Name	WTRSRC	System Status:*** *EMERGENCY	CITY OF HOUSTON	G1010013FL	ACTIVE*	
675	WW HARRIS GAL	Houston, City of	TX	SSW	4.95 / 26,124.38	2308
			Well ID: *3257*			
675	WW HARRIS GAL	Houston, City of	TX	SSW	4.95 / 26,124.38	2309
			Well ID: *3611*			
675	FED USGS	USGS-294211095370901	TX	SSW	4.95 / 26,124.38	2310
			Site No: *USGS-294211095370901*			
676	TCEQ WELL LOGS	MR. HARITI	TX	ESE	4.95 / 26,126.74	2311

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			***Grid No	Owners Name:*** *65-20-3	MR. HARITI*		
677	WW HARRIS GAL	HARRIS CO. M.U.D. 255	TX ***Well ID:*** *3877*	NNW	4.95 / 26,127.32	2313
677	WW HARRIS GAL	HARRIS CO. M.U.D. 255	TX ***Well ID:*** *4388*	NNW	4.95 / 26,127.32	2314
678	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *4088*	NE	4.95 / 26,153.83	2315
678	WW HARRIS GAL	Houston, City of	TX ***Well ID:*** *14333*	NE	4.95 / 26,153.83	2316
678	SDRW WELLS	Spring Brook Village	Spring Brook Village Dr. Houston TX 77080 ***Track NO:*** *527318*	NE	4.95 / 26,153.83	2317
679	GWDB	Gulf Oil Co.	TX ***State Well No	Owner Name:*** *6512620	Gulf Oil Co.*	ENE	4.96 / 26,187.50	2318
680	TCEQ WELL LOGS	HOUSTON LIGHTING & POWER CO	TX ***Grid No	Owners Name:*** *N/A	HOUSTON LIGHTING & POWER CO*	S	4.96 / 26,210.56	2319
680	WW HARRIS GAL	CenterPoint Energy Houston Electric, LLC	TX ***Well ID:*** *1201*	S	4.96 / 26,210.56	2322
681	TCEQ WELL LOGS	CAMPBELL PLACE WATER SYSTEM	TX ***Grid No	Owners Name:*** *N/A	CAMPBELL PLACE WATER SYSTEM*	ENE	4.97 / 26,215.23	2323
682	GWDB	City of Houston Spring Branch Oaks	TX ***State Well No	Owner Name:*** *6512606	City of Houston Spring Branch Oaks*	ENE	4.97 / 26,247.91	2325
682	WUD	CITY OF HOUSTON	TX ***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013PR	ACTIVE*	ENE	4.97 / 26,247.91	2326
682	WUD	CITY OF HOUSTON	TX ***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013PP	ACTIVE*	ENE	4.97 / 26,247.91	2327
682	WUD	CITY OF HOUSTON	TX ***Operating Status	Utility Name	WTRSRC	System Status:*** *PLUGGED	CITY OF HOUSTON	G1010013PS	ACTIVE*	ENE	4.97 / 26,247.91	2328

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
682	WUD	CITY OF HOUSTON	TX	ENE	4.97 / 26,247.91	2329
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PQ | ACTIVE*			
682	WW HARRIS GAL	Houston, City of	TX	ENE	4.97 / 26,247.91	2330
			Well ID: *3856*			
683	TCEQ WELL LOGS	RICK LOCKWOOD	TX	S	4.97 / 26,262.17	2331
			Grid No | Owners Name: *65-19-9R | RICK LOCKWOOD*			
684	TCEQ WELL LOGS	GENE R. HINTLEL	TX	NE	4.99 / 26,336.40	2333
			Grid No | Owners Name: *N/A | GENE R. HINTLEL*			
685	TCEQ WELL LOGS	MILTON GRAY	TX	ESE	5.00 / 26,390.59	2335
			Grid No | Owners Name: *65-20-3 | MILTON GRAY*			



Map: 5.0 Mile Radius | Zoom Level: 1

Order Number: 25032600342


Address: 14054 Memorial Drive, Houston, TX

Plotted Water Wells

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- ■ Eris Sites with Same Elevation
- ▼ Eris Sites with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Higher Elevation
- Eris Areas with Same Elevation
- Eris Areas with Lower Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Map: 5.0 Mile Radius | Zoom Level: 2
Order Number: 25032600342
Address: 14054 Memorial Drive, Houston, TX


ERIS

Plotted Water Wells

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- ■ Eris Sites with Same Elevation
- ▼ Eris Sites with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Higher Elevation
- Eris Areas with Same Elevation
- Eris Areas with Lower Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.




Map: 5.0 Mile Radius | Zoom Level: 3
Order Number: 25032600342
Address: 14054 Memorial Drive, Houston, TX

Plotted Water Wells

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- Eris Areas with Higher Elevation
- ■ Eris Sites with Same Elevation
- Eris Areas with Same Elevation
- ▼ Eris Sites with Lower Elevation
- Eris Areas with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Map: 5.0 Mile Radius | Zoom Level: 1

Order Number: 25032600342

Address: 14054 Memorial Drive, Houston, TX

Water Utility Database

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- ■ Eris Sites with Same Elevation
- ▼ Eris Sites with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Higher Elevation
- Eris Areas with Same Elevation
- Eris Areas with Lower Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Map: 5.0 Mile Radius | Zoom Level: 2

Order Number: 25032600342

Address: 14054 Memorial Drive, Houston, TX

ERIS

Water Utility Database

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- Eris Areas with Higher Elevation
- ■ Eris Sites with Same Elevation
- Eris Areas with Same Elevation
- ▼ Eris Sites with Lower Elevation
- Eris Areas with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Map: 5.0 Mile Radius | Zoom Level: 3
Order Number: 25032600342
Address: 14054 Memorial Drive, Houston, TX

Water Utility Database

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- ■ Eris Sites with Same Elevation
- ▼ Eris Sites with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Higher Elevation
- Eris Areas with Same Elevation
- Eris Areas with Lower Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Aerial **Year: 2024**

Address: 14054 Memorial Drive, Houston, TX

Source: ESRI World Imagery

Order Number: 25032600342

ERIS

© ERIS Information Inc.

Detail Report

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	1 of 9	ENE	0.19 / 1,013.23	City of Houston Memorial West TX	GWDB

Well Rep Track No:	
State Well No:	6512704
Owner Name:	City of Houston Memorial West
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1962
Well Depth:	1310
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7733330
Longitude:	-95.5875000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512704&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512704&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	2 of 9	ENE	0.19 / 1,013.23	City of Houston Memorial West TX	GWDB

Well Rep Track No:	
State Well No:	6512703
Owner Name:	City of Houston Memorial West
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1964
Well Depth:	156
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7733330
Longitude:	-95.5872220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512703&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512703&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	3 of 9	ENE	0.19 / 1,013.23	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512705
Owner Name:	City of Houston
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1964
Well Depth:	895
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7725000
Longitude:	-95.5883333
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512705&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512705&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	4 of 9	ENE	0.19 / 1,013.23	CITY OF HOUSTON TX	WUD

St Well No:	6512705
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CF
Date Drilled:	01/22/1964
Well Depth:	895
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.772728
Longitude:	-95.588555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	5 of 9	ENE	0.19 / 1,013.23	CITY OF HOUSTON TX	WUD

St Well No:	6512704
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IR
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IR
Date Drilled:	00/00/1962
Well Depth:	1310
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.772728
Longitude:	-95.588555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	6 of 9	ENE	0.19 / 1,013.23	Houston, City of TX	WW HARRIS GAL

Well ID:	3552	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1964
Permit No:	W1995-1002-47519-0	**Depth Drilled:**	895
Permit Start Date:	2/1/1995	**Depth frm Surf(ft):**	510
Permit End Dt:	1/31/1996	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.7725
Regulatory Aarea:	3	**Longitude:**	-95.588333

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	7 of 9	ENE	0.19 / 1,013.23	Houston, City of TX	WW HARRIS GAL

Well ID:	1206	**Diameter (inches):**	16
Aggre Lead Well:	1001	**Year Drilled:**	1962
Permit No:	W1990-1001-33658-0	**Depth Drilled:**	1310
Permit Start Date:	2/1/1990	**Depth frm Surf(ft):**	909
Permit End Dt:	1/31/1991	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.7725
Regulatory Aarea:	3	**Longitude:**	-95.588333

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	8 of 9	ENE	0.19 / 1,013.23	USGS-294623095351301 TX	FED USGS

Site No:	USGS-294623095351301
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	196401
Well Depth:	895
Well Depth Unit:	ft
Well Hole Depth:	1852
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-705
Latitude:	29.77333333000000
Longitude:	-95.5872222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	9 of 9	ENE	0.19 / 1,013.23	USGS-294623095351401 TX	FED USGS

Site No:	USGS-294623095351401
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19620713
Well Depth:	1310
Well Depth Unit:	ft
Well Hole Depth:	1352
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-704
Latitude:	29.77333333000000
Longitude:	-95.5875000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
2	1 of 1	S	0.26 / 1,353.37	W.E. PRIOR TX	TCEQ WELL LOGS

Grid No:	65-12-7R
Date Drilled:	09/01/1980
Owners Name:	W.E. PRIOR
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	161
Depth Drilled:	308
Latitude:	29.7681002
Longtiude:	-95.5918991

(17)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7R
Located on map: Yes
Received: C.F.S.

1) OWNER W. E. Prior (Name) Address 14114 Bluebird La. (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL:
County Harris 12 miles in S.E (N.E., S.W., etc.) direction from Katy (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. Mapon 65-04-9BB

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9/1/80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6¾"	Surface	308

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	blackland
5	28	red + gray clay
28	35	fine red sand
35	70	red + gray clay
70	77	fine sand
77	84	red + gray clay
84	97	coarse sand
97	107	red + blue clay
107	113	coarse sand
113	121	red + gray clay
121	140	fine sand
140	172	coarse sand + gravel
172	187	blue clay
187	204	sand + clay strips
204	214	red + gray clay
214	217	rock
217	270	red + gray clay
270	296	sand + clay strips
296	308	coarse sand

RECEIVED
MAR 26 1982
CITY

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfgr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Plastic Casing	0	298	40
2½"	New	Plastic Screen	298	308	12

CEMENTING DATA
Cemented from 298 ft. to 100 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 161 ft. below land surface Date 9/2/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½" x 4" R+R 3 Ring 293'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 12'
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bobby Potter (Type or Print) Water Well Drillers Registration No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)


(Signed) Bobby Potter (Water Well Driller) Damrell & Potter Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
3	1 of 1	S	0.26 / 1,360.23	BOBBIE COOK TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	07/16/1990
Owners Name:	BOBBIE COOK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	175
Depth Drilled:	412
Latitude:	29.7680516
Longtiude:	-95.5910689

S3

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Bobbie Cook (Name) ADDRESS 610 Whitewing (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County HArris . 14 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): XX Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): XX Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 7-13 1990 Completed 7-16- 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	412

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed XX Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	60	Clay
60	250	Sand & Gravel
250	270	Clay
270	412	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	Casing	0	340	
2½	N	Liner	322	382	
2½	N	Screen	382	412	

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 140 ft. to 340 ft. No. of Sacks Used 12
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

13) TYPE PUMP:
☐ Turbine ☐ Jet XX Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 280 ft.

10) SURFACE COMPLETION
XX Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 175 ft. below land surface Date 7-16-90
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS:

Type	Depth
K-Packer	322

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)


(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. S3 Located on map 6S-12-7

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY


55
37
53
48
47
35

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
4	1 of 2	SSW	0.51 / 2,674.33	W.T. HAMILTON TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	06/24/1972
Owners Name:	W.T. HAMILTON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	135
Depth Drilled:	360
Latitude:	29.7646006
Longtiude:	-95.5930958

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 7-7-73

1) OWNER:
Person having well drilled W. T. Hamilton (Name) Address 514 Rancho Bawn Dr. (Street or RFD) Ho-Tex (City) (State)
Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 5 mi E-Cent Houses miles in East (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Memorial Dr
Rancho Bawn Dr.
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic ✓ Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check): Rotary ✓ Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6¼" in. Depth drilled 360' ft. Depth of completed well 360' ft. Date drilled 6-24-72
All measurements made from Ground ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10'	Top Sand
10	160'	Red clay
16	180'	water bearing sand
180	200'	clay
200	280	clay & Shale
280	320	clay & Lime rocks
320	360	Good water sand.

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from bottom up ft. to 100 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	345	

10) SCREEN:
Type Stainless steel
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	345	360	12 Ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other 4½" x 2½"
Under reamed Open Hole

8) WATER LEVEL:
Static level 135 ft. below land surface Date 6-24-72
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 231' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ No If yes, by whom?
Yield: 25 gpm with 10 ft. drawdown after 4 hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata 40

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bigham Pump & Well Service (Type or Print) Water Well Drillers Registration No. 649
ADDRESS 201 Coronado St (Street or RFD) Houston (City) 77009 (State) Texas
(Signed) W. B. Bigham (Water Well Driller) Bigham Pump & Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
4	2 of 2	SSW	0.51 / 2,674.33	W.T. HAMILTON TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	06/24/1972
Owners Name:	W.T. HAMILTON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	135
Depth Drilled:	360
Latitude:	29.7646006
Longtiude:	-95.5930958

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received:

1) OWNER: Person having well drilled BIGHAM PUMP WELL SERVICE Address 514 RANCHO HOUSTON TEXAS BAORTE
(Name) (Street or RFD) (City) (State)

Landowner W. T. HAMILTON Address 514 RANCHO (City) BAORTE (State)
(Name) (Street or RFD)

2) LOCATION OF WELL: County HARRIS 16 miles in NW direction from HOUSTON TEX
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging /

4) PROPOSED USE (Check): Domestic / Industrial / Municipal ✓ Irrigation / Test Well / Other /

5) TYPE OF WELL (Check): Rotary ✓ Driven / Dug / Cable / Jetted / Bored /

6) WELL LOG: Diameter of hole 6¼ in. Depth drilled 360 ft. Depth of completed well 360 ft. Date drilled 6-24-72

All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	CLAY
26	29	SAND
29	38	RED CLAY
38	54	RED SAND
54	98	RED CLAY
98	149	SANDY SHALE
149	176	SAND
176	265	SANDY SHALE
265	314	RED CLAY
314	360	SAND

(Use reverse side if necessary)

9) Casing: Type: Old / New ✓ Steel ✓ Plastic / Other /
Cemented from 338 ft. to -1 SURFACE

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	338	SURFACE	1089

10) SCREEN: Type W.O.P. STAINLESS
Perforated / Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	360	338	14GA

7) COMPLETION (Check): Straight wall / Gravel packed / Other / Under reamed / Open Hole /

8) WATER LEVEL: Static level 135 ft. below land surface Date 6-24-72
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes ✓ No If yes, by whom?
Yield: 1400 gpm with 8 ft. drawdown after 1 hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes / No
Did any strata contain undesirable water? Yes / No
Type of water? depth of strata 46 FT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME BRUNO DIETZ (Type or Print) Water Well Drillers Registration No. 325

ADDRESS 3051 ROTHERMEL HOUSTON TEXAS (Street or RFD) (City) (State)

(Signed) Bruno Dietz (Water Well Driller) DIETZ PUMP WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
5	1 of 1	SSW	0.56 / 2,980.67	WILLIAM & SUSAN FROST TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	08/02/2000
Owners Name:	WILLIAM & SUSAN FROST
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	180
Depth Drilled:	389
Latitude:	29.7637508
Longtiude:	-95.5931521

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: FROST, WILLIAM & SUSAN ADDRESS: 1106 FLEETWOOD PL. CITY: HOUSTON STATE: TX ZIP: 77079-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-08
Street or RFD: 506 RANCHO BAUER
City, State, Zip code: HOUSTON , TX 77479-

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

5)

6) WELL LOG: 00454
DATE DRILLING:
STARTED: 07/25/00
COMPLETED: 08/02/00

DIAMETER OF HOLE		
DIAMETER	FROM	TO
6.75	-0-	377
4.75	377	389

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4.0	N	PVC WELL CASING	+2	377	SCH 40
2.5	N	PVC BLANK PIPE	370	377	SCH 80
2.5	N	STAINLESS ROD BASE	377	387	8 GA
2.5	N	NIP W/BACKWASH VALVE	387	389	SCH 80

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	40	BLACK TOPSOIL, GRAY CLAY RED & WHITE CLAY
40	100	RED CLAY TAN CLAY RED & WHITE CLAY
100	145	RED & WHITE CLAY SAND TAN CLAY
145	173	SAND PEA GRAVEL SAND
173	208	BLUE CLAY SAND BLUE CLAY
208	228	SAND TAN CLAY TAN CLAY
228	250	SAND CLAY
250	274	SAND SAND
274	280	CLAY
280	320	SAND SAND
320	345	ROCK SAND ROCK
345	365	CLAY SAND ROCK CLAY
365	388	SAND SAND SAND
388	389	ROCK

9) CEMENTING DATA:

Cemented from			No. of Sacks Used
377 FT.	TO -0-	FT.	16
1 FT.	TO 20	FT.	4

Method used: HALLIBURTON METHOD
Cemented by: GDI FULLY PRESSURED
Distance to septic field lines: 100+ ft.
Method of verification of above distance:
MEASURED

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 180 FT. DATE: 08/02/00
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATION PACKER	20
BP-SEAL	370

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 240

14) WELL TEST:
JETTED
YIELD: 100+ GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 10+ NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 2888 WI
ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Greg D. Hill (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

EMP DESC CO

CO

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
6	1 of 1	SSW	0.69 / 3,629.63	JIM CULPEPPER TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	03/19/1992
Owners Name:	JIM CULPEPPER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	175
Depth Drilled:	430
Latitude:	29.762088
Longtiude:	-95.594001

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

(27)

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Jim Culpepper (Name) ADDRESS 417 Rancho Bauer (Street or RFD) Hou. (City) Tx (State) 77079 (Zip)

2) LOCATION OF WELL: County Harris . 14 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 3-18 1992 Completed 3-19 1992

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	430

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2-String Cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top Soil
2	40	Clay
40	60	Sand
60	95	Clay
95	265	Shale
265	310	Sand
310	400	Shale
400	430	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	0	406	Sch.40
2 1/2	N	PVC Liner	400	410	Sch.40
2 1/2	N	PVC Slotted	410	430	.012

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 406 ft. to 206 ft. No. of Sacks Used 15
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by RWW

13) TYPE PUMP: 3 H.P.
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 175 ft. below land surface Date 3-19-92
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

12) PACKERS:

Type	Depth
K	400

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Serv., Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11818 Tomball Pkwy. (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 27 Located on map 6S-12-7

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
7	1 of 1	SSW	0.72 / 3,782.56	MERV SCAEFFER TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	06/14/1990
Owners Name:	MERV SCAEFFER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	175
Depth Drilled:	430
Latitude:	29.761656
Longtiude:	-95.594001

(48)

Send original copy by certified mail to: Texas Water Con ion, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Merv Shaeffer (Name) ADDRESS Rancho Bauer (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL:
County Harris . 12 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
XX Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
XX Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 6-13- 19 90 Completed 6-14 19 90

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface 0	430

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed XX Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	30	Clay
30	120	Shale
120	180	Sand
180	220	Clay
220	300	Sand
300	330	Clay
330	430	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	400	
2½"	N	PVC Liner	390	400	
2½"	N	PVC Screen	400	430	

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 160 ft. to 400 ft. No. of Sacks Used 12
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

(Use reverse side if necessary)

13) TYPE PUMP:
☐ Turbine ☐ Jet XX Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.
3 H.P. 120

10) SURFACE COMPLETION
XX Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 175 ft. below land surface Date 6-14-90
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS: Type K-Packer Depth 390

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas 77086 (State) (Zip)


(Signed) Tim Robinson IV (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 48 Located on map 25-12-7

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY


55
37
53
48
47
35

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
8	1 of 2	SSW	0.75 / 3,943.10	JOHN COAD TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	06/12/1990
Owners Name:	JOHN COAD
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	175
Depth Drilled:	430
Latitude:	29.761202
Longtiude:	-95.593993

(47)

Send original copy by certified mail to: Texas Water Cor ...ion, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER John Coad (Name) ADDRESS 409 Rancho Bauer Houston, Texas (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris , 12 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 6-11 19 90 Completed 6-12 19 90

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	430

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	30	Clay
30	120	Shale
120	180	Sand
180	220	Clay
220	300	Sand
300	330	Clay
330	430	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	PVC Casing	0	400	
2½"	N	PVC Liner	390	400	
2½"	N	PVC Screen	400	430	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 160 ft. to 400 ft. No. of Sacks Used 12
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible 3 H.P. ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 175 ft. below land surface Date 6-12-90
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS:

Type	Depth
K-Packer	390

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)


(Signed) Jim Robinson (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 47 Located on map 65-12-7

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY


55
37
53
46
47
35

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
8	2 of 2	SSW	0.75 / 3,943.10	E. MCCLURE TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	09/21/1972
Owners Name:	E. MCCLURE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	136
Depth Drilled:	276
Latitude:	29.761202
Longtiude:	-95.593993

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 9-9
alf

1) OWNER:
Person having well drilled E. MC CLURE (Name) Address 409 RANCHO BAUER (Street or RFD) HO (City) TEX (State)
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, ¼ miles in WEST (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

MEMORIAL DR.
RANCHO BAUER
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): ~~New~~ Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): ~~Domestic~~, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): ~~Rotary~~, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 276 ft. Depth of completed well 276 ft. Date drilled 9-21-72
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	20	CLAY
20	42	SAND
42	65	CLAY
65	120	SAND
120	175	CLAY
175	142	SAND
142	178	CLAY
178	190	SAND
190	241	CLAY
241	252	SAND
252	261	CLAY
261	276	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old ~~Lined~~ ~~Steel~~ Plastic Other
Cemented from 0 ft. to 231 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	231	

10) SCREEN:
Type STAINLESS STEEL
Perforated ~~Slotted~~

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	266	276	12

7) COMPLETION (Check): Straight wall, Gravel packed, Other LEAD SEAL, Under reamed, Open Hole

8) WATER LEVEL:
Static level 136 ft. below land surface Date 9-21-72
Artesian pressure lbs. per square inch Date
Depth to pump bowl, cylinder, jet, etc. 210 ft.
below land surface

11) WELL TESTS:
Was a pump test made? Yes ~~No~~ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ~~No~~
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. HENDON (Type or Print) Water Well Drillers Registration No. 334
ADDRESS 14605 REEVESTON (Street or RFD) 1/0 (City) TEX. (State)
(Signed) A.R. Hendon (Water Well Driller) HAWATOR WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
9	1 of 1	S	0.75 / 3,957.46	Harry Ahmad 415 White Wing Lane Houston TX 77079	SDRW WELLS

Track NO: 263028
Date Submitted: 2011-08-22
Owner Name: Harry Ahmad
Owner Address: 415 White Wing Lane
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77079
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.761112
Longitude: -95.591945
Drilling Date Started: 2011-05-04
Drilling Date Completed: 2011-05-06
Chemical Analysis: No
Company Name: Coastal Water Well Service
Company Address: P. O. Box 745
CompanyAddress2:
Company City: Porter
Company State: TX
Company Zip: 77365
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=263028&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 330.0

Top Depth: 0
Bottom Depth: 210

Top Depth: 310
Bottom Depth: 330

Well Levels

Measurement: 170
Measurement Date: 2011-05-06

Well Strata

Water Type:

Potable

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
10	1 of 1	S	0.77 / 4,060.06	AL MUILENBERG TX	TCEQ WELL LOGS

Grid No: 65-12-7M
Date Drilled: 04/25/1977
Owners Name: AL MUILENBERG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 133
Depth Drilled: 274
Latitude: 29.760727
Longtiude: -95.593038

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

(85)

65-12-7M

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-7 M
Located on map 78 Y-3
Received: 6/6
Rec'd

1) OWNER:
Person having well drilled Al Muilenberg (Name) Address 402 Rancho Bauer (Street or RFD) Houston (City) Tx (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 16 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
402 Rancho Bauer
over
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6¼ in. Depth drilled ~~295~~ 265 ft. Depth of completed well ~~295~~ 265 ft. Date drilled 4/25/77
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	Top soil + clay
22	64	Sand + clay
64	127	clay
127	190	clay + sand
190	211	Sand
211	232	Sand + clay
232	253	Clay + sand
253	274	Johnston sand

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from ~~295~~ 265 ft. to ~~295~~ 265 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	265	Sch 40

10) SCREEN: w/w
Type
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	254	274	.016 + .020

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 133 ft. below land surface Date 4/25/77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 189' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS 9739 N. Houston-Rosslyn (Street or RFD) Houston (City) Tx (State) 77088

(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-8

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-UW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JAN 20 1975
DEPT OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	1 of 9	ESE	0.86 / 4,565.56	Lakeside Country Club TX	GWDB

Well Rep Track No:	
State Well No:	6512801
Owner Name:	Lakeside Country Club
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1952
Well Depth:	467
Well Usage:	Irrigation
Water Level Status:	
Latitude:	29.7608340
Longitude:	-95.5797220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512801&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512801&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	2 of 9	ESE	0.86 / 4,565.56	Lakeside Country Club TX	GWDB

Well Rep Track No:	
State Well No:	6512806
Owner Name:	Lakeside Country Club
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1954
Well Depth:	767
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7663890
Longitude:	-95.5788890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512806&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512806&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	3 of 9	ESE	0.86 / 4,565.56	Lakeside Country Club TX	GWDB

Well Rep Track No:	
State Well No:	6512808
Owner Name:	Lakeside Country Club
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1938
Well Depth:	595
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7655560
Longitude:	-95.5788890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512808&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512808&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	4 of 9	ESE	0.86 / 4,565.56	LAKESIDE COUNTRY CLUB TX	TCEQ WELL LOGS

Grid No:	65-12-8D
Date Drilled:	09/08/1965
Owners Name:	LAKESIDE COUNTRY CLUB
County:	HARRIS
Water Usage:	NOT REPORTED
Static Level:	NOT REPORTED
Depth Drilled:	193
Latitude:	29.7655029
Longtiude:	-95.5788578

LAYNE TEXAS COMPANY.

HOUSTON -:- DALLAS

WELL LOG

REPORT NO 7155
S O 2085-65
PAGE 1 of 1
FILE NO 3045
DATE 9/9/65

CUSTOMER LOCATION

FOR Lakeside Country Club

LOCATION WELL Houston 65-12-8D 7/11/66 ISP

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS Westheimer & Hayes Road

WELL DATA

NAME WELL Construc-tion WELL NO

ELEVATION DATUM

RT C GR

TEST HOLE SIZE 6-3/4" TD 193'

DATE STARTED DRILLING 9-4-65

DATE FINISHED DRILLING 9-8-65

DRILLER B. Birdwell RIG NO

TYPE MUD NO SACKS

ELECTRIC LOG TYPE

SURVEY TYPE

OTHER

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES DEPTH	SAMPLES TYPE	SAMPLES NUMBER
0		Surface			
40	40	Clay			
58	18	Sand			
65	7	Sandy clay			
95	30	Clay			
100	5	Fine sand			
108	8	Sand (good)			
138	30	Clay			
146	8	Sandy clay			
152	6	Clay			
156	4	Fine sand			
162	6	Sandy clay			
192	30	Sand (good)			
193	1	Clay			
Total depth 193 feet					

YNE TEXAS COMPAI
HOUSTON -:- DALLA:

Rep. No. 7156
S. O. 2085-65
PAGE 1 OF 1
FILE NO. 3045
DATE 9/9/65

MATERIAL SETTING

CUSTOMER LOCATION

FOR Lakeside Country Club

LOCATION WELL Houston

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS Westheimer & Hayes Road

WELL DATA

NAME WELL Construc- WELL NO.
ELEVATION tion DATUM
TYPE WELL Straight
SURFACE CASING CEMENTED Yes NO. SACKS
SIZE HOLE DRILLED OR REAMED 6-3/4" DEPTH 193'
GRAVEL TYPE NO. CU. YDS.
TYPE SCREEN S.S. W.O.P. GAGE .016"
DRILLER B. Birdwell RIG NO.
OTHER

DEPTH	LENGTH	SIZE, KIND, WEIGHT, MATERIAL
0		Surface
163'	163'	4-1/2" O.D. surface casing
171'	171'	2-7/8" O.D. blank liner
191'	20'	2-7/8" O.D. S.S. W.O.P. screen, .016" ga.
193'	2'	2-7/8" O.D. set nipple & B.P. valve


Total depth 193 ft.

DRILLER'S NOTE: Static level 118'; estimated pumping 256 G.P.M.

PUMP:

Make: Jacuzzi #3S4D-S2 submersible
Setting: 150 ft.
Motor: 3 H.P., 220 volt, one phase.

SKETCH



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	5 of 9	ESE	0.86 / 4,565.56	LAKESIDE COUNTRY CLUB TX	WW HARRIS GAL

Well ID:	1787	**Diameter (inches):**	10
Aggre Lead Well:	1787	**Year Drilled:**	1952
Permit No:	W1978-1787-787-0	**Depth Drilled:**	467
Permit Start Date:	11/30/1953	**Depth frm Surf(ft):**	280
Permit End Dt:	11/30/1953	**County:**	H
Well Status:	4 - No electric or plumbing or motor	**Latitude:**	29.760833
Regulatory Aarea:	3	**Longitude:**	-95.579166
Owner Name:	LAKESIDE COUNTRY CLUB		
Billing Contact:	A.K. HILBERTH		
Billing Address:	P.O. Box 42100		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	6 of 9	ESE	0.86 / 4,565.56	Lakeside Country Club TX	WW HARRIS GAL

Well ID:	1785	**Diameter (inches):**	16
Aggre Lead Well:	1785	**Year Drilled:**	1954
Permit No:	WP2024-103050	**Depth Drilled:**	767
Permit Start Date:	5/1/2024 2:47:00 PM	**Depth frm Surf(ft):**	448
Permit End Dt:	4/30/2025 2:47:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.765555
Regulatory Aarea:	3	**Longitude:**	-95.580277

Owner Name: Lakeside Country Club
Billing Contact: Dane Alexander, Director of Agrodmy
Billing Address: 100 Wilcrest Dr.
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77042
Correspondence: NULL
Provision: 70 - Based on permitted allocation or 70% of total demand, whichever is smaller; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	7 of 9	ESE	0.86 / 4,565.56	LAKESIDE COUNTRY CLUB TX	WW HARRIS GAL

Well ID:	1786	**Diameter (inches):**	6
Aggre Lead Well:	1786	**Year Drilled:**	1938
Permit No:	W1981-1786-12840-0	**Depth Drilled:**	595
Permit Start Date:	5/1/1981	**Depth frm Surf(ft):**	544
Permit End Dt:	4/30/1982	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.766111
Regulatory Aarea:	3	**Longitude:**	-95.578055
Owner Name:	LAKESIDE COUNTRY CLUB		
Billing Contact:	A.K. HILBERTH		
Billing Address:	P.O. Box 42100		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	8 of 9	ESE	0.86 / 4,565.56	USGS-294538095344601 TX	FED USGS

Site No:	USGS-294538095344601
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	195204
Well Depth:	467
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-801
Latitude:	29.76083333000000
Longitude:	-95.5791667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	9 of 9	ESE	0.86 / 4,565.56	USGS-294558095344301 TX	FED USGS

Site No:	USGS-294558095344301
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	195403
Well Depth:	767
Well Depth Unit:	ft
Well Hole Depth:	800
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-806
Latitude:	29.76638889000000
Longitude:	-95.5788889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
12	1 of 1	WNW	0.90 / 4,746.08	Spring Branch ISD Stadium well TX	GWDB

Well Rep Track No:	
State Well No:	6512716
Owner Name:	Spring Branch ISD Stadium well
Drilling Start Dt:	
Drilling Month:	4
Drilling Day:	15
Drilling Year:	1966
Well Depth:	508
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7775000
Longitude:	-95.6061120
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512716&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512716&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
13	1 of 1	W	0.94 / 4,952.27	ROBERT LJUNGDAHL TX	TCEQ WELL LOGS

Grid No:	65-12-7Q
Date Drilled:	07/06/1979
Owners Name:	ROBERT LJUNGDAHL
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	130
Depth Drilled:	241
Latitude:	29.769759
Longtiude:	-95.606739

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7Q
Located on map Yes
Received: C.F.S.

1) OWNER Robert Ljungdahl (Name) Address Exxon (Street or RFD) Memorial Dr. (City) Houston (State) TX (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)
No 29

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map. map on 65-12-7P

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 7-6-79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
4 3/4	0	271
6 3/4	0	241

From (ft.)	To (ft.)	Description and color of formation material
0	15	Gray clay
15	18	Red, gray clay
18	30	Sand
30	120	Red, gray clay
120	135	Sand
135	140	Red, gray clay
140	160	Sand
160	170	Red, gray clay
170	185	Sand
185	190	Red, gray clay
190	210	Sand
210	225	Red, gray clay
225	240	Sand
240	241	Rock
241	271	Sand 16 ga.

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Sch. 40 PVC	0	241	
2⅜"	N	Well Supplies, Inc.	271	251	
2½"	N	Sch. 40 PVC Liner	251	231	

CEMENTING DATA
Cemented from 241' ft. to Surface ft.
Method used Pressure
Cemented by RAYMOND WATER WELLS (Company or Individual)

9) WATER LEVEL:
Static level 130' ft. below land surface Date 7-79
Artesian flow gpm. Date

10) PACKERS: Type "K" Depth 231'

RECEIVED
MAR 26 1982
CR/TL

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 189' ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. TDL 774
ADDRESS 10011 Airline Dr. (Street or RFD) Houston, TX 77037 (City) (State) (Zip)
(Signed) C.A. Raymond Jr. (Water Well Driller) RAYMOND WATER WELLS (Company Name)

Please attach electric log, chemical analysis and other pertinent information, if available.

DWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

189,542

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
14	1 of 3	E	0.96 / 5,055.52	City of Houston Bittmore TX	GWDB

Well Rep Track No:	
State Well No:	6512803
Owner Name:	City of Houston Bittmore
Drilling Start Dt:	
Drilling Month:	2
Drilling Day:	
Drilling Year:	1962
Well Depth:	1099
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7830550
Longitude:	-95.5755550
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512803&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512803&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
14	2 of 3	E	0.96 / 5,055.52	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013KI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013KI
Date Drilled:	00/00/1962
Well Depth:	1099
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.783006
Longitude:	-95.576058
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
14	3 of 3	E	0.96 / 5,055.52	CITY OF HOUSTON TX	WUD

St Well No:	6512803
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013KJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013KJ
Date Drilled:	00/00/1962
Well Depth:	1099
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.783006
Longitude:	-95.576058
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
15	1 of 1	SSW	0.97 / 5,124.89	KEITH MOSING TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	09/08/1993
Owners Name:	KEITH MOSING
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	190
Depth Drilled:	312
Latitude:	29.758277
Longtiude:	-95.595892

'TE OF TEXAS WATER WELL REPORT

1) OWNER: MOSING, KEITH ADDRESS: 1119 LASHBROOK LANE CITY: HOUSTON STATE: TX ZIP: 77077-
2) LOCATION OF WELL: County: HARRIS 0 miles in NW direction from HOUSTON

LEGAL DESCRIPTION:
Section No.: F-6 Block No.: NW Township: HOUSTON
Abstract No.: LASHBROOK Survey Name:
Distance and direction from two intersecting section or survey lines: WILLCREST & BRIAR FOREST

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 14586 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO
6.5 0 312 STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
DATE DRILLED: 09/08/93 FROM FT. TO FT.

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	150	CLAY
150	166	SAND
166	183	CLAY
183	207	SAND
207	255	CLAY
255	268	SAND
268	288	CLAY
288	312	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE	CASING SCREEN
4	N	PVC CASING	0	288	WW	
2.5	N	PVC LINER	280	292	80	
2.5	N	SUPERFLO SCREEN	292	312	08	

H-8

9) CEMENTING DATA:
Cemented from 288 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

RECEIVED
JAN 14 1994
TEXAS WATER COMMISSION

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 190 FT. DATE: 09/08/93
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P VALVE 280

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 252

14) WELL TEST:
JETTED
YIELD: 20 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 24 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877
ADDRESS: P. O. BOX 162 CITY: PEARLAND STATE: TX ZIP CODE: 77588

FOR TDWR USE ONLY
WELL NO. H-8
LOCATED ON MAP 65-12-8

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Michael O'Day (LICENSED WATER WELL DRILLER)
(signed) Angel Bautista (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	1 of 8	SW	0.98 / 5,182.73	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512724
Owner Name:	City of Houston
Drilling Start Dt:	
Drilling Month:	5
Drilling Day:	18
Drilling Year:	1972
Well Depth:	1225
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7605556
Longitude:	-95.6013889
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512724&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512724&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	2 of 8	SW	0.98 / 5,182.73	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512714
Owner Name:	City of Houston
Drilling Start Dt:	1965-11-20
Drilling Month:	11
Drilling Day:	29
Drilling Year:	1965
Well Depth:	895
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7605556
Longitude:	-95.6013889
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512714&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512714&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	3 of 8	SW	0.98 / 5,182.73	CITY OF HOUSTON TX	WUD

St Well No:	6512714
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DD
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DD
Date Drilled:	12/20/1965
Well Depth:	895
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.760508
Longitude:	-95.601052
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	4 of 8	SW	0.98 / 5,182.73	CITY OF HOUSTON TX	WUD

St Well No:	6512724
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DE
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DE
Date Drilled:	05/18/1972
Well Depth:	1225
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.760508
Longitude:	-95.601052
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	5 of 8	SW	0.98 / 5,182.73	Houston, City of TX	WW HARRIS GAL

Well ID:	1049	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1965
Permit No:	W1994-1002-44643-0	**Depth Drilled:**	895
Permit Start Date:	2/1/1994	**Depth frm Surf(ft):**	620
Permit End Dt:	1/31/1995	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.760277
Regulatory Aarea:	3	**Longitude:**	-95.601944

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	6 of 8	SW	0.98 / 5,182.73	Houston, City of TX	WW HARRIS GAL

Well ID:	1050	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1972
Permit No:	W1994-1002-44643-0	**Depth Drilled:**	1225
Permit Start Date:	2/1/1994	**Depth frm Surf(ft):**	910
Permit End Dt:	1/31/1995	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.760277
Regulatory Aarea:	3	**Longitude:**	-95.600833

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	7 of 8	SW	0.98 / 5,182.73	USGS-294537095360402 TX	FED USGS

Site No:	USGS-294537095360402
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19720331
Well Depth:	1225
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-724
Latitude:	29.76055556000000
Longitude:	-95.6013889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	8 of 8	SW	0.98 / 5,182.73	USGS-294537095360401 TX	FED USGS

Site No:	USGS-294537095360401
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19651129
Well Depth:	895
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-714
Latitude:	29.76055556000000
Longitude:	-95.6013889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
17	1 of 1	NNE	1.01 / 5,307.13	WESTCHESTER CORP TX	TCEQ WELL LOGS

Grid No: 65-12-7H
Date Drilled: 01/30/1974
Owners Name: WESTCHESTER CORP
County: HARRIS
Water Usage: DOMESTIC
Static Level: 134
Depth Drilled: 274
Latitude: 29.7856668
Longtiude: -95.5861733

7H

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-72-7H
Located on map
Received: 2-4-74

1) OWNER:
Person having well drilled Westchester Corp (Name) Address 8989 Westheimer Dr. (Street or RFD) Houston (City) Tex (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in direction from Houston (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

I #10 @ Westwick

Map on 5-24-37

(41)

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging /

4) PROPOSED USE (Check): Domestic / Industrial / Municipal / Irrigation / Test Well / Other /

5) TYPE OF WELL (Check): Rotary ✓ Driven / Dug / Cable / Jetted / Bored /

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 274 ft. Depth of completed well 274 ft. Date drilled 1/30/74

All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	274	Unconsolidated
253	274	Sand

9) Casing:
Type: Old / New ✓ Steel ✓ Plastic / Other
Cemented from 185 ft. to 240 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	240	40
2	240	264	40

10) SCREEN:
Type SSR
Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2	264	274	.016

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed / Other /
Under reamed / Open Hole /

8) WATER LEVEL:
Static level 134 ft. below land surface Date 1/30/74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 174 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes / No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes / No ✓
Did any strata contain undesirable water? Yes / No ✓
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Carl Bussell (Type or Print) Water Well Drillers Registration No. 1581

ADDRESS 9725 North Houston Rosslyn Hou (Street or RFD) (City) Tex (State)

(Signed) Carl Bussell (Water Well Driller) Bussell & Sons Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
18	1 of 1	SW	1.05 / 5,536.79	Ashford Lake Maintenance Assoc. TX	WW HARRIS GAL

Well ID:	8242	**Diameter (inches):**	4
Aggre Lead Well:	8242	**Year Drilled:**	1968
Permit No:	W2015-8242-175797-0	**Depth Drilled:**	300
Permit Start Date:	5/1/2015	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2015	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.759166
Regulatory Aarea:	3	**Longitude:**	-95.601388
Owner Name:	Ashford Lake Maintenance Assoc.		
Billing Contact:	NULL		
Billing Address:	12459 Honeywood Trail		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	Robert E. Imholz		
Provision:	NULL		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
19	1 of 1	NE	1.07 / 5,634.65	FANTASY GOLF TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	05/26/1989
Owners Name:	FANTASY GOLF
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	191
Depth Drilled:	355
Latitude:	29.7828865
Longtiude:	-95.5789311

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

(6)

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER FANTASY Golf (Name) ADDRESS 11175 Katy Freeway (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 11175 Katy Freeway miles in (NE, SW, etc.) direction from (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other

6) WELL LOG:
Date Drilling: Started 5-25 1989 Completed 5-26 1989

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	355'

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0'	22'	Topsoil and Clay
22'	38'	Surface Sand
38'	115'	Clay
115'	158'	Sand
158'	205'	Clay
205'	230'	Sand
230'	235'	Clay
235'	250'	Sand
250'	257'	Clay
257'	280'	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	PVC	0	329	
2"	N	galvanized	329	335	
2"	N	PVC	335	355	.016

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15' ft. No. of Sacks Used ____
285 ft. to 335 ft. No. of Sacks Used ____
Method used Halliburton
Cemented by Bussell & Son, Inc

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☑ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 191 ft. below land surface Date 5-26-89
Artesian flow ____ gpm. Date ____

12) PACKERS: Type ____ Depth ____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☑ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)


(Signed) Gary Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-12-8 Located on map ____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY TX6512800009


LEGEND
HWAY MAP
COUNTY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
20	1 of 1	NW	1.10 / 5,833.98	Cornelius, Inc. TX	WW HARRIS GAL

Well ID:	3194	**Diameter (inches):**	4
Aggre Lead Well:	3194	**Year Drilled:**	1978
Permit No:	W2015-3194-179859-0	**Depth Drilled:**	300
Permit Start Date:	11/1/2015	**Depth frm Surf(ft):**	280
Permit End Dt:	11/1/2015	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.781944
Regulatory Aarea:	3	**Longitude:**	-95.604722
Owner Name:	Cornelius, Inc.		
Billing Contact:	Trammell Crow Company		
Billing Address:	1800 West Loop, Suite 600		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027-4379		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
21	1 of 1	NW	1.16 / 6,150.94	SHELL OIL COMPANY TX	TCEQ WELL LOGS

Grid No:	65-12-7N
Date Drilled:	06/??/1979
Owners Name:	SHELL OIL COMPANY
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	258
Depth Drilled:	770
Latitude:	29.7859084
Longtiude:	-95.6019628

7N

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7N
Located on map YES
Received: TH

1) OWNER Shell Oil Company (Name) Address 12,200 Old Katy Road, (Street or RFD) Houston, (City) Texas (State) 77079 (Zip)

2) LOCATION OF WELL:
County Harris 2 miles in E. (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

X Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name William Hardin A-24
Distance and direction from two intersecting section or survey lines _____
Woodcreek Project
X See attached map.

3) TYPE OF WORK (Check):
XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply
X Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
X Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 6-79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
12"	Surface	770
18"	550	750
17-1/2"	0	550

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall XX Underreamed
XX Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 550 ft. to 760 ft.

From (ft.)	To (ft.)	Description and color of formation material
		SEE ATTACHED

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
12	N	Steel	0	550	.380
6	N	Howard Smith Stainless Steel W.W. Screen, Net 130'	556	752	.040
6	N	Steel	490	760	.280

CEMENTING DATA
Cemented from 0 ft. to 550 ft.
Method used Pump & Plug
Cemented by Western Company (Company or Individual)

9) WATER LEVEL:
Static level 258 ft. below land surface Date 8-79
Artesian flow NONE gpm. Date 8-79

10) PACKERS: Type Depth
NONE

11) TYPE PUMP:
X Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 400 ft.

12) WELL TESTS:
☐ Type Test: XX Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 556 gpm with 313 ft. drawdown after 8 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes XX No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? XX Yes ☐ No

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James O'Connor (Type or Print) Water Well Drillers Registration No. 999

ADDRESS 5931 Brittmoore Road, P. O. Box 79060 (Street or RFD) Houston (City) Texas (State) 77079 (Zip)

(Signed) James O'Connor (Water Well Driller) LAYNE-WESTERN COMPANY, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

KLH

DRILLER'S LOG

Job M-767
LAYNE-WESTERN COMPANY, INC.
June 1979

Shell Oil Co.
Woodcreek Well No. 1

1 - 14	Clay
14 - 34	Sand
34 - 106	Clay
106 - 135	Sand
135 - 149	Shale
149 - 217	Sand
217 - 232	Shale
232 - 346	Sand
346 - 356	Shale
356 - 376	Sand
376 - 393	Shale
393 - 419	Sand
419 - 431	Shale
431 - 466	Sand
466 - 511	Shale
511 - 530	Sand
530 - 557	Shale
557 - 620	Sand
620 - 635	Shale
635 - 650	Sand
650 - 652	Rock
652 - 662	Sand
660 - 700	Shale
700 - 712	Sand
712 - 725	Shale
725 - 750	Sand
750 - 770	Shale

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



RECEIVED
MAY 23 '80
CR/TDWR

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
22	1 of 2	ENE	1.19 / 6,292.38	GARVER CONSTRUCTION #1 TX	TCEQ WELL LOGS

Grid No: 65-12-8
Date Drilled: 08/18/2003
Owners Name: GARVER CONSTRUCTION #1
County: HARRIS
Water Usage: DE-WATERING
Static Level: 10
Depth Drilled: 40
Latitude: 29.779674
Longtiude: -95.573667

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
GARVER Construction	5402 Laundale	Houston	TX	77023

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris 101	DEWATERING #1 Barry Knoll EASEMENT	Houston	TX	

Lat.	Long.	Grid #
		65-12-8

3) Type of Work
☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☒ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 8/18/03
Completed 8/18/03

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
6 3/4	0	40

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	15	Clay
15	40	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC CASING	0	20	
4	N	PVC SCREENS	20	40	.016

9) Cementing Data
Cementing from 0 ft. to 15 ft. # of sacks used 4
ft. to ft. # of sacks used
Method Used TRIMME
Cementing By Bussell & Sons LLC
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 20 ft.

11) Water Level
Static level 10 ft. below Date 8/19/03
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 40 gpm with ft. drawdown after hrs.

12) Packers

Type	Depth
NONE	

RECEIVED TDLR MAIL ROOM SEP 0 4 2003 RECEIPT ADDITION

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

Company or individual's Name (type or print)	Bussell & Sons LLC	Lic. No.	2035
Address PO Box 874	City Tomball	State TX	Zip 77377

Signature	Date	Signature	Date
Gail Bussell	8/22/03	Jason Beam	8/22/03
Licensed Driller/Pump Installer		Apprentice	

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
22	2 of 2	ENE	1.19 / 6,292.38	GARVER CONSTRUCTION #2 TX	TCEQ WELL LOGS

Grid No: 65-12-8
Date Drilled: 08/19/2003
Owners Name: GARVER CONSTRUCTION #2
County: HARRIS
Water Usage: DE-WATERING
Static Level: 10
Depth Drilled: 40
Latitude: 29.779674
Longtiude: -95.573667

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Garver Construction	5402 Lawndale	Houston	TX	77023

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris 101	Dewatering # 2 Barry Knoll Y Easement	Houston	TX	

Lat. | Long. | Grid # 65-12-8

3) Type of Work: ☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☒ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 8/19/03
Completed 8/19/03

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
6 3/4	0	40

7) Drilling Method (check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	15	Clay
15	40	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC CASING	0	20	
4	N	PVC SCREENS	20	40	016

9) Cementing Data
Cementing from 0 ft. to 15 ft. # of sacks used 4
ft. to ft. # of sacks used
Method Used TRIMIE
Cementing By BUSSELL & SONS LLC
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 20 ft.

11) Water Level
Static level 10 ft. below Date 8/19/03
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 40 gpm with ft. drawdown after hrs.

12) Packers

Type	Depth
NONE	

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

RECEIVED
TDLR/WWD
SEP 02 2003

Company or individual's Name (type or print) BUSSELL & SONS LLC Lic. No. 2035
Address PO Box 874 City Tomball State TX Zip 77377


Signature Craig Bussell 8/22/03 Licensed Driller/Pump Installer — Date
CRAIG BUSSELL

Signature 480 Apprentice — Date 8/22/03
JASON BEMM

TDLR FORM 1002/WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
23	1 of 1	NE	1.21 / 6,374.88	TIFFANY KENNELS TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	12/01/1987
Owners Name:	TIFFANY KENNELS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	195
Depth Drilled:	340
Latitude:	29.7864345
Longtiude:	-95.5802901



Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Tiffany Kennels (Name) Address 1019 Sherwood Forest (Street or RFD) Houston (City) TX. (State) 77093 (Zip)

2) LOCATION OF WELL: County Harris 1019 Sherwood Forest miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. 065-04-6

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other

6) WELL LOG:
Date Drilling: Started 11/30 1987 Completed 12/1 1987

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4"	Surface	340

From (ft.)	To (ft.)	Description and color of formation material
0	17	Top Soil + Clay
17	28	Surface Sand
28	94	Clay
94	105	Sand
105	142	Clay
142	175	Sand & Clay
175	210	Clay
210	230	Sand
230	260	Clay
260	340	Sand

RECEIVED
JAN 11 1988
TEXAS WATER COMMISSION
(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	330	
2	N	GALV.	325	330	
2	N	PVC Screens	330	340	.016

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
280 ft. to 330 ft. No. of Sacks Used 5
Method used Halliburton
Cemented by Bussell & Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 195 ft. below land surface Date 12/1/87
Artesian flow gpm. Date

12) PACKERS: Type K-PACKER Depth 305'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 252 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 20 gpm with 10 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Bussell & Son, Inc (Type or Print) Water Well Driller's License No. 2035
ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)
(Signed) Craig Bussell (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-12-8
Located on map

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
24	1 of 1	NW	1.22 / 6,422.28	Humble Oil & Refining Co. TX	GWDB

Well Rep Track No:
State Well No: 6512702
Owner Name: Humble Oil & Refining Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1967
Well Depth: 219
Well Usage: Industrial
Water Level Status:
Latitude: 29.7830550
Longitude: -95.6069450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512702&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512702&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
25	1 of 3	WNW	1.22 / 6,428.35	Houston, City of TX	WW HARRIS GAL

Well ID:	8722	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	2002
Permit No:	W2014-1003-168307-0	**Depth Drilled:**	600
Permit Start Date:	2/1/2014	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2015	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.778611
Regulatory Aarea:	3	**Longitude:**	-95.612222

Owner Name: Memorial Oaks, Inc.
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St. 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Acres Homes #1
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
25	2 of 3	WNW	1.22 / 6,428.35	Houston, City of TX	WW HARRIS GAL

Well ID:	11080	**Diameter (inches):**	10
Aggre Lead Well:	1003	**Year Drilled:**	NULL
Permit No:	WP2023-117626	**Depth Drilled:**	450
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	400
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.777777
Regulatory Aarea:	3	**Longitude:**	-95.611944
Owner Name:	Memorial Oaks, Inc.		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
25	3 of 3	WNW	1.22 / 6,428.35	USGS-294643095370001 TX	FED USGS

Site No:	USGS-294643095370001
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19900321
Well Depth:	662
Well Depth Unit:	ft
Well Hole Depth:	662
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-736
Latitude:	29.77888889000000
Longitude:	-95.6169444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
26	1 of 1	NW	1.22 / 6,434.61	Exxon Company U.S.A. TX	WW HARRIS GAL

Well ID:	2998	**Diameter (inches):**	4
Aggre Lead Well:	2998	**Year Drilled:**	1967
Permit No:	W1978-2998-1998-0	**Depth Drilled:**	219
Permit Start Date:	10/1/1978	**Depth frm Surf(ft):**	209
Permit End Dt:	9/30/1979	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.783333
Regulatory Aarea:	3	**Longitude:**	-95.605555
Owner Name:	Exxon Company U.S.A.		
Billing Contact:	JAMES C. LEE		
Billing Address:	P.O. Box 45669		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77045		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
27	1 of 1	NE	1.23 / 6,514.95	DISCALCED CARMELITE NUNS TX	TCEQ WELL LOGS

Grid No: 65-12-8E
Date Drilled: 01/10/1967
Owners Name: DISCALCED CARMELITE NUNS
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 130
Depth Drilled: 252
Latitude: 29.785614
Longtiude: -95.578269

65-12-86 GW

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-86
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Discalced Carmelite Nuns (Name) Address Rt. 8, (Street or RFD) Houston, (City) Texas (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in (NE, SW, etc.) direction from (Town).

NORTH

LOCATION OF WELL

11102 Old Katy Rd. Houston, Texas

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well X Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary X Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 252 ft. Depth of completed well 252 ft. Date drilled 1/10/67

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	48	Surface & Hard Red & WhiteClay
48	116	Hard White Clay
116	144	Sand Rock & Broken Sand
144	164	Sand Badly Broken
164	172	Shale
172	192	Sand Top Loose Broken
192	198	Sand
198	210	Shale Sandy- Broken Sand Rock
210	216	Sand
216	233	Broken Sand, Shale & Sand Roc
233	252	Sand

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall X Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 130 ft. below land surface Date 1/10/67
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New X Steel X Plastic ☐ Other ☐
Cemented from 0 ft. to 233 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	233	

10) SCREEN:
Type LOP Stainless, Wire Wrapped
Perforated X Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	237	252	.014 ga

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Yes With Air

Yield: gpm with ft. drawdown after hrs

Bailer test gpm with ft. drawdown after hrs

Artesian flow gpm Date

Temperature of water

Was a chemical analysis made? ☐ Yes X No

Did any strata contain undesirable water? ☐ Yes ☐ No

Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Reda

Type Submersible H.P. 1½

Designed pumping rate gpm ☐ gph ☐

Type power unit Electric

Depth to bowls, cylinder, jet, etc., 200 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

Address 4012 Fulton (P.O. Box 8707) (Street or RFD) Houston, (City) Texas 77009 (State)

(Signed) (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TX6512800

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
28	1 of 1	NE	1.24 / 6,525.04	W.W. TODD TX	TCEQ WELL LOGS

Grid No:	65-12-8L
Date Drilled:	12/08/1981
Owners Name:	W.W. TODD
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	185
Depth Drilled:	365
Latitude:	29.7869302
Longtiude:	-95.5802981

W.L. H62 V

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65 12-8L
Located on map YES
Received: C.F.S.

1) OWNER H. H Todd (Name) Address 1107 Sherwood Forest (Street or RFD) Hou. (City) Tx. (State) 77043 (Zip)

2) LOCATION OF WELL: 1107 Sherwood Forest
County Harris 15 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. mapsco 60-60-B2

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 12/8/81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	365

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	27	Top Soil + Clay
27	39	Sand
39	135	Clay
135	200	Sandy Clay
200	365	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	350	
2	N	Galvanized Steel	345	355	
2	N	P.V.C.	355	365	.020

CEMENTING DATA
Cemented from 300 ft. to 350 ft.
Method used Haliburton
Cemented by Bussell + Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 185 ft. below land surface Date 12/9/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 18 gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig D. Bussell (Type or Print) Water Well Drillers Registration No. 2035


ADDRESS 9939 N. Houston - Roosevelt (Street or RFD) Hou. (City) Tx. (State) 77088 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell + Son, Inc. (Company Name)

If you attach electric log, chemical analysis, and other pertinent information, if available.

392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
29	1 of 1	ENE	1.30 / 6,854.10	GEORGE MATHIS TX	TCEQ WELL LOGS

Grid No: 65-12-8K
Date Drilled: 06/12/1979
Owners Name: GEORGE MATHIS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 170
Depth Drilled: 280
Latitude: 29.7821617
Longtiude: -95.5732855

65-12-8K

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-12-8K
Located on map
Received:

1) OWNER George Mathis (Name) Address 10943 Britoak Lane (Street or RFD) Houston, Tx (City) 77079 (State) (Zip)

2) LOCATION OF WELL:
County Harris, 4 miles in e (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 199 Map no. 65-12-L

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 06-12-79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	255
5	255	280

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	15	clay
15	35	sand
35	45	clay
45	60	clay & rock
60	70	clay
70	72	sand stone
72	80	sand
80	105	clay
105	120	sand & clay
120	160	sand
160	200	sand & clay
200	210	sand
210	238	clay
238	280	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic pipe pvc	0	255	40
2½	N	Plastic pipe pvc	250	260	40
2½	N	Everflo screen	260	280	10

CEMENTING DATA
Cemented from 0 ft. to 40 ft.
Method used trimmer tube
Cemented by Welsco Drilling Company (Company or Individual)

9) WATER LEVEL:
Static level 170 ft. below land surface Date 07-12-79
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
formation	40
k-packer	250

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ed Smith (Type or Print) Water Well Drillers Registration No. 1692

ADDRESS 5242 E. Third St. (Street or RFD) Katy (City) Texas (State) 77450 (Zip)

(Signed) Ed Smith (Water Well Driller) Welsco Drilling Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
AUG - 6 1979
Texas Dept. of Wat. r Resour

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	1 of 15	NNE	1.30 / 6,858.67	Harris-Galveston Subsidence District TX	GWDB

Well Rep Track No:
State Well No: 6512726
Owner Name: Harris-Galveston Subsidence District
Drilling Start Dt:
Drilling Month: 6
Drilling Day: 4
Drilling Year: 1974
Well Depth: 1802
Well Usage: Unused
Water Level Status:
Latitude: 29.7908333
Longitude: -95.5861111
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512726&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512726&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	2 of 15	NNE	1.30 / 6,858.67	Harris-Galveston Subsidence District TX	GWDB

Well Rep Track No:
State Well No: 6512725
Owner Name: Harris-Galveston Subsidence District
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1974
Well Depth: 49
Well Usage: Unused
Water Level Status:
Latitude: 29.7908333
Longitude: -95.5866667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512725&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512725&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	3 of 15	NNE	1.30 / 6,858.67	Harris-Galveston Subsidence District TX	GWDB

Well Rep Track No:
State Well No: 6512729
Owner Name: Harris-Galveston Subsidence District
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1977
Well Depth: 237
Well Usage: Unused
Water Level Status:
Latitude: 29.7908333
Longitude: -95.5866667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512729&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512729&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	4 of 15	NNE	1.30 / 6,858.67	City of Houston Katy-Addicks TX	GWDB

Well Rep Track No:	
State Well No:	6512717
Owner Name:	City of Houston Katy-Addicks
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1968
Well Depth:	1575
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7894450
Longitude:	-95.5880560
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512717&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512717&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	5 of 15	NNE	1.30 / 6,858.67	USGS Katy Addicks TX	GWDB

Well Rep Track No:	
State Well No:	6512735
Owner Name:	USGS Katy Addicks
Drilling Start Dt:	
Drilling Month:	10
Drilling Day:	26
Drilling Year:	1977
Well Depth:	1220
Well Usage:	Irrigation
Water Level Status:	
Latitude:	29.7580560
Longitude:	-95.6216670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512735&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512735&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	6 of 15	NNE	1.30 / 6,858.67	City of Houston Sherwood Oaks TX	GWDB

Well Rep Track No:	
State Well No:	6512718
Owner Name:	City of Houston Sherwood Oaks
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1966
Well Depth:	360
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7908340
Longitude:	-95.5855560
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512718&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512718&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	7 of 15	NNE	1.30 / 6,858.67	USGS TX	GWDB

Well Rep Track No:	
State Well No:	6512728
Owner Name:	USGS
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1977
Well Depth:	
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7908340
Longitude:	-95.5866670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512728&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512728&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	8 of 15	NNE	1.30 / 6,858.67	City of Houston Sherwood Oaks TX	GWDB

Well Rep Track No:	
State Well No:	6512710
Owner Name:	City of Houston Sherwood Oaks
Drilling Start Dt:	
Drilling Month:	1
Drilling Day:	14
Drilling Year:	1964
Well Depth:	355
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7905560
Longitude:	-95.5850000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512710&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512710&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	9 of 15	NNE	1.30 / 6,858.67	CITY OF HOUSTON TX	WUD

St Well No:	6512718
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PG
Date Drilled:	00/00/1966
Well Depth:	360
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.790784
Longitude:	-95.585221
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	10 of 15	NNE	1.30 / 6,858.67	CITY OF HOUSTON TX	WUD

St Well No:	6512717
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013Y
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013Y
Date Drilled:	09/20/1968
Well Depth:	1561
Screen Top:	661
Screen Bottom:	1554
Gallons Per Minute:	1806
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.79014778
Longitude:	-95.58737946
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	11 of 15	NNE	1.30 / 6,858.67	Houston, City of TX	WW HARRIS GAL

Well ID:	1074	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1968
Permit No:	WP2023-117626	**Depth Drilled:**	1575
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	664
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.790277
Regulatory Aarea:	3	**Longitude:**	-95.5875

Owner Name: Houston, City of
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	12 of 15	NNE	1.30 / 6,858.67	USGS-294529095371801 TX	FED USGS

Site No:	USGS-294529095371801
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19841119
Well Depth:	1220
Well Depth Unit:	ft
Well Hole Depth:	1300
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-735
Latitude:	29.75833333000000
Longitude:	-95.6219444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	13 of 15	NNE	1.30 / 6,858.67	USGS-294726095350702 TX	FED USGS

Site No:	USGS-294726095350702
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19660811
Well Depth:	360
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-718
Latitude:	29.79083333000000
Longitude:	-95.5855556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	14 of 15	NNE	1.30 / 6,858.67	USGS-294726095351196 TX	FED USGS

Site No:	USGS-294726095351196
Site Type:	Well
Formation Type:	Chicot Aquifer, Upper
Date Drilled:	19771025
Well Depth:	159.75
Well Depth Unit:	ft
Well Hole Depth:	172.63
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-996
Latitude:	29.79083333000000
Longitude:	-95.5866667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	15 of 15	NNE	1.30 / 6,858.67	USGS-294724095351401 TX	FED USGS

Site No:	USGS-294724095351401
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19680918
Well Depth:	1575
Well Depth Unit:	ft
Well Hole Depth:	1710
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-717
Latitude:	29.79027778000000
Longitude:	-95.5872222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
31	1 of 2	ENE	1.30 / 6,874.51	Gehman, Scott TX	WW HARRIS GAL

Well ID:	13915	**Diameter (inches):**	4
Aggre Lead Well:	13915	**Year Drilled:**	2017
Permit No:	W2017-13915-192783-0	**Depth Drilled:**	39
Permit Start Date:	8/9/2017	**Depth frm Surf(ft):**	29
Permit End Dt:	8/9/2017	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.783333
Regulatory Aarea:	3	**Longitude:**	-95.586944
Owner Name:	Gehman, Scott		
Billing Contact:	Scott Gehman		
Billing Address:	13822 Britoak		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	R - Residential (Single Family) Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
31	2 of 2	ENE	1.30 / 6,874.51	Gehman, Scott TX	WW HARRIS GAL

Well ID:	13922	**Diameter (inches):**	5
Aggre Lead Well:	13922	**Year Drilled:**	2017
Permit No:	W2017-13922-193131-0	**Depth Drilled:**	60
Permit Start Date:	8/9/2017	**Depth frm Surf(ft):**	50
Permit End Dt:	8/9/2017	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.781388
Regulatory Aarea:	3	**Longitude:**	-95.5725

Owner Name: Gehman, Scott
Billing Contact: Scott 13822 Britoak
Billing Address: 13822 Britoak
Billing Address 2: NULL
Billing City: Houson
Billing State: TX
Billing Zip: 77079
Correspondence: Scott Gehman
Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee
Water Usage: R - Residential (Single Family) Irrigation

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
32	1 of 3	NE	1.37 / 7,232.30	CHARLES G. KLEMANN TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 06/21/1972
Owners Name: CHARLES G. KLEMANN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 164
Depth Drilled: 274
Latitude: 29.7885234
Longtiude: -95.5790173

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 7-2
NC

1) OWNER:
Person having well drilled CHARLES G. KLEMANN (Name) Address 1304 SHERWOOD FOREST (Street or RFD) HOUSTON (City) 77043 TEXAS
Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 12 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
1304 Sherwood Forest
1 mi. N. of Katy Freeway
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging
4) PROPOSED USE (Check): Domestic ✓ Industrial / Municipal / Irrigation / Test Well / Other
5) TYPE OF WELL (Check): Rotary ✓ Driven / Dug / Cable / Jetted / Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 274 ft. Depth of completed well 274 ft. Date drilled 6/11/74
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	240	Unconsolidated
240	256	Coarse Sand
256	274	Shale

9) Casing:
Type: Old / New ✓ Steel ✓ Plastic / Other
Cemented from 200 ft. to 246 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	246	30
2	256	274	40

10) SCREEN:
Type 3.5. Wrapped
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	246	256	#10

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed / Other / Under reamed / Open Hole

8) WATER LEVEL:
Static level 164 ft. below land surface Date 6-22-74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes / No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes / No ✓
Did any strata contain undesirable water? Yes / No ✓
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. 709
ADDRESS 9739 N. Houston Rosslyn Rd. (Street or RFD) Houston (City) Texas (State)
(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
32	2 of 3	NE	1.37 / 7,232.30	Arnold, David L. TX	WW HARRIS GAL

Well ID:	12248	**Diameter (inches):**	4
Aggre Lead Well:	12248	**Year Drilled:**	NULL
Permit No:	W2015-12248-176125-0	**Depth Drilled:**	10
Permit Start Date:	6/1/2015	**Depth frm Surf(ft):**	20
Permit End Dt:	6/1/2015	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.789166
Regulatory Aarea:	3	**Longitude:**	-95.578888
Owner Name:	Arnold, David L.		
Billing Contact:	NULL		
Billing Address:	1214 Sherwood Forest St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
32	3 of 3	NE	1.37 / 7,232.30	David Arnold 1214 Sherwood Forest Houston TX	SDRW WELLS

Track NO: 161438
Date Submitted: 2008-12-08
Owner Name: David Arnold
Owner Address: 1214 Sherwood Forest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77043
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.788889
Longitude: -95.578889
Drilling Date Started: 2005-07-25
Drilling Date Completed: 2005-07-27
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: P.O. Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=161438&Type=SDR-Well

Well Borehole Information

Top Depth: 333
Bottom Depth: 343

Top Depth:
Bottom Depth: 343.0

Top Depth: 0
Bottom Depth: 333

Well Levels

Measurement: 200
Measurement Date: 2005-07-27

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
33	1 of 4	NNW	1.37 / 7,254.75	City of Houston Katy-Addicks TX	GWDB

Well Rep Track No:
State Well No: 6512719
Owner Name: City of Houston Katy-Addicks
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1970
Well Depth: 1135
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7894450
Longitude: -95.6030560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512719&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512719&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
33	2 of 4	NNW	1.37 / 7,254.75	CITY OF HOUSTON TX	WUD

St Well No:	6512719
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013Z
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013Z
Date Drilled:	02/18/1970
Well Depth:	1135
Screen Top:	562
Screen Bottom:	1121
Gallons Per Minute:	782
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78907778
Longitude:	-95.60264444
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
33	3 of 4	NNW	1.37 / 7,254.75	Houston, City of TX	WW HARRIS GAL

Well ID:	1075	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1970
Permit No:	WP2023-117626	**Depth Drilled:**	1135
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	558
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.789166
Regulatory Aarea:	3	**Longitude:**	-95.6025

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
33	4 of 4	NNW	1.37 / 7,254.75	USGS-294721095361001 TX	FED USGS

Site No:	USGS-294721095361001
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	1970
Well Depth:	1135
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-719
Latitude:	29.78916667000000
Longitude:	-95.6027778000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
34	1 of 2	SW	1.38 / 7,267.65	Wildwood Subd. TX	GWDB

Well Rep Track No:
State Well No: 6512727
Owner Name: Wildwood Subd.
Drilling Start Dt:
Drilling Month: 8
Drilling Day:
Drilling Year: 1974
Well Depth: 323
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7588890
Longitude: -95.6086120
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512727&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512727&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
34	2 of 2	SW	1.38 / 7,267.65	Wildwood Civic Association TX	WW HARRIS GAL

Well ID:	4049	**Diameter (inches):**	6
Aggre Lead Well:	4049	**Year Drilled:**	1984
Permit No:	WP2024-108884	**Depth Drilled:**	0
Permit Start Date:	5/1/2024 9:00:00 AM	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025 10:21:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.759166
Regulatory Aarea:	3	**Longitude:**	-95.61
Owner Name:	Wildwood Civic Association		
Billing Contact:	Andrew Rohrer		
Billing Address:	11281 Richmond Ave. J-110		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	Property Masters, Inc.		
Provision:	DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
35	1 of 1	ENE	1.38 / 7,294.74	Allday Properties, Ltd. Partnership TX	WW HARRIS GAL

Well ID:	4368	**Diameter (inches):**	4
Aggre Lead Well:	4368	**Year Drilled:**	
Permit No:	W2015-4368-175795-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2015	**Depth frm Surf(ft):**	0
Permit End Dt:	12/30/2015	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.783611
Regulatory Aarea:	3	**Longitude:**	-95.5725

Owner Name:	Allday Properties, Ltd. Partnership
Billing Contact:	NULL
Billing Address:	8554 Katy Freeway, Suite 301
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77024
Correspondence:	Mike Baker
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
36	1 of 1	ENE	1.41 / 7,444.25	Wade Madley TX	GWDB

Well Rep Track No:	
State Well No:	6512812
Owner Name:	Wade Madley
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1967
Well Depth:	245
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7805550
Longitude:	-95.5702780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512812&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512812&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
37	1 of 3	NE	1.42 / 7,494.94	Ada Oil Co. TX	GWDB

Well Rep Track No:	
State Well No:	6512813
Owner Name:	Ada Oil Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1968
Well Depth:	279
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7852780
Longitude:	-95.5736110
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512813&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512813&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
37	2 of 3	NE	1.42 / 7,494.94	ADA OIL COMPANY TX	TCEQ WELL LOGS

Grid No:	65-12-7B
Date Drilled:	09/17/1968
Owners Name:	ADA OIL COMPANY
County:	HARRIS
Water Usage:	FILLEN STATION
Static Level:	120
Depth Drilled:	279
Latitude:	29.7855234
Longtiude:	-95.573713

7B

65-12-7B GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-7B
Located on map 4 W 5
Received: 8-?
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled: Ada Oil Company (Name) Address: Interstate 10 & Wildcrest (Street or RFD) (City) Adicks (State) TEXAS
Landowner: Same as above (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)
miles in (NE, SW, etc.) direction from (Town).

NORTH

See reverse side for map

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☒ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☐ Industrial ☐ Municipal ☐ Fillen Station Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☒ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 279 ft. Depth of completed well 279 ft. Date drilled 9-17-68
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	8	Top Soil
8	110	Clay
110	160	Sand
160	185	Clay
185	195	Sand
195	205	Clay
205	235	Sand
235	240	Clay
240	252	Sand
252	257	Clay
257	279	Sand

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall ☒ Gravel packed ☐ Other ☐ Under reamed ☐ Open hole ☐

8) WATER LEVEL: Static level 120 ft. below land surface Date 9-17-68
Artesian pressure lbs. per square inch Date

9) CASING: Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from ft. to ft.

10) SCREEN: Type Stainless Steel Screen
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	269	schedule 30

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4"	269	279	16

11) WELL TESTS:
Was a pump test made? ☐ Yes ☒ No If yes by whom?
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Reda Pump Company
Type Submersible H.P. 1
Designed pumping rate 10 gpm ☒ gph ☐
Type power unit
Depth to bowls, cylinder, jet, etc., 210 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


NAME Schoppa Water Well Service (Type or Print) Water Well Drillers Registration No. 582

Address Rt. #1, Box 232-C (Street or RFD) Spring (City) Texas 77373 (State)

(Signed) Rud Schoppa (Water Well Driller) Schoppa Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

GM


approximately 4 miles from Alice, Tex.
Wildcrest
65 FT.
175'
25 FT.
WELL
INTERSTATE 10
RAILROAD TRACK
RECEIVED
DEC 11 1968
Texas Water Development Board
TEXAS WATER DEVELOPMENT BOARD
NOV 26 1968
RECEIVED

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
37	3 of 3	NE	1.42 / 7,494.94	ADA RESOURCES, #717 TX	WW HARRIS GAL

Well ID:	2713	**Diameter (inches):**	4
Aggre Lead Well:	2713	**Year Drilled:**	1968
Permit No:	W1986-2713-25650-0	**Depth Drilled:**	279
Permit Start Date:	11/1/1986	**Depth frm Surf(ft):**	269
Permit End Dt:	10/31/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785277
Regulatory Aarea:	3	**Longitude:**	-95.573611
Owner Name:	ADA RESOURCES, #717		
Billing Contact:	JAMES G. NEWSOM		
Billing Address:	P.O. Box 844		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
38	1 of 4	NW	1.43 / 7,546.27	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6512720
Owner Name: City of Houston
Drilling Start Dt: 1969-11-13
Drilling Month: 11
Drilling Day: 19
Drilling Year: 1969
Well Depth: 1140
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.7858333
Longitude: -95.6091667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512720&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512720&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
38	2 of 4	NW	1.43 / 7,546.27	CITY OF HOUSTON TX	WUD

St Well No:	6512720
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AA
Date Drilled:	01/08/1970
Well Depth:	1144
Screen Top:	597
Screen Bottom:	1127
Gallons Per Minute:	1600
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.78557396
Longitude:	-95.60903168
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
38	3 of 4	NW	1.43 / 7,546.27	Houston, City of TX	WW HARRIS GAL

Well ID:	1076	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1970
Permit No:	W2013-1003-162436-0	**Depth Drilled:**	1140
Permit Start Date:	2/1/2013	**Depth frm Surf(ft):**	589
Permit End Dt:	1/31/2014	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785277
Regulatory Aarea:	3	**Longitude:**	-95.608611

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Acres Homes #1
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; G1 - permit exempt from disincentive fee based on provisions in GRP (2002); M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
38	4 of 4	NW	1.43 / 7,546.27	USGS-294708095363201 TX	FED USGS

Site No:	USGS-294708095363201
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	197003
Well Depth:	1140
Well Depth Unit:	ft
Well Hole Depth:	1650
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-720
Latitude:	29.78555556000000
Longitude:	-95.6091667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
39	1 of 1	WSW	1.43 / 7,576.09	DAVID KNOLL TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	04/23/1999
Owners Name:	DAVID KNOLL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	179
Depth Drilled:	335
Latitude:	29.759862
Longtiude:	-95.610879

Send original copy by certified return receipt requeste to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER DAVID KNOll (Name) ADDRESS 1218 TRACE DRIVE. Houston TX 77077 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 1218 TRACE DR. HOUSTON TX 77077 (Street, RFD or other) (City) (State) (Zip) Long. _____ Lat. _____ Grid # 65-12-7

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

(4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) X N

6) WELL LOG: Date Drilling: Started 4-22 19 99 Completed 4-23 19 99

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	325
3 7/8	325	335

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	18	TOP Soil & Clay
18	26	SURFACE SAND
26	47	CLAY
47	61	SAND
61	96	CLAY
96	110	SAND
110	125	CLAY
125	170	SAND
170	197	CLAY
197	245	SAND
245	265	CLAY
265	289	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC CASING	0	325	
2.5	N	GALVANIZED	320	325	
2.5	N	PVC SCREENS	325	335	012

9) CEMENTING DATA
Cemented from 0 ft. to 325 ft. No. of sacks used 30
ft. to ft. No. of sacks used
Method used Halliburton
Cemented by AQUA SOURCE / B+S INC.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

13) ☐ Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed
☑ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

15) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 179 ft. below land surface Date 4-23-99
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
K Packer	320

FILE ID SEQ # CMP # DESC CD JUN 11 1999 OWNER

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AQUA SOURCE / B+S Inc (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P O BOX 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
289	295	Clay
295	335	Sand

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
40	1 of 4	WNW	1.44 / 7,577.38	City of Houston Turkey Creek TX	GWDB

Well Rep Track No:	
State Well No:	6512721
Owner Name:	City of Houston Turkey Creek
Drilling Start Dt:	
Drilling Month:	4
Drilling Day:	2
Drilling Year:	1969
Well Depth:	1010
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7841670
Longitude:	-95.6113890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512721&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512721&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
40	2 of 4	WNW	1.44 / 7,577.38	CITY OF HOUSTON TX	WUD

St Well No:	6512721
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013JK
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013JK
Date Drilled:	00/00/1969
Well Depth:	1010
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.783561
Longitude:	-95.61078
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
40	3 of 4	WNW	1.44 / 7,577.38	Memorial Oaks Cemetery 13001 Katy Freeway Houston TX 77079	SDRW WELLS

Track NO: 184236
Date Submitted: 2009-06-26
Owner Name: Memorial Oaks Cemetery
Owner Address: 13001 Katy Freeway
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77079
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.784167
Longitude: -95.609723
Drilling Date Started: 2009-05-28
Drilling Date Completed: 2009-06-08
Chemical Analysis: No
Company Name: O'Day Drilling Company, Inc
Company Address: 5923 CR 931
CompanyAddress2:
Company City: Rosharon
Company State: TX
Company Zip: 77583
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=184236&Type=SDR-Well

Well Borehole Information

Top Depth: 335
Bottom Depth: 412

Top Depth: 412
Bottom Depth: 430

Top Depth: 0
Bottom Depth: 335

Top Depth:
Bottom Depth: 430.0

Well Levels

Measurement: 178
Measurement Date: 2009-06-09

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
40	4 of 4	WNW	1.44 / 7,577.38	USGS-294702095364001 TX	FED USGS

Site No:	USGS-294702095364001
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19690403
Well Depth:	1010
Well Depth Unit:	ft
Well Hole Depth:	1150
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-721
Latitude:	29.78416667000000
Longitude:	-95.6113889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
41	1 of 2	SW	1.49 / 7,851.08	SOUTHWESTERN BELL TX	TCEQ WELL LOGS

Grid No: 65-11-9M
Date Drilled: 03/25/1974
Owners Name: SOUTHWESTERN BELL
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 131
Depth Drilled: 312
Latitude: 29.755277
Longtiude: -95.607241

94

nd original copy by
rtified mail to the
xas Water Development Board
O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9M
Located on map
Received: 7-17

1) OWNER:
Person having well drilled Southwestern Bell (Name) Address 2100 South Main; Houston, 77002 (Street or RFD) (City) (State)

Landowner Same (Name) Address Buffalo Briarforest) Work Center (Street or RFD) (City) (State)

Harris

2) LOCATION OF WELL:
County _____, _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

See Reverse Side

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well X | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial X | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary X | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 0 ft. Depth of completed well 312 ft. Date drilled 3-25-74

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Surface Clay
24	48	Clay & Rock
48	72	Sand & Clay
72	96	Red Clay
96	120	Clay & Sand
120	144	Sand & Clay
144	168	Clay & Sand
168	192	Sand Loose
192	216	Sand
216	240	Sand
240	264	Sand Broken

(Use reverse side if necessary) over

9) Casing:
Type: Old | New X | Steel | Plastic | Other

Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage

10) SCREEN:
Type Stainless steel rod base

Perforated X | Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size

7) COMPLETION (Check):
Straight wall | Gravel packed | Other | Under reamed | Open Hole

8) WATER LEVEL:
Static level 131 ft. below land surface Date 3-25-74

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 231 ft.

below land surface.

11) WELL TESTS:
Was a pump test made? Yes | No X If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes | No X

Did any strata contain undesirable water? Yes | No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4912 Fulton; P. O. Box 8707; Houston, TX 77009 (Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

*Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

cas-wdr

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

264 288 Sand
288 312 Sand



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
41	2 of 2	SW	1.49 / 7,851.08	Southwestern Bell Telephone Co. TX	WW HARRIS GAL

Well ID:	2885	**Diameter (inches):**	4
Aggre Lead Well:	2885	**Year Drilled:**	1988
Permit No:	W1987-2885-28246-0	**Depth Drilled:**	0
Permit Start Date:	11/1/1987	**Depth frm Surf(ft):**	0
Permit End Dt:	10/31/1988	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.755
Regulatory Aarea:	3	**Longitude:**	-95.6075
Owner Name:	Southwestern Bell Telephone Co.		
Billing Contact:	NULL		
Billing Address:	208 S. Akard St., Room 2420		
Billing Address 2:	NULL		
Billing City:	Dallas		
Billing State:	TX		
Billing Zip:	75202		
Correspondence:	SBC Communications Inc.		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
42	1 of 2	WSW	1.49 / 7,867.34	PROVIDENT OAKS TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	08/04/1995
Owners Name:	PROVIDENT OAKS
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	167
Depth Drilled:	323
Latitude:	29.759461
Longtiude:	-95.611677

Send original copy by certified mail to: Texas Water Commissi[on] P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Provident OAKs (Name) ADDRESS 2550 Gray Falls Suite 100 Houston, Tx 77077 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris miles in _____ (NE, SW, etc.) direction from _____ (Town)
David Suplee @ 1200 Briar Patch

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☑ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 6-27 19 95 Completed 8-4 19 95

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6 3/4	Surface	310
	4 3/4	310	323

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other Two String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Topsoil, Tan clay, SAND, clay
20	40	clay, SAND
40	60	SAND (5') clay
60	80	clay (75') rock, clay
80	100	" SANDy clay
100	120	SANDy clay, SAND w/rock
120	140	SAND clay, SAND w/rock, clay
140	160	clay (154') Sand & gravel
160	180	SAND & gravel (168') clay
180	200	" (185') clay (187') sand

(Use reverse side if necessary) (Over)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Well Casing	+2	310	sch 40
2.5	N	PVC BLANK Pipe	302	312	sch 80
2.5	N	Stainless Steel	312		
		Rod Base screen		322	10ga
2.5	N	PVC SAW Tooth Nipple	322	323	sch 80

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 310 ft. to 210 ft. No. of Sacks Used 10
0 ft. to 15 ft. No. of Sacks Used 8
Method used Halliburton
Cemented by Geophysical Drlg Inc

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☑ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 167 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Formation Packer	15
BP Seal	302

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

14) WELL TESTS: Type Test: ☐ Pump ☐ Baller ☑ Jetted ☐ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

RECEIVED SEP 01 1995 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drlg Inc (Type or print) WELL DRILLER'S LICENSE NO. 4898 WPK
ADDRESS PO Box 664 (Street or RFD) Jacksboro, Tx 76441 (City) (State) (Zip)
(Signed) Jimmy D. Briney (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

TWC-0199 (Rev. 05-18-90) WATER COMMISSION'S COPY

203,973

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
200	220	SAND (210) clay RED SAND (219) clay
220	240	ROCK, clay, SAND, clay
240	260	clay, SAND, clay, SAND
260	280	SAND, clay (270) SAND & ROCK
280	300	SAND (295) clay (295) Sand
300	320	SAND →


Hou Key Map 488M
Providence Oaks
(David Suplee)
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
PREPARED BY THE
TEXAS STATE HIGHWAY DEPARTMENT
PLANNING AND RESEARCH DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
42	2 of 2	WSW	1.49 / 7,867.34	Provident Oaks TX	WW HARRIS GAL

Well ID:	5400	**Diameter (inches):**	4
Aggre Lead Well:	5400	**Year Drilled:**	1995
Permit No:	WP2023-117999	**Depth Drilled:**	425
Permit Start Date:	3/1/2024	**Depth frm Surf(ft):**	400
Permit End Dt:	2/28/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.759166
Regulatory Aarea:	3	**Longitude:**	-95.611388

Owner Name: Provident Oaks
Billing Contact: Irene Binash
Billing Address: 1207 Provident Oaks Lane
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77077
Correspondence: NULL
Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller; SPAGR
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
43	1 of 4	E	1.50 / 7,898.31	Memorial Drive Methodist Church TX	GWDB

Well Rep Track No:	
State Well No:	6512811
Owner Name:	Memorial Drive Methodist Church
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1964
Well Depth:	293
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7719440
Longitude:	-95.5680550
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512811&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512811&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
43	2 of 4	E	1.50 / 7,898.31	City of Houston Memorial Bend TX	GWDB

Well Rep Track No:	
State Well No:	6512802
Owner Name:	City of Houston Memorial Bend
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1955
Well Depth:	780
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7722220
Longitude:	-95.5658340
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512802&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512802&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
43	3 of 4	E	1.50 / 7,898.31	CITY OF HOUSTON TX	WUD

St Well No:	6512802
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NY
Date Drilled:	00/00/1955
Well Depth:	780
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.772451
Longitude:	-95.56633
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
43	4 of 4	E	1.50 / 7,898.31	Houston, City of TX	WW HARRIS GAL

Well ID:	1083	**Diameter (inches):**	14
Aggre Lead Well:	1083	**Year Drilled:**	1955
Permit No:	W1978-1083-83-0	**Depth Drilled:**	780
Permit Start Date:	11/30/1953	**Depth frm Surf(ft):**	597
Permit End Dt:	11/30/1953	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.771388
Regulatory Aarea:	3	**Longitude:**	-95.566111
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St, 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	ACRES HOMES #2		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
44	1 of 2	NW	1.51 / 7,978.78	HOUSTON LIGHTING & POWER TX	TCEQ WELL LOGS

Grid No: 65-12-7U
Date Drilled: 02/16/1983
Owners Name: HOUSTON LIGHTING & POWER
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 150
Depth Drilled: 342
Latitude: 29.7883974
Longtiude: -95.6077223

65-12-7U

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Houston Lighting & Power (Name) Address P. O. Box 1374 (Street or RFD) Houston (City) Tx. (State) 77001 (Zip)

2) LOCATION OF WELL: County Harris 2 miles in E (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Woodcreek

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

XX See attached map. mapon 65-29-2NN

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic XXX Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): XXX Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled 2/16/83

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	342

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	24	Clay
24	30	Sand
30	130	Clay
130	207	Sand
207	260	Clay
260	342	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole XXX Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Steel	0	318	WW
2½	N	Steel	311	332	WW
2½	N	Steel	332	342	WW12

CEMENTING DATA
Cemented from 15 Sacks ft. to ____ ft.
Method used Pressure
Cemented by O'DAYDRILLING CO., INC. (Company or Individual)

RECEIVED
JUN - 8 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 150 ft. below land surface Date 3/9/83
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet XX Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 232 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer XX Jetted ☐ Estimated
Yield: 20 gpm with ____ ft. drawdown after ____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes XX No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes XX No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME O'DAY DRILLING CO., Inc. (Type or Print) Water Well Driller's License No. 786

ADDRESS P.O.BOX 162 (Street or RFD) Pearland (City), Tx. (State) 77581 (Zip)

(Signed) Orlen O'Day (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only: Well No. 65-12-7U Located on map YESC1F-5.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
44	2 of 2	NW	1.51 / 7,978.78	Shell Oil Co. TX	WW HARRIS GAL

Well ID:	3294	**Diameter (inches):**	12
Aggre Lead Well:	3294	**Year Drilled:**	1979
Permit No:	W2016-3294-183270-0	**Depth Drilled:**	760
Permit Start Date:	6/1/2016	**Depth frm Surf(ft):**	600
Permit End Dt:	6/1/2016	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.788888
Regulatory Aarea:	3	**Longitude:**	-95.605277
Owner Name:	Shell Oil Co.		
Billing Contact:	NULL		
Billing Address:	150 N Dairy Ashford		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	70 - Based on permitted allocation or 70% of total demand, whichever is smaller; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
45	1 of 1	NNE	1.53 / 8,087.50	Ben Tsin 1408 Sherwood Forest Houston TX 77043	SDRW WELLS

Track NO: 60445
Date Submitted: 2005-06-07
Owner Name: Ben Tsin
Owner Address: 1408 Sherwood Forest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77043
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.791111
Longitude: -95.579167
Drilling Date Started: 2005-06-02
Drilling Date Completed: 2005-06-06
Chemical Analysis: No
Company Name: Ballard Water Well
Company Address: P. O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=60445&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 260

Top Depth: 260
Bottom Depth: 324

Top Depth:
Bottom Depth: 324.0

Well Levels

Measurement: 191
Measurement Date: 2005-06-06

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
46	1 of 1	NE	1.57 / 8,288.85	MR. JOE GOVNIK TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	07/17/1972
Owners Name:	MR. JOE GOVNIK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	18
Depth Drilled:	63
Latitude:	29.790127
Longtiude:	-95.575818

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

nd original copy by
rtified mail to the
xas Water Development Board
. O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No.
Located on map NO
Received: 7-2

1) OWNER:
Person having well drilled MR. JOE GOVNIK (Name) Address 1328 UPLAND, HOUSTON, TEXAS (Street or RFD) (City) (State)

Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 15 miles in NW (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well X, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic X, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary X, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 63 ft. Depth of completed well 57 ft. Date drilled 7/17/72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top soil
2	16	Gray clay
16	21	White sand
21	59	Red clay
59	63	Red sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New X, Steel, Plastic X, Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2 1/2	0	57	Sch 40

10) SCREEN:
Type NONE
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size

7) COMPLETION (Check):
Straight wall X, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 18 ft. below land surface Date 7/17/72
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 21 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes, No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes, No X
Did any strata contain undesirable water? Yes, No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. (Type or Print) Water Well Drillers Registration No. 1101

ADDRESS 7507 JANAK DRIVE (Street or RFD) HOUSTON (City) TEXAS (State) 77055

(Signed) John B. Lumpkin Jr. (Water Well Driller) LONG POINT WATER WELL SERVICE (Company Name)

*Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

DBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
47	1 of 1	NE	1.57 / 8,309.27	MR. JOHN B. FARR TX	TCEQ WELL LOGS

Grid No: 65-12-7K
Date Drilled: 02/06/1976
Owners Name: MR. JOHN B. FARR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 264
Latitude: 29.7911257
Longtiude: -95.5773847

7K

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-7K
Located on map Yes
Received: 2/6

1) OWNER:
Person having well drilled Mr. John B. Farr (Name) Address 1409 Upland Drive; Houston, TX (Street or RFD) (City) (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

SEE REVERSE SIDE

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well XX Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic X Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary XX Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 264 ft. Depth of completed well 264 ft. Date drilled 2-6-76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Clay
24	48	Clay
48	72	Clay
72	96	Clay
96	120	Rock and Clay
120	144	Rock and Clay
144	168	Rock and Clay
168	192	Rock and Clay
192	216	Clay
216	240	Rock and Sand
240	264	Rock and Sand

(Use reverse side if necessary)

9) Casing:
Type: Old New Steel X Plastic Other

Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage

10) SCREEN:
Type Stainless steel rod base

Perforated X Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
#12 guage	254	264	
2 1/2" Black	238	254	

7) COMPLETION (Check):
Straight wall XX Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 190 ft. below land surface Date 2-16-76

Artesian pressure lbs. per square inch Date

Depth to pump bowls, cylinder, jet, etc., 231 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?

Yield: gpm with ft. drawdown after hrs.

Bailer test gpm with ft. drawdown after hrs.

Artesian flow gpm

Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes XX No

Did any strata contain undesirable water? Yes No X

Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton; P. O. Box 8707; Houston, TX 77009 (Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-6

2)LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY - 7 1976
TEXAS WATER
DEVELOPMENT BOARD



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
48	1 of 1	WSW	1.58 / 8,339.06	Lake at Stonehenge TX	WW HARRIS GAL

Well ID:	13790	**Diameter (inches):**	4
Aggre Lead Well:	13790	**Year Drilled:**	NULL
Permit No:	WP2024-102034	**Depth Drilled:**	0
Permit Start Date:	5/1/2024 10:16:00 AM	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025 10:16:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.759166
Regulatory Aarea:	3	**Longitude:**	-95.613333
Owner Name:	Lake at Stonehenge		
Billing Contact:	Lamika Carter		
Billing Address:	P.O. Box 133063		
Billing Address 2:	NULL		
Billing City:	Spring		
Billing State:	TX		
Billing Zip:	77393		
Correspondence:	Houston HOA MGT		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
49	1 of 1	W	1.59 / 8,391.00	MR. & MRS. SUNIL KAMAR MEHTA TX	TCEQ WELL LOGS

Grid No: 65-12-7
Date Drilled: 08/20/1993
Owners Name: MR. & MRS. SUNIL KAMAR MEHTA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 165
Depth Drilled: 320
Latitude: 29.772129
Longtiude: -95.617744

Send original copy by certified mail to: Texas Water Com on, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Mr & Mrs Sunil Kumar Mehta (Name) ADDRESS #5 Turkey Trail (Street or RFD) Houston (City) Tx (State) 77079 (Zip)

2) LOCATION OF WELL: County Harris — 1/4 miles in 5E (NE, SW, etc.) direction from Eldridge & Memorial (Town) crossing
Key Map 488G

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 8-18 1993 Completed 8-20 1993

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	300
4 3/4	300	320

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other Two String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Clay — Rock clay Rock
20	40	SAND — clay rock clay
40	60	Clay SAND clay SAND
60	80	Clay SAND clay
80	100	Clay — SAND
100	120	SAND
120	140	SAND — clay, SAND — clay
140	160	clay, SAND
160	180	SAND — clay, SAND — clay
180	200	Clay SAND clay

(Use reverse side if necessary) — over —

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	sch 40 well casing	+2	300	PVC
2.5	N	Blank Pipe	294	300	sch 80
2.5	N	Stainless Steel Rod	300	310	10 gg
↓	↓	base screen	310	320	12 gg
2.5	N	6" saw tooth nip			sch 80

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 20 ft. No. of Sacks Used 4
100 ft. to 300 ft. No. of Sacks Used 1.5
Method used Halliburton
Cemented by Geophysical Drlg, Inc

RECEIVED NOV 9 1993 TEXAS WATER COMMISSION

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☑ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 231 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☐ Estimated
Yield: 100 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 165 ft. below land surface Date 8-20-93
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
Formation Packer	20 ft.
BP Seal	294 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drilling, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2389 WI

ADDRESS P.O. Box 664 (Street or RFD) Fulshear (City) Tx (State) 77441 (Zip)

(Signed) Brad J. Hill (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map 65-12-7

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY


IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
200	220	CLAY SAND clay SAND
220	240	SAND — clay — ROCK - SAND
240	260	SAND, clay — ROCK - SAND R
260	280	ROCK — SAND 12', ROCK SAND
280	300	ROCK, SAND clay SAND clay sand R
300	320	SAND ROCK SAND ROCK SAND 15'


est Eagle Ranch
Kumar Mehta
Dwight White
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
TEXAS STATE HIGHWAY DEPARTMENT
PLANNING AND RESEARCH DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973
Vincent Kickerillo

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
50	1 of 3	NE	1.59 / 8,415.16	MALER TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	06/20/1988
Owners Name:	MALER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	360
Latitude:	29.7885475
Longtiude:	-95.5730395

~ 60

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Maler (Name) Address 10940 Day Houston, Texas (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 13 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. 0165-11-9

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 6-18- 1988 Completed 6-20-88 19__

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6 3/4	Surface	360'

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 String cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	25	clay
25	65	sand
65	75	clay
75	160	sand and gravel
160	185	clay
185	225	sand
225	240	clay
240	265	sand
265	280	clay
280	360	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC casing	0	350	S-40
2½	N	Blank Liner	340	350	S-40
2½	N	Slotted screen	350	360	.012

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 350 ft. to 190 ft. No. of Sacks Used 8
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by RSW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
AUG 22 1988
TEXAS WATER COMMISSION

11) WATER LEVEL:
Static level 210 ft. below land surface Date 6-20-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 340

13) TYPE PUMP: 1½ H.P.
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 300 ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Serv. Inc. (Type or Print) Water Well Driller's License No. 2212

ADDRESS 11607 F.M. 149 (Street or RFD) Houston, Texas 77086 (City) (State) (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-12-8
Located on map _____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY

TX6512800 08

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
50	2 of 3	NE	1.59 / 8,415.16	NULL TX	WW HARRIS GAL

Well ID:	14472	**Diameter (inches):**	0
Aggre Lead Well:	NULL	**Year Drilled:**	
Permit No:	NULL	**Depth Drilled:**	0
Permit Start Date:	NULL	**Depth frm Surf(ft):**	0
Permit End Dt:	NULL	**County:**	
Well Status:		**Latitude:**	29.788611
Regulatory Aarea:		**Longitude:**	-95.572777
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
50	3 of 3	NE	1.59 / 8,415.16	Encourager Church TX	WW HARRIS GAL

Well ID:	14473	**Diameter (inches):**	4
Aggre Lead Well:	14473	**Year Drilled:**	NULL
Permit No:	WP2024-105733	**Depth Drilled:**	0
Permit Start Date:	6/1/2024 2:40:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	5/31/2025 2:40:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.788888
Regulatory Aarea:	3	**Longitude:**	-95.573333
Owner Name:	NULL		
Billing Contact:	Jodi Jones		
Billing Address:	10950 Katy Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
51	1 of 5	WNW	1.59 / 8,421.13	MEMORIAL OAKS CEMETARY TX	TCEQ WELL LOGS

Grid No: 65-12-7
Date Drilled: 03/30/2002
Owners Name: MEMORIAL OAKS CEMETARY
County: HARRIS
Water Usage: IRRIGATION
Static Level: 172
Depth Drilled: 403
Latitude: 29.7832864
Longtiude: -95.6143358

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: MEMORIAL OAKS CEMETARY ADDRESS: 13001 KATY FREEWAY CITY: HOUSTON STATE: TX ZIP: 77079-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-07
Street or RFD: (SAME AS ABOVE IN SOUTH EAST CORNER) SUBSIDENCE WELL # 8722
City, State, Zip code: HOUSTON , TX 77079-

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

5)

6) WELL LOG: 00564

DATE DRILLING:
STARTED: 02/25/02
COMPLETED: 03/30/02

DIAMETER OF HOLE

DIAMETER	FROM	TO
9.875	-0-	320
5.75	320	403

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
6.0	N	PVC WELL CASING	+2	320	SDR-21
4.0	N	STAINLESS BLANK PIPE	313	323	304-SS
4.0	N	STAINLESS ROD BASE	323	343	8 GA
4.0	N	STAINLESS ROD BASE	343	402	10 GA
2.5	N	S/S NIP W/BACKWASH V	402	403	304-SS

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	20	SANDY TOPSOIL, CLAY, SAND, CLAY
20	40	SAND ROCK CLAY ROCK CLAY
40	60	RED CLAY GRAY CLAY SAND
60	100	SAND GRAY CLAY CLAY
100	128	RED CLAY
128	146	SAND SAND CLAY
146	200	SAND SAND SAND
200	240	SAND,CLAY BREAK,SAND CLAY, SAND, CLAY
240	260	CLAY ROCK SAND
260	280	SAND ROCK SAND
280	355	SAND SAND SAND
355	358	CLAY
358	402	SAND SAND SAND
402	403	ROCK

9) CEMENTING DATA:

Cemented from				No. of Sacks Used
320	FT.	TO 120	FT.	15
-0-	FT.	TO 20	FT.	8

Method used: HALLIBURTON METHOD
Cemented by: GDI LOWER PRESSURED
Distance to septic field lines: n/a ft.
Method of verification of above distance:
NONE TO INSTALL

10) SURFACE COMPLETION:
PVC CEMENTED SLEEVE

11) WATER LEVEL:
STATIC LEVEL : 172 FT. DATE: 03/29/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATIOM PACKER	20
BP-SEAL	313

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 295

14) WELL TEST:
JETTED
YIELD: 300 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 45 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 2888 WI
ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Greg D. Hill (LICENSED WATER WELL DRILLER)

(signed) Travis Otte (REGISTERED DRILLER TRAINEE)

RECEIVED
TDLR MAIL ROOM
APR 22 2002
RECEIPT # AMOUNT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
51	2 of 5	WNW	1.59 / 8,421.13	S C I MEM. OAK TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	03/21/1990
Owners Name:	S C I MEM. OAK
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	210
Depth Drilled:	660
Latitude:	29.7832864
Longtiude:	-95.6143358

Send original copy by certified mail to: Texas Water Com ion, P.O. Box 13087, Austin, Texas 78711

37 / 101 Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER S.C.I. Mem. Oak (Name) ADDRESS 13001 Katy (Street or RFD) Houston (City) Tx (State) (Zip)

2) LOCATION OF WELL: County Harris , 16 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 3-21 1990 Completed 3-21 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface 0	662

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	100	Clay
100	210	Sand
210	305	Clay
305	415	Sand
415	500	Clay
500	662	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
6"	N	Steel Casing	0	562	
4"	N	Liner	562	602	
4"	N	Screen Rod Base	602	662	

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 562 ft. No. of Sacks Used 60
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Halliburton
Cemented by Robinson Water Well

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible 20 H.P. ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 336 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 210 ft. below land surface Date 4-2-90
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS:

Type	Depth
K-PAcker	562

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212


ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 09/21/88) TEXAS WATER COMMISSION COPY 65-12-7



65-12-7

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
51	3 of 5	WNW	1.59 / 8,421.13	Houston, City of TX	WW HARRIS GAL

Well ID:	4230	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-100161	**Depth Drilled:**	500
Permit Start Date:	2/1/2023	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2024	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.778055
Regulatory Aarea:	3	**Longitude:**	-95.616944

Owner Name: Memorial Oaks, Inc.
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
51	4 of 5	WNW	1.59 / 8,421.13	Memorial Oaks, Inc. TX	WW HARRIS GAL

Well ID:	4321	**Diameter (inches):**	6
Aggre Lead Well:	4230	**Year Drilled:**	1990
Permit No:	W1994-4230-44838-0	**Depth Drilled:**	600
Permit Start Date:	5/1/1994	**Depth frm Surf(ft):**	550
Permit End Dt:	4/30/1995	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.777777
Regulatory Aarea:	3	**Longitude:**	-95.616388
Owner Name:	MEMORIAL OAKS, INC.		
Billing Contact:	Gillian Loney		
Billing Address:	13001 Katy Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
51	5 of 5	WNW	1.59 / 8,421.13	Houston, City of TX	WW HARRIS GAL

Well ID:	4231	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	240
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.778333
Regulatory Aarea:	3	**Longitude:**	-95.616944

Owner Name:	Memorial Oaks, Inc.
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
52	1 of 1	NE	1.60 / 8,439.43	MR. LOWREY TX	TCEQ WELL LOGS

Grid No:	65-12-5C
Date Drilled:	07/17/1969
Owners Name:	MR. LOWREY
County:	HARRIS
Water Usage:	NURSERY
Static Level:	154
Depth Drilled:	331
Latitude:	29.790852
Longtiude:	-95.576165

65-12-5C GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-12-5C
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Mr Lowery (Name) Address 14104 Upland (Street or RFD) Houston (City) (State)
Landowner Mr Lowery (Lowery Nursery) (Name) 14104 Upland Houston Texas 77015 (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section 202 Block No. 3 Survey
(Circle as many as are known)
miles in (NE, SW, etc.) direction from (Town).
North 232 Feet of the west 234.7 Feet of Lot 9 in Block 3 of Cherrywood Estates and of Houston, as per map of record in Vol 22 of Map Records

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.



3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐ Nursery

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 321 ft. Depth of completed well 321 ft. Date drilled 7-17-69
All measurements made from ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Top dirt
4	13	White clay & sand
13	23	White yellow clay
23	55	Red clay & Red sand
55	64	Red clay
64	85	Red & white clay
85	89	Fine sand
89	106	White clay & sand
106	159	Sand & Gravel
159	172	Blue & Red clay
172	194	
194	234	Blue clay & white
234	295	Clay & some shale
295	321	Sand.

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☒
Under reamed ☐ Open hole ☐ Cemented bottom and screen installed

8) WATER LEVEL:
Static level 154 ft. below land surface Date 7-19-69
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐ Galv
Cemented from 22 Bottom ft. to ft.

10) SCREEN:
Type Stainless Steel Ribb
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	1	308	S.C. 30

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	211	321	40
SCH 40 PVC			Slots
and Red sealed in			40 20 20

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Reda Pump Co
Type Submersible 280 H.P. 3
Designed pumping rate 150 to 175 gpm ☐ gph ☐
Type power unit Electricity
Depth to bowls, cylinder, jet, etc., 231 ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C W McKee (Type or Print) Water Well Drillers Registration No. 152
Address 2222 Campbell Rd (Street or RFD) Houston (City) Texas 77055 (State)
(Signed) C W McKee (Water Well Driller) C & W Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TX6512500025

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
53	1 of 1	SSE	1.62 / 8,579.06	LYLE BULL TX	TCEQ WELL LOGS

Grid No:	65-32-5
Date Drilled:	05/17/1988
Owners Name:	LYLE BULL
County:	HARRIS
Water Usage:	LOOP
Static Level:	NOT REPORTED
Depth Drilled:	200
Latitude:	29.748609
Longtiude:	-95.586319

#2 HARRIS

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Lyle Bull (Name) Address PO Box 1700 (Street or RFD) Houston, Texas 77001 (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris IN miles in Briar Forest (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other LOOP

5) DRILLING METHOD (Check):
☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 5-17- 19 88 Completed 5-17 19 88

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
4	Surface	200

From (ft.)	To (ft.)	Description and color of formation material
	0-4	top soil
	4-25	brown clay
	25-35	sand
	35-75	brown clay
	75-80	sand
	80-105	brown clay
	105-115	sand
	115-160	brown clay
	160-200	blue clay

RECEIVED
JUL 25 1988
TEXAS WATER COMMISSION

1 LOOP

ADD ON EXISTING
3 LOOPS

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
1	N	PB	180	0	160

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 200 ft. to 0 ft. No. of Sacks Used 4
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Pressure Bentonite slurry
Cemented by Holly Water Wells

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 (Street or RFD) HUntsville, Texas 77340 (City) (State) (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65 32-5
Located on map _____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
54	1 of 2	NNE	1.65 / 8,708.13	MUELLER WATER CONDITIONING INC TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	02/28/2001
Owners Name:	MUELLER WATER CONDITIONING INC
County:	HARRIS
Water Usage:	COMM.
Static Level:	220
Depth Drilled:	390
Latitude:	29.793203
Longtiude:	-95.579061

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
MUELLER WATER CONDITIONING INC	1500 SHERWOOD FOREST DR.	HOUSTON	TX.	77043

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	SAME			

Lat. | Long. | Grid # 65-12-5

3) Type of Work
☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply COMM. If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) NT

6) Drilling Date
Started 2 / 26 / 01
Completed 2 / 28 / 01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
8 1/2	0	390

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of for mation material
0	25	CLAY
25	70	SAND
70	100	CLAY & ROCK
100	320	SAND
320	360	CLAY
360	385	SAND

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☒ Other 2 STRING
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
5	N	PVC CASING	0	360	
2.5	"	" LINER	356	360	
"	"	" SCREEN	360	384	.012

9) Cementing Data
Cementing from 360 ft. to 0 ft. #of sacks used 28
0 ft. to 10 ft. #of sacks used 10
Method Used HALLIBURTON
Cementing By SDI
Distance to septic system field or other concentrated contamination - ft.
Method of verification of above distance CITY SEWER

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level
Static level 220 ft. below Date 2 / 28 / 01
Artesian Flow gpm. Date / /

12) Packers

Type	Depth
K-PACKER	356

13) Plugged ☐ Well plugged within 48 hours

Casing left in well: From (ft)	To (ft)	Cement/Bentonite placed in well: From (ft)	To (ft)	Sacks used

14) Type Pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

Company or individual's Name (type or print)	SCOTT DRILLING INC	Lic. No.	4839 WI
Address	11915 GREEN PINE CIRCLE	City HOUSTON	State TX Zip 77066

Signature Licensed Driller/Pump Installer	Date	Signature Apprentice	Date
Scott Robinson	3/15/01		3/15/01

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
54	2 of 2	NNE	1.65 / 8,708.13	Mueller Water Conditioning Inc. TX	WW HARRIS GAL

Well ID:	8564	**Diameter (inches):**	5
Aggre Lead Well:	8564	**Year Drilled:**	2001
Permit No:	WP2024-107993	**Depth Drilled:**	400
Permit Start Date:	6/1/2024	**Depth frm Surf(ft):**	375
Permit End Dt:	5/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.793333
Regulatory Aarea:	3	**Longitude:**	-95.578611
Owner Name:	Mueller Water Conditioning Inc.		
Billing Contact:	David Mueller		
Billing Address:	1500 Sherwood Forest Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
55	1 of 1	SSW	1.66 / 8,745.92	PAULS GREEN THUMB NURSERY TX	TCEQ WELL LOGS

Grid No: 65-12-7F
Date Drilled: 04/12/1972
Owners Name: PAULS GREEN THUMB NURSERY
County: HARRIS
Water Usage: IRRIGATION
Static Level: 135
Depth Drilled: 295
Latitude: 29.750971
Longtiude: -95.605097

65127F GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-17-7F
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled PAULS GREENTHUMB NURSERY (Name) Address 11359 S. POST OAK (Street or RFD) HOUSTON (City) (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in (NE, SW, etc) direction from HOUSTON (Town).

NORTH

SEE MAP ATTACHED

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☑ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6½ x 4½ in. Depth drilled 295 ft. Depth of completed well 295 ft. Date drilled 4-17-72

All measurements made from / ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	Gil dirt + Soil
5	32	Clay - Grey to Red
32	50	Sand - fine red
50	89	Clay - Red
89	94	Sand - fine red
94	110	Clay - Red
110	147	Sand - White - .012 & .016
147	151	Clay - Red
151	156	Sand - White - .014
156	157	Rock - hard
157	178	Sand - White - .016 & .020
178	200	Clay - Red to Blue
200	227	Sand - White .010 - .012
227	260	Clay - Blue - soft
260	295	Sand - White - .008 & .018

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☑ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 135 ft. below land surface Date 4-12-72
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☑ Steel ☑ Plastic ☐ Other ☐
Cemented from 172 ft. to 272 ft.

10) SCREEN:
Type Plastic wrapped on steel pipe - underbrow
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	272	Sch. 40

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½"	272	275	BLANK
2½"	275	285	.012
2½"	285	295	.014

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Bowsworth compressor by driller
Yield: 100 gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☑ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Demming
Type Submersible Turbine H.P. 5
Designed pumping rate 45 gpm ☑ gph ☐
Type power unit Electric - 3Ø - 230V
Depth to (bowls) cylinder, jet, etc., 231 ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


NAME JOHN A. PYBURN (Type or Print) Water Well Drillers Registration No. 843

Address 13910 Almeda School Rd. (Street or RFD) Houston (City) Texas (State) 77047

(Signed) John A Pyburn (Water Well Driller) Almeda Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

WB


GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
TEXAS STATE HIGHWAY DEPARTMENT
PLANNING SURVEY DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1962
LEGEND
WELL
PAUL'S GREEN THUMB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
56	1 of 1	NNE	1.67 / 8,794.27	C.T. STANLEY TX	TCEQ WELL LOGS

Grid No:	65-12-8G
Date Drilled:	09/14/1972
Owners Name:	C.T. STANLEY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	163
Depth Drilled:	271
Latitude:	29.793144
Longtiude:	-95.578336

86

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-86
Located on map
Received: 72-
dc

1) OWNER:
Person having well drilled C. T. STANLEY Address #11119 CHATTERTON (Name) (Street or RFD) (City) (State)

Landowner (Name) Address HOUSTON (43), TEX. (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, TEX. 10 miles in W direction from HOUSTON TEX. (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.* KATY Freeway RR OLD KATY RD UPLAND WELL SCHOOL North CHATTERTON

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent roads, or Survey lines.
TRACT 1-5 PART of LOT #10
Lot IN BLOCK Block SHERWOOD ESTATES, SEC. #2
League
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic ✓ Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary ✓ Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6" in. Depth drilled 270' ft. Depth of completed well 271 ft. Date drilled 9/14/72
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	20'	Surface
20	34'	R. Clay
34	53	R. Sand & Sandy
53	112	Shale
112	142	Sandy
142	148	Sandy Shale
148	163	Sand fine Gravel
163	189	Shale
189	206	Sand
206	255	Broken Formation
255	270	SAND (good)

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from 253' ft. upward ft.
Diameter (inches) 4½ OD Setting from (ft.) Ground L. to 253 Gage
4" x 2½"

10) SCREEN:
Type 10' SC #80 PLASTIC
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	260'	271'	.014

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole 4" x 2½"

8) WATER LEVEL:
Static level 163' ft. below land surface Date 9/14/72
Artesian pressure ✓ lbs. per square inch Date ✓
Depth to pump bowls, ~~cylinder, jet,~~ etc., 210' ft. below land surface. 1 H.P. Subm.

11) WELL TESTS:
Was a pump test made? ~~Yes~~ No ~~If yes, by whom?~~
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? ~~Yes~~ No
Did any strata contain undesirable water? ~~Yes~~ No ✓
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O. P. KERMAN (Type or Print) Water Well Drillers Registration No. 1000

ADDRESS Rt. 9 Box: 807 HOUSTON (40) TEX. (Street or RFD) (City) (State)

(Signed) O. P. Kerman (Water Well Driller) PAUL'S WELL SERV. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
57	1 of 1	ENE	1.67 / 8,796.37	TEXAS CORRUGATED BOX TX	TCEQ WELL LOGS

Grid No: 65-12-5W
Date Drilled: 04/28/1982
Owners Name: TEXAS CORRUGATED BOX
County: HARRIS
Water Usage: DOMESTIC
Static Level: 180
Depth Drilled: 335
Latitude: 29.7857211
Longtiude: -95.5686613

117 WL #117

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-5W
Located on map. Map 9
Received: C.C.S.

1) OWNER Texas Corrugated Box (Name) Address 10814 Old Katy Rd (Street or RFD) Hou. (City) Tx. (State) 77043 (Zip)

2) LOCATION OF WELL: County HARRIS 9D Katy Rd. 4 miles in S (N.E., S.W., etc.) direction from Jersey Village (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. map on 60-57-2H

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 4-28-82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	335

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Top Soil & Clay
15	37	Surface Sand
37	85	Clay
85	120	Sand
120	175	Sandy Gravel
175	200	Clay
200	257	Sand
257	272	Clay
272	285	Sand
285	340	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C.	0	320	
2	N	Steel	309	325	
2	N	P.V.C.	325	335	.020

CEMENTING DATA
Cemented from 270 ft. to 320 ft.
Method used Haliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 180 ft. below land surface Date 4-29-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
JAN-4 1983
DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS 9739 N. Haston Rosslyn (Street or RFD) Houston (City) Tx (State) 77088 (Zip)


(Signed) Craig O Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

TX6512500001

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



erisinfo.com | Environmental Risk Information Services

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
58	1 of 4	SSW	1.69 / 8,914.34	City of Houston Dist 71 South Lake TX	GWDB

Well Rep Track No:
State Well No: 6520104
Owner Name: City of Houston Dist 71 South Lake
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1973
Well Depth: 1450
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7480560
Longitude: -95.5961110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520104&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520104&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
58	2 of 4	SSW	1.69 / 8,914.34	CITY OF HOUSTON TX	WUD

St Well No:	6520104
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DV
Date Drilled:	03/26/1976
Well Depth:	1450
Screen Top:	1002
Screen Bottom:	1417
Gallons Per Minute:	730
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.74782
Longitude:	-95.597183
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
58	3 of 4	SSW	1.69 / 8,914.34	Houston, City of TX	WW HARRIS GAL

Well ID:	2139	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1973
Permit No:	WP2023-117626	**Depth Drilled:**	1446
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	991
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.747222
Regulatory Aarea:	3	**Longitude:**	-95.596944

Owner Name: Houston, City of; Houston, City of
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor; 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer; Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
58	4 of 4	SSW	1.69 / 8,914.34	USGS-294452095354501 TX	FED USGS

Site No:	USGS-294452095354501
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19730207
Well Depth:	1450
Well Depth Unit:	ft
Well Hole Depth:	1512
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-104
Latitude:	29.74805556000000
Longitude:	-95.5961111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
59	1 of 6	NE	1.70 / 8,965.52	City of Houston Katy-Addicks Well #12 TX	GWDB

Well Rep Track No:	
State Well No:	6512521
Owner Name:	City of Houston Katy-Addicks Well #12
Drilling Start Dt:	
Drilling Month:	3
Drilling Day:	20
Drilling Year:	2000
Well Depth:	1370
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7930560
Longitude:	-95.5777780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512521&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512521&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
59	2 of 6	NE	1.70 / 8,965.52	CITY OF HOUSTON TX	WUD

St Well No:	6512521
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SG
Date Drilled:	03/20/2000
Well Depth:	1370
Screen Top:	804
Screen Bottom:	862
Gallons Per Minute:	2100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.79318619
Longitude:	-95.57758331
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
59	3 of 6	NE	1.70 / 8,965.52	CITY OF HOUSTON TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	12/15/2000
Owners Name:	CITY OF HOUSTON
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	460.44
Depth Drilled:	1681
Latitude:	29.7930565
Longtiude:	-95.5770473

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
CITY OF HOUSTON	611 WALKER	HOUSTON	TEXAS	77002

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	11020 TIMBERLINE	HOUSTON	TEXAS	77041

3) Type of Work WELL #12 — Lat. 29 47 34 — Long. 95 34 37 — Grid # 65-12-5

☑ New Well ☐ Deepening ☐ Reconditioning WELL # 13

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☑ Public Supply ☐ De-watering ☐ Testwell

If Public Supply well, were plans submitted to the TNRCC? ☑ Yes ☐ No

5) N↑ X

6) Drilling Date
Started 1-1-00
Completed 12-15-00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
42	0	42
30	0	794
32	794	1374

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
		"SEE ATTACHED LOG"

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☑ Under-reamed ☑ Gravel Packed ☐ Other

If Gravel Packed give the interval from 794 ft. to 1374 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
36"	USED	CARBON STEEL	0	42	.375
24"	NEW	CARBON STEEL	+2	794	.500
18"	NEW	s.s. wire wrap screen	734	904	.025
14"	NEW	Wraped on pipe	904	1374	.025

9) Cementing Data
Cementing from 0 ft. to 42 ft. # of sacks used 110
0 ft. to 794 ft. # of sacks used 1100
Method Used HALLIBURTON
Cementing By SAME
Distance to septic system field or other concentrated contamination ____ ft.
Method of verification of above distance ____

13) Plugged ☐ Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☑ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☑ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 730.67 ft.

11) Water Level
Static level 460.44 ft. below Date 7/18/00
Artesian Flow ____ gpm. Date / /

15) Water Test
Typetest ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1808 gpm with 85.46 ft. drawdown after 1 hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water ____ Depth of Strata ____
Was a chemical analysis made? ☑ Yes ☐ No

12) Packers

Type	Depth
N/A	

Company or Individual's Name (type or print) RICHARD H. ALLBRITTON — Lic. No. 4633PW

Address 5931 BRITTMORE — City HOUSTON — State TEXAS — Zip 77041

Signature (Licensed Driller/Pump Installer) — Date 1/10/01 — Signature (Apprentice) — Date / /

TDLR FORM 004WWD — Copies to TDLR - Owner - Driller/Pump Installer — Form provided by Forms On-A-Disk, Inc. · Dallas, Texas · (214) 340-9429

65-12-5 X

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS

a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name:	City of Houston / Katy Addicks Well No. 12			TEST HOLE	No. 1
Job No.	37-7600	Date:	March 20, 2000		
City:	Houston	State:	Texas	Driller:	Ronald Ward

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
0	15	CLAY
15	28	SAND
28	43	RED CLAY
43	61	SANDY BROWN CLAY
61	71	FINE BROWN SAND
71	83	BROWN CLAY
83	96	CLAY
96	155	SAND
155	173	CLAY WITH SAND STREAKS
173	175	HARD ROCK
175	201	SAND
201	237	CLAY
237	275	SAND - CUT GOOD
275	284	CLAY
284	286	SAND
286	305	CLAY
305	440	SAND WITH CLAY STREAKS
440	483	SANDY CLAY
483	497	SAND
497	502	CLAY
502	550	SANDY CLAY WITH HARD STREAKS
550	584	SANDY CLAY
584	633	SAND
633	638	CLAY
638	648	SAND
648	697	STICKY HARD CLAY
697	739	SAND
739	785	HARD CLAY
785	789	SAND WITH CLAY STREAKS
789	800	SANDY CLAY
800	824	FINE SAND

REMARKS: PAGE 1 of 3

65-12-5

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS

a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name:	City of Houston / Katy Addicks Well No. 12			TEST HOLE	1
Job No.	37-7600	Date:	March 20, 2000		
City:	Houston	State:	Texas	Driller:	Ronald Ward

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
824	825	HARD SAND
825	935	SAND WITH CLAY AND LIGNITE STREAKS
935	1040	SAND WITH CLAY STREAKS
1040	1045	CLAY
1045	1084	SAND
1084	1089	CLAY
1089	1103	SAND
1103	1105	ROCK
1105	1118	SAND
1118	1126	CLAY
1126	1139	SAND
1139	1141	CLAY
1141	1178	SAND
1178	1188	CLAY
1188	1194	SAND
1194	1200	CLAY
1200	1214	SAND
1214	1249	CLAY
1249	1280	SANDY CLAY
1280	1290	SAND
1290	1317	CLAY
1317	1351	SAND
1351	1357	CLAY
1357	1426	SANDY CLAY
1426	1472	SAND - CUT GOOD
1472	1482	SANDY CLAY
1482	1491	SAND
1491	1501	SANDY CLAY
1501	1546	SAND
1546	1550	SHALE
1550	1562	SAND

REMARKS: PAGE 2 of 3

65-12-5 X

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS

a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name:	City of Houston / Katy Addicks Well No. 12			TEST HOLE	1
Job No.	37-7600	Date:	March 20, 2000		
City:	Houston	State:	Texas	Driller:	Ronald Ward

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
1562	1584	SANDY SHALE
1584	1594	SHALE
1594	1640	SAND WITH SHALE STREAKS
1640	1645	SHALE
1645	1650	SANDY SHALE
1650	1661	SHALE
1661	1681	SANDY SHALE
T.D.	1681	SHALE

REMARKS: PAGE 3 of 3

65-12-5

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
59	4 of 6	NE	1.70 / 8,965.52	Houston, City of TX	WW HARRIS GAL

Well ID:	7242	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1999
Permit No:	WP2023-117626	**Depth Drilled:**	1600
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	700
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.793333
Regulatory Aarea:	3	**Longitude:**	-95.5775
Owner Name:	Katy Addicks #12		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
59	5 of 6	NE	1.70 / 8,965.52	H & J UTILITY SERVICES TX	WW HARRIS GAL

Well ID:	2077	**Diameter (inches):**	4
Aggre Lead Well:	2077	**Year Drilled:**	1951
Permit No:	W1985-2077-22612-0	**Depth Drilled:**	300
Permit Start Date:	6/1/1985	**Depth frm Surf(ft):**	0
Permit End Dt:	5/31/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.793055
Regulatory Aarea:	3	**Longitude:**	-95.576944
Owner Name:	H & J UTILITY SERVICES		
Billing Contact:	VERGIL D. MARTIN		
Billing Address:	P.O. Box 55924		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77255		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
59	6 of 6	NE	1.70 / 8,965.52	USGS-294735095344001 TX	FED USGS

Site No:	USGS-294735095344001
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	20000320
Well Depth:	1374
Well Depth Unit:	ft
Well Hole Depth:	1681
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-521
Latitude:	29.79333333000000
Longitude:	-95.5780556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
60	1 of 3	NE	1.70 / 8,967.01	DAVID MUELLER TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	07/27/1998
Owners Name:	DAVID MUELLER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	185
Depth Drilled:	330
Latitude:	29.792419
Longtiude:	-95.575857

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER DAVID MUELLER (Name) ADDRESS 1430 UPLAND HOUSTON, TX. 77043 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS SAME (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 65-12-5

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 7/25 19 98 Completed 7/27 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	330

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	20	clay
20	40	sand
40	60	clay
60	70	sand
70	110	clay
110	155	sand
155	180	clay
180	195	sand
195	235	clay
235	300	sand
300	330	sand/gravel

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 STRING
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	320	
2½	"	" LINER	310	320	
"	"	" SCREEN	320	330	.012

9) CEMENTING DATA
Cemented from 320 ft. to 110 ft. No. of sacks used 12
0 ft. to 10 ft. No. of sacks used 9
Method used HALLIBURTON
Cemented by SCOTT WATER WELL SER.
Distance to septic system field lines or other concentrated contamination n/a ft.
Method of verification of above distance CITY SEWER

13) ☐ Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 240 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed
☒ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

15) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 185 ft. below land surface Date 7/27/98
Artesian flow gpm. Date

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

12) PACKERS:

Type	Depth
K-PACKER	310

OCT 1 1998

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839 WI

ADDRESS 11915 GREEN PINE CIRCLE HOUSTON, TX. 77066 (Street or RFD) (City) (State) (Zip)

(Signed) Scott Robinson (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

TX6512500O3

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
60	2 of 3	NE	1.70 / 8,967.01	Mueller, David W. TX	WW HARRIS GAL

Well ID:	7174	**Diameter (inches):**	4
Aggre Lead Well:	7174	**Year Drilled:**	1998
Permit No:	W2012-7174-158053-0	**Depth Drilled:**	330
Permit Start Date:	12/31/2011	**Depth frm Surf(ft):**	320
Permit End Dt:	12/31/2011	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.791944
Regulatory Aarea:	3	**Longitude:**	-95.575555
Owner Name:	Mueller, David W.		
Billing Contact:	Warren Mueller		
Billing Address:	1500 Sherwood Forest Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
60	3 of 3	NE	1.70 / 8,967.01	WCM Real Properties, LLC TX	WW HARRIS GAL

Well ID:	7173	**Diameter (inches):**	4
Aggre Lead Well:	7173	**Year Drilled:**	
Permit No:	WP2024-111157	**Depth Drilled:**	330
Permit Start Date:	6/1/2024	**Depth frm Surf(ft):**	320
Permit End Dt:	5/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7925
Regulatory Aarea:	3	**Longitude:**	-95.575833
Owner Name:	WCM Real Properties, LLC - Karen McIntosh		
Billing Contact:	Karen MacIntosh		
Billing Address:	1703 Raven Oak Ct		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77450		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	1 of 10	SSE	1.72 / 9,060.46	Mike albanese TX	GWDB

Well Rep Track No:	
State Well No:	6520217
Owner Name:	Mike albanese
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1937
Well Depth:	228
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7497220
Longitude:	-95.5769440
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520217&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520217&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	2 of 10	SSE	1.72 / 9,060.46	City of Houston District 71 TX	GWDB

Well Rep Track No:	
State Well No:	6520225
Owner Name:	City of Houston District 71
Drilling Start Dt:	
Drilling Month:	3
Drilling Day:	
Drilling Year:	1972
Well Depth:	1356
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7497220
Longitude:	-95.5772220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520225&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520225&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	3 of 10	SSE	1.72 / 9,060.46	City of Houston, District 71 #3 TX	GWDB

Well Rep Track No:	
State Well No:	6512817
Owner Name:	City of Houston, District 71 #3
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1979
Well Depth:	967
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7505556
Longitude:	-95.5769444
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512817&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512817&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	4 of 10	SSE	1.72 / 9,060.46	CITY OF HOUSTON TX	WUD

St Well No:	6520817
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DW
Date Drilled:	04/20/1979
Well Depth:	967
Screen Top:	603
Screen Bottom:	965
Gallons Per Minute:	1190
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.750268
Longitude:	-95.576937
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	5 of 10	SSE	1.72 / 9,060.46	CITY OF HOUSTON TX	WUD

St Well No:	6520225
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DU
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DU
Date Drilled:	03/00/1972
Well Depth:	1360
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	1300
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.750269
Longitude:	-95.576948
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	6 of 10	SSE	1.72 / 9,060.46	CITY OF HOUSTON (WCID #71) TX	TCEQ WELL LOGS

Grid No:	65-20-2M
Date Drilled:	04/20/1979
Owners Name:	CITY OF HOUSTON (WCID #71)
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	260
Depth Drilled:	967
Latitude:	29.750268
Longtiude:	-95.576937

65-20-2M D42

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-2M
Located on map
Received:

1) OWNER City of Houston (WCID #71) (Name) Address c/o Farner & Winslow, Inc. 10500 N.W. Freeway, Suite 100, Houston, Tx. 77092 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 10 miles in W. (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
22	Surface	590
30	590	967

Date drilled 4/20/79

From (ft.)	To (ft.)	Description and color of formation material
		See Attached

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from 590 ft. to 967 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
18	N	Steel	0	590	.375"
12	N	Steel Liner and SS Screen (H. Smith Co.)	547	967	.330" .040"

CEMENTING DATA
Cemented from 0 ft. to 590 ft.
Method used Pressure
Cemented by Halliburton (Company or Individual)

9) WATER LEVEL:
Static level 260 ft. below land surface Date 4/30/79
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP: ☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 520 ft.

12) WELL TESTS: ☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1529 gpm with 101 ft. drawdown after 8 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James O'Connor (Type or Print) Water Well Drillers Registration No. 999

ADDRESS P. O. Box 79060 (Street or RFD) Houston (City) Texas (State) 77079 (Zip)

(Signed) James O'Connor (Water Well Driller) LAYNE-WESTERN COMPANY, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

65-20-2A

D R I L L E R S L O G
W. C. I. D. #71, WELL #3

Drillers: Ervin Grisham
J. G. Bauer

Date: 4/10/79

0	Surface Clay
0 - 23	Sandy Clay
23 - 42	Sand
42 - 52	Clay
52 - 61	Sand
61 - 73	Clay
73 - 116	Sand
116 - 140	Clay
140 - 146	Sand
146 - 155	Clay
155 - 158	Sand
158 - 233	Clay
233 - 263	Sand
263 - 303	Clay
303 - 323	Sand
323 - 370	Clay
370 - 375	Sand and Rock
375 - 457	Clay
457 - 469	Sand and Rock
469 - 490	Clay
490 - 497	Sand
497 - 511	Clay
511 - 513	Sand and Rock
513 - 531	Clay
531 - 536	Sand and Rock
536 - 545	Clay
545 - 560	Sand and Rock
560 - 645	Clay
645 - 650	Sand
650 - 714	Clay
714 - 719	Sand and Rock
719 - 730	Clay
730 - 742	Sand and Rock
742 - 770	Clay
770 - 787	Sand and Rock
787 - 810	Clay
810 - 886	Sand and Hard Rock
886 - 971	Clay

MAY 2 0 1979

Dup
65-20-1A

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	7 of 10	SSE	1.72 / 9,060.46	Houston, City of TX	WW HARRIS GAL

Well ID:	2138	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1973
Permit No:	W2003-1002-127237-0	**Depth Drilled:**	1360
Permit Start Date:	2/1/2003	**Depth frm Surf(ft):**	999
Permit End Dt:	3/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.750555
Regulatory Aarea:	3	**Longitude:**	-95.576388

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 21st Floor, Rm 2152
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Afton Village
Provision: G1 - permit exempt from disincentive fee based on provisions in GRP (2002); D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	8 of 10	SSE	1.72 / 9,060.46	Houston, City of TX	WW HARRIS GAL

Well ID:	3315	**Diameter (inches):**	12
Aggre Lead Well:	1003	**Year Drilled:**	1978
Permit No:	WP2023-117626	**Depth Drilled:**	952
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.750277
Regulatory Aarea:	3	**Longitude:**	-95.576666
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	9 of 10	SSE	1.72 / 9,060.46	USGS-294501095343601 TX	FED USGS

Site No:	USGS-294501095343601
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	197904
Well Depth:	967
Well Depth Unit:	ft
Well Hole Depth:	971
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-817
Latitude:	29.75055556000000
Longitude:	-95.5769444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	10 of 10	SSE	1.72 / 9,060.46	USGS-294459095343801 TX	FED USGS

Site No:	USGS-294459095343801
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19720209
Well Depth:	1356
Well Depth Unit:	ft
Well Hole Depth:	1495
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-225
Latitude:	29.75000000000000
Longitude:	-95.5775000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
62	1 of 1	ENE	1.73 / 9,132.53	Houston Garden Center #1 TX	WW HARRIS GAL

Well ID:	11092	**Diameter (inches):**	5
Aggre Lead Well:	5342	**Year Drilled:**	2009
Permit No:	WP2023-117861	**Depth Drilled:**	300
Permit Start Date:	3/1/2024	**Depth frm Surf(ft):**	280
Permit End Dt:	2/28/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.783333
Regulatory Aarea:	3	**Longitude:**	-95.566666
Owner Name:	Houston Garden Center # 8B		
Billing Contact:	Andrew Vacek		
Billing Address:	1600 Hwy 6 South, Ste 245		
Billing Address 2:	NULL		
Billing City:	Sugar Land		
Billing State:	TX		
Billing Zip:	77478		
Correspondence:	Lake Management Services, LP		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller; SPAGR		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
63	1 of 1	ENE	1.73 / 9,135.04	ROBERT W. LJUNGDAHL TX	TCEQ WELL LOGS

Grid No:	65-12-8J
Date Drilled:	12/20/1977
Owners Name:	ROBERT W. LJUNGDAHL
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	165
Depth Drilled:	415
Latitude:	29.7790396
Longtiude:	-95.5637553

65-12-85

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-905
Located on map
Received: 12/77

1) OWNER:
Person having well drilled Robert W. Ljungdahl (Name) Address 5614 Piping Rock (Street or RFD) Hou. (City) TX (State)
Landowner Dow Center (Name) Address West Belt DR. (Street or RFD) Houston (City) TX (State)

2) LOCATION OF WELL:
County Harris, ____ miles in ____ direction from ____ (N.E., S.W., etc.) ____ (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
(X) See map Attached
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor ____ League ____
Block ____ Survey ____
Abstract No. ____
(NW¼ NE¼ SW¼ SE¼) of Section ____

3) TYPE OF WORK (Check):
New Well ____ Deepening ____ Reconditioning ____ Plugging ____

4) PROPOSED USE (Check):
Domestic ____ Industrial ____ Municipal ____ Irrigation ____ Test Well ____ Other ____

5) TYPE OF WELL (Check):
Rotary ____ Driven ____ Dug ____ Cable ____ Jetted ____ Bored ____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 390 ft. Depth of completed well 415 ft. Date drilled 12-20-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Surface
4	12	Clay-Yellow
12	18	Clay-white
18	21	Rock
21	46	Sand
46	65	Clay-red
65	85	Clay-red & gray
85	100	Clay-red-XXXX & sand Streaks
100	118	Clay-red, blue, gray & sand
118	128	Sand
128	150	Clay-blue & red
150	155	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old ____ New ____ Steel ____ Plastic ____ Other ____
Cemented from 390 up ft. to ____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	1'	390	40 ga.

10) SCREEN:
Type Well Supplies, Inc. Plastic Wrapped
Perforated ____ Slotted ____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	395	415	14 ga.

7) COMPLETION (Check):
Straight wall ____ Gravel packed ____ Other ____ Under reamed ____ Open Hole ____

8) WATER LEVEL:
Static level 165 ft. below land surface Date 12-77
Artesian pressure ____ lbs. per square inch Date ____
Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ____ No ____ If yes, by whom? ____
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes ____ No ____
Did any strata contain undesirable water? Yes ____ No ____
Type of water? ____ depth of strata ____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. TDL 774

ADDRESS 10011 Airline Dr. (Street or RFD) Houston, TX (City) (State)

(Signed) C.A. Raymond Jr. (Water Well Driller) RAYMOND WATER WELL DRILLING (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8


TX6512800111

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
64	1 of 2	WSW	1.73 / 9,149.14	MR. DAVID BONE TX	TCEQ WELL LOGS

Grid No:	65-12-7J
Date Drilled:	06/28/1982
Owners Name:	MR. DAVID BONE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	146
Depth Drilled:	225
Latitude:	29.7599399
Longtiude:	-95.6167365



DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7J
Located on map YES
Received: C.F.2

1) OWNER MR. DAVID BONE (Name) Address 1202 BRIAR BAYOU (Street or RFD) HOUSTON (City) TEX. (State) 77077 (Zip)

2) LOCATION OF WELL: County HARRIS APPX. 15 miles in WEST (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 6-28-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface 0	225

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other 2 String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	18	TOP SOIL - CLAY
18	20	SAND
20	30	CLAY
30	46	CLAY
46	71	SAND
71	99	CLAY
99	111	SAND
111	123	SAND
123	127	CLAY
127	131	SAND
131	150	CLAY
150	172	SAND
172	225	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	0	205	
2½	N	SLOTTED	205	225	#10

CEMENTING DATA
Cemented from 0 ft. to 205 ft.
Method used PRESSURE
Cemented by Michael L. McClung (Company or Individual)

9) WATER LEVEL:
Static level 146 ft. below land surface Date 6-29-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
K-PACKER RUBBER 200'

RECEIVED
JUN 22 1983
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: NONE
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.


13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MICHAEL L. McCLUNG (Type or Print) Water Well Drillers Registration No. 2215
ADDRESS 4602 ELLA BLVD. (Street or RFD) HOUSTON, (City) TEXAS (State) 77018 (Zip)
(Signed) Michael L. McClung (Water Well Driller) M+N WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY


A
B
C
F
K
P
Q
U
LEGEND
GHWAY MAP
COUNTY
AS
NT OF HIGHWAYS
NSPORTATION
TRANSPORTATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
64	2 of 2	WSW	1.73 / 9,149.14	MR. DAVID BONE TX	TCEQ WELL LOGS

Grid No: 65-11-6U
Date Drilled: 06/28/1982
Owners Name: MR. DAVID BONE
County: HARRIS
Water Usage: DOMESTIC
Static Level: 146
Depth Drilled: 225
Latitude: 29.7599399
Longtiude: -95.6167365

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. C5-11-6U
Located on map Yes
Received: C.F.S.

1) OWNER MR. DAVID BONE (Name) Address 1202 BRIAR BAYOU (Street or RFD) HOUSTON (City) TEX. (State) (Zip)

2) LOCATION OF WELL: County HARRIS APP. 15 miles in S. S.W. (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled 6-28-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface 0	225

From (ft.)	To (ft.)	Description and color of formation material
0	18	TOP SOIL + CLAY
18	20	SAND
20	30	CLAY
30	46	CLAY
46	51	SAND
51	71	SAND
71	91	CLAY
91	99	CLAY
99	111	SAND
111	123	SAND
123	127	CLAY
127	131	SAND
131	150	CLAY
150	172	SAND
172	192	SAND
192	212	SAND
212	225	SAND

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 STRING
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	0	205	
2½	N	SLOTTED PLASTIC	205	225	#10

CEMENTING DATA
Cemented from 0 ft. to 205 ft.
Method used PRESSURE
Cemented by Michael L. McClung (Company or Individual)

9) WATER LEVEL:
Static level 146 ft. below land surface Date 6-29-82
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth
K PACKER RUBBER 202'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

12) WELL TESTS: NONE
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

RECEIVED
AUG 23 1982
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MICHAEL L. McCLUNG (Type or Print) Water Well Drillers Registration No. 2215


ADDRESS 4602 ELLA BLVD. (Street or RFD) HOUSTON (City) TEXAS (State) 77018 (Zip)

(Signed) Michael L. McClung (Water Well Driller) M+N WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
65	1 of 1	SW	1.75 / 9,232.32	STANFORD CAPITAL CORP. TX	WW HARRIS GAL

Well ID:	3802	**Diameter (inches):**	6
Aggre Lead Well:	3802	**Year Drilled:**	1982
Permit No:	W1985-3802-22732-0	**Depth Drilled:**	0
Permit Start Date:	5/1/1985	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/1986	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.756111
Regulatory Aarea:	3	**Longitude:**	-95.615277
Owner Name:	STANFORD CAPITAL CORP.		
Billing Contact:	NULL		
Billing Address:	10101 FONDREN #530		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77096		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	A - Agricultural Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
66	1 of 4	WNW	1.75 / 9,256.74	City of Houston Turkey Creek TX	GWDB

Well Rep Track No:	
State Well No:	6512715
Owner Name:	City of Houston Turkey Creek
Drilling Start Dt:	
Drilling Month:	9
Drilling Day:	
Drilling Year:	1966
Well Depth:	1210
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7786110
Longitude:	-95.6197220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512715&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512715&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
66	2 of 4	WNW	1.75 / 9,256.74	CITY OF HOUSTON TX	WUD

St Well No:	6512715
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QF
Date Drilled:	00/00/1966
Well Depth:	1210
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778007
Longitude:	-95.619387
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
66	3 of 4	WNW	1.75 / 9,256.74	Houston, City of TX	WW HARRIS GAL

Well ID:	1135	**Diameter (inches):**	16
Aggre Lead Well:	1001	**Year Drilled:**	1966
Permit No:	W1986-1001-24262-0	**Depth Drilled:**	1210
Permit Start Date:	2/1/1986	**Depth frm Surf(ft):**	735
Permit End Dt:	1/31/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.778055
Regulatory Aarea:	3	**Longitude:**	-95.619444
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St, 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	ACRES HOMES #2		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
66	4 of 4	WNW	1.75 / 9,256.74	USGS-294642095371001 TX	FED USGS

Site No:	USGS-294642095371001
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19660901
Well Depth:	1210
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-715
Latitude:	29.77861110000000
Longitude:	-95.6197222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
67	1 of 2	NE	1.75 / 9,265.26	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SX
Date Drilled:	00/00/1984
Well Depth:	350
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	18
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.792933
Longitude:	-95.575069
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
67	2 of 2	NE	1.75 / 9,265.26	H & J Utility Services TX	WW HARRIS GAL

Well ID:	4089	**Diameter (inches):**	4
Aggre Lead Well:	3988	**Year Drilled:**	1984
Permit No:	W2006-3988-123396-0	**Depth Drilled:**	350
Permit Start Date:	6/1/2006	**Depth frm Surf(ft):**	330
Permit End Dt:	6/1/2006	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.792777
Regulatory Aarea:	3	**Longitude:**	-95.575
Owner Name:	H & J Utility Services		
Billing Contact:	Vergil D. Martin		
Billing Address:	P.O. Box 430548		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77243		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
68	1 of 2	SSW	1.77 / 9,325.65	Watson's TX	WW HARRIS GAL

Well ID:	3037	**Diameter (inches):**	4
Aggre Lead Well:	3037	**Year Drilled:**	1981
Permit No:	W2010-3037-144734-0	**Depth Drilled:**	295
Permit Start Date:	12/31/2009	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2009	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.748611
Regulatory Aarea:	3	**Longitude:**	-95.604444
Owner Name:	Watson's		
Billing Contact:	Stan		
Billing Address:	12544 Westella		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	Watson's Lawn Equipment, Inc.		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
68	2 of 2	SSW	1.77 / 9,325.65	Southwestern Bell Telephone Co. TX	WW HARRIS GAL

Well ID:	2893	**Diameter (inches):**	4
Aggre Lead Well:	2893	**Year Drilled:**	1984
Permit No:	W1979-2893-3221-0	**Depth Drilled:**	0
Permit Start Date:	6/1/1979	**Depth frm Surf(ft):**	0
Permit End Dt:	10/31/1982	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.749444
Regulatory Aarea:	3	**Longitude:**	-95.605
Owner Name:	Southwestern Bell Telephone Co.		
Billing Contact:	NULL		
Billing Address:	208 S. Akard St., Room 2420		
Billing Address 2:	NULL		
Billing City:	Dallas		
Billing State:	TX		
Billing Zip:	75202		
Correspondence:	SBC Communications Inc.		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
69	1 of 2	ENE	1.77 / 9,333.99	Williams Brothers Const. Co., Inc. TX	WW HARRIS GAL

Well ID:	10255	**Diameter (inches):**	5
Aggre Lead Well:	10255	**Year Drilled:**	2006
Permit No:	W2008-10255-134391-0	**Depth Drilled:**	340
Permit Start Date:	6/1/2008	**Depth frm Surf(ft):**	240
Permit End Dt:	11/6/2008	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.782222
Regulatory Aarea:	3	**Longitude:**	-95.564444
Owner Name:	Williams Brothers Const. Co., Inc.		
Billing Contact:	James Miller		
Billing Address:	P.O. Box 66428		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77226		
Correspondence:	(Westbelt Plant)		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
69	2 of 2	ENE	1.77 / 9,333.99	Houston Garden Center 8B Katy Freeway Houston TX 77079	SDRW WELLS

Track NO: 204298
Date Submitted: 2010-01-11
Owner Name: Houston Garden Center 8B
Owner Address: 10763 Katy Freeway
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77079
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.783334
Longitude: -95.566667
Drilling Date Started: 2009-07-16
Drilling Date Completed: 2009-08-07
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: P.O. Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=204298&Type=SDR-Well

Well Borehole Information

Top Depth: 360
Bottom Depth: 390

Top Depth: 0
Bottom Depth: 360

Top Depth:
Bottom Depth: 390.0

Well Levels

Measurement: 187
Measurement Date: 2009-07-20

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
70	1 of 4	ENE	1.77 / 9,342.29	USGS LONGPOINT TX	GWDB

Well Rep Track No:
State Well No: 6512819
Owner Name: USGS LONGPOINT
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1978
Well Depth: 44
Well Usage: Unused
Water Level Status:
Latitude: 29.7847220
Longitude: -95.5669440
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512819&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512819&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
70	2 of 4	ENE	1.77 / 9,342.29	USGS LONGPOINT TX	GWDB

Well Rep Track No:	
State Well No:	6512818
Owner Name:	USGS LONGPOINT
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1978
Well Depth:	47
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7847220
Longitude:	-95.5680550
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512818&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512818&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
70	3 of 4	ENE	1.77 / 9,342.29	USGS-294704095340001 TX	FED USGS

Site No:	USGS-294704095340001
Site Type:	Well
Formation Type:	Chicot Aquifer, Upper
Date Drilled:	19780918
Well Depth:	44
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-819
Latitude:	29.78472220000000
Longitude:	-95.5669444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
70	4 of 4	ENE	1.77 / 9,342.29	USGS-294704095340401 TX	FED USGS

Site No:	USGS-294704095340401
Site Type:	Well
Formation Type:	Chicot Aquifer, Upper
Date Drilled:	19780921
Well Depth:	47
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-818
Latitude:	29.78472220000000
Longitude:	-95.5680556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
71	1 of 1	SE	1.77 / 9,361.57	McIngvale, Linda TX	WW HARRIS GAL

Well ID:	7294	**Diameter (inches):**	4
Aggre Lead Well:	7294	**Year Drilled:**	NULL
Permit No:	W2017-7294-189349-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2017	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2017	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.749166
Regulatory Aarea:	3	**Longitude:**	-95.576111
Owner Name:	McIngvale, Linda		
Billing Contact:	NULL		
Billing Address:	1200 Wilcrest Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
72	1 of 1	WSW	1.78 / 9,382.42	GARY MILLIGAN TX	TCEQ WELL LOGS

Grid No:	65-12-7T
Date Drilled:	07/09/1982
Owners Name:	GARY MILLIGAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	144
Depth Drilled:	430
Latitude:	29.7575914
Longtiude:	-95.6159893

28

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7T
Located on map yes
Received: 8-23-82

1) OWNER Gary Milligan (Name) Address 1307 Briar Bayou (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map. map on 65-04-6JJ

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	430

Date drilled 7-9-82

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Two-String
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Surface
2	19	Grey Clay
19	43	Red Clay
43	77	Sand
77	96	Red and grey clay
96	108	Sand
108	109	Rock
109	135	Red and grey clay
135	143	Sand
143	154	Grey clay
154	243	Sand
243	327	Clay and sand
327	384	Sand
384	385	Rock
385	389	Clay
389	403	Sand
403	405	Rock
405	453	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC	+18"	430	SCH40
2½	N	PVC SCH 80 Screen	433	453	16gs
2½	N	PVC Liner SCH 80	413	433	

CEMENTING DATA
Cemented from 430 ft. to Surface ft.
Method used Pressure Cement
Cemented by Raymond Water Wells (Company or Individual)

9) WATER LEVEL:
Static level 144 ft. below land surface Date 7-12-82
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
AUG 23 1982
DEPT. OF WATER RESOURCES

11) TYPE PUMP: 3 H.P.
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. 774

ADDRESS 10011 Airline Drive (Street or RFD) Houston, Texas 77037 (City) (State) (Zip)

(Signed) C.A. Raymond Jr. (Water Well Driller) Raymond Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
73	1 of 1	NE	1.78 / 9,413.98	SUNBELT ASPHALT & MATERIALS INC. TX	WW HARRIS GAL

Well ID:	2029	**Diameter (inches):**	4
Aggre Lead Well:	2029	**Year Drilled:**	1969
Permit No:	W1998-2029-58720-0	**Depth Drilled:**	404
Permit Start Date:	11/1/1998	**Depth frm Surf(ft):**	350
Permit End Dt:	10/31/1999	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.787222
Regulatory Aarea:	3	**Longitude:**	-95.567222
Owner Name:	SUNBELT ASPHALT & MATERIALS INC.		
Billing Contact:	PAUL WENZEL		
Billing Address:	P.O. Box 4608		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
74	1 of 2	WSW	1.80 / 9,513.18	R.E. Daniels TX	GWDB

Well Rep Track No:	
State Well No:	6512706
Owner Name:	R.E. Daniels
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1963
Well Depth:	294
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7577780
Longitude:	-95.6163890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512706&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512706&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
74	2 of 2	WSW	1.80 / 9,513.18	USGS-294527095365801 TX	FED USGS

Site No:	USGS-294527095365801
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19630617
Well Depth:	298
Well Depth Unit:	ft
Well Hole Depth:	298
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-706
Latitude:	29.75777778000000
Longitude:	-95.6163889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
75	1 of 1	NE	1.80 / 9,516.55	KEY REALTY COMPANY TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	07/27/1972
Owners Name:	KEY REALTY COMPANY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	10
Depth Drilled:	41
Latitude:	29.793305
Longtiude:	-95.574264

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 72

1) OWNER:
Person having well drilled KEY REALTY COMPANY (Name) Address 1506 WYCLIFFE (Street or RFD) HOUSTON (City) TEXAS (State)
Landowner (Name) Address 9213 LONG POINT, (Street or RFD) HOUSTON, (City) TEXAS (State)

2) LOCATION OF WELL:
County HARRIS, 15 miles in SW (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well X, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic X, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary X, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 41 ft. Depth of completed well 41 ft. Date drilled 7/27/72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top soil
2	23	Gray clay
23	41	Sand

9) Casing:
Type: Old, New X, Steel, Plastic X, Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2	0	35	Sch 40

10) SCREEN:
Type Plastic
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	35	41	8 gage

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall XX, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 10 ft. below land surface Date 7/27/72
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 21 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes, No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes, No X
Did any strata contain undesirable water? Yes, No.
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. (Type or Print) Water Well Drillers Registration No. 1101

ADDRESS 7507 JANAK DRIVE (Street or RFD) HOUSTON (City) TEXAS 77055 (State)

(Signed) John B. Lumpkin Jr. (Water Well Driller) LONG POINT WATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

NDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
76	1 of 1	NE	1.81 / 9,546.84	Parker Bros. Co. TX	GWDB

Well Rep Track No:
State Well No: 6512814
Owner Name: Parker Bros. Co.
Drilling Start Dt:
Drilling Month: 4
Drilling Day: 6
Drilling Year: 1969
Well Depth: 404
Well Usage: Industrial
Water Level Status:
Latitude: 29.7883340
Longitude: -95.5686110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512814&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512814&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
77	1 of 2	ENE	1.89 / 9,981.78	Texas-Tenn INDUSTRIES TX	GWDB

Well Rep Track No:	
State Well No:	6512805
Owner Name:	Texas-Tenn INDUSTRIES
Drilling Start Dt:	
Drilling Month:	10
Drilling Day:	30
Drilling Year:	1961
Well Depth:	503
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7863890
Longitude:	-95.5641670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512805&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512805&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
77	2 of 2	ENE	1.89 / 9,981.78	Williams Brothers 10700 Katy Freeway Houston TX	SDRW WELLS

Track NO:	184434
Date Submitted:	2009-06-29
Owner Name:	Williams Brothers
Owner Address:	P.O. Box 66428
Owner Address2:	
Owner City:	Houston
Owner State:	TX
Owner Zip:	77266
County:	Harris
Type of Work:	New Well
Typ of Wrk Oth Descr:	
Proposed Use:	Domestic
Prop Use Oth Descr:	
Latitude:	29.785834
Longitude:	-95.564723
Drilling Date Started:	2005-12-08
Drilling Date Completed:	2005-12-08
Chemical Analysis:	No
Company Name:	Bussell & Sons LLC
Company Address:	P.O. Box 874
CompanyAddress2:	
Company City:	Tomball
Company State:	TX
Company Zip:	77377
Company Country:	
Data Source:	Full SDR Database; SDRDB Well Location (Map)
Report Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=184434&Type=SDR-Well

Well Borehole Information

Top Depth:	
Bottom Depth:	340.0
Top Depth:	0
Bottom Depth:	340

Well Levels

Measurement:	192
Measurement Date:	2005-12-08

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
78	1 of 1	NE	1.89 / 10,002.44	PACER BLDG SYSTS. INC. TX	TCEQ WELL LOGS

Grid No: 65-12-5G
Date Drilled: 10/28/1970
Owners Name: PACER BLDG SYSTS. INC.
County: HARRIS
Water Usage: DOMESTIC
Static Level: 150
Depth Drilled: 228
Latitude: 29.79143
Longtiude: -95.569261

65-12-5G 65-12-5G

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-5G
Located on map
Received:

1) OWNER:
Person having well drilled PACER Bldg. Systs. INC. Address HOUSTON - TEX.
(Name) (Street or RFD) (City) (State)

Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 1/2 MILE miles in N. from direction from INTERSECTION of KATY FREEWAY & BRITTMORE RD. (Town)
(N.E., S.W., etc.)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block UNKNOWN Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic ✓ Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary ✓ Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6" in. Depth drilled 228 ft. Depth of completed well 224 ft. Date drilled 10-28-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1 -	23	Surface
23 -	34	shale
34 -	46	Sand (RED)
46 -	54	Sandy shale
54 -	92	clay (RED)
92 -	115	Sand
115 -	133	shale
133 -	138	Sand
138 -	140	bread
140 -	169	Sand & gravel
169 -	183	shale
183 -	224	Sand WHITE

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic Other
Cemented from 0' ft. to 211' ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4" ID		211'	

10) SCREEN:
Type PLAST. .080
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½" ID	214'	- 224	.012

7) COMPLETION (Check):
Straight wall Gravel packed Other 4" x 2½" L.S.
Under reamed Open Hole

8) WATER LEVEL:
Static level 150' ft. below land surface Date 10-28-70
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc. ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME PAUL'S WELL SERVICE Water Well Drillers Registration No. 1000
(Type or Print)
ADDRESS RT. 9, Box 807 HOUSTON (77040) TEX.
(Street or RFD) (City) (State)
(Signed) A. P. Sherman
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
79	1 of 1	NNE	1.92 / 10,126.85	ACT THREE ARABIAN FARMS TX	TCEQ WELL LOGS

Grid No: 65-12-4
Date Drilled: 06/11/1991
Owners Name: ACT THREE ARABIAN FARMS
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 200
Depth Drilled: 326
Latitude: 29.796159
Longtiude: -95.5759

STATE TEXAS WATER WELL REPORT

) OWNER: ACT THREE ARABIAN FARMS ADDRESS: 1628 UPLAND CITY: HOUSTON STATE: TX ZIP: 00000-
) LOCATION OF WELL: County: HARRIS 3 miles in NE direction from ADDICKS

EGAL DESCRIPTION:
Section No.: F-6 Block No.: NE Township: ADDICKS
Abstract No.: UPLAND Survey Name: RAYMOND W/W
Distance and direction from two intersecting section or survey lines: I-10 & BRITTMORE & OLD KA

) TYPE OF WORK: NEW WELL 4) PROPOSED USE: PUBLIC SUPPLY 5) DRILLING METHOD: MUD ROTARY

) WELL LOG: 12895 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
6.5	0	326

STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
ATE DRILLED: 06/11/91 FROM FT. TO FT.

EOLOGICAL DESCRIPTION:

ROM	TO	DESCRIPTION
	3	TOP SOIL
	100	CLAY
00	120	SAND
20	130	CLAY
30	154	SAND
54	230	CLAY
30	239	SAND
39	295	CLAY
95	326	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE	CASING SCREEN
4	N	PVC CASING	0	303		WW
2.5	N	PVC LINER	298	306		80
2.5	N	PVC WRAPPED SCREEN	306	326		12

9) CEMENTING DATA:
Cemented from 303 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 200 FT. DATE: 06/11/91
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P VALVE	298

RECEIVED
SEP 06 1991
TEXAS WATER COMMISSION

3) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP:

14) WELL TEST:
JETTED
YIELD: 20 GPM WITH FT DRAWDOWN AFTER HRS


5) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 31 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

OMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877
DDRESS: P. O. BOX 162 CITY: PEARLAND STATE: TX ZIP CODE: 77588

FOR TDWR USE ONLY
WELL NO. H-4
LOCATED ON MAP 65-12-4

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN RE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE OG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) _____ (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)


5366
5367
5368
5466
5467
5468
5566
5567
5568
5666
5667
5668
5767
5768
5868
H-3
H-4
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1987
LEGEND

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
80	1 of 1	NE	1.92 / 10,140.09	CenterPoint Energy Houston Electric, LLC TX	WW HARRIS GAL

Well ID:	1185	**Diameter (inches):**	4
Aggre Lead Well:	1182	**Year Drilled:**	1972
Permit No:	WP2024-113693	**Depth Drilled:**	324
Permit Start Date:	11/1/2024	**Depth frm Surf(ft):**	308
Permit End Dt:	10/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.795
Regulatory Aarea:	3	**Longitude:**	-95.5725

Owner Name: CenterPoint Energy Houston Electric, LLC
Billing Contact: Holly Vinson
Billing Address: 4500 South Shaver, Bldg. D
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77034
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.
Water Usage: D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
81	1 of 3	SW	1.92 / 10,156.03	DANIEL DEVELOPMENT CO TX	TCEQ WELL LOGS

Grid No:	65-12-7J
Date Drilled:	07/27/1982
Owners Name:	DANIEL DEVELOPMENT CO
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	155
Depth Drilled:	350
Latitude:	29.754789
Longtiude:	-95.616692

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-12-7
Located on map 4E5
Received: C.E.S.

1) OWNER DANIEL DEVELOPMENT CO. (Name) Address BRIAR BAYOU DR. (Street or RFD) - HOUSTON (City), TEX. (State) 77077 (Zip)

2) LOCATION OF WELL: County HARRIS APPX. 15 miles in WEST (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
X See attached map.

3) TYPE OF WORK (Check): X New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial X Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): X Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 7-27-82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6¾	Surface 0	350

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	TOP SOIL - CLAY
20	31	CLAY
31	51	CLAY
51	56	SAND
56	58	ROCK
58	71	BROKEN SAND
71	93	CLAY
93	108	CLAY
108	121	SAND
121	133	CLAY
133	149	SAND
149	170	CLAY
170	173	SAND
173	193	
193	213	
213	230	SAND
230	233	BROKEN SAND
233	253	SAND
253	263	SAND
263	268	CLAY
268	291	SAND
291	299	CLAY
299	302	SAND
302	307	CLAY
307	350	SAND

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	STEEL GALV.	0	330	
2½	N	ROD BASE	330	350	#8

CEMENTING DATA
Cemented from 0 ft. to 330 ft.
Method used PRESSURE
Cemented by Michael L. McClung (Company or Individual)

9) WATER LEVEL:
Static level 155 ft. below land surface Date 7-28-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type LEAD SEAL Depth 325'

11) TYPE PUMP: ☐ Turbine ☐ Jet X Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

RECEIVED
JUN 22 1983
DEPT. OF WATER RESOURCES

12) WELL TESTS: NONE
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes X No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes X No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MICHAEL L. McCLUNG (Type or Print) Water Well Drillers Registration No. 2215


ADDRESS 4602 ELLA BLVD. (Street or RFD) HOUSTON (City) TEXAS (State) 77018 (Zip)

(Signed) Michael L. McClung (Water Well Driller) M+N WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


LEGEND
GHWAY MAP
COUNTY
AS
NT OF HIGHWAYS
NSPORTATION
TRANSPORTATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
81	2 of 3	SW	1.92 / 10,156.03	DANIEL DEVELOPMENT COMPANY TX	WW HARRIS GAL

Well ID:	2548	**Diameter (inches):**	4
Aggre Lead Well:	2547	**Year Drilled:**	1985
Permit No:	W1984-2547-20146-0	**Depth Drilled:**	0
Permit Start Date:	5/1/1984	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.758888
Regulatory Aarea:	3	**Longitude:**	-95.624722
Owner Name:	DANIEL DEVELOPMENT COMPANY		
Billing Contact:	PATRICIA DANIEL		
Billing Address:	3839 WICKERSHAM Ln.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
81	3 of 3	SW	1.92 / 10,156.03	DANIEL DEVELOPMENT COMPANY TX	WW HARRIS GAL

Well ID:	2547	**Diameter (inches):**	4
Aggre Lead Well:	2547	**Year Drilled:**	1985
Permit No:	W1984-2547-20146-0	**Depth Drilled:**	0
Permit Start Date:	5/1/1984	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.758888
Regulatory Aarea:	3	**Longitude:**	-95.624722

Owner Name:	DANIEL DEVELOPMENT COMPANY
Billing Contact:	PATRICIA DANIEL
Billing Address:	3839 WICKERSHAM Ln.
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77027
Correspondence:	NULL
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
82	1 of 1	NE	1.95 / 10,290.37	JIM HEINE TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	04/16/1994
Owners Name:	JIM HEINE
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	201
Depth Drilled:	388
Latitude:	29.793344
Longtiude:	-95.570321

Send original copy by certified mail to: **Texas Water Commission, P.O. Box 13087, Austin, Texas 78711** *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Jim Heine (Name) ADDRESS 1261 Brittmoore (Street or RFD) Houston (City) TX (State) 77043 (Zip)

2) LOCATION OF WELL: County Harris miles in _____ (NE, SW, etc.) direction from _____ (Town)
Subsidence Rule 5.1 Registration

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ~~☑ Domestic~~ ☐ Industrial ☐ Monitor ☐ Public Supply ☑ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 4-14 19 94 Completed 4-16 19 94

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 5/8	Surface	370
5	370	388

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other Two String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Topsail, Clay
20	40	Clay, Sand
40	60	Red Clay + Sand
60	80	Red Clay Gray Clay
80	100	Brown + White Clay
100	120	Brown + White Clay
120	140	White Clay + Sand + Gravel
140	160	Sand White Clay
160	180	White Clay
180	200	Sand, Red + White Clay

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	PVC Well Casing	+2	370	SDR 17
2.5	N	PVC Blank Pipe	363	373	sch 80
2.5	N	Stainless Rod Base	373	383	8 ga
2.5	N	Stainless Rod Base	383	388	10 ga
2.5	N	Sawtooth Nipple	388	3885	sch 80

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 370 ft. to 270 ft. No. of Sacks Used 15
0 ft. to 100 ft. No. of Sacks Used 22
Method used Halliburton pressure
Cemented by Geophysical Drlg. Inc

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☑ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 201' ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Formation Packer	@ 15'
BP Packer	@ 363'

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 315 ft.

14) WELL TESTS: Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 100 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents? ☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

RECEIVED MAY 09 1994 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drilling Inc (Type or print) WELL DRILLER'S LICENSE NO. 2888 WI
ADDRESS PO Box 664 (Street or RFD) Fulshear (City) TEXAS (State) 77441 (Zip)
(Signed) Greg Hill (Licensed Well Driller) (Signed) Jimmy Briney (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map 65-12-5

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY TX6512500


Jim Heine
1261 Brittmoore
appx 1 mi. N of I10 West
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
TEXAS STATE HIGHWAY DEPARTMENT
PLANNING AND RESEARCH DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
83	1 of 4	WNW	1.99 / 10,499.00	Union Carbon Co. TX	GWDB

Well Rep Track No:	
State Well No:	6512712
Owner Name:	Union Carbon Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1961
Well Depth:	398
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7822220
Longitude:	-95.6227780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512712&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512712&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
83	2 of 4	WNW	1.99 / 10,499.00	United Carbon Co TX	GWDB

Well Rep Track No:
State Well No: 6512711
Owner Name: United Carbon Co
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1961
Well Depth: 1630
Well Usage: Industrial
Water Level Status:
Latitude: 29.7822220
Longitude: -95.6213890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512711&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512711&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
83	3 of 4	WNW	1.99 / 10,499.00	USGS-294655095371601 TX	FED USGS

Site No:	USGS-294655095371601
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19610214
Well Depth:	1652
Well Depth Unit:	ft
Well Hole Depth:	1652
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-711
Latitude:	29.78222220000000
Longitude:	-95.6213889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
83	4 of 4	WNW	1.99 / 10,499.00	USGS-294655095372101 TX	FED USGS

Site No:	USGS-294655095372101
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19610317
Well Depth:	408
Well Depth Unit:	ft
Well Hole Depth:	408
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-712
Latitude:	29.78222220000000
Longitude:	-95.6227778000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
84	1 of 1	WNW	1.99 / 10,530.15	D.O. HUTTO TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	05/24/1979
Owners Name:	D.O. HUTTO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	135
Depth Drilled:	290
Latitude:	29.7857723
Longtiude:	-95.620357

113

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No.
Located on map NO
Received: 79 SHC

1) OWNER D. C. Hutto (Name) Address 1014 Red Haw (Street or RFD) Houston, Tx. 77079 (City) (State) (Zip)

2) LOCATION OF WELL: County Harris, 13 miles in E (N.E., S.W., etc.) direction from Katy (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☐ See attached map. 113 No Map

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 5/24/79

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	290

From (ft.)	To (ft.)	Description and color of formation material
0	15	Clay
15	21	Sand
21	27	Clay
27	30	Sand
30	90	Clay
90	160	Sand
160	190	Shell
190	215	Sand
215	220	Shell
220	290	Sand & Gravel

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 string cemented
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Plastic Casing	0	275	Sch
2½"	N	Liner	260	280	40
2½"	N	Slotted Screen	280	290	.012

CEMENTING DATA
Cemented from 275 ft. to 150 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 135 ft. below land surface Date 5/25/79
Artesian flow ____ gpm. Date ____

10) PACKERS: Type K Depth 260

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M. E. Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
85	1 of 2	ESE	2.00 / 10,544.90	MC Beltway 8, LLC TX	WW HARRIS GAL

Well ID:	7414	**Diameter (inches):**	4
Aggre Lead Well:	7414	**Year Drilled:**	1978
Permit No:	W2010-7414-144644-0	**Depth Drilled:**	300
Permit Start Date:	12/31/2009	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2009	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.758055
Regulatory Aarea:	3	**Longitude:**	-95.562222

Owner Name: MC Beltway 8, LLC
Billing Contact: NULL
Billing Address: 2000 W. Sam Houston Parkway, Suite 2000
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77042
Correspondence: Mariner Energy, Inc.
Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
85	2 of 2	ESE	2.00 / 10,544.90	MI Deerwood North Property Owner, LLC TX	WW HARRIS GAL

Well ID:	16188	**Diameter (inches):**	5
Aggre Lead Well:	16188	**Year Drilled:**	NULL
Permit No:	WP2024-108572	**Depth Drilled:**	400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7575
Regulatory Aarea:	3	**Longitude:**	-95.561944

Owner Name: MI Deerwood North Property Owner, LLC
Billing Contact: Andrew Vacek
Billing Address: 1600 Hwy 6 South, Ste 245
Billing Address 2: NULL
Billing City: Sugar Land
Billing State: TX
Billing Zip: 77478
Correspondence: Lake Management Services, LP
Provision: SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
86	1 of 1	WSW	2.01 / 10,588.47	G&I X San Paloma LP TX	WW HARRIS GAL

Well ID:	10007	**Diameter (inches):**	5
Aggre Lead Well:	10007	**Year Drilled:**	2005
Permit No:	WP2024-106500	**Depth Drilled:**	500
Permit Start Date:	6/1/2024	**Depth frm Surf(ft):**	480
Permit End Dt:	5/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.766388
Regulatory Aarea:	3	**Longitude:**	-95.622777
Owner Name:	BRE San Paloma MF Owner LP		
Billing Contact:	Melanie Marshall		
Billing Address:	1255 Eldridge Parkway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	1 of 8	WSW	2.01 / 10,630.33	Harris County MUD 223 TX	GWDB

Well Rep Track No:	
State Well No:	6512731
Owner Name:	Harris County MUD 223
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1983
Well Depth:	1190
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7636120
Longitude:	-95.6247220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512731&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512731&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	2 of 8	WSW	2.01 / 10,630.33	Northwest Harris Co. MUD 25, well #1 TX	GWDB

Well Rep Track No:
State Well No: 6504812
Owner Name: Northwest Harris Co. MUD 25, well #1
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1982
Well Depth: 1030
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8766670
Longitude: -95.5669440
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6504812&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6504812&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	3 of 8	WSW	2.01 / 10,630.33	CITY OF HOUSTON TX	WUD

St Well No:	6504812
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SC
Date Drilled:	03/04/1982
Well Depth:	1030
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	879
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.76292
Longitude:	-95.623222
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	4 of 8	WSW	2.01 / 10,630.33	HARRIS COUNTY MUD #223 TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	09/26/1983
Owners Name:	HARRIS COUNTY MUD #223
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	295
Depth Drilled:	1526
Latitude:	29.7629204
Longtiude:	-95.6232224

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-47-8
Located on map Yes PLF
Received:

1) OWNER Harris County M.U.D.#223 (Name) c/o Edmiston Hirshaw Rumsey Address 6161 Savoy Drive (Street or RFD) Houston (City) TX (State) 77036 (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. Log in pocket

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Well #1
Date drilled 9/24/83

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
24	Surface	50 ft
34	50 ft	1190 TD

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 50 ft. to 1190 TD ft.

From (ft.)	To (ft.)	Description and color of formation material
		See attached Well log
		Chem Analyses
		E-Log
		(1 N Stk Barlay Screen 857 874.843
		" 875 909 "
		" 915 952 "
		" 954 995 "
		" 1013 1037 "
		" 1043 1071 "
		" 1143 1171 "

RECEIVED
JUN 29 1984
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
24	N	Blank Steel Csg	ft	50 ft	-
16	N	Blank Steel Csg	424	517	-
16	N	SSW Barlay Screen	517	539	040
"	"	"	559	599	"
"	"	"	605	647	"
"	"	"	701	721	"
"	"	"	759	799	"
"	"	"	831	941	"

CEMENTING DATA
Cemented from Surface ft. to 50 ft ft.
Method used Halliburton
Cemented by Dowell (Company or Individual)

9) WATER LEVEL:
Static level 295 ft. below land surface Date 11/7/83
Artesian flow gpm. Date

10) PACKERS: Type Depth
None

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 447 ft.

12) WELL TESTS:
☒ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1911 gpm with 91 ft. drawdown after 16 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No Sumbu water encd ft
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leland Lawson (Type or Print) Water Well Drillers Registration No. 24
ADDRESS PO Box 9469 (Street or RFD) Houston (City) TX (State) 77261 (Zip)
(Signed) Leland Lawson (Water Well Driller) Layne Texas Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY CB

ʌYNE TEXAS COMPAN

HOUSTON -:- DALLAS

WELL LOG

REPORT NO. S. O. 1102-1950
PAGE 1 of 2
FILE NO. 4116
DATE 9/26/83

CUSTOMER LOCATION

FOR Harris Co. M.U.D. #223

LOCATION WELL Eldridge Rd. & Sandbridge Dr.

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS

WELL DATA

NAME WELL WELL NO. 1
ELEVATION DATUM
RT C GR
TEST HOLE SIZE 9 7/8" TD 1526'
DATE STARTED DRILLING 9/21/83
DATE FINISHED DRILLING 9/26/83
DRILLER McFarland RIG NO. 8
TYPE MUD Gel NO. SACKS 75
ELECTRIC LOG Yes TYPE G.O.
SURVEY Eastman TYPE Single Shot
OTHER Prather

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES DEPTH	SAMPLES TYPE	SAMPLES NUMBER
0		Surface			
2'	2'	Top soil			
20'	18'	Clay			
26'	6'	Sand			
48'	22'	Clay			
72'	24'	Sand			
136'	64'	Clay			
160'	24'	Sand			
228'	68'	Sand & few clay stks.			
240'	12'	Sand & clay stks.			
253'	13'	Limestone & clay stks.			
285'	32'	Sand & clay stks.			
309'	24'	Clay			
344'	35'	Sand & clay stks.			
366'	22'	Sand			
373'	7'	Shale & sand stks.			
425'	52'	Sand & shale stks.			
433'	8'	Shale			
470'	37'	Sandy shale & sand stks.			
496'	26'	Shale & sandy shale stks.			
524'	28'	Shale & sand stks.			
543'	19'	Sand			
556'	13'	Shale			
584'	28'	Sand & shale stks.			
594'	10'	Shale			
638'	44'	Sand & shale stks.			
651'	13'	Shale			
684'	33'	Sand			
720'	36'	Sand & shale stks.			
738'	18'	Shale & sand stks.			
797'	59'	Shale			
800'	3'	Lime			
821'	21'	Shale			
868'	47'	Sand			
877'	9'	Sandy shale			
892'	15'	Sand			
990'	98'	Sand & shale stks.			
1019'	29'	Shale & sand stks.			
1040'	21'	Sand & shale stks.			

AYNE TEXAS COMPAN
HOUSTON -:- DALLAS

WELL LOG

REPORT NO.
S. O. 1102-1950
PAGE 2 of 2
FILE NO. 4116
DATE 9/26/83

CUSTOMER LOCATION		WELL DATA	
FOR Harris Co. M.U.D. #223		NAME WELL	WELL NO. 1
LOCATION WELL		ELEVATION	DATUM
		RT C	GR
SURVEY	FIELD	TEST HOLE SIZE	TD
		DATE STARTED DRILLING	
COUNTY	STATE	DATE FINISHED DRILLING	
		DRILLER	RIG NO.
OTHER LAND MARKS		TYPE MUD	NO. SACKS
		ELECTRIC LOG	TYPE
		SURVEY	TYPE
		OTHER	

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES DEPTH	SAMPLES TYPE	SAMPLES NUMBER
1047'	7'	Shale			
1073'	26'	Sand & shale stks.			
1140'	67'	Shale & sand stks.			
1182'	42'	Sand & shale stks.			
1213'	31'	Shale			
1290'	77'	Shale			
1336'	46'	Sandy shale			
1348'	12'	Sandy shale & lime stks.			
1353'	5'	Shale			
1410'	57'	Shale			
1424'	14'	Sandy shale			
1444'	20'	Shale			
1490'	46'	Shale			
1518'	28'	Sandy shale			
1526'	8'	Shale			

EDNA WOOD LABORATORIES INC.

WATER TECHNOLOGISTS · · CHEMISTS · MICROBIOLOGISTS

16 November 1983

To: Layne Texas Company
P. O. Box 9469
Houston, Texas 77261

P. O. #1102-1950

Sample marked: Well No. 1, Sample No. 1 - H. C. MUD 223, Harris County, Texas
Taken: 11-9-83 - 8 AM after 18 hrs. pumping at 1918 gpm.
10 minute static head: 312' - pumping level: 386.5' - Screened: 517'-117
Appearance: Clear - By: C. R. McFarland

Received: 11-11-83

WATER ANALYSIS
results in parts per million (mg/1) except as noted

Dissolved Residue at 350° C		281	Conductance, micromhos/cm, 25°C	482
Total Dissolved Solids, actual†		394	Color, units	0
Total Dissolved Solids, calc.		400	Turbidity, units	0.2
Silica	SiO_2	24	As Calcium Carbonate, $CaCo_3$:	
Calcium	Ca	52	Phenolphthalein Alkalinity	0
Magnesium	Mg	9	Total Alkalinity	183
Sodium (diff.) Na + K as	Na	40	Total Hardness	166
Carbonate	CO_3	0	Free Carbon Dioxide CO_2	46
Bicarbonate	HCO_3	223	pH . . . 6.92 at 22°C	
Sulfate	SO_4	8	HYPOTHETICAL COMBINATIONS	
Chloride	Cl	43	Calcium Bicarbonate	211
Total Fluoride	F	0.2	Magnesium Bicarbonate	53
Total Nitrate	NO_3	0.5	Sodium Bicarbonate	28
Total Manganese	Mn	< 0.05	Sodium Sulfate	12
Total Iron	Fe	0.07	Sodium Chloride	71
Iron, filtered sample	Fe	-	Sodium Fluoride	1
			Silica	24
			Total Dissolved Solids, Calc.	400


†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

EDNA WOOD LABORATORIES, INC.

By: Alice Perry
Alice Perry, Supervising Chemist

8240

HOUSTON, TEXAS 77021


GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U S DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973
HCMUD 223
WH1
(4116)
CB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	5 of 8	WSW	2.01 / 10,630.33	HARRIS CO. M.U.D. 223 TX	WW HARRIS GAL

Well ID:	4060	**Diameter (inches):**	24
Aggre Lead Well:	3778	**Year Drilled:**	
Permit No:	W1992-3778-40314-0	**Depth Drilled:**	1190
Permit Start Date:	5/1/1992	**Depth frm Surf(ft):**	538
Permit End Dt:	4/30/1993	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.747222
Regulatory Aarea:	3	**Longitude:**	-95.6225
Owner Name:	HARRIS CO. M.U.D. 223		
Billing Contact:	GARY BINDERIM		
Billing Address:	16337 Park Row		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	D-223		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	6 of 8	WSW	2.01 / 10,630.33	Houston, City of TX	WW HARRIS GAL

Well ID:	3778	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1982
Permit No:	WP2023-117626	**Depth Drilled:**	1150
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	600
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.763055
Regulatory Aarea:	3	**Longitude:**	-95.623055
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	7 of 8	WSW	2.01 / 10,630.33	USGS-294548095372801 TX	FED USGS

Site No:	USGS-294548095372801
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19830926
Well Depth:	1190
Well Depth Unit:	ft
Well Hole Depth:	1526
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-731
Latitude:	29.76361110000000
Longitude:	-95.6247222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	8 of 8	WSW	2.01 / 10,630.33	USGS-295235095340001 TX	FED USGS

Site No:	USGS-295235095340001
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19820401
Well Depth:	1030
Well Depth Unit:	ft
Well Hole Depth:	1030
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-04-812
Latitude:	29.87666667000000
Longitude:	-95.5669444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
88	1 of 6	NW	2.02 / 10,669.95	City of Houston Katy-Addicks TX	GWDB

Well Rep Track No:	
State Well No:	6512722
Owner Name:	City of Houston Katy-Addicks
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1970
Well Depth:	1682
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7891670
Longitude:	-95.6150010
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512722&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512722&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
88	2 of 6	NW	2.02 / 10,669.95	CITY OF HOUSTON TX	WUD

St Well No:	6512722
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013HF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013HF
Date Drilled:	00/00/1970
Well Depth:	1680
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.790506
Longitude:	-95.614946
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
88	3 of 6	NW	2.02 / 10,669.95	CITY OF HOUSTON TX	TCEQ WELL LOGS

Grid No: 65-12-4B
Date Drilled: 1970
Owners Name: CITY OF HOUSTON
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 220
Depth Drilled: 1669
Latitude: 29.7898375
Longtiude: -95.6178057

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. AB 12-
Located on map
Received:

1) OWNER:
Person having well drilled CITY OF HOUSTON (Name) Address 13000 Katy RD. (Street or RFD) Houston, Texas (City) (State)

Landowner CITY OF HOUSTON (Name) Address CITY HALL (Street or RFD) HOUSTON, TEXAS (City) (State)

2) LOCATION OF WELL:
County HARRIS, 2 miles in west (N.E., S.W., etc.) direction from city of Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* Addicks Dam
Katy Addicks # 4
IH-10
Lease - X
¼ mile North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well X, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal X, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary X, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 9 7/8 in. Depth drilled 1669 ft. Depth of completed well ft. Date drilled 1970
All measurements made from 6 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	560	sand, shale, gravel
560	590	sand
590	640	sandy shale
640	650	sand
650	690	shale
690	730	sandy shale
730	750	sand
750	870	shale
870	950	sand
950	1000	shale
1000	1010	sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New X, Steel X, Plastic, Other
Cemented from 0 ft. to 560 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
24	0	560	3/8

10) SCREEN:
Type Bar Lug Stainless Steel
Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
14	650	1650	.45

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed X, Open Hole

8) WATER LEVEL:
Static level 220 ft. below land surface Date 9/19/70
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 400 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes X No If yes, by whom? Johnson & Johnson Drilling & Supplys
Yield: 3617 gpm with 88 ft. drawdown after 100 hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes No X
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME T M Johnson (Type or Print) Water Well Drillers Registration No. 857
ADDRESS RT 8 Box 767-K (Street or RFD) HOUSTON (City) TEXAS (State) 77024
(Signed) T M Johnson (Water Well Driller) Johnson & Johnson Drilling inc (Company Name)
(note this well has not been accepted by city)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

1010 - 1080	shale
1080 - 1110 -	sand
1110 - 1460	shale
1460 - 1505	sand
1505 - 1560	shale
1560 - 1575	sand
1575 - 1610	shale
1610 - 1660	sand
1660 - 1669	shale

RECEIVED
SEP 28 1971
Central Records
Texas Water Development Board

RECEIVED
AUG 23 1971
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
88	4 of 6	NW	2.02 / 10,669.95	Houston, City of TX	WW HARRIS GAL

Well ID:	1077	**Diameter (inches):**	24
Aggre Lead Well:	1001	**Year Drilled:**	1970
Permit No:	W1984-1001-19115-0	**Depth Drilled:**	1682
Permit Start Date:	2/1/1984	**Depth frm Surf(ft):**	598
Permit End Dt:	1/31/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.788888
Regulatory Aarea:	3	**Longitude:**	-95.614722

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
88	5 of 6	NW	2.02 / 10,669.95	USA Dreamland, Inc. TX	WW HARRIS GAL

Well ID:	5703	**Diameter (inches):**	4
Aggre Lead Well:	5703	**Year Drilled:**	
Permit No:	W1996-5703-53086-0	**Depth Drilled:**	300
Permit Start Date:	8/14/1996	**Depth frm Surf(ft):**	290
Permit End Dt:	5/31/1998	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.788055
Regulatory Aarea:	3	**Longitude:**	-95.616111
Owner Name:	USA Dreamland, Inc.		
Billing Contact:	NULL		
Billing Address:	2526 W. Mount Houston Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77038		
Correspondence:	KAREEM		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
88	6 of 6	NW	2.02 / 10,669.95	USGS-294720095365301 TX	FED USGS

Site No:	USGS-294720095365301
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	1970
Well Depth:	1682
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-722
Latitude:	29.79027778000000
Longitude:	-95.6150000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
89	1 of 6	NW	2.03 / 10,727.81	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512730
Owner Name:	City of Houston
Drilling Start Dt:	
Drilling Month:	10
Drilling Day:	11
Drilling Year:	1983
Well Depth:	1712
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7899083
Longitude:	-95.6179722
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512730&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512730&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
89	2 of 6	NW	2.03 / 10,727.81	CITY OF HOUSTON TX	WUD

St Well No:	6512730
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AH
Date Drilled:	10/11/1983
Well Depth:	1700
Screen Top:	684
Screen Bottom:	1685
Gallons Per Minute:	1501
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78990936
Longitude:	-95.61797333
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
89	3 of 6	NW	2.03 / 10,727.81	INDEPENDENCE BANK TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	06/20/1986
Owners Name:	INDEPENDENCE BANK
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	140
Depth Drilled:	267
Latitude:	29.789909
Longtiude:	-95.617973

.4m: SSW
.5m: ESE

1

2nd original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

L
167

For TDWR use only
Well No. 65-12-7
Located on map
Received:

1) OWNER ~~Iddependence Bank~~ (Name) Address 6910 Addicks Fairbanks (Street or RFD) Houston, Tx. (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 18 miles in NW (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 6/20/86

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		267

From (ft.)	To (ft.)	Description and color of formation material
0	14	Clay
14	75	Sand
75	160	Clay
160	165	Rock
165	210	Sand
210	235	Clay
235	270	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Steel Casing	0	242	Sch.
4"	N	PVC Liner	237	257	40
2½"	N	PVC Slotted Screen	257	267	.012

CEMENTING DATA
Cemented from 267 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 140 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
K	237

RECEIVED
MAY - 5 1987
TEXAS WATER COMMISSION

11) TYPE PUMP: 1½HP 120 tank
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Robinson Water Well Service, Inc. (Type or Print) Water Well Drillers Registration No. 1464


ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

Signed W E Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

VR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
89	4 of 6	NW	2.03 / 10,727.81	CenterPoint Energy Houston Electric, LLC TX	WW HARRIS GAL

Well ID:	3829	**Diameter (inches):**	4
Aggre Lead Well:	3829	**Year Drilled:**	1983
Permit No:	WP2024-113694	**Depth Drilled:**	342
Permit Start Date:	11/1/2024	**Depth frm Surf(ft):**	332
Permit End Dt:	10/31/2029	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.789444
Regulatory Aarea:	3	**Longitude:**	-95.618888

Owner Name: CenterPoint Energy Houston Electric, LLC
Billing Contact: Holly Vinson
Billing Address: 4500 South Shaver, Bldg. D
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77034
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee
Water Usage: D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
89	5 of 6	NW	2.03 / 10,727.81	Houston, City of TX	WW HARRIS GAL

Well ID:	3845	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1800
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	999
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.787222
Regulatory Aarea:	3	**Longitude:**	-95.619444
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
89	6 of 6	NW	2.03 / 10,727.81	USGS-294723095370501 TX	FED USGS

Site No:	USGS-294723095370501
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19840117
Well Depth:	1712
Well Depth Unit:	ft
Well Hole Depth:	2200
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-730
Latitude:	29.79000000000000
Longitude:	-95.6183333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
90	1 of 5	SE	2.03 / 10,733.94	City of Houston District 71 Well #4 TX	GWDB

Well Rep Track No:
State Well No: 6512820
Owner Name: City of Houston District 71 Well #4
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year:
Well Depth: 1345
Well Usage:
Water Level Status:
Latitude: 29.7488890
Longitude: -95.5697220
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512820&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512820&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
90	2 of 5	SE	2.03 / 10,733.94	Houston, City of TX	WW HARRIS GAL

Well ID:	7651	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	
Permit No:	WP2023-117626	**Depth Drilled:**	1440
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	670
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.748888
Regulatory Aarea:	3	**Longitude:**	-95.57

Owner Name: Houston, City of
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
90	3 of 5	SE	2.03 / 10,733.94	CITY OF HOUSTON TX	WUD

St Well No:	6512820
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SS
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SS
Date Drilled:	
Well Depth:	1345
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2103
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.748906
Longitude:	-95.569958
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
90	4 of 5	SE	2.03 / 10,733.94	CITY OF HOUSTON TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	07/30/2001
Owners Name:	CITY OF HOUSTON
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	278
Depth Drilled:	1345
Latitude:	29.748906
Longtiude:	-95.569958

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
CITY OF HOUSTON	611 WALKER ST.	HOUSTON	TEXAS	77002

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	1410 LAKESIDE ESTATES DR.	HOUSTON	TEXAS	77489

Lat. 29 | 44 | .929 Long. 95 | 34 | .184 Grid # 65-12-8

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning
Distrct 71 well # 4

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☑ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☑ Yes ☐ No

5) N↑

6) Drilling Date
Started 7/15/2000
Completed 7/30/2001

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
42"	0	32'
30"	0	658'
32"	658'	1345'

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

X

To (ft)	Description and color of formation material
	'SEE ATTATCHED LOG"

(Use reverse side of Well Owner's copy, If necessary)

☐ Open Hole ☐ Straight Wall
☑ Under-reamed ☑ Gravel Packed ☐ Other
If Gravel Packed give the interval from 594' ft. to 1345' ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
36"	U	Carbon steel	0	32	Std
24"	N	Carbon steel	+2	654'	.500
18"	N	s.s. screen wraped	594'	752'	.500
14"	N	on pipe	752'	1345'	.500

9) Cementing Data
Cementing from 0 Ft to 32' ft. # of sacks used 100
0 ft. to 654' ft. # of sacks used 711
Method Used HALLIBURTTON
Cementing By SAME
Distance to septic system field or other concentrated contamination ____ ft.
Method of verification of above distance ____

13) Plugged ☐ Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☑ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☑ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 570 ft.

11) Water Level
Static level 278 ft. below Date 6/08/2001
Artesian Flow ____ gpm. Date ____

RECEIVED
TDLR MAIL ROOM / SH
SEP 13 2001

15) Water Test
Typetest ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2335 gpm with 97.10 ft. drawdown after 1 hrs.

12) Packers
Type Depth

RECEIPT #	AMOUNT

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☑ Yes ☐ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water ____ Depth of Strata ____
Was a chemical analysis made? ☑ Yes ☐ No

Company or Individual's Name (type or print) RICHARD H. ALLBRITTON Lic. No. 4633WP
Address 5931 BRITTMORE RD. City HOUSTON State TEXAS Zip 77041

Signature	Licensed Driller/Pump Installer	Date	Signature	Apprentice	Date
[signature]		9/11/01			/ /

TDLR FORM 004WWD Copies to TDLR - Owner - Driller/Pump Installer Form provided by Forms On-A-Disk, Inc. · Dallas, Texas · (214) 340-9429

65-12-8

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS

a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

TEST HOLE 1

Contract Name: City of Houston - District 71, Water Well No. 4

Job No. 37-7687 Date: July 29, 2000

City: Houston State: Texas Driller: Ronald Ward

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
0	2	SURFACE
2	40	CLAY
40	45	SAND
45	88	CLAY WITH SAND STREAKS
88	115	SANDY CLAY
115	142	CLAY
142	157	CLAY
157	240	SAND
240	251	CLAY
251	262	SAND
262	272	SAND WITH CLAY STREAKS
272	280	CLAY
280	690	SAND WITH CLAY STREAKS
690	737	COARSE SAND
737	750	CLAY
750	760	SAND
760	773	CLAY
773	793	SAND
793	814	CLAY
814	838	SAND
838	905	GRITTY SAND
905	935	FINE SAND
935	1014	CLAY
1014	1058	SAND
1058	1073	CLAY
1073	1119	SAND
1119	1120	CLAY
1120	1154	SAND
1154	1168	CLAY
1168	1253	SAND WITH CLAY STREAKS
1253	1258	CLAY

REMARKS: PAGE 1 of 2

RECEIVED
TDLR MAIL ROOM SH
SEP 13 2001
RECEIPT # AMOUNT

65-12-8

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS

a division of Layne Christensen Company
WATER SUPPLY SERVICES SINCE 1924
TEST DRILLING · WATER WELLS · PUMPS

TEST HOLE 1

Contract Name: City of Houston - District 71, Water Well No. 4
Job No. 37-7687 Date: July 29, 2000
City: Houston State: Texas Driller: Ronald Ward

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
1258	1284	SAND
1284	1286	CLAY
1286	1302	SAND
1302	1306	CLAY
1306	1308	SAND
1308	1312	SANDY SHALE
1312	1336	CLAY WITH SAND STREAKS
1336	1363	SAND
1363	1370	CLAY
1370	1382	SAND
1382	1394	CLAY
1394	1407	SANDY CLAY
1407	1414	CLAY
1414	1426	SAND
1426	1428	CLAY
1428	1436	SANDY CLAY
1436	1440	CLAY
1440	1457	SANDY SHALE
1457	1467	SHALE HARD
1467	1474	SANDY SHALE
1474	1500	SAND

RECEIVED
TDLR MAIL ROOM SH
SEP 13 2001
RECEIPT # AMOUNT

REMARKS: PAGE 2 of 2


65-12-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
90	5 of 5	SE	2.03 / 10,733.94	USGS-294456095341101 TX	FED USGS

Site No:	USGS-294456095341101
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	20010730
Well Depth:	1345
Well Depth Unit:	ft
Well Hole Depth:	1345
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-820
Latitude:	29.74888889000000
Longitude:	-95.5697222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
91	1 of 1	WNW	2.04 / 10,749.17	JUDY NEELY TX	TCEQ WELL LOGS

Grid No:	65-11-9H
Date Drilled:	07/14/1971
Owners Name:	JUDY NEELY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	105
Depth Drilled:	180
Latitude:	29.7857888
Longtiude:	-95.6211327



Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9#
Located on map
Received: 7-17-71

1) OWNER:
Person having well drilled Judy Neely (Name) Address 1005 Red Haw (Street or RFD) Houston, Texas (City) (State)
Landowner (Same) (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, ---- miles in Addicks Sub. (N.E., S.W., etc.) direction from Houston, Texas (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.
Katy Fwy
Red Haw Rd
North
X Houston
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): X New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): X Domestic, Industrial, Municipal, Irrigation, Test Well, Other
5) TYPE OF WELL (Check): X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4" in. Depth drilled 180' ft. Depth of completed well 180' ft. Date drilled 7/14/71
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0'	18'	Clay
18'	30'	Sand
30'	84'	Clay
84'	149'	Sand
149'	168'	Clay
168'	180'	Course Sand

(Use reverse side if necessary)

9) Casing:
Type: Old X New Steel Plastic Other
Cemented from 10' ft. to 170' ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	10'	170'	Standard

10) SCREEN:
Type Filter Screen
X Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	0'	180'	

7) COMPLETION (Check): X Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 105' ft. below land surface Date 7/14/71
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 168' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes X No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leon Davis (Type or Print) Water Well Driller's Registration No. BOARD # 316
ADDRESS 5423 Lotus (Street or RFD) Houston, (City) Texas (State) 77045
(Signed) XX (Water Well Driller)
WELCO WATER WELL DRILLING COMPANY (Company Name)

RECEIVED

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
92	1 of 1	NE	2.04 / 10,760.28	CORROSION COATING CO TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	06/22/1973
Owners Name:	CORROSION COATING CO
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	168
Depth Drilled:	346
Latitude:	29.793326
Longtiude:	-95.568077

end original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map
Received:

1)OWNER:
Person having well drilled Corrosion Coating Co. (Name) Address 1250 Brittmore/Houston, Texas (Street or RFD) (City) (State)

Landowner Corrosion Coating (Name) Address 1250 Brittmore/Houston, Texas (Street or RFD) (City) (State)

Well Located at 1250 Brittmore Rd. / Houston, Texas

2)LOCATION OF WELL:
County Harris, miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

See Reverse Side for Map

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3)TYPE OF WORK (Check):
New Well X Deepening
Reconditioning Plugging

4)PROPOSED USE (Check):
Domestic Industrial X Municipal
Irrigation Test Well Other

5)TYPE OF WELL (Check):
Rotary X Driven Dug
Cable Jetted Bored

6)WELL LOG:
Diameter of hole 4 in. Depth drilled 346 ft. Depth of completed well 346 ft. Date drilled 6-22-73

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	11	Surface-White Clay
11	20	Sand
20	47	Clay-Light Sand Breaks
47	54	Sand
54	99	Slay-Light Sand Streaks
99	120	Sand Broken
120	144	Clay
144	153	Sand
153	174	Clay
174	180	Sand
180	216	Clay

See Reverse Side (Use reverse side if necessary)

9) Casing:
Type: Old New X Steel Plastic Other
Cemented from 0 ft. to 331 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage

10) SCREEN:
Type Stainless Steel Rod Base
Perforated x Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	345	346	
2½	235	345	.012
2½	334	335	

7) COMPLETION (Check):
Straight wall X Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 168 ft. below land surface Date 6-22-73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 231 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No X
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton - P. O. Box 8707 (Street or RFD) Houston, Texas 77009 (City) (State)

(Signed) R B Lowry (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

V080-WO-6

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

216	233	Sand
233	255	Clay
255	272	Sand
272	306	Clay
306	346	Sand



RECEIVED
AUG 2 1973
Central Records
Texas Water Development Board

RECEIVED
JUL 9 - 1973
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
93	1 of 1	WNW	2.05 / 10,809.70	Houston, City of TX	WW HARRIS GAL

Well ID:	1078	**Diameter (inches):**	24
Aggre Lead Well:	1002	**Year Drilled:**	1970
Permit No:	W2003-1002-127237-0	**Depth Drilled:**	1670
Permit Start Date:	2/1/2003	**Depth frm Surf(ft):**	598
Permit End Dt:	3/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785
Regulatory Aarea:	3	**Longitude:**	-95.621666

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 21st Floor, Rm 2152
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Afton Village
Provision: G1 - permit exempt from disincentive fee based on provisions in GRP (2002); D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
94	1 of 5	WSW	2.05 / 10,821.75	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RB
Date Drilled:	11/19/1984
Well Depth:	1220
Screen Top:	622
Screen Bottom:	1200
Gallons Per Minute:	1826
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.75805092
Longitude:	-95.62155151
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
94	2 of 5	WSW	2.05 / 10,821.75	MUD 90 TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 11/19/1984
Owners Name: MUD 90
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 257
Depth Drilled: 1220
Latitude: 29.7580509
Longtiude: -95.6215515

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER MUD 90 (Name) Address 13135 Forkland (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Dia. (in.)	From (ft.)	To (ft.)
26	Surface	618
34	618	1220

Date drilled 11/19/84

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☒ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from 618 ft. to 1220 ft.

From (ft.) To (ft.) Description and color of formation material

SEE ATTACHED

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
		SEE ATTACHED			

CEMENTING DATA
Cemented from 0 ft. to 618 ft.
Method used Haliburton
Cemented by Dowell (Company or Individual)

9) WATER LEVEL:
Static level 257 ft. below land surface Date 04/10/85
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

RECEIVED
DEC 23 1985
TEXAS WATER COMMISSION

(Use reverse side if necessary)

11) TYPE PUMP: ☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 700 ft.

12) WELL TESTS: ☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1800 gpm with 113 ft. drawdown after 36 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME ALSAY INCORPORATED (Type or Print) Water Well Driller's License No. 2016

ADDRESS 6615 Gant Street (Street or RFD) Houston (City) Texas (State) 77066 (Zip)


(Signed) AC England (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. ____
Located on map ____

DWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1979
MUD 90
13135 FORKLAND

M.U.D. #90 11/19/84
DRILLER'S LOG

DEPTH	DESCRIPTION
0 - 4'	Substructure
4 - 22'	Clay Tan
22 - 38'	Sand Tan
38 - 52'	Clay Red
52 - 72'	Sand Tan
72 - 165'	Clay White and Tan
165 - 295'	Sand W/Clay Stringers
295 - 320'	Clay White
320 - 420'	Sand W/Clay Stringers
420 - 435'	Clay Red
435 - 470'	Sand Tan to White
470 - 490'	Clay Red to Tan
490 - 760'	Sand W/Clay Stringers
760 - 815'	Clay Tan
815 - 825'	Sand Tan
825 - 845'	Clay Tan
845 - 970'	Sand W/Shale Stringers
970 - 1000'	Shale Gray
1000 - 1082'	Sand Tan
1082 - 1175'	Shale Gray
1175 - 1202'	Sand Tan
1202 - 1300' TD	Shale Gray

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
94	3 of 5	WSW	2.05 / 10,821.75	PARKWAY/ELDRIDGE POA TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	08/17/1999
Owners Name:	PARKWAY/ELDRIDGE POA
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	182
Depth Drilled:	462
Latitude:	29.7580509
Longtiude:	-95.6215515

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER PARKWAY/ELDRIDGE P.O.A. (Name) ADDRESS 55 WAUGH DRIVE #1111 (Street or RFD) HOUSTON, TX. 77007 (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 13300 OLIVE HILL HOUSTON, TX. (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 65-12-7

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [ ] Industrial [X] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 8/9 19 99 Completed 8/17 19 99

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
12 1/4	Surface	400
7 7/8	400	462

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	21	TOP SOIL & CLAY & SAND STONE
21	37	SURFACE SAND
37	53	CLAY & SANDSTONE
53	88	SAND
88	138	CLAY
138	235	SAND
235	247	CLAY
247	288	SAND & GRAVEL
288	303	CLAY
303	312	SANDY CLAY
312	343	SAND & ROCK
343	363	CLAY & ROCK

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
8	N	BLACK STEEL WELD END O		400	
5	N	GALVANIZED	390	402	
5	N	S.S.R.B.	402	462	

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 18
300 ft. to 400 ft. No. of sacks used 18
Method used HALLIBURTON/TRIMME
Cemented by AQUASOURCE/B & S, INC.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
[X] Specified Surface Slab Installed
[ ] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: 250 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 182 ft. below land surface Date 8/17/99
Artesian flow ____ gpm. Date

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
K-PACKER	390

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AQUASOURCE/B & S INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Craig Brasel (Licensed Well Driller) (Signed) David Mann (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. 65-12-7

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
363	379	SANDY CLAY
379	384	SAND
384	399	CLAY
399	462	SAND

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
94	4 of 5	WSW	2.05 / 10,821.75	Houston, City of TX	WW HARRIS GAL

Well ID:	3865	**Diameter (inches):**	20
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1300
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	650
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.758055
Regulatory Aarea:	3	**Longitude:**	-95.621666
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
94	5 of 5	WSW	2.05 / 10,821.75	Houston, City of TX	WW HARRIS GAL

Well ID:	4786	**Diameter (inches):**	8
Aggre Lead Well:	1003	**Year Drilled:**	1999
Permit No:	WP2023-117626	**Depth Drilled:**	500
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	400
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.756944
Regulatory Aarea:	3	**Longitude:**	-95.622777

Owner Name:	Parkway/Eldridge Road P.O.A.
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
95	1 of 1	W	2.05 / 10,828.28	SUEBA USA TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	08/18/1993
Owners Name:	SUEBA USA
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	157
Depth Drilled:	395
Latitude:	29.7672459
Longtiude:	-95.625026

y certified mail to: Texas Water Com on, P.O. Box 13087, Austin, Texas 78711 — 8 — Please use black ink.

ON OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER SUEBA U.S.A. (Name) ADDRESS 1150 ELDRIDGE HSTN TX 77077 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: ELDRIDGE & ENCLAVE (PARKWAY VILLAGE)
County HARRIS . _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP 65.19.3

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 8-16 1993 Completed 8-18 1993

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	375
4 3/4	375	395

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	22	TOP SOIL & CLAY
22	38	SURFACE SAND
38	89	CLAY
89	158	SAND
158	170	CLAY
170	197	SAND
197	200	CLAY
200	219	SAND
219	235	CLAY
235	252	SAND

(Use reverse side if necessary)

RECEIVED OCT 20 1993 TEXAS WATER COMMISSION

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
5	N	SDR17 PVC	0	375	
3½	N	GALVANIZED	353	375	
2½	N	PVC SCREENS	375	395	.014

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 8
325 ft. to 375 ft. No. of Sacks Used 3
Method used Halliburton / TRIMMIE
Cemented by BUSSELL & SON INC.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 157 ft. below land surface Date 8-18-93
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K-PACKER Depth 353

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☑ Estimated
Yield: 100 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO BOX 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)


(Signed) Craig Bussell (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 8 Located on map 65.12.7

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY


black ink.
irs Board
711
(Zip)
ficial
Driven
Bored
ft.
Gage
Casting
Screen
.012
29
30-93
lerstand
874
5-19-3
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1979
HARRIS COUNTY TEXAS 102

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
96	1 of 2	E	2.05 / 10,836.44	Robert Sloan TX	GWDB

Well Rep Track No:	
State Well No:	6512810
Owner Name:	Robert Sloan
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1963
Well Depth:	192
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7700000
Longitude:	-95.5566670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512810&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512810&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
96	2 of 2	E	2.05 / 10,836.44	ROBERT R. SLOAN TX	TCEQ WELL LOGS

Grid No:	65-12-8C
Date Drilled:	01/09/1963
Owners Name:	ROBERT R. SLOAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	94
Depth Drilled:	192
Latitude:	29.771
Longtiude:	-95.55718

65-12-8C

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-12-8C
Located on map
By XW Date 1-3
Map No. 1020

1) Well Owner: Robert R. Sloan 12718 Cobblestone, Houston, Texas
(Street or RFD, City, State)

2) Land Owner: Same
(Street or RFD, City, State)

3) Intended use: Industrial ☐ ; Municipal ☐ ; Irrigation ☐ ; Other Domestic

4) Location of well: County Harris Labor ____ League ____ Abstract No. ____

NW¼ NE¼ SW¼ SE¼ (Circle as many as are known) of Section ____ Block No. ____ Survey ____

____ miles in ____ (NE, SW, etc) direction

from ____ (Town)

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 5" in. Date drilled Jan. 9, 1963

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material
0	24	Surface Clay
24	48	Sand Fine Light ~~Gray~~ Clay
48	101	Red Clay - Sandy
101	149	Sand - Top Broken
149	154	Shale
154	182	Sand - Very Good
182	192	Shale - Sandy

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall ☒
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other ____

CASING

Type: Old ☒ New ☐
Cemented from 170 ft.
to Surface ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
5" OD	0	170

SCREEN

Type LOP Stainless .012 Ga.
Perforated ☐ Slotted ☒

Diameter (inches)	Setting from (ft)	Setting to (ft)
2⅜"	172	182

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Driller Lowry Water Wells, Houston, Texas Reg. No. 116
4012 Fulton St. (City, State)

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 94' ft. below ____

Pumping level

feet	hours	gpm

Pump type Fairbanks Morse Submersible
Designed pumping rate ____ gpm ☐ gph ☐
Type power unit Electric
Horsepower 3/4 H.P.
Depth to bowls, cylinder, jet, etc., 157' ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company: ____

C-34 (62-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
97	1 of 1	WSW	2.05 / 10,837.30	BOB LINDALL TX	TCEQ WELL LOGS

Grid No:	65-11-9R
Date Drilled:	04/14/1976
Owners Name:	BOB LINDALL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	160
Depth Drilled:	336
Latitude:	29.755362
Longtiude:	-95.6197942

28

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9R
Located on map 4/6 C
Received: 7-6-76

1) OWNER:
Person having well drilled Bob Lindall (Name) Address Briar Forest (Street or RFD) Houston, Tx (City) (State)
Landowner same (Name) Address 13100 Briar Forest (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, ____ miles in ____ direction from ____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

#28

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor ____ League ____
Block ____ Survey ____
Abstract No. ____
(NW¼ NE¼ SW¼ SE¼) of Section ____

3) TYPE OF WORK (Check):
x New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
x Domestic | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
x Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 336 ft. Depth of completed well 336 ft. Date drilled 4/14/76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	17	clay
17	23	sand and rock
23	36	clay
36	38	rock
38	60	clay and rock
60	75	clay and sand strks
75	95	sand
95	130	clay
130	132	sand
132	145	clay

(Use reverse side if necessary)

9) Casing:
Type: Old x New Steel x Plastic Other
Cemented from 175 ft. to 325 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	325	40

10) SCREEN:
Type plastic
x Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2	326	336	012

7) COMPLETION (Check):
Straight wall | Gravel packed | Other
Under reamed | Open Hole | cemented

8) WATER LEVEL:
Static level 160 ft. below land surface Date 4/14/76
Artesian pressure ____ lbs. per square inch Date ____
Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS: Ronnald Chilton
Was a pump test made? x Yes No If yes, by whom?
Yield: 300 gpm with 30 ft. drawdown after 2 hrs.
Bailer test no gpm with ____ ft. drawdown after ____ hrs.
Artesian flow no gpm
Temperature of water 72°

12) WATER QUALITY:
Was a chemical analysis made? Yes x No
Did any strata contain undesirable water? Yes x No
Type of water? ____ depth of strata ____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ronald Chilton (Type or Print) Water Well Drillers Registration No. #1630
ADDRESS 11803 Beeville (Street or RFD) Houston, Texas (City) (State)
(Signed) ____ (Water Well Driller) CHILTON PUMP & WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

145	160	sand
160	180	clay
180	200	sand
200	205	sand
205	238	sand
238	240	rock
240	243	shell and sand strks
243	249	clay
249	300	sand
300	325	clay
325	336	sand

OCT 04 1976
Texas Water Development Board

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
98	1 of 1	S	2.06 / 10,885.19	Buffalo Oaks TX	GWDB

Well Rep Track No:	
State Well No:	6520102
Owner Name:	Buffalo Oaks
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1946
Well Depth:	644
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7430560
Longitude:	-95.5938890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520102&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520102&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
99	1 of 1	ESE	2.07 / 10,906.25	Deerwood Apartments 10421 Deerwood Rd Houston TX 77042	SDRW WELLS

Track NO: 630829
Date Submitted: 2023-02-02
Owner Name: Deerwood Apartments
Owner Address: 10421 Deerwood Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Commercial - Lake Fill
Latitude: 29.757222
Longitude: -95.562222
Drilling Date Started: 2022-08-10
Drilling Date Completed: 2022-08-13
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=630829&Type=SDR-Well

Well Borehole Information

Top Depth: 370
Bottom Depth: 400

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 173
Measurement Date: 2022-08-13

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
100	1 of 1	WNW	2.07 / 10,942.91	BOB VORKOPER TX	TCEQ WELL LOGS

Grid No: 65-12-7
Date Drilled: 07/13/1991
Owners Name: BOB VORKOPER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 164
Depth Drilled: 290
Latitude: 29.7879773
Longtiude: -95.6203667

al copy by certified mail to: Texas Water Com on, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

TENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Bob Vorkoper (Name) ADDRESS 1030 Red Haw (Street or RFD) Houston (City) Tex (State) 77079 (Zip)

2) LOCATION OF WELL: County Harris . 11 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP (1)

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling: Started 7-10 1991 Completed 7-13 1991

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6¼	Surface	280
4½	280	290

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	C
20	32	S
32	82	C
82	92	S
92	165	C
165	185	S
185	195	C
195	205	S
205	217	C
217	222	S
222	237	Rock
237	248	S
248	265	C & S
265	290	S

(Use reverse side if necessary)

RECEIVED SEP 09 1991 TEXAS WATER COMMISSION

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	280	40
2½	N	PVC Wrapped	280	290	12

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 100 ft. No. of Sacks Used 10

230 ft. to 280 ft. No. of Sacks Used 5

Method used _____

Cemented by _____

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]

☐ Pitless Adapter Used [Rule 287.44(3)(B)]

☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 164 ft. below land surface Date 7-13-91

Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc (Type or print) WELL DRILLER'S LICENSE NO. 1182

ADDRESS P.O Box 89 (Street or RFD) Porter (City) Texas (State) 77365 (Zip)

(Signed) Homer L. Lowe (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 1 Located on map 65-12-7

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY


LEGEND
GHWAY MAP
COUNTY
(AS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
101	1 of 3	WNW	2.07 / 10,949.03	O. D. Hargrave TX	GWDB

Well Rep Track No:	
State Well No:	6512709
Owner Name:	O. D. Hargrave
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1962
Well Depth:	155
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7863890
Longitude:	-95.6208330
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512709&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512709&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
101	2 of 3	WNW	2.07 / 10,949.03	TX	GWDB

Well Rep Track No:	
State Well No:	6512733
Owner Name:	
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1971
Well Depth:	180
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7866670
Longitude:	-95.6211110
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512733&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512733&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
101	3 of 3	WNW	2.07 / 10,949.03	USGS-294711095371501 TX	FED USGS

Site No:	USGS-294711095371501
Site Type:	Well
Formation Type:	Chicot Aquifer, Upper
Date Drilled:	1971
Well Depth:	180
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-733
Latitude:	29.78666667000000
Longitude:	-95.6211111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
102	1 of 3	WNW	2.09 / 11,019.93	PRESTON D BURKE TX	TCEQ WELL LOGS

Grid No:	65-11-9J
Date Drilled:	07/12/1975
Owners Name:	PRESTON D BURKE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	115
Depth Drilled:	156
Latitude:	29.7884173
Longtiude:	-95.6203291

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9W
Located on map Y/C
Received: 7-16
26

1) OWNER:
Person having well drilled PRESTON D BURKE Address 1102 REDHAW ADDICKS TEXAS
(Name) (Street or RFD) (City) (State)
Landowner PRESTON D. BURKE Address " "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 30 miles in SW direction from Houston
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* #6 or
US 190
Map on
65-13-1K
North
(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 156 ft. Depth of completed well 156 ft. Date drilled 7-12-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	12	GRAY CLAY
12	30	RED SAND
30	80	RED CLAY
80	100	GRAY CLAY
100	120	RED CLAY
120	127	SAND
127	135	SHALE
135	156	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old ~~New~~ Steel ~~Plastic~~ Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2	0	148	SCH 40

10) SCREEN:
Type PLASTIC
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	148	156	14

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 115 ft. below land surface Date 7-12-75
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 140 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. CUMPKIN, JR (Type or Print) Water Well Drillers Registration No. 1101
ADDRESS 11630 MUELLER CEM. ~~RR~~. ROAD CYPRESS TEXAS (Street or RFD) (City) (State)
(Signed) John B Cumpkin Jr (Water Well Driller) CY FAIR WATER WELL DRILLING SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBE-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
102	2 of 3	WNW	2.09 / 11,019.93	TED FULLINWEIDER TX	TCEQ WELL LOGS

Grid No:	65-12-7S
Date Drilled:	04/28/1981
Owners Name:	TED FULLINWEIDER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	123
Depth Drilled:	183
Latitude:	29.7884173
Longtiude:	-95.6203291

(6)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-75
Located on map YES
Received: AUG

1) OWNER Ted Fullinweider (Name) Address Redhaw Dr. (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL:
County Harris 13 miles in E. (N.E., S.W., etc.) direction from Katy (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 4/28/81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	183

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	top soil
5	17	red + gray clay
17	30	fine red sand
30	106	red + gray clay
106	157	coarse sand
157	164	red + gray clay
164	183	coarse sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Plastic Casing	0	173	40
2½"	New	Plastic Screen	173	183	12

CEMENTING DATA
Cemented from 173 ft. to 50 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 123 ft. below land surface Date 4/29/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½" X 4" R+R 3Ring 171'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 168 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 19'
Was a chemical analysis made? ☐ Yes ☑ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

AUG 24 1982

NAME Bobby Potter (Type or Print) Water Well Drillers Registration No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Bobby Potter (Water Well Driller) Damrell + Potter Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


LEGEND
GHWAY MAP
COUNTY
(AS
1
2
3
4
5
6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
102	3 of 3	WNW	2.09 / 11,019.93	TED FULLENWEIDER TX	TCEQ WELL LOGS

Grid No:	65-12-7S
Date Drilled:	02/10/1983
Owners Name:	TED FULLENWEIDER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	80
Depth Drilled:	155
Latitude:	29.7884173
Longtiude:	-95.6203291

(4)

Dup
65-12-75

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Ted Fullenweider (Name) Address 1102 Red Haw (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris 12 miles in E (N.E., S.W., etc.) direction from Katy (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. mapom 65-05-4AA

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	155

Date drilled 2/10/83

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	20	yellow + gray clay
20	35	fine red sand
35	55	red clay
55	125	red + gray clay
125	155	coarse sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Plastic Casing	0	140	40
2½"	New	Plastic Screen	145	155	12

CEMENTING DATA
Cemented from 140 ft. to 50 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 80 ft. below land surface Date 2/11/83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½"x4" Spring R+R 138'

RECEIVED
SEP 12 1983
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 30'
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Damrell + Potter Drilling (Type or Print) Water Well Driller's License No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Robby Potter (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee) DUP

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-75
Located on map YBSC.F.S.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
103	1 of 3	ENE	2.10 / 11,077.88	IGLOO CORP TX	TCEQ WELL LOGS

Grid No:	65-12-5Q
Date Drilled:	11/17/1976
Owners Name:	IGLOO CORP
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	168
Depth Drilled:	440
Latitude:	29.7870886
Longtiude:	-95.5611338

65-12-50

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-50
Located on map
Received: 77

1) OWNER:
Person having well drilled Igloo Corp. (Name) Address P.O. Box 19322 Houston, TX 77024 (Street or RFD) (City) (State)

Landowner Igloo Corp. (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County I-10 West Belt Old katy rd. miles in Harris County west direction from Houston (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well XX Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial XX Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary XX Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 8" in. Depth drilled 440' ft. Depth of completed well 440' ft. Date drilled 11/17/76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	clay
24	48	clay
48	72	clay and loose sand
72	96	clay
96	120	clay
120	144	clay and sand
144	168	sand
168	192	sand
192	216	sand & clay
216	240	clay & sand
240	264	sand & clay
264	288	broken sand
288	312	sand & gravel
312	336	broken sand

(Use reverse side if necessary)

9) Casing:
Type: Old New Steel Plastic Other meta
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage

10) SCREEN:
Type Stainless steel rod-base
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
6"	419	440	30'

21' of 6" blank

7) COMPLETION (Check):
Straight wall XX Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 160' ft. below land surface Date 11/18/76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 352' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No X
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry P.O. Box 8707 (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 8707 Fulton (Street or RFD) Houston (City) Tex. 77009 (State)

(Signed) R.B. Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

TX6912500?

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

336	360	sand
360	384	sand
384	408	clay and sand
408	432	sand
432	440	sand



RECEIVED
AUG 2 8 19
Central Records
Texas Water Development Board

TEXAS WATER DEVELOPMENT BOARD
RECEIVED

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
103	2 of 3	ENE	2.10 / 11,077.88	IGLOO CORPORATION TX	WW HARRIS GAL

Well ID:	2601	**Diameter (inches):**	8
Aggre Lead Well:	2601	**Year Drilled:**	1976
Permit No:	W1985-2601-22248-0	**Depth Drilled:**	459
Permit Start Date:	6/1/1985	**Depth frm Surf(ft):**	391
Permit End Dt:	11/13/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.7875
Regulatory Aarea:	3	**Longitude:**	-95.561111
Owner Name:	IGLOO CORPORATION		
Billing Contact:	JOE WILKINS		
Billing Address:	P.O. Box 19322		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
103	3 of 3	ENE	2.10 / 11,077.88	IGLOO CORPORATION TX	WW HARRIS GAL

Well ID:	2154	**Diameter (inches):**	8
Aggre Lead Well:	2154	**Year Drilled:**	1922
Permit No:	W1978-2154-1154-0	**Depth Drilled:**	459
Permit Start Date:	11/30/1953	**Depth frm Surf(ft):**	391
Permit End Dt:	11/30/1953	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.787777
Regulatory Aarea:	3	**Longitude:**	-95.561388
Owner Name:	IGLOO CORPORATION		
Billing Contact:	JOE WILKINS		
Billing Address:	P.O. Box 19322		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
104	1 of 2	WNW	2.10 / 11,111.87	TOMMY GUZMAN, JOE WARNER TX	TCEQ WELL LOGS

Grid No: 65-11-9
Date Drilled: 07/30/1987
Owners Name: TOMMY GUZMAN, JOE WARNER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 162
Depth Drilled: 302
Latitude: 29.7888177
Longtiude: -95.620372

KM 498 c

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Tommy Guzman, Joe Warner (Name) Address 1110 Redhaw (Street or RFD) Houston (City), TX (State). 77079 (Zip)

2) LOCATION OF WELL: County Harris 12.5 miles in W (N.E., S.W., etc.) direction from Katy, TX. (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 7-28 1987 Completed 7-30 1987

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	288
4 3/4	288	302

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other two strings
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	White clay, Red sand
20	40	Rock sand Rock sand
40	60	Red clay
60	80	clay sand Rock sand
80	100	clay
100	120	Clay
120	140	Clay sand clay
140	160	Clay sand 10' clay
160	180	Clay sand clay sand
180	200	Rock sand rock clay
200	220	Rock sand Rock
220	240	Clay
240	260	Clay sand 11'
260	280	sand Rock sand Rock sand 8'
280	302	sand clay sand 12'

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC well casing	+2	288	Sch 40
2	N	PVC wrapped screen	288	302	12 ga.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 288 ft. to 125 ft. No. of Sacks Used 9
10 ft. to 0 ft. No. of Sacks Used 12
Method used Pressure
Cemented by GDI

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 162 ft. below land surface Date 7-30-87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type / Depth
Formation Packer 10'
4" seal Packer 284'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 65 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
AUG 7 1987
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drilling Inc (Type or Print) Water Well Driller's License No. 2289

ADDRESS PO Box 6644 (Street or RFD) Fulshear (City) TX (State) 77441 (Zip)


(Signed) Brad J Hill (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. GS 11-9
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
104	2 of 2	WNW	2.10 / 11,111.87	MRS. GUSMAN TX	TCEQ WELL LOGS

Grid No:	65-11-9H
Date Drilled:	06/06/1984
Owners Name:	MRS. GUSMAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	130
Depth Drilled:	153
Latitude:	29.7888177
Longtiude:	-95.620372

7)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Mrs. Gusman (Name) Address 1110 Red Haw (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris 14 miles in E. (N.E., S.W., etc.) direction from Katy (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting sec- tion or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☑ See attached map. Map on 60-61-76

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	153

Date drilled 6/6/84

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	12	yellow + gray clay
12	16	fine red sand
16	21	clay + rock strips
21	35	fine red sand
35	55	red clay
55	109	red + gray clay
109	140	red + blue clay
140	153	coarse sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Plastic Casing	0	145	40
2½"	New	Plastic Screen	143	153	12

CEMENTING DATA
Cemented from 145 ft. to 50 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 130 ft. below land surface Date 6/7/84
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth
2½"x4" R+R 3Ring 141'

RECEIVED
JUN 25 1984
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 13'
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Damrell & Potter Drilling Co (Type or Print) Water Well Driller's License No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Bobby Potter (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Dup

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-11-914
Located on map Yes DLF

TDWR-0392 (Rev. 5-27-82) DEPARTMENT OF WATER RESOURCES COPY

Dup

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
105	1 of 1	NE	2.11 / 11,140.68	BHVA Real Estate Holdings, LLC TX	WW HARRIS GAL

Well ID:	7138	**Diameter (inches):**	4
Aggre Lead Well:	7138	**Year Drilled:**	1978
Permit No:	WP2024-111609	**Depth Drilled:**	0
Permit Start Date:	6/1/2024	**Depth frm Surf(ft):**	0
Permit End Dt:	5/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7975
Regulatory Aarea:	3	**Longitude:**	-95.572777
Owner Name:	Festive Tents LP		
Billing Contact:	Andrew Vacek		
Billing Address:	1600 Hwy 6 South, Ste 245		
Billing Address 2:	NULL		
Billing City:	Sugar Land		
Billing State:	TX		
Billing Zip:	77478		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
106	1 of 3	WNW	2.11 / 11,144.27	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6512723
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1970
Well Depth: 1670
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.7854444
Longitude: -95.6226111
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512723&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512723&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
106	2 of 3	WNW	2.11 / 11,144.27	CITY OF HOUSTON TX	WUD

St Well No:	6512723
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AB
Date Drilled:	10/02/1970
Well Depth:	1670
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	980
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.785431
Longitude:	-95.622604
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
106	3 of 3	WNW	2.11 / 11,144.27	USGS-294707095372201 TX	FED USGS

Site No:	USGS-294707095372201
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	197007
Well Depth:	1670
Well Depth Unit:	ft
Well Hole Depth:	1673
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-723
Latitude:	29.78555556000000
Longitude:	-95.6238889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
107	1 of 2	WNW	2.11 / 11,163.42	JOE DICKSON TX	TCEQ WELL LOGS

Grid No:	65-12-4A
Date Drilled:	09/27/1969
Owners Name:	JOE DICKSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	95
Depth Drilled:	177
Latitude:	29.7871647
Longtiude:	-95.6217467

65-17-4A

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-17-4A
Located on map 465
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Joe Dickson (Name) 1022 Blackhall St (Address) Houston, Texas (City) (State)
Landowner Joe Dickson (Name) 1022 Blackhall St (Address) Houston, Texas (City) (State)

2) LOCATION OF WELL:
County Paris Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey Joel Wheaton
(Circle as many as are known)
½ miles in NE (NE, SW, etc.) direction from Addicks (Town).
Lot 6 Block 2 Addicks Dam subdivision



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☒ Deepening ☐ Reconditioning ☐ Plugging ☐
4) PROPOSED USE (Check): Domestic ☒ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐
5) TYPE OF WELL (Check): Rotary ☑ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 177 ft. Depth of completed well 177 ft. Date drilled Sept 27, 1969
All measurements made from ~~ft. above~~ ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	108	old hole
108	128	blue clay
128	155	rock & sand
155	160	blue clay
160	177	sand

From (ft.)	To (ft.)	Description and color of formation material
		(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☒ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 95 ft. below land surface Date Sept 27 1969
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	1	167	standard

10) SCREEN:
Type stainless steel
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4	167	177	14 ga

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Reda
Type submersible H.P. 1
Designed pumping rate 1000 gpm ☐ gph ☒
Type power unit
Depth to bowls, cylinder, jet, etc., 147 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. S. PATE (Type or Print) Water Well Drillers Registration No. 181
Address P O Box 24 (Street or RFD) Fulshear (City) Texas (State)
(Signed) L S Pate (Water Well Driller) Pate Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
107	2 of 2	WNW	2.11 / 11,163.42	JOE DICKSON TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	08/20/1976
Owners Name:	JOE DICKSON
County:	HARRIS
Water Usage:	NOT REPORTED
Static Level:	85
Depth Drilled:	155
Latitude:	29.7871647
Longtiude:	-95.6217467

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 77
dlr

1) OWNER:
Person having well drilled Joe Dicksow (Name) Address BlackHAW st. (Street or RFD) (City) (State)
Landowner Joe Dicksow (Name) Address HOUSTON (Street or RFD) TEXAS (City) (State)

2) LOCATION OF WELL:
County Harris, 20 miles in West (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, railway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 155' ft. Depth of completed well 155 ft. Date drilled 8-20-76
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Soil & Clay
20	42	SAND
42	81	Red Clay
81	127	Blue Clay
127	155	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old, (New), Steel, (Plastic), Other
Cemented from 0 ft. to 140 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	140	SCH 40

10) SCREEN:
Type PLASTIC
Perforated, (Slotted)

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	140	155	12 gauge

7) COMPLETION (Check):
Straight wall, Gravel packed, Other
Under reamed, Open Hole
Cemented

8) WATER LEVEL:
Static level 85 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 120' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes (No) If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Buffin Water well (Type or Print) Water Well Drillers Registration No. 1696
ADDRESS 5725 Chippewa (Street or RFD) Houston (City) TEXAS 77086 (State)
(Signed) S.L. Buffin (Water Well Driller) Buffin Water well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBE-WD-R

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
108	1 of 2	WNW	2.12 / 11,195.17	ATES, CHARLEY TX	GWDB

Well Rep Track No:	
State Well No:	6512734
Owner Name:	ATES, CHARLEY
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	33
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7883340
Longitude:	-95.6211110
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512734&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512734&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
108	2 of 2	WNW	2.12 / 11,195.17	USGS-294717095371501 TX	FED USGS

Site No:	USGS-294717095371501
Site Type:	Well
Formation Type:	Chicot Aquifer, Upper
Date Drilled:	
Well Depth:	33
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-734
Latitude:	29.78833333000000
Longitude:	-95.6211111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
109	1 of 1	WNW	2.13 / 11,222.12	ARTHUR L. SUTER TX	TCEQ WELL LOGS

Grid No:	65-12-8L
Date Drilled:	10/07/1982
Owners Name:	ARTHUR L. SUTER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	98
Depth Drilled:	280
Latitude:	29.7863056
Longtiude:	-95.622506

65-12-8L

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER ARTHUR L. SUTER (Name) Address 1009 BLACKHAW (Street or RFD) HOUSTON (City) TEX (State) 77079 (Zip)

2) LOCATION OF WELL: County HARRIS 26 miles in SW (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

#1 ☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. map on 60-59-9NW

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 10-7-82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 1/4	Surface	260
3 7/8	260	280

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other 2 strings cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	25	Clay + sand
25	80	Clay
80	100	Clay + sand
100	155	Sand
155	160	Clay
160	180	Sand
180	200	Clay
200	250	Sand + clay
250	240	Sand rock pres
240	260	Sand + shale
260	280	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mof., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4	N	PVC Casing	0	260	40	
2½	N	PVC Liner	255	270	40	
2½	N	PVC Perf Screen 10 Gage	270	280		80

CEMENTING DATA
Cemented from 260 ft. to 80 ft.
Method used Mud Pump
Cemented by CY-FAIR WATER WELL SERVICE (Company or Individual)

9) WATER LEVEL:
Static level 98 ft. below land surface Date 10-8-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 255

RECEIVED
DEC -6 1982
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME CY-FAIR WATER WELL SERVICE (Type or Print) Water Well Driller's License No. 1101

ADDRESS 11630 Mueller Comm Rd (Street or RFD) Cypress (City) TX (State) 77429 (Zip)


(Signed) John B Lumpkin Jr (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only: Well No. 65-12-8L Located on map YDSC-F5

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY


LEGEND
Map # 1
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1973
RECEIVED
DEC - 6 1982
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
110	1 of 1	NE	2.13 / 11,252.10	HOUSTON SALES CO TX	TCEQ WELL LOGS

Grid No:	65-12-5S
Date Drilled:	08/06/1976
Owners Name:	HOUSTON SALES CO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	178
Depth Drilled:	330
Latitude:	29.797942
Longtiude:	-95.572391

(10)

65-12-55

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-55
Located on map
Received:

1) OWNER:
Person having well drilled HOUSTON SALES CO. (Name) Address 10932 HAZELHURST, HOUSTON TX. 77043 (Street or RFD) (City) (State)

Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL: 10932 HAZELHURST
County HARRIS, 15 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

10932 Hazel Hurst.

North

OVER

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 295 ft. Depth of completed well 330 ft. Date drilled 8/6/72
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	55	Top Soil & Clay
55	102	Sandy Clay
102	160	Sand
160	285	Unconsolidated Clay
285	330	Sand

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 245 ft. to 295 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	296	Sch 40

10) SCREEN:
Type WW
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	210	230	16/20

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 178 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME VERNON DIXEN (Type or Print) Water Well Drillers Registration No. 1689

ADDRESS 9739 N. Hoeston Rosslyn (Street or RFD) Houston (City) Tex. (State)

(Signed) Vernon Dixon (Water Well Driller) Bissell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-6

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
FEB 27 1978
Central Records
Texas Dept. of Water Resources

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
111	1 of 1	WNW	2.14 / 11,279.39	R. W. Dickson TX	GWDB

Well Rep Track No:	
State Well No:	6512708
Owner Name:	R. W. Dickson
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1962
Well Depth:	158
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7866670
Longitude:	-95.6222220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512708&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512708&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
112	1 of 4	NNE	2.14 / 11,291.51	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512516
Owner Name:	City of Houston
Drilling Start Dt:	1976-04-26
Drilling Month:	6
Drilling Day:	9
Drilling Year:	1976
Well Depth:	1165
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.8005556
Longitude:	-95.5780556
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512516&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512516&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
112	2 of 4	NNE	2.14 / 11,291.51	CITY OF HOUSTON TX	WUD

St Well No:	6512516
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AC
Date Drilled:	06/09/1976
Well Depth:	1165
Screen Top:	708
Screen Bottom:	1151
Gallons Per Minute:	1100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.80056
Longitude:	-95.57801056
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
112	3 of 4	NNE	2.14 / 11,291.51	Houston, City of TX	WW HARRIS GAL

Well ID:	2575	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1625
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.800555
Regulatory Aarea:	3	**Longitude:**	-95.578055

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
112	4 of 4	NNE	2.14 / 11,291.51	USGS-294800095344101 TX	FED USGS

Site No:	USGS-294800095344101
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	197610
Well Depth:	1165
Well Depth Unit:	ft
Well Hole Depth:	1601
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-516
Latitude:	29.80027778000000
Longitude:	-95.5783333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
113	1 of 2	WNW	2.14 / 11,324.83	EDWARD S. PETERSON TX	TCEQ WELL LOGS

Grid No: 65-11-9H
Date Drilled: 05/11/1979
Owners Name: EDWARD S. PETERSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 140
Depth Drilled: 272
Latitude: 29.7868666
Longtiude: -95.6225247

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-11-9H
Located on map
Received:

1) OWNER EDWARD S. PETERSON (Name) Address 1017 BLACKHAWK (Street or RFD) HOUSTON (City) TEXAS (State) (Zip)

2) LOCATION OF WELL: County HARRIS 12 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
✓ See attached map.

3) TYPE OF WORK (Check):
✓ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
✓ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
✓ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 5-11-79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6¾	Surface	265
3⅞	265	272

From (ft.)	To (ft.)	Description and color of formation material
0	7	TOPSOIL
7	48	RED SHALE
48	58	SAND
58	101	RED SHALE
101	152	SAND & GRAVEL
152	190	RED SHALE
190	205	ROCK
205	218	RED SANDY SHALE
218	222	ROCK
222	230	RED SHALE
230	234	ROCK
234	254	RED SHALE
254	272	SAND

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ✓ Other 2-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	1-6 ABOVE GROUND	260	SCH 40
2½	N	PLASTIC	260	262	SCH 80
2½	N	PLASTIC SCREEN	262	272	SCH 80

CEMENTING DATA
Cemented from 0 ft. to 260 ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 140 ft. below land surface Date 5-12-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ✓ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

12) WELL TESTS:
☐ Type Test: ✓ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 11.5 gpm with 17 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ✓ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Drillers Registration No. 1006
ADDRESS 1350 CHRISMAN #26 (Street or RFD) HOUSTON (City) TEXAS (State) 77039 (Zip)
(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
DWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

FEB 27 '80

CR/TDWR

SEP 4 1979

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
113	2 of 2	WNW	2.14 / 11,324.83	O.D. HARGRAVE TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	07/30/1962
Owners Name:	O.D. HARGRAVE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	82
Depth Drilled:	155
Latitude:	29.7868666
Longtiude:	-95.6225247

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No.
Located on map 110
By Date
Map no.

1) Well Owner: O. D. Hargrave, 1017 ~~XXXX~~ Redhaw, Houston, Texas
(Street or RFD) (City) (State)

2) Land Owner: Same
(Street or RFD) (City) (State)

3) Intended use: Industrial ☐ ;Municipal ☐ ;Irrigation ☐ ;Other Domestic

4) Location of well: County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ (Circle as many as are known) of Section Block No. Survey

miles in (Mi., SW., etc.) direction

from (Town)

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 4" in. Date drilled July 30, 1962

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0 ~~00~~	99	Old Hole			
99	101	Rock Broken			
101	136	Sand Broken Shale			
136	155	Sand - Very Good			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall X
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING

Type: Old ☐ New ☐ X Galv
Cemented from 0 ft.
to 140 ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4"	0	140

SCREEN

Type LOP Stainless
Perforated ☐ Slotted X

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½	140	155

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Driller Lowry Water Well, Houston, Texas Reg. No. 116
4012 Fulton St. (City) (State)

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 92'
ft. below

Pumping level

feet	hours	gpm

Pump type Fairbanks Morse Submersible, 13 Stage
Designed pumping rate gpm ☐ gph ☐
Type power unit Electric
Horsepower 1 H. P.
Depth to bowls, cylinder, jet, etc., ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-4)

TX6502208

181647

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
114	1 of 1	NE	2.15 / 11,329.57	HENRY SPECKMCIER TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	09/10/1993
Owners Name:	HENRY SPECKMCIER
County:	HARRIS
Water Usage:	NOT REPORTED
Static Level:	60
Depth Drilled:	200
Latitude:	29.7974761
Longtiude:	-95.5711346

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Henery Speckmeier (Name) Address Rt 2 Box 231 (Street or RFD) Hempstead (City) Tex (State) 77445 (Zip)

2) LOCATION OF WELL County Harris miles in 6-W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 9-5 1993 Completed 9-10 1993

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	200

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	8	Surface
8	19	Sand
19	87	Clay
87	105	Sand
105	111	Clay
111	126	Sand
126	164	Clay
164	200	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C Sch 40	0	190	Sch40
4	N	P.V.C slotted	190	200	OH

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 14 ft. No. of Sacks Used 17
_____ ft. to _____ ft. No. of Sacks Used _____
Method used _____
Cemented by _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☑ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 60 ft. below land surface Date 9-10-93
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
SEP 01 1994
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Bain Water Well (Type or Print) Water Well Driller's License No. 1487
ADDRESS P.O. Box 640. (Street or RFD) Waller (City) Tex (State) 77484 (Zip)
(Signed) Jesse M. Bain (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. _____
Located on map 65-12-5

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

C(2)


5366
5367
5368
5466
5467
5468
5566
5567
5568
5666
5667
5668
5767
5768
5868
IGHWAY MAP
COUNTY
XAS
LEGEND

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
115	1 of 1	W	2.16 / 11,391.90	Parkway Villages Res. Assoc. Inc. TX	WW HARRIS GAL

Well ID:	8440	**Diameter (inches):**	4
Aggre Lead Well:	8440	**Year Drilled:**	1992
Permit No:	WP2024-104493	**Depth Drilled:**	380
Permit Start Date:	5/1/2024 3:39:00 PM	**Depth frm Surf(ft):**	360
Permit End Dt:	4/30/2025 3:39:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.772222
Regulatory Aarea:	3	**Longitude:**	-95.627222

Owner Name:	Parkway Villages Res. Assoc. Inc.
Billing Contact:	Delores Sue
Billing Address:	P.O. Box 219320
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77218
Correspondence:	Crest Management
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage:	L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
116	1 of 2	WNW	2.17 / 11,455.69	MARY EHLER TX	TCEQ WELL LOGS

Grid No:	65-12-4B
Date Drilled:	06/08/1980
Owners Name:	MARY EHLER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	143
Depth Drilled:	295
Latitude:	29.788722
Longtiude:	-95.6217387

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65 18-4A
Located on map 185
Received: 6-5-81

1) OWNER Mary Ebler (Name) Address 1106 Black Hawk (Street or RFD) Houst. (City) Tex. (State) 77077 (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
59 ☑ See attached map. MAP ON COS-12-6X

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled June 7 & 8 1980

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6⅝	Surface	275
3⅞	275	295

From (ft.)	To (ft.)	Description and color of formation material
0	5	sand soil
5	63	red clay
63	71	Blue clay
71	102	sand
102	186	red clay
186	191	Blue clay
191	210	Sand
210	253	Blue clay
253	300	gravel.

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Dual String
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	+1	275	40
2½	N	PVC	280	295	40
2½	N	PVC	280	270	80

CEMENTING DATA
Cemented from 275 ft. to 175 ft.
Method used Pressure
Cemented by Self (Company or Individual)

9) WATER LEVEL:
Static level 143 ft. below land surface Date 8 June 80
Artesian flow gpm. Date

10) PACKERS: Type Depth

AUG 24 1981

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 188. ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☑ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Randel Johnson (Type or Print) Water Well Drillers Registration No. 1807

ADDRESS 9933 Talcott Ln. (Street or RFD) Houston (City) Texas (State) 77049 (Zip)

(Signed) (Water Well Driller) Johnson's Water Well Serv. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)


DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 9 of the Water Well Drillers Act. Section 9, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made at public [illegible]

logs of [illegible] wish, assure that Commission [illegible] the abov[illegible] how proper y means the Texa[illegible] exas 78711)





RECEIVED
AUG 29 1980
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
116	2 of 2	WNW	2.17 / 11,455.69	GIL SOUTH TX	TCEQ WELL LOGS

Grid No:	65-12-7Y
Date Drilled:	08/06/1984
Owners Name:	GIL SOUTH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	100
Depth Drilled:	272
Latitude:	29.788722
Longtiude:	-95.6217387

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Bill South (Name) Address 1006 Blackhaw Houston TX (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 26 miles in SW (N.E., S.W., etc.) direction from Houston (Town)

#6 ☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG: Date drilled 8-6-84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6¾	Surface	255
3⅞	255	272

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other 2 string Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Clay
20	30	Sand
30	80	Clay
80	120	Sand
120	140	Clay
140	180	Sand & Clay mix
180	200	Sand & Rock
200	220	Sand & Clay
220	240	Rock
240	250	Rock
250	272	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Cyerrs	0	255	40
2½	N	PVC Limin	207	262	40
2½	N	PVC Perforation	262	272	80
		12 gage			

CEMENTING DATA
Cemented from 255 ft. to 7.5 ft.
Method used mud pump
Cemented by CY-FAIR WATER WELL SERVICE (Company or Individual)

9) WATER LEVEL:
Static level 100 ft. below land surface Date 8-7-84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 247

RECEIVED
JAN 10 1985
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 168 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME CY-FAIR WATER WELL SERVICE (Type or Print) Water Well Driller's License No. 1101

ADDRESS 11630 Mueller Cem. Rd (Street or RFD) Cypress (City) TX (State) 77429 (Zip)


(Signed) John B. Tumlinson Jr. (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-74
Located on map Yes DLE

TDWR 0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY


LEGEND
RECEIVED
JAN 10 1985
DEPT. OF
WATER RESOURCES
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
117	1 of 2	ESE	2.18 / 11,510.97	CAMDEN PROPERTY TRUST TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	03/04/1999
Owners Name:	CAMDEN PROPERTY TRUST
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	191
Depth Drilled:	434
Latitude:	29.755
Longtiude:	-95.560569

TENTION OWNER: Confidentiality
ivilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

OWNER: CAMDEN PROPERTY TRUST ADDRESS: THREE GREENWAY PLAZA 1300 CITY: HOUSTON STATE: TX ZIP: 77046-

ADDRESS OF WELL:
County: HARRIS GRID # 65-12-8
Street or RFD: 680 W.SAM HOUSTON PKW. SO.- PARK AT HOLLY SPRINGS
City, State, Zip code: HOUSTON , TX 77042-

TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

WELL LOG: 01597 DIAMETER OF HOLE
TE DRILLING: STARTED: 01/19/99 COMPLETED: 03/04/99

DIAMETER	FROM	TO
9.0	0	400
4.875	400	434

7) DRILLING METHOD: MUD ROTARY
8) BOREHOLE COMPLETION: TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.
5)
N^

ASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	400	CASING
3.0	N	P.V.C. SCH.40	385	402	LINER
3.0	N	P.V.C. - SLOTTED	402	432	.010
3.0	N	P.V.C. SCH.40	432	434	LINER

LOGICAL DESCRIPTION:

M	TO	DESCRIPTION
0	2	FILL
2	8	CLAY-GRAY
8	22	CLAY-RED
22	45	SAND-TAN-.006-.008 SAND-TAN-.010-.012
15	95	CLAY-RED
75	100	SAND-RED-FINE
)0	165	CLAY-RED
65	211	SAND-TAN-.006-.008 SAND-TAN-.010-.012
1	239	CLAY-GRAY
39	254	SAND-TAN-.010-.012
54	260	CLAY-WHITE
60	292	SAND-TAN-.010-.012 SAND-TAN-.014-.020
2	305	CLAY-RED
5	334	SAND-TAN-.010-.012 SAND-TAN-.014-.020
4	336	ROCK

9) CEMENTING DATA:
Cemented from 0 FT. TO 400 FT. No. of Sacks Used 81
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
NO SEPTIC

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 191 FT. DATE: 01/22/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 296

14) WELL TEST:
JETTED
YIELD: 125 GPM WITH FT DRAWDOWN AFTER HRS

WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 434
NO STRATA OF UNDESIRABLE WATER PENETRATED
NO CHEMICAL ANALYSIS MADE

NY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843, 2350, 2843
SS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

EBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN RUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.


ned) Carl Lafton (LICENSED WATER WELL DRILLER) (signed) (REGISTERED DRILLER TRAINEE)

FILE ID SEQ #
SEP 14 1999
COMMENT

STATE OF TEXAS WATER WELL REPORT (PAGE 2)

)WNER: CAMDEN PROPERTY TRUST ADDRESS: THREE GREENWAY PLAZA 1300 CITY: HOUSTON STATE: TX ZIP: 77046-

336	358	BROKEN SAND & CLAY
358	378	SAND-TAN-.010-.012
378	395	BROKEN SAND & CLAY
395	400	ROCK
400	434	SAND-WHITE-.010-.012
434	434	ROCK



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
117	2 of 2	ESE	2.18 / 11,510.97	Camden Property Trust, Camden Holly Springs TX	WW HARRIS GAL

Well ID:	6718	**Diameter (inches):**	5
Aggre Lead Well:	6718	**Year Drilled:**	1998
Permit No:	WP2024-108782	**Depth Drilled:**	440
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	410
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.754722
Regulatory Aarea:	3	**Longitude:**	-95.559722
Owner Name:	Camden Holly Springs		
Billing Contact:	Andrew Vacek		
Billing Address:	1600 Hwy 6 South, Ste 245		
Billing Address 2:	NULL		
Billing City:	Sugar Land		
Billing State:	TX		
Billing Zip:	77478		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
118	1 of 1	WNW	2.18 / 11,534.08	M. E. HILDERBAND TX	TCEQ WELL LOGS

Grid No: 65-12-7E
Date Drilled: 02/14/1978
Owners Name: M. E. HILDERBAND
County: HARRIS
Water Usage: DOMESTIC
Static Level: 93
Depth Drilled: 175
Latitude: 29.7891014
Longtiude: -95.6217521

7E

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-01-7E
Located on map
Received: 7-27-78

1) OWNER:
Person having well drilled M.E. Hildebrand (Name) Address 1114 Blackhawk (Street or RFD) Houston (City) 77089 (State)
Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 2, miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other
5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 175 ft. Depth of completed well 175 ft. Date drilled 2-14-78
All measurements made from 12 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	114	clay
114	131	sand
131	161	clay
161	175	sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 0 ft. to 35 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	165	PVC Sch 40

10) SCREEN:
Type Plastic Wrapped
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4	165	175	12 ga

7) COMPLETION (Check):
Straight wall, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 98 ft. below land surface Date 2-15-78
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 150 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water 65

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ed Smith (Type or Print) Water Well Drillers Registration No. 1692
ADDRESS 5242 E. Third Street (Street or RFD) P.O. Box 694 (City) Katy, Texas (State) 77450
(Signed) Ed Smith (Water Well Driller) Welsco (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD4

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
119	1 of 1	WNW	2.19 / 11,581.45	Houston EC Development LLC TX	WW HARRIS GAL

Well ID:	3405	**Diameter (inches):**	4
Aggre Lead Well:	3405	**Year Drilled:**	1979
Permit No:	WP2024-108513	**Depth Drilled:**	350
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.780555
Regulatory Aarea:	3	**Longitude:**	-95.626388
Owner Name:	Houston EC Development LLC		
Billing Contact:	Sarah Arkell		
Billing Address:	13501 Katy Freeway Ste. 1590		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	Andrew Vacek		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
120	1 of 1	NE	2.21 / 11,669.14	G. C. Cox TX	GWDB

Well Rep Track No:	
State Well No:	6512507
Owner Name:	G. C. Cox
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	53
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7983340
Longitude:	-95.5700000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512507&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512507&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
121	1 of 5	NNE	2.21 / 11,694.01	JJL GREENHOUSE INC TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	02/23/2000
Owners Name:	JJL GREENHOUSE INC
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	204
Depth Drilled:	386
Latitude:	29.799711
Longtiude:	-95.573065

TTENTION OWNER: Confidentiality STATE OF TEXAS
rivilege Notice on Reverse Side WATER WELL REPORT

) OWNER: JJL GREENHOUSE INC. ADDRESS: 1449 BRITTMOORE ROAD CITY: HOUSTON STATE: TX ZIP: 77043-

) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-05
Street or RFD: 4461 BRITTMOORE RD. (NURSERY LOCATION) JIM HEINE/OWNER
City, State, Zip code: HOUSTON , TX 77043-

) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

) WELL LOG: 00406 DIAMETER OF HOLE 7) DRILLING METHOD: 8) BOREHOLE COMPLETION:

	DIAMETER	FROM	TO
ATE DRILLING:	7.75	-0-	363
STARTED: 12/10/99	4.75	363	386
COMPLETED: 02/23/00			

MUD ROTARY

TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

5)

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	PVC WELL CASING	+2	363	SDR-17
2.5	N	PVC BLANK PIPE	358	365	SCH 80
2.5	N	STAINLESS ROD BASE	365	375	8 GA
2.5	N	STAINLESS ROD BASE	375	385	10 GA
2.5	N	NIP W/BACKWASH VALVE	385	386	SCH 80

EOLOGICAL DESCRIPTION:

ROM	TO	DESCRIPTION
0	60	FILL DIRT, WHITE CLAY RED CLAY
60	90	BROWN CLAY RED & WHITE CLAY
90	120	SAND ROCK SAND
120	160	SAND SAND
160	225	WHITE CLAY SANDY CLAY WHITE CLAY
225	260	SAND CLAY SAND
260	275	SAND
275	280	CLAY
280	320	SAND SAND SAND
320	344	SAND ROCK CLAY
344	386	SAND SAND SAND

9) CEMENTING DATA:
Cemented from No. of Sacks Used
363 FT. TO 253 FT. 15
-0- FT. TO 18 FT. 15
Method used: HALLIBURTON METHOD
Cemented by: GDI LOWER PRESSURED
Distance to septic field lines: 300 ft.
Method of verification of above distance:
ESTIMATED

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 204 FT. DATE: 12/30/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATIOM PACKER	18
BP-SEAL	358

3) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 320

14) WELL TEST:
JETTED
YIELD: 70 GPM WITH FT DRAWDOWN AFTER HRS

5) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 30 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

OMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 2888WI /~~2891~~PK
DDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN RE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE OG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Greg D. Hill (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

JUL 03 2000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
121	2 of 5	NNE	2.21 / 11,694.01	JJL Greenhouses TX	WW HARRIS GAL

Well ID:	3809	**Diameter (inches):**	6
Aggre Lead Well:	3809	**Year Drilled:**	1982
Permit No:	WP2024-105207	**Depth Drilled:**	440
Permit Start Date:	6/1/2024 12:20:00 PM	**Depth frm Surf(ft):**	433
Permit End Dt:	5/31/2025 12:20:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.799166
Regulatory Aarea:	3	**Longitude:**	-95.571944
Owner Name:	JJL Greenhouses		
Billing Contact:	Jim Heine		
Billing Address:	1449 Brittmoore		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	A - Agricultural Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
121	3 of 5	NNE	2.21 / 11,694.01	JJL Greenhouses TX	WW HARRIS GAL

Well ID:	3810	**Diameter (inches):**	4
Aggre Lead Well:	3809	**Year Drilled:**	1978
Permit No:	WP2024-105207	**Depth Drilled:**	150
Permit Start Date:	6/1/2024 12:20:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	5/31/2025 12:20:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.799166
Regulatory Aarea:	3	**Longitude:**	-95.570555
Owner Name:	JJL Greenhouses		
Billing Contact:	Jim Heine		
Billing Address:	1449 Brittmoore		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	A - Agricultural Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
121	4 of 5	NNE	2.21 / 11,694.01	JJL Greenhouses TX	WW HARRIS GAL

Well ID:	7780	**Diameter (inches):**	5
Aggre Lead Well:	3809	**Year Drilled:**	1999
Permit No:	WP2024-105207	**Depth Drilled:**	400
Permit Start Date:	6/1/2024 12:20:00 PM	**Depth frm Surf(ft):**	380
Permit End Dt:	5/31/2025 12:20:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.800277
Regulatory Aarea:	3	**Longitude:**	-95.572222
Owner Name:	JJL Greenhouses		
Billing Contact:	Jim Heine		
Billing Address:	1449 Brittmoore		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	A - Agricultural Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
121	5 of 5	NNE	2.21 / 11,694.01	Heine Jim C. TX	WW HARRIS GAL

Well ID:	4757	**Diameter (inches):**	5
Aggre Lead Well:	4757	**Year Drilled:**	1994
Permit No:	WP2024-111248	**Depth Drilled:**	400
Permit Start Date:	6/1/2024 2:15:00 PM	**Depth frm Surf(ft):**	300
Permit End Dt:	5/31/2025 2:15:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.793611
Regulatory Aarea:	3	**Longitude:**	-95.572222
Owner Name:	Heine, Jim C.		
Billing Contact:	Russell Walker		
Billing Address:	1449 Brittmoore Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	JJL Greenhouse		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
122	1 of 3	WSW	2.22 / 11,697.97	ENCLAVE PARTNERS, LTD TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	02/05/1999
Owners Name:	ENCLAVE PARTNERS, LTD
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	185
Depth Drilled:	350
Latitude:	29.7532916
Longtiude:	-95.6214573

Send original copy by certified return receipt request[illegible]ail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER ENCLAVE PARTNERS, LTD. (Name) ADDRESS ONE RIVERWAY STE. 1850 HOUSTON, TX. 77056 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 1527/1531 LAKESIDE ENCLAVE DR. HOUSTON, TX (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 65-20-1

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [ ] Industrial [X] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) WELL LOG:
Date Drilling: Started 2/3 19 99 Completed 2/5 19 99

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	330
3 7/8	330	350

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	23	TOP SOIL & CLAY
23	37	SURFACE SAND
37	108	CLAY
108	118	SAND
118	142	CLAY
142	163	SAND
163	178	CLAY
178	224	SAND
224	245	CLAY
245	296	SAND
296	317	CLAY
317	350	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C. CASING	0	330	
2.5	N	GALVANIZED	325	330	
2.5	N	P.V.C. SCREENS	330	350	012-014

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 15
280 ft. to 330 ft. No. of sacks used 3
Method used HALLIBURTON/TRIMME
Cemented by BUSSELL & SON, INC.
Distance to septic system field lines or other concentrated contamination ft.
Method of verification of above distance

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[X] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., ft.

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 60 gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 185 ft. below land surface Date 2/5/99
Artesian flow gpm. Date

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
K-PACKER	325

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON, INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)

(Signed) [signature] (Licensed Well Driller) (Signed) [signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
122	2 of 3	WSW	2.22 / 11,697.97	MR. OVERMAN TX	TCEQ WELL LOGS

Grid No:	65-12-7C
Date Drilled:	04/22/1976
Owners Name:	MR. OVERMAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	160
Depth Drilled:	340
Latitude:	29.7532916
Longtiude:	-95.6214573

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

Q2

7L 65.1276

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-7L
Located on map
Received:

1) OWNER:
Person having well drilled Mr. Overman (Name) 13103 Address Briar Forest (Street or RFD) Houston, Texas (City) (State)

Landowner Westheimer - Synot~~same~~ Venture (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

22

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
x New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
x Domestic | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
x Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 340 ft. Depth of completed well 340 ft. Date drilled 4/22/76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	top soil
4	17	clay
17	23	sand and rock
23	36	clay
36	38	rock
38	60	clay
60	75	sand
75	95	sand
95	130	clay
130	132	sand
132	145	clay

(Use reverse side if necessary)

9) Casing:
Type: Old | x New | Steel | x Plastic | Other
Cemented from 175 ft. to 325 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	325	40

10) SCREEN:
Type plastic and steel
x Perforated | Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2	330	340	012

7) COMPLETION (Check):
Straight wall | Gravel packed | Other cemented
Under reamed | Open Hole

8) WATER LEVEL:
Static level 160 ft. below land surface Date 4/22/~~86~~76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? x Yes No If yes, by whom? Ronald Chilton
Yield: 300 gpm with 30 ft. drawdown after 2 hrs.
Bailer test no gpm with ft. drawdown after hrs.
Artesian flow no gpm
Temperature of water 72°

12) WATER QUALITY:
Was a chemical analysis made? Yes x No
Did any strata contain undesirable water? Yes x No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ronald Chilton (Type or Print) Water Well Drillers Registration No. #1630

ADDRESS 11803 Beeville (Street or RFD) Houston, Texas (City) (State)

(Signed) Ronald W Chilton (Water Well Driller) CHILTON PUMP & WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

rwdb-wd-8

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

160	180	clay
180	200	sand
200	205	clay
205	238	sand
238	240	rock
240	323	clay
323		sand

OCT 0 4 1976
Texas Water Development Board

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
122	3 of 3	WSW	2.22 / 11,697.97	Lakeside Enclave Community Assoc. TX	WW HARRIS GAL

Well ID:	7212	**Diameter (inches):**	4
Aggre Lead Well:	7212	**Year Drilled:**	1999
Permit No:	WP2024-101225	**Depth Drilled:**	360
Permit Start Date:	5/1/2024 4:22:00 PM	**Depth frm Surf(ft):**	340
Permit End Dt:	4/30/2025 4:22:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.753055
Regulatory Aarea:	3	**Longitude:**	-95.621944
Owner Name:	Lakeside Enclave Community Assoc.		
Billing Contact:	Macky McIntyre		
Billing Address:	P.O. Box 9		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77492		
Correspondence:	Lake Pro, Inc.		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
123	1 of 1	WNW	2.22 / 11,723.18	SCD Memorial Lakes I, LLC TX	WW HARRIS GAL

Well ID:	7363	**Diameter (inches):**	4
Aggre Lead Well:	7363	**Year Drilled:**	1983
Permit No:	W2015-7363-175982-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2015	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2015	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.779444
Regulatory Aarea:	3	**Longitude:**	-95.627222
Owner Name:	SCD Memorial Lakes I, LLC		
Billing Contact:	NULL		
Billing Address:	3009 Post Oak Blvd, Ste 900		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77056		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
124	1 of 4	WNW	2.22 / 11,730.26	David Crowell TX	GWDB

Well Rep Track No:	
State Well No:	6512707
Owner Name:	David Crowell
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1962
Well Depth:	127
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7883340
Longitude:	-95.6222220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512707&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512707&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
124	2 of 4	WNW	2.22 / 11,730.26	David Crowell TX	GWDB

Well Rep Track No:	
State Well No:	6512732
Owner Name:	David Crowell
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1987
Well Depth:	320
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7883340
Longitude:	-95.6225000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512732&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512732&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
124	3 of 4	WNW	2.22 / 11,730.26	DAVID CROWELL TX	TCEQ WELL LOGS

Grid No: 65-11-9
Date Drilled: 07/03/1987
Owners Name: DAVID CROWELL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 150
Depth Drilled: 720
Latitude: 29.7890988
Longtiude: -95.6224894

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER David Crowell (Name) Address 1113 Blackhaw (Street or RFD) Houston (City) TX (State) 77079 (Zip)

2) LOCATION OF WELL: County HARRIS 12 miles in W (N.E., S.W., etc.) direction from Katy, TX (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☑ See attached map. on 65-11-9

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other ____

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 7-1 1987 Completed 7-3 1987

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
8"	Surface	300
4 3/4	300	320

From (ft.)	To (ft.)	Description and color of formation material
0-20		White clay, Red sand
20-40		Rock, sand, Rock, Red clay
40-60		Red clay
60-80		Clay sand clay
80-100		sand clay
100-120		clay
120-140		Clay sand clay
140-160		Clay sand
160-180		clay sand clay sand
180-200		clay sand clay Rock
200-220		Rock sand Rock clay
220-240		clay
240-260		clay sand
260-280		sand Rock sand Rock clay
280-300		sand
300-320		sand clay

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other two strains
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	PVC Well Casing	+2	300	sch40
2	N	PVC wrapped screen	300	320	8+10

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 300 ft. to 150 ft. No. of Sacks Used 8
10 ft. to 0 ft. No. of Sacks Used 10
Method used Pressure
Cemented by GDI

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 150 ft. below land surface Date 7-3-87
Artesian flow ____ gpm. Date ____

12) PACKERS: Type / Depth
Formation Packer 10'
pri seal Packer 294

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 100 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

RECEIVED
AUG 7 1987
TEXAS WATER COMMISSION

(Use reverse side if necessary)

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drilling Inc (Type or Print) Water Well Driller's License No. 2389


ADDRESS P.O. Box 664 (Street or RFD) Fulshear (City) TX (State) 77441 (Zip)

(Signed) Brad J Hill (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-11-9
Located on map ____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY


LEGEND
David Crowell
Tommy Guzman
Joe Werner
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
TEXAS STATE HIGHWAY DEPARTMENT
PLANNING AND RESEARCH DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
124	4 of 4	WNW	2.22 / 11,730.26	USGS-294717095372002 TX	FED USGS

Site No:	USGS-294717095372002
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19870703
Well Depth:	320
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-732
Latitude:	29.78833333000000
Longitude:	-95.6225000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
125	1 of 1	E	2.23 / 11,759.61	ROBERT STRATTON TX	TCEQ WELL LOGS

Grid No:	65-13-7
Date Drilled:	05/31/2001
Owners Name:	ROBERT STRATTON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	135
Depth Drilled:	390
Latitude:	29.7689895
Longtiude:	-95.5543987

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Robert Stratton	12609 Mossycup	Houston	Texas	77024

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	12609 Mossycup	Houston	Texas	77024

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

Lat. 20 50 | Long. 95 30 | Grid # 65-13-7

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) X N↑

6) Drilling Date
Started 05/30/01
Completed 05/31/01

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.5	0	390

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	35	Clay
35	45	Sand
45	80	Clay
80	115	Sand
115	135	Clay
135	164	Sand
164	180	Clay
180	210	Sand
210	270	Shale & Clay
270	375	Sand
375	390	Rocks

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☑ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	New	PVC Casing	0	330	
4	New	PVC Slotted Screen	330	370	.020
4	New	PVC Casing	370	375	

9) Cementing Data
Cementing from 0 ft. to 15 ft. # of sacks used 10
ft. to ft. # of sacks used
Method Used Slurry
Cementing By J & S Water Wells
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☑ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

11) Water Level
Static level 135 ft. below Date 05/31/01
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 50 gpm with 80 ft. drawdown after 2 hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Depth of Strata
Was a chemical analysis made? ☐ Yes ☑ No

12) Packers

	Type	Depth
1	Rubber	330

Company or Individual's Name (type or print) J & S Water Wells – Tomas Salinas — Lic. No. 54238W
Address P O Box 675 — City Bellville — State Texas — Zip 77418

Signature	Date	Signature	Date
Tomas Salinas (Licensed Driller/Pump Installer)	6 / 2 /01	(Apprentice)	/ /

TDLR FORM 004WWD — Copies to TDLR - Owner - Driller/Pump Installer — Form provided by Forms On-A-Disk, Inc. (Dallas, Texas ((214) 340-9429

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
126	1 of 3	SSW	2.25 / 11,895.50	Forest Park West Cemetery TX	GWDB

Well Rep Track No:
State Well No: 6520106
Owner Name: Forest Park West Cemetery
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1958
Well Depth: 660
Well Usage: Irrigation
Water Level Status:
Latitude: 29.7447220
Longitude: -95.6094450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520106&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520106&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
126	2 of 3	SSW	2.25 / 11,895.50	CITY OF HOUSTON TX	TCEQ WELL LOGS

Grid No:	65-20-4
Date Drilled:	11/05/1997
Owners Name:	CITY OF HOUSTON
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	1684
Depth Drilled:	1684
Latitude:	29.7418813
Longtiude:	-95.6064658

Send original copy ..y certified return receipt requested m: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30:

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER City of Houston (Name) ADDRESS 1801 Main Street (Street or RFD) Houston (City) Texas (State) 77002 (Zip)

2) ADDRESS OF WELL: County Harris 8222 Dairy Ashford (Street, RFD or other) Houston (City) Texas (State) (Zip) GRID # 65-20-4

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [X] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [X] Yes [ ] No

5) X

6) WELL LOG: 6A
Date Drilling: Started 07-04 19 97 Completed 11-05 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
36	Surface	50
26	50	1070
32	1070	1684

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.) To (ft.) Description and color of formation material

SEE ATTACHED DRILLER''S LOG

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [X] Gravel Packed [ ] Other
If Gravel Packed give interval ... from 1070 ft. to 1684 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
30	U	Carbon steel	0	50	.375	
20	N	Carbon steel	+3	1070	.500	
14	N	Carbon steel with SS wire wrap	1010	1682		.025

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 50 ft. No. of sacks used 90
0 ft. to 1070 ft. No. of sacks used 2000
Method used Halliburton
Cemented by Halliburton
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

10) SURFACE COMPLETION
[X] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[ ] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 325 ft. below land surface Date 12/17/97
Artesian flow ____ gpm. Date

12) PACKERS: N/A Type Depth

13) TYPE PUMP:
[X] Turbine [ ] Jet [ ] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 630 ft.

14) WELL TESTS:
Type test: [X] Pump [ ] Bailer [ ] Jetted [ ] Estimated
Yield: 1670 gpm with 66.3 ft. drawdown after 24 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [X] Yes [ ] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Layne-Texas (Type or print) WELL DRILLER'S LICENSE NO. 4633 PW

ADDRESS 5931 Brittmoore Road (Street or RFD) Houston (City) Texas (State) 77041 (Zip)

(Signed) (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. 65 20 4

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS, a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name: City of Houston - Bellaire Braes Well Field - Well 6A

Job No. 37-7312 Date: September 19, 1997

City: Houston State: Texas

TEST HOLE 1 ~ 9-7/8"

Driller: Ronald Ward

Location of Test Hole

Corner of Beechnut and Dairy Ashford

FROM	TO	DESCRIPTION OF STRATA
0	61	CLAY
61	68	SANDY CLAY
68	90	SAND
90	120	CLAY
120	132	SAND
132	229	CLAY
229	266	SAND
266	324	CLAY
324	351	SAND
351	403	CLAY
403	421	SAND
421	427	CLAY WITH SAND STREAKS
427	440	SAND
440	505	SHALE
505	513	SAND WITH CLAY STREAKS
513	560	HARD SHALE
560	609	SAND
609	627	SHALE
627	666	SAND
666	695	HARD SHALE
695	696	SAND
696	711	SANDY SHALE
711	722	SAND AND GRAVEL
722	747	HARD SHALE
747	748	SAND WITH SHALE STREAKS
748	763	SHALE
763	768	SANDY CLAY
768	784	CLAY
784	786	SAND AND GRAVEL
786	913	SHALE
913	925	SAND

REMARKS: PAGE 1 of 3

JAN 30 1998

65204

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS, a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name: City of Houston - Bellaire Braes Well Field - Well 6A

TEST HOLE 1 ~ 9-7/8"

Job No. 37-7312 Date: September 19, 1997

City: Houston State: Texas Driller: Ronald Ward

Location of Test Hole

Corner of Beechnut and Dairy Ashford

FROM	TO	DESCRIPTION OF STRATA
925	955	SANDY SHALE
955	961	SAND
961	974	SHALE
974	1006	SAND
1006	1012	SHALE
1012	1061	SAND
1061	1075	SHALE
1075	1082	SAND
1082	1119	SHALE
1119	1209	SAND
1209	1219	SHALE
1219	132	SAND WITH SHALE STREAKS
1232	1284	SANDY SHALE
1284	1291	HARD SAND
1291	1299	SAND
1299	1327	SAND (cut good)
1327	1399	CLAY
1399	1411	SANDY SHALE
1411	1423	HARD SHALE
1423	1428	SAND
1428	1502	SHALE
1502	1528	SAND
1528	1534	HARD SHALE
1534	1535	SANDY SHALE
1535	1553	SAND
1553	1595	SHALE
1595	1612	SAND
1612	1628	SANDY SHALE AND SHALE STREAKS
1628	1723	SAND
1723	1729	SHALE
1729	1745	SAND

REMARKS: PAGE 2 of 3

JAN 30 1998

65 204

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS, a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name: City of Houston - Bellaire Braes Well Field - Well 6A

Job No. 37-7312 Date: September 19, 1997

City: Houston State: Texas

TEST HOLE 1 ~ 9-7/8"

Driller: Ronald Ward

Location of Test Hole

Corner of Beechnut and Dairy Ashford

FROM	TO	DESCRIPTION OF STRATA
1745	1754	SHALE
1754	1783	SAND
1783	1801	HARD SAND
1801	1804	SAND
1804	1845	SHALE
1845	1860	SAND
1860	1865	SHALE
1865	1870	SAND
1870	1888	SHALE
1888	1893	SAND
1893	1919	ROCK
1919	1927	SAND

REMARKS: PAGE 3 of 3

JAN 30 1998

65204

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
126	3 of 3	SSW	2.25 / 11,895.50	Houston, City of TX	WW HARRIS GAL

Well ID:	2205	**Diameter (inches):**	10
Aggre Lead Well:	1003	**Year Drilled:**	1958
Permit No:	WP2023-117626	**Depth Drilled:**	660
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	466
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.741944
Regulatory Aarea:	3	**Longitude:**	-95.606388

Owner Name:	Forest Park-West
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
127	1 of 1	NNE	2.27 / 11,965.24	LOUIS M BAROSH TX	TCEQ WELL LOGS

Grid No:	65-12-5E
Date Drilled:	02/07/1970
Owners Name:	LOUIS M BAROSH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	148
Depth Drilled:	280
Latitude:	29.8025659
Longtiude:	-95.5780313

5E

1 original copy by
tified mail to the
as Water Development Board
O. Box 12386
tin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-5E
Located on map
Received:

1)OWNER:
Person having well drilled LOUIS M BAROSH Address 1903 SHERWOOD
(Name) (Street or RFD) (City) (State)

Landowner SAME Address HOUSTON TEXAS
(Name) (Street or RFD) (City) (State)

2)LOCATION OF WELL:
County HARRIS, 15 miles in N W direction from HOUSTON
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
SEE OTHER SIDE
PAGE
North
(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.
Labor 107 5 League
Block 7 Survey
Abstract No. 424
(NW¼ NE¼ SW¼ SE¼) of Section

3)TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4)PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5)TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6)WELL LOG:
Diameter of hole 6¼ in. Depth drilled 280 ft. Depth of completed well 280 ft. Date drilled 2-7-70
All measurements made from ft.above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	23	CLAY
23	28	FINE WHITE SAND
28	48	RED CLAY
48	51	FINE RED SAND
51	158	WHITE CLAY
158	198	FINE WHITE SAND
198	254	RED AND WHITE CLAY
254	261	SANDY SHALE
261	280	GOOD SAND

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	1 FT ABOVE GROUND LEVEL	254 FT	10.87

10) SCREEN:
Type UNDER BAR RIB
Perforated W.O.P. Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	270	280	

7) COMPLETION (Check):
Straight wall Gravel packed Other LEAD SEAL
Under reamed Open Hole

8) WATER LEVEL:
Static level 142 ft. below land surface Date 2-7-70
Artesian pressure NO lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 195 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 750 GPM with 4 ft. drawdown after 2 hrs.
Bailer test gpm with ft.drawdown after hrs.
Artesian flow NONE
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? depth of strata 191

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME BRUNO DIETZ Water Well Drillers Registration No. 323
(Type or Print)
ADDRESS 2051 ROTHERMEL HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) BRUNO DIETZ (Water Well Driller) DIETZ PUMP WELL TEXAS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that th well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstra

Information furnished in Section 2) of the TWDBE-GW-3) is very important. Unless the well can be accurately located on a m the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
128	1 of 2	NE	2.29 / 12,099.22	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OW
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.799723
Longitude:	-95.570831
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
128	2 of 2	NE	2.29 / 12,099.22	FARNALE INC TX	TCEQ WELL LOGS

Grid No:	65-12-5N
Date Drilled:	03/05/1973
Owners Name:	FARNALE INC
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	166
Depth Drilled:	320
Latitude:	29.799927
Longtiude:	-95.570995

5N

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-12-5N
Located on map
Received:

1) OWNER:
Person having well drilled FARNAC Inc. (Name) Address P.O. Box 55347 (Street or RFD) Hou. (City) Tex (State)
Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6.5 in. Depth drilled 320 ft. Depth of completed well 320 ft. Date drilled 3/5/73
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	300	Unconsolidated
300	320	Sand

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 226 ft. to 276 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	276	30
2	276	310	

10) SCREEN:
Type SSR
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	310	320	16

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 166 ft. below land surface Date 3/6/73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 190 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes, No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes, No
Did any strata contain undesirable water? Yes, No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C Russell (Type or Print) Water Well Drillers Registration No.
ADDRESS 7725 North Houston Rosslyn (Street or RFD) Houston (City) Texas (State)
(Signed) Tommy C Russell (Water Well Driller) Russell & Sons (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

SE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
129	1 of 1	ENE	2.30 / 12,121.03	G & W MAINTENANCE TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	10/03/1986
Owners Name:	G & W MAINTENANCE
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	140
Depth Drilled:	350
Latitude:	29.782769
Longtiude:	-95.555254

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-8
Located on map
Received:

1) OWNER G+W MAINTENANCE (Name) Address P.O. Box 801731 (Street or RFD) HOUSTON (City) TX (State) 7728[illegible] (Zip)

2) LOCATION OF WELL
County HARRIS 8 miles in WEST (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☑ Industrial ☐ Public Supply ☑ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 10-3-86

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	350

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20'	TOP SOIL
20	92	Red Clay
92	105	SAND Fine
105	190	yellow clay
190	221	SAND (BROWN)
221	265	White Clay
265	288	SAND Fine
288	328	Red CLAY
328	350	COURSE SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	P.V.C.	+18"	328'	Casing
2 1/2"	N	P.V.C.	328'	323'	Liner
2 1/2"	N	P.V.C. SLOTTED	328'	350	Screen

CEMENTING DATA
Cemented from 0 ft. to 328' ft.
Method used PRESSURE
Cemented by THOMAS WATER WELL SERV
(Company or Individual)

9) WATER LEVEL:
Static level 140 ft. below land surface Date 10-3-86
Artesian flow 60 gpm. Date 10-3-86

10) PACKERS: Type K Depth 323

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

12) WELL TESTS:
☐ Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 42 gpm with 25 ft. drawdown after 4 hrs.

RECEIVED
SEP 4 1987

(Use reverse side if necessary)


13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS E. BUFKIN
THOMAS WATER WELL (Type or Print)
Water Well Drillers Registration No. 1944
ADDRESS 414 BUFFALO (Street or RFD) HOUSTON (City) TEXAS (State) 77060 (Zip)
(Signed) [signature] (Water Well Driller)
THOMAS WATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY
TX6512800012


+ W. MAINTENANCE
LOCATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
130	1 of 1	S	2.30 / 12,163.32	ANNIE DOCKAL TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	05/01/1981
Owners Name:	ANNIE DOCKAL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	175
Depth Drilled:	300
Latitude:	29.738515
Longtiude:	-95.587524

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-1T
Located on map 485
Received: 6-1-81

1) OWNER ANNIE (Name) DOCKAL Address 11810 WESTHEIMER (Street or RFD) Houston (City) Tex (State) 77411 (Zip)

2) LOCATION OF WELL: County HARRIS 12 miles in WEST (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 5-1-81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4"	Surface	300

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	143	CLAY
143	215	WHITE SAND
215	237	CLAY
237	245	SAND
245	275	BLUE CLAY
275	300	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	P.V.C.	0	285	
2½"	New	P.V.C. SLOTTED	285	300	12

CEMENTING DATA
Cemented from 0 ft. to 285 ft.
Method used PRESSURE
Cemented by THOMAS W.W. (Company or Individual)

9) WATER LEVEL:
Static level 175 ft. below land surface Date 5-1-81
Artesian flow 50 gpm. Date 5-1-81

10) PACKERS:

Type	Depth
1 K-PACKER	280

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

12) WELL TESTS: ☐ Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 10 gpm with 10 ft. drawdown after 2 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS BUFKIN (Type or Print) Water Well Drillers Registration No. 1944


ADDRESS 4714 Busch ST (Street or RFD) Houston (City) Texas (State) 77037 (Zip)

(Signed) Thomas Bufkin (Water Well Driller) THOMAS WATER WELL SVC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

'ARTMENT OF WATER RESOURCES COPY


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1973
ANNIE
DOCKAL
well
LOCATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
131	1 of 5	SW	2.31 / 12,187.61	Harris County MUD 90 TX	GWDB

Well Rep Track No:	
State Well No:	6520124
Owner Name:	Harris County MUD 90
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1981
Well Depth:	1175
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7477780
Longitude:	-95.6177780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520124&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520124&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
131	2 of 5	SW	2.31 / 12,187.61	CITY OF HOUSTON TX	WUD

St Well No:	6520124
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RA
Date Drilled:	02/11/1981
Well Depth:	1175
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	1000
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.74719
Longitude:	-95.617378
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
131	3 of 5	SW	2.31 / 12,187.61	HARRIS COUNTY MUD #90 TX	TCEQ WELL LOGS

Grid No:	65-12-7X
Date Drilled:	02/11/1981
Owners Name:	HARRIS COUNTY MUD #90
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	324
Depth Drilled:	1175
Latitude:	29.74719
Longtiude:	-95.617378

No 81

original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7X
Located on map: Yes
Received: RDB

1) OWNER Harris County M.U.D #90 (Name) c/o Sander Engr Co Address 8401 Westheimer Rd (Street or RFD) Houston (City) Texas (State) 77063 (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Well #1
Date drilled 2/11/81

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
20	Surface	840
30	840	1175 TD

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 840 ft. to 1175 TD ft.

From (ft.) To (ft.) Description and color of formation material

See attached Well Log
Chemical Analysis
E Log

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
16	N	Steel Csg	+2	840	
10	N	Steel Blank Liner	740	850	
10	N	55WW Burly Screen	850	870	040
4	"	"	890	940	"
3	"	"	970	1015	"
3	"	"	1030	1050	"
4	"	"	1070	1100	"
3	"	"	1125	1160	"

CEMENTING DATA
Cemented from Surf ft. to 840 ft.
Method used Halliburton
Cemented by Dowell (Company or Individual)

9) WATER LEVEL:
Static level 324 ft. below land surface Date 3/25/81
Artesian flow gpm. Date

10) PACKERS: Type Depth
None

11) TYPE PUMP: (Test)
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 410 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No Surf. water cmtd off
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

12) WELL TESTS:
☒ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1022 gpm with 324 ft. drawdown after 12 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME LELAND LAWSON (Type or Print) Water Well Drillers Registration No. 24
ADDRESS PO Box 9466 (Street or RFD) Houston (City) Texas (State) 77011 (Zip)
(Signed) Leland Lawson (Water Well Driller) Layne Texas Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

CW3

! ''NE TEXAS COMPAN'
HOUSTON - DALLAS

WELL LOG

REPORT NO.
S. O. 1102-9830
PAGE 1 of 1
FILE NO. 4003
DATE 2/11/81

CUSTOMER LOCATION

FOR Harris County M.U.D. #90

LOCATION WELL Dead end of Westella St.

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS

WELL DATA

NAME WELL WELL NO. 1

ELEVATION DATUM

RT C GR

TEST HOLE SIZE 9 7/8" TD 1310'

DATE STARTED DRILLING 2/5/81

DATE FINISHED DRILLING 2/11/81

DRILLER C. Brewer RIG NO. 17

TYPE MUD Gel NO. SACKS

ELECTRIC LOG Yes TYPE Gearhart

SURVEY TYPE

OTHER Rogers

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES DEPTH	SAMPLES TYPE	SAMPLES NUMBER
96'					
127'	31'	Clay w/sand & shale stks.			
158'	31'	Sand & clay stks.			
173'	15'	Clay			
189'	16'	Sand			
252'	63'	Clay & sand stks.			
282'	30'	Clay, sand & shale stks.			
300'	18'	Clay			
313'	13'	Sand			
365'	52'	Sand & clay layers			
407'	42'	Clay & sand brks.			
408'	1'	Rock			
425'	17'	Sand & clay			
439'	14'	Clay			
482'	43'	Sand			
497'	15'	Clay			
528'	31'	Clay w/shale stks.			
558'	30'	Clay, sand & shale stks.			
665'	107'	Clay & sand stks.			
719'	54'	Sand			
743'	24'	Clay & shale			
791'	48'	Sand			
805'	14'	Clay & shale stks.			
862'	57'	Clay & shale			
922'	60'	Sand			
996'	74'	Shale & sand brks.			
1060'	64'	Shale			
1090'	30'	Sand & shale layers			
1130'	40'	Clay & shale			
1137'	7'	Sand			
1147'	10'	Clay			
1178'	31'	Clay & shale stks.			
1209'	31'	Clay & shale stks.			
1310'	101'	Clay & shale			

EDNA WOOD LABORATORIE

WATER TECHNOLOGISTS . . CHEMISTS . . MICROBIOLOGIS

9 April 1981

To: Layne Texas Company
P. O. Box 9469
Houston, Texas 77011

SO #1102-9830

Sample marked: Well No. 1, Sample #1, H. C. MUD #90, Harris County, Texas. Taken after 12 hrs. pumping at 1,022 gpm with 8" Test Pump. 10 Min. Static Head: 331 Pumping Level: 378' Screened: 850 to 1,160' Appearance: Clear - By C. Brewer

Received: 3-26-81

WATER ANALYSIS

results in parts per million (mg/l) except as noted

Dissolved Residue at 350°C		283	Conductance, micromhos/cm, 25°C		490
Total Dissolved Solids, actual†		398	Color, units		0
Total Dissolved Solids, calc.		395	Turbidity, units		< 0.1
Silica	SiO_2	16	As Calcium Carbonate, $CaCO_3$:		
Calcium	Ca	36	Phenolphthalein Alkalinity		0
Magnesium	Mg	8	Total Alkalinity		186
Sodium (diff.) Na + K as	Na	60	Total Hardness		121
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	5
Bicarbonate	HCO_3	227	pH . . .7.80		
Sulfate	SO_4	11	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	37	Calcium Bicarbonate		146
			Magnesium Bicarbonate		46
Total Fluoride	F	0.3	Sodium Bicarbonate		109
			Sodium Sulfate		16
Total Nitrate	NO_3	< 0.1	Sodium Chloride		61
			Sodium Fluoride		1
Total Manganese	Mn	< 0.05	Silica		16
Total Iron	Fe	0.13	Total Dissolved Solids, Calc.		395
Iron, filtered sample	Fe	-			

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

9774
aws

EDNA WOOD LABORATORIES, INC.

By: Alice Perry

Alice Perry, Supervising Chemist

Tel: (713) 747-7271 • P. O. BOX 14171 • 4820 OLD SPANISH TRAIL • HOUSTON, TEXAS 77021


H.C. M.U.D. #90
well #1
(1003)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
131	4 of 5	SW	2.31 / 12,187.61	Houston, City of TX	WW HARRIS GAL

Well ID:	2900	**Diameter (inches):**	16
Aggre Lead Well:	2900	**Year Drilled:**	1977
Permit No:	W2003-1002-127237-0	**Depth Drilled:**	0
Permit Start Date:	2/1/2003	**Depth frm Surf(ft):**	0
Permit End Dt:	3/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.747222
Regulatory Aarea:	3	**Longitude:**	-95.617222

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 21st Floor, Rm 2152
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Afton Village
Provision: G1 - permit exempt from disincentive fee based on provisions in GRP (2002); D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
131	5 of 5	SW	2.31 / 12,187.61	USGS-294451095370301 TX	FED USGS

Site No:	USGS-294451095370301
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19810211
Well Depth:	1173
Well Depth Unit:	ft
Well Hole Depth:	1310
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-124
Latitude:	29.74777778000000
Longitude:	-95.6177778000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
132	1 of 1	WNW	2.32 / 12,243.99	Ardco Co. TX	GWDB

Well Rep Track No:	
State Well No:	6511908
Owner Name:	Ardco Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1967
Well Depth:	178
Well Usage:	
Water Level Status:	
Latitude:	29.7869450
Longitude:	-95.6258330
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511908&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511908&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
133	1 of 1	ENE	2.33 / 12,325.30	COASTAL SAND TX	TCEQ WELL LOGS

Grid No: 65-12-5
Date Drilled: 07/12/1986
Owners Name: COASTAL SAND
County: HARRIS
Water Usage: DOMESTIC
Static Level: 205
Depth Drilled: 360
Latitude: 29.7920216
Longtiude: -95.5601635

1/4m. WIEN

3

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER COASTAL SAND (Name) Address PO Box 19529 (Street or RFD) Hstn (City) TX (State) (Zip)

2) LOCATION OF WELL: County ~~Harris~~ Lumpkin Rd. miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 7/12/86

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	360

From (ft.)	To (ft.)	Description and color of formation material
0	15	Top Soil & Clay
15	22	Surface Sand
22	90	Clay
90	155	Sand
155	165	Clay
165	190	Sand
190	196	Clay
196	217	Sand
217	235	Clay
235	255	Sand
255	265	Clay
265	278	Sand
278	290	Clay
290	305	Sandy Clay
305	360	Sand

(Use reverse side if necessary)

RECEIVED
AUG 29 85
Texas Water Commission

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	340	
2	N	Galv.	332	340	
2	N	PVC.	340	360	.020

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
290 ft. to 340 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☑ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 205 ft. below land surface Date 7/13/86
Artesian flow gpm. Date

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc (Type or Print) Water Well Driller's License No. 2035


ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

(Signed) Craig Bussell (Licensed Water Well Driller) (Signed) David Lyons (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-5
Located on map

TDWR-0392 (12/29/83) DEPARTMENT OF WATER RESOURCES COPY TX6512500 06


JERSEY VILLAGE
HUDSON
THOMPSON CEM
ALLEN'S
ARMCO
NORTH HOUSTON
FAIRBANKS
Houston City Limit
LAKESIDE AIRPORT
ADDICKS RESERVOIR
Flood Control
Pool Elev 114.0
SPRING VALLEY
HILSHIRE VILLAGE
MEDWAY VILLAGE
BUNKER HILL VILLAGE
PINEY POINT VILLAGE
HUNTERS CREEK VILLAGE
BARKER
BARKER RESERVOIR
Flood Control
Pool Elev 107.0
ANDRAU AIRPORT
ALIEF
CLODINE
To Fulshear
1464
1093
1960

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
134	1 of 1	E	2.35 / 12,410.90	CHURCH OF THE HOLY SPIRIT TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	10/07/1984
Owners Name:	CHURCH OF THE HOLY SPIRIT
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	260
Depth Drilled:	482
Latitude:	29.7753319
Longtiude:	-95.5524187

68

KM49E 4906

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Church of the Holy Spirit (Name) Address 12535 Perthshire (Street or RFD) Houston, (City) Tx. (State) (Zip)

2) LOCATION OF WELL:
County Harris 12 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. 65-02-3

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
~~☒~~ ☐ Industrial ☐ Monitor ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven
☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 10/5/ 19 84 Completed 10/7/ 19 84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		482

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	22	Clay
22	47	Sand
47	263	Clay
263	269	Sand
269	390	Clay
390	408	Sand
408	445	Clay
445	482	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Steel Casing	0	447	Sch.
2½"	N	Blank Liner	432	452	40
2½"	N	PVC Slotted Screen	452	482	.012

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 447 ft. to 0 ft. No. of Sacks Used 30
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Halliburton
Cemented by Robinson Water Well

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 260 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K	432

13) TYPE PUMP: 5HP
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 315 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc. (Type or Print) Water Well Driller's License No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M. E. Robinson Jr. (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-12-8
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

K

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
135	1 of 5	NNE	2.36 / 12,475.88	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	CAPPED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SV
Date Drilled:	
Well Depth:	450
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	40
Water Usage:	INACTIVE - CAPPED
CCN:	P1552
Latitude:	29.802172
Longitude:	-95.573281
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
135	2 of 5	NNE	2.36 / 12,475.88	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SW
Date Drilled:	00/00/1984
Well Depth:	403
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	40
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.802347
Longitude:	-95.57348
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
135	3 of 5	NNE	2.36 / 12,475.88	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SY
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.802172
Longitude:	-95.573281
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
135	4 of 5	NNE	2.36 / 12,475.88	H & J Utility Services TX	WW HARRIS GAL

Well ID:	3989	**Diameter (inches):**	4
Aggre Lead Well:	3988	**Year Drilled:**	1984
Permit No:	W2006-3988-123396-0	**Depth Drilled:**	403
Permit Start Date:	6/1/2006	**Depth frm Surf(ft):**	380
Permit End Dt:	6/1/2006	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.802222
Regulatory Aarea:	3	**Longitude:**	-95.573611
Owner Name:	H & J Utility Services		
Billing Contact:	Vergil D. Martin		
Billing Address:	P.O. Box 430548		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77243		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
135	5 of 5	NNE	2.36 / 12,475.88	H & J UTILITY SERVICES TX	WW HARRIS GAL

Well ID:	2078	**Diameter (inches):**	4
Aggre Lead Well:	2078	**Year Drilled:**	1956
Permit No:	W1986-2078-25138-0	**Depth Drilled:**	350
Permit Start Date:	6/1/1986	**Depth frm Surf(ft):**	0
Permit End Dt:	11/12/1986	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.801944
Regulatory Aarea:	3	**Longitude:**	-95.573333
Owner Name:	H & J UTILITY SERVICES		
Billing Contact:	VERGIL D. MARTIN		
Billing Address:	P.O. Box 55924		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77255		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
136	1 of 2	ESE	2.38 / 12,550.85	Ethans Glenn Community Association TX	WW HARRIS GAL

Well ID:	4191	**Diameter (inches):**	8
Aggre Lead Well:	4191	**Year Drilled:**	1954
Permit No:	WP2024-111612	**Depth Drilled:**	700
Permit Start Date:	6/1/2024	**Depth frm Surf(ft):**	625
Permit End Dt:	5/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.763055
Regulatory Aarea:	3	**Longitude:**	-95.553055

Owner Name:	Ethans Glen Community Association
Billing Contact:	Andrew Vacek
Billing Address:	1600 Hwy 6 South, Ste 245
Billing Address 2:	NULL
Billing City:	Sugar Land
Billing State:	TX
Billing Zip:	77478
Correspondence:	NULL
Provision:	70 - Based on permitted allocation or 70% of total demand, whichever is smaller; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
136	2 of 2	ESE	2.38 / 12,550.85	ETHANS GLEN COMM. ASSOC. TX	WW HARRIS GAL

Well ID:	4133	**Diameter (inches):**	6
Aggre Lead Well:	4133	**Year Drilled:**	1986
Permit No:	W1987-4133-27156-0	**Depth Drilled:**	400
Permit Start Date:	6/1/1987	**Depth frm Surf(ft):**	380
Permit End Dt:	10/14/1987	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.762777
Regulatory Aarea:	3	**Longitude:**	-95.551944
Owner Name:	ETHANS GLEN COMM. ASSOC.		
Billing Contact:	MARGIE MEYER		
Billing Address:	8955 Katy Freeway, Suite 301		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
137	1 of 1	SSW	2.41 / 12,704.47	WALLACE E. JOHNSON, ENTERPRISES TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 10/06/1972
Owners Name: WALLACE E. JOHNSON, ENTERPRISES
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 139
Depth Drilled: 282
Latitude: 29.738899
Longtiude: -95.604772

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 23

1) OWNER:
Person having well drilled Wallace E. Johnson, Enterprizes (Name) Address 300 Walnut Grove - Memphis, Tenn. (Street or RFD) (City) (State)

Landowner Same (Name) Address Westheimer - Off Dairy Ashford Rd. (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

See Map reverse side

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well x Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal x
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary x Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 282 ft. Depth of completed well 282 ft. Date drilled 10/6/72

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	surface & white red clay
24	48	clay light sand breaks - rock
48	72	clay
72	96	sand broken shaley
96	120	shale blue clay
120	144	clay light sand breaks
144	168	shale sandy
168	192	clay
192	216	clay bottom sandy
216	240	clay top sandy
240	264	clay light sand breaks
264	282	sand

(Use reverse side if necessary)

9) Casing:
Type: Old New x Steel Plastic Other
Cemented from 0 ft. to 189 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	282	

10) SCREEN:
Type Stainless Steel
Perforated x Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½" blank	281	282	
2½" screen	276	281	.012 RBS
2½" blank	269	276	

7) COMPLETION (Check):
Straight wall x Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 139 ft. below land surface Date 10/6/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc.. 273 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No x If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No x
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton - P. O. Box 8707 Houston, Texas 77009 (Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WB

TWDBE-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
138	1 of 1	NE	2.41 / 12,705.64	Arvanetakis. Michel TX	WW HARRIS GAL

Well ID:	7148	**Diameter (inches):**	4
Aggre Lead Well:	7148	**Year Drilled:**	1950
Permit No:	W2000-7148-65389-0	**Depth Drilled:**	90
Permit Start Date:	6/1/2000	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2003	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.801388
Regulatory Aarea:	3	**Longitude:**	-95.570555
Owner Name:	Arvanetakis. Michel		
Billing Contact:	NULL		
Billing Address:	10909 Timberoak		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
139	1 of 1	NE	2.41 / 12,707.51	BIG SIX DRILLING CO TX	TCEQ WELL LOGS

Grid No: 65-12-5
Date Drilled: 04/29/1999
Owners Name: BIG SIX DRILLING CO
County: HARRIS
Water Usage: IRRIGATION
Static Level: 105
Depth Drilled: 186
Latitude: 29.797836
Longtiude: -95.564637

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: BIG SIX DRILLING CO. ADDRESS: 7500 SAN FELIPE STE 660 CITY: HOUSTON STATE: TX ZIP: 77063-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-5
Street or RFD: 1415 E. SAM HOUSTON PKWY NORTH
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 19776
DATE DRILLING:
STARTED: 04/29/99
COMPLETED: 04/29/99

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	186

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION:
STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	166	WW
4	N	SUPERFLO SCREEN	166	186	20

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	39	CLAY
39	64	SAND
64	122	CLAY
122	126	CALICHE
126	141	CLAY
141	146	SAND
146	167	CLAY
167	186	SAND

9) CEMENTING DATA:
Cemented from No. of Sacks Used
0 FT. TO 10 FT.
FT. TO FT.
Method used: POURED
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 105 FT. DATE: 04/29/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
OTHER
DEPTH TO PUMP: 178

14) WELL TEST:
JETTED
YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 19 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,411,4884
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Rogelio Meza (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

FILED SEP 01 1999

TX6512541701

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
140	1 of 1	WNW	2.41 / 12,739.30	Westlake Park Association/Lake Management Svcs TX	WW HARRIS GAL

Well ID:	6345	**Diameter (inches):**	5
Aggre Lead Well:	6345	**Year Drilled:**	1982
Permit No:	WP2023-117859	**Depth Drilled:**	350
Permit Start Date:	2/1/2024	**Depth frm Surf(ft):**	300
Permit End Dt:	1/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.781944
Regulatory Aarea:	3	**Longitude:**	-95.629722
Owner Name:	Westlake Park Association		
Billing Contact:	Andrew Vacek		
Billing Address:	1600 Hwy 6 South, Ste 245		
Billing Address 2:	NULL		
Billing City:	Sugar Land		
Billing State:	TX		
Billing Zip:	77478		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
141	1 of 3	WNW	2.41 / 12,748.44	Central Park West, LP TX	WW HARRIS GAL

Well ID:	4181	**Diameter (inches):**	5
Aggre Lead Well:	4180	**Year Drilled:**	1990
Permit No:	W2013-4180-163849-0	**Depth Drilled:**	400
Permit Start Date:	6/1/2013	**Depth frm Surf(ft):**	0
Permit End Dt:	6/1/2013	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.7875
Regulatory Aarea:	3	**Longitude:**	-95.628611
Owner Name:	Central Park West, LP		
Billing Contact:	Mr. Kenneth J. Martinec, P.E.		
Billing Address:	6335 Gulfton, Suite 100		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77081		
Correspondence:	Jones & Carter, Inc.		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
141	2 of 3	WNW	2.41 / 12,748.44	Central Park West, LP TX	WW HARRIS GAL

Well ID:	4180	**Diameter (inches):**	5
Aggre Lead Well:	4180	**Year Drilled:**	1981
Permit No:	W2013-4180-163849-0	**Depth Drilled:**	162
Permit Start Date:	6/1/2013	**Depth frm Surf(ft):**	157
Permit End Dt:	6/1/2013	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.787222
Regulatory Aarea:	3	**Longitude:**	-95.628611
Owner Name:	Central Park West, LP		
Billing Contact:	Mr. Kenneth J. Martinec, P.E.		
Billing Address:	6335 Gulfton, Suite 100		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77081		
Correspondence:	Jones & Carter, Inc.		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
141	3 of 3	WNW	2.41 / 12,748.44	Harris Co. Flood Control District TX	WW HARRIS GAL

Well ID:	2838	**Diameter (inches):**	4
Aggre Lead Well:	2838	**Year Drilled:**	1968
Permit No:	W1993-2838-43551-0	**Depth Drilled:**	300
Permit Start Date:	11/1/1993	**Depth frm Surf(ft):**	180
Permit End Dt:	10/31/1994	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785
Regulatory Aarea:	3	**Longitude:**	-95.630555
Owner Name:	Harris Co. Flood Control District		
Billing Contact:	Arthur L. Storey		
Billing Address:	9900 Northwest Freeway, Suite 220		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
142	1 of 1	NE	2.42 / 12,763.11	CONTINENTAL WATER TX	TCEQ WELL LOGS

Grid No: 65-12-5P
Date Drilled: 1976
Owners Name: CONTINENTAL WATER
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 165
Depth Drilled: 378
Latitude: 29.7937486
Longtiude: -95.5599507

#36 5P 65-U-5P

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-5P
Located on map yes
Received: 76

1) OWNER:
Person having well drilled Continental Water (Name) Address Lumpkin St, HOuston, TX (Street or RFD) (City) (State)

Landowner same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

#36

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
x New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, x Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
x Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 378 ft. Depth of completed well 378 ft. Date drilled Top Indicated

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	top soil
6	25	white sand
25	40	clay
40	70	clay strks with sand
70	73	clay
73	90	shell
90	100	white clay
100	115	sand
115	120	sand
120	145	sand
145	160	clay

(Use reverse side if necessary)

9) Casing:
Type: Old x New Steel x Plastic Other
Cemented from 195 ft. to 345 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	345	40

10) SCREEN:
Type plastic
X Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2	338	378	012

7) COMPLETION (Check):
Straight wall, Gravel packed, Other cemented, Under reamed, Open Hole

8) WATER LEVEL:
Static level 165 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 294 ft. below land surface.

11) WELL TESTS: Ronald Chilton
Was a pump test made? x Yes No If yes, by whom?
Yield: 250 gpm with 20 ft. drawdown after 2 hrs.
Bailer test no gpm with ft. drawdown after hrs.
Artesian flow no gpm
Temperature of water 72°

12) WATER QUALITY:
Was a chemical analysis made? Yes x No
Did any strata contain undesirable water? Yes x No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ronald Chilton (Type or Print) Water Well Drillers Registration No. #1630

ADDRESS 11803 Beeville (Street or RFD) HOuston, (City) Texas (State)

(Signed) Ronald Chilton (Water Well Driller) CHILTON PUMP & WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

TX6512502

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
143	1 of 1	NE	2.43 / 12,844.87	HENERY SPECKMEIER TX	TCEQ WELL LOGS

Grid No: 65-12-1S
Date Drilled: 09/10/1993
Owners Name: HENERY SPECKMEIER
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 60
Depth Drilled: 200
Latitude: 29.8011873
Longtiude: -95.568903

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Henery Speckmeier (Name) Address Rt 2 Box 231 (Street or RFD) Hempstead (City) Tex (State) 77445 (Zip)

2) LOCATION OF WELL: County Harris miles in 6~W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 9-5 1993 Completed 9-10 1993

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	200

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	8	Surface
8	19	Sand
19	87	Clay
87	105	Sand
105	111	Clay
111	126	Sand
126	164	Clay
164	200	sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4	N	P.V.C Sch 40	0	190	Sch 40	
4	N	P.V.C slotted	190	200		014

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 14 ft. No. of Sacks Used 12
_____ ft. to _____ ft. No. of Sacks Used _____
Method used _____
Cemented by _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☑ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 60 ft. below land surface Date 9-10-93
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

RECEIVED
SEP 01 1994
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Bain Water Well (Type or Print) Water Well Driller's License No. 1487
ADDRESS P.O. Box 640. (Street or RFD) Waller (City) Tex (State) 77484 (Zip)
(Signed) Jesse H. Bain (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. _____
Located on map 65:12:5

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

C(2)


SATSUMA
JERSEY VILLAGE
BARKER
HEDWIG VILLAGE
BUNKER HILL VILLAGE
PINEY POINT VILLAGE
HUNTERS CREEK VILLAGE
SPRING VALLEY VILLAGE
WEST HOUSTON LAKESIDE AIRPORT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
144	1 of 6	W	2.44 / 12,870.49	MR. VINCENT KICKERILLO TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	11/03/1994
Owners Name:	MR. VINCENT KICKERILLO
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	150
Depth Drilled:	325
Latitude:	29.776628
Longtiude:	-95.631479

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Mr. Vincent Kickerillo (Name) ADDRESS 15635 Memorial Dr. (Street or RFD) Houston (City) Tx (State) 77079 (Zip)

2) LOCATION OF WELL: County Harris miles in (NE, SW, etc.) direction from (Town)
East of Hyl. on Memorial Drive

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP 65.11.4

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☑ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 11-1 19 94 Completed 11-3 19 94

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	300
4 7/8	300	325

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other Two String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-20		Topsoil, clay, sand, clay
20-40		clay, sand, Redclay, grayclay
40-60		Redclay, SAND, clay, sand, clay
60-80		clay, sand, clay, sand, clay
80-100		clay, sandy clay
100-120		SANDy clay, SAND
120-140		SAND, clay, SAND w/rock
140-160		SAND & gravel, rock, clay
160-180		clay, SAND, wh clay, SAND
180-200		SAND (WS) clay shale

(Use reverse side if necessary) Re-over-

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	PVC Well Casing	+2	300	SDR-17
2.5	N	PVC BLANK Pipe	296	303	Sch 80
2.5	N	HS STAINless Rod Base	303	313	.008ga
2.5	N	HS " "	313	323	.010ga
2.5	N	PVC SAW Tooth Nipple	323	325	Sch 80

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 20 ft. No. of Sacks Used 8
300 ft. to 100 ft. No. of Sacks Used 20
Method used HALIBURTON
Cemented by Geophysical Drilling, Inc

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☑ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 150 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Formation Packer	20'
BP Seal	296'

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 262 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 80 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

RECEIVED JAN 02 1995 TEXAS WATER RESOURCES CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drlg., Inc (Type or print) WELL DRILLER'S LICENSE NO. 4898 WPK
ADDRESS P.O. Box 664 (Street or RFD) Pulshear (City) Tx (State) 77441 (Zip)
(Signed) Jimmy Bivney (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map 65.11.4

TWC-0199 (Rev. 05-18-90)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
144	2 of 6	W	2.44 / 12,870.49	VINCENT KICKENILLO TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	07/07/1993
Owners Name:	VINCENT KICKENILLO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	140
Depth Drilled:	298
Latitude:	29.776628
Longtiude:	-95.631479



Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Vincent Kickerillo (Name) Address 15635 Memorial Dr. (Street or RFD) Houston (City) TX (State) 77079 (Zip)

2) LOCATION OF WELL: County HARRIS ____ miles in (N.E., S.W., etc.) direction from ____ (Town)
EAST of HWY 6 on Memorial

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
~~☐ See attached map.~~ NO MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other ____

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 7-5 19 93 Completed 7-7 19 93

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	285'
4 3/4	285'	298

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Two String
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Top Soil, clay sand clay
20	40	Clay SAND Rock SAND red clay
40	60	clay SAND clay SAND clay
60	80	clay SAND clay SAND gray clay
80	100	clay SAND 18'
100	120	SAND 14' clay SAND clay
120	140	SAND Rock SAND clay SAND
140	160	SAND & gravel — clay Red & gray
160	180	clay SAND 18'
180	200	SAND 18' clay SHALE SAND 8' SHALE
200	220	SAND 14' Red clay
220	240	Clay SAND, Red clay & Rock
240	260	Clay SAND
260	280	SHALE SANDY SHALE
280	300	SAND 18' Rock

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC well Casing	+1'	285'	sch 40
2.5	N	PVC BLANK Pipe	278'	288'	sch 80
2.5	N	Stainless Steel	288'	298	10 ga

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 285 ft. to 15 ft. No. of Sacks Used 39
15 ft. to 1 ft. No. of Sacks Used 4
Method used Halliburton
Cemented by G. D. I.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☑ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 140 ft. below land surface Date 7-7-93
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
BP	278'
Formation	15'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 50 gpm with ____ ft. drawdown after ____ hrs.

RECEIVED
NOV 19 1993
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drilling Inc (Type or Print) Water Well Driller's License No. 2389 WI

ADDRESS P.O. Box 664 (Street or RFD) Fulshear (City) TX (State) 77441 (Zip)

(Signed) Brad J Nile (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only 65-12-7
Well No. ____
Located on map 65-11-9

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
144	3 of 6	W	2.44 / 12,870.49	VINCENT KIKERILLO TX	TCEQ WELL LOGS

Grid No:	65-11-6F
Date Drilled:	11/03/1968
Owners Name:	VINCENT KIKERILLO
County:	HARRIS
Water Usage:	HOME & YARD
Static Level:	130
Depth Drilled:	330
Latitude:	29.776628
Longtiude:	-95.631479

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-11-6F
Located on map 1/8 S
By AF Date 69
Map no.

1) Well Owner: Vincent Kickerillo [illegible] Houston Texas
(Name) (Street or RFD) (City) (State)


2) Land Owner: Same 13802 Memorial Drive
(Name) (Street or RFD)

3) Intended use: Industrial ☐ Municipal ☐ Irrigation ☐ Other Home & yard Sprinkler System

4) Location of well: County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

10 miles in W direction
(N.E.S.W.)
from Houston
(Town)



Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL 320' reamed to 303

Method of drilling: Rotary w/Mud 4½" Test hole to Diameter of hole 6½" in. Date drilled NOV 3-1968

All measurements made from 4' ft. above ground level.

From (ft)	To (ft)	Description and color of formation material
0	6	top Soil
6	39	Mixed Color Clay
39	60'	Red Sand & Red Clay Mixed
60	145	Red Clay
145	168	Coarse Sand & Gravel
168	187	Blue Clay
187	230	Mixed Sand Rock & Clay
230	245	Blue Clay
245	270	Fine Sand & Clay Balls
270	305	Gray-Blue Clay
305	330	Coarse White Sand-Gravel

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION
Straight wall ☐
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other 2 String

CASING
Type: Old ☐ New ☑
Cemented from 0 ft.
to 300 ft. 25 SK. Jo B.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4"	+1	303
2½"	290	310

SCREEN
Type Stainless Steel
Perforated ☐ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½"	310	330

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

O'Kreullen (Signature) Walker Well Serv (Company Name) Reg. No. 695

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 130'
ft. below Top of Casing

Pumping level

feet	hours	gpm
165	10	75

Pump type Submergible
Designed pumping rate 56 @ 40# gpm ☑ gph ☐
Type power unit 230V Single ph.
Horsepower 5 H.P.
Depth to bowls, cylinder, jet, etc., 210' ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
144	4 of 6	W	2.44 / 12,870.49	Kickerillo, Vincent TX	WW HARRIS GAL

Well ID:	6862	**Diameter (inches):**	5
Aggre Lead Well:	6862	**Year Drilled:**	1998
Permit No:	W2011-6862-150634-0	**Depth Drilled:**	320
Permit Start Date:	5/1/2011	**Depth frm Surf(ft):**	310
Permit End Dt:	5/1/2011	**County:**	H
Well Status:	E - Exempt	**Latitude:**	29.776944
Regulatory Aarea:	3	**Longitude:**	-95.631666

Owner Name: Kickerillo, Vincent
Billing Contact: Thomas H. McQuilling
Billing Address: 1306 S. Fry Rd.
Billing Address 2: NULL
Billing City: Katy
Billing State: TX
Billing Zip: 77450
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
144	5 of 6	W	2.44 / 12,870.49	Kickerillo, Vincent TX	WW HARRIS GAL

Well ID:	5262	**Diameter (inches):**	5
Aggre Lead Well:	5262	**Year Drilled:**	
Permit No:	W1996-5262-51094-0	**Depth Drilled:**	320
Permit Start Date:	5/1/1996	**Depth frm Surf(ft):**	300
Permit End Dt:	4/30/1997	**County:**	H
Well Status:	E - Exempt	**Latitude:**	29.776111
Regulatory Aarea:	3	**Longitude:**	-95.631666
Owner Name:	Kickerillo, Vincent		
Billing Contact:	Thomas H. McQuilling		
Billing Address:	1306 S. Fry Rd.		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77450		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
144	6 of 6	W	2.44 / 12,870.49	Kickerillo, Vincent TX	WW HARRIS GAL

Well ID:	10069	**Diameter (inches):**	4
Aggre Lead Well:	10069	**Year Drilled:**	1963
Permit No:	W2012-10069-157512-0	**Depth Drilled:**	0
Permit Start Date:	12/31/2011	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2011	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.776111
Regulatory Aarea:	3	**Longitude:**	-95.631666
Owner Name:	Kickerillo, Vincent		
Billing Contact:	Thomas H. McQuilling		
Billing Address:	1306 S. Fry Rd.		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77450		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
145	1 of 2	WSW	2.45 / 12,951.54	FIRST ALLIANCE CHURCH TX	TCEQ WELL LOGS

Grid No:	65-12-7P
Date Drilled:	04/15/1980
Owners Name:	FIRST ALLIANCE CHURCH
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	120
Depth Drilled:	272
Latitude:	29.754444
Longtiude:	-95.626944

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7P
Located on map yes
Received: C-R-8.

1) OWNER First Alliance Church (Name) Address 13414 Briar Forest (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris No6 miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 4-15-80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4 3/4"	Surface	287'
6 3/4"	X	272'

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other Two String
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
2		
0	5	Top Soil
5	18	Red Gray
18	21	Sand
21	26	Red GRay
26	36	Sand
36	45	Red
45	65	Red Gray
65	70	Red
70	78	Sand Clay Streaks
78	96	Red Gray Sand Streaks
96	122	Red Gray
122	181	Sand 16 ga.
181	192	White Gray
192	226	Sand
226	236	Red Gray
236	246	Rock
246	287	Sand 16 ga.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Plastic Casing	+2'	272'	SCH 40
2 1/2	N	WOP Plastic Screen Well Supplies	287	277	14 ga
21/2	N	Plastic Liner	277'	267	SCH80

CEMENTING DATA
Cemented from 272' ft. to Surface ft.
Method used Pressure Cement
Cemented by Raymond Water Wells (Company or Individual)

9) WATER LEVEL:
Static level 120 ft. below land surface Date 4-16-80
Artesian flow gpm. Date -

10) PACKERS: Type "K" Depth 267'

RECEIVED
MAR 26 1982
CR/TB

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond Jr. (Type or Print) Water Well Drillers Registration No. TDL 774


ADDRESS 10011 Airline Drive (Street or RFD) Houston, Texas (City) (State) 77037 (Zip)

(Signed) C A Raymond Jr. (Water Well Driller) RAYMOND WATER WELL DRILLING INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
145	2 of 2	WSW	2.45 / 12,951.54	Parkway Fellowship TX	WW HARRIS GAL

Well ID:	7219	**Diameter (inches):**	4
Aggre Lead Well:	7219	**Year Drilled:**	1980
Permit No:	W2013-7219-163632-0	**Depth Drilled:**	210
Permit Start Date:	5/1/2013	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2013	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.754444
Regulatory Aarea:	3	**Longitude:**	-95.626944
Owner Name:	Parkway Fellowship		
Billing Contact:	NULL		
Billing Address:	13413 Briar Forest		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
146	1 of 1	NNE	2.46 / 13,007.15	RICKS, ESTATE OF MORGAN TX	WW HARRIS GAL

Well ID:	2227	**Diameter (inches):**	6
Aggre Lead Well:	2227	**Year Drilled:**	1970
Permit No:	W1993-2227-42600-0	**Depth Drilled:**	346
Permit Start Date:	6/1/1993	**Depth frm Surf(ft):**	283
Permit End Dt:	5/31/1994	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.803055
Regulatory Aarea:	3	**Longitude:**	-95.570833
Owner Name:	RICKS, ESTATE OF MORGAN		
Billing Contact:	NULL		
Billing Address:	P.O. Box 19396		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	ROC CARBON CO.		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
147	1 of 2	WSW	2.50 / 13,186.44	SUEBA CONSULTING, INC. TX	TCEQ WELL LOGS

Grid No: 65-11-9
Date Drilled: 04/01/1998
Owners Name: SUEBA CONSULTING, INC.
County: HARRIS
Water Usage: IRRIGATION
Static Level: 180
Depth Drilled: 340
Latitude: 29.7527409
Longtiude: -95.6266554

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: SUEBA CONSULTING, INC. ADDRESS: 8235 EL RIO CITY: HOUSTON STATE: TX ZIP: 77054-

State Well # 6623

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-11-09
Street or RFD: 1600 ELDRIDGE PARKWAY (S. OF BRIAR FOREST) SAN MONTEGO APARTMENTS
City, State, Zip code: HOUSTON , TX 77077-

5)

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 00191

DATE DRILLING:
STARTED: 03/28/98
COMPLETED: 04/01/98

DIAMETER OF HOLE DIAMETER	FROM	TO
7.75	-0-	237
4.75	237	340

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	PVC WELL CASING	+2	237	SDR-17
2.5	N	PVC BLANK PIPE	233	278	SCH 80
2.5	N	STAINLESS ROD BASE	278	288	8 GA
2.5	N	PVC BLANK PIPE	288	318	SCH 80
2.5	N	STAINLESS ROD BASE	318	338	8/10GA
2.5	N	NIP W/BACKWASH VALVE	338	340	SCH 80

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	20	FILL DIRT CLAY, SAND, CLAY
20	40	CLAY,SAND RED CLAY
40	60	RED CLAY WHITE CLAY
60	80	RED CLAY SAND
80	100	SAND,CLAY
100	120	CLAY ROCK SAND,CLAY
120	125	SAND
125	232	SAND & GRAVEL SAND & GRAVEL SAND & GRAVEL
232	250	ROCK SAND
250	272	CLAY, SAND, CLAY
272	292	SAND SAND SAND
292	313	CLAY CLAY CLAY
313	340	SAND SAND SAND

9) CEMENTING DATA:

Cemented from	No. of Sacks Used
237 FT. TO 87 FT.	12
-0- FT. TO 20 FT.	15

Method used: HALLIBURTON METHOD
Cemented by: GDI LOWER PRESSURED
Distance to septic field lines: n/a ft.
Method of verification of above distance:
NONE TO INSTALL

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 180 FT. DATE: 04/01/98
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATION PACKER	20
BP SEAL	233

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 220

14) WELL TEST:
JETTED
YIELD: 65 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 272-292/313-340 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 4898WPK
ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Jerry D. Brim (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
147	2 of 2	WSW	2.50 / 13,186.44	San Montego TX	WW HARRIS GAL

Well ID:	6623	**Diameter (inches):**	5
Aggre Lead Well:	6623	**Year Drilled:**	1998
Permit No:	WP2024-106245	**Depth Drilled:**	325
Permit Start Date:	6/1/2024 3:52:00 PM	**Depth frm Surf(ft):**	300
Permit End Dt:	5/31/2025 3:52:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.753055
Regulatory Aarea:	3	**Longitude:**	-95.626944

Owner Name:	San Montego
Billing Contact:	Deana Moreira
Billing Address:	730 3rd Ave
Billing Address 2:	NULL
Billing City:	New York
Billing State:	NY
Billing Zip:	10017-3206
Correspondence:	NULL
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	1 of 8	SE	2.50 / 13,219.36	City of Houston Walnut Bend TX	GWDB

Well Rep Track No:	
State Well No:	6520210
Owner Name:	City of Houston Walnut Bend
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1959
Well Depth:	465
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7444450
Longitude:	-95.5633340
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520210&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520210&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	2 of 8	SE	2.50 / 13,219.36	City of Houston Walnut Bend TX	GWDB

Well Rep Track No:	
State Well No:	6520218
Owner Name:	City of Houston Walnut Bend
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1960
Well Depth:	1300
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7444450
Longitude:	-95.5633340
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520218&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520218&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	3 of 8	SE	2.50 / 13,219.36	CITY OF HOUSTON TX	WUD

St Well No:	6520210
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IY
Date Drilled:	00/00/1959
Well Depth:	465
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.744397
Longitude:	-95.56411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	4 of 8	SE	2.50 / 13,219.36	CITY OF HOUSTON TX	WUD

St Well No:	6520218
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IZ
Date Drilled:	00/00/1960
Well Depth:	1300
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.744397
Longitude:	-95.56411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	5 of 8	SE	2.50 / 13,219.36	Houston, City of TX	WW HARRIS GAL

Well ID:	3741	**Diameter (inches):**	16
Aggre Lead Well:	1001	**Year Drilled:**	1959
Permit No:	W1989-1001-30938-0	**Depth Drilled:**	1300
Permit Start Date:	2/1/1989	**Depth frm Surf(ft):**	820
Permit End Dt:	1/31/1990	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.744722
Regulatory Aarea:	3	**Longitude:**	-95.561944

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	6 of 8	SE	2.50 / 13,219.36	Houston, City of TX	WW HARRIS GAL

Well ID:	1037	**Diameter (inches):**	16
Aggre Lead Well:	1001	**Year Drilled:**	1960
Permit No:	W1989-1001-30938-0	**Depth Drilled:**	1300
Permit Start Date:	2/1/1989	**Depth frm Surf(ft):**	820
Permit End Dt:	1/31/1990	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.744722
Regulatory Aarea:	3	**Longitude:**	-95.561944

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	7 of 8	SE	2.50 / 13,219.36	USGS-294439095334702 TX	FED USGS

Site No:	USGS-294439095334702
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19601019
Well Depth:	1300
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-218
Latitude:	29.74444444000000
Longitude:	-95.5633333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
148	8 of 8	SE	2.50 / 13,219.36	USGS-294439095334701 TX	FED USGS

Site No:	USGS-294439095334701
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19590618
Well Depth:	465
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-210
Latitude:	29.74444444000000
Longitude:	-95.5633333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
149	1 of 1	SSE	2.52 / 13,297.61	LAYNE WESTERN TX	TCEQ WELL LOGS

Grid No:	65-20-2C
Date Drilled:	03/27/1979
Owners Name:	LAYNE WESTERN
County:	HARRIS
Water Usage:	SUPPLY
Static Level:	108
Depth Drilled:	290
Latitude:	29.739089
Longtiude:	-95.572584

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

LOG #101

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-19-2C
Located on map YES
Received: TH

1) OWNER Layne Western (Name) Address 5931 Britmore Houston (Street or RFD) (City) Texas (State) 77079 (Zip)

2) LOCATION OF WELL: County Harris, Cloldine, .05 miles in N.E. (N.E., S.W., etc.) direction from c/o Dine (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Map on 65-20-2Q

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other Supply

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 3/27/79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6½		290'

From (ft.)	To (ft.)	Description and color of formation material
0	18	Clay
18	38	Sand
38	128	Clay
128	290	Sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	0	275'	40
2	N		270	290'	20

CEMENTING DATA
Cemented from 225' ft. to 275' ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 108' ft. below land surface Date 3/27/79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 39 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston-Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
150	1 of 1	SW	2.53 / 13,342.28	Reflections on the Lake TX	WW HARRIS GAL

Well ID:	9622	**Diameter (inches):**	5
Aggre Lead Well:	9622	**Year Drilled:**	NULL
Permit No:	WP2024-102170	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 2:53:00 PM	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025 2:53:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.743611
Regulatory Aarea:	3	**Longitude:**	-95.618333

Owner Name: Reflections on the Lake
Billing Contact: Madeline Miranda
Billing Address: 9700 Richmond Ave Ste160
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77042
Correspondence: Genesis Community Management, Inc
Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
151	1 of 4	SSW	2.53 / 13,351.17	FOREST PARK WESTHEIMER TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	08/09/2001
Owners Name:	FOREST PARK WESTHEIMER
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	180
Depth Drilled:	504
Latitude:	29.738458
Longtiude:	-95.608919

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: FOREST PARK WESTHEIMER ADDRESS: 12800 WESTHEIMER CITY: HOUSTON STATE: TX ZIP: 77077-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-20-01
Street or RFD: 12800 WESTHEIMER (CEMETERY) REF: MR MARK MIKUS
City, State, Zip code: HOUSTON , TX 77077-

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 00518
DATE DRILLING: STARTED: 06/13/01 COMPLETED: 08/09/01

DIAMETER OF HOLE DIAMETER	FROM	TO
9.78	-0-	398
6.75	398	504

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
6.0	N	PVC WELL CASING	+2	398	SDR-21
4.0	N	STAINLESS BLANK PIPE	393	403	304 SS
4.0	N	STAINLESS ROD BASE	403	503	8 GA
4.0	N	S/S NIP W/BACKWASH V	503	504	304 SS

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	35	BLACK TOPSOIL, TAN CLAY, GRAY CLAY,
35	75	RED CLAY SAND,CLAY BREAK,SAND GRAY CLAY
75	120	ROCK LEDGE, RED CLAY SAND,CLAY BREAK,SAND BROWN CLAY
120	148	SAND CLAY SAND
148	200	BROWN CLAY SAND TAN CLAY, GRAY CLAY,
200	240	RED & BLUE CLAY SAND WHITE CLAY
240	273	TAN CLAY WHITE CLAY SAND
273	308	CLAY CLAY CLAY BREAK, SAND,
308	346	SAND SAND SAND
346	360	RED CLAY ROCK SAND CLAY
360	372	RED & WHITE CLAY
372	495	SAND SAND SAND
495	500	ROCK
500	503	SAND SAND SAND
503	504	CLAY

9) CEMENTING DATA:

Cemented from			No. of Sacks Used
398 FT.	TO 198	FT.	20
-0- FT.	TO 20	FT.	10

Method used: HALLIBURTON METHOD
Cemented by: GDI LOWER PRESSURED
Distance to septic field lines: n/a ft.
Method of verification of above distance:
NONE TO INSTALL

10) SURFACE COMPLETION:
PVC CEMENTED SLEEVE

11) WATER LEVEL:
STATIC LEVEL : 180 FT. DATE: 07/19/01
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATIOM PACKER	20
BP-SEAL	393

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 336

14) WELL TEST:
JETTED
YIELD: 250+ GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 100 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 2888 WI
ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Greg D. Hill (LICENSED WATER WELL DRILLER)

(signed) Travis Otto (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
151	2 of 4	SSW	2.53 / 13,351.17	Houston, City of TX	WW HARRIS GAL

Well ID:	8548	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	2001
Permit No:	WP2023-117626	**Depth Drilled:**	600
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	550
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.736944
Regulatory Aarea:	3	**Longitude:**	-95.6075

Owner Name:	Forest Park-West
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
151	3 of 4	SSW	2.53 / 13,351.17	Houston, City of TX	WW HARRIS GAL

Well ID:	10450	**Diameter (inches):**	8
Aggre Lead Well:	1003	**Year Drilled:**	2006
Permit No:	WP2023-117626	**Depth Drilled:**	450
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	400
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.744166
Regulatory Aarea:	3	**Longitude:**	-95.611944

Owner Name: Forest Park-West
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
151	4 of 4	SSW	2.53 / 13,351.17	Service Corp. Inter. 18200 Westheimer Houston TX 77077	SDRW WELLS

Track NO: 219530
Date Submitted: 2010-06-15
Owner Name: Service Corp. Inter.
Owner Address: 12800 Westheimer
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.736945
Longitude: -95.610278
Drilling Date Started: 2006-10-18
Drilling Date Completed: 2006-11-30
Chemical Analysis: No
Company Name: O'Day Drilling Co., Inc.
Company Address: 5923 CR 931
CompanyAddress2:
Company City: Rosharon
Company State: TX
Company Zip: 77583
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=219530&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 375

Top Depth: 375
Bottom Depth: 468

Top Depth:
Bottom Depth: 468.0

Well Levels

Measurement: 195
Measurement Date:

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
152	1 of 1	ENE	2.54 / 13,396.26	KENNY PROPERTIES TX	WW HARRIS GAL

Well ID:	2057	**Diameter (inches):**	6
Aggre Lead Well:	2057	**Year Drilled:**	1953
Permit No:	W1986-2057-26246-0	**Depth Drilled:**	440
Permit Start Date:	8/13/1986	**Depth frm Surf(ft):**	400
Permit End Dt:	6/10/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.7875
Regulatory Aarea:	3	**Longitude:**	-95.553333
Owner Name:	KENNY PROPERTIES		
Billing Contact:	NULL		
Billing Address:	P.O. Box 40099		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77240		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
153	1 of 4	NNE	2.54 / 13,419.62	H & J Utility Services TX	WW HARRIS GAL

Well ID:	3988	**Diameter (inches):**	6
Aggre Lead Well:	3988	**Year Drilled:**	1984
Permit No:	W2006-3988-123396-0	**Depth Drilled:**	390
Permit Start Date:	6/1/2006	**Depth frm Surf(ft):**	370
Permit End Dt:	6/1/2006	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.803888
Regulatory Aarea:	3	**Longitude:**	-95.571388
Owner Name:	H & J Utility Services		
Billing Contact:	Vergil D. Martin		
Billing Address:	P.O. Box 430548		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77243		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
153	2 of 4	NNE	2.54 / 13,419.62	H & J UTILITY SERVICES TX	WW HARRIS GAL

Well ID:	1833	**Diameter (inches):**	4
Aggre Lead Well:	1833	**Year Drilled:**	1965
Permit No:	W1982-1833-16287-0	**Depth Drilled:**	330
Permit Start Date:	11/1/1982	**Depth frm Surf(ft):**	300
Permit End Dt:	10/31/1983	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.804166
Regulatory Aarea:	3	**Longitude:**	-95.571388
Owner Name:	H & J UTILITY SERVICES		
Billing Contact:	NULL		
Billing Address:	11782 Eastex Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
153	3 of 4	NNE	2.54 / 13,419.62	H & J UTILITY SERVICES TX	WW HARRIS GAL

Well ID:	1837	**Diameter (inches):**	4
Aggre Lead Well:	1833	**Year Drilled:**	1965
Permit No:	W1980-1833-11602-0	**Depth Drilled:**	330
Permit Start Date:	11/1/1980	**Depth frm Surf(ft):**	300
Permit End Dt:	9/16/1981	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.803888
Regulatory Aarea:	3	**Longitude:**	-95.57
Owner Name:	Consumers Water Corporation		
Billing Contact:	NULL		
Billing Address:	11782 Eastex Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
153	4 of 4	NNE	2.54 / 13,419.62	H & J UTILITY SERVICES TX	WW HARRIS GAL

Well ID:	2076	**Diameter (inches):**	4
Aggre Lead Well:	2076	**Year Drilled:**	1954
Permit No:	W1983-2076-17846-0	**Depth Drilled:**	200
Permit Start Date:	6/1/1983	**Depth frm Surf(ft):**	0
Permit End Dt:	5/9/1984	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.805
Regulatory Aarea:	3	**Longitude:**	-95.571666
Owner Name:	H & J UTILITY SERVICES		
Billing Contact:	VERGIL D. MARTIN		
Billing Address:	P.O. Box 55924		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77255		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
154	1 of 1	NNE	2.55 / 13,482.83	D.E. MARTIN TX	TCEQ WELL LOGS

Grid No:	65-12-5K
Date Drilled:	03/10/1971
Owners Name:	D.E. MARTIN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	155
Depth Drilled:	333
Latitude:	29.8048484
Longtiude:	-95.572119

65-12-5K

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 12-17-5K
Located on map
Received:

1) OWNER:
Person having well drilled D. E. MARTIN (Name) Address 1415 Billings (Street or RFD) Waco (City) TEXAS (State)

Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 14 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.



(Use reverse side if necessary) #10

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 333' ft. Depth of completed well 333 ft. Date drilled 3-16-71
All measurements made from ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	294'	UNCONSOLIDATED
294'	333	SAND & GRAVEL

9) Casing:
Type: Old, New ✓, Steel ✓, Plastic, Other
Cemented from 246' ft. to 296 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	296	#30
2"	296	313	#40

10) SCREEN:
Type S.S. WIRE WRAPPED
Perforated ✓, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2"	313	333	20 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 15'5 ft. below land surface Date 3-11-71
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes, No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes, No ✓
Did any strata contain undesirable water? Yes, No ✓
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C Russell (Type or Print) Water Well Drillers Registration No. #207

ADDRESS 7789 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State)

(Signed) Tommy C Russell (Water Well Driller) Russell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
155	1 of 2	SSW	2.57 / 13,552.13	LTC CONSTRUCTION - CONTRACTORS TX	TCEQ WELL LOGS

Grid No: 65-20-1
Date Drilled: 08/07/1984
Owners Name: LTC CONSTRUCTION - CONTRACTORS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 389
Latitude: 29.7366152
Longtiude: -95.6053791

.8 mi. SW
1.2 mi. WNW

40

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER I/C Construction - contractors (Name) Address Unknown Westheimer & Dairy-Ashford (Street or RFD) Houston (City) Tx. (State) (Zip)

2) LOCATION OF WELL: County Harris 15 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. on 60-59-8

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 8/7/84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		389

From (ft.)	To (ft.)	Description and color of formation material
0	14	Clay
14	86	Sand
86	147	Clay
147	240	Sand
240	284	Clay
284	389	Sand & Gravel

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	380	Sch.
2½"	N	Blank Pipe	375	379	40
2½"	N	PVC Slotted Screen	379	389	.012

CEMENTING DATA
Cemented from 380 ft. to surface ft.
Method used Halliburton
Cemented by Robnson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 220 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 375

MAY 0 7 87
Water Commission

11) TYPE PUMP: 5HP 230 volt single ph ase
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well Service, Inc. (Type or Print) Water Well Driller's License No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M E Robinson (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-20-1
Located on map _____

DWR 0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
155	2 of 2	SSW	2.57 / 13,552.13	Exxon Company U.S.A. TX	WW HARRIS GAL

Well ID:	2994	**Diameter (inches):**	4
Aggre Lead Well:	2994	**Year Drilled:**	1970
Permit No:	W1978-2994-1994-0	**Depth Drilled:**	289
Permit Start Date:	10/1/1978	**Depth frm Surf(ft):**	277
Permit End Dt:	9/30/1979	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.735555
Regulatory Aarea:	3	**Longitude:**	-95.604166
Owner Name:	Exxon Company U.S.A.		
Billing Contact:	JAMES C. LEE		
Billing Address:	P.O. Box 45669		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77045		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
156	1 of 1	SSW	2.57 / 13,556.66	HOUSTON NATURAL GAS CORP TX	TCEQ WELL LOGS

Grid No: 65-20-1L
Date Drilled: 05/07/1975
Owners Name: HOUSTON NATURAL GAS CORP
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 158
Depth Drilled: 380
Latitude: 29.735704
Longtiude: -95.601982

1L

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-20-16
Located on map 1 of 5
Received: 76
JR

1) OWNER:
Person having well drilled _____ Address _____ (Name) (Street or RFD) (City) (State)

Landowner HOUSTON NATURAL GAS CORP. Address P.O. BOX: 1188 HOUSTON TEX (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 1 MI WEST of ANDRAU AIR PORT AP miles in (N.E., S.W., etc.) direction from WESTHEIMER RD. (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* (Use reverse side if necessary)



Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging

4) PROPOSED USE (Check): Domestic / Industrial ✓ / Municipal / Irrigation / Test Well / Other

5) TYPE OF WELL (Check): Rotary ✓ / Driven / Dug / Cable / Jetted / Bored

6) WELL LOG:
Diameter of hole 6" in. Depth drilled 380' ft. Depth of completed well 380' ft. Date drilled 5-7-75
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1'	22'	Surface
22	25'	R. Sand
25	32	Clay
32	46	SAND
46	98	CLAY
98	110'	"
110	114	SAND
114	140'	SANDY SHALE
140	151	SHALE
151	160	SAND
160	168	SHALE BREAK
168	192	SAND
192	219	Shale
219	229	SAND
229	266	SANDY SHALE
266	276	(Use reverse side if necessary)
276	292	Shale
292	312	SAND
312	326	SAND + CLAY
326	331	SAND
331	350	SANDY SHALE
350	365	SHALE
365	371	SAND
371	380	SAND
380	402	SAND + Gravel

9) Casing:
Type: Old / New ✓ Steel ✓ Plastic / Other
Cemented from 380' ft. TOWARD to SURFACE ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
380'	4"	SCH 40 GALV. PIPE	
380'	- 402'	2½" Liner +	
	20'	2½" Screen	

10) SCREEN:
Type PLASTIC
Perforated ✓ / Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½"	382'	402'	.016

7) COMPLETION (Check):
Straight wall / Gravel packed / Other 4" x 2½" LEAD SEAL
Under reamed / Open Hole

8) WATER LEVEL:
Static level 158' ft. below land surface Date 5-7-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes / No ✓ If yes, by whom?
Yield: 70 gpm with AIR ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes / No ✓
Did any strata contain undesirable water? Yes / No ✓
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME PAUL'S WELL SERV. (Type or Print) Water Well Drillers Registration No: 1000

ADDRESS Rt. 9, Box: 807 (Street or RFD) HOUSTON (City) TEX (State)

(Signed) O.P. Kennard (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
157	1 of 2	WSW	2.57 / 13,559.21	USGS TX	GWDB

Well Rep Track No:	
State Well No:	6511922
Owner Name:	USGS
Drilling Start Dt:	
Drilling Month:	11
Drilling Day:	13
Drilling Year:	2003
Well Depth:	34
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7508333
Longitude:	-95.6255556
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511922&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511922&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
157	2 of 2	WSW	2.57 / 13,559.21	USGS-294503095373201 TX	FED USGS

Site No:	USGS-294503095373201
Site Type:	Well
Formation Type:	Chicot Aquifer, Upper
Date Drilled:	20031113
Well Depth:	33.5
Well Depth Unit:	ft
Well Hole Depth:	33.5
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-922
Latitude:	29.75083333000000
Longitude:	-95.6255556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	1 of 9	NNE	2.58 / 13,600.16	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6512517
Owner Name: City of Houston
Drilling Start Dt: 1976-12-15
Drilling Month: 1
Drilling Day: 4
Drilling Year: 1977
Well Depth: 1573
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8056028
Longitude: -95.5730444
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512517&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512517&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	2 of 9	NNE	2.58 / 13,600.16	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6512513
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 452
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8058333
Longitude: -95.5725000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512513&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512513&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	3 of 9	NNE	2.58 / 13,600.16	CITY OF HOUSTON TX	WUD

St Well No:	6512517
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AD
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AD
Date Drilled:	03/25/1977
Well Depth:	1573
Screen Top:	696
Screen Bottom:	1557
Gallons Per Minute:	1745
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.80560303
Longitude:	-95.57304382
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	4 of 9	NNE	2.58 / 13,600.16	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CJ
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.806338
Longitude:	-95.573555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	5 of 9	NNE	2.58 / 13,600.16	CITY OF HOUSTON TX	WUD

St Well No:	6512513
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CI
Date Drilled:	09/03/1969
Well Depth:	452
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INATIVE - PLUGGED
CCN:	P1552
Latitude:	29.806338
Longitude:	-95.573555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	6 of 9	NNE	2.58 / 13,600.16	Houston, City of TX	WW HARRIS GAL

Well ID:	1102	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1969
Permit No:	W1991-1002-37198-0	**Depth Drilled:**	452
Permit Start Date:	2/1/1991	**Depth frm Surf(ft):**	300
Permit End Dt:	1/31/1992	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.806111
Regulatory Aarea:	3	**Longitude:**	-95.573333

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	7 of 9	NNE	2.58 / 13,600.16	Houston, City of TX	WW HARRIS GAL

Well ID:	2576	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1625
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.805555
Regulatory Aarea:	3	**Longitude:**	-95.573055

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	8 of 9	NNE	2.58 / 13,600.16	USGS-294820095342001 TX	FED USGS

Site No:	USGS-294820095342001
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19690815
Well Depth:	452
Well Depth Unit:	ft
Well Hole Depth:	510
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-513
Latitude:	29.80583333000000
Longitude:	-95.5725000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
158	9 of 9	NNE	2.58 / 13,600.16	USGS-294820095342002 TX	FED USGS

Site No:	USGS-294820095342002
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	1977
Well Depth:	1573
Well Depth Unit:	ft
Well Hole Depth:	1602
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-517
Latitude:	29.80583333000000
Longitude:	-95.5725000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
159	1 of 1	SSW	2.58 / 13,621.89	RAYKO CONSTRUCTION CO. TX	TCEQ WELL LOGS

Grid No:	65-20-1E
Date Drilled:	09/17/1970
Owners Name:	RAYKO CONSTRUCTION CO.
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	138
Depth Drilled:	290
Latitude:	29.736678
Longtiude:	-95.606228

65-20-1E 1E

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-1E
Located on map
Received: 9/17

1) OWNER:
Person having well drilled Rayko Construction Co. (Name) Address 5612 So. Rice Avenue (Street or RFD) Houston, Texas 36 (City) (State)

Landowner Texaco, Inc. (Name) Address 1111 Rusk (Street or RFD) Houston, Texas (City) (State)

2) LOCATION OF WELL:
County Harris, miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

see reverse side for map

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well x Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial x Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary x Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 290 ft. Depth of completed well 290 ft. Date drilled 9-17-70

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	surface & hard yellow clay
24	48	white clay
48	70	red clay
70	79	sand
79	106	red clay
106	120	sand
120	144	sand loose broken
144	166	shale brown loose
166	179	sand
179	258	shale sandy
258	290	sand

(Use reverse side if necessary)

9) Casing:
Type: Old New x Steel x Plastic Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage

10) SCREEN:
Type Stainless Steel
Perforated x Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½" screen	290	275	.012
2½" blank	275	265	

7) COMPLETION (Check):
Straight wall x Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 138 ft. below land surface Date 9-17-70
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 189 ft.
Below land surface.

11) WELL TESTS:
Was a pump test made? Yes No x If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No x
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R.B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton (Street or RFD) P.O. Box 8707 Houston (City) Texas (State) 77009

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



TEXAS WATER DEVELOPMENT BOARD
FEB 26 1971
RECEIVED

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
160	1 of 4	W	2.58 / 13,628.92	HCO MUD 223 TX	GWDB

Well Rep Track No:	
State Well No:	6511913
Owner Name:	HCO MUD 223
Drilling Start Dt:	
Drilling Month:	1
Drilling Day:	
Drilling Year:	1975
Well Depth:	1305
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7683330
Longitude:	-95.6391670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511913&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511913&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
160	2 of 4	W	2.58 / 13,628.92	CITY OF HOUSTON TX	WUD

St Well No:	6511913
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QZ
Date Drilled:	01/00/1975
Well Depth:	1310
Screen Top:	772
Screen Bottom:	1286
Gallons Per Minute:	2000
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.76609993
Longitude:	-95.63375092
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
160	3 of 4	W	2.58 / 13,628.92	Houston, City of TX	WW HARRIS GAL

Well ID:	3837	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1650
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	800
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.766111
Regulatory Aarea:	3	**Longitude:**	-95.633888

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
160	4 of 4	W	2.58 / 13,628.92	USGS-294605095383001 TX	FED USGS

Site No:	USGS-294605095383001
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19750101
Well Depth:	1305
Well Depth Unit:	ft
Well Hole Depth:	1392
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-913
Latitude:	29.76833333000000
Longitude:	-95.6419444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
161	1 of 4	WNW	2.61 / 13,757.08	ALLEN,EARL,PETER,THOMAS,JR.&RICH TX	WW HARRIS GAL

Well ID:	3883	**Diameter (inches):**	10
Aggre Lead Well:	3883	**Year Drilled:**	1986
Permit No:	W1985-3883-22289-0	**Depth Drilled:**	650
Permit Start Date:	6/1/1985	**Depth frm Surf(ft):**	500
Permit End Dt:	5/31/1986	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.785555
Regulatory Aarea:	3	**Longitude:**	-95.631111

Owner Name:	ALLEN,EARL,PETER,THOMAS,JR.&RICH
Billing Contact:	NULL
Billing Address:	888 W. BELT S. #200
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77042
Correspondence:	M. HERB MCDONALD, JR.
Provision:	NULL
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
161	2 of 4	WNW	2.61 / 13,757.08	Central Park West, LP TX	WW HARRIS GAL

Well ID:	10079	**Diameter (inches):**	4
Aggre Lead Well:	10079	**Year Drilled:**	2005
Permit No:	W2013-10079-163851-0	**Depth Drilled:**	260
Permit Start Date:	6/1/2013	**Depth frm Surf(ft):**	0
Permit End Dt:	6/1/2013	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.786388
Regulatory Aarea:	3	**Longitude:**	-95.631388
Owner Name:	Central Park West, LP		
Billing Contact:	NULL		
Billing Address:	20 Briar Hollow Ln.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
161	3 of 4	WNW	2.61 / 13,757.08	Vinchar Partners, Ltd. TX	WW HARRIS GAL

Well ID:	7133	**Diameter (inches):**	4
Aggre Lead Well:	7133	**Year Drilled:**	
Permit No:	W2013-7133-164338-0	**Depth Drilled:**	263
Permit Start Date:	12/31/2012	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2012	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.786111
Regulatory Aarea:	3	**Longitude:**	-95.631388
Owner Name:	Vinchar Partners, Ltd.		
Billing Contact:	NULL		
Billing Address:	1800 Bering Dr., Suite 385		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77057		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
161	4 of 4	WNW	2.61 / 13,757.08	Vinchar Partners 13922 Old Katy Road Houston TX 77079	SDRW WELLS

Track NO: 60540
Date Submitted: 2005-06-08
Owner Name: Vinchar Partners
Owner Address: 1800 Bering Drive Suit# 385
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77057
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.786389
Longitude: -95.631389
Drilling Date Started: 2005-05-25
Drilling Date Completed: 2005-05-27
Chemical Analysis: No
Company Name: Tim Franks Water Well Service
Company Address: PO Box 93
CompanyAddress2:
Company City: Dobbin
Company State: TX
Company Zip: 77333
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=60540&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 240

Top Depth: 240
Bottom Depth: 270

Top Depth:
Bottom Depth: 270.0

Well Levels

Measurement: 159
Measurement Date: 2005-05-27

Well Strata

Water Type:

soft

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
162	1 of 1	ENE	2.61 / 13,767.54	INT. STEEL DEPOT INC TX	TCEQ WELL LOGS

Grid No:	65-11-9Q
Date Drilled:	03/09/1976
Owners Name:	INT. STEEL DEPOT INC
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	160
Depth Drilled:	371
Latitude:	29.7856002
Longtiude:	-95.5509243

13

65-11-9Q

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-98
Located on map Yes
Received: 76
cc

1) OWNER:
Person having well drilled Int. Steel Depot Inc. (Name) Address 10220 Old Katy Rd. (Street or RFD) Houston, TX (City) (State)
Landowner same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

13

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
X New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | X Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
X Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 371 ft. Depth of completed well 371 ft. Date drilled 3/9/76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	top soil
6	25	white sand
25	40	clay
40	70	sand clay staks
70	73	clay
73	90	shell
90	100	white clay
100	115	sand
115	120	clay
120	145	sand
145	160	clay

(Use reverse side if necessary)

9) Casing:
Type: Old x New Steel x Plastic Other
Cemented from 200 ft. to 350 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	350	40

10) SCREEN:
Type plastic
X Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2	361	371	012

7) COMPLETION (Check):
Straight wall | Gravel packed | Other cemented
Under reamed | Open Hole

8) WATER LEVEL:
Static level 160 ft. below land surface Date 3/9/76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 231 ft.
below land surface.

11) WELL TESTS: Ronald Chilton
Was a pump test made? x Yes No If yes, by whom?
Yield: 250 gpm with 30 ft. drawdown after 2 hrs.
Bailer test no gpm with no ft. drawdown after hrs.
Artesian flow no gpm
Temperature of water 72°

12) WATER QUALITY:
Was a chemical analysis made? Yes No x
Did any strata contain undesirable water? Yes No x
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ronald Chilton (Type or Print) Water Well Drillers Registration No. #1630
ADDRESS 11803 Beeville (Street or RFD) Houston, (City) Texas (State)
(Signed) Ronald W Chilton (Water Well Driller) CHILTON PUMP & WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-6

RECEIVED

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
163	1 of 1	NE	2.63 / 13,870.38	Robert R. Sloan TX	GWDB

Well Rep Track No:	
State Well No:	6512512
Owner Name:	Robert R. Sloan
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1967
Well Depth:	217
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.8036120
Longitude:	-95.5675000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512512&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512512&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
164	1 of 2	NNE	2.63 / 13,878.71	Baker Hughes Inc. TX	GWDB

Well Rep Track No:
State Well No: 6512515
Owner Name: Baker Hughes Inc.
Drilling Start Dt:
Drilling Month: 5
Drilling Day: 22
Drilling Year: 1970
Well Depth: 346
Well Usage: Industrial
Water Level Status:
Latitude: 29.8052780
Longitude: -95.5705550
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512515&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512515&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
164	2 of 2	NNE	2.63 / 13,878.71	TOMMY LANDERS TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	10/10/2000
Owners Name:	TOMMY LANDERS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	28
Depth Drilled:	54
Latitude:	29.805227
Longtiude:	-95.570268

Send original copy by certified return receipt requeste I to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Tommy Landers (Name) ADDRESS 1665 Brittmore (Street or RFD) Houston (City) TX (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Harris (Street, RFD or other) (City) (State) (Zip) Long. ____ Lat. ____ Grid # 65-12-5

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) 0 N

6) WELL LOG:
Date Drilling:
Started 10-10 19 2000
Completed 10-10 19 2000

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
5	Surface	54

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	12	Clay
12	16	Sand
16	33	Clay
33	38	Rock
38	47	Clay
47	54	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	Plastic casing	0	44	SCH40
2	N	Plastic screen	44	54	.006

9) CEMENTING DATA
Cemented from 47 ft. to 0 ft. No. of sacks used 7
____ ft. to ____ ft. No. of sacks used ____
Method used Pressure
Cemented by Raymond Services, Inc.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance Customer

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
[ ] Turbine [X] Jet [ ] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[ ] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[X] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 28 ft. below land surface Date 10-10-2000
Artesian flow ____ gpm. Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? [ ] Yes [ ] No

12) PACKERS: Type Depth

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Raymond Services, Inc. (Type or print) WELL DRILLER'S LICENSE NO. ~~45731~~ 54533PW

ADDRESS 10011 Airline Drive, Houston, TX 77037 (Street or RFD) (City) (State) (Zip)

(Signed) [signature] (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
165	1 of 1	ENE	2.63 / 13,897.23	Lone Star Cement Co. TX	GWDB

Well Rep Track No:
State Well No: 6512807
Owner Name: Lone Star Cement Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1967
Well Depth: 353
Well Usage: Industrial
Water Level Status:
Latitude: 29.7850000
Longitude: -95.5502780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512807&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512807&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	1 of 8	SSW	2.64 / 13,944.17	City of Houston Rosewood #1 TX	GWDB

Well Rep Track No:	
State Well No:	6520103
Owner Name:	City of Houston Rosewood #1
Drilling Start Dt:	
Drilling Month:	4
Drilling Day:	12
Drilling Year:	1973
Well Depth:	1300
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7375000
Longitude:	-95.6119450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520103&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520103&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	2 of 8	SSW	2.64 / 13,944.17	City of Houston Rosewood TX	GWDB

Well Rep Track No:	
State Well No:	6520126
Owner Name:	City of Houston Rosewood
Drilling Start Dt:	
Drilling Month:	10
Drilling Day:	12
Drilling Year:	1983
Well Depth:	1340
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7375000
Longitude:	-95.6119450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520126&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520126&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	3 of 8	SSW	2.64 / 13,944.17	CITY OF HOUSTON TX	WUD

St Well No:	6520126
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FF
Date Drilled:	08/13/1983
Well Depth:	1340
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2170
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.737717
Longitude:	-95.611433
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	4 of 8	SSW	2.64 / 13,944.17	CITY OF HOUSTON TX	WUD

St Well No:	6520103
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FE
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FE
Date Drilled:	05/18/1973
Well Depth:	1300
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2335
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.73772
Longitude:	-95.611427
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	5 of 8	SSW	2.64 / 13,944.17	ROSEWOOD MUD WELL #3 TX	TCEQ WELL LOGS

Grid No: 65-20-1W
Date Drilled: 08/20/1983
Owners Name: ROSEWOOD MUD WELL #3
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 381
Depth Drilled: 1340
Latitude: 29.7377267
Longtiude: -95.6114586

1W Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-1W
Located on map Yes
Received: C.F.S.

1) OWNER Rosewood Mud SA SAB Contractor (Name) Address 9720 Derrington (Street or RFD) Houston (City) TX (State) (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. & Log in pocket

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG: Well #3
Date drilled 4/20/83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
28	Surface	960
34	960	1340 TD

7) BOREHOLE COMPLETION:
☒ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 960 ft. to 1340 TD ft.

From (ft.) To (ft.) Description and color of formation material

See attached Well log
Chem Analysis
E-log

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
24	N	Blank Steel csg	+4	960	
18	N	Blank Steel liner	458	960	
		18"x14" Swedge	960		
14	N	Blank Steel liner	961	970	
14	N	Slotted Bailey liner	970	1065	.030
"	"	"	1065	1125	"
"	"	"	1130	1201	"
"	"	"	1230	1260	"
"	"	"	1265	1280	"
"	"	"	1302	1322	"

CEMENTING DATA
Cemented from Surface ft. to 960 ft.
Method used Halliburton
Cemented by Halliburton (Company or Individual)

RECEIVED
OCT 18 1984
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 381 ft. below land surface Date 10/24/83
Artesian flow gpm. Date

10) PACKERS: Type Depth
None

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 570 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No Surf water encountered
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

12) WELL TESTS:
☒ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2252 gpm with 124 ft. drawdown after 24 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leland Lawson (Type or Print) Water Well Drillers Registration No. 29

ADDRESS P.O. Box 9464 (Street or RFD) Houston (City) TX (State) 77261 (Zip)

(Signed) Leland Lawson #29 (Water Well Driller) Layne Texas Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

CB

REPORT NO. IW Wp
S. O. 1102-1827
PAGE 1 of 1
FILE NO. 4105
DATE 8/20/83

\YNE TEXAS COMPAN

HOUSTON -:- DALLAS

WELL LOG

CUSTOMER LOCATION

FOR Rosewood M.U.D.

LOCATION WELL North of Westheimer & West of Dairy Ashford

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS

WELL DATA

NAME WELL WELL NO. 3

ELEVATION DATUM

RT C GR

TEST HOLE SIZE 9 7/8" TD 1803'

DATE STARTED DRILLING 8/10/83

DATE FINISHED DRILLING 8/20/83

DRILLER Heffernan RIG NO. 2

TYPE MUD Gel NO. SACKS 100

ELECTRIC LOG Yes TYPE G.O.

SURVEY Eastman TYPE Single Shot

OTHER Prather

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES DEPTH	SAMPLES TYPE	SAMPLES NUMBER
0		Surface			
3'	3'	Soil			
63'	60'	Clay & sand stks.			
79'	16'	Clay			
89'	10'	Sand			
107'	18'	Sandy clay			
203'	96'	Clay			
232'	29'	Fine sand & shale stks.			
259'	27'	Clay			
295'	36'	Sand			
341'	46'	Clay & sand stks.			
406'	65'	Clay			
426'	20'	Sand			
509'	83'	Coarse sand & shale stks.			
524'	15'	Shale			
565'	41'	Coarse sand & shale stks.			
577'	12'	Clay & shale			
688'	111'	Sand & lime stks.			
725'	37'	Shale & lime stks.			
768'	43'	Coarse sand & shale stks.			
958'	190'	Shale & lime stks.			
970'	12'	Sandy shale			
1020'	50'	Shale (hard)			
1030'	10'	Sand & shale stks.			
1064'	34'	Shale			
1188'	124'	Sand & shale stks.			
1240'	52'	Shale			
1321'	81'	Sand & shale stks.			
1427'	106'	Shale & clay			
1630'	203'	Shale			
1650'	20'	Sand & shale stks.			
1675'	25'	Shale			
1715'	40'	Sand & shale stks.			
1769'	54'	Shale			
1794'	25'	Sand & shale stks.			
1803'	9'	Shale			

cB

IW Dep

EDNA WOOD LABORATORIES INC.

WATER TECHNOLOGISTS · · CHEMISTS · · MICROBIOLOGISTS

31 October 1983

To: Layne Texas Company
P. O. Box 9469
Houston, Texas 77261

SO #1102-1827

Samples marked: Well No. 2, Sample #1, Rosewood MUD, Harris County, Texas Taken after 24 hrs. pumping at 2,252 gpm. 10 min. static head: 397'. Pumping level: 509'. Screened: 970' to 1,322'. By: C. Pipes

Received: 10-26-83

WATER ANALYSIS
results in parts per million (mg/l) except as noted

Dissolved Residue at 350° C		285	Conductance, micromhos/cm, 25°C		520
Total Dissolved Solids, actual†		402	Color, units		3
Total Dissolved Solids, calc.		409	Turbidity, units		0.2
Silica	SiO_2	18	As Calcium Carbonate, $CaCo_3$:		
Calcium	Ca	34	Phenolphthalein Alkalinity		0
Magnesium	Mg	8	Total Alkalinity		188
Sodium (diff.) Na + K as	Na	66	Total Hardness		116
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	14
Bicarbonate	HCO_3	229	pH · · · 7.40 at 24°C		
Sulfate	SO_4	14	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	40	Calcium Bicarbonate		136
Total Fluoride	F	0.3	Magnesium Bicarbonate		47
Total Nitrate	NO_3	< 0.1	Sodium Bicarbonate		120
Total Manganese	Mn	< 0.05	Sodium Sulfate		21
Total Iron	Fe	0.08	Sodium Chloride		66
Iron, filtered sample	Fe	-	Sodium Fluoride		1
			Silica		18
			Total Dissolved Solids, Calc.		409


†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

8076
pm

EDNA WOOD LABORATORIES, INC.

By: Alice Perry
Alice Perry, Supervising Chemist

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	6 of 8	SSW	2.64 / 13,944.17	Houston, City of TX	WW HARRIS GAL

Well ID:	3762	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1982
Permit No:	WP2023-117626	**Depth Drilled:**	1200
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	600
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.737777
Regulatory Aarea:	3	**Longitude:**	-95.611388
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	7 of 8	SSW	2.64 / 13,944.17	USGS-294414095364201 TX	FED USGS

Site No:	USGS-294414095364201
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19730412
Well Depth:	1300
Well Depth Unit:	ft
Well Hole Depth:	1314
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-103
Latitude:	29.73750000000000
Longitude:	-95.6119444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
166	8 of 8	SSW	2.64 / 13,944.17	USGS-294414095364202 TX	FED USGS

Site No:	USGS-294414095364202
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19830820
Well Depth:	1322
Well Depth Unit:	ft
Well Hole Depth:	1803
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-126
Latitude:	29.73750000000000
Longitude:	-95.6119444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
167	1 of 3	NE	2.65 / 13,979.79	TOWN & COUNTRY CONCRETE TX	TCEQ WELL LOGS

Grid No:	65-20-1X
Date Drilled:	08/26/1985
Owners Name:	TOWN & COUNTRY CONCRETE
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	80
Depth Drilled:	254
Latitude:	29.802622
Longtiude:	-95.565027

P 153

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Town & Country Concrete (Name) Address 1585 Westbelt N. (Street or RFD) HOuston (City) Texas (State) 77093 (Zip)

2) LOCATION OF WELL:
County Harris 5 miles in S.E. (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 8/26/1985

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½"	Surface	254

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Topsoil
3	34	Clay
34	54	Shale & Clay
54	74	Clay
74	110	Sand & Clay
110	150	Sand
150	170	Clay
170	205	Sand +
205	212	Shale
212	214	SAnd
214	250	Sand +
250	254	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	n	factory slotted screen	220	250	.014
4	n	jetstream PVC casing 1" above surface	220	80	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0" ft. to 15' ft.
_____ ft. to _____ ft.
Method used Sleeve Type
Cemented by Austin County W ater well Service Inc.

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 80' ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

RECEIVED
SEP 24 1985
TEX . W TER COM ISSION

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., — ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 100 gpm with 50 ft. drawdown after 2 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Austin County water Well Service Inc... (Type or Print) Water Well Driller's License No. (1873) and 1874

ADDRESS 1323 Meyer (Street or RFD) Sealy (City) Texas (State) 77474 (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) Jerry J. Bartos (Registered Driller Trainee)

For TDWR use only
Well No. 65-20-1X
Located on map Yes DLF

Please attach electric log, chemical analysis, and other pertinent information, if available

DEPARTMENT OF WATER RESOURCES COPY

TDWR-0392 (12/29/83)

X

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
167	2 of 3	NE	2.65 / 13,979.79	TOWN & COUNTRY CONCRETE, INC TX	TCEQ WELL LOGS

Grid No:	65-19-3E
Date Drilled:	03/31/1980
Owners Name:	TOWN & COUNTRY CONCRETE, INC
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	150
Depth Drilled:	220
Latitude:	29.802622
Longtiude:	-95.565027

65-19-3E DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-19-3E
Located on map YES
Received: TH

1) OWNER Town & Country Concrete, Inc. (Name) Address 13410 Westheimer (Street or RFD) Houston (City) Tx. (State) 77077 (Zip)

2) LOCATION OF WELL:
County Harris 10 miles in West (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 3-31-80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	220

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other cement well
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	top soil
5	42	clay
42	47	sand
47	62	clay
62	71	sand
71	110	clay
110	130	sand
130	134	clay
134	145	sand
145	175	clay
175	245	sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	0	220	
	N	20' 2½" screen	225	245	8g
		8' blank			

CEMENTING DATA
Cemented from ____ ft. to ____ ft.
Method used pump pressure
Cemented by Aldine Pump & Well Service, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 150 ft. below land surface Date 4-1-80
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth
K Packers

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Baller ☐ Jetted ☐ Estimated
Yield: 40 gpm with ____ ft. drawdown after 1 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Vernon W. Gray (Type or Print) Water Well Drillers Registration No. 2011


ADDRESS 2226 Aldine Bender (Street or RFD) Houston (City) Tx (State) 77032 (Zip)

(Signed) Vernon W. Gray (Water Well Driller) Aldine Pump & Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY



RECEIVED
MAY 29 1980
DEPT. OF
WATER RESOURCES

RECEIVED
NOV 20 1963

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
167	3 of 3	NE	2.65 / 13,979.79	TOWN & COUNTRY TX	TCEQ WELL LOGS

Grid No:	65-20-1X
Date Drilled:	08/27/1985
Owners Name:	TOWN & COUNTRY
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	80
Depth Drilled:	254
Latitude:	29.802622
Longtiude:	-95.565027

P/253

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Town & Country (Name) Address 1585 West Belt N. (Street or RFD) Houston (City) Texas (State) 77093 (Zip)

2) LOCATION OF WELL:
County HArris 5 miles in S.E. (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. Map no 65. 20-1X

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 8/27/1985

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½"	Surface	254

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Topsoil
3	19	Sand & Clay
19	34	Shale & Sand
34	110	Clay
110	114	SAnd
114	134	Sand & CLAY
134	154	Sand
154	174	Limestone
174	194	Sand
194	214	Sand & Shale
214	220	Sand & Shale
220	250	SAnd
250	270	Sand & Shale
270	274	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	n	factory slotted screen 30'	220	250	.014
4	n	jetstream pvc casing 1"above surface	220	80	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15' ft.
_____ ft. to _____ ft.
Method used Sleeve
Cemented by ACWWS

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 80' ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

RECEIVED
SEP 24 1985
TEXAS WATER COMMISSION

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., — ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 100 gpm with 20 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AUSTIN COUNTY WATER WELL SER. (Type or Print) Water Well Driller's License No. 1873 and 1874

ADDRESS 1323 Meyer Street (Street or RFD) Sealy (City) Texas (State) 77474 (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) Jerry J Barta (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 61-20-1X
Located on map Yes DLF

TWR-0392 (12/29/83) DEPARTMENT OF WATER RESOURCES COPY

X

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
168	1 of 1	W	2.65 / 14,007.57	Memorial Lakefront Townhouse Association TX	WW HARRIS GAL

Well ID:	5551	**Diameter (inches):**	4
Aggre Lead Well:	5551	**Year Drilled:**	1990
Permit No:	WP2024-106035	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 4:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025 4:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.771111
Regulatory Aarea:	3	**Longitude:**	-95.635833

Owner Name: Memorial Lakefront Townhouse Association
Billing Contact: Nicolette Vazquez
Billing Address: 8323 Southwest Freeway, Suite 330
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77074
Correspondence: Creative Property Management Co.
Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
169	1 of 2	WSW	2.67 / 14,080.38	SAINT PAUL II SCHOOL TX	TCEQ WELL LOGS

Grid No: 65-11-9
Date Drilled: 06/23/2000
Owners Name: SAINT PAUL II SCHOOL
County: HARRIS
Water Usage: IRRIGATION
Static Level: 171
Depth Drilled: 432
Latitude: 29.761227
Longtiude: -95.633987

'TENTION OWNER: Confidentiality
ivilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

OWNER: SAINT PAUL II SCHOOL ADDRESS: 1400 PARKWAY PLAZA CITY: HOUSTON STATE: TX ZIP: -

ADDRESS OF WELL:
County: HARRIS GRID # 65-11-9
Street or RFD: 1400 PARKWAY PLAZA
City, State, Zip code: HOUSTON , TX -

5)

TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

WELL LOG: 01873 | DIAMETER OF HOLE | 7) DRILLING METHOD: | 8) BOREHOLE COMPLETION:

DIAMETER	FROM	TO
8.5	0	389
4.875	389	432

TE DRILLING: MUD ROTARY TWO STRING/K-PACKER
STARTED: 06/12/00
COMPLETED: 06/23/00
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

ASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	389	CASING
3.0	N	P.V.C. SCH.40	382	390	LINER
3.0	N	P.V.C. - UNDERBAR	390	400	.010
3.0	N	P.V.C. SCH.40	400	410	LINER
3.0	N	P.V.C. - UNDERBAR	410	430	.010
3.0	N	P.V.C. SCH.40	430	432	BLANK

OLOGICAL DESCRIPTION:

OM	TO	DESCRIPTION
0	2	SOIL
2	20	CLAY-GRAY CLAY-TAN CLAY-RED
20	32	SAND-TAN-FINE SAND-TAN-.006-.008
32	38	BROKEN SAND & CLAY
38	50	SAND-TAN-.010-.012 SAND-TAN-.014-.020
50	90	CLAY-RED CLAY-GRAY
90	108	SAND-TAN-.010-.012
108	128	CLAY-RED
128	176	SAND-TAN-.014-.020 GRAVEL
176	184	CLAY-RED CLAY-BLUE
184	292	SAND-TAN-.014-.020 GRAVEL
292	320	CLAY-RED BROKEN SAND & CLAY
320	355	SAND-TAN-.014-.020
355	370	CLAY / SAND STREAKS
370	400	SAND-WHITE-.010-.012

9) CEMENTING DATA:
Cemented from FT. TO 389 FT. No. of Sacks Used 76
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
CITY SEWER

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : 171 FT. DATE: 06/15/00
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	382
K-PACKER	383

TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 339

14) WELL TEST:
JETTED
YIELD: 100 GPM WITH FT DRAWDOWN AFTER HRS

WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 432 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

1PANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843, 2350, 2843
)RESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

IEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN
TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE
(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

igned) Carl Lofton (signed)
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

STAT OF TEXAS WATER WELL REPORT (PAGE 2)

WNER: SAINT PAUL II SCHOOL ADDRESS: 1400 PARKWAY PLAZA CITY: HOUSTON STATE: TX ZIP: -

400	406	SHALE
406	430	SAND-WHITE-,010-.012
430	432	CLAY-RED

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
169	2 of 2	WSW	2.67 / 14,080.38	St. John Paul II Catholic School TX	WW HARRIS GAL

Well ID:	7766	**Diameter (inches):**	4
Aggre Lead Well:	7766	**Year Drilled:**	2000
Permit No:	WP2024-104889	**Depth Drilled:**	400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7625
Regulatory Aarea:	3	**Longitude:**	-95.633611
Owner Name:	St. John Paul II Catholic School		
Billing Contact:	Rebecca Bogard		
Billing Address:	1400 Parkway Plaza Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
170	1 of 3	SE	2.67 / 14,089.37	B.M.C. SOFTWARE TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	05/05/1998
Owners Name:	B.M.C. SOFTWARE
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	198
Depth Drilled:	432
Latitude:	29.743981
Longtiude:	-95.560413

STATE TEXAS WATER WELL REPORT

OWNER: B.M.C. SOFTWARE ADDRESS: 2101 CITY WEST CITY: HOUSTON STATE: TX ZIP:
LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

LEGAL DESCRIPTION SEE ATTACHED MAP

TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION 5) DRILLING METHOD: MUD ROTARY

WELL LOG: 01435 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
9.0	0	398
4.875	398	432


TWO STRING/X-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 05/05/98

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE	CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	398		CASING
3.0	N	STEEL, NEW, GALV.	390	402		LINER
3.0	N	STAINLESS - ROD BASE	402	412	.008	
3.0	N	STAINLESS - ROD BASE	412	432	.014	

WELL # 65-20-2



GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	4	FILL SOIL
0	4	FILL SOIL
4	17	CLAY-GRAY CLAY-TAN CLAY-RED
17	21	SAND-RED-FINE
21	30	CLAY-RED
30	52	SAND-RED-FINE SAND-RED-.006-.008
52	175	CLAY-RED CLAY-GRAY
175	190	SAND-TAN-.014-.020
190	195	CLAY-RED
195	215	SAND-TAN-.014-.020
215	255	CLAY-RED
255	268	SAND-TAN-.014-.020
268	274	BROKEN SAND & CLAY
274	296	SAND-WHITE-.010-.012
296	314	CLAY-RED CLAY-BLUE

9) CEMENTING DATA:
Cemented from 0 FT. TO 398 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 198 FT. DATE: 05/08/98
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 341

14) WELL TEST:
JETTED
YIELD: 150 GPM WITH FT DRAWDOWN AFTER HRS

SEP 02 1998

WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 432 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843, 2350, 2843
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Carl Lofton (signed)
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

STATE OF TEXAS WATER WELL REPORT (PAGE 2)

OWNER: B.M.C. SOFTWARE ADDRESS: 2101 CITY WEST CITY: HOUSTON STATE: TX ZIP:

314	339	SAND-WHITE-.010-.012
339	345	CLAY-RED CLAY-BLUE
345	364	SAND-WHITE-.010-.012
364	378	CLAY-GRAY
378	387	SAND-WHITE-.010-.012
387	397	CLAY-GRAY CLAY-BLUE
397	432	SAND-WHITE-.010-.012 SAND-WHITE-.014-.020
432	432	ROCK

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
170	2 of 3	SE	2.67 / 14,089.37	Parkway Properties TX	WW HARRIS GAL

Well ID:	4795	**Diameter (inches):**	5
Aggre Lead Well:	4795	**Year Drilled:**	1993
Permit No:	WP2024-108714	**Depth Drilled:**	442
Permit Start Date:	5/1/2024 1:09:00 PM	**Depth frm Surf(ft):**	411
Permit End Dt:	4/30/2025 1:09:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.742777
Regulatory Aarea:	3	**Longitude:**	-95.559722

Owner Name: Parkway Properties
Billing Contact: Amber Dale
Billing Address: 2103 City West Blvd Suite 130
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77042
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
170	3 of 3	SE	2.67 / 14,089.37	Parkway Properties TX	WW HARRIS GAL

Well ID:	6457	**Diameter (inches):**	5
Aggre Lead Well:	4795	**Year Drilled:**	1998
Permit No:	WP2024-108714	**Depth Drilled:**	450
Permit Start Date:	5/1/2024 1:09:00 PM	**Depth frm Surf(ft):**	410
Permit End Dt:	4/30/2025 1:09:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.744722
Regulatory Aarea:	3	**Longitude:**	-95.558888

Owner Name: Parkway Properties
Billing Contact: Amber Dale
Billing Address: 2103 City West Blvd Suite 130
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77042
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
171	1 of 4	WNW	2.67 / 14,098.47	Harris Co. Precinct 3 Camp TX	GWDB

Well Rep Track No:
State Well No: 6511904
Owner Name: Harris Co. Precinct 3 Camp
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1968
Well Depth: 300
Well Usage: Domestic
Water Level Status:
Latitude: 29.7861110
Longitude: -95.6341670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511904&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511904&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
171	2 of 4	WNW	2.67 / 14,098.47	HARRIS COUNTY PRECINCT 3 TX	TCEQ WELL LOGS

Grid No: 65-11-9D
Date Drilled: 01/04/1968
Owners Name: HARRIS COUNTY PRECINCT 3
County: HARRIS
Water Usage: COUNTY CAMP WATER SUPPLY
Static Level: 103
Depth Drilled: 304
Latitude: 29.78636
Longtiude: -95.63247

9D

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 25-11-90
Located on map YC S
By dr Date 4-8
Map no.

1) Well Owner: Harris County Precinct 3 Addicks Camp 13930 Katy Rd, Houston Texas
(Name, Street or P.O., City, State)

2) Land Owner: Same

3) Intended use: Industrial ☐ ;Municipal ☐ ;Irrigation ☐ ;Other County Camp Water Supply

4) Location of well: County Harris Labor League Abstract No. 828

SW¼ NE¼ SW¼ SE¼ of Section Block No. Survey Joel Wheaton
(Circle as many as are known)

3/4 miles in east direction
from Addicks on Old Katy Rd
13930 Katy Rd.

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 6½" in. Date drilled 4 Jan. 1968

All measurements made from 4 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material
0	15	clay
15	36	sand
36	90	clay
90	153	sand
153	155	clay
155	170	sand
170	196	clay
196	210	sand
210	220	clay
220	241	sand
241	245	clay
245	302	course sand
302	304	clay

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall ☒
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING

Type: Old ☐ New ☒ Galvanized
Cemented from 125' ft.
to 275' ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4"	0	275

SCREEN

Type Pipe based stainless steel
Perforated ☐ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½	275'	300'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

B.J. Swinehart (Signature) B.J Swinehart Co., Inc Reg. No. 229

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 103' ft. below ground level

Pumping level

feet	hours	gpm
110(estimated)		70

Pump type Jacuzzi Sumersible 4S4X20
Designed pumping rate 60 GPM gpm ☐ gph ☐
Type power unit Electric
Horsepower 5
Depth to bowls, cylinder, jet, etc., 190 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-4)

GM

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
171	3 of 4	WNW	2.67 / 14,098.47	PRO SHOT DRIVING RANGE TX	TCEQ WELL LOGS

Grid No: 65-12-6
Date Drilled: 06/04/1996
Owners Name: PRO SHOT DRIVING RANGE
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 162
Depth Drilled: 295
Latitude: 29.78636
Longtiude: -95.63247

Send original copy by certified mail to: TNRCC, P.O. Box 13... ustin, TX 78711-3087

Please use black ink. 488

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Pro Shot Driving Range (Name) ADDRESS 2919 Rock Arbor (Street or RFD) Hstn (City) Tx (State) 77063 (Zip)

2) ADDRESS OF WELL: County Harris 14000 Old Katy Rd. (Street, RFD or other) Houston (City) Tx (State) (Zip) GRID # 65-12-6

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☑ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☑ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling: Started 6/3 19 96 Completed 6/4 19 96

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
8 3/4	Surface	275
4 3/4	275	295

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	14	Top Soil & Clay
14	34	Surface Sand
34	95	Clay
95	182	Sand & Gravel
182	197	Clay
197	210	Sand
210	237	Clay
237	295	Sand

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
5	N	SDR17	0	275	
3	N	Galvanized	270	275	
3	N	PVC Screens	275	295	.014

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 275 ft. No. of sacks used 45
ft. to ____ ft. No. of sacks used ____
Method used Halliburton
Cemented by Bussell & Son Inc.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 162 ft. below land surface Date 6-4-96
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
K-Packer	270

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 12 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 804 (Street or RFD) Tomball (City) Texas (State) 77377-0804 (Zip)

(Signed) Craig O. Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
171	4 of 4	WNW	2.67 / 14,098.47	PRO SHOT TX	WW HARRIS GAL

Well ID:	5607	**Diameter (inches):**	5
Aggre Lead Well:	5607	**Year Drilled:**	
Permit No:	W1998-5607-4399-0	**Depth Drilled:**	300
Permit Start Date:	6/1/1998	**Depth frm Surf(ft):**	260
Permit End Dt:	6/1/1998	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.784722
Regulatory Aarea:	3	**Longitude:**	-95.632777
Owner Name:	PRO SHOT		
Billing Contact:	NULL		
Billing Address:	2919 ROCKARBOR		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77063		
Correspondence:	MARK HOLLE		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
172	1 of 1	SSW	2.67 / 14,116.10	Builders Landscaping, Inc. 12430 Oxford Park Houston TX 77077	SDRW WELLS

Track NO: 170530
Date Submitted: 2009-03-10
Owner Name: Builders Landscaping, Inc.
Owner Address: P.O. Box 610
Owner Address2:
Owner City: Richmond
Owner State: TX
Owner Zip: 77406
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.735
Longitude: -95.602223
Drilling Date Started: 2004-12-08
Drilling Date Completed: 2005-01-24
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: P.O. Box 664
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=170530&Type=SDR-Well

Well Borehole Information

Top Depth: 323
Bottom Depth: 335

Top Depth: 0
Bottom Depth: 323

Top Depth:
Bottom Depth: 335.0

Well Levels

Measurement: 182
Measurement Date: 2005-01-17

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
173	1 of 4	SE	2.68 / 14,129.13	City of Houston Wilcrest TX	GWDB

Well Rep Track No:
State Well No: 6520216
Owner Name: City of Houston Wilcrest
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1968
Well Depth: 1312
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7447220
Longitude: -95.5719440
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520216&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520216&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
173	2 of 4	SE	2.68 / 14,129.13	CITY OF HOUSTON TX	WUD

St Well No:	6520216
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IP
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IP
Date Drilled:	00/00/1968
Well Depth:	1312
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.74523
Longitude:	-95.55883
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
173	3 of 4	SE	2.68 / 14,129.13	Houston, City of TX	WW HARRIS GAL

Well ID:	1137	**Diameter (inches):**	16
Aggre Lead Well:	1001	**Year Drilled:**	1968
Permit No:	W1986-1001-24262-0	**Depth Drilled:**	1312
Permit Start Date:	2/1/1986	**Depth frm Surf(ft):**	820
Permit End Dt:	1/31/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.744444
Regulatory Aarea:	3	**Longitude:**	-95.570277

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
173	4 of 4	SE	2.68 / 14,129.13	USGS-294440095341801 TX	FED USGS

Site No:	USGS-294440095341801
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19680823
Well Depth:	1312
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-216
Latitude:	29.74472220000000
Longitude:	-95.5719444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
174	1 of 1	SSE	2.69 / 14,179.30	Marquis At Westchase TX	WW HARRIS GAL

Well ID:	5418	**Diameter (inches):**	5
Aggre Lead Well:	5418	**Year Drilled:**	1995
Permit No:	WP2024-102975	**Depth Drilled:**	425
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	400
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.733055
Regulatory Aarea:	3	**Longitude:**	-95.578333
Owner Name:	Marquis At Westchase		
Billing Contact:	JoAnne DeLeon		
Billing Address:	2777 Woodland Park Dr., Office		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
175	1 of 1	SSE	2.70 / 14,266.07	SMITH, VIVIAN L. TX	WW HARRIS GAL

Well ID:	1896	**Diameter (inches):**	4
Aggre Lead Well:	1896	**Year Drilled:**	1981
Permit No:	W1978-1896-896-0	**Depth Drilled:**	200
Permit Start Date:	11/30/1953	**Depth frm Surf(ft):**	0
Permit End Dt:	11/30/1953	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.736944
Regulatory Aarea:	3	**Longitude:**	-95.569444
Owner Name:	SMITH, VIVIAN L.		
Billing Contact:	NULL		
Billing Address:	2000 W. Loop South, Suite 1900		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
176	1 of 4	W	2.72 / 14,368.28	City of Houston Fleetwood TX	GWDB

Well Rep Track No:
State Well No: 6511914
Owner Name: City of Houston Fleetwood
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1976
Well Depth: 1135
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7541667
Longitude: -95.6366667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511914&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511914&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
176	2 of 4	W	2.72 / 14,368.28	CITY OF HOUSTON TX	WUD

St Well No:	6511914
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EV
Date Drilled:	01/16/1976
Well Depth:	1135
Screen Top:	726
Screen Bottom:	1120
Gallons Per Minute:	1181
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.77086067
Longitude:	-95.63656616
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
176	3 of 4	W	2.72 / 14,368.28	Houston, City of TX	WW HARRIS GAL

Well ID:	2605	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1976
Permit No:	WP2023-117626	**Depth Drilled:**	1135
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	726
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.770833
Regulatory Aarea:	3	**Longitude:**	-95.636666
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
176	4 of 4	W	2.72 / 14,368.28	USGS-294627095375801 TX	FED USGS

Site No:	USGS-294627095375801
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19760116
Well Depth:	1135
Well Depth Unit:	ft
Well Hole Depth:	1283
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-914
Latitude:	29.75416667000000
Longitude:	-95.6366667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
177	1 of 1	SE	2.73 / 14,400.32	HUMPHREY CO INC, THE TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	03/30/1993
Owners Name:	HUMPHREY CO INC, THE
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	205
Depth Drilled:	442
Latitude:	29.744048
Longtiude:	-95.558946

1) OWNER: THE HUMPHREY CO. INC. ADDRESS: P.O. BOX 1226 CITY: HOUSTON STATE: TX ZIP: 77251-
2) LOCATION OF WELL: County: HARRIS miles in W direction from HOUSWTON

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00688 DIAMETER OF HOLE

DIAMETER	FROM	TO
8.0	0	411
4.875	411	442

7) BOREHOLE METHOD: TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.
DATE DRILLED: 03/30/93

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	411	CASING
3.0	N	P.V.C. SCH.40	401	412	LINER
3.0	N	STAINLESS - ROD BASE	412	442	.010

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	5	FILL SOIL
5	25	CLAY-WHITE CLAY-RED
25	30	SAND-RED-FINE
30	35	BROKEN SAND & CLAY
35	36	ROCK
36	162	CLAY-RED CLAY / SAND STREAKS
162	190	SAND-WHITE-.010-.012 SAND-WHITE-.014-.020
190	196	BROKEN SAND & CLAY
196	214	SAND-WHITE-.014-.020
214	272	SHALE
272	280	SAND-WHITE-.010-.012
280	319	SHALE
319	336	SAND-WHITE-.014-.020 GRAVEL
336	345	BROKEN SAND & CLAY
345	358	SAND-WHITE-.010-.012

RECEIVED
SEP 03 1993
TEXAS WATER COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 411 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 205 FT. DATE: 03/05/93
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 336

14) WELL TEST:
JETTED
YIELD: 100+ GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 442 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578


FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John A. Pylburn (LICENSED WATER WELL DRILLER) (65-20-2)
(signed) _____ (REGISTERED DRILLER TRAINEE) 204790

OWNER: THE HUMPHREY CO. INC. ADDRES P.O. BOX 1226 CITY: HOUSTON STATE: TX ZIP: 77251-

358	374	SHALE
374	388	SAND-WHITE-.010-.012
388	405	SHALE
405	442	SAND-WHITE-.010-.012
442	442	ROCK


THE HUMPHREY CO.
"BMC SOFTWARE"

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
178	1 of 3	SSE	2.73 / 14,405.31	CHEVRON TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	12/14/1990
Owners Name:	CHEVRON
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	260
Depth Drilled:	672
Latitude:	29.734878
Longtiude:	-95.574872

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Chevron (Name) ADDRESS 2811 Hayes Rd (Street or RFD) Houston (City) TX (State) (Zip)

2) LOCATION OF WELL: County Harris . 6 miles in N (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply XX Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven XX Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 12-12-90 19__ Completed 12-14-90 19__

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
7 7/8	0	672

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed XX Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	60	Clay
60	120	Sand
120	240	Clay
240	310	Sand
310	420	Clay
420	540	Sand
540	550	Rock
550	655	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
5"	N	Steel Casing	0	624	
2 7/8	N	Steel Liner	592	632	
2 7/8	N	Rod Base Screen	632	672	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 620 ft. No. of Sacks Used 80
_____ ft. to _____ ft. No. of Sacks Used _____
Method Used Halliburton
Cemented by Robinson WaterWell Service, INc

RECEIVED APR 08 1992 TEXAS WATER COMMISSION

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 260 ft. below land surface Date 12-14-90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K-Packer Depth 592

13) TYPE PUMP: ☐ Turbine ☐ Jet XX Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 399 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212


ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Tim Robinson (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 09/21/88) TEXAS WATER COMMISSION COPY 65-20-1



65-20-1

C & B

Love

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
178	2 of 3	SSE	2.73 / 14,405.31	HOUSTON COMMUNITY COLLEGE TX	WW HARRIS GAL

Well ID:	4607	**Diameter (inches):**	5
Aggre Lead Well:	4607	**Year Drilled:**	1990
Permit No:	W2008-4607-134105-0	**Depth Drilled:**	672
Permit Start Date:	6/1/2008	**Depth frm Surf(ft):**	624
Permit End Dt:	6/1/2008	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.733333
Regulatory Aarea:	3	**Longitude:**	-95.573611
Owner Name:	HOUSTON COMMUNITY COLLEGE		
Billing Contact:	Timothy Rychlec		
Billing Address:	P.O. Box 667517		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77266		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
178	3 of 3	SSE	2.73 / 14,405.31	USGS-294358095342601 TX	FED USGS

Site No:	USGS-294358095342601
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19901212
Well Depth:	672
Well Depth Unit:	ft
Well Hole Depth:	672
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-227
Latitude:	29.73305556000000
Longitude:	-95.5741667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
179	1 of 2	S	2.73 / 14,410.14	KEN EBERLY TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	04/26/1995
Owners Name:	KEN EBERLY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	190
Depth Drilled:	320
Latitude:	29.732235
Longtiude:	-95.593794

Send original copy by certified mail to: TNRCC, P.O. Box ... stin, TX 78711-3087 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER KEN EBERLY (Name) ADDRESS 10423 WEST GULF BANK, HOUSTON TX 77040 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS 12160 Richmond (Street, RFD or other) Houston (City) TX (State) (Zip) GRID # 65-20-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 4-25 19 95 Completed 4-26 19 95

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	300
3 7/8	300	320

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	16	TOP SOIL & CLAY
16	23	SURFACE SAND
23	75	CLAY
75	90	SAND
90	139	CLAY
139	178	SAND & ROCK
178	181	CLAY
181	190	SAND
190	250	CLAY
250	275	SAND
275	295	CLAY
295	320	SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	300	
2	N	GALVANIZED	295	300	
2	N	PVC SCREENS	300	310	.012
2	N	PVC SCREENS	310	320	.014

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 8
250 ft. to 300 ft. No. of sacks used 3
Method used HALLIBURTON / TRIMME
Cemented by BUSSELL & SON INC.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

JUN 26 1995

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 40 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 190 ft. below land surface Date 4-26-95
Artesian flow ____ gpm. Date ____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
K-PACKER	295

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P O BOX 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94) TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
179	2 of 2	S	2.73 / 14,410.14	Alief Independent School District TX	WW HARRIS GAL

Well ID:	5367	**Diameter (inches):**	4
Aggre Lead Well:	5367	**Year Drilled:**	1995
Permit No:	W2014-5367-170538-0	**Depth Drilled:**	300
Permit Start Date:	5/1/2014	**Depth frm Surf(ft):**	280
Permit End Dt:	5/1/2014	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.730833
Regulatory Aarea:	3	**Longitude:**	-95.594444
Owner Name:	Alief Independent School District		
Billing Contact:	Tax Asses./Collector, AISD		
Billing Address:	P.O. Box 368		
Billing Address 2:	NULL		
Billing City:	Alief		
Billing State:	TX		
Billing Zip:	77411		
Correspondence:	Pat Praesal		
Provision:	DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
180	1 of 2	WSW	2.78 / 14,697.96	Houston, City of TX	WW HARRIS GAL

Well ID:	9881	**Diameter (inches):**	5
Aggre Lead Well:	1003	**Year Drilled:**	2005
Permit No:	WP2023-117626	**Depth Drilled:**	440
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.747777
Regulatory Aarea:	3	**Longitude:**	-95.628611

Owner Name: Lakes of Parkway HOA
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
180	2 of 2	WSW	2.78 / 14,697.96	Sueba USA, Corp. 13603-1/2 Morgan Creek Court Houston TX 77077	SDRW WELLS

Track NO: 170524
Date Submitted: 2009-03-10
Owner Name: Sueba USA, Corp.
Owner Address: 1800 West Loop South, Ste 1300
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77027
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.747778
Longitude: -95.628611
Drilling Date Started: 2005-03-28
Drilling Date Completed: 2005-06-27
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: P.O. Box 664
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=170524&Type=SDR-Well

Well Borehole Information

Top Depth: 380
Bottom Depth: 472

Top Depth: 0
Bottom Depth: 380

Top Depth:
Bottom Depth: 472.0

Well Levels

Measurement: 180
Measurement Date: 2005-05-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
181	1 of 2	SW	2.80 / 14,776.24	Francis Property Management TX	WW HARRIS GAL

Well ID:	9204	**Diameter (inches):**	5
Aggre Lead Well:	9204	**Year Drilled:**	2002
Permit No:	WP2024-102814	**Depth Drilled:**	500
Permit Start Date:	5/1/2024 12:13:00 PM	**Depth frm Surf(ft):**	480
Permit End Dt:	4/30/2025 12:13:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.744722
Regulatory Aarea:	3	**Longitude:**	-95.626944

Owner Name: Francis Property Management
Billing Contact: Management Office - Carolyn Grimm
Billing Address: 2020 Eldridge Parkway
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77077
Correspondence: NULL
Provision: F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
181	2 of 2	SW	2.80 / 14,776.24	IMF INVESTMENTS # 301 Ltd 2020 Eldrige Parkway Houston TX 77077	SDRW WELLS

Track NO: 87947
Date Submitted: 2006-07-18
Owner Name: IMF INVESTMENTS # 301 Ltd
Owner Address: 8235 El Rio
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77054
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.759445
Longitude: -95.628889
Drilling Date Started: 2002-12-19
Drilling Date Completed: 2003-08-01
Chemical Analysis: No
Company Name: GEOPHYSICAL DRILLING INC
Company Address: P O Box 664
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=87947&Type=SDR-Well

Well Borehole Information

Top Depth: 367
Bottom Depth: 379

Top Depth: 0
Bottom Depth: 367

Top Depth:
Bottom Depth: 379.0

Well Levels

Measurement: 161
Measurement Date: 2003-07-07

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
182	1 of 2	S	2.80 / 14,795.98	Entex, A Noram Energy Co. TX	WW HARRIS GAL

Well ID:	2236	**Diameter (inches):**	4
Aggre Lead Well:	2236	**Year Drilled:**	1975
Permit No:	W1982-2236-14826-0	**Depth Drilled:**	402
Permit Start Date:	5/1/1982	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/1983	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.730833
Regulatory Aarea:	3	**Longitude:**	-95.591944
Owner Name:	Entex, A Noram Energy Co.		
Billing Contact:	A.L. MONFORT		
Billing Address:	P.O. Box 2628		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	SW SERVICE CENTER		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
182	2 of 2	S	2.80 / 14,795.98	Entex, A Noram Energy Co. TX	WW HARRIS GAL

Well ID:	2235	**Diameter (inches):**	4
Aggre Lead Well:	2235	**Year Drilled:**	1964
Permit No:	W1979-2235-2856-0	**Depth Drilled:**	352
Permit Start Date:	3/1/1979	**Depth frm Surf(ft):**	320
Permit End Dt:	4/30/1980	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.730833
Regulatory Aarea:	3	**Longitude:**	-95.591944
Owner Name:	Entex, A Noram Energy Co.		
Billing Contact:	L.R. FRIEDEL		
Billing Address:	P.O. Box 2628		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	SW SERVICE CENTER		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
183	1 of 1	SE	2.81 / 14,819.11	CWP Asset Corp./Mister Car Wash TX	WW HARRIS GAL

Well ID:	4419	**Diameter (inches):**	5
Aggre Lead Well:	4419	**Year Drilled:**	1990
Permit No:	WP2024-114126	**Depth Drilled:**	350
Permit Start Date:	10/9/2024 8:04:00 AM	**Depth frm Surf(ft):**	300
Permit End Dt:	10/31/2025 8:04:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.737777
Regulatory Aarea:	3	**Longitude:**	-95.565555
Owner Name:	CWP Asset Corp./Mister Car Wash		
Billing Contact:	Compliance Dept.		
Billing Address:	222 E 5th Street		
Billing Address 2:	NULL		
Billing City:	Tucson		
Billing State:	AZ		
Billing Zip:	85705		
Correspondence:	#5 Westheimer		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
184	1 of 4	WSW	2.81 / 14,847.27	SUEBA INVESTMENTS NO. 26 LTD TX	TCEQ WELL LOGS

Grid No: 65-11-6
Date Drilled: 04/08/1996
Owners Name: SUEBA INVESTMENTS NO. 26 LTD
County: HARRIS
Water Usage: IRRIGATION
Static Level: 240
Depth Drilled: 686
Latitude: 29.7522455
Longtiude: -95.632374

Send original copy by certified mail to: TNRCC, P.O. Box 7, Austin, TX 78711-3087 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER SUEBA INVESTMENTS NO. 26 LTD (Name) ADDRESS 1150 ELDRIDGE PARKWAY (Street or RFD) HOUSTON (City) TX (State) 77077 (Zip)

2) ADDRESS OF WELL: County HARRIS 13935 BARNHART BLVD (Street, RFD or other) HOUSTON (City) TX (State) 77077 (Zip) GRID # 65-11-6

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☒ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 1-16- 19 96 Completed 4-8- 19 96

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7-7/8	Surface	686
18"	0	604
11-7/8	604	686

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	50	CLAY
50	100	SANDY SHALE
100	140	GRAVEL
140	150	CLAY
150	260	GRAVEL
260	310	CLAY
310	450	GRAVEL & SAND
450	480	CLAY
480	540	SAND
540	600	SANDY & SHALE
600	686	SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
12	N	STEEL CASING	601	0	Sch 40
8	N	STEEL SCREEN	650	630	.018
8	N	STEEL LINER	671	650	Sch 40
8	N	STEEL SCREEN	671	686	.018

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 601 ft. to 0 ft. No. of sacks used 15,000 LBS
0 ft. to 10 ft. No. of sacks used 30
Method used HALLIBURTON
Cemented by ROBINSON WATER WELL
Distance to septic system field lines or other concentrated contamination NONE ft.
Method of verification of above distance _____

RECEIVED JUL 26 1996 TEXAS WATER DEVELOPMENT BOARD CONSERVATION COMMISSION

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 240 ft. below land surface Date 4-8-96
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K	557

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 420 ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ROBINSON WATER WELL (Type or print) WELL DRILLER'S LICENSE NO. 1464

ADDRESS 11819 W. MONTGOMERY (Street or RFD) HOUSTON (City) TEXAS (State) 77086 (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC 0100 (Rev. 11-01-94)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
184	2 of 4	WSW	2.81 / 14,847.27	Houston, City of TX	WW HARRIS GAL

Well ID:	11312	**Diameter (inches):**	10
Aggre Lead Well:	1003	**Year Drilled:**	NULL
Permit No:	WP2023-117626	**Depth Drilled:**	550
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	400
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.751944
Regulatory Aarea:	3	**Longitude:**	-95.632777
Owner Name:	Lakes of Parkway HOA		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
184	3 of 4	WSW	2.81 / 14,847.27	Houston, City of TX	WW HARRIS GAL

Well ID:	5498	**Diameter (inches):**	12
Aggre Lead Well:	1003	**Year Drilled:**	1996
Permit No:	WP2023-117626	**Depth Drilled:**	750
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	690
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.751944
Regulatory Aarea:	3	**Longitude:**	-95.632777

Owner Name: Lakes of Parkway HOA
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
184	4 of 4	WSW	2.81 / 14,847.27	Lakes of Parkway 13935 1/2 barnhart Houston TX 77077	SDRW WELLS

Track NO: 219789
Date Submitted: 2010-06-17
Owner Name: Lakes of Parkway
Owner Address: 13935
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.751945
Longitude: -95.632778
Drilling Date Started: 2010-03-29
Drilling Date Completed: 2010-04-12
Chemical Analysis: No
Company Name: Almeda Water Well
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=219789&Type=SDR-Well

Well Borehole Information

Top Depth: 390
Bottom Depth: 550

Top Depth: 0
Bottom Depth: 390

Top Depth:
Bottom Depth: 550.0

Well Levels

Measurement: 187
Measurement Date: 2010-04-08

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
185	1 of 1	WNW	2.82 / 14,864.40	St. Brick Holdings LLC TX	WW HARRIS GAL

Well ID:	8796	**Diameter (inches):**	4
Aggre Lead Well:	8796	**Year Drilled:**	NULL
Permit No:	WP2024-115076	**Depth Drilled:**	400
Permit Start Date:	9/6/2024 1:43:31 PM	**Depth frm Surf(ft):**	320
Permit End Dt:	9/30/2025 1:43:35 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.785555
Regulatory Aarea:	3	**Longitude:**	-95.635
Owner Name:	St. Brick Holdings LLC		
Billing Contact:	NULL		
Billing Address:	7 Cape Cod Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
186	1 of 2	NNE	2.82 / 14,904.14	MR. SAMUEL BRYANT TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	06/16/1972
Owners Name:	MR. SAMUEL BRYANT
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	150
Depth Drilled:	230
Latitude:	29.808445
Longtiude:	-95.570349

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map No
Received: 7-72

1) OWNER:
Person having well drilled Mr. Samuel Bryant (Name) Address 5710 Clarewood (Street or RFD) Houston, (City) Texas (State)

Landowner Same (Name) Address Britmore St. across from Coca Cola Hou. (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris County, miles in direction (N.E., S.W., etc.) from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
X New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
XX Domestic | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
XX Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 3/4" in. Depth drilled 230' ft. Depth of completed well 230' ft. Date drilled 6/16/72

All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0'	40'	Clay
40'	50'	Powder Sand
50'	126'	Clay
126'	147'	Sand
147'	210'	Clay & Rock
210'	230'	Corse Sand

(Use reverse side if necessary)

9) Casing:
Type: Old | New XX | Steel | Plastic | Other XX

Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type Filter Screen

Perforated | Slotted XX

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4"	220'	230'	

7) COMPLETION (Check):
XX Straight wall | Gravel packed | Other | Under reamed | Open Hole

8) WATER LEVEL:
Static level 150' ft. below land surface Date 6/16/72

Artesian pressure lbs. per square inch Date

Depth to pump bowls, cylinder, jet, etc., 210' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?

Yield: gpm with ft. drawdown after hrs.

Bailer test gpm with ft. drawdown after hrs.

Artesian flow gpm

Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No

Type of water? depth of strata 230'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leon Eugene Davis (Type or Print) Water Well Drillers Registration No. 316

ADDRESS 5423 Lotus Street (Street or RFD) Houston, (City) Texas (State) 77045

(Signed) (Water Well Driller) Wellco Water Well Drilling & Service Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
AUG 4 1972
Texas Water Development Board
RECEIVED
JUL 5 1972
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
186	2 of 2	NNE	2.82 / 14,904.14	MR. SAMUEL BRYANT TX	TCEQ WELL LOGS

Grid No:	65-12-5M
Date Drilled:	09/23/1972
Owners Name:	MR. SAMUEL BRYANT
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	148
Depth Drilled:	230
Latitude:	29.808445
Longtiude:	-95.570349

65-12-5M

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-501
Located on map
Received

1) OWNER:
Person having well drilled Mr. Samuel Bryant (Name) Address Box 36105 (Street or RFD) Houston, (City) Texas 77036 (State)

Landowner Same (Name) Address Britmore Road (Street or RFD) Houston, (City) Texas (State)

2) LOCATION OF WELL:
County Harris County miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

OVER

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
X New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
X Domestic | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
X Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 3/4" in. Depth drilled 230' ft. Depth of completed well 230' ft. Date drilled 9/23/72

All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0'	20'	Clay
20'	30'	Sand
30'	112'	Clay
112'	126'	Sand
126'	189'	Clay
189'	210'	Sand
210'	218'	Clay
218'	230'	Corse Sand

(Use reverse side if necessary)

9) Casing:
Type: Old | New X | Steel | Plastic X | Other

Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type Filter

Perforated X | Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4"	220'	230'	

7) COMPLETION (Check):
X Straight wall | Gravel packed | Other | Under reamed | Open Hole

8) WATER LEVEL:
Static level 148' ft. below land surface Date 9/23/72

Artesian pressure lbs. per square inch Date

Depth to pump bowls, cylinder, jet, etc., 210' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?

Yield: gpm with ft. drawdown after hrs.

Bailer test gpm with ft. drawdown after hrs.

Artesian flow gpm

Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No

Type of water? depth of strata 230'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Jimmy Davis (Type or Print) Water Well Drillers Registration No. # 315

ADDRESS 5423 Lotus Street (Street or RFD) Houston, (City) Texas 77045 (State)

(Signed) (Water Well Driller) Wellco Water Well Drilling & Service Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


21LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 21 of the TWDBE-(W-5) is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
187	1 of 3	ENE	2.82 / 14,909.70	City of Houston Shadow Oaks TX	GWDB

Well Rep Track No:
State Well No: 6512502
Owner Name: City of Houston Shadow Oaks
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1954
Well Depth: 643
Well Usage: Unused
Water Level Status:
Latitude: 29.7961110
Longitude: -95.5533340
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512502&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512502&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
187	2 of 3	ENE	2.82 / 14,909.70	CITY OF HOUSTON TX	WUD

St Well No:	6512502
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DX
Date Drilled:	07/09/1954
Well Depth:	643
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2100
Water Usage:	INATIVE - PLUGGED
CCN:	P1552
Latitude:	29.795425
Longitude:	-95.552739
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
187	3 of 3	ENE	2.82 / 14,909.70	USGS-294745095331101 TX	FED USGS

Site No: USGS-294745095331101
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19540709
Well Depth: 643
Well Depth Unit: ft
Well Hole Depth: 755
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-12-502
Latitude: 29.79611110000000
Longitude: -95.5533333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
188	1 of 3	ENE	2.83 / 14,920.35	City of Houston Moss Oaks Plant TX	GWDB

Well Rep Track No:
State Well No: 6512501
Owner Name: City of Houston Moss Oaks Plant
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year:
Well Depth: 450
Well Usage: Unused
Water Level Status:
Latitude: 29.7977780
Longitude: -95.5530560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512501&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512501&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
188	2 of 3	ENE	2.83 / 14,920.35	CITY OF HOUSTON TX	WUD

St Well No:	6512501
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OB
Date Drilled:	
Well Depth:	450
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.797728
Longitude:	-95.553001
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
188	3 of 3	ENE	2.83 / 14,920.35	Houston, City of TX	WW HARRIS GAL

Well ID:	1097	**Diameter (inches):**	8
Aggre Lead Well:	1002	**Year Drilled:**	1954
Permit No:	W1993-1002-41998-0	**Depth Drilled:**	643
Permit Start Date:	2/1/1993	**Depth frm Surf(ft):**	410
Permit End Dt:	1/31/1994	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.795
Regulatory Aarea:	3	**Longitude:**	-95.553611

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
189	1 of 1	ESE	2.83 / 14,935.13	HOWARD CHAPMAN TX	TCEQ WELL LOGS

Grid No: 65-12-8Q
Date Drilled: 06/01/1984
Owners Name: HOWARD CHAPMAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 351
Latitude: 29.756521
Longtiude: -95.547631

State of Texas
WATER WELL REPORT

...nt of Water Resources
...0087
...exas 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Howard Chapman (Name) Address Crest Bend (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris 5 miles in West (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☐ See attached map.

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled 6/1/84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6¾	Surface 0	351

From (ft.)	To (ft.)	Description and color of formation material
0	20	clay.
20	30	sand.
30	35	Rock
35	50	Sand.
50	110	Clay.
110	120	Sand.
120	150	Clay
150	195	Sand.
195	210	Clay
210	260	Clay
260	280	Sand.
280	300	Clay
300	346	Clay
346	351	Sand.

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Two Strings
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfgr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	New	PVC			
2½	New	PVC TA			

CEMENTING DATA
Cemented from 0 ft. to 326 ft.
Method used pressure
Cemented by ____ (Company or Individual)

9) WATER LEVEL:
Static level 190 ft. below land surface Date 6/1/84
Artesian flow ____ gpm. Date ____

10) PACKERS: Type ____ Depth ____

RECEIVED
AUG 23 1984
DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 315 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 60 gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Buford Water Well (Type or Print) Water Well Driller's License No. 1696

ADDRESS 23610 Nichols Saw Mill Hockley (Street or RFD) (City) Texas (State) 77447 (Zip)

(Signed) ____ (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-8 Q
Located on map Yes DLF

TDWR 0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	1 of 9	SSW	2.84 / 14,995.99	C.R. Hastings TX	GWDB

Well Rep Track No:	
State Well No:	6520109
Owner Name:	C.R. Hastings
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	72
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7350000
Longitude:	-95.6002780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520109&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520109&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	2 of 9	SSW	2.84 / 14,995.99	Superior Oil Co TX	GWDB

Well Rep Track No:	
State Well No:	6520115
Owner Name:	Superior Oil Co
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1966
Well Depth:	750
Well Usage:	Irrigation
Water Level Status:	
Latitude:	29.7327780
Longitude:	-95.6008340
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520115&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520115&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	3 of 9	SSW	2.84 / 14,995.99	Humble Oil & Refining Co. TX	GWDB

Well Rep Track No:
State Well No: 6520119
Owner Name: Humble Oil & Refining Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1970
Well Depth: 289
Well Usage: Industrial
Water Level Status:
Latitude: 29.7361110
Longitude: -95.6000010
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520119&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520119&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	4 of 9	SSW	2.84 / 14,995.99	RIO GRANDE RANCH - PHASE II TX	TCEQ WELL LOGS

Grid No: 65-12-8
Date Drilled: 05/01/2000
Owners Name: RIO GRANDE RANCH - PHASE II
County: HARRIS
Water Usage: IRRIGATION
Static Level: 215
Depth Drilled: 550
Latitude: 29.7314562
Longtiude: -95.6010774

Send original copy by certified return receipt reques to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Rio Grande Ranch - Phase II (Name) ADDRESS 3030 Shadowbriar (Street or RFD) Houston (City) TX (State) 77082 (Zip)

2) ADDRESS OF WELL'S LOCATION: County Harris 3030 Shadowbriar (Street, RFD or other) Houston (City) TX (State) 77082 (Zip) Long. _____ Lat. _____ Grid # 5-12-8

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☑ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 4/19/2000 Completed 5/1/2000

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	530
4 5/4	530	550

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

N

From (ft.)	To (ft.)	Description and color of formation material
0	190	Clay
190	225	Sand
225	290	Clay
290	350	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	SDR17 PVC	0	530	
3	N	Galvanized	518	530	
3	N	SSRB	530	550	.14

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 30
490 ft. to 530 ft. No. of sacks used 10
Method used Halliburton / Trimme
Cemented by AquaSource / B+S Inc.
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) ☐ Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed
☐ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

AUG 15 2000

14) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 378 ft.

15) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 215 ft. below land surface Date 5/1/2000
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
K Packer	518

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AquaSource / B+S Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) Texas (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	5 of 9	SSW	2.84 / 14,995.99	Rio Grande Ranch - II TX	WW HARRIS GAL

Well ID:	8171	**Diameter (inches):**	5
Aggre Lead Well:	8171	**Year Drilled:**	
Permit No:	W2004-8171-112921-0	**Depth Drilled:**	450
Permit Start Date:	5/1/2004	**Depth frm Surf(ft):**	430
Permit End Dt:	12/31/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.730277
Regulatory Aarea:	3	**Longitude:**	-95.599722
Owner Name:	Rio Grande Ranch - II		
Billing Contact:	Specified Properties		
Billing Address:	2920 Shadowbriar Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	6 of 9	SSW	2.84 / 14,995.99	Lodge at Shadowlake, The TX	WW HARRIS GAL

Well ID:	12259	**Diameter (inches):**	4
Aggre Lead Well:	12259	**Year Drilled:**	NULL
Permit No:	W2016-12259-182482-0	**Depth Drilled:**	20
Permit Start Date:	5/1/2016	**Depth frm Surf(ft):**	10
Permit End Dt:	5/1/2016	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.730555
Regulatory Aarea:	3	**Longitude:**	-95.6
Owner Name:	Lodge at Shadowlake, The		
Billing Contact:	NULL		
Billing Address:	12360 Richmond Ave.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	7 of 9	SSW	2.84 / 14,995.99	Rio Grande Ranch - II TX	WW HARRIS GAL

Well ID:	9871	**Diameter (inches):**	5
Aggre Lead Well:	9871	**Year Drilled:**	2004
Permit No:	W2008-9871-133780-0	**Depth Drilled:**	420
Permit Start Date:	5/1/2008	**Depth frm Surf(ft):**	395
Permit End Dt:	5/1/2008	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.730555
Regulatory Aarea:	3	**Longitude:**	-95.6
Owner Name:	Rio Grande Ranch - II		
Billing Contact:	NULL		
Billing Address:	2920 Shadowbriar Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	8 of 9	SSW	2.84 / 14,995.99	SOWELL CONSTRUCTION CO., INC. TX	WW HARRIS GAL

Well ID:	2092	**Diameter (inches):**	20
Aggre Lead Well:	2091	**Year Drilled:**	1967
Permit No:	W1997-2091-54055-0	**Depth Drilled:**	692
Permit Start Date:	5/1/1997	**Depth frm Surf(ft):**	450
Permit End Dt:	4/30/1998	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.731944
Regulatory Aarea:	3	**Longitude:**	-95.600277

Owner Name:	SOWELL CONSTRUCTION CO., INC.
Billing Contact:	JAMIE CORNELIUS
Billing Address:	3131 McKinney, Suite 200
Billing Address 2:	NULL
Billing City:	Dallas
Billing State:	TX
Billing Zip:	75204
Correspondence:	NULL
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
190	9 of 9	SSW	2.84 / 14,995.99	Rio Grande Ranch Apartments 2920 Shadow Briar Dr. Houston TX 77082	SDRW WELLS

Track NO: 46515
Date Submitted: 2004-10-13
Owner Name: Rio Grande Ranch Apartments
Owner Address: 2920 Shadow Briar Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77082
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.730555
Longitude: -95.600001
Drilling Date Started: 2004-09-09
Drilling Date Completed: 2004-09-10
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=46515&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 435

Top Depth:
Bottom Depth: 435.0

Well Levels

Measurement: 200
Measurement Date: 2004-09-20

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
191	1 of 1	NNE	2.84 / 15,017.80	MR. G.F. DEVILLIER TX	TCEQ WELL LOGS

Grid No: 65-12-5B
Date Drilled: 10/17/1968
Owners Name: MR. G.F. DEVILLIER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 134
Depth Drilled: 218
Latitude: 29.809349
Longtiude: -95.57169

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

6512-5B GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-58
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled MR. G.F. DEVILLIER (Name) Address RT. 8 BOX 726 (Street or RFD) HOUSTON (City) TEXAS 77024 (State)

Landowner SAME - 1735 BRITMOORE (Name) Address - JUST OFF OF KATY RD. ON #10 (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 6 SOUTH EAST (NE, SW, etc.) direction from ADDICKS, TEXAS (Town)

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.



3) TYPE OF WORK (Check): New Well X Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic X Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary X Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4½" OD in. Depth drilled 218 ft. Depth of completed well 218 ft. Date drilled 10-17-68

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2½	GREY BROWN TOP SOIL
2½	10	GRAY CLAY TURNING RED
10	45	RED CLAY
45	52	FINE SAND
52	103	RED CLAY
103	112	FINE SAND AND STRIPS OF CLAY
112	186	VERY STICKY RED CLAY
186	218	COURSE SAND AND GRAVEL

From (ft.)	To (ft.)	Description and color of formation material
	218	BOTTOM OF WELL ON CLAY (32 FT. OF SAND)

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall X Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 134 ft. below land surface Date 10-17-68
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New X Steel X Plastic ☐ Other ☐
Cemented from ft. to ft.

10) SCREEN:
Type BRONZE WRAP ON GALV. PIPE
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4" ID	ALL THE WAY		REG.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4½ OD	208	218	EQUAL TO 12 GAGE

11) WELL TESTS:
Was a pump test made? X Yes ☐ No If yes by whom? SAME PUMP LEFT IN WELL
Yield: 18 gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes X No
Did any strata contain undesirable water? ☐ Yes X No
Type of water? VERY GOOD depth of strata 32 FT

12) PUMP DATA:
Manufacturer's Name FAIR BANKS MORSE
15 STAGE PUMP.
Type SUBMERSIBLE H.P. 1½
Designed pumping rate 1000 TO 1200 gpm ☐ gph X
Type power unit 230 VOLTS SINGLE PHASE
Depth to bowls, cylinder, jet, etc., 200 ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CECIL L. ELLIS (Type or Print) Water Well Drillers Registration No. 815

Address BOX 285 (Street or RFD) STAFFORD (City) TEXAS (State) 77477

(Signed) Cecil L. Ellis (Water Well Driller) ELLIS WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	1 of 8	W	2.85 / 15,062.90	City of Houston Barkers La. TX	GWDB

Well Rep Track No:	
State Well No:	6511915
Owner Name:	City of Houston Barkers La.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1977
Well Depth:	995
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7830550
Longitude:	-95.6330550
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511915&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511915&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	2 of 8	W	2.85 / 15,062.90	City of Houston Barkers Landing TX	GWDB

Well Rep Track No:	
State Well No:	6511919
Owner Name:	City of Houston Barkers Landing
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	716
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7830556
Longitude:	-95.6330556
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511919&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511919&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	3 of 8	W	2.85 / 15,062.90	CITY OF HOUSTON TX	WUD

St Well No:	6511915
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EY
Date Drilled:	03/22/1977
Well Depth:	995
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.780784
Longitude:	-95.633555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	4 of 8	W	2.85 / 15,062.90	CITY OF HOUSTON TX	WUD

St Well No:	6511919
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EX
Date Drilled:	07/14/1971
Well Depth:	716
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.780784
Longitude:	-95.633555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	5 of 8	W	2.85 / 15,062.90	Houston, City of TX	WW HARRIS GAL

Well ID:	2628	**Diameter (inches):**	10
Aggre Lead Well:	1002	**Year Drilled:**	1977
Permit No:	W1991-1002-37198-0	**Depth Drilled:**	0
Permit Start Date:	2/1/1991	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/1992	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.780555
Regulatory Aarea:	3	**Longitude:**	-95.633333

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	6 of 8	W	2.85 / 15,062.90	Houston, City of TX	WW HARRIS GAL

Well ID:	1883	**Diameter (inches):**	8
Aggre Lead Well:	1002	**Year Drilled:**	1971
Permit No:	W1991-1002-37198-0	**Depth Drilled:**	716
Permit Start Date:	2/1/1991	**Depth frm Surf(ft):**	580
Permit End Dt:	1/31/1992	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.780555
Regulatory Aarea:	3	**Longitude:**	-95.633333

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	7 of 8	W	2.85 / 15,062.90	USGS-294659095375802 TX	FED USGS

Site No:	USGS-294659095375802
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19710709
Well Depth:	716
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-919
Latitude:	29.78333333000000
Longitude:	-95.6330556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
192	8 of 8	W	2.85 / 15,062.90	USGS-294659095375801 TX	FED USGS

Site No:	USGS-294659095375801
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19770301
Well Depth:	995
Well Depth Unit:	ft
Well Hole Depth:	1020
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-915
Latitude:	29.78333333000000
Longitude:	-95.6330556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
193	1 of 3	ENE	2.85 / 15,064.83	Memorial Baptist Hospital TX	GWDB

Well Rep Track No:
State Well No: 6514763
Owner Name: Memorial Baptist Hospital
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1963
Well Depth: 1500
Well Usage: Other
Water Level Status:
Latitude: 29.7572230
Longitude: -95.3686110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6514763&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6514763&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
193	2 of 3	ENE	2.85 / 15,064.83	Memorial Hermann Health System TX	WW HARRIS GAL

Well ID:	11490	**Diameter (inches):**	14
Aggre Lead Well:	11490	**Year Drilled:**	201
Permit No:	WP2024-101731	**Depth Drilled:**	1000
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	450
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.781388
Regulatory Aarea:	2	**Longitude:**	-95.545555
Owner Name:	Memorial Herman Hospital System		
Billing Contact:	Brissa Smith		
Billing Address:	2002 W Grand Pkwy N Suite 100		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77449		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
193	3 of 3	ENE	2.85 / 15,064.83	Memorial Hermann Medical Center 929 Gessner Road Houston TX 77024	SDRW WELLS

Track NO: 384414
Date Submitted: 2014-12-29
Owner Name: Memorial Hermann Medical Center
Owner Address: 929 Gessner Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77024
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.781111
Longitude: -95.544445
Drilling Date Started: 2014-10-01
Drilling Date Completed: 2014-11-29
Chemical Analysis: Yes
Company Name: Layne Christensen
Company Address: 5931 Brittmoore Rd
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77041
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=384414&Type=SDR-Well

Well Borehole Information

Top Depth: 460
Bottom Depth: 535

Top Depth: 0
Bottom Depth: 460

Top Depth:
Bottom Depth: 1125.0

Top Depth: 535
Bottom Depth: 1125

Well Levels

Measurement: 184
Measurement Date: 2014-12-08

Well Strata

Water Type:

POTABLE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
194	1 of 2	ENE	2.86 / 15,088.35	English Const. Co. TX	GWDB

Well Rep Track No:
State Well No: 6512815
Owner Name: English Const. Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 358
Well Usage: Industrial
Water Level Status:
Latitude: 29.7855560
Longitude: -95.5466670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512815&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512815&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
194	2 of 2	ENE	2.86 / 15,088.35	GARDNER ENGINEERING CORPORATION TX	TCEQ WELL LOGS

Grid No: 65-12-9M
Date Drilled: 08/20/1973
Owners Name: GARDNER ENGINEERING CORPORATION
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 174
Depth Drilled: 390
Latitude: 29.7859129
Longtiude: -95.5466119

65.129m

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-32-9m
Located on map
Received:

1) OWNER:
Person having well drilled: Gardner Engineering Corporation (Name) Address: 10150 Old Katy Road Houston, Texas (Street or RFD) (City) (State)

Landowner: Same (Name) Address: Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris . miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(over) (Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Lot 23 of Frost & Settegast Addition, Survey
Harris Co, Texas
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): X
New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial X | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary X | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 4-1/2 in. Depth drilled 390 ft. Depth of completed well 390 ft. Date drilled 8/20/73
All measurements made from Ground ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	17	Surface
17	98	Broken sandy clay
98	108	Hard clay
108	125	Sand
125	140	Shale
140	175	Sandy shale
175	198	Hard sandHard Shale
198	226	Sand
226	298	Shale
298	328	Sand
328	352	Shale
352	390	Sand (bottom)

(Use reverse side if necessary)

9) Casing:
Type: Old New X, Steel X Plastic Other
Cemented from 362 To top of ground to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4" Galv casing set at 362 ft			

10) SCREEN:
Type Plastic 2-1/2"
Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
390-370 Liner 20' set with Seal at 350ft			

7) COMPLETION (Check):
Straight wall | Gravel packed | Other
Under reamed | Open Hole

8) WATER LEVEL:
Static level 174 ft. below land surface Date 8/20/73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. W. Capps (Type or Print) Water Well Drillers Registration No. 14.
ADDRESS Box 19146 Houston, Texas 77024 (Street or RFD) (City) (State)
(Signed) L W Capps (Water Well Driller) Bryan Drilling Co, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB2-GW-33

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
195	1 of 2	W	2.86 / 15,097.67	Eagle's Trace TX	WW HARRIS GAL

Well ID:	16401	**Diameter (inches):**	5
Aggre Lead Well:	10800	**Year Drilled:**	NULL
Permit No:	WP2024-102169	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 2:51:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	4/30/2025 2:51:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.763333
Regulatory Aarea:	3	**Longitude:**	-95.638056

Owner Name: NULL
Billing Contact: Steve Arrington
Billing Address: P.O. Box 9
Billing Address 2: NULL
Billing City: Katy
Billing State: TX
Billing Zip: 77492
Correspondence: Lake Pro, Inc.
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
195	2 of 2	W	2.86 / 15,097.67	Eagle's Trace 14703 Eagle Vista Dr Houston TX 77077	SDRW WELLS

Track NO: 635619
Date Submitted: 2023-04-03
Owner Name: Eagle's Trace
Owner Address: 14703 Eagle Vista Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Lake/Pool/Pond Fill
Latitude: 29.763333
Longitude: -95.637778
Drilling Date Started: 2023-01-24
Drilling Date Completed: 2023-01-30
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=635619&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 375

Top Depth:
Bottom Depth: 421.0

Top Depth: 381
Bottom Depth: 421

Well Levels

Measurement: 168
Measurement Date: 2023-01-30

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
196	1 of 2	NNE	2.86 / 15,098.27	R.O.C. CARBON CO TX	TCEQ WELL LOGS

Grid No: 65-12-5F
Date Drilled: 05/19/1970
Owners Name: R.O.C. CARBON CO
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 156
Depth Drilled: 346
Latitude: 29.808235
Longtiude: -95.568564

65-12-5F

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-5F
Located on map
Received:

1) OWNER:
Person having well drilled R.O.C. Carbon Co. (Name) Address P.O. Box 19396 (Street or RFD) Houston (City) Texas (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Location: Britmore Dr.
see reverse side for map

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well X Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial X Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary X Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6" in. Depth drilled 346 ft. Depth of completed well 346 ft. Date drilled 5-19-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	39	surface & red clay
39	46	white clay
46	60	sand loose
60	72	white shale
72	90	red clay
90	140	sand broken shaley
140	148	sand
148	166	shale
166	188	sand
188	191	shale
191	226	sand
226	293	shale sandy & sand rock
293	325	sand
325	329	soft sandy broken
329	343	sand
343	346	clay tough

(Use reverse side if necessary)

9) Casing:
Type: Old New X Steel X Plastic Other
Cemented from 0 ft. to 294 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
6"	0	294	

10) SCREEN:
Type stainless steel
Perforated X Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"blank	346	343	
4"screen	343	329	.014
4"blank	329	325	
	Cont'd.		

7) COMPLETION (Check):
Straight wall X Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 156 ft. below land surface Date 5-22-70
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 231 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No X
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton (Street or RFD) P.O. Box 8707 (City) Houston, Texas (State) 77009

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

GAY

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Screen setting
continued

4"screen	325	293	.014
4"blank	293	283	



TEXAS WATER DEVELOPMENT BOARD
RECEIVED
JUL 28 1970

SEP 28 1970
Central Records
Texas Water

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
196	2 of 2	NNE	2.86 / 15,098.27	R. & S. KENNELS TX	TCEQ WELL LOGS

Grid No:	65-12-5J
Date Drilled:	06/21/1973
Owners Name:	R. & S. KENNELS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	140
Depth Drilled:	225
Latitude:	29.808235
Longtiude:	-95.568564

65-12-55 Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-12-55
Located on map
Received: 7-27

1) OWNER:
Person having well drilled R. & S. Kennels (Name) Address Box 12514 (Street or RFD) Houston, (City) Texas 770?? (State)

Landowner Same (Name) Address 1730 Britmore (Street or RFD) Houston, Texas 77017 (City) (State)

2) LOCATION OF WELL:
County Harris County, miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
XX New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
XX Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
XX Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4" in. Depth drilled 225' ft. Depth of completed well 225' ft. Date drilled 6/21/73
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0'	20'	Clay
20'	35'	Sand
35'	100'	Clay & Sand
100'	150'	Clay
150	200'	Shell & Sand
200'	225'	Sand & Gravel

(Use reverse side if necessary)

9) Casing:
Type: Old New XX Steel Plastic XX Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type Plastic
Perforated XX Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size

7) COMPLETION (Check):
XX Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 140' ft. below land surface Date 6/22/73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 189' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata 225'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leon Eugene Davis (Type or Print) Water Well Drillers Registration No. # 316

ADDRESS 5423 Lotus Street (Street or RFD) Houston, (City) Texas 77045 (State)

(Signed) (Water Well Driller)

Welloo Water Well Drilling & Service Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-R

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
197	1 of 1	ESE	2.87 / 15,146.67	JIM FISCHER TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 10/27/1992
Owners Name: JIM FISCHER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 208
Depth Drilled: 415
Latitude: 29.754904
Longtiude: -95.54769

Send original copy by certified mail to: Texas Water Comm . Box 13087, Austin, Texas 78711 Please use black ink. (1)

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Jim Fisher (Name) ADDRESS 600 Crestbend Houston TX 77042 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: 600 Crestbend
County Harris . _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 10/26 19 92 Completed 10/27 19 92

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	395
3 7/8	395	415

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	26	Top Soil & Clay
26	58	Sur Face Sand
58	136	Clay
136	163	Sand
163	174	Clay
174	219	Sand
219	270	Clay
270	305	Sand
305	319	Clay
319	330	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	395	
2	N	Galvanized	388	395	
2	N	PVC	395	415	.016

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 8
345 ft. to 395 ft. No. of Sacks Used 3
Method used Halliburton - Trimmie
Cemented by Bussell & Son Inc

RECEIVED JAN 04 1993 TEXAS WATER COMMISSION

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☑ Estimated
Yield: 55 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 208 ft. below land surface Date 10/27/92
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
K-Packer	388

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son INC (Type or print) WELL DRILLER'S LICENSE NO. 2035
ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)
(Signed) Craig Bussell (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 1 Located on map US 290

WD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY


The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
330	394	SANDY CLAY
394	415	SAND

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
198	1 of 1	ENE	2.87 / 15,158.62	ED KAKOS (UNCLE ED'S NURSERY) TX	TCEQ WELL LOGS

Grid No: 65-11-6P
Date Drilled: 01/08/1976
Owners Name: ED KAKOS (UNCLE ED'S NURSERY)
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 110
Depth Drilled: 301
Latitude: 29.7924752
Longtiude: -95.5498506

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-6P
Located on map
Received: 2/6

1) OWNER:
Person having well drilled Ed Kakos (Uncle Ed's Nursery) Address 10211 Oakpoint; Houston, TX
(Name) (Street or RFD) (City) (State)

Landowner Same Address Memorial and Texas 6
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

See Reverse Side

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well XX Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial XX Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary XX Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 301 ft. Depth of completed well 301 ft. Date drilled 1-8-76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
000	024	Clay
024	048	Sand Rock
048	072	Sand
072	096	Sand and Clay
096	120	Sand and Clay
120	144	Sand and Clay
144	168	Sand and Clay
168	192	Sand and Clay
192	216	Sand and Clay
216	240	Sand and Rock
240	264	Sand (over)

(Use reverse side if necessary)

9) Casing:
Type: Old New Steel Plastic XX Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type Stainless steel rodbase
Perforated XX Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
#12 guage	291	301	
2½ blank	270	291	

7) COMPLETION (Check):
Straight wall XX Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 110 ft. below land surface Date 1-8-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 231 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No XX If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No XX
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton Street; P. O. Box 8707; Houston, TX 77009
(Street or RFD) (City) (State)

(Signed) R. B. Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

rwdb6-wo-8

2)LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

264	288	Sand
288	301	sand



RECEIVED
AUG 25 1976
TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
199	1 of 1	NE	2.88 / 15,181.91	GERCHARD PFUA TX	TCEQ WELL LOGS

Grid No: 65-04-4
Date Drilled: 09/16/1997
Owners Name: GERCHARD PFUA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 145
Depth Drilled: 290
Latitude: 29.800229
Longtiude: -95.5563055

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: PFAU, GERCHARD [redacted] ADDRESS: 10518 CHATTERTON CITY: HOUSTON STATE: TX ZIP: 77043-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-04-04
Street or RFD: 10518 CHATTERTON
City, State, Zip code: HOUSTON , TX 77043-

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 00140

DATE DRILLING:
STARTED: 09/15/97
COMPLETED: 09/16/97

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.75	0	275
4.75	275	290

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

65-04-4 N

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4.0	N	PVC WELL CASING	+2	275	SCH.40
2.5	N	PVC BLANK PIPE	272	277	SCH.80
2.5	N	PVC SCH80 WRP/SCREEN	277	287	10 GA.
2.5	N	NIP W/BACKWASH VALVE	287	290	SCH.80

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	20	SANDY TOPSOIL, CLAY SAND
20	40	SAND,CLAY
40	60	TAN CLAY
60	80	CLAY, SAND, CLAY
80	100	SAND
100	120	SAND CLAY ROCK SAND
120	140	CLAY
140	160	TAN CLAY
160	180	SAND,CLAY
180	200	SAND WHITE CLAY ROCK
200	220	SAND ROCK,SAND,ROCK,SAND
220	240	SAND CLAY SAND
240	260	SAND CLAY SAND
260	280	ROCK SAND
280	290	COARSE SAND CLAY

9) CEMENTING DATA:

Cemented from	No. of Sacks Used
275 FT. TO 18 FT.	16
18 FT. TO 1 FT.	6

Method used: HALLIBURTON METHOD
Cemented by: GDI-FULL RETURNS
Distance to septic field lines: 50+ ft.
Method of verification of above distance: MEASURED

10) SURFACE COMPLETION: PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 145 FT. DATE: 09/16/97
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATION PACKER	18
BP SEAL	272

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 200

14) WELL TEST:
JETTED
YIELD: 75 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: EXCELLENT DEPTH OF STRATA: 20 FT. OF SAND NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 4898WPK
ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Jimmy D. Briney (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

FILE ID SEQ #
EMP # DESC CD
OCT 07 1997
COMMENT WG
T

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
200	1 of 2	SW	2.88 / 15,212.59	HOUSTON LIGHTING & POWER TX	TCEQ WELL LOGS

Grid No: 65-19-3H
Date Drilled: 11/12/1973
Owners Name: HOUSTON LIGHTING & POWER
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 132
Depth Drilled: 312
Latitude: 29.736634
Longtiude: -95.617264

65.19.3H

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3H
Located on map
Received: 9 41

1) OWNER:
Person having well drilled Houston Lighting & Power (Name) Address P. O. Box 1700 (Street or RFD) (City) (State)

Landowner Same (Name) Address Westheimer Station, Houston, TX (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

SEE REVERSE SIDEN

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well X | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial X | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary X | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 0 ft. Depth of completed well 312 ft. Date drilled 11-12-73

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Surface Clay
24	48	Red Clay & Sand
48	72	Yellow Clay
72	86	Loose Sand & Clay
86	96	Sand Broken
96	120	Yellow Clay
120	144	Sand Broken Clay
144	168	Clay Hard
168	192	Sand Broken
192	216	Sand-Broken Clay
216	264	Broken Sand (Over)

(Use reverse side if necessary)

9) Casing:
Type: Old | New X | Steel | Plastic | Other

Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type Stainless steel rod base

Perforated X | Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	297	312	
2½	282	297	

7) COMPLETION (Check):
Straight wall X | Gravel packed | Other | Under reamed | Open Hole

8) WATER LEVEL:
Static level 132 ft. below land surface Date 11-12-73

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes | No X If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes | No X

Did any strata contain undesirable water? Yes | No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton - P. O. Box 8707, Houston, TX 77009 (Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-6

2)LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.


When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

264 288 Sand
288 312 Sand







Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
200	2 of 2	SW	2.88 / 15,212.59	CenterPoint Energy Houston Electric, LLC TX	WW HARRIS GAL

Well ID:	1203	**Diameter (inches):**	4
Aggre Lead Well:	1182	**Year Drilled:**	1973
Permit No:	WP2024-113693	**Depth Drilled:**	312
Permit Start Date:	11/1/2024	**Depth frm Surf(ft):**	282
Permit End Dt:	10/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.736388
Regulatory Aarea:	3	**Longitude:**	-95.617222

Owner Name: CenterPoint Energy Houston Electric, LLC
Billing Contact: Holly Vinson
Billing Address: 4500 South Shaver, Bldg. D
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77034
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.
Water Usage: D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
201	1 of 1	ESE	2.88 / 15,222.35	GEOTHERMAL INC/ HERB WAGERS TX	TCEQ WELL LOGS

Grid No: 65-12-8
Date Drilled: 04/09/1987
Owners Name: GEOTHERMAL INC/ HERB WAGERS
County: HARRIS
Water Usage: HEAT PUMP
Static Level: NOT REPORTED
Depth Drilled: 200
Latitude: 29.749486
Longtiude: -95.550732

/

#3 Harris

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Geothermal Inc/ Herb Wagers (Name) Address 4601 Pinemont Suite 128 (Street or RFD) Houston (City) TX (State) 77041 (Zip)

2) LOCATION OF WELL: County Harris ____ miles in SW (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map. 05-12-9

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☒ Other HEAT PUMP

5) DRILLING METHOD (Check): ☐ Driven ☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 04/08 19 87 Completed 04/09 19 87

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
4½	Surface	200

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	40	Red clay
40	90	Sandy clay
90	100	Rock streaks
100	200	Sand, gravel and sandy clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from ____ ft. to ____ ft. No. of Sacks Used ____
____ ft. to ____ ft. No. of Sacks Used ____
Method used ____
Cemented by ____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
JUN - 5 1987
TEXAS WATER COMMISSION

11) WATER LEVEL:
Static level ____ ft. below land surface Date ____
Artesian flow ____ gpm. Date ____

12) PACKERS: Type Depth

Heat Pump

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221


ADDRESS 607 Hwy 19 (Street or RFD) Huntsville (City) TX (State) 77340 (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only Well No. 05-12-8 Located on map ____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY


LEGEND
ERAL HIGHWAY MAP
ARRIS COUNTY
TEXAS
TE DEPARTMENT OF HIGHWAYS
ND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
EPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1979

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
202	1 of 2	ESE	2.89 / 15,237.32	JONATHON CUSTOM HOMES TX	TCEQ WELL LOGS

Grid No: 65-12-8
Date Drilled: 05/25/1999
Owners Name: JONATHON CUSTOM HOMES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 194
Depth Drilled: 410
Latitude: 29.755939
Longtiude: -95.546874

Send original copy by certified return receipt reques to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER JONATHAN Custom Homes (Name) ADDRESS 9325 Katy Freeway St 216 (Street or RFD) Houston (City) TX (State) 77024 (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 521 Crestbend Houston TX 77042 (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 65-12-8

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 5/21 19 99 Completed 5/25 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	390
3 7/8	390	410

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	380	Unconsolidated
380	410	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	390	
2.5	N	GALVANIZED	380	390	
2.5	N	PVC SCREENS	390	410	010

9) CEMENTING DATA
Cemented from 0 ft. to 15 ft. No. of sacks used 10
340 ft. to 390 ft. No. of sacks used 3
Method used Halliburton / TRIMIE
Cemented by AQUA SOURCE / B+S INC
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

13) ☐ Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed
☑ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

15) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 55 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 19.4 ft. below land surface Date 5/25/99
Artesian flow ____ gpm. Date

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
K-Packer	380

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AQUA SOURCE / B+S INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P O Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
202	2 of 2	ESE	2.89 / 15,237.32	VINCE & BETTY HENNESSEY TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	08/19/1998
Owners Name:	VINCE & BETTY HENNESSEY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	201
Depth Drilled:	415
Latitude:	29.755939
Longtiude:	-95.546874

Send original copy by certified return receipt requested. TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER VINCE & BETTY HENNESSY (Name) ADDRESS 9225 KATY FREEWAY STE 216 (Street or RFD) HOUSTON (City) TX (State) 77024 (Zip)

2) ADDRESS OF WELL: County HARRIS 521 CRESTBEND (Street, RFD or other) HOUSTON (City) TX (State) 77042 (Zip) GRID # 65-12-8

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 8-18 1998 Completed 8-19 1998

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	390
3 7/8	390	415

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	26	TOP SOIL & CLAY
26	58	SURFACE SAND
58	136	CLAY
136	163	SAND
163	174	CLAY
174	219	SAND
219	270	CLAY
270	305	SAND
305	319	CLAY
319	330	SAND
330	384	CLAY
384	415	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	390	
2.5	N	GALVANIZED LINER	385	395	
2.5	N	PVC SCREENS	395	405	.012
2.5	N	PVC SCREEN	405	415	.014

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 100 ft. No. of sacks used 12
340 ft. to 390 ft. No. of sacks used 3
Method used Halliburton / TRIMME
Cemented by Russell & Son Inc.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 201 ft. below land surface Date 5/19/98
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
K-Packer	385

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 60 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME RUSSELL & SON INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Billy Russell (Licensed Well Driller) (Signed) David Young (Registered Driller/Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
203	1 of 1	W	2.90 / 15,327.89	Terraces on Memorial TX	WW HARRIS GAL

Well ID:	10175	**Diameter (inches):**	5
Aggre Lead Well:	10175	**Year Drilled:**	2006
Permit No:	WP2024-108771	**Depth Drilled:**	300
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	280
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.766944
Regulatory Aarea:	3	**Longitude:**	-95.639166
Owner Name:	Terraces on Memorial		
Billing Contact:	Andrew Vacek		
Billing Address:	1600 Hwy 6 South, Ste 245		
Billing Address 2:	NULL		
Billing City:	Sugar Land		
Billing State:	TX		
Billing Zip:	77478		
Correspondence:	Lake Management Services, LP		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
204	1 of 1	ESE	2.92 / 15,426.73	BILLY SENTRE JR TX	TCEQ WELL LOGS

Grid No:	65-12-8B
Date Drilled:	03/03/1976
Owners Name:	BILLY SENTRE JR
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	110
Depth Drilled:	220
Latitude:	29.7530051
Longtiude:	-95.547736

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

8B GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 68-18-808
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Billy Dunton Jr. (Name) Address Houston Texas (Street or RFD) (City) (State)
Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section (Circle as many as are known) Block No. Survey
miles in 5 E (NE, SW, etc.) direction from addicks (Town).

addicks Dam
Hiway 6
5 mi
NORTH
Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☒ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 220 ft. Depth of completed well 220' ft. Date drilled 3-3-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	top soil
1	8	sandy soil
8	30	clay
30	155	clay + sand
155	120	sand + gravel
120	185	clay
185	220	water sand

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐ 2 string

8) WATER LEVEL:
Static level 10' ft. below land surface Date 3-5-76
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☐ Steel ☐ Plastic ☒ Other ☐
Cemented from 160 ft. to 203 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	+1	203	Sch 40

10) SCREEN:
Type Plastic
Perforated ☐ Rib Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2 1/2	210	220	016

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Blowed 25 gpm
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata


12) PUMP DATA:
Manufacturer's Name Reda
Type Submersible H.P. 3/4
Designed pumping rate 15 gpm ☐ gph ☐
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 147 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Name DONALD G McKAY (Type or Print) Water Well Drillers Registration No. 688
Address P O Box 523 (Street or RFD) Willis (City) Texas (State)
Signed Donald G McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
205	1 of 3	S	2.93 / 15,454.80	ROYAL OAKS L.P. TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	10/01/2000
Owners Name:	ROYAL OAKS L.P.
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	218.87
Depth Drilled:	586
Latitude:	29.7295463
Longtiude:	-95.5861189

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
ROYAL OAKS L.P.	11000 RICHMOND, STE.360	HOUSTON	TEXAS	77042

2) WELL LOCATION WELL # 3

County	Physical Address	City	State	Zip
HARRIS	WESTPARK AREA	HOUSTON	TEXAS	77072

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

Lat. **Long.** **Grid #** 65-20-02

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☑ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☑ No

5) N↑ X

6) Drilling Date
Started 8/13/99
Completed 10/1/00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
30"	0'	30'
20"	40'	586'

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
		(SEE ATTACTHED LOG)

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☑ Straight Wall ☐ Under-reamed ☑ Gravel Packed ☐ Other
If Gravel Packed give the interval from 20 ft. to 586 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
24"	NEW	CARBON STEEL	0	30'	.375
14"	NEW	CARBON STEEL	+2'	414'	.375
8.625	NEW	S.S.WIRE WRAP	415'	586'	.025
8 X 14	NEW	SWAGE	414'	415'	.375

9) Cementing Data
Cementing from SURF ft. to 30' ft. # of sacks used 50
ft. to ft. # of sacks used
Method Used TREMMIE
Cementing By LAYNE - TEXAS
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☑ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 407' ft.

11) Water Level
Static level 218.87 ft. below Date 9/13/99
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 751 gpm with 38.09 ft. drawdown after 1 hrs.

12) Packers

Type	Depth
N/A	

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Depth of Strata
Was a chemical analysis made? ☑ Yes ☐ No

Company or Individual's Name (type or print) RICHARD H ALLBRITTON Lic. No. 4633PW
Address 5931 BRITTMORE City HOUSTON State TEXAS Zip 77099

Signature (Licensed Driller/Pump Installer) 11 / 6 / 00 (Date)
Signature NOV 13 2000 (Apprentice) / / (Date)

TDLR FORM 004WWD Copies to TDLR - Owner - Driller/Pump Installer Form provided by Forms On-A-Disk, Inc. · Dallas, Texas · (214) 340-9429

DRI[illegible]RS LOG OF TEST HO[illegible]E

LAYNE-TEXAS

a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

TEST HOLE #1 - Well #3

Contract Name: Royal Oaks Ltd., Partnership / Water Well No. 3

Job No. 37-7604 Date: August 12, 1999

City: Houston State: Texas Driller: Lloyd Constantin

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
0	15	CLAY
15	21	FINE RED SAND
21	30	CLAY
30	55	FINE SAND
55	128	CLAY WITH FINE SAND
128	140	CLAY
140	189	FINE SAND
189	200	CLAY
200	323	FINE SAND
323	333	CLAY
333	348	FINE SAND
348	350	ROCK
350	380	CLAY
380	440	FINE SAND
440	470	FINE SAND WITH PEA GRAVEL
470	585	FINE SAND WITH SMALL CLAY
585	620	CLAY

REMARKS: PAGE 1 of 1

NOV 13 2000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
205	2 of 3	S	2.93 / 15,454.80	ROYAL OAKS L.P TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	08/15/1999
Owners Name:	ROYAL OAKS L.P
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	215.54
Depth Drilled:	574
Latitude:	29.7295463
Longtiude:	-95.5861189

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
ROYAL OAKS L.P.	11000 RICHMOND, STE.360	HOUSTON	TEXAS	77042

2) WELL LOCATION WELL #1

County	Physical Address	City	State	Zip
HARRIS	WESTPARK AREA	HOUSTON	TEXAS	77072

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

Lat. **Long.** **Grid #** 65-20-02

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☑ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☑ No

5) N↑ X

6) Drilling Date
Started 7/16/99
Completed 8/15/99

Diameter of Hole	Dia. (in)	From (ft)	To (ft)
	30"	0'	30'
	20"	30'	574'

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
		(SEE ATTACTHED LOG)

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☑ Straight Wall ☐ Under-reamed ☑ Gravel Packed ☐ Other
If Gravel Packed give the interval from 20 ft. to 574 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
24"	NEW	CARBON STEEL			.375
14"	NEW	CARBON STEEL	+2'	410'	.375
8.625	NEW	S.S.WIRE WRAP	411'	574'	.025
8 X 14	NEW	SWAGE	410'	411	.375

9) Cementing Data
Cementing from SURF ft. to 30' ft. # of sacks used 50
ft. to ft. # of sacks used
Method Used TREMMIE
Cementing By LAYNE - TEXAS
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☑ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 383' ft.

11) Water Level
Static level 215.54 ft. below Date 8/7/99
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 653 gpm with 68.88 ft. drawdown after 1 hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Depth of Strata
Was a chemical analysis made? ☑ Yes ☐ No

12) Packers

Type	Depth
N/A	

Company or Individual's Name (type or print) RICHARD H ALLBRITTON Lic. No. 4633PW
Address 5981 BRITTMORE City HOUSTON NOV 13 2000 State TEXAS Zip 77099

Signature (Licensed Driller/Pump Installer) 11/6/00 (Date)
Signature (Apprentice) / / (Date)

TDLR FORM 004WWD Copies to TDLR - Owner - Driller/Pump Installer Form provided by Forms On-A-Disk, Inc. - Dallas, Texas - (214) 340-9429

65-20-02 X

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS

a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

TEST HOLE 1

Contract Name: Royal Oaks Limited Partnership / Royal Oaks County Club

Job No. 37-7604 Date: July 25, 1999 Irrigation Well No. 1

City: Houston State: Texas Driller: Lloyd Constantin

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
0	40	CLAY
40	124	FINE SAND
124	152	CLAY
152	208	FINE SAND
208	222	CLAY
222	309	SAND WITH CLAY
309	427	CLAY
427	552	SAND WITH CLAY
552	620	CLAY

REMARKS: PAGE 1 of 1

NOV 1 8 2000

65-20-02

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
205	3 of 3	S	2.93 / 15,454.80	ROYAL OAKS L.P. TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 09/20/1999
Owners Name: ROYAL OAKS L.P.
County: HARRIS
Water Usage: IRRIGATION
Static Level: 233.73
Depth Drilled: 611
Latitude: 29.7295463
Longtiude: -95.5861189

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
ROYAL OAKS L.P.	11000 RICHMOND, STE.360	HOUSTON	TEXAS	77042

2) WELL LOCATION WELL # 2

County	Physical Address	City	State	Zip
HARRIS	WESTPARK AREA	HOUSTON	TEXAS	77072

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

Lat. Long. Grid # 65-20-02

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☑ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☑ No

5) N↑ X

6) Drilling Date
Started 6/15/00
Completed 9/20/99

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
30"	0'	40'
20"	40'	611'

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
		(SEE ATTACHED LOG)

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☑ Straight Wall ☐ Under-reamed ☑ Gravel Packed ☐ Other
If Gravel Packed give the interval from 20 ft. to 611 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
24"	NEW	CARBON STEEL	0	40'	.375
14"	NEW	CARBON STEEL	+2'	437'	.375
8.625	NEW	S.S.WIRE WRAP	438'	611'	.025
8 X 14	NEW	SWAGE	438'	439'	.375

9) Cementing Data
Cementing from SURF ft. to 40' ft. # of sacks used 70
ft. to ft. # of sacks used
Method Used TREMMIE
Cementing By LAYNE - TEXAS
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☑ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 400' ft.

11) Water Level
Static level 233.73 ft. below Date 7/25/00
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 751 gpm with 44.83 ft. drawdown after 1 hrs.

12) Packers

Type	Depth
N/A	

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Depth of Strata
Was a chemical analysis made? ☑ Yes ☐ No

Company or Individual's Name (type or print) RICHARD H ALLBRITTON Lic. No. 4633PW
Address 5931 BRITTMORE City HOUSTON State TEXAS Zip 77099

Signature (Licensed Driller/Pump Installer) 11 / 6 / 00 (Date)
Signature (Apprentice) NOV 13 2000 / / (Date)

TDLR FORM 004WWD Copies to TDLR - Owner - Driller/Pump Installer Form provided by Forms On-A-Disk, Inc. - Dallas, Texas - (214) 340-9429

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS

a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name: Royal Oaks Limited Partnership

TEST HOLE No. 2

Job No. 37-7604 Date: June 12, 2000

City: Houston State: Texas Driller: Darrel Olsen, Jr.

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
0	5	BLACK CLAY
5	25	RED CLAY
25	45	BROWN SAND
45	82	GRAY CLAY
82	94	BROWN SAND
94	104	GRAY CLAY WITH STREAKS
104	120	BROWN SAND
120	130	GRAY CLAY
130	140	BROWN SAND
140	160	GRAY CLAY
160	190	BROWN SAND
190	210	GRAY CLAY
210	300	BROWN SAND
300	308	TAN CLAY
308	325	LIGHT BROWN SAND
325	374	TAN & WHITE CLAY
374	386	LITE BROWN SAND
386	410	TAN CLAY
410	425	LITE BROWN SAND
425	440	TAN CLAY
440	498	LITE BROWN SAND
498	510	TAN & WHITE CLAY
510	590	LITE BROWN SAND
590	630	LITE WHITE CLAY (SOFT)

REMARKS: PAGE 1 of 1

NOV 1 3 2000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
206	1 of 1	WSW	2.94 / 15,532.42	H.C. LIMERICK TX	TCEQ WELL LOGS

Grid No:	65-11-9L
Date Drilled:	03/14/1972
Owners Name:	H.C. LIMERICK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	120
Depth Drilled:	278
Latitude:	29.7596937
Longtiude:	-95.6382402

9L

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 12386
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9L
Located on map
Received: 3 27
dlc

1) OWNER:
Person having well drilled D.C. JACKSON (Name) Address 1033 GARDEN DALE (Street or RFD) HOUSTON (City) TEXAS 77018 (State)

Landowner H.C. Hinerick (Name) Address 14310 WESTWAY LN. (Street or RFD) HOU. (City) Tex. (State)

2) LOCATION OF WELL:
County HARRIS, 15 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
14310 WESTWAY LN. 1 mi. EAST OF #1960 – ½ mi. SOUTH OF BUFFALO BAYOU
North
(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½" in. Depth drilled 278 ft. Depth of completed well 278 ft. Date drilled 3/14/72
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	210	UNCONSOLIDATED
210	278	SAND & GRAVEL

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from 200 ft. to 254 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	254	30
2	254	268	40

10) SCREEN:
Type S.S. Wrapped
Perforated ___ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	268	278	#16

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 120' ft. below land surface Date 3-15-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 168 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No ___
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS 9739 N Houston-Rosslyn Rd. (Street or RFD) Houston (City) Texas (State) 77088

(Signed) Tommy C. Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
207	1 of 1	NE	2.95 / 15,567.02	Southwestern Measurments 10635 Shadow Wood Dr Houston TX 77043	SDRW WELLS

Track NO: 278227
Date Submitted: 2012-02-03
Owner Name: Southwestern Measurments
Owner Address: 10635 Shadow Wood Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77043
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.804445
Longitude: -95.558334
Drilling Date Started: 2011-01-18
Drilling Date Completed: 2011-01-20
Chemical Analysis: No
Company Name: Scott Drilling Inc
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=278227&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 385

Top Depth:
Bottom Depth: 385.0

Well Levels

Measurement: 125
Measurement Date: 2012-01-20

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
208	1 of 1	ESE	2.96 / 15,652.14	Le, Don N 611 Crestbend Houston TX	SDRW WELLS

Track NO: 163545
Date Submitted: 2008-12-30
Owner Name: Le, Don N
Owner Address: 611 Crestbend
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.754723
Longitude: -95.546111
Drilling Date Started: 2003-09-22
Drilling Date Completed: 2003-09-28
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=163545&Type=SDR-Well

Well Borehole Information

Top Depth: 420
Bottom Depth: 440

Top Depth: 0
Bottom Depth: 420

Top Depth:
Bottom Depth: 440.0

Well Levels

Measurement: 192
Measurement Date: 2003-09-25

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
209	1 of 1	ESE	2.97 / 15,679.27	RICK GREEN TX	TCEQ WELL LOGS

Grid No: 65-12-8
Date Drilled: 10/17/2000
Owners Name: RICK GREEN
County: HARRIS
Water Usage: SINGLE FAMILY RESID
Static Level: 202
Depth Drilled: 440
Latitude: 29.754106
Longtiude: -95.546261

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: GREEN, RICK ADDRESS: 701 CRESTBEND CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-8
Street or RFD: 701 CRESTBEND
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: SINGLE FAMILY RESID
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02044
DATE DRILLING:
STARTED: 10/17/00
COMPLETED:

DIAMETER OF HOLE

DIAMETER	FROM	TO
8.5	0	420
4.875	420	440

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	420	CASING
3.0	N	P.V.C. SCH.40	402	420	LINER
3.0	N	P.V.C. - SLOTTED	420	430	.010
3.0	N	P.V.C. - SLOTTED	430	440	.012

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	12	CLAY-GRAY CLAY-RED
12	51	SAND-RED-.006-.008 BROKEN SAND & CLAY
51	126	CLAY-RED
126	136	SAND-TAN-.006-.008 SAND-TAN-.010-.012
136	154	CLAY-RED
154	162	SAND-TAN-.006-.008 SAND-TAN-.010-.012
162	172	CLAY-GRAY
172	214	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
214	258	CLAY-RED CLAY-GRAY
258	299	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
299	302	ROCK
302	314	CLAY-RED
314	332	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
332	360	CLAY-GRAY

9) CEMENTING DATA:
Cemented from 0 FT. TO 420 FT. No. of Sacks Used 83
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
CITY SEWER

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 202 FT. DATE: 10/19/00
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	402
K-PACKER	403

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 340

14) WELL TEST:
JETTED
YIELD: 150 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 440 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843, 2843, 2350
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Earl Lofton (LICENSED WATER WELL DRILLER)


(signed) (REGISTERED DRILLER TRAINEE)

APR 09 2001

STATE OF TEXAS WATER WELL REPORT (PAGE 2)

OWNER: GREEN, RICK ADDRESS: 701 CRESTBEND CITY: HOUSTON STATE: TX ZIP: -

360 440 SAND-WHITE-.006-.008 SAND-WHITE-.010-.012



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
210	1 of 1	WNW	2.97 / 15,690.93	HOUSTON CHRONICLE PUBLISHING CO. TX	WW HARRIS GAL

Well ID:	3715	**Diameter (inches):**	8
Aggre Lead Well:	3715	**Year Drilled:**	1985
Permit No:	W1984-3715-21209-0	**Depth Drilled:**	300
Permit Start Date:	12/1/1984	**Depth frm Surf(ft):**	250
Permit End Dt:	11/30/1985	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.7875
Regulatory Aarea:	3	**Longitude:**	-95.637222
Owner Name:	HOUSTON CHRONICLE PUBLISHING CO.		
Billing Contact:	THOMAS HATCHER		
Billing Address:	P.O. Box 4260		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77210		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
211	1 of 1	WSW	2.98 / 15,715.26	KEITH WISE TX	TCEQ WELL LOGS

Grid No:	65-11-9BB
Date Drilled:	02/23/1983
Owners Name:	KEITH WISE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	145
Depth Drilled:	316
Latitude:	29.7597193
Longtiude:	-95.6388491

W. L. #92

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-988
Located on map Yes
Received: C.F.S.

1) OWNER Keith Wise (Name) Address 14332 Westway Lane (Street or RFD) Hou. (City) Tx. (State) 77077 (Zip)

2) LOCATION OF WELL: County Harris Westway Lane 1 miles in SOUTH (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 60-59-7EE

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	316

Date drilled 2/23/83

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	14	Top Soil & Clay
14	37	Surface Sand
37	120	Clay
120	316	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galv. Steel	0	300	
2	N	Galv. Steel	294	306	
2	N	P.V.C.	306	316	.014

CEMENTING DATA
Cemented from 250 ft. to 300 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 145 ft. below land surface Date 2-24-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
SEP 12 1983
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 190 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Tex. (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

WELL OWNER'S COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
212	1 of 2	S	2.98 / 15,742.81	West Houston Medical Center TX	WW HARRIS GAL

Well ID:	10368	**Diameter (inches):**	5
Aggre Lead Well:	10368	**Year Drilled:**	2006
Permit No:	WP2024-103886	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 4:07:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	4/30/2025 4:07:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.728888
Regulatory Aarea:	3	**Longitude:**	-95.595555
Owner Name:	West Houston Medical Center		
Billing Contact:	Richard Martinez		
Billing Address:	12141 Richmond Ave.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
212	2 of 2	S	2.98 / 15,742.81	West Houston Medical Center 12141 Richmond Ave. Houston TX 77082	SDRW WELLS

Track NO: 278076
Date Submitted: 2012-02-01
Owner Name: West Houston Medical Center
Owner Address: 12141 Richmond Avenue
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77082
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.728611
Longitude: -95.595834
Drilling Date Started: 2006-05-30
Drilling Date Completed: 2006-06-21
Chemical Analysis: No
Company Name: Almeada Water Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=278076&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth: 400
Bottom Depth: 430

Top Depth:
Bottom Depth: 430.0

Well Levels

Measurement: 207
Measurement Date: 2006-06-01

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
213	1 of 2	ENE	2.98 / 15,746.12	LONE STAR CEMENT TX	TCEQ WELL LOGS

Grid No:	65-12-8F
Date Drilled:	12/18/1967
Owners Name:	LONE STAR CEMENT
County:	HARRIS
Water Usage:	MUNICIPAL
Static Level:	153
Depth Drilled:	353
Latitude:	29.7866648
Longtiude:	-95.5447198

RECEIVED
FEB 27 1968
TEXAS WATER DEVELOPMENT BOARD

65-12-8F

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-8F
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Lone Star Cement (Name) Address P.O. Box 3006 (Street or RFD) Houston (City) Texas (State)

Landowner Lone Star Cement (Name) Address P.O. Box 3006 (Street or RFD) Houston (City) Texas (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in (NE, SW, etc) direction from (Town).

NORTH

LOCATION OF WELL: Gessner at Old Katy Rd.

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☒
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 353 ft. Depth of completed well 353 ft. Date drilled 12-18-67
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	13	Surface & White Clay
13	18	Red Sand
18	56	Tough Shale & Sand Rock
56	72	Sand Broken
72	96	Red Sandy Clay
96	144	Joint Clay
144	192	Sand Top Light Broken
192	202	Shale
202	216	Sand Shale
216	253	Sand Shaley
253	275	Sand Shaley
275	280	White Shale
280	353	Sand Shale

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 153 ft. below land surface Date 12-18-67
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 0 ft. to 317 ft.

10) SCREEN:
Type Stainless
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	317	

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2⅛	311	341	.016

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes by whom? With Air
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes X ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Jacuzzi Bros.
Type Submersible H.P. 5
Designed pumping rate gpm ☐ gph ☐
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 231 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R.B. Lowry (Type or Print) Water Well Drillers Registration No. 146

Address P.O. Box 8707 (Street or RFD) Houston (City) TExas (State) 77009

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
213	2 of 2	ENE	2.98 / 15,746.12	LONE STAR INDUSTRIES, INC. TX	WW HARRIS GAL

Well ID:	2347	**Diameter (inches):**	4
Aggre Lead Well:	2347	**Year Drilled:**	1968
Permit No:	W1980-2347-11414-0	**Depth Drilled:**	353
Permit Start Date:	9/1/1980	**Depth frm Surf(ft):**	311
Permit End Dt:	1/14/1981	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785555
Regulatory Aarea:	3	**Longitude:**	-95.543611
Owner Name:	LONE STAR INDUSTRIES, INC.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 86		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
214	1 of 1	WSW	2.98 / 15,750.29	JERRY MORALES TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	12/06/2000
Owners Name:	JERRY MORALES
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	171
Depth Drilled:	326
Latitude:	29.7587466
Longtiude:	-95.638626

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: MORALES, JERRY ADDRESS: 20 WEST WAY LN CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-11-9
Street or RFD: 20 WEST WAY LN
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 22206
DATE DRILLING:
STARTED: 12/05/00
COMPLETED: 12/06/00

DIAMETER	FROM	TO
6.5	0	326

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	307	WW
2.5	N	PVC LINER	296	311	80
2.5	N	SUPERFLO SCREEN	311	326	10

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	16	CLAY
16	28	SAND
28	124	CLAY
124	130	SAND
130	136	CLAY
136	256	SAND
256	259	ROCK
259	264	SAND
264	307	CLAY
307	326	SAND

9) CEMENTING DATA:
Cemented from 307 FT. TO 0 FT. No. of Sacks Used 15
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
SLAB

11) WATER LEVEL:
STATIC LEVEL : 171 FT. DATE: 12/06/00
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P SEAL 296

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 252

14) WELL TEST:
JETTED
YIELD: 30 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 19 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4884
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Kevin Meza (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

JAN 09 2001

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
215	1 of 1	SW	2.99 / 15,762.70	Synott Partners, LP 13071 Westhiemer Rd Houston TX 77082	SDRW WELLS

Track NO: 205023
Date Submitted: 2010-01-18
Owner Name: Synott Partners, LP
Owner Address: 1050 Eagles Landing Pkwy #300
Owner Address2:
Owner City: Stockbridge
Owner State: GA
Owner Zip: 30281
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.734722
Longitude: -95.616389
Drilling Date Started: 2009-11-23
Drilling Date Completed: 2009-11-25
Chemical Analysis: No
Company Name: Geophysical Drilling Inc
Company Address: 4410 FM-359 South
CompanyAddress2:
Company City: Brookshire
Company State: TX
Company Zip: 77423
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=205023&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 428

Top Depth: 428
Bottom Depth: 442

Top Depth:
Bottom Depth: 442.0

Well Levels

Measurement: 200
Measurement Date:

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
216	1 of 1	WNW	2.99 / 15,771.23	Williams Brothers Const. Co., Inc. TX	WW HARRIS GAL

Well ID:	10104	**Diameter (inches):**	4
Aggre Lead Well:	10104	**Year Drilled:**	2005
Permit No:	W2009-10104-139730-0	**Depth Drilled:**	325
Permit Start Date:	6/1/2009	**Depth frm Surf(ft):**	295
Permit End Dt:	6/1/2009	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785555
Regulatory Aarea:	3	**Longitude:**	-95.638333
Owner Name:	Williams Brothers Const. Co., Inc.		
Billing Contact:	James Miller		
Billing Address:	P.O. Box 66428		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77226		
Correspondence:	(TxDot SH 6)		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
217	1 of 1	NE	2.99 / 15,779.11	AUSTIN HOCKER TX	TCEQ WELL LOGS

Grid No:	65-12-1
Date Drilled:	05/04/1999
Owners Name:	AUSTIN HOCKER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	147
Depth Drilled:	260
Latitude:	29.803524
Longtiude:	-95.557423

en opy by certified return receipt requested m TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Austin Hocker (Name) ADDRESS 1724 B Townhurst Hou. TX 77043 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris 1724 B Townhurst, (Street, RFD or other) Houston, TX 77043 (City) (State) (Zip) GRID # 6S-12-1

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 4-29 19 99 Completed 5-4 19 99

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	260'

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	20	Clay
20	49	Sand
49	59	Clay
59	69	Sand
69	79	Sand/Gravel
79	89	Sand/Gravel
89	123	Sand
123	133	Clay
133	153	Sand
153	197	Rock/Clay
197	202	Clay
202	207	Sand
207	217	Sand/Rock
217	227	Sand
227	237	Rock/Clay
237	260	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other Press. Cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC SCH-40 Casing	0	250	
2.5	N	PVC SCH-40 Liner	240	250	
2.5	N	PVC SCH-80 JaycoWOP	250	260	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 250 ft. to 100 ft. No. of sacks used 12
0 ft. to 10 ft. No. of sacks used 10
Method used Halliburton
Cemented by Driller
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance None Present

13) TYPE PUMP: [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 220 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 147 ft. below land surface Date 5-4-99
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
4" x 2½" RxR	BP Rubber Seal 240'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Waller County Water Wells, Inc. (Type or print) WELL DRILLER'S LICENSE NO. #50223WP

ADDRESS Rt. 1 Box 409 , Rice Rd. (Street or RFD) Hockley, (City) Texas (State) 77447 (Zip)

(Signed) Eugene Riemer (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

NOV 06 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) *White - TNRCC Yellow - DRILLER Pink - WELL OWNER*

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
218	1 of 3	WSW	3.00 / 15,830.08	Harris County MUD 175 Phase One TX	GWDB

Well Rep Track No:
State Well No: 6511918
Owner Name: Harris County MUD 175 Phase One
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1983
Well Depth: 1316
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7555560
Longitude: -95.6425000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511918&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511918&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
218	2 of 3	WSW	3.00 / 15,830.08	HARRIS COUNTY MUD 175 TX	TCEQ WELL LOGS

Grid No:	65-11-9CC
Date Drilled:	07/20/1983
Owners Name:	HARRIS COUNTY MUD 175
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	280
Depth Drilled:	1316
Latitude:	29.75631
Longtiude:	-95.63792

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Harris County MUD 175 (Name) Address (Street or RFD) Houston, Texas 77066 (City) (State) (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. e logs in pocket

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 7/20/83

Dia. (in.)	From (ft.)	To (ft.)
23"	Surface	550'
34"	550'	1316'

From (ft.)	To (ft.)	Description and color of formation material
		See Drillers Log

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 550 ft. to 1316 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
		See Materials Layout			

CEMENTING DATA
Cemented from 0 ft. to 550 ft.
Method used Halliburton
Cemented by Dowell (Company or Individual)

9) WATER LEVEL:
Static level 280 ft. below land surface Date 10/17/83
Artesian flow gpm. Date

10) PACKERS: Type N/A Depth

11) TYPE PUMP: ☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: ☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2000 gpm with 82.94 ft. drawdown after 48 hrs.

RECEIVED
MAR 19 1984
DEPT OF
WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME ALSAY-TEXAS CORPORATION (Type or Print) Water Well Driller's License No. 2019

ADDRESS 6615 Gant Street (Street or RFD) Houston (City) Texas (State) 77066 (Zip)

(Signed) G. C. England (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-11-9CC
Located on map Y6 S C-F-S.

DWR-0392 (Rev. 5-27-82) DEPARTMENT OF WATER RESOURCES COPY

CB

HARRIS COUNTY MUD #175 7/20/83

DRILLER'S LOG

DEPTH	
0 - 5'	Sub soil
5 - 10'	Clay tan
10 - 16'	Clay white
16 - 21'	Sandy clay tan
21 - 27'	Clay red
27 - 38'	Sandy clay tan
38 - 45'	Sand white
45 - 70'	Clay red
70 - 110'	Clay red to gray
110 - 130'	Clay red
130 - 168'	Sand w/gravel
168 - 270'	Clay red
270 - 410'	Sand & gravel mixed
410 - 420'	Clay red
420 - 424'	Sand white
424 - 432'	Clay w/sand stringers
432 - 445'	Clay tan
445 - 460'	Clay red
460 - 476'	Clay & sand tan to white
476 - 505	Sand tan
505 - 550'	Clay red to tan
550 - 690'	Sand w/clay stringers
690 - 754'	Clay tan to red
754 - 785'	Sand tan to white
785 - 812'	Clay tan
812 - 864'	Sand tan to white
864 - 885'	Clay blue & white
885 - 920'	Sand gray & tan

RECEIVED
MAR 19 1984
DEPT. OF
WATER RESOURCES

continued.....

Harris County M.U.D. #175

Driller's Log 7/20/83


Depth	
920 - 938'	Shale gray
938 - 1060'	Sand w/shale stringer
1060 - 1075'	Shale gray
1075 - 1104'	Sand gray to tan
1104 - 1122'	Shale gray
1122 - 1154'	Sand tan
1154 - 1266'	Shale gray
1266 - 1300'	Fine sand w/shale stringers
1300 - 1495'	Shale - hard - gray
1495 - 1530'	Sand Fine w/shale
1530 - 1572'	Shale gray
1572 - 1610'	Fine gray sand
1610 - 1650'	Shale - hard - gray

ELL LOG and MATERIAL REPORT

CUSTOMER Harris County MUD #175 WELL NO. Phase One

LOCATION Briarhills Section Three COMPLETED

ADDRESS CONTRACT NO.



DIMENSIONS:
A — 1316'
B — 550'
C — 450'
D — 100'
E — 0
F — 422'
G — 20'
H — 23" Diam.
I — 34" Diam.
J — 280'

Size 24"
Weight 125.5
Wall

(Static Level)

Size 18"/14"
Weight 70/54.57
Wall

Size 18"/14"
Type Pipe Base
Material 55
Gauge .040
Opening

PUMP DATA: Serial
Bowl Assembly Stage, Size Model
Discharge Column — Setting Feet
Size — Pipe Tubing Shaft
Head-Type Size Discharge
Suction, Length Size
Design Conditions: — USGPM TDH
Manufacturing:

MOTOR DATA:
HP Make Speed
Voltage Frame Type
Serial No.
Calculated Thrust:
Thrust Capacity:

REMARKS: See Pump Data

SCREEN & BLANK LINER LAYOUT:

Depth	Blank	Screen

See Attached

ALSAY-TEXAS CORPORATION
Industrial & Municipal Water Wells
Well and Pump Workover
6615 Gant St. Houston, Texas 77066
(713) 444-6960 Telex: 792838

HARRIS COUNTY MUD #175 7/20/83

MATERIALS SCHEDULE

Depth		18" Blank	18" Screen
450 - 550'		100'	
550 - 690'			140'
690 - 752'		62'	
752 - 788'			36'
788 - 808'		20'	
808 - 810'	18 X 14" Reducer	2'	
		184'	176"

Depth		14" Blank	14" Screen
810 - 860'			50'
860 - 890'		30'	
890 - 920'			30'
920 - 940'		20'	
940 - 1054'			114'
1054 - 1074'		20'	
1074 - 1100'			26'
1100 - 1126'		26'	
1126 - 1152'			26'
1152 - 1172'	Blank, BPV & Mule Shoe	20'	
		116'	246'

24" Surface Casing = 543'

18" Blank liner = 360'

18" Screen = 176'

14" Blank liner = 362'

14" Screen = 246'

2" Measuring tube = 530'

EDNA WOOD LABORA[illegible]RIES. INC.

WATER TECHNOLOGISTS - - CHEMIS - MICROBIOLOGISTS

26 October 1983

To: Alsay Texas Company
6615 Gant
Houston, Texas 77066

P. O. No. A-8751

For: Mr. Denny Miller

Sample marked: MUD 175 10-19-83 - 7:45 AM

RECEIVED OCT 27 1983

Received: 10-19-83

WATER ANALYSIS
results in parts per million (mg/1) except as noted

Dissolved Residue at 350° C		268	Conductance, micromhos/cm, 25°C		503
Total Dissolved Solids, actual†		378	Color, units		0
Total Dissolved Solids, calc.		386	Turbidity, units		0.1
Silica	SiO_2	28	As Calcium Carbonate, $CaCo_3$:		
Calcium	Ca	56	Phenolphthalein Alkalinity		0
Magnesium	Mg	8	Total Alkalinity		177
Sodium (diff.) Na + K as	Na	31	Total Hardness		173
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	20
Bicarbonate	HCO_3	216	pH . . . 7.24		
Sulfate	SO_4	3	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	43			
Total Fluoride	F	0.2			
Total Nitrate	NO_3	0.8			
Total Manganese	Mn	< 0.05			
Total Iron	Fe	< 0.05			
Iron, filtered sample	Fe	-			

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion


EDNA WOOD LABORATORIES. INC.

8023
pm

By: Alice Perry
Alice Perry, Supervising Chemist

Tel: (713) 747-7271 • P. O. BOX 14171 • 4820 OLD SPANISH TRAIL • HOUSTON, TEXAS 77021

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
218	3 of 3	WSW	3.00 / 15,830.08	USGS-294519095383201 TX	FED USGS

Site No:	USGS-294519095383201
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19830720
Well Depth:	1316
Well Depth Unit:	ft
Well Hole Depth:	1650
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-918
Latitude:	29.76611110000000
Longitude:	-95.6338889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
219	1 of 2	W	3.00 / 15,835.39	Houston, City of TX	WW HARRIS GAL

Well ID:	1674	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1975
Permit No:	W2003-1002-127237-0	**Depth Drilled:**	1310
Permit Start Date:	2/1/2003	**Depth frm Surf(ft):**	872
Permit End Dt:	3/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.7675
Regulatory Aarea:	3	**Longitude:**	-95.641111

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 21st Floor, Rm 2152
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Afton Village
Provision: G1 - permit exempt from disincentive fee based on provisions in GRP (2002); D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
219	2 of 2	W	3.00 / 15,835.39	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QY
Date Drilled:	01/00/1975
Well Depth:	1310
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	969
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.767693
Longitude:	-95.641182
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
220	1 of 4	WNW	3.01 / 15,878.53	City of Houston West Lake Park-Dist 21 TX	GWDB

Well Rep Track No:
State Well No: 6511916
Owner Name: City of Houston West Lake Park-Dist 21
Drilling Start Dt:
Drilling Month: 8
Drilling Day: 28
Drilling Year: 1981
Well Depth: 1170
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7825000
Longitude: -95.6405560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511916&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511916&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
220	2 of 4	WNW	3.01 / 15,878.53	CITY OF HOUSTON TX	WUD

St Well No:	6511916
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EW
Date Drilled:	10/23/1981
Well Depth:	1170
Screen Top:	674
Screen Bottom:	1154
Gallons Per Minute:	1713
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78225899
Longitude:	-95.63987732
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
220	3 of 4	WNW	3.01 / 15,878.53	Houston, City of TX	WW HARRIS GAL

Well ID:	3467	**Diameter (inches):**	18
Aggre Lead Well:	1003	**Year Drilled:**	1980
Permit No:	WP2023-117626	**Depth Drilled:**	1200
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	660
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.782222
Regulatory Aarea:	3	**Longitude:**	-95.639722
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
220	4 of 4	WNW	3.01 / 15,878.53	USGS-294656095382501 TX	FED USGS

Site No: USGS-294656095382501
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19810824
Well Depth: 1170
Well Depth Unit: ft
Well Hole Depth: 1256
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-11-916
Latitude: 29.78250000000000
Longitude: -95.6405556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
221	1 of 7	NNE	3.01 / 15,882.61	City of Houston Katy-Addicks Well #13 TX	GWDB

Well Rep Track No:	
State Well No:	6512522
Owner Name:	City of Houston Katy-Addicks Well #13
Drilling Start Dt:	
Drilling Month:	11
Drilling Day:	6
Drilling Year:	2000
Well Depth:	1555
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.8122222
Longitude:	-95.5733333
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512522&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512522&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
221	2 of 7	NNE	3.01 / 15,882.61	A Fuller (subdivision) TX	GWDB

Well Rep Track No:	
State Well No:	6512504
Owner Name:	A Fuller (subdivision)
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1954
Well Depth:	450
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.8113890
Longitude:	-95.5719440
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512504&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512504&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
221	3 of 7	NNE	3.01 / 15,882.61	CITY OF HOUSTON TX	WUD

St Well No:	6512522
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SH
Date Drilled:	04/06/2000
Well Depth:	1555
Screen Top:	777
Screen Bottom:	1555
Gallons Per Minute:	1520
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.81241944
Longitude:	-95.57283889
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
221	4 of 7	NNE	3.01 / 15,882.61	CITY OF HOUSTON TX	TCEQ WELL LOGS

Grid No: 65-12-5
Date Drilled: 11/06/2000
Owners Name: CITY OF HOUSTON
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 468.75
Depth Drilled: 15555
Latitude: 29.8124327
Longtiude: -95.5730529

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
CITY OF HOUSTON	611 WALKER	HOUSTON	TEXAS	77002

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	10981 HAMMERLY BLVD.	HOUSTON	TEXAS	77041

3) Type of Work WELL # 13 — Lat. 29 48 43 — Long. 95 34 22 — Grid # 65-12-5

☑ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☑ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☑ Yes ☐ No

5) N↑ X

6) Drilling Date
Started 7/15/99
Completed 11/6/00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
42	0	47
30	0	837
32	837	1555

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft) To (ft) Description and color of formation material

"SEE ATTACHED LOG"

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☑ Under-reamed ☑ Gravel Packed ☐ Other
If Gravel Packed give the interval from 837 ft. to 1555 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
36"	USED	CARBON STEEL	0	47	.375
24"	NEW	CARBON STEEL	+6	837	.500
18"	NEW	s.s. wire wrap screen	777	929	.025
14"	NEW	Wraped on pipe	929	1555	.025

9) Cementing Data
Cementing from 0 ft. to 47 ft. # of sacks used 95
0 ft. to 837 ft. # of sacks used 1777
Method Used HALLIBURTON
Cementing By SAME
Distance to septic system field or other concentrated contamination ____ ft.
Method of verification of above distance ____

13) Plugged ☐ Well plugged within 48 hours

Casing left in well:

From (ft)	To (ft)

Cement/Bentonite placed in well:

From (ft)	To (ft)	Sacks used

10) Surface Completion
☑ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☑ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc.. 730.67 ft.

11) Water Level
Static level 468.75 ft. below Date 4/6/00
Artesian Flow ____ gpm. Date / /

15) Water Test
Typetest ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2282 gpm with 96.86 ft. drawdown after 1 hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water ____ Depth of Strata ____
Was a chemical analysis made? ☑ Yes ☐ No

12) Packers

Type	Depth
N/A	

Company or Individual's Name (type or print) RICHARD H. ALLBRITTON — Lic. No. 4633PW

Address 5931 BRITTMORE — City HOUSTON — State TEXAS — Zip 77041

Signature (Licensed Driller/Pump Installer) — Date 1/10/01

Signature (Apprentice) — Date / /

TDLR FORM 004WWD — Copies to TDLR - Owner - Driller/Pump Installer

Form provided by Forms On-A-Disk, Inc. · Dallas, Texas · (214) 340-9429

65-12-5 184497

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS, a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name: City of Houston Katy Addicks Well #13

Job No. 37-7600 Date: 09/02/99

City: Houston State: Tx

TEST HOLE 1

Driller: Ronnie Ward, Darrel Olsen Jr

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
0	3	TOP SOIL
3	15	SAND
15	19	YELLOW CLAY
19	29	SANDY CLAY
29	43	SAND
43	90	CLAY
90	130	SAND
130	133	HARD CLAY STREAKS
133	150	SAND
150	180	SAND WITH CLAY STREAKS
180	273	SAND
273	288	CLAY
288	340	SAND
340	355	CLAY
355	367	SAND
367	408	SAND WITH CLAY STREAK
408	434	SAND
434	460	CLAY & SAND STREAKS
460	481	SAND WITH CLAY STREAKS
481	512	CLAY
512	541	SAND
541	563	CLAY
563	584	SAND WITH CLAY STREAKS
584	604	STICKY CLAY
604	619	SAND
619	624	CLAY
624	638	SAND
638	694	SANDY CLAY
694	710	SAND WITH CLAY STREAKS
710	764	HARD CLAY
764	775	SAND

REMARKS: PAGE 1 of 2

65-12-5

DRILLERS LOG OF TEST HOLE

LAYNE-TEXAS, a division of Layne Christensen Company

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING · WATER WELLS · PUMPS

Contract Name: City of Houston Katy Addicks Well #13

Job No. 37-7600 Date: 09/02/99

City: Houston State: Tx

TEST HOLE 1

Driller: Ronnie Ward, Darrel Olsen Jr

Location of Test Hole

FROM	TO	DESCRIPTION OF STRATA
775	856	CLAY
856	894	FINE SAND
894	910	SANDY CLAY
910	925	CLAY WITH HARD STREAKS
925	950	STICKY CLAY
950	1050	SAND
1050	1082	SNAD WITH CLAY STREAKS
1082	1113	CLAY STREAKS WITH SAND
1113	1306	SHALE WITH SAND STREAKS
1306	1322	SAND
1322	1382	SHALE
1382	1488	SAND WITH SHALE STREAKS
1488	1508	SHALE
1508	1531	SANDY SHALE
1531	1599	SHALE
1599	1608	HARD SHALE
1608	1645	SAND WITH SHALE STREAKS
1645	1657	SHALE
1657	1702	SAND WITH SHALE STREAKS
1702	1707	SHALE

REMARKS: PAGE 2 of 2

65-12-5 X

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
221	5 of 7	NNE	3.01 / 15,882.61	Houston, City of TX	WW HARRIS GAL

Well ID:	2574	**Diameter (inches):**	24
Aggre Lead Well:	1002	**Year Drilled:**	1990
Permit No:	W1997-1002-53604-0	**Depth Drilled:**	1625
Permit Start Date:	2/1/1997	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/1998	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.815
Regulatory Aarea:	3	**Longitude:**	-95.572777

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 21st Floor, Rm 2152
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Afton Village
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
221	6 of 7	NNE	3.01 / 15,882.61	Houston, City of TX	WW HARRIS GAL

Well ID:	7241	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1999
Permit No:	WP2023-117626	**Depth Drilled:**	1600
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	660
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.8125
Regulatory Aarea:	3	**Longitude:**	-95.573055

Owner Name: Katy Addicks #13
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
221	7 of 7	NNE	3.01 / 15,882.61	USGS-294844095342401 TX	FED USGS

Site No:	USGS-294844095342401
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19990902
Well Depth:	1556
Well Depth Unit:	ft
Well Hole Depth:	1707
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-522
Latitude:	29.81250000000000
Longitude:	-95.5736111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
222	1 of 1	SW	3.02 / 15,920.73	Artesian On Westheimer TX	WW HARRIS GAL

Well ID:	11034	**Diameter (inches):**	5
Aggre Lead Well:	11034	**Year Drilled:**	NULL
Permit No:	WP2024-108926	**Depth Drilled:**	420
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	420
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.735
Regulatory Aarea:	3	**Longitude:**	-95.616388
Owner Name:	MTC Villas Westheimer, LLC ETAL		
Billing Contact:	Brooke Mininni		
Billing Address:	13099 Westheimer Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
223	1 of 6	SW	3.02 / 15,922.02	Lone Star Cement TX	GWDB

Well Rep Track No:
State Well No: 6519315
Owner Name: Lone Star Cement
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1980
Well Depth: 360
Well Usage: Industrial
Water Level Status:
Latitude: 29.7391670
Longitude: -95.6266670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519315&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519315&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
223	2 of 6	SW	3.02 / 15,922.02	LONE STAR CEMENT TX	TCEQ WELL LOGS

Grid No:	65-19-3E
Date Drilled:	03/21/1980
Owners Name:	LONE STAR CEMENT
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	150
Depth Drilled:	320
Latitude:	29.7407586
Longtiude:	-95.626684

65-19-3E DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-19-3E
Located on map YES
Received: TH

1) OWNER Lone Star Cement (Name) Address 2400 Rolk Rd (Street or RFD) Houston (City) Tx (State) 77077 (Zip)

2) LOCATION OF WELL:
County Harris 10 miles in West (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 3-21-80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
8 3/4	Surface	320

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other cement well
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	top soil
5	35	clay
35	45	sand
45	145	clay
145	152	sand
152	170	clay
170	240	sand
240	249	clay
249	255	sand
255	272	clay
272	290	sand
290	320	clay
320	340	sand
340	360	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
6	N	Plastic	0	320	
	N	20' 4" screen 20' 4" blank	340	360	10g

CEMENTING DATA
Cemented from ____ ft. to ____ ft.
Method used pump pressure
Cemented by Aldine Pump & Well Service, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 150 ft. below land surface Date 3-26-80
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth
lead seal packer

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 140 gpm with ____ ft. drawdown after 1 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Vernon W. Gray (Type or Print) Water Well Drillers Registration No. 2011

ADDRESS 2226 Aldine Bender (Street or RFD) Houston (City) Tx (State) 77032 (Zip)

(Signed) Vernon W. Gray (Water Well Driller) Aldine Pump & Well Service, Inc. (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

KR.

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY



RECEIVED
MAY 29 1980
DEPT. OF
WATER RESOURCES

RECEIVED
NOV 20 1980
CR/TDMT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
223	3 of 6	SW	3.02 / 15,922.02	Transit Mix Concrete - Baytown, Inc. TX	WW HARRIS GAL

Well ID:	4529	**Diameter (inches):**	4
Aggre Lead Well:	4529	**Year Drilled:**	1991
Permit No:	W2007-4529-131401-0	**Depth Drilled:**	200
Permit Start Date:	11/1/2007	**Depth frm Surf(ft):**	100
Permit End Dt:	11/1/2007	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.740555
Regulatory Aarea:	3	**Longitude:**	-95.626666

Owner Name:	Transit Mix Concrete - Baytown, Inc.
Billing Contact:	Matthew Hallmark (Trinity Industries, Inc.)
Billing Address:	8121 Broadway
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77061
Correspondence:	(Westheimer)
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	I - Industrial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
223	4 of 6	SW	3.02 / 15,922.02	NOBA 187 LLC TX	WW HARRIS GAL

Well ID:	3469	**Diameter (inches):**	6
Aggre Lead Well:	3469	**Year Drilled:**	1980
Permit No:	W2019-3469-205688-0	**Depth Drilled:**	400
Permit Start Date:	11/1/2019	**Depth frm Surf(ft):**	380
Permit End Dt:	11/1/2019	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.739444
Regulatory Aarea:	3	**Longitude:**	-95.626666
Owner Name:	Argos USA		
Billing Contact:	NULL		
Billing Address:	1800 West Loop South, Ste. 1300		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
223	5 of 6	SW	3.02 / 15,922.02	Transit Mix Concrete - Baytown, Inc. TX	WW HARRIS GAL

Well ID:	4569	**Diameter (inches):**	4
Aggre Lead Well:	4529	**Year Drilled:**	1990
Permit No:	W2007-4529-131401-0	**Depth Drilled:**	200
Permit Start Date:	11/1/2007	**Depth frm Surf(ft):**	200
Permit End Dt:	11/1/2007	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.740555
Regulatory Aarea:	3	**Longitude:**	-95.626666

Owner Name:	Transit Mix Concrete - Baytown, Inc.
Billing Contact:	Matthew Hallmark (Trinity Industries, Inc.)
Billing Address:	8121 Broadway
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77061
Correspondence:	(Westheimer)
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	I - Industrial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
223	6 of 6	SW	3.02 / 15,922.02	USGS-294420095373501 TX	FED USGS

Site No:	USGS-294420095373501
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19800321
Well Depth:	360
Well Depth Unit:	ft
Well Hole Depth:	360
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-19-315
Latitude:	29.73916667000000
Longitude:	-95.6266667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
224	1 of 1	WSW	3.03 / 15,976.57	FRANCISZEK CIBOROWSKI TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	01/19/1994
Owners Name:	FRANCISZEK CIBOROWSKI
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	170
Depth Drilled:	320
Latitude:	29.7587955
Longtiude:	-95.6393904

Send original copy by certified mail to: Texas Water Com n, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER FRANCISZEK CIBOROWSKI (Name) ADDRESS 13211 RICHWOOD (Street or RFD) HOUSTON, TEXAS (City) (State) 77082 (Zip)

2) LOCATION OF WELL: County ~~FT BEND~~ Harris . 1 miles in SOUTH (NE, SW, etc.) direction from ADDICKS, TEXAS (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. off Hwy 6 & WESTWAY LANE

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP WELL #1

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 1/12 19 94 Completed 1/19 19 94

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7	Surface	320

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	36	SURFACE CLAY & SOIL
36	40	SAND
40	90	RED CLAY
90	110	COARSE SAND & GRAVEL
110	135	CLAY
135	200	COARSE SAND
200	233	CLAY, ROCK & ~~CLEAR~~ SHALE
233	250	MEDIUM COARSE SAND
250	293	ROCK
293	320	MEDIUM COARSE WATER SAND

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PLASTIC JET STREAM	0	300	40
4	N	JAYCO WOP 40	300	310	.010
4	N	JAYCO WOP 40	310	320	.012

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 13
_____ ft. to _____ ft. No. of Sacks Used _____
Method used HAND MIXED
Cemented by WELLCO

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 170 ft. below land surface Date 1/19/94
Artesian flow _____ gpm. Date _____

12) PACKERS: Type NONE Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED SEP 01 1994 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME WELLCO DRILLING & SERVICE COMPANY (Type or print) WELL DRILLER'S LICENSE NO. 3251WI

ADDRESS 5423 LOTUS STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77085 (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-11-9 Located on map _____

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB


SEE 448 MAP
SEE 489 MAP
HARRIS COUNTY
RECEIVED
SEP 01 1994
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION
C KEY MAPS INC
WEST FRWY
WESTHEIMER
WESTHEIMER BEELER
RICHMOND AVE.
RICHMOND
ADDICKS HOWELL RD
BRIARHILLS PKWY
BRIAR FRST
MEMORIAL DR
STILLMEADOW
DARRELL TULLY STADIUM
Memorial Oaks Cemetery
Forest Park West Cemetery
Park Hollow Research Center
F.M. 1093
SH 6
ELDRIDGE RD
WESTWAY LN.
WESTHOLLOW
BRAMBLEWOOD
CHADBOURNE
BROADGREEN
CINDYWOOD
CAROLCREST
KELLYWOOD
RIVER FOREST
PERTHSHIRE
Stratford Sr
MACKILSEE
CHERRY MOUND
SWISS HILLS
COTTRELL CT
BANNER HILL CT
QUAIL GROVE
OAK BEND
CARRIAGE HILL
WHITTINGTON
ROCKY KNOLL
OLYMPIA MEADOW
ASHFORD
WESTMERE
WESTLEIGH
WESTCHESTER
WESTWICK
WESTCHASE BLVD
WINDCHASE CT
HOLLOWGRN
PARKHLLW
GARDEN GRV
HOLLANDALE
WEST PARK
SUNSET DINE
MAXFLD
CREEKSIDE PK
HOLLOWCRK PK
MEADOW BRIAR
ASHFORD BRK
ASHFORD CRK
ASHFORD MDW
ASHFORD KNLL
ASHFORD LK
ASHFORD MEWS
ASHTON PK
SKYMEADOW
SKYWOOD
SKYPARK
STONEY STONE
MISTY WATER
HAZEL
WESTHOLLOW
WINDCHASE BLVD
SUNSWEPT
STREAM CT
WINDSWEPT
GARDEN GRV
RINCON
IVYSIDE
FORELAND
BINLEY
THATCHER
WICKERSHAM
LOCKE
OVERBROOK
ELLA LEE
PIPING ROCK
BURGOYNE
BRIARCREST
BRIARGRN
CHEVY CHASE
BRIARWORTH
BRIAR PLACE
BRIAR SAGE
BRIAR STEM
BRIARPORT
BRIARVIEW
BRIARLEAF
JOEL WHEATON
TURKEY CRK
TURKEY TRAIL
LANGBOURNE
STOKESMOUNT
WDNOOK
HILLVALE
SANDFLD
WITHERSDALE
HIGHCRFT
WDVILLE
SWALLOWFLD
TOWNSHIRE
MANERLY
WILDWILK
STONEFLD
LANSFORD
HAY LN
BRIAR BAYOU
BRIAR KNOLL
BAYOU KNOLL
SHADYFOREST
GREENPARK
GREENBELT
THICKET
PINESAP
LA COSTA
LA QUINTA
SORREL CT
CAMELBACK CT
WOODTHORPE
THISTLEWOOD
BISON
LANGWOOD
MEMORIAL MEWS
SOUTHMAN
KILDEER
N. ELDRIDGE
SYNOTT
UNCLE BENS
GENTRY
DAIRY
FERN
KOA
DARIA
IVY WALL
SILVERVILLE
STAR HILL
MENASCO
CHEROKEE
COACHLIGHT
ROUSH
HILLSIDE
HILLSIDE CT
DUSTY
KALER
FLEETWOOD OAKS
FLEET
RIVER RDS
BARKERS PT
HDDN HARBOR
HDDN COVE
BARKERS LNDG
SMITH
WHITE WA
STAFFORD
JACKSON
SANDY BLFF
CAPTAINS WLK
PLAINVIEW MEMORIAL
BUFFWD
WINDBRWD
WALKWAY
Bayou
Buffalo
Memorial Park
Memorial Park Golf Course
Memorial Park Golf Course
Memorial Park Golf Course

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
225	1 of 1	SW	3.03 / 15,977.37	Adib, Jay TX	WW HARRIS GAL

Well ID:	7263	**Diameter (inches):**	2
Aggre Lead Well:	7263	**Year Drilled:**	
Permit No:	W2013-7263-163503-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2013	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2013	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.736111
Regulatory Aarea:	3	**Longitude:**	-95.621388
Owner Name:	Adib, Jay		
Billing Contact:	NULL		
Billing Address:	13250 Westheimer		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
226	1 of 1	E	3.03 / 15,983.47	BAYOU BEND INVESTMENTS (BUCK STRODE) TX	TCEQ WELL LOGS

Grid No: 65-12-9K
Date Drilled: 09/29/1984
Owners Name: BAYOU BEND INVESTMENTS (BUCK STRODE)
County: HARRIS
Water Usage: DOMESTIC
Static Level: 212
Depth Drilled: 355
Latitude: 29.7690632
Longtiude: -95.5410486

WL # 39

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 58-15-9F
Located on map yes
Received: F.S.

1) OWNER Bayou Bend Investments (Buck Straub) Address 4219 Richmond Ave #220 Houston TX 77027
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Voss Rd.
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

☐ See attached map. mapsco 65-12-95

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 9-29-84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	355

From (ft.)	To (ft.)	Description and color of formation material
0	17	Top Soil + Clay
17	25	Surface Sand
25	43	Clay
43	120	Sand
120	150	Clay
150	161	Sand
161	180	Clay
180	295	Sand + Clay
295	305	Sand
305	310	Clay
310	355	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C.	0	335	
6 5/8	N	Galv.	329	335	
2 1/2	N	P.V.C.	335	345	.016
2 1/2	N	P.V.C.	345	355	.020

CEMENTING DATA
Cemented from 285 ft. to 335 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc.
(Company or Individual)

9) WATER LEVEL:
Static level 212 ft. below land surface Date 10-2-84
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
MAY - 7 1985
DEPT. OF WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

(Use reverse side if necessary)

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.


13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS P O Box 604 (Street or RFD) Tomball (City) Tx (State) 77375 (Zip)
(Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

DWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY


LEGEND
HIGHWAY MAP
COUNTY
EXAS
MENT OF HIGHWAYS
TRANSPORTATION
ON PLANNING DIVISION
T OF TRANSPORTATION
1979

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
227	1 of 1	ESE	3.03 / 15,991.25	TAD MAYFIELD TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	08/21/1998
Owners Name:	TAD MAYFIELD
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	208
Depth Drilled:	405
Latitude:	29.752667
Longtiude:	-95.545946

Send original copy by certified return receipt requested n... TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER TAD MAYFIELD (Name) ADDRESS 801 Crestbend (Street or RFD) Houston (City) TX (State) 77042 (Zip)

2) ADDRESS OF WELL: County Harris 801 Crestbend (Street, RFD or other) Hstn (City) TX (State) 77042 (Zip) GRID # 6512-8

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling: Started 8-20 19 98 Completed 8-21 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	385
3 7/8	385	405

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	26	Top Soil & Clay
26	58	Surface Sand
58	136	Clay
136	163	Sand
163	174	Clay
174	219	Sand
219	270	Clay
270	305	Sand
305	319	Clay
319	330	Sand
330	380	Clay
380	405	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	385	
2.5	N	Galvanized Liner	375	385	
25	N	S.S.R.B.	385	405	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 100 ft. No. of sacks used 15
330 ft. to 385 ft. No. of sacks used 3
Method used Halliburton / Trimme
Cemented by Bussell & Son Inc
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 208 ft. below land surface Date 8-21-98
Artesian flow ____ gpm. Date

12) PACKERS:

Type	Depth
K-Packer	375

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 336 ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 60 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P O Box 874 (Street or RFD) Tomball (City) Texas (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
228	1 of 1	WSW	3.05 / 16,086.04	RICHARD S. BRADSHAW TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	06/10/1999
Owners Name:	RICHARD S. BRADSHAW
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	166
Depth Drilled:	322
Latitude:	29.7587926
Longtiude:	-95.6397503

ITTENTION OWNER: Confidentiality
rivilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

) OWNER: BRADSHAW, RICHARD S. ADDRESS: 14411 WESTWAY CITY: HOUSTON STATE: TX ZIP: 77077-

) ADDRESS OF WELL:
County: HARRIS GRID # 65-19-03
Street or RFD: (SAME AS ABOVE)
City, State, Zip code: HOUSTON , TX 77077-

5)

) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

) WELL LOG: 00347

ATE DRILLING:
STARTED: 06/09/99
COMPLETED: 06/10/99

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.75	-0-	308
4.75	308	322

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4.0	N	PVC WELL CASING	+2	308	SCH 40
2.5	N	PVC BLANK PIPE	305	310	SCH 80
2.5	N	STAINLESS ROD BASE	310	320	8 GA
2.5	N	NIP W/BACKWASH VALVE	320	322	SCH 80

EOLOGICAL DESCRIPTION:

ROM	TO	DESCRIPTION
0	20	SANDY TOPSOIL, WHITE CLAY RED CLAY
20	40	SAND RED CLAY
40	60	RED CLAY WHITE CLAY
60	80	RED CLAY SAND
80	100	SAND RED CLAY
100	120	SAND CLAY
120	140	TAN CLAY SAND
140	188	SAND & GRAVEL SAND & GRAVEL SAND
188	220	CLAY, SAND, CLAY ROCK SAND
220	240	SAND CLAY SAND
240	260	SAND ROCK SAND
260	282	SAND
282	295	CLAY
295	322	SAND SAND SAND

9) CEMENTING DATA:
Cemented from No. of Sacks Used
308 FT. TO -0- FT. 17
-0- FT. TO 18 FT. 3
Method used: HALLIBURTON METHOD
Cemented by: GDI FULLY PRESSURED
Distance to septic field lines: 50+ ft.
Method of verification of above distance:
CUSTOMER

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 166 FT. DATE: 06/10/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATION PACKER	18
BP-SEAL	305

) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 240

14) WELL TEST:
JETTED
YIELD: 75 GPM WITH FT DRAWDOWN AFTER HRS

) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 20 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

MPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 4898WPK
DRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
229	1 of 1	SW	3.06 / 16,146.71	R.J.S. & ASSOCIATES INTERNATIONAL INC. TX	TCEQ WELL LOGS

Grid No: 65-20-1
Date Drilled: 09/22/1989
Owners Name: R.J.S. & ASSOCIATES INTERNATIONAL INC.
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 174
Depth Drilled: 421
Latitude: 29.7371022
Longtiude: -95.6230468

#(2)

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER R.J.S. & ASSOCIATES INTERNATIONAL INC. (Name) Address 7700 SAN FELIPE (Street or RFD) SUITE # 365 (City) HOUSTON (State) TEX. (Zip) 77063

2) LOCATION OF WELL: County HARRIS miles in NE (N.E., S.W., etc.) direction from ALIEF, TEXAS (Town)
1-MILE SOUTH FROM HIGHWAY 6 ON WESTHEIMER

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☒ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other ____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started SEPT. 19 1989 Completed Sept. 22 1989

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	7"	Surface	421

From (ft.)	To (ft.)	Description and color of formation material
0	1'	FILL IN SOIL
1	6	TOP SOIL - BLACKISH
6	18	RED CLAY
18	26	RED CLAY TO GRAY
26	42	LIGHT SAND
42	89	GRAYISH CLAY
89	146	SAND W/ STRIATS
146	230	REDISH & GRAY CLAY
230	280	FAIR TO COARSE SAND
280	300	SHELL
300	350	FAIR SAND - SMALL GRAVEL
350	360	GRAYISH CLAY
360	421	SAND AND GRAVEL
		- BOTTOM OF WELL -

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New / Used	Steel / Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4		PVC - 40 SECH PIPE	0	317	
4		40 SECH GALV. PIPE	317	338	
4		PVC 40 SECH PIPE	338	406	
4		SLOTTED PVC SCREEN	406	421	0.14 SMFE

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 70 ft. No. of Sacks Used 11
____ ft. to ____ ft. No. of Sacks Used ____
Method used MIXING & INSTALLING DOWN W/ STELL SLEEVE
Cemented by MY COMPANY

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 174 ft. below land surface Date 9-22-89
Artesian flow ____ gpm. Date ____

12) PACKERS: Type ____ Depth ____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 336 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.
PUMP IN WELL, BUT NOT RAN YET.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? VERY GOOD Depth of strata 421 FT
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED
NOV 7 1989
TEXAS WATER COMMISSION

(Use reverse side if necessary)

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ELLIS WATER WELL DRILLING (Type or Print) Water Well Driller's License No. 815

ADDRESS 13719 STAFFORD ROAD (Street or RFD) STAFFORD, (City) TEXAS (State) 77477 (Zip)


(Signed) Cecil L. Ellis (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-20-1
Located on map ____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY

CWB


LEGEND
ERAL HIGHWAY MAP
ARRIS COUNTY
TEXAS
TE DEPARTMENT OF HIGHWAYS
ID PUBLIC TRANSPORTATION
PARTMENT OF TRANSPORTATION
1979
#2
WELL ON WESTHEIMER + CLOSE TO #6
ELLIS WATER WELL DRILLING

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
230	1 of 1	ESE	3.06 / 16,149.05	Mitch Kobernick 39 Rivercrest Houston TX 77042	SDRW WELLS

Track NO:	62034
Date Submitted:	2005-07-06
Owner Name:	Mitch Kobernick
Owner Address:	39 Rivercrest
Owner Address2:	
Owner City:	Houston
Owner State:	TX
Owner Zip:	77042
County:	Harris
Type of Work:	New Well
Typ of Wrk Oth Descr:	
Proposed Use:	Domestic
Prop Use Oth Descr:	
Latitude:	29.750001
Longitude:	-95.546945
Drilling Date Started:	2005-05-23
Drilling Date Completed:	2005-05-25
Chemical Analysis:	No
Company Name:	Scott Drilling Inc.
Company Address:	11923 Green Pine Circle
CompanyAddress2:	
Company City:	Houston
Company State:	TX
Company Zip:	77066
Company Country:	
Data Source:	Full SDR Database; SDRDB Well Location (Map)
Report Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=62034&Type=SDR-Well

Well Borehole Information

Top Depth:	
Bottom Depth:	380.0
Top Depth:	0
Bottom Depth:	380

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
231	1 of 1	WSW	3.07 / 16,205.12	Partners in Bouilding - Yoshikan 14415 Westway Houston TX 77077	SDRW WELLS

Track NO: 510779
Date Submitted: 2018-05-04
Owner Name: Partners in Bouilding - Yoshikan
Owner Address: 14415 Westway
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.758889
Longitude: -95.640278
Drilling Date Started: 2018-03-23
Drilling Date Completed: 2018-03-27
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=510779&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 343

Top Depth:
Bottom Depth: 361.0

Top Depth: 343
Bottom Depth: 361

Well Levels

Measurement: 168
Measurement Date: 2018-03-27

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
232	1 of 1	ENE	3.07 / 16,211.15	CWP Asset Corp./Mister Car Wash TX	WW HARRIS GAL

Well ID:	4416	**Diameter (inches):**	5
Aggre Lead Well:	4416	**Year Drilled:**	1990
Permit No:	WP2024-114119	**Depth Drilled:**	345
Permit Start Date:	10/9/2024 7:58:00 AM	**Depth frm Surf(ft):**	300
Permit End Dt:	10/31/2025 7:58:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.787222
Regulatory Aarea:	3	**Longitude:**	-95.543055

Owner Name: CWP Asset Corp./Mister Car Wash
Billing Contact: Compliance Dept
Billing Address: 222 E 5th St
Billing Address 2: NULL
Billing City: Tucson
Billing State: AZ
Billing Zip: 85705
Correspondence: #2 Gessner
Provision: 8 - Based on permitted allocation or 10% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
233	1 of 1	NNW	3.07 / 16,234.20	AVANTI SERVICES TX	TCEQ WELL LOGS

Grid No:	65-12-4
Date Drilled:	10/31/1989
Owners Name:	AVANTI SERVICES
County:	HARRIS
Water Usage:	OILFLD SUPPLY
Static Level:	175
Depth Drilled:	410
Latitude:	29.8147005
Longtiude:	-95.6053216

Send original copy by certified mail to: Texas Water Comr ...n, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER AVANTI SERVICES (Name) ADDRESS 15600 DRUMMET BLVD. STE. 77HOUSTON (Street or RFD) (City) TX (State) 77032 (Zip)

2) LOCATION OF WELL: County HARRIS KAY BRADSHAW 2 BAUER ESTATE 2 miles in NE (NE, SW, etc.) direction from ADDICKS QUESTOR 5 (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☐ SEE ATTACHED MAP NORTH: 2950 WEST: 9540 MSTNUM: 1648

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): OILFLD SUPPLY ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling: Started 10/30/89 19__ Completed 10/31/89 19__

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	410

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval . . . from 0 ft. to 0 ft.

From (ft.)	To (ft.)	Description and color of formation material
0	40	CLAY
40	50	FINE RED SAND
50	70	RED CLAY
70	95	COARSE SAND
95	180	CLAY
180	195	COARSE SAND
195	250	CLAY & ROCKS
250	330	SOLID SAND & BRK ROCK
330	335	CLAY
335	340	SAND
340	350	CLAY & ROCK MIX
350	390	COARSE SOLID SAND
390	410	CLAY & SOME ROCK

(Use reverse side if necessary)

RECEIVED FEB 22 1990 TEXAS WATER COMMISSION

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
P4		NEW CASING	0	300	
P4			320	350	
			0	0	
P4		SLOTTED	300	320	.020
P4		SLOTTED	350	390	.020
			0	0	

9) CEMENTING DATA [Rule 287.44(1)] Cemented from 0 ft. to 15 ft. No. of Sacks Used 10

ft. to ft. No. of Sacks Used 0

Method used SLURRY

Cemented by J & S WATER WELLS

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]

☐ Pitless Adapter Used [Rule 287.44(3)(B)]

☐ AAP Approved Alternative Procedure Used [Rule 287.71]

13) TYPE PUMP: ☐ Turbine ☐ Jet ☐ S Submersible ☐ Cylinder ☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 315 ft.

14) WELL TESTS: Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated

Yield: 55 gpm with N/M ft. drawdown after _____ hrs.

11) WATER LEVEL: Static level 175 ft. below land surface Date 10/31/89

Artesian flow _____ gpm. Date _____

15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? NO

☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS: Type NEOPR. Depth 15

...y certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand ...lure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

...NY NAME J & S WATER WELLS (Type or print) WELL DRILLER'S LICENSE NO. 1994 3040W

...S P. O. BOX 675 (Street or RFD) BELLVILLE (City) TX (State) 77418 (Zip)


John E. Rushton (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

...h electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-12-4 Located on map _____

...lev. 09/21/88)

TEXAS WATER COMMISSION COPY


LEGEND
HWAY MAP
COUNTY
AS
T OF HIGHWAYS
ISPORTATION
TRANSPORTATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
234	1 of 1	WSW	3.08 / 16,241.52	JOSE E. MOLINA TX	TCEQ WELL LOGS

Grid No:	65-11-9Z
Date Drilled:	01/08/1981
Owners Name:	JOSE E. MOLINA
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	140
Depth Drilled:	310
Latitude:	29.7596541
Longtiude:	-95.6405523

70

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-92
Located on map YES
Received: RWB

1) OWNER Jose E. Molina (Name) Address 14420 Westbury (Street or RFD) Houston, Tx. (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 10 miles in SW (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 1/8/81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	310

From (ft.)	To (ft.)	Description and color of formation material
0	45	Clay
45	60	Sand
60	120	Clay
120	145	Sand
145	177	Clay
177	210	Sand
210	211	Rock
211	280	Sand
280	290	Clay
290	310	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	270	Sch.
2½"	N	PVC Liner	260	300	40
2½"	N	Slotted Screen	300	310	.012

CEMENTING DATA
Cemented from 270 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 140 ft. below land surface Date 1/9/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 260

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

RECEIVED AUG 24 1982 CR/TDWR

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464


ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M. E. Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


HARRIS COUNTY TEXAS 102

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
235	1 of 1	WNW	3.08 / 16,272.93	LAND & WATER AMENITIES TX	TCEQ WELL LOGS

Grid No: 65-11-9B
Date Drilled: 10/04/1982
Owners Name: LAND & WATER AMENITIES
County: HARRIS
Water Usage: OTHER
Static Level: 190
Depth Drilled: 645
Latitude: 29.7827683
Longtiude: -95.6410123

113

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-04-98
Located on map
Received: C.F.S.

1) OWNER Land & Water Amenities (Name) Address Unknown (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 1/2 miles in E (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. mapon 65-04-6NN

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 10/4/82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
7-7/8	Surface	645

From (ft.)	To (ft.)	Description and color of formation material
0	24	Clay
24	73	Sand
73	147	Clay
147	248	Sand
248	371	Clay
371	436	Sand
436	583	Clay
583	645	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5"	N	Steel Caisng	0	585	Sch.
2½"	N	Blank Pipe	575	585	40
2½"	N	PVC Slotted Screen	585	645	.012

CEMENTING DATA
Cemented from 585 ft. to 200 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

RECEIVED
JUL 19 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 190 ft. below land surface Date 10/4/82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 575

11) TYPE PUMP: 7½HP
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potab le Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Roger Scholl (Type or Print) Water Well Drillers Registration No. 2x213 2213

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) Roger Scholl (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
236	1 of 1	ESE	3.08 / 16,275.43	RALPH A. SHOEBERG TX	TCEQ WELL LOGS

Grid No: 65-20-2B
Date Drilled: 11/??/1977
Owners Name: RALPH A. SHOEBERG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 185
Depth Drilled: 420
Latitude: 29.749235
Longtiude: -95.547027

65-20-2B

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-2B
Located on map
Received: 2-7-77

1) OWNER:
Person having well drilled: Ralph A. Shoberg (Name) Address: 35 W. Rivercrest Houston, Texas (Street or RFD) (City) (State)

Landowner: Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris, miles in direction (N.E., S.W., etc.) from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

490 S
Map on 65-20-2B4
North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 400 ft. Depth of completed well 420 ft. Date drilled Jan. 1977
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Red & yellow clay
15	18	Red & gray clay
18	35	Sand
35	47	Red & yellow clay
47	55	Red sand
55	95	Red clay
95	130	Sand
130	168	Red & gray clay
168	179	Sand
179	192	Red & gray clay
192	218	Sand
218	270	Red & yellow clay
270	288	Sand
288	330	Red & gray clay
330	351	Sand 10 ga.
351	354	Red & gray clay W/rock streaks
354	420	Sand 16ga.

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 400 ft. up ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	1	400	40

10) SCREEN:
Type Well Supplies Inc. plastic wrapped
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	405	420	16

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 185 ft. below land surface Date Jan. 1977
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 231 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Inc. (Type or Print) Water Well Drillers Registration No. TDL774

ADDRESS 10011 Airline Dr. (Street or RFD) Houston, (City) Texas (State)

(Signed) C.A. Raymond Jr (Water Well Driller) Raymond Water Well Drilling (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
237	1 of 1	WNW	3.09 / 16,296.66	DANNENBAUM ENGINEERING TX	TCEQ WELL LOGS

Grid No:	65-11-9B
Date Drilled:	05/23/1979
Owners Name:	DANNENBAUM ENGINEERING
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	138
Depth Drilled:	289
Latitude:	29.7827706
Longtiude:	-95.6410888

Well Log #122

DUP 65-11-9B

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-11-9B
Located on map YES
Received: TH

1) OWNER Dannenbaum Engineering (Name) Address 4543 Post Oak Place Dr. #140 (Street or RFD) Hou, (City) Tex. (State) 77027 (Zip)

2) LOCATION OF WELL: Addicks Hoffman Rd.
County Harris 0 miles in (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☐ See attached map. Map on 65-20-2Q

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 5/23/79

Dia. (in.)	From (ft.)	To (ft.)
6⅝	Surface	289

From (ft.)	To (ft.)	Description and color of formation material
0	28	Sand & Clay
28	82	Clay
82	104	Clay, Shale, Rock
104	118	Sand
118	188	Sandy Clay & Sand
188	19 9	Clay
199	218	Sand
218	254	Clay
254	289	Sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	0	265'	40
2	N		279	289	16

CEMENTING DATA
Cemented from 215' ft. to 265' ft.
Method used ____
Cemented by ____ (Company or Individual)

9) WATER LEVEL:
Static level 138' ft. below land surface Date 5/24/79
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 48 gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
238	1 of 1	WSW	3.09 / 16,315.01	Eagle's Trace TX	WW HARRIS GAL

Well ID:	10800	**Diameter (inches):**	5
Aggre Lead Well:	10800	**Year Drilled:**	2008
Permit No:	WP2024-102169	**Depth Drilled:**	300
Permit Start Date:	5/1/2024 2:51:00 PM	**Depth frm Surf(ft):**	280
Permit End Dt:	4/30/2025 2:51:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.761666
Regulatory Aarea:	3	**Longitude:**	-95.641388

Owner Name: Eagle's Trace
Billing Contact: Steve Arrington
Billing Address: P.O. Box 9
Billing Address 2: NULL
Billing City: Katy
Billing State: TX
Billing Zip: 77492
Correspondence: Lake Pro, Inc.
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; 9 - Based on permitted allocation or 20% of total demand, whichever is smaller
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
239	1 of 1	WNW	3.09 / 16,327.68	Williams Brothers 14427 "A" Old Katy Road Houston TX	SDRW WELLS

Track NO: 175160
Date Submitted: 2009-04-17
Owner Name: Williams Brothers
Owner Address: PO Box 66428
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77266
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.786111
Longitude: -95.641111
Drilling Date Started: 2005-06-22
Drilling Date Completed: 2005-06-23
Chemical Analysis: No
Company Name: Bussell & Sons, LLC
Company Address: P.O. Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=175160&Type=SDR-Well

Well Borehole Information

Top Depth: 233
Bottom Depth: 243

Top Depth:
Bottom Depth: 243.0

Top Depth: 0
Bottom Depth: 233

Well Levels

Measurement: 165
Measurement Date: 2005-06-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
240	1 of 1	SE	3.10 / 16,384.09	KNIGHT & CONSTRUCTION TX	TCEQ WELL LOGS

Grid No: 65-20-6G
Date Drilled: 10/??/1972
Owners Name: KNIGHT & CONSTRUCTION
County: HARRIS
Water Usage: DOMESTIC
Static Level: 96
Depth Drilled: 131
Latitude: 29.7385541
Longtiude: -95.5564751

65-20-66

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-66
Located on map Yes
Received: 7/31
66


#6

1) OWNER:
Person having well drilled Knight Construction (Name) Address 1902 Westheimer (Street or RFD) Hz. Tx (City) 77098 (State)

Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 10 miles in W (N.E., S.W., etc.) direction from Downtown Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): (New Well) Deepening Reconditioning Plugging

4) PROPOSED USE (Check): (Domestic) Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): (Rotary) Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 3/4 in. Depth drilled 131 ft. Depth of completed well 131 ft. Date drilled 10/12
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	FILL
2	4	TOPSOIL
4	20	CLAY
20	26	SAND
26	111	CLAY
111	131	SAND

9) Casing:
Type: Old (New) (Steel) Plastic Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2	0	123	SCD40

10) SCREEN:
Type PLASTIC WRAPPED
(Perforated) Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	123	131	.012

(Use reverse side if necessary)

7) COMPLETION (Check): (Straight wall) Gravel packed Other Under reamed Open Hole

8) WATER LEVEL:
Static level 96 ft. below land surface Date 10/12
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 105 ft. below land surface.

11) WELL TESTS:
Was a pump test made? (Yes) No If yes, by whom? AIR COMPRESSOR
Yield: 5 gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Orlen O'Day (Type or Print) Water Well Drillers Registration No. 786

ADDRESS PO Box 162 (Street or RFD) Pearland (City) Texas (State)

(Signed) Orlen O'Day (Water Well Driller) O'Day Drilling Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDB-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
241	1 of 1	ESE	3.11 / 16,398.95	MIKE MCGUIRE TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	07/31/1992
Owners Name:	MIKE MCGUIRE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	212
Depth Drilled:	420
Latitude:	29.748553
Longtiude:	-95.547038

end original copy by certified mail to: Texas Water Commission Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Mike Maguire (Name) ADDRESS 3400 S. Gessner Ste 102 (Street or RFD) Hou (City) Tex (State) 7706 (Zip)

2) LOCATION OF WELL: County Harr. 3 . 4 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP (1)

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 7-29 1992 Completed 7-31 1992

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6 3/4	Surface	402
	4½	400	420

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-22	C	
22-34	S	
34-41	C	
41-52	S	
52-115	C	
115-138	S	
138-144	C	
144-155	S	
155-164	C	
164-182	S	
182-188	C	
188-220	S	
220-261	C	
261-285	S	
285-335	C	
335-370	S	
370-390	C	
390-420	S	

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	Pve	0	400	40
2½	N	Pve Wrapped	400	420	12

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 20 ft. No. of Sacks Used 4
350 ft. to 400 ft. No. of Sacks Used _____
Method used circ
Cemented by Ind

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 212 ft. below land surface Date 7-31-92
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

DEC 2 8 1992 TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc (Type or print) WELL DRILLER'S LICENSE NO. 1182
ADDRESS P.O. Box 89 (Street or RFD) Porter (City) TEXAS (State) 77365 (Zip)
(Signed) Homer L Lowe (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 1 Located on map 65-20-2

WD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY


LEGEND
GHWAY MAP
COUNTY
XAS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
242	1 of 2	ENE	3.11 / 16,444.55	Ivy Club Apartments TX	WW HARRIS GAL

Well ID:	4670	**Diameter (inches):**	5
Aggre Lead Well:	4670	**Year Drilled:**	1990
Permit No:	WP2024-102699	**Depth Drilled:**	349
Permit Start Date:	6/1/2024	**Depth frm Surf(ft):**	299
Permit End Dt:	5/31/2025	**County:**	H
Well Status:	5 - No plumbing	**Latitude:**	29.786388
Regulatory Aarea:	3	**Longitude:**	-95.542222

Owner Name:	Ivy Club Apartments
Billing Contact:	Khan, Imran
Billing Address:	1320 Gessner Road, Newport Asset MGMT 181
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77055
Correspondence:	NULL
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
242	2 of 2	ENE	3.11 / 16,444.55	USGS-294708095322601 TX	FED USGS

Site No:	USGS-294708095322601
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19901022
Well Depth:	349
Well Depth Unit:	ft
Well Hole Depth:	349
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-942
Latitude:	29.78583333000000
Longitude:	-95.5408333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
243	1 of 2	SSW	3.12 / 16,481.68	CITY OF HOUSTON TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	08/12/1987
Owners Name:	CITY OF HOUSTON
County:	HARRIS
Water Usage:	DE-WATERING/WELLPOINT
Static Level:	7
Depth Drilled:	24
Latitude:	29.7277843
Longtiude:	-95.6036696

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER City of Houston (Name) Address PO Box 1562 (Street or RFD) Houston (City) TX (State) 77001 (Zip)

2) LOCATION OF WELL: County Harris 10 miles in SW (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Dewatering well ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other ~~Wellpoint~~

5) DRILLING METHOD (Check): ☐ Driven ☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 8/12 19 87 Completed 8/12 19 87

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
8"	Surface	24

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Dense tan & light gray clayey sand (ML) w/ ferrous nodules
3	19	Firm tan sand Fine w/ some silt (SP)
19	24	Stiff tan & light gray very sand clay (CL)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2	Used	Plastic	24	21	15 slot
2	Used	~~Stuff~~ steel	21	0	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from _____ ft. to _____ ft. No. of Sacks Used _____
_____ ft. to _____ ft. No. of Sacks Used _____
Method used _____
Cemented by _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
SEP 4 1987
TEXAS WATER COMMISSION

11) WATER LEVEL:
Static level 7 ft. below land surface Date 8/12/87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other Vacuum
Depth to pump bowls, cylinder, jet, etc., _____ ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 7 gpm with 15 ft. drawdown after 24 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Griffin Dewatering Corp (Type or Print) Water Well Driller's License No. 2801-D

ADDRESS 6100 Harvey Wilson Drive Houston, TX 77221 (Street or RFD) (City) (State) (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 58-58-201
Located on map _____

0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
243	2 of 2	SSW	3.12 / 16,481.68	CITY OF HOUSTON TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	08/11/1987
Owners Name:	CITY OF HOUSTON
County:	HARRIS
Water Usage:	DE-WATERING/WELPOINT
Static Level:	7
Depth Drilled:	24
Latitude:	29.7277843
Longtiude:	-95.6036696

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER City of Houston (Name) Address P.O. Box 1562 (Street or RFD) Houston (City) TX (State) 77001 (Zip)

2) LOCATION OF WELL: County Harris 10 miles in SW (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Dewatering well ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other Wellpoint

5) DRILLING METHOD (Check): ☐ Mud Rotary ☐ Air Hammer ☒ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 8/11 19 87 Completed 8/11 19 87

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
8"	Surface	24

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	4'	Firm ligh gray & red slightly clayey sand (ML) w/calcareous nodules
4'	9'	Loose light brown silty Fine sand (SM)
9'	23'	Very dense tan fine sand w/some silt (SP)
23'	24'	Very stiff red brown clay (CH)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2	Used	Plastic	24	21	15 slot
2	Used	steel	21	0	-

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from _____ ft. to _____ ft. No. of Sacks Used _____
_____ ft. to _____ ft. No. of Sacks Used _____
Method used _____
Cemented by _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
SEP 4 1987
TEXAS WATER COMMISSION

11) WATER LEVEL:
Static level 7 ft. below land surface Date 8/11
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other Vacuum
Depth to pump bowls, cylinder, jet, etc., _____ ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

14) WELL TESTS:
Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 7 gpm with 15 ft. drawdown after 24 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Griffin Dewatering Corp (Type or Print) Water Well Driller's License No. 2801-D

ADDRESS 6100 Harvey Wilson Drive (Street or RFD) Houston (City) Texas (State) 77221 (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-20-1
Located on map _____

(Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
244	1 of 1	WSW	3.12 / 16,483.37	Hann Builders-Ghiz TX	SDRW WELLS

Track NO: 351535
Date Submitted: 2014-01-14
Owner Name: Hann Builders-Ghiz
Owner Address: 14520 Westway Ln
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.759445
Longitude: -95.641389
Drilling Date Started: 2013-12-12
Drilling Date Completed: 2013-12-16
Chemical Analysis: No
Company Name: Alameda Water Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=351535&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 415.0

Top Depth: 0
Bottom Depth: 390

Top Depth: 390
Bottom Depth: 415

Well Levels

Measurement: 172
Measurement Date: 2013-12-16

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
245	1 of 1	WNW	3.13 / 16,512.07	QUINTES W. STARK TX	TCEQ WELL LOGS

Grid No:	65-11-9J
Date Drilled:	04/13/1972
Owners Name:	QUINTES W. STARK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	108
Depth Drilled:	198
Latitude:	29.7870669
Longtiude:	-95.6402987

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-11-91
Located on map yes
Received: 72
dc

1) OWNER:
Person having well drilled Quintes w & Tank Address Cok. Del Addicks Tx
(Name) (Street or RFD) (City) (State)

Landowner Ron Address Ron
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris 1½ miles in S.W. direction from Addicks
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



or

Give legal location with distances and directions from adjacent sections or survey lines.
Labor Ricardo Tol 3975 League Vol 990
Block Pag 736 Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored ✓

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 198 ft. Depth of completed well 198 ft. Date drilled 4-23-72
All measurements made from Top ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
Top	Sand 4	
4	Clay 2	
2	Sand Rock	198

9) Casing:
Type: Old New X Steel Plastic Other
Cemented from ft. to X ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
Hin P Last	Top	198	40
Slot 20 ft Cont well			
Back saw			

10) SCREEN:
Type
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole ✓

8) WATER LEVEL:
Static level 108 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ No If yes, by whom? A J Flentge
Yield: 700 gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water 71

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Sand Depth of strata 90

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A J FLENTGE (Type or Print) Water Well Drillers Registration No. 1357
ADDRESS Bellaire Tx R.I. Box 235 (Street or RFD) (City) (State)
(Signed) A J Flentge (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



MAY 16 1972

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
246	1 of 1	WNW	3.14 / 16,582.22	ROSS MARTELLA TX	TCEQ WELL LOGS

Grid No:	65-11-9U
Date Drilled:	09/21/1977
Owners Name:	ROSS MARTELLA
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	89
Depth Drilled:	191
Latitude:	29.782443
Longtiude:	-95.642108

9U

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-11-9U
Located on map yes
Received: 28

1) OWNER:
Person having well drilled Ross Martella (Name) Address P.O. Box 79484 (Street or RFD) Houston (City) Texas (State) 7707

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 22 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 5/8 in. Depth drilled 191 ft. Depth of completed well 191 ft. Date drilled 9-21-77

All measurements made from 1½ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top soil
2	49	clay
49	60	sand
60	91	clay
91	98	sand
98	168	clay
168	191	sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 0 ft. to 2 ft.
45 65

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	181	PVC Sch 40

10) SCREEN:
Type Plastic Wrapped
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	181	191	12 ga

7) COMPLETION (Check):
Straight wall, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 89 ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water 64

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ed Smith (Type or Print) Water Well Drillers Registration No. 1692

ADDRESS P.O. Box 694 (Street or RFD) 5242 E. Third (City) Katy Texas (State) 77450

(Signed) Ed Smith (Water Well Driller) Welsco (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
247	1 of 1	ESE	3.14 / 16,584.08	GARY WOOLEY TX	TCEQ WELL LOGS

Grid No: 65-12-7
Date Drilled: 11/18/2002
Owners Name: GARY WOOLEY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 405
Latitude: 29.7503503
Longtiude: -95.5452003

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: WOOLEY, GARY ADDRESS: #40 W. RIVERCREST CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-7
Street or RFD: #40 W. RIVERCREST
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 25422

DATE DRILLING:
STARTED: 11/15/02
COMPLETED: 11/18/02

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	405

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	380	WW
2.5	N	GALVANIZED LINER	375	385	WW
2.5	N	S/S PIPE BASE SCREEN	385	405	10

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	15	CLAY
15	26	CLAY ROOTS
26	119	CLAY
119	142	SAND
142	175	CLAY
175	190	SAND
190	200	CLAY
200	212	SAND
212	285	CLAY
285	287	ROCK
287	343	CLAY
343	378	SAND
378	382	CLAY
382	405	SAND

9) CEMENTING DATA:
Cemented from 380 FT. TO 0 FT. No. of Sacks Used 20
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
SURFACE SLEEVE

11) WATER LEVEL:
STATIC LEVEL : 190 FT. DATE: 11/19/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 273

14) WELL TEST:
JETTED
YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 23 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883,
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) _____ (signed) _____
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
248	1 of 2	SE	3.14 / 16,590.40	NEW COUNTRY PLACE APTS TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 06/27/1995
Owners Name: NEW COUNTRY PLACE APTS
County: HARRIS
Water Usage: IRRIGATION
Static Level: 210
Depth Drilled: 367
Latitude: 29.734579
Longtiude: -95.561091

ST TEXAS WATER WELL REPORT

1) OWNER: NEW COUNTRY PLACE APTS. ADDRESS: 2828 RODGERDALE CITY: HOUSTON STATE: TX ZIP: -
2) LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00953

DIAMETER OF HOLE

DIAMETER	FROM	TO
8.0	0	335
4.875	335	367

7) BOREHOLE METHOD: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 06/27/95

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	335	CASING
3.0	N	P.V.C. SCH.40	327	337	LINER
3.0	N	P.V.C. - SLOTTED	337	357	.010
3.0	N	P.V.C. - SLOTTED	357	367	.012

WELL # 65-20-2

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	2	FILL
2	4	SOIL
4	26	CLAY-GRAY CLAY-WHITE
26	50	SAND-WHITE-.006-.008 ROCK
50	150	CLAY-RED CLAY-BLUE
150	165	SAND-WHITE-.010-.012
165	179	BROKEN SAND & CLAY
179	191	SAND-WHITE-.010-.012
191	207	CLAY-RED
207	220	SAND-WHITE-.010-.012
220	289	CLAY-RED CLAY / SAND STREAKS
289	308	SAND-WHITE-.010-.012
308	323	BROKEN SAND & CLAY
323	367	SAND-WHITE-.010-.012 SAND-WHITE-.014-.020

RECEIVED
SEP 06 1995
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 335 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 06/29/95
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 275

14) WELL TEST:
JETTED
YIELD: 80 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 367 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John A. Nyboer (LICENSED WATER WELL DRILLER) (signed) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
248	2 of 2	SE	3.14 / 16,590.40	Walden of Westchase TX	WW HARRIS GAL

Well ID:	5433	**Diameter (inches):**	5
Aggre Lead Well:	5433	**Year Drilled:**	1995
Permit No:	WP2024-105357	**Depth Drilled:**	440
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	420
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.734166
Regulatory Aarea:	3	**Longitude:**	-95.561666
Owner Name:	Walden of Westchase		
Billing Contact:	NULL		
Billing Address:	P.O.Box 421358		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77242		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
249	1 of 1	W	3.14 / 16,599.95	Draper, Peter E. TX	WW HARRIS GAL

Well ID:	9115	**Diameter (inches):**	4
Aggre Lead Well:	9115	**Year Drilled:**	2002
Permit No:	W2014-9115-173579-0	**Depth Drilled:**	450
Permit Start Date:	12/1/2014	**Depth frm Surf(ft):**	440
Permit End Dt:	12/1/2014	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.773333
Regulatory Aarea:	3	**Longitude:**	-95.643888
Owner Name:	Draper, Peter E.		
Billing Contact:	NULL		
Billing Address:	3209 W. Alabama St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77098		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
250	1 of 1	WSW	3.14 / 16,602.76	Buddy Brock TX	GWDB

Well Rep Track No:	
State Well No:	6511906
Owner Name:	Buddy Brock
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1966
Well Depth:	327
Well Usage:	Stock
Water Level Status:	
Latitude:	29.7594450
Longitude:	-95.6416670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511906&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511906&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
251	1 of 1	WNW	3.14 / 16,603.84	GOLBOW, JOE TX	WW HARRIS GAL

Well ID:	2690	**Diameter (inches):**	2
Aggre Lead Well:	2690	**Year Drilled:**	1948
Permit No:	W1985-2690-22111-0	**Depth Drilled:**	27
Permit Start Date:	5/1/1985	**Depth frm Surf(ft):**	25
Permit End Dt:	4/30/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.7825
Regulatory Aarea:	3	**Longitude:**	-95.641944
Owner Name:	GOLBOW, JOE		
Billing Contact:	NULL		
Billing Address:	214 ADDICKS HOWELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
252	1 of 1	W	3.15 / 16,606.47	Terraces on Memorial Glenwood Canyon Ln. Adicks TX	SDRW WELLS

Track NO: 161801
Date Submitted: 2008-12-10
Owner Name: Terraces on Memorial
Owner Address: 1440 1/2 Tivoli
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.766944
Longitude: -95.643334
Drilling Date Started: 2006-03-13
Drilling Date Completed: 2006-05-25
Chemical Analysis: No
Company Name: Alameda Water Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=161801&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 310

Top Depth: 310
Bottom Depth: 340

Top Depth:
Bottom Depth: 340.0

Well Levels

Measurement: 171
Measurement Date: 2006-03-15

Well Strata

Water Type:

340

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
253	1 of 1	W	3.15 / 16,614.69	FM 1960 Company TX	WW HARRIS GAL

Well ID:	4942	**Diameter (inches):**	4
Aggre Lead Well:	4942	**Year Drilled:**	1968
Permit No:	W2002-4942-105489-0	**Depth Drilled:**	400
Permit Start Date:	5/1/2002	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2002	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.773333
Regulatory Aarea:	3	**Longitude:**	-95.643611
Owner Name:	FM 1960 Company		
Billing Contact:	Thomas E. Draper		
Billing Address:	P.O. Box 22265		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77227		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
254	1 of 1	WSW	3.15 / 16,618.37	MRS. PEPPER TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	10/23/1986
Owners Name:	MRS. PEPPER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	155
Depth Drilled:	308
Latitude:	29.7587612
Longtiude:	-95.6414914

KM 1883 .8m:WIEL 35

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Mrs. Pepper (Name) Address 14531 Westway Ln. (Street or RFD) Hou (City) TX (State) 77079 (Zip)

2) LOCATION OF WELL: 14531 West Way Ln.
County Harris _____ miles in _____ (N.E., S.W., etc.) direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. map 65-04-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 10-22 1986 Completed 10-23 1986

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	308

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	Top Soil + Clay
16	32	Surface Sand
32	85	Clay
85	105	Sand
105	140	Clay
140	165	Sand
165	205	Clay
205	215	Sand
215	235	Clay
235	260	Sand
260 -	292	Clay
292	308	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	295	
2	N	Galvanized	290 -	298	
2	N	PVC	298 -	308	.016

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
245 ft. to 295 ft. No. of Sacks Used 5
Method used Halliburton
Cemented by Bussell + Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☑ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 155 ft. below land surface Date 10/23/86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 40 gpm with 30 ft. drawdown after _____ hrs.

RECEIVED DEC 01 86 Texas Water Commission

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell + Son, Inc (Type or Print) Water Well Driller's License No. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

Signed) Craig Bussell (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-11-9
Located on map _____

WC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
255	1 of 1	WSW	3.15 / 16,637.65	GULF OIL CORP TX	TCEQ WELL LOGS

Grid No:	65-11-9L
Date Drilled:	11/30/1978
Owners Name:	GULF OIL CORP
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	135
Depth Drilled:	245
Latitude:	29.761413
Longtiude:	-95.64236

57

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-11-9L
Located on map YES
Received: TH

1) OWNER Gulf Oil Corp. (Name) Address P.O.Box 55352 (Street or RFD) Hou. (City) Tex. (State) 77055 (Zip)

2) LOCATION OF WELL: HWY 6 County HARRIS 15 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. Map on 65-13-7G

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 11/30/78

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	245

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	23	Clay
23	33	Sand
33	44	Strip clay & Sand
44	84	Clay
84	120	Sand
120	121	Clay
121	144	Sand
144	154	CLAY
154	184	SAND
184	196	Clay
196	244	SAND

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C.	0	230	40
2	N		230	240	16

CEMENTING DATA
Cemented from 180 ft. to 230 ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 135 ft. below land surface Date 11/30/78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 168 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS _____ (Street or RFD) (City) (State) (Zip)

(Signed) Tommy C Bussell (Water Well Driller)

BUSSELL & SON, INC. (Company Name)
9739 NORTH HOUSTON – ROSSLYN RD.
HOUSTON, TEXAS 77088

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
256	1 of 1	WNW	3.15 / 16,648.28	MARTELLA, JR., ROSS L. TX	WW HARRIS GAL

Well ID:	7142	**Diameter (inches):**	4
Aggre Lead Well:	7142	**Year Drilled:**	1977
Permit No:	W1995-7142-60426-0	**Depth Drilled:**	200
Permit Start Date:	5/1/1995	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/1999	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.781111
Regulatory Aarea:	3	**Longitude:**	-95.640833
Owner Name:	MARTELLA, JR., ROSS L.		
Billing Contact:	GARY SCHWIRTLICH		
Billing Address:	302 ADDICKS HOWELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
257	1 of 1	WNW	3.16 / 16,684.26	ASHFORD CONSTRUCTION TX	TCEQ WELL LOGS

Grid No: 65-11-9V
Date Drilled: 05/03/1981
Owners Name: ASHFORD CONSTRUCTION
County: HARRIS
Water Usage: DOMESTIC
Static Level: 135
Depth Drilled: 245
Latitude: 29.782416
Longtiude: -95.642446

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-9V
Located on map YES
Received: RWB

1) OWNER Ashford Construction (Name) Address 303 Stafford (Street or RFD) Houston (City) Texas (State) 77079 (Zip)

2) LOCATION OF WELL: County Harris ____ miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled May 1 & 3 1981

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	230
3 7/8	230	245

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other Dual String
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Sand
2	16	Yellow Clay
16	24	Sand
24	76	Red Clay
76	93	Yellow Clay
93	121	Sand
121	143	Red Clay
143	188	Sand
188	211	Blue Clay
211	245	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	+1	230	40
2½	N	PVC Screen	230	245	80
2½	N	PVC Liner	230	225	80

CEMENTING DATA
Cemented from 230 ft. to 130 ft.
Method used mud pump
Cemented by self (Company or Individual)

9) WATER LEVEL:
Static level 135 ft. below land surface Date May 3--81
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 189 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Randel S. Johnson (Type or Print) Water Well Drillers Registration No. 1807


ADDRESS 8933 Talcott Ln. (Street or RFD) Houston (City) Texas (State) 77049 (Zip)

(Signed) ____ (Water Well Driller) Johnson's Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
258	1 of 1	ESE	3.17 / 16,720.26	DR. WAYNE SPEER TX	TCEQ WELL LOGS

Grid No:	65-20-2B
Date Drilled:	11/??/1977
Owners Name:	DR. WAYNE SPEER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	199
Depth Drilled:	382
Latitude:	29.7470856
Longtiude:	-95.5468892

RECEIVED
AUG - 2 1978

65-202B Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
DEPT. OF WATER RESOURCES
WATER WELL REPORT

For TWDB use only
Well No. 65-20-2B
Located on map
Received:

1) OWNER:
Person having well drilled: Dr. Wayne Speer (Name) — Address: 29 W. Rivercrest (Street or RFD) City 77042 (City) (State)
Landowner: same (Name) — Address: (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris — 10 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Wellis located on property at #29 W. Rivercrest Dr. Rivercrest is just west of Gessner and N of Westheimer.
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor: League:
Block: Survey:
Abstract No.:
(NW¼ NE¼ SW¼ SE¼) of Section:

3) TYPE OF WORK (Check):
New Well X — Deepening — Reconditioning — Plugging

4) PROPOSED USE (Check):
Domestic X — Industrial — Municipal — Irrigation — Test Well — Other

5) TYPE OF WELL (Check):
Rotary X — Driven — Dug — Cable — Jetted — Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 382 ft. Depth of completed well 382 ft. Date drilled Nov. 77
All measurements made from 2 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	20	clay
20	45	sand
45	168	clay, sand streaks
168	200	sand
200	220	clay
220	238	sand
238	247	clay
247	253	sand
253	269	clay
269	284	sand
284	353	clay, sand streaks
353	386	course sand

(Use reverse side if necessary)

9) Casing:
Type: Old — X New — Steel — X Plastic — Other
Cemented from 200 ft. to 366 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	±1	366	Scdl.40

10) SCREEN:
Type WSI Pipe based plastic
Perforated — Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	370	380	14 ga.

7) COMPLETION (Check):
X Straight wall — Gravel packed — Other
Under reamed — Open Hole

8) WATER LEVEL:
Static level 199 ft. below land surface Date Nov. 77
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 260 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes — X No — If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes — X No
Did any strata contain undesirable water? Yes — X No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) — Water Well Drillers Registration No. 229
ADDRESS 7524 N. Freeway (Street or RFD) Houston Texas 77037 (City) (State)
(Signed) (Water Well Driller) B.J. Swinehart Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
259	1 of 4	WNW	3.17 / 16,721.57	JOE GOLBOW TX	TCEQ WELL LOGS

Grid No:	65-11-9U
Date Drilled:	03/18/1981
Owners Name:	JOE GOLBOW
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	122
Depth Drilled:	191
Latitude:	29.783611
Longtiude:	-95.642222

BAT #10 - WELL #1 DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-912
Located on map Yes
Received: RWB

1) OWNER JOE GOLBOW (Name) Address 214 ADDICKS - HOWELL RD. (Street or RFD) HOUSTON. (City) TEX. (State) (Zip)

2) LOCATION OF WELL: County HARRIS 8 miles in WEST (N.E., S.W., etc.) direction from HOUSTON. TEX (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☐ See attached map. 214 ADDICKS - HOWELL RD.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled MAR. 18. 81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	173
3⅞	173	191

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other TWO - STRING.
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	14	CLAY.
14	30	SAND
30	40	CLAY.
40	46	SAND
46	92	CLAY.
92	164	SAND
164	169	CLAY.
169	191	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4"	N	PVC.	0	173	40	
2½	N	PVC.	173	176	80	
2½	N	PVC SCH.80 SCREEN	176	191		#12

CEMENTING DATA
Cemented from 0 ft. to 173 ft.
Method used PUMP
Cemented by BODE DRILLING CO. INC. (Company or Individual)

9) WATER LEVEL:
Static level 122 ft. below land surface Date MAR. 18. 81
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 160' ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata 22'
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

RECEIVED AUG 24 1982

NAME E.L. BODE (Type or Print) Water Well Drillers Registration No. 46 CR/TDWR


ADDRESS P.O. BOX 90067. (Street or RFD) HOUSTON. (City) TEX. (State) 77090 (Zip)

(Signed) E.L. Bode (Water Well Driller) BODE DRILLING CO. INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


MAP #10
WELL #1

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
259	2 of 4	WNW	3.17 / 16,721.57	GOLBOW, JOE TX	WW HARRIS GAL

Well ID:	2562	**Diameter (inches):**	3
Aggre Lead Well:	2562	**Year Drilled:**	1954
Permit No:	W1982-2562-14512-0	**Depth Drilled:**	156
Permit Start Date:	4/1/1982	**Depth frm Surf(ft):**	150
Permit End Dt:	3/31/1983	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.783333
Regulatory Aarea:	3	**Longitude:**	-95.642222
Owner Name:	GOLBOW, JOE		
Billing Contact:	NULL		
Billing Address:	214 ADDICKS HOWELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	A - Permittee must submit report to District detailing measures to be taken to increase ratio of water sold to total water produced by XX/XX/XXXX.; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
259	3 of 4	WNW	3.17 / 16,721.57	GOLBOW ESTATE, JOE TX	WW HARRIS GAL

Well ID:	3880	**Diameter (inches):**	4
Aggre Lead Well:	3880	**Year Drilled:**	1981
Permit No:	W1998-3880-57172-0	**Depth Drilled:**	190
Permit Start Date:	5/1/1998	**Depth frm Surf(ft):**	174
Permit End Dt:	11/10/1999	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.783611
Regulatory Aarea:	3	**Longitude:**	-95.642222
Owner Name:	GOLBOW ESTATE, JOE		
Billing Contact:	NULL		
Billing Address:	21822 Franz Rd.		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77449		
Correspondence:	THOMAS H. GOLBOW		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
259	4 of 4	WNW	3.17 / 16,721.57	GOLBOW, JOE TX	WW HARRIS GAL

Well ID:	2561	**Diameter (inches):**	2
Aggre Lead Well:	2561	**Year Drilled:**	1973
Permit No:	W1979-2561-3019-0	**Depth Drilled:**	28
Permit Start Date:	4/1/1979	**Depth frm Surf(ft):**	26
Permit End Dt:	3/31/1980	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.783333
Regulatory Aarea:	3	**Longitude:**	-95.642222
Owner Name:	GOLBOW, JOE		
Billing Contact:	NULL		
Billing Address:	214 ADDICKS HOWELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
260	1 of 4	SSW	3.17 / 16,750.55	Uncle Ben's Rice TX	GWDB

Well Rep Track No:
State Well No: 6520105
Owner Name: Uncle Ben's Rice
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1961
Well Depth: 700
Well Usage: Industrial
Water Level Status:
Latitude: 29.7319440
Longitude: -95.6138890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520105&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520105&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
260	2 of 4	SSW	3.17 / 16,750.55	UNCLE BEN'S INC. TX	WW HARRIS GAL

Well ID:	1671	**Diameter (inches):**	12
Aggre Lead Well:	1671	**Year Drilled:**	1961
Permit No:	W1987-1671-27489-0	**Depth Drilled:**	700
Permit Start Date:	6/10/1987	**Depth frm Surf(ft):**	390
Permit End Dt:	11/11/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.731944
Regulatory Aarea:	3	**Longitude:**	-95.617222
Owner Name:	UNCLE BEN'S INC.		
Billing Contact:	W.A. HARRIS		
Billing Address:	P.O. Box 1752		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
260	3 of 4	SSW	3.17 / 16,750.55	Artesian on Westheimer TX	WW HARRIS GAL

Well ID:	10447	**Diameter (inches):**	5
Aggre Lead Well:	10447	**Year Drilled:**	2006
Permit No:	WP2024-115295	**Depth Drilled:**	450
Permit Start Date:	9/16/2024 12:08:48 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	9/30/2025 12:08:48 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.731388
Regulatory Aarea:	3	**Longitude:**	-95.615833
Owner Name:	MTC Villas Westheimer, LLC ETAL		
Billing Contact:	Ashley Flores		
Billing Address:	13099 Westheimer Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
260	4 of 4	SSW	3.17 / 16,750.55	TX Morrow Construction 2724 Synott Houston TX 77084	SDRW WELLS

Track NO: 94912
Date Submitted: 2006-10-11
Owner Name: TX Morrow Construction
Owner Address: 4635 SW Fwy Ste 420
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77027
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.733055
Longitude: -95.616667
Drilling Date Started: 2006-09-26
Drilling Date Completed: 2006-09-29
Chemical Analysis: No
Company Name: Davison Water Well Service
Company Address: PO Box 759
CompanyAddress2:
Company City: Alvin
Company State: TX
Company Zip: 77512
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=94912&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth: 400
Bottom Depth: 415

Top Depth:
Bottom Depth: 415.0

Well Levels

Measurement: 220
Measurement Date: 2006-09-29

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
261	1 of 4	SE	3.18 / 16,775.15	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6520208
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1960
Well Depth: 750
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.7411111
Longitude: -95.5519444
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520208&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520208&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
261	2 of 4	SE	3.18 / 16,775.15	CITY OF HOUSTON TX	WUD

St Well No:	6520208
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013BW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013BW
Date Drilled:	08/04/1960
Well Depth:	751
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	795
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.74085
Longitude:	-95.551942
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
261	3 of 4	SE	3.18 / 16,775.15	Houston, City of TX	WW HARRIS GAL

Well ID:	1017	**Diameter (inches):**	20
Aggre Lead Well:	1017	**Year Drilled:**	1960
Permit No:	W2003-1002-127237-0	**Depth Drilled:**	750
Permit Start Date:	2/1/2003	**Depth frm Surf(ft):**	467
Permit End Dt:	3/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.740555
Regulatory Aarea:	3	**Longitude:**	-95.551666

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 21st Floor, Rm 2152
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Afton Village
Provision: G1 - permit exempt from disincentive fee based on provisions in GRP (2002); D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
261	4 of 4	SE	3.18 / 16,775.15	USGS-294426095330501 TX	FED USGS

Site No:	USGS-294426095330501
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19600725
Well Depth:	750
Well Depth Unit:	ft
Well Hole Depth:	850
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-208
Latitude:	29.74083333000000
Longitude:	-95.5516667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
262	1 of 1	ESE	3.18 / 16,777.58	JOHN C. DAWSON SR TX	TCEQ WELL LOGS

Grid No:	65-20-2P
Date Drilled:	08/13/1979
Owners Name:	JOHN C. DAWSON SR
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	200
Depth Drilled:	365
Latitude:	29.749364
Longtiude:	-95.545122

(11)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-2P
Located on map YES
Received: TH

1) OWNER John C. Dawson Sr. (Name) Address 36 W. Rivercrest (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris 20 miles in S. E. (N.E., S.W., etc.) direction from Katy (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. Map on 60-52-9C

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 8/13/79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6¾	Surface	365

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top soil
2	16	red + gray clay
16	50	fine sand
50	80	red clay
80	108	red + gray clay
108	120	clay + sand strips
120	142	coarse sand
142	151	blue + gray clay
151	177	coarse sand
177	191	red, blue, + gray clay
191	212	coarse sand
212	248	red, blue + gray clay
248	257	coarse sand
257	259	rock
259	265	coarse sand
265	287	clay + sand strips
287	310	red, blue, + gray clay
310	327	sand + clay strips
327	336	coarse sand
336	340	red + gray clay
340	365	coarse sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Galv. Casing	0	336	40
2½"	New	Plastic Screen	345	365	14

CEMENTING DATA
Cemented from 336 ft. to 200 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 200 ft. below land surface Date 8/14/79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½"x4" R+R 3Ring 225'

11) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 25'
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bobby Potter (Type or Print) Water Well Drillers Registration No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Bobby Potter (Water Well Driller) Damrell & Potter Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
263	1 of 3	W	3.18 / 16,778.03	Katy-Addicks School Well #2 TX	GWDB

Well Rep Track No:
State Well No: 6511912
Owner Name: Katy-Addicks School Well #2
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 450
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7794440
Longitude: -95.6425000
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511912&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511912&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
263	2 of 3	W	3.18 / 16,778.03	KATY ADDICKS SCHOOL TX	TCEQ WELL LOGS

Grid No: 65-11-9G
Date Drilled: 05/26/1969
Owners Name: KATY ADDICKS SCHOOL
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 450
Depth Drilled: 500
Latitude: 29.780131
Longtiude: -95.6433

6544.96 96

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-98
Located on map
Received: 6-9-

1) OWNER:
Person having well drilled Katy Addicks School (Name) Address Katy Highway (Street or RFD) Barker, Texas (City) (State)

Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(SEE ATTACHED MAP FOR LOCATION)

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well X Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal X
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary X Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 24 in. Depth drilled 500 ft. Depth of completed well 450 ft. Date drilled 5-26-69

All measurements made from 3 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
		(SEE ATTACHED)

(Use reverse side if necessary)

9) Casing:
Type: Old New X Steel X Plastic Other

Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

(SEE ATTACHED)

10) SCREEN:
Type

Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size

7) COMPLETION (Check):
Straight wall Gravel packed X Other
Under reamed Open Hole X

8) WATER LEVEL:
Static level 110 ft. below land surface Date 5-26-69
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 250 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? X Yes No If yes, by whom? Katy Drilling, Inc.
Yield: 256 gpm with 208 ft. drawdown after 4 hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? X Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John L. Dickson (Type or Print) Water Well Drillers Registration No. 943

ADDRESS P. O. Box 278 (Street or RFD) Katy (City) Texas (State)

(Signed) John L Dickson (Water Well Driller) KATY DRILLING, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GM-53

GM (L)

Job No. 533
Katy-Addicks School #2


DRILLER'S LOG

0 - 45	Clay
45 - 55	Sand
55 - 110	Clay
110 - 180	Streaks of Sand & Clay
180 - 215	Sand, Hd. Streaks
215 - 265	Hard Shale
265 - 385	Sand
385 - 415	Hd. Shale (3 St. Sand)
415 - 447	Sand
447 - 465	Hd. Shale
465 - 478	Hd. Sand
478 - 500	Shale

Attach 11-9-k


MATERIAL SETTING

DEPTH	LENGTH	DESCRIPTION
0	-	Top of 10-3/4-in. O.D. surface casing, .365-in. wall thickness
352	352	Bottom of surface casing, cemented in place
272	-	Top of 6-5/8-in. O.D. screen and liner, .280-in. wall thickness
357	85	Blank liner section
382	25	Stainless steel screen section, .040-in. guage
417	35	Blank liner
442	25	Screen
450	8	Blank liner, includes two back pressure valves
-	50	Total Screen
-	128	Total Blank



OWNER: Katy-Addicks School No. 2	
CONTRACTOR: KATY DRILLING, INC.	
DRAWN BY: R. A. Green	DATE: February, 1969
APPROVED BY: JLD	SCALE: NONE

Job #533
Katy – Addicks School



Plumbing Contractor – Shivers Plumbing Co.
General Contractor – Spaw-Glass
Architect – White-Engberg
Engineer – Jim Lyons (with Jochen-Henderson Co.)

Attach 05-11-94

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
263	3 of 3	W	3.18 / 16,778.03	KATY I.S.D. TX	WW HARRIS GAL

Well ID:	2462	**Diameter (inches):**	10
Aggre Lead Well:	2462	**Year Drilled:**	1969
Permit No:	W1982-2462-16167-0	**Depth Drilled:**	450
Permit Start Date:	12/1/1982	**Depth frm Surf(ft):**	357
Permit End Dt:	11/30/1983	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.778055
Regulatory Aarea:	3	**Longitude:**	-95.641944
Owner Name:	KATY I.S.D.		
Billing Contact:	FRED E. CALHOUN		
Billing Address:	6301 S. STADIUM Ln.		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77450		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
264	1 of 1	W	3.18 / 16,782.57	GENE WERLIN (U-TOT-TEM) TX	TCEQ WELL LOGS

Grid No: 65-11-9S
Date Drilled: 08/30/1976
Owners Name: GENE WERLIN (U-TOT-TEM)
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 303
Latitude: 29.7712531
Longtiude: -95.6441814

9S

nd original copy by
rtified mail to the
xas Water Development Board
. O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 25-11-9S
Located on map 1 of 5
Received: 76
26

1)OWNER:
Person having well drilled Gene Werlin (U-To-Tem) Address 2777 Allen Pkwy. suite 207
(Name) (Street or RFD) (City) (State)

Landowner Gene Werlin Address Houston, Texas 77019
(Name) (Street or RFD) (City) (State)

2)LOCATION OF WELL:
County Harris, Hwy 6 I10W miles in west direction from Houston
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3)TYPE OF WORK (Check):
New Well XX Deepening
Reconditioning Plugging

4)PROPOSED USE (Check):
Domestic XX Industrial Municipal
Irrigation Test Well Other

5)TYPE OF WELL (Check):
Rotary XX Driven Dug
Cable Jetted Bored

6)WELL LOG:
Diameter of hole 4 in. Depth drilled 303' ft. Depth of completed well 303' ft. Date drilled 8/30/76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
000	024	clay
024	48	clay
048	72	clay & sand
072	096	sandy clay
096	@ 120	clay
120	144	clay & sand
144	168	sand
168	192	sand
168	192	sand
192	216	broken sand
216	240	clay & sand

(Use reverse side if necessary)

9) Casing:
Type: Old New Steel XX Plastic Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage

10) SCREEN:
Type stainless steel rod base
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 ½" blank	270	298	

7) COMPLETION (Check):
Straight wall XX Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level ft. below land surface Date
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 303' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No XX
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R.B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS P.O. Box 8707 4012 Fulton st. Houston, Texas 77009
(Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBT-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
265	1 of 1	ESE	3.18 / 16,796.59	J.G. COATSWORTH TX	TCEQ WELL LOGS

Grid No:	65-12-8H
Date Drilled:	04/28/1981
Owners Name:	J.G. COATSWORTH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	195
Depth Drilled:	374
Latitude:	29.752765
Longtiude:	-95.543093

#32

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-8H
Located on map yes
Received: C.F.S.

1) OWNER:
Person having well drilled J. G. Coatsworth (Name) Address 58 East River Crest (Street or RFD) Houston (City) Texas (State) 77

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris . miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
XX New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic X | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary X | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 7 in. Depth drilled 374 ft. Depth of completed well 374 ft. Date drilled 4/28/81

All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	25	Clay
25	45	Sand
45	185	Clay
185	205	Sand & Gravel
205	239	Clay
239	274	Coarse Water Bearing Sand

(Use reverse side if necessary)

9) Casing:
Type: Old | New X | Steel | Plastic X | Other

Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	264	#40

10) SCREEN:
Type Slotted Plastic

Perforated | Slotted X

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	364	374	10

7) COMPLETION (Check):
Straight wall X | Gravel packed | Other
Under reamed | Open Hole

8) WATER LEVEL:
Static level 195 ft. below land surface Date 4/28/81
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 252 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

RECEIVED
SEP 20 1983
DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Jimmy Davis (Type or Print) Water Well Drillers Registration No. 315

ADDRESS 5423 Lotus Street (Street or RFD) Houston (City) Texas (State) 77085

(Signed) (Water Well Driller) Wellco Water Well Drilling Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
266	1 of 2	WSW	3.18 / 16,798.57	7TH DAY ADVENTIST CHURCH TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	02/29/1996
Owners Name:	7TH DAY ADVENTIST CHURCH
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	164
Depth Drilled:	285
Latitude:	29.756575
Longtiude:	-95.641278

E OF TEXAS WATER WELL REPORT

1) OWNER: 7TH DAY ADVENTIST CHURCH ADDRESS: 14510 BRIAR FOREST CITY: HOUSTON STATE: TX ZIP: 77077-
2) LOCATION OF WELL: County: HARRIS 9 miles in NW direction from SUGAR LAND

LEGAL DESCRIPTION:
Section No.: F-6 Block No.: NW Township: SUGAR LAND
Abstract No.: BRIARFORES Survey Name:
Distance and direction from two intersecting section or survey lines: HWY 6 & BRIAR FOREST DR

65-11-9

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: PUBLIC SUPPLY 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 16533

DIAMETER OF HOLE

DIAMETER	FROM	TO
9 1/2	0	265
4 7/8	265	285

7) BOREHOLE METHOD:
STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 02/29/96

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	74	CLAY
74	117	SAND
117	133	CLAY
133	183	SAND
183	193	CLAY
193	215	SAND
215	220	CLAY
220	283	SAND
283	285	ROCK

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5	N	PVC CASING	0	260	SDR17
2.5	N	PVC LINER	254	265	80
2.5	N	SUPERFLO SCREEN	265	285	08

9) CEMENTING DATA:
Cemented from 260 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

RECEIVED JUL 11 1996 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

10) SURFACE COMPLETION:
SLAB

11) WATER LEVEL:
STATIC LEVEL : 164 FT. DATE: 02/29/96
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P VALVE	254

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 231

14) WELL TEST:
PUMP
YIELD: 21 GPM WITH 7 FT DRAWDOWN AFTER 36 HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 63 CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883,
ADDRESS: 14405 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Angel Bautista (signed) _____

Send original copy by certified mail to: TNRCC, P.O. Box 7, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER _____ (Name) ADDRESS _____ (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County _____ (Street, RFD or other) (City) (State) (Zip) GRID # 65-11-9

3) TYPE OF WORK (Check):
☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling:
Started _____ 19 ____
Completed _____ 19 ____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☐ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other _____

N

From (ft.)	To (ft.)	Description and color of formation material

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from _____ ft. to _____ ft. No. of sacks used _____
_____ ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by _____
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME _____ (Type or print) WELL DRILLER'S LICENSE NO. _____

ADDRESS _____ (Street or RFD) (City) (State) (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

NRCC-0199 (Rev. 11-01-94) TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
266	2 of 2	WSW	3.18 / 16,798.57	Seventh Day Adventist Church TX	WW HARRIS GAL

Well ID:	5534	**Diameter (inches):**	5
Aggre Lead Well:	5534	**Year Drilled:**	
Permit No:	W2007-5534-128432-0	**Depth Drilled:**	320
Permit Start Date:	12/31/2006	**Depth frm Surf(ft):**	300
Permit End Dt:	12/31/2006	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.755833
Regulatory Aarea:	3	**Longitude:**	-95.640833
Owner Name:	Seventh Day Adventist Church		
Billing Contact:	Charles Trinh		
Billing Address:	14520 Briar Forest Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	1 of 8	E	3.19 / 16,830.60	City of Bunker Hill Well #4 TX	GWDB

Well Rep Track No:	
State Well No:	6512937
Owner Name:	City of Bunker Hill Well #4
Drilling Start Dt:	
Drilling Month:	8
Drilling Day:	
Drilling Year:	1972
Well Depth:	1260
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7619450
Longitude:	-95.5397220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512937&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512937&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	2 of 8	E	3.19 / 16,830.60	City of Bunker Hill Well #1 TX	GWDB

Well Rep Track No:	
State Well No:	6512913
Owner Name:	City of Bunker Hill Well #1
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1960
Well Depth:	1660
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7616670
Longitude:	-95.5391670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512913&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512913&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	3 of 8	E	3.19 / 16,830.60	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512913
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106A
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106A
Date Drilled:	00/00/1960
Well Depth:	1660
Screen Top:	1150
Screen Bottom:	1650
Gallons Per Minute:	420
Water Usage:	INACTIVE - PLUGGED
CCN:	P0509
Latitude:	29.76197572
Longitude:	-95.53947346
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	4 of 8	E	3.19 / 16,830.60	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512937
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106D
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106D
Date Drilled:	08/00/1972
Well Depth:	1260
Screen Top:	730
Screen Bottom:	1238
Gallons Per Minute:	1100
Water Usage:	ACTIVE - PERMANENT
CCN:	P0509
Latitude:	29.76178271
Longitude:	-95.53848497
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	5 of 8	E	3.19 / 16,830.60	Bunker Hill, City of TX	WW HARRIS GAL

Well ID:	1549	**Diameter (inches):**	12
Aggre Lead Well:	1549	**Year Drilled:**	1960
Permit No:	W2020-1549-212054-0	**Depth Drilled:**	1670
Permit Start Date:	10/1/2020	**Depth frm Surf(ft):**	999
Permit End Dt:	9/30/2021	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.761666
Regulatory Aarea:	2	**Longitude:**	-95.538611

Owner Name: Bunker Hill, City of
Billing Contact: Steve Smith
Billing Address: 11977 Memorial Dr.
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77024
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	6 of 8	E	3.19 / 16,830.60	Bunker Hill, City of TX	WW HARRIS GAL

Well ID:	1552	**Diameter (inches):**	16
Aggre Lead Well:	1550	**Year Drilled:**	1972
Permit No:	WP2024-112648	**Depth Drilled:**	1259
Permit Start Date:	10/1/2024	**Depth frm Surf(ft):**	730
Permit End Dt:	9/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.761944
Regulatory Aarea:	2	**Longitude:**	-95.539444
Owner Name:	Bunker Hill, City of		
Billing Contact:	Gama Escamilla		
Billing Address:	11977 Memorial Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	Tx		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	7 of 8	E	3.19 / 16,830.60	USGS-294542095321801 TX	FED USGS

Site No: USGS-294542095321801
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled:
Well Depth: 1260
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-12-937
Latitude: 29.76178333000000
Longitude: -95.5384861000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
267	8 of 8	E	3.19 / 16,830.60	USGS-294543095322201 TX	FED USGS

Site No: USGS-294543095322201
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled:
Well Depth: 1660
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-12-913
Latitude: 29.76197500000000
Longitude: -95.5394722000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
268	1 of 2	ESE	3.19 / 16,836.22	BOB WORK TX	TCEQ WELL LOGS

Grid No:	65-20-2N
Date Drilled:	08/??/1977
Owners Name:	BOB WORK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	202
Depth Drilled:	387
Latitude:	29.7465407
Longtiude:	-95.546857

65-20-2N

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-2N
Located on map: 1 C
Received: 28 1
11c

1) OWNER:
Person having well drilled Bob Work (Name) Address 5403 Kirby (Street or RFD) City 77005 (City) (State)

Landowner same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 12 miles in West (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Well is located at #27 W. Rivercrest Dr.

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
X New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
X Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 387 ft. Depth of completed well 387 ft. Date drilled Aug 77

All measurements made from ℬ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	20	clay
20	45	sand
45	60	clay
60	75	sand
75	110	clay
110	168	sand & clay
168	200	sand
200	220	clay
220	238	sand
238	305	sand & clay
305	327	clay
327	353	sand,rock,clay
353	386	sand
386	387	clay

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 260 ft. to 361 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	=1	361	10.89#

10) SCREEN Pipe baSED plastic (Well Supplies)
Type
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	366	386	14 ga.

7) COMPLETION (Check):
X Straight wall, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 202 ft. below land surface Date Aug. 77
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 252' ft.
below land surface.
Jacuzzi 15S4C set on 1½'" pipe

11) WELL TESTS:
Was a pump test made? Yes X No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes X No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) Water Well Drillers Registration No. 229

ADDRESS 7524 N. Freeway (Street or RFD) Houston (City) Texas 77037 (State)

(Signed) (Water Well Driller) B.J. Swinehart Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

rwo8E-WD6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
268	2 of 2	ESE	3.19 / 16,836.22	Sun Guangxin - Sims Luxury Bldrs 27 W Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 674840
Date Submitted: 2024-08-08
Owner Name: Sun Guangxin - Sims Luxury Bldrs
Owner Address: 27 W Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.746667
Longitude: -95.546944
Drilling Date Started: 2024-07-01
Drilling Date Completed: 2024-07-05
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=674840&Type=SDR-Well

Well Borehole Information

Top Depth: 370
Bottom Depth: 400

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 192
Measurement Date: 2024-07-05

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
269	1 of 2	W	3.19 / 16,850.17	Astro KOA Kamp, Inc. TX	GWDB

Well Rep Track No:
State Well No: 6511910
Owner Name: Astro KOA Kamp, Inc.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1968
Well Depth: 308
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7727780
Longitude: -95.6436110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511910&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511910&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
269	2 of 2	W	3.19 / 16,850.17	ASTRO KOA KAMP, INC TX	TCEQ WELL LOGS

Grid No: 65-11-9E
Date Drilled: 07/15/1968
Owners Name: ASTRO KOA KAMP, INC
County: HARRIS
Water Usage: TRAILER CAMP
Static Level: 95
Depth Drilled: 300
Latitude: 29.7726533
Longtiude: -95.644389

65-11-9E

File original copy with Texas Water Commission P. O. Box 2311, Capitol Station Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-11-9E
Located on map Vol 5
By dlr Date 6-8
Map no.

1) Well Owner: Astro KOA Kamp, Inc. (Name) Rt. 4 Box 336 (Street or RFD) Houston (City) Texas 77036 (State)
2) Land Owner: FM 1960 Corp. (Name) Houston (City) Texas (State)
3) Intended use: Industrial ☐ ; Municipal ☐ ; Irrigation ☐ ; Other Trailer Camp
4) Location of well: County Harris Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ (Circle as many as are known) of Section Block No. Survey

20 miles in W (NE, SW, etc.) direction from (Town)

Astro KOA Kamp is located on Farm Road 1960 ~~xxx~~ between Katy Freeway and Buffalo Bayou. Loaction is on West side of 1960 ½ mile North of Buffalo Bayou.

North ↑

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 6¼ in. Date drilled 15 July 1968

All measurements made from 3 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	38	clay	300	308	fine sand
~~38~~	64	sand			
64	112	clay			
~~112~~	135	~~sand clay strks.~~			
135	144	clay			
144	208	sand & gravel			
208	240	clay			
240	251	sand			
251	271	clay sand strks			
271	300	course sand			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall X ☐
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING

Type: Old ☐ New X 11# gal.
Cemented from 120 ft. to 278 ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4	0	278

SCREEN

Type pipe based stainless steel ribbed.
Perforated ☐ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½	280	300
2½ blank	300	308

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

B.J. Swinehart, Co. Inc (Company Name) B.J. Swinehart Reg. No. 229

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 95 ft. below discharge tee.

Pumping level

feet	hours	gpm
115		~~285~~ 75

Pump type Reda Sumergible Model 15D-52T
Designed pumping rate 52 gpm X gph ☐
Type power unit 5 HP 230 Volt Single phase motor
Horsepower 5
Depth to bowls, cylinder, jet, etc., 232 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-4)

GM

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
270	1 of 1	WNW	3.19 / 16,853.44	WINDMILL FARMS TX	TCEQ WELL LOGS

Grid No:	65-11-9H
Date Drilled:	05/14/1981
Owners Name:	WINDMILL FARMS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	112
Depth Drilled:	140
Latitude:	29.7862882
Longtiude:	-95.6417424

WL #715 Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-914
Located on map. Yes
Received: KLW

1) OWNER Windmill Farms (Name) Address c/o Extruded Curb Co. 15503 Tumbling Rapids (Street or RFD) Houston (City) Texas (State) 77084 (Zip)

2) LOCATION OF WELL: Hwy. #6 @ I-10
County Harris 30 miles in W (N.E., S.W., etc.) direction from Hou. (Town)

☐ Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Map on 60-57-3J

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	140

Date drilled 5/14/81

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	12	Topsoil + Clay
12	36	S. Sand
36	61	Clay (RED)
61	92	Sand
92	100	Clay
100	140	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C.	0	130	
4	N	P.V.C.	130	140	.016

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 112 ft. below land surface Date 5/14/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☒ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG O. BUSSELL (Type or Print) Water Well Drillers Registration No. #2035

ADDRESS 9739 N. HOUSTON-ROSSLYN (Street or RFD) HOUSTON (City) TEXAS (State) 77088 (Zip)

(Signed) Craig Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
271	1 of 4	W	3.19 / 16,853.92	BILL MURRAY TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	03/23/2000
Owners Name:	BILL MURRAY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	157
Depth Drilled:	305
Latitude:	29.7679643
Longtiude:	-95.644228

Send original copy by certified return receipt requested m: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3(

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Bill Murray (Name) ADDRESS 1090 Hwy 6 South (Street or RFD) Houston (City) TX (State) 77077 (Zip)

2) ADDRESS OF WELL: County Harris 1090 Hwy. 6 South (Street, RFD or other) Houston (City) TX (State) 77077 (Zip) GRID # 65-11-9

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 3-22 19 2000 Completed 3-23 19 2000

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	305

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	25	Clay
25	35	Sand
35	49	Clay
49	59	Sand
59	69	Rock/Clay
69	133	Clay
133	197	Gravel
197	217	Clay/Sand
217	237	Sand
237	250	Clay
250	252	Sand
252	257	Clay
257	271	Clay/Rock
271	290	Sand
290	305	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other Press.Cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC SCH-40	0	285	
2.5	N	PVC SCH-40	265	295	
2.5	N	PVC SCH-80 JaycoWOP	295	305	.010

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 280 ft. to 100 ft. No. of sacks used 9
0 ft. to 10 ft. No. of sacks used 8
Method used Halliburton
Cemented by Driller
Distance to septic system field lines or other concentrated contamination n/a ft.
Method of verification of above distance none present

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other
Depth to pump bowls, cylinder, jet, etc., 240 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 157 ft. below land surface Date 3-23-00
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
4" x 2.5" RxR BP Rubber	265'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Waller County Water Wells, Inc. (Type or print) WELL DRILLER'S LICENSE NO. 50223WP

ADDRESS 27742 Rice Road (Street or RFD) Hockley (City) TX (State) 77447 (Zip)

(Signed) Eugene Riemer (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

NOV 06 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
271	2 of 4	W	3.19 / 16,853.92	CASCO ENTERPRISES TX	TCEQ WELL LOGS

Grid No:	65-11-9DD
Date Drilled:	05/19/1984
Owners Name:	CASCO ENTERPRISES
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	168
Depth Drilled:	282
Latitude:	29.7679643
Longtiude:	-95.644228

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-9DD
Located on map Yes DLF
Received:

1) OWNER CASCO ENTERPRISES (Name) Address 6910 BELLAIRE BLVD SUITE 1 (Street or RFD) HOUSTON (City) TX (State) 77074 (Zip)

2) LOCATION OF WELL:
County Harris 3 miles in SOUTH (N.E., S.W., etc.) direction from ADDICKS, TEXAS (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7	Surface	282

Date drilled 5/19/84

From (ft.)	To (ft.)	Description and color of formation material
0	80	CLAY
80	115	SAND
115	160	SHALE/CLAY
160	185	SAND
185	262	STRIPPY SAND/BLUE SHALE
262	282	WATER SAND

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC UNITED	0	272	40
4	N	PLASTIC JOHNSON	272	282	16

CEMENTING DATA
Cemented from 0 ft. to 10 ft.
Method used HAND MIXED
Cemented by WELLCO (Company or Individual)

9) WATER LEVEL:
Static level 168 ft. below land surface Date 5/20/84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
NONE

RECEIVED
SEP - 5 1984
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JIMMY RAY DAVIS (Type or Print) Water Well Drillers Registration No. 315

ADDRESS 5423 LOTUS STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77085 (Zip)

(Signed) _____ (Water Well Driller) WELLCO WATER WELL DRILLING & SERVICE COMPANY (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY 65-11-9DD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
271	3 of 4	W	3.19 / 16,853.92	King Ranch Turfgrass TX	WW HARRIS GAL

Well ID:	7082	**Diameter (inches):**	4
Aggre Lead Well:	7082	**Year Drilled:**	
Permit No:	WP2023-110679	**Depth Drilled:**	0
Permit Start Date:	5/1/2023	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2028	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7675
Regulatory Aarea:	3	**Longitude:**	-95.644166
Owner Name:	King Ranch Turfgrass		
Billing Contact:	Maribel Carranco		
Billing Address:	1106 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
271	4 of 4	W	3.19 / 16,853.92	Murray BG Sales, William TX	WW HARRIS GAL

Well ID:	8150	**Diameter (inches):**	4
Aggre Lead Well:	8150	**Year Drilled:**	2000
Permit No:	W2007-8150-128405-0	**Depth Drilled:**	300
Permit Start Date:	12/31/2006	**Depth frm Surf(ft):**	280
Permit End Dt:	12/31/2006	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.767777
Regulatory Aarea:	3	**Longitude:**	-95.644166
Owner Name:	Murray BG Sales, William		
Billing Contact:	Bill Murray		
Billing Address:	1090 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
272	1 of 3	W	3.20 / 16,904.49	USACE Addicks TX	GWDB

Well Rep Track No:	
State Well No:	6511921
Owner Name:	USACE Addicks
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1962
Well Depth:	400
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7683333
Longitude:	-95.6413889
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511921&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511921&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
272	2 of 3	W	3.20 / 16,904.49	U.S. Army Corps of Engineers TX	WW HARRIS GAL

Well ID:	2724	**Diameter (inches):**	6
Aggre Lead Well:	2724	**Year Drilled:**	1962
Permit No:	W2018-2724-196192-0	**Depth Drilled:**	400
Permit Start Date:	5/1/2018	**Depth frm Surf(ft):**	280
Permit End Dt:	5/1/2018	**County:**	H
Well Status:	1 - No electric	**Latitude:**	29.768611
Regulatory Aarea:	3	**Longitude:**	-95.644444
Owner Name:	U.S. Army Corps of Engineers		
Billing Contact:	NULL		
Billing Address:	P.O. Box 218747		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
272	3 of 3	W	3.20 / 16,904.49	USGS-294606095383901 TX	FED USGS

Site No:	USGS-294606095383901
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	1962
Well Depth:	400
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-921
Latitude:	29.76861110000000
Longitude:	-95.6444444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
273	1 of 1	WSW	3.20 / 16,916.79	ROBERT RANDALL TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	05/30/1987
Owners Name:	ROBERT RANDALL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	155
Depth Drilled:	320
Latitude:	29.7587762
Longtiude:	-95.6424765

Km 48 J

40

nd original copy by
ertified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-17-9
Located on map
Received:

1) OWNER Robert Randall (Name) Address 14621 Westway (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 17 miles in N (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. on 60-59-1

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 5/30/87

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		320

From (ft.)	To (ft.)	Description and color of formation material
0	10	Clay
10	220	Sand
220	240	Clay
240	320	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 ~~string~~ cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., ~~Slotted~~, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC ~~Casing~~	0	300	Sch.
2½"	N	Blank Liner	290	300	40
2½"	N	PVC Slotted Screen	300	320	.012

CEMENTING DATA
Cemented from 300 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 155 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 290

RECEIVED
SEP 16 1987
TEXAS WATER COMMISSION

11) TYPE PUMP: 3HP #302 Tank
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

(Use reverse side if necessary)

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M.E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464


ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

Signed M.E. Robinson (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


40
X
HARRIS COUNTY TEXAS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
274	1 of 6	S	3.20 / 16,917.32	Andrau Airpark TX	GWDB

Well Rep Track No:
State Well No: 6520203
Owner Name: Andrau Airpark
Drilling Start Dt:
Drilling Month: 9
Drilling Day: 21
Drilling Year: 1949
Well Depth: 699
Well Usage: Industrial
Water Level Status:
Latitude: 29.7261110
Longitude: -95.5758330
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520203&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520203&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
274	2 of 6	S	3.20 / 16,917.32	ANDRAU AIR PARK TX	TCEQ WELL LOGS

Grid No:	65-20-5
Date Drilled:	09/14/1988
Owners Name:	ANDRAU AIR PARK
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	210
Depth Drilled:	390
Latitude:	29.7253775
Longtiude:	-95.5879348

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

22 02407

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Andrau Air Park (Name) Address 11903 Westheimer Rd. (Street or RFD) Houston (City) Tx. (State) 77077 (Zip)

2) LOCATION OF WELL: Andrau Rd. / West Well # 1 County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☒ See attached map. 5165-24-9

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☒ Irrigation ☐ Test Well ☐ Injection ☐ Other ____

5) DRILLING METHOD (Check):
☐ Driven
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 9-12 1988 Completed 9-14 1988

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	370'
3 7/8	370'	390'

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0'	18'	Top Soil & Clay
18'	91'	Surface Sand
91'	215'	Clay
215'	260'	Sand
260'	341'	Clay
341'	390'	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
9	N	P.V.C Casing	0'	370'	
2	N	Galvized liner	360'	370'	
2	N	P.V.C. Screens	370'	380'	.020
2	N	P.V.C. Screens	380'	390'	.016

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
320 ft. to 370 ft. No. of Sacks Used 5
Method used Halliburton
Cemented by Bussell & Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 210 ft. below land surface Date 9/19/88
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
K-Packer	360'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 80 gpm with 30 ft. drawdown after 2 hrs.

RECEIVED
APR 28 1989

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc. (Type or Print) Water Well Driller's License No. 2035
ADDRESS P.O. Box 879 (Street or RFD) Tomball (City) Tx (State) 77375 (Zip)
(Signed) Craig Bussell (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 62 20-5
Located on map ____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY


LEGEND
IERAL HIGHWAY MAP
ARRIS COUNTY
TEXAS
TE DEPARTMENT OF HIGHWAYS
ND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
EPARTMENT OF TRANSPORTATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
274	3 of 6	S	3.20 / 16,917.32	SUNRISE COLONY II LP TX	WW HARRIS GAL

Well ID:	4244	**Diameter (inches):**	4
Aggre Lead Well:	4244	**Year Drilled:**	1988
Permit No:	W1999-4244-62405-0	**Depth Drilled:**	360
Permit Start Date:	5/1/1999	**Depth frm Surf(ft):**	340
Permit End Dt:	12/31/1999	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.725
Regulatory Aarea:	3	**Longitude:**	-95.583888
Owner Name:	SUNRISE COLONY II LP		
Billing Contact:	EDWARD CUMMINS, JR.		
Billing Address:	P.O. Box 27701-484		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77227		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
274	4 of 6	S	3.20 / 16,917.32	ANDRAU AIR PARK, INC. TX	WW HARRIS GAL

Well ID:	2718	**Diameter (inches):**	18
Aggre Lead Well:	2718	**Year Drilled:**	1949
Permit No:	W1988-2718-29208-0	**Depth Drilled:**	699
Permit Start Date:	5/1/1988	**Depth frm Surf(ft):**	177
Permit End Dt:	4/30/1989	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.724444
Regulatory Aarea:	3	**Longitude:**	-95.579722
Owner Name:	ANDRAU AIR PARK, INC.		
Billing Contact:	CHAS. CLEVELAND		
Billing Address:	P.O. Box 98		
Billing Address 2:	NULL		
Billing City:	Alief		
Billing State:	TX		
Billing Zip:	77411		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
274	5 of 6	S	3.20 / 16,917.32	ANDRAU AIR PARK, INC. TX	WW HARRIS GAL

Well ID:	4245	**Diameter (inches):**	4
Aggre Lead Well:	4244	**Year Drilled:**	1988
Permit No:	W1991-4244-37504-0	**Depth Drilled:**	360
Permit Start Date:	5/1/1991	**Depth frm Surf(ft):**	340
Permit End Dt:	4/30/1992	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.721388
Regulatory Aarea:	3	**Longitude:**	-95.579722
Owner Name:	ANDRAU AIR PARK, INC.		
Billing Contact:	CHAS. CLEVELAND		
Billing Address:	P.O. Box 98		
Billing Address 2:	NULL		
Billing City:	Alief		
Billing State:	TX		
Billing Zip:	77411		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
274	6 of 6	S	3.20 / 16,917.32	USGS-294318095344501 TX	FED USGS

Site No:	USGS-294318095344501
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	194904
Well Depth:	699
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-203
Latitude:	29.72611110000000
Longitude:	-95.5758333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
275	1 of 1	WNW	3.20 / 16,917.57	CHARLES GRISHAM TX	TCEQ WELL LOGS

Grid No:	65-11-9H
Date Drilled:	09/21/1982
Owners Name:	CHARLES GRISHAM
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	290
Depth Drilled:	290
Latitude:	29.7857516
Longtiude:	-95.6421528

10

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-914
Located on map yes
Received: 6-5-8

1) OWNER Charles Grisham (Name) Address 3042 Green Bush (Street or RFD) Katy,Tx. 77450 (City) (State) (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)
I-10 at Hwy.6 (1960)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map. mapsco 65-10-9K

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 9-21-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
5"	Surface	320'
7 1/2	"	290'

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other Two-String
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Red Clay
15	20	Sand
20	40	Sand Clay
40	60	Red Clay
60	80	Red White
80	105	Red White
105	120	Sand
120	140	Sand-peagravel
140	155	Sand-Peagravel
155	180	Sand and clay
180	200	Red White clay
200	220	Sand-Clay
220	240	Rock-Sand
240	260	Sand
260	280	Sand
280	300	Sand
300	320	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	Class 200 PVC Casing +18"	290		
3"	N	"Howard Smith"			
		Stainless Rod Base			
		Screen	320	290	16ga.
3"	N	SCH40 Steel	290	280	

CEMENTING DATA
Cemented from 290 ft. to Surface ft.
Method used Pressure Cement
Cemented by Raymond Water Wells (Company or Individual)

9) WATER LEVEL:
Static level 140 ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type Depth
"Lead Seal" 280'

RECEIVED
MAR 29 1983
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 231 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 42 gpm with 5 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond,Jr. (Type or Print) Water Well Drillers Registration No. 774

ADDRESS 10011 Airline Drive (Street or RFD) Houston,Texas 77037 (City) (State) (Zip)


(Signed) C.A. Raymond Jr. (Water Well Driller) RAYMOND WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

CB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
276	1 of 6	E	3.21 / 16,937.44	City of Houston Memorial Bend #4 TX	GWDB

Well Rep Track No:	
State Well No:	6512916
Owner Name:	City of Houston Memorial Bend #4
Drilling Start Dt:	
Drilling Month:	2
Drilling Day:	28
Drilling Year:	1963
Well Depth:	750
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7727778
Longitude:	-95.5402778
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512916&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512916&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
276	2 of 6	E	3.21 / 16,937.44	City of Houston Memorial Bend #2 TX	GWDB

Well Rep Track No:	
State Well No:	6512903
Owner Name:	City of Houston Memorial Bend #2
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1955
Well Depth:	690
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7741670
Longitude:	-95.5413890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512903&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512903&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
276	3 of 6	E	3.21 / 16,937.44	CITY OF HOUSTON TX	WUD

St Well No:	6512903
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NZ
Date Drilled:	00/00/1955
Well Depth:	690
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.774118
Longitude:	-95.541336
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
276	4 of 6	E	3.21 / 16,937.44	CITY OF HOUSTON TX	WUD

St Well No:	6512916
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OA
Date Drilled:	00/00/1963
Well Depth:	750
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.773284
Longitude:	-95.540779
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
276	5 of 6	E	3.21 / 16,937.44	Bunker Hill, City of TX	WW HARRIS GAL

Well ID:	15100	**Diameter (inches):**	24
Aggre Lead Well:	1550	**Year Drilled:**	0
Permit No:	WP2024-112648	**Depth Drilled:**	1800
Permit Start Date:	10/1/2024	**Depth frm Surf(ft):**	1200
Permit End Dt:	9/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.773333
Regulatory Aarea:	2	**Longitude:**	-95.537777

Owner Name:	Bunker Hill, City of
Billing Contact:	Gama Escamilla
Billing Address:	11977 Memorial Drive
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	Tx
Billing Zip:	77024
Correspondence:	NULL
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
276	6 of 6	E	3.21 / 16,937.44	City of Bunker Hill Village 11950 Taylorcrest Rd Houston TX 77024	SDRW WELLS

Track NO: 585716
Date Submitted: 2021-10-06
Owner Name: City of Bunker Hill Village
Owner Address: 11977 Memorial Dr
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77024
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.773466
Longitude: -95.537938
Drilling Date Started: 2021-06-11
Drilling Date Completed: 2021-08-02
Chemical Analysis: Yes
Company Name: Alsay Incorporated
Company Address: 6615 Gant Rd
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=585716&Type=SDR-Well

Well Borehole Information

Top Depth: 645
Bottom Depth: 1178

Top Depth:
Bottom Depth: 1178.0

Top Depth: 0
Bottom Depth: 645

Well Levels

Measurement: 288.5
Measurement Date: 2021-09-22

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
277	1 of 2	W	3.21 / 16,941.99	ROBERT H. SMITH TX	TCEQ WELL LOGS

Grid No:	65-11-9L
Date Drilled:	10/24/1980
Owners Name:	ROBERT H. SMITH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	140
Depth Drilled:	245
Latitude:	29.7742381
Longtiude:	-95.6446139

Dup
WL # 39

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

For TDWR use only
Well No. 65-11-96
Located on map YES
Received: RWB

1) OWNER Robert H. Smith (Name) Address 810 Hwy 6 S. #101 (Street or RFD) Hou. (City) Tx. (State) 77079 (Zip)

2) LOCATION OF WELL: Hwy #6 County Harris 21 miles in W. (N.E., S.W., etc.) direction from Houston (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. ON 65-21-7H

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 10/24/80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	245

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	33	Clay
33	50	Surface Sand
50	173	Clay
173	197	Sand
197	203	Clay
203	245	Sand (production)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC	0	220	
2	N	Plastic	225	245	.016

CEMENTING DATA
Cemented from 170 ft. to 220 ft.
Method used Halliburton
Cemented by B & S (Company or Individual)

9) WATER LEVEL:
Static level 140' ft. below land surface Date 11/25/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 190 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 27 gpm with 21 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

RECEIVED
AUG 24 1982
TDWR

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS 9739 N. Hou. Rossyln Hou. Texas 77088 (Street or RFD) (City) (State) (Zip)
(Signed) Craig Bussell (Water Well Driller) Bussell + Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
277	2 of 2	W	3.21 / 16,941.99	ROBERT H. SMITH TX	TCEQ WELL LOGS

Grid No:	65-11-9Y
Date Drilled:	11/14/1979
Owners Name:	ROBERT H. SMITH
County:	HARRIS
Water Usage:	NOT REPORTED
Static Level:	138
Depth Drilled:	325
Latitude:	29.7742381
Longtiude:	-95.6446139

WL #10 (10)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-9Y
Located on map yes
Received: C.F.S.

1) OWNER Robert H. Smith (Name) Address 1201 Dairey Ashford #101 (Street or RFD) Houston (City) Texas (State) 77079 (Zip)

2) LOCATION OF WELL: 810 Hwy. #6
County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 11/14/79

Dia. (in.)	From (ft.)	To (ft.)
6½"	Surface	325 ~~295'~~

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material.
0	290'	Unconsolidated
290'	325'	Production sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Steel	0	295'	
2"	N	Plastic	305'	325'	.012 .016

CEMENTING DATA
Cemented from 245' ft. to 295' ft.
Method used Halliburton
Cemented by Bussell & Son Inc. (Company or Individual)

9) WATER LEVEL:
Static level 138' ft. below land surface Date 11-14-79
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

RECEIVED
JUN 2 1982
CR/TDWR

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 210' ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C. Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
278	1 of 3	ESE	3.21 / 16,965.14	HAROLD K. HEUSZEL TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	11/11/1991
Owners Name:	HAROLD K. HEUSZEL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	224
Depth Drilled:	400
Latitude:	29.745759
Longtiude:	-95.546963

County Code 101 Please use black ink.

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Harold K. Heuszel (Name) ADDRESS #25 Rivercrest (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County HARRIS . 8 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 11-7 1991 Completed 11-11 1991

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	380
4½	380	400

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	27	C
27	50	S
50	112	C
112	137	S
137	158	C
158	182	S
182	195	C
195	216	S
216	289	C
289	316	S
316	325	C
325	340	S
340	351	C
351	366	S
366	375	C
375	400	S

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	380	40
2	N	PVC Wrapped	380	400	12

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 20 ft. No. of Sacks Used 4
330 ft. to 380 ft. No. of Sacks Used 8
Method used Circ.
Cemented by Inv.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs

RECEIVED
NOV - 4 1991
TEXAS WATER WELL DRILLERS BOARD

11) WATER LEVEL:
Static level 224 ft. below land surface Date 11-11-91
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS: Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc (Type or print) WELL DRILLER'S LICENSE NO. 1182

ADDRESS P.O. Box 89 (Street or RFD) Porter (City) Texas (State) 77365 (Zip)


(Signed) Homer L. Lowe (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 05-18-90)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
278	2 of 3	ESE	3.21 / 16,965.14	Sun, Guangxin TX	WW HARRIS GAL

Well ID:	16752	**Diameter (inches):**	5
Aggre Lead Well:	16752	**Year Drilled:**	NULL
Permit No:	WP2024-106659	**Depth Drilled:**	400
Permit Start Date:	6/12/2024 9:40:00 AM	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025 9:40:00 AM	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.745833
Regulatory Aarea:	3	**Longitude:**	-95.547778
Owner Name:	NULL		
Billing Contact:	Nathan Birge		
Billing Address:	27 West Rivercrest		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	Mike Pyburn		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	R - Residential (Single Family) Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
278	3 of 3	ESE	3.21 / 16,965.14	Sun Guangxin - Sims Luxury Bldrs 25 W Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 674839
Date Submitted: 2024-08-08
Owner Name: Sun Guangxin - Sims Luxury Bldrs
Owner Address: 25 W Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.745556
Longitude: -95.5475
Drilling Date Started: 2024-06-25
Drilling Date Completed: 2024-06-28
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=674839&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 360

Top Depth: 360
Bottom Depth: 390

Top Depth:
Bottom Depth: 390.0

Well Levels

Measurement: 188
Measurement Date: 2024-06-28

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
279	1 of 1	W	3.21 / 16,965.85	Ham, Bill TX	WW HARRIS GAL

Well ID:	9144	**Diameter (inches):**	4
Aggre Lead Well:	9144	**Year Drilled:**	2002
Permit No:	W2015-9144-175894-0	**Depth Drilled:**	150
Permit Start Date:	5/1/2015	**Depth frm Surf(ft):**	75
Permit End Dt:	5/1/2015	**County:**	H
Well Status:	5 - No plumbing	**Latitude:**	29.773611
Regulatory Aarea:	3	**Longitude:**	-95.644722
Owner Name:	Ham, Bill		
Billing Contact:	NULL		
Billing Address:	P.O. Box 163690		
Billing Address 2:	NULL		
Billing City:	Austin		
Billing State:	TX		
Billing Zip:	78716		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
280	1 of 2	SE	3.22 / 16,986.20	Western Atlas Intnl. Westheimer TX	GWDB

Well Rep Track No:	
State Well No:	6520222
Owner Name:	Western Atlas Intnl. Westheimer
Drilling Start Dt:	
Drilling Month:	1
Drilling Day:	
Drilling Year:	1971
Well Depth:	873
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7319440
Longitude:	-95.5550010
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520222&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520222&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
280	2 of 2	SE	3.22 / 16,986.20	Western Atlas Intl. Westheimer TX	GWDB

Well Rep Track No:	
State Well No:	6520209
Owner Name:	Western Atlas Intl. Westheimer
Drilling Start Dt:	
Drilling Month:	11
Drilling Day:	1
Drilling Year:	1956
Well Depth:	681
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7325000
Longitude:	-95.5547230
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520209&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520209&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
281	1 of 5	WNW	3.22 / 16,989.70	Park Ten MUD TX	GWDB

Well Rep Track No:	
State Well No:	6511920
Owner Name:	Park Ten MUD
Drilling Start Dt:	
Drilling Month:	7
Drilling Day:	7
Drilling Year:	1993
Well Depth:	1238
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7894450
Longitude:	-95.6413890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511920&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511920&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
281	2 of 5	WNW	3.22 / 16,989.70	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SN
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SN
Date Drilled:	11/10/1983
Well Depth:	1190
Screen Top:	516
Screen Bottom:	1171
Gallons Per Minute:	1050
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.79005
Longitude:	-95.64057778
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
281	3 of 5	WNW	3.22 / 16,989.70	HARRIS COUNTY MUD 102 WELL 6 TX	TCEQ WELL LOGS

Grid No: 65-11-3
Date Drilled: 03/24/1997
Owners Name: HARRIS COUNTY MUD 102 WELL 6
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 395
Depth Drilled: 1216
Latitude: 29.79005
Longtiude: -95.6405778

Send original copy [redacted] 78711-3087 Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Harris County MUD #102 Well #4 (Name) ADDRESS Addicks Satsuma (Street or RFD) Houston, Texas (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris Addicks Satsuma (Street or RFD) Houston, Texas (City) (State) (Zip) STATE WELL # 65-11-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [X] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [X] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 1-9 19 ~~96~~ 97 Completed 3-24- 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
35	Surface	40
22	"	785
24	785	1216

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.) To (ft.) Description and color of formation material

See Attached Copy

RECEIVED APR 14 1997

(Use reverse side if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [X] Underreamed [X] Gravel Packed [ ] Other
If Gravel Packed give interval ... from 730 ft. to 1216 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
30	U	Steel	+3	40	.312
16	N	Steel	+3	785	.500
10-3/4	N	Steel with Stain-	725	904	.365
8-5/8	N	less Steel Screen	904	1216	.035

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 40 ft. No. of sacks used 48
0 ft. to 785 ft. No. of sacks used 640
Method used Solid Hydraulics
Cemented by Dowell Schlumberger
Distance to septic system field lines 150 ft.
Method of verification of above distance Alexander Engineering

13) TYPE PUMP:
[X] Turbine [ ] Jet [ ] Submersible [ ] Cylinder
[ ] Other
Depth to pump bowls, cylinder, jet, etc., 660 ft.

10) SURFACE COMPLETION
[X] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[ ] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [X] Pump [ ] Bailer [ ] Jetted [ ] Estimated
Yield: 812 gpm with 67 ft. drawdown after 36 hrs.

11) WATER LEVEL:
Static level 395 ft. below land surface Date 3-24-97
Artesian flow gpm. Date

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [X] Yes [ ] No

12) PACKERS: Type Depth
N/A

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Alsay Incorporated (Type or print) WELL DRILLER'S LICENSE NO. 2048 WPKT

ADDRESS 6615 Gant (Street or RFD) Houston, Texas (City) 77066 (State) (Zip)

(Signed) Neil Rollie (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Neil Rollie

Please attach electric log, chemical analysis, and other pertinent information, if available. 65 11 3

TNRCC-0199 (Rev. 09-01-93) TNRCC COPY

[redacted]LSAY
INCORPORATED
GROUNDWATER EXPLORATION & DEVELOPMENT

REPLY TO: 6615 GANT STREET
HOUSTON, TEXAS 77066
PHONE: (713) 444-6960
FAX #: (713) 444-7081

Harris County M.U.D. 102, Well No.4

Proposed Recommended Material Settings 01/21/97

	16 " 0.500 wall Casing	10 " 0.375 wall Blank	10 " 0.375 wall Screen	8 " 0.322 wall Blank	8 " 0.322 wall Screen
0 – 785	785 ft.				
725 – 790		65 ft.			
790 – 834			44		
834 – 860		26			
860 – 870			10		
870 – 904		34			
904 – 938					34
938 – 958				20	
958 – 968					10
968 – 974				6	
974 – 984					10
984 – 1020				36	
1020 – 1026					6
1026 – 1060				34	
1060 – 1070					10
1070 – 1104				34	
1104 – 1110					6
1110 – 1144				34	
1144 – 1196					52
1196 – 1216 T.D.				20	
	785 ft.	125 ft.	54 ft.	184 ft.	128 ft.

RECEIVED
APR 14 1997

TOTAL MATERIALS:

16 inch Casing.....	785 ft.
10 inch Blank Liner.....	125 ft.
10 inch Screen.....	54 ft.
8 inch Blank Liner.....	184 ft.
8 inch Screen.....	128 ft.
Total Depth.....	1,216 ft.

6511 3

ALSAY INCORPORATED
GROUNDWATER EXPLORATION & DEVELOPMENT
REPLY TO: 6615 GANT STREET
HOUSTON, TEXAS 77066
PHONE: (713) 444-6960
FAX #: (713) 444-7081

Harris County M.U.D. 102, Well No. 4
Drillers Log

01/21/97

Depth (feet)	Description
0 – 6	Sub structure
6 – 56	Clay (Brown)
56 – 260	Sand w/ gray clay streak
260 – 268	Clay (White & gray)
268 – 278	Sand
278 – 288	Clay (White & gray)
288 – 362	Sand
362 – 400	Sand w/ gray clay streak
400 – 420	Clay (Gray)
420 – 448	Sand
448 – 465	Clay (Gray)
465 – 504	Sand
504 – 530	Clay (Light gray)
530 – 540	Sand
540 – 555	Clay (Light gray)
555 – 580	Sand
580 – 592	Clay (Light gray)
592 – 614	Sand
614 – 624	Clay (White & gray)
624 – 650	Sand
650 – 662	Clay (White & gray)
662 – 736	Sand
736 – 754	Clay (Light gray)
754 – 762	Sand
762 – 770	Clay (White)
770 – 780	Sand
780 – 788	Clay (White)
788 – 846	Sand
846 – 860	Clay (Gray)
860 – 872	Sand
872 – 906	Clay (Gray)
906 – 938	Sand
938 – 958	Clay (Gray)
958 – 968	Sand
968 – 974	Clay (White)
974 – 984	Sand
984 – 1060	Clay (Gray)
1060 – 1076	Sand
1076 – 1142	Clay (Gray)
1142 – 1196	Sand
1196 – 1220	Clay (Gray)
1220 – 1244	Sand
1244 – 1352	Clay (Gray)
1352 – 1368	Sand
1368 – 1402	Clay (Gray)
1402 – 1442	Sand
1442 – 1452	Clay (Gray)
1452 – 1470	Sand

65113

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
281	4 of 5	WNW	3.22 / 16,989.70	Houston, City of TX	WW HARRIS GAL

Well ID:	1768	**Diameter (inches):**	18
Aggre Lead Well:	1003	**Year Drilled:**	1974
Permit No:	WP2023-117626	**Depth Drilled:**	1394
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	616
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7875
Regulatory Aarea:	3	**Longitude:**	-95.669444

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
281	5 of 5	WNW	3.22 / 16,989.70	Houston, City of TX	WW HARRIS GAL

Well ID:	4789	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1993
Permit No:	WP2023-117626	**Depth Drilled:**	1238
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	732
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.79
Regulatory Aarea:	3	**Longitude:**	-95.640555

Owner Name:	Park Ten
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
282	1 of 1	ESE	3.22 / 16,993.43	THOMAS BILLINGS TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	01/14/1998
Owners Name:	THOMAS BILLINGS
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	200
Depth Drilled:	420
Latitude:	29.748567
Longtiude:	-95.544857

id original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0830

1) OWNER Thomas Billings (Name) ADDRESS #34 W. Rivercrest (Street or RFD) Houston (City) TX (State) 77042 (Zip)

2) ADDRESS OF WELL: County Harris #34 W. Rivercrest (Street or RFD) Houston (City) TX (State) 77042 (Zip) GRID # 65-20-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☑ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 1-5 19 98 Completed 1-14 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
9½	Surface	20
8½	20	384
4½	384	420

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

N

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	28	C
28	44	S
44	121	C
121	148	S
148	160	C
160	223	S
223	259	C
259	293	S
293	305	C
305	313	S
313	325	C
325	339	Broken
339	345	C
345	366	Broken
366	385	C
385	409	S
409	420	Broken

(Use reverse side if necessary)

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
5	N	PVC SDR17	0	384	SDR17
2½	N	PVC	384	409	12

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 384 ft. No. of sacks used 54 +
ft. to ft. No. of sacks used 5% Gel
Method used Halliburton
Cemented by Lowe Water Wells Inc
Distance to septic system field lines ft. No Septic
Method of verification of above distance City Houston S. Sewer

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 296 ft.

14) WELL TESTS:
Type test: ☑ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 120 gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 200 ft. below land surface Date 1-14-98
Artesian flow gpm. Date

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS: Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc (Type or print) WELL DRILLER'S LICENSE NO. 4028 WI


ADDRESS P.O. Box 89 (Street or RFD) Porter (City) Texas (State) 77365 (Zip)

(Signed) Jerry W. Lowe (Licensed Well Driller) (Signed) (Registered Driller Trainee)

...tric log, chemi... ...lyses, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
283	1 of 1	W	3.22 / 16,999.75	HIGHWAY 6 TIRE & AUTO TX	TCEQ WELL LOGS

Grid No:	65-11-9S
Date Drilled:	05/19/1983
Owners Name:	HIGHWAY 6 TIRE & AUTO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	145
Depth Drilled:	300
Latitude:	29.7661915
Longtiude:	-95.6444828



Wk. # 129

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

end original copy by
ertified mail to the
exas Department of Water Resources
. O. Box 13087
ustin, Texas 78711

For TDWR use only
Well No. 65-11-93
Located on map Yes
Received: C.R.S.

OWNER Highway 6 Tire & Auto (Name) Address 1810 Highway 6 S. (Street or RFD) Houston (City) Tx. (State) 77077 (Zip)

LOCATION OF WELL: Hwy. 6 & County Harris 2 miles in South (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting sec- on or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. map on 60-59-JEE

1) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 5-19-83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	300

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Top Soil & Clay
15	95	Surface Sand
95	117	Clay
117	252	Sand
252	278	Clay
278	300	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C.	0	280	
2	N	Galv.	275	290	
2	N	P.V.C.	290	300	.014

CEMENTING DATA
Cemented from 230 ft. to 280 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 145 ft. below land surface Date 5-20-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
SEP 12 1983
DEPT. OF
WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 210 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Tx. (State) 77375 (Zip)
Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

WR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
284	1 of 1	W	3.22 / 17,018.24	FELIZ DRYMALA TX	TCEQ WELL LOGS

Grid No:	65-19-3G
Date Drilled:	10/10/1977
Owners Name:	FELIZ DRYMALA
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	80
Depth Drilled:	150
Latitude:	29.7657375
Longtiude:	-95.6444761

65-19-3G Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3G
Located on map yes
Received: 78
66

1) OWNER:
Person having well drilled Felix Drymala (Name) Address 1310 Hwy 6 (Street or RFD) Houston (City) TEXAS (State)
Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 3 miles in S (N.E., S.W., etc.) direction from Addicks (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial ✓ Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 150 ft. Depth of completed well 150 ft. Date drilled 10/10/77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	12	Top Soil
12	35	clay
35	60	SAND
60	95	Shale
95	112	SAND
112	125	Shale; SAND
125	150	SAND; gravel

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 0 ft. to 40 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	140	Sc. 40

10) SCREEN:
Type Plastic
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	140	150	0.016

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 30 ft. below land surface Date 10/16/77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 130 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ No If yes, by whom?
Yield: 20 gpm with 12 ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes ✓ No
Did any strata contain undesirable water? Yes No ✓
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ircon Mahler (Type or Print) Water Well Drillers Registration No. 377
ADDRESS P.O. Box 133 (Street or RFD) Orchard (City) TEXAS 77464 (State)
Jan Mahler (Water Well Driller) Mahler Water Well Service (Company Name)

Attach electric log, chemical analysis, and other pertinent information, if available.

See instructions on reverse side.


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
FEB 27 1978
Central Records
Texas Dept. of Water Resources

RECEIVED
DEC 12 1977
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
285	1 of 2	WSW	3.23 / 17,061.83	MR. RANDALL TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	10/14/1987
Owners Name:	MR. RANDALL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	155
Depth Drilled:	300
Latitude:	29.7597169
Longtiude:	-95.6432517

Km 488J 3

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Mr. Randall (Name) Address 14702 Westway (Street or RFD) Houston, (City) Tx. (State) (Zip)

2) LOCATION OF WELL:
County Harris 17 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. on 65-04-4

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check):
☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 10/13/87 19__ Completed 10/14/87 19__

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	300

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	10	Clay
10	220	Sand
220	240	Clay
240	300	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	280	Sch.
2½"	N	Blank Liner	270	280	40
2½"	N	PVC Slotted Screen	280	300	.012

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 280 ft. to 0 ft. No. of Sacks Used 19
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Halliburton
Cemented by Robinson Water Well

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 155 ft. below land surface Date 10/14/87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 270

13) TYPE PUMP: 1½HP owner's tank
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
JAN 11 1988
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc. (Type or Print) Water Well Driller's License No. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-11-9
Located on map _____

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
285	2 of 2	WSW	3.23 / 17,061.83	MCDERMOTT, INC., JOE A. TX	WW HARRIS GAL

Well ID:	1920	**Diameter (inches):**	4
Aggre Lead Well:	1920	**Year Drilled:**	1969
Permit No:	W1978-1920-920-0	**Depth Drilled:**	232
Permit Start Date:	2/11/1978	**Depth frm Surf(ft):**	222
Permit End Dt:	2/28/1979	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.759722
Regulatory Aarea:	3	**Longitude:**	-95.643333
Owner Name:	MCDERMOTT, INC., JOE A.		
Billing Contact:	WAYNE MCDONALD		
Billing Address:	P.O. Box 1589		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
286	1 of 1	ESE	3.24 / 17,084.82	Carrera Construction, Inc. 32 W. Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 168349
Date Submitted: 2009-02-12
Owner Name: Carrera Construction, Inc.
Owner Address: 5701 Winsome, Ste. 13
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77057
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.748056
Longitude: -95.545278
Drilling Date Started: 2009-02-09
Drilling Date Completed: 2009-02-11
Chemical Analysis: No
Company Name: B&R Water Well Drilling, Inc.
Company Address: 40619 FM 149
CompanyAddress2:
Company City: Magnolia
Company State: TX
Company Zip: 77354
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=168349&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 200
Measurement Date:

Well Strata

Water Type:

ground

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
287	1 of 1	WSW	3.24 / 17,091.32	Janett Grossman 14627 Westway Ln. Houston TX 77077	SDRW WELLS

Track NO: 435987
Date Submitted: 2016-10-28
Owner Name: Janett Grossman
Owner Address: 2206 Capri Isle Ct.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.758484
Longitude: -95.64308
Drilling Date Started: 2016-09-13
Drilling Date Completed: 2016-09-15
Chemical Analysis: No
Company Name: Geophysical Drilling Inc
Company Address: PO Box 194
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=435987&Type=SDR-Well

Well Borehole Information

Top Depth: 305
Bottom Depth: 320

Top Depth: 0
Bottom Depth: 305

Top Depth:
Bottom Depth: 320.0

Well Levels

Measurement: 163
Measurement Date:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
288	1 of 1	W	3.24 / 17,091.88	GOLBOW, STANLEY J. TX	WW HARRIS GAL

Well ID:	2565	**Diameter (inches):**	3
Aggre Lead Well:	2565	**Year Drilled:**	1960
Permit No:	W1979-2565-3022-0	**Depth Drilled:**	28
Permit Start Date:	6/1/1979	**Depth frm Surf(ft):**	26
Permit End Dt:	5/31/1982	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.781944
Regulatory Aarea:	3	**Longitude:**	-95.643888
Owner Name:	GOLBOW, STANLEY J.		
Billing Contact:	NULL		
Billing Address:	309 STAFFORD		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	PATTERSON'S NURSERY		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
289	1 of 1	ESE	3.24 / 17,098.18	Nancy Romagnoli 23 West Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 251681
Date Submitted: 2011-05-02
Owner Name: Nancy Romagnoli
Owner Address: 23 West Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.744722
Longitude: -95.546667
Drilling Date Started: 2005-12-12
Drilling Date Completed: 2005-12-13
Chemical Analysis: No
Company Name: Bussell & Sons, LLC
Company Address: P.O. Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=251681&Type=SDR-Well

Well Borehole Information

Top Depth: 400
Bottom Depth: 420

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 420.0

Well Levels

Measurement: 212
Measurement Date: 2005-12-13

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
290	1 of 1	W	3.24 / 17,103.13	JUAREZ (MASSEY DEVELOP) TX	TCEQ WELL LOGS

Grid No:	65-11-9M
Date Drilled:	07/31/1984
Owners Name:	JUAREZ (MASSEY DEVELOP)
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	142
Depth Drilled:	290
Latitude:	29.7741717
Longtiude:	-95.6451262

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

nd original copy by
rtified mail to the
xas Department of Water Resources
O. Box 13087
stin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-9m
Located on map yes
Received: C.F.'s

OWNER Juarez (Massey Develop) (Name) Address 810 Hwy #6 South #105 (Street or RFD) Hstn (City) TX (State) 77079 (Zip)

LOCATION OF WELL: Hwy 6
County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

iller must complete the legal description to the right th distance and direction from two intersecting sec- n or survey lines, or he must locate and identify the ell on an official Quarter- or Half-Scale Texas County neral Highway Map and attach the map to this form.

☐ See attached map. mapon 65-12-9s

TYPE OF WORK (Check):
☑ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

WELL LOG:
Date drilled 7/31/84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	290

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	23	Top Soil
23	77	Red Clay
77	161	Sand
161	197	Clay
197	251	Sand
251	269	Clay
269	290	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galv. Steel	0	274	
2	N	Galv	270	280	
2	N	PVC	280	290	.014

CEMENTING DATA
Cemented from 0 ft. to 274 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc (Company or Individual)

9) WATER LEVEL:
Static level 142 ft. below land surface Date 8/1/84
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

RECEIVED
MAY - 7 1985
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

I WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

ME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035

DRESS P O Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

gned) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

ase attach electric log, chemical analysis, and other pertinent information, if available.

R-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
291	1 of 2	ESE	3.24 / 17,117.19	J.W. GREEN TX	TCEQ WELL LOGS

Grid No:	65-20-3E
Date Drilled:	07/01/1968
Owners Name:	J.W. GREEN
County:	HARRIS
Water Usage:	HOME
Static Level:	151
Depth Drilled:	365
Latitude:	29.751026
Longtiude:	-95.542917

3E

File original copy with Texas Water Commission P. O. Box 2311, Capitol Station Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-20-3E6
Located on map YES
By AH Date 68
Map no.

1) Well Owner: J.W. Green (Name) #46 W. Rivdrcrest Drive (Street or RFD) Houston (City) Texas (State)

2) Land Owner: Same (Name) (Street or RFD) (City) (State)

3) Intended use: Industrial ☐ ;Municipal ☐ ;Irrigation ☐ ;Other Home

4) Location of well: County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ (Circle as many as are known) of Section Block No. Survey

10 miles in west (NE, SW, etc.) direction from Houston (Town)

Rivercrest intersects Westheimer one mile west of Voss Rd.

North

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 6¼ in. Date drilled 1 July 1968

All measurements made from 1 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	17	clay			
17	42	sand			
42	140	clay			
140	180	sand			
180	192	clay			
192	204	sand			
204	250	clay			
250	291	clay with sand strks.			
291	335	fine sand clay strks.			
335	365	good sand & gravel			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall ☒
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING

Type: Old ☐ New ☒ 4½" gal.
Cemented from 140 ft.
to 340 ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4½"	+1	340'

SCREEN

Type 2½" stainless pipe based
Perforated ☐ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½"	364	364

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

B.J. Swinehart (Signature) B.J.Swinehart Co., Inc. (Company) Reg. No. 229

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 151'
ft. below top of casing

Pumping level

feet	hours	gpm
170	estimated	50

Pump type Jacuzzi Sumersible Model 5S4X20-T2
Designed pumping rate 50 gpm ☒ gph ☐
Type power unit 5 HP electric Motor
Horsepower 5
Depth to bowls, cylinder, jet, etc., 210 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-4)

GM

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
291	2 of 2	ESE	3.24 / 17,117.19	JOHNSON TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	01/02/1978
Owners Name:	JOHNSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	197
Depth Drilled:	346
Latitude:	29.751026
Longtiude:	-95.542917

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

Dup GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-22-2A
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled JOHNSON (Name) Address #46 W RIVERCREST (Street or RFD) HOUSTON - TEX, (City) (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor UNKNOWN League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in (NE, SW, etc) direction from (Town)

NORTH

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6" in. Depth drilled 346' ft. Depth of completed well 346' ft. Date drilled 1-2-78

All measurements made from ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	13'	Surface
13	18'	R. SAND
18	81'	Clay
81	119'	SAND
119	185'	Shale
185	229	SAND
229	248	Shale
248	274	SAND
274	318'	Sandy Shale
218	335'	IN + OUT SAND + Shale
335	342'	SAND
342	343	SHALE BREAK
343	346	SAND
346'		BOTT. of SAND / SHALE

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐ 4"+2½"

8) WATER LEVEL:
Static level 19' ft. below land surface Date 1-2-78
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☑ Steel ☐ Plastic ☑ Other ☐
Cemented from 330' ft. to UPWARD ft.

10) SCREEN:
Type 10' 2½" PL.
Perforated ☑ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
	336'	346'	.014

11) WELL TESTS:
Was a pump test made? ☐ Yes ☑ No If yes by whom?
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name REDA
Type 220 ϕ 3PH H.P. 2
Designed pumping rate 25 gpm ☑ gph ☐
Type power unit
Depth to bowls, cylinder, jet, etc., ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O.P. KERMAN (Type or Print) Water Well Drillers Registration No. 1000

Address #12506 TAYLOR Rd. (Street or RFD) H. (41) (City) TEX. (State)

(Signed) O.P. Kerman (Water Well Driller) PAUL'S WELL SERV. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
292	1 of 1	W	3.24 / 17,126.34	THOMAS DRAPER TX	TCEQ WELL LOGS

Grid No:	65-11-6
Date Drilled:	04/16/2002
Owners Name:	THOMAS DRAPER
County:	HARRIS
Water Usage:	SMALL BUSINESS
Static Level:	150
Depth Drilled:	396
Latitude:	29.7767642
Longtiude:	-95.6449667

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
THOMAS DRAPER	3209 W. ALABAMA	HOUSTON	TX.	77098

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	710 S. Hwy. 6	HOUSTON	TX.	77079

Lat. | Long. | Grid # 65-11-6

3) Type of Work: ☑ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply ☑ SMALL BUSINESS If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) • N↑

6) Drilling Date: Started 4 / 15 / 02 Completed 4 / 16 / 02

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7	0	396

7) Drilling Method (check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	10	Black Soil
10	40	Clay, Red
40	95	Sand
95	180	Clay, Rock
180	260	Sand
260	320	Clay, Rock
320	370	Shale, Clay
370	396	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☑ Other 2 STRING
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4"	N	CASING	376	0	SCH 40
2.5	N	LINER	376	366	SCH 40
2.5	N	SCREEN	396	376	012

9) Cementing Data
Cementing from 376 ft. to 0 ft. # of sacks used 15
0 ft. to 15 ft. # of sacks used 8
Method Used HALIBURTON
Cementing By RWW
Distance to septic system field or other concentrated contamination City ft.
Method of verification of above distance OWNER

13) Plugged ☐ Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☑ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 220 ft.

11) Water Level
Static level 150 ft. below Date 4 / 16 / 02
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

12) Packers Type K Depth 360

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☑ No

DAVID HELMS

Company or individual's Name (type or print)	ROBINSON WATER WELL SERVICE, INC.	Lic. No. 54211 PKW
Address 11819 W. MONTGOMERY RD.	City HOUSTON	State TX. Zip 77086

Signature (Licensed Driller/Pump Installer)	Date	Signature (Apprentice)	Date
David Helms	5 / 30 / 02		/ /

TDLR FORM WWW/WD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
293	1 of 5	NNE	3.25 / 17,173.08	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512518
Owner Name:	City of Houston
Drilling Start Dt:	1976-05-24
Drilling Month:	6
Drilling Day:	7
Drilling Year:	1976
Well Depth:	1545
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.8147222
Longitude:	-95.5730556
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512518&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512518&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
293	2 of 5	NNE	3.25 / 17,173.08	CITY OF HOUSTON TX	WUD

St Well No:	6512518
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AE
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AE
Date Drilled:	09/01/1976
Well Depth:	1545
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.815783
Longitude:	-95.569664
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
293	3 of 5	NNE	3.25 / 17,173.08	BREAD OF LIFE CHURCH TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	02/09/1999
Owners Name:	BREAD OF LIFE CHURCH
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	193
Depth Drilled:	388
Latitude:	29.814595
Longtiude:	-95.568512

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: BREAD OF LIFE CHURCH ADDRESS: 10800 HAMMERLY BLVD. CITY: HOUSTON STATE: TX ZIP: 77043-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-05
Street or RFD: (SAME AS ABOVE) H/GCSD WELL NO. 7069
City, State, Zip code: HOUSTON , TX 77043-

3) TYPE OF WORK: NEW WELL
4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

5)

6) WELL LOG: 00295
DATE DRILLING: STARTED: 02/03/99 COMPLETED: 02/09/99

DIAMETER OF HOLE DIAMETER	FROM	TO
7.75	-0-	365
4.76	365	388

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	PVC-WELL CASING	+2	365	SCR-17
2.5	N	PVC BLANK PIPE	361	366	SCH 80
2.5	N	STAINLESS ROD BASE	366	386	10 GA
2.5	N	NIP W/BACKWASH VALVE	386	388	SCH 80

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	28	SANDY TOPSOIL, CLAY
28	60	SAND ROCK ROCK STREAKS, CLAY
60	93	RED CLAY GRAY CLAY CLAY
93	138	SAND SAND CLAY SAND SAND
138	190	CLAY SAND CLAY
190	227	SAND
227	251	CLAY
251	267	SAND
267	297	CLAY STICKY CLAY
297	310	SAND
310	342	ROCK SAND
342	350	CLAY
350	388	SAND SAND SAND

9) CEMENTING DATA:
Cemented from No. of Sacks Used
365 FT. TO 215 FT. 15
-0- FT. TO 18 FT. 7
Method used: HALLIBURTON METHOD
Cemented by: GDI LOWER PRESSURED
Distance to septic field lines: ft.
Method of verification of above distance:
CITY SEWERAGE

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 193 FT. DATE: 02/09/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATIOM PACKER	18
BP-SEAL	361

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 280

14) WELL TEST:
JETTED
YIELD: 100 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 47 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 4898WPK
ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Jeremy D. Bivins (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

APR 0 8 1999

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
293	4 of 5	NNE	3.25 / 17,173.08	New Life Church TX	WW HARRIS GAL

Well ID:	7069	**Diameter (inches):**	4
Aggre Lead Well:	7069	**Year Drilled:**	1999
Permit No:	WP2024-106748	**Depth Drilled:**	350
Permit Start Date:	6/1/2024 3:22:00 PM	**Depth frm Surf(ft):**	300
Permit End Dt:	5/31/2025 3:22:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.815277
Regulatory Aarea:	3	**Longitude:**	-95.567777

Owner Name: New Life Church
Billing Contact: Debbie Smith
Billing Address: 10800 Hammerly Blvd.
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77043
Correspondence: NULL
Provision: SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
293	5 of 5	NNE	3.25 / 17,173.08	USGS-294852095342202 TX	FED USGS

Site No:	USGS-294852095342202
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	197611
Well Depth:	1545
Well Depth Unit:	ft
Well Hole Depth:	1600
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-518
Latitude:	29.81472220000000
Longitude:	-95.5730556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
294	1 of 1	W	3.25 / 17,179.26	COMMERCIAL INDUSTRIAL TX	TCEQ WELL LOGS

Grid No:	65-11-9X
Date Drilled:	08/06/1982
Owners Name:	COMMERCIAL INDUSTRIAL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	130
Depth Drilled:	302
Latitude:	29.7752747
Longtiude:	-95.6452878

103 PWS

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-9X
Located on map Yes
Received: C.F.S.

1) OWNER Commercial Industrial (Name) Address Unknown (Street or RFD) Houston (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 15 miles in SW (N.E., S.W., etc.) direction from Houston (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☐ See attached map. Mapsco 65·04-6UN

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 8/6/82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	302

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	17	Clay
17	68	Sand
68	104	Clay
104	193	Sand
193	240	Clay
240	302	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	280	Sch.
2½"	N	Blank Pipe	272	292	40
2½"	N	PVC Slotted Screen	292	302	.012

CEMENTING DATA
Cemented from 280 ft. to 140 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

RECEIVED
JUL 19 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 130 ft. below land surface Date 8/7/82
Artesian flow ____ gpm. Date ____

10) PACKERS: Type K Depth 272

11) TYPE PUMP: 1½HP 3Phase #252 Tank
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M. E. Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
295	1 of 2	ESE	3.26 / 17,238.76	FRANCIS VIVIRITO TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	05/25/1994
Owners Name:	FRANCIS VIVIRITO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	195
Depth Drilled:	420
Latitude:	29.744442
Longtiude:	-95.546957

STATE TEXAS WATER WELL REPORT

1) OWNER: VIVIRITO, FRANCIS ADDRESS: #21 W. RIVERCREST CITY: HOUSTON STATE: TX ZIP: -
2) LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00828 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
6.75	0	407
4.0	407	420


TWO STRING/X-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 05/25/94

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4.0	N	P.V.C. SCH.40	0	407	CASING
2.5	N	P.V.C. SCH.40	340	410	LINER
2.5	N	P.V.C. - SLOTTED	410	420	.010

WELL # 65-20-2



GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	12	CLAY-GRAY CLAY-WHITE
12	18	SAND-WHITE-FINE
18	135	CLAY-BROWN BROKEN SAND & CLAY CLAY-RED
135	142	SAND-TAN-.006-.008
142	168	CLAY-WHITE CLAY-BROWN
168	185	SAND-TAN-.010-.012
185	200	CLAY-BROWN
200	219	SAND-TAN-.014-.020
219	284	CLAY-RED
284	296	SAND-WHITE-.010-.012
296	316	CLAY-RED BROKEN SAND & CLAY
316	330	SAND-WHITE-.006-.008
330	338	SHALE
338	350	SAND-WHITE-.010-.012

RECEIVED
AUG 25 1994
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 410 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : 195 FT. DATE: 05/30/94
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 273 ,

14) WELL TEST:
JETTED
YIELD: 50 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 420 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John A. Glover (LICENSED WATER WELL DRILLER) (signed) (REGISTERED DRILLER TRAINEE)

STATE TEXAS WATER WELL REPORT (PAGE 2)

OWNER: VIVIRITO, FRANCIS ADDRESS: #21 W. RIVERCREST CITY: HOUSTON STATE: TX ZIP: -

350 357 SHALE
357 420 SAND-WHITE-.010-.012 GRAVEL SAND-WHITE-.010-.012

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
295	2 of 2	ESE	3.26 / 17,238.76	Bob Babine TX	SDRW WELLS

Track NO: 351556
Date Submitted: 2014-01-14
Owner Name: Bob Babine
Owner Address: 21 West Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.744722
Longitude: -95.5475
Drilling Date Started: 2013-12-04
Drilling Date Completed: 2013-12-06
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=351556&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 400.0

Top Depth: 0
Bottom Depth: 380

Top Depth: 380
Bottom Depth: 400

Well Levels

Measurement: 185
Measurement Date: 2013-12-06

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
296	1 of 1	WSW	3.27 / 17,248.04	BROCK CONSTRUCTION CO. TX	TCEQ WELL LOGS

Grid No: 65-11-9L
Date Drilled: 09/25/1979
Owners Name: BROCK CONSTRUCTION CO.
County: HARRIS
Water Usage: DOMESTIC
Static Level: 138
Depth Drilled: 318
Latitude: 29.7597682
Longtiude: -95.6438739

WL #3 (9) Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-91
Located on map Yes
Received: C.F.S.

1) OWNER Brock Construction Co. (Name) Address 1300 Louisianna St. (Street or RFD) Houston (City) Tx. (State) 77002 (Zip)

2) LOCATION OF WELL Westway St.
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 9/25/79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½"	Surface	318

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	287	Unconsolidated
287	318	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Steel	0	295'	
2"	N		318'		.020

CEMENTING DATA
Cemented from 245' ft. to 295' ft.
Method used Halliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 138' ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
JUN 2 1982
CR/TDWR

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 189 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ● Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) Bussell & SOn, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
297	1 of 1	WNW	3.27 / 17,263.13	Speck, John TX	WW HARRIS GAL

Well ID:	7183	**Diameter (inches):**	2
Aggre Lead Well:	7183	**Year Drilled:**	
Permit No:	W2005-7183-117725-0	**Depth Drilled:**	19
Permit Start Date:	5/1/2005	**Depth frm Surf(ft):**	19
Permit End Dt:	5/1/2005	**County:**	H
Well Status:	U - Unique see report	**Latitude:**	29.7825
Regulatory Aarea:	3	**Longitude:**	-95.644166
Owner Name:	Speck, John		
Billing Contact:	NULL		
Billing Address:	14710 Grisby Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
298	1 of 1	W	3.27 / 17,275.37	ROY SHIPP TX	TCEQ WELL LOGS

Grid No:	65-11-6P
Date Drilled:	07/19/1983
Owners Name:	ROY SHIPP
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	120
Depth Drilled:	280
Latitude:	29.777383
Longtiude:	-95.6453596

64

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Roy Shipp (Name) Address 630 Hwy 6, (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris 5 miles in North (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 7/19/83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4		280

From (ft.)	To (ft.)	Description and color of formation material
0	14	Clay
14	36	Sand
36	143	Clay
143	186	Sand
186	241	Clay
241	280	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	0	260	sch 40
2½	N	Blank Pipe	255	270	sch 40
2½	N	Slotted Screen	270	280	.012

CEMENTING DATA
Cemented from 260 ft. to 180 ft.
Method used Halliburton
Cemented by Robinson Water Well Service (Company or Individual)

RECEIVED
DEC -7 1984
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 120 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
K	255

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ 1 HP Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well Service (Type or Print) Water Well Driller's License No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)


(Signed) M. E. Robinson Jr. (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. GS-71-6P
Located on map yes C.F.S.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
299	1 of 1	ESE	3.27 / 17,288.40	ABBEY SALTER TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	05/31/1994
Owners Name:	ABBEY SALTER
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	195
Depth Drilled:	420
Latitude:	29.747114
Longtiude:	-95.544761

Send original copy by certified return receipt requested mail to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Jim Sowell Construction Co. (Name) ADDRESS 3131 McKinney Suite 200 (Street or RFD) Dallas (City) Tx (State) 75204 (Zip)

2) ADDRESS OF WELL: County Harris 4019 S. Dairy-Ashford (Street, RFD or other) Houston (City) Tx (State) 77052 (Zip) GRID # 65-20-1

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☑ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 4-23 19 97 Completed 5-16 19 97

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
12"	Surface	360
7⅞	360	400

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top Soil
1	73	Red & Gray Clay
73	137	Sand
137	165	Red & Gray Clay
165	190	Sand w Clay St.
190	267	Red & Gray Clay
267	282	Red & Gray Clay w Sand St.
282	320	Sand w Clay St.
320	334	Red & Gray Clay
334	401	Sand
401		Clay

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other 2 String
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
8"	N	Steel T.F.C.	+2	360	
6⅝	N	Steel Galv. T.F.C.	350	360	
6⅝	N	Rod Based S.S. Masco - Houston	360	400	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from +1 ft. to 360 ft. No. of sacks used 76
_____ ft. to _____ ft. No. of sacks used _____
Method used pressure w 8% gel
Cemented by Driller
Distance to septic system field lines or other concentrated contamination N/A
Method of verification of above distance No Septic

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 188' ft. below land surface Date 5-16-97
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
2- K Packers	6X8 350'

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 336 ft.

14) WELL TESTS:
Type test: ☑ Pump ☐ Bailer ☐ Jetted ☑ Estimated
Yield: 440 gpm with 34 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

AUG - 5 1997
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Johnston's Water Well Service Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2778 WI

ADDRESS 28414 Calvert Rd. (Street or RFD) Tomball (City) Tx. (State) 77375 (Zip)

(Signed) Kenny K. Johnston (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

STATE OF TEXAS WATER WELL REPORT

1) OWNER: SALTER,ABBEY ADDRESS: #30 W.RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-
2) LOCATION OF WELL: County: HARRIS 12 miles in S direction from JERSEY VILLAGE

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00821 DIAMETER OF HOLE 7) BOREHOLE METHOD:


DIAMETER	FROM	TO	
6.75	0	400'	TWO STRING/K-PACKER
3.875	400'	420'	IF GRAVEL... FROM FT. TO FT.
			FROM FT. TO FT.

DATE DRILLED: 05/31/94

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	P.V.C. SCH.40	0	400'	CASING
2.5	N	P.V.C. SCH.40	360'	400'	LINER
2.5	N	P.V.C. - SLOTTED	400'	420'	.008

WELL # 65-20-1



GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	25	CLAY-GRAY
25	42	SAND-TAN-.006-.008
42	55	ROCK
55	110	CLAY-RED CLAY-GRAY
110	140	SAND-TAN-.010-.012 GRAVEL
140	160	CLAY-RED CLAY-GRAY
160	220	GRAVEL
220	268	CLAY-RED
268	295	SAND-TAN-.006-.008
295	303	CLAY-RED
303	309	SAND-TAN-.006-.008
309	313	CLAY-RED
313	319	SAND-TAN-.006-.008
319	325	CLAY-RED

RECEIVED
SEP 19 1994
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 400 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 195' FT. DATE: 06/03/93
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 273'

14) WELL TEST:
JETTED
YIELD: 60 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 420' NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) _____ (LICENSED WATER WELL DRILLER)
(signed) _____ (REGISTERED DRILLER TRAINEE)

STATE OF TEXAS WATER WELL REPORT (PAGE 2)

OWNER: SALTER,ABBEY ADDRESS: #30 W.RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-

325	340	SAND-TAN-.010-.012
340	351	CLAY-RED
351	420	SAND-TAN-.010-.012 SAND-TAN-.014-.020

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
300	1 of 3	WSW	3.28 / 17,306.72	Houston, City of TX	WW HARRIS GAL

Well ID:	10065	**Diameter (inches):**	6
Aggre Lead Well:	10065	**Year Drilled:**	2006
Permit No:	W2014-10065-168639-0	**Depth Drilled:**	500
Permit Start Date:	12/31/2013	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2013	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.75
Regulatory Aarea:	3	**Longitude:**	-95.639444
Owner Name:	Lakes of Parkway HOA		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St., 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Lakes of Parkway HOA		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
300	2 of 3	WSW	3.28 / 17,306.72	Houston, City of TX	WW HARRIS GAL

Well ID:	12507	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	201
Permit No:	WP2023-117626	**Depth Drilled:**	400
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.749722
Regulatory Aarea:	3	**Longitude:**	-95.639444
Owner Name:	Lakes of Parkway HOA		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
300	3 of 3	WSW	3.28 / 17,306.72	Lakes of Parkway TX	SDRW WELLS

Track NO: 351883
Date Submitted: 2014-01-17
Owner Name: Lakes of Parkway
Owner Address: 14317 Belle River Ln.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77054
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.749722
Longitude: -95.643611
Drilling Date Started: 2013-09-05
Drilling Date Completed: 2013-10-12
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=351883&Type=SDR-Well

Well Borehole Information

Top Depth: 410
Bottom Depth: 459

Top Depth: 0
Bottom Depth: 410

Top Depth:
Bottom Depth: 459.0

Well Levels

Measurement: 180
Measurement Date: 2013-09-20

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
301	1 of 2	SW	3.28 / 17,334.32	Houston, City of TX	WW HARRIS GAL

Well ID:	10017	**Diameter (inches):**	5
Aggre Lead Well:	1003	**Year Drilled:**	2005
Permit No:	WP2023-117626	**Depth Drilled:**	500
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.741944
Regulatory Aarea:	3	**Longitude:**	-95.633888

Owner Name: Lakes of Parkway HOA
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
301	2 of 2	SW	3.28 / 17,334.32	Sueba USA, Corp. Slate River Lane at Chatham Creek Court Houston TX 77077	SDRW WELLS

Track NO: 154492
Date Submitted: 2008-09-26
Owner Name: Sueba USA, Corp.
Owner Address: 1800 West Loop South, Ste 1300
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77027
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.741945
Longitude: -95.633611
Drilling Date Started: 2005-07-13
Drilling Date Completed: 2005-10-07
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: P.O. Box 664
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=154492&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 378

Top Depth:
Bottom Depth: 400.0

Top Depth: 378
Bottom Depth: 400

Well Levels

Measurement: 184
Measurement Date: 2005-07-22

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
302	1 of 2	WSW	3.29 / 17,344.98	MOTLEY & ASSOCIATES TX	TCEQ WELL LOGS

Grid No:	65-11-9L
Date Drilled:	02/24/1983
Owners Name:	MOTLEY & ASSOCIATES
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	143
Depth Drilled:	330
Latitude:	29.7587739
Longtiude:	-95.6438793

19

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. GS-11-92
Located on map YES
Received: C.F.S.

1) OWNER Motley & Associates (Name) Address 2929 Briarpark Suite 222, Hou, Tx. 77042-3782 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris miles in Corner of Hwy 6 and Westway Dr. (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

☐ See attached map. Mapon 65-10-92

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4 3/4	Surface	353
8 1/2	"	330'

Date drilled 2-24-83

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other Two-String
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	Surface
5	16	yellow and gray clay
16	35	sand
35	54	red and gray clay
54	66	red and blue clay
66	71	sand
71	73	clay
71	75	sand
75	96	red and gray clay
96	101	sand
101	110	sand and clay streaks
110	135	red and gray clay
135	201	sand
201	206	white clay
206	232	sand
232	235	clay
235	239	sand
239	243	red and yellow clay
243	255	sand
255	258	red and gray clay
258	280	sand 16 ga.
280	294	red and white clay
294	353	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5"	N	ASTMF-480, Class 200			
		PVC NSF wc/pw	+18"	330	
2½	N	Well Supplies, Inc.			
		WOP, PVC	353	333	16 ga
2½	N	SCH 80 PVC Blank	333	313	

CEMENTING DATA
Cemented from 330' ft. to Surface ft.
Method used Pressure Cement
Cemented by Raymond Water Wells (Company or Individual)

9) WATER LEVEL:
Static level 143 ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type "K" Depth 313

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 250' ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 40 gpm with 10 ft. drawdown after 2 hrs.

RECEIVED
MAR 29 1983
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. 774

ADDRESS 10011 Airline Drive (Street or RFD) Houston, Texas 77373 (City) (State) (Zip)

(Signed) C.A. Raymond Jr. (Water Well Driller) RAYMOND WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY


CB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
302	2 of 2	WSW	3.29 / 17,344.98	1505 Building, LLC TX	WW HARRIS GAL

Well ID:	4878	**Diameter (inches):**	4
Aggre Lead Well:	4878	**Year Drilled:**	NULL
Permit No:	W2020-4878-208959-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2020	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2020	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.759166
Regulatory Aarea:	3	**Longitude:**	-95.643611
Owner Name:	1505 Building, LLC		
Billing Contact:	NULL		
Billing Address:	P.O. Box 920		
Billing Address 2:	NULL		
Billing City:	Lake Oswego		
Billing State:	OR		
Billing Zip:	97034		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
303	1 of 1	W	3.29 / 17,345.89	MR. PETE BEATHARD TX	TCEQ WELL LOGS

Grid No: 65-11-9X
Date Drilled: 10/08/1978
Owners Name: MR. PETE BEATHARD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 132
Depth Drilled: 300
Latitude: 29.779019
Longtiude: -95.645329



32L 9 65-11-9X 9X

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-11-9X
Located on map YES
Received: TH

1) OWNER Mr. Pete Brathard (Name) 13131 Champion Dr. Suite 100 Hou. Tex. 77069 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Hwy 6 at I-10
County HARRIS, miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☑ See attached map. Map on 65-13-7G

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 10/8/78

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	300

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	23	CLAY & SAND
23	46	CLAY
46	66	SAND
66	86	SAND & CLAY
86	106	CLAY
106	186	SAND
186	226	SAND & ROCK
226	246	SAND
246	266	CLAY
266	286	CLAY & SAND
286	306	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N		0	280	40
2	N		280	290	16
2	N		290	300	20

CEMENTING DATA
Cemented from ~~250~~ 230 ft. to ~~300~~ 280 ft.
Method used
Cemented by (Company or Individual)

9) WATER LEVEL:
Static level 132 ft. below land surface Date 10/8/78
Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 168 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS Same (Street or RFD) (City) BUSSELL & SON, INC. 9739 NORTH HOUSTON – ROSSLYN RD. HOUSTON, TEXAS 77088 (Company Name)

(Signed) Tommy C Bussell (Water Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
304	1 of 3	S	3.29 / 17,360.29	HC MUD 372 TX	WW HARRIS GAL

Well ID:	7463	**Diameter (inches):**	14
Aggre Lead Well:	7443	**Year Drilled:**	1999
Permit No:	WP2024-101684	**Depth Drilled:**	1400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	800
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.728888
Regulatory Aarea:	3	**Longitude:**	-95.586944
Owner Name:	Harris Co. M.U.D. 372		
Billing Contact:	Brissa Smith		
Billing Address:	2002 W Grand Pkwy N Suite 100		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77449		
Correspondence:	NULL		
Provision:	70 - Based on permitted allocation or 70% of total demand, whichever is smaller; E - Authorized withdrawal is the total aggregate allocation for all wells; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
304	2 of 3	S	3.29 / 17,360.29	HC MUD 372 TX	WW HARRIS GAL

Well ID:	7443	**Diameter (inches):**	14
Aggre Lead Well:	7443	**Year Drilled:**	1999
Permit No:	WP2024-101684	**Depth Drilled:**	1400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	800
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.720833
Regulatory Aarea:	3	**Longitude:**	-95.573611

Owner Name: Harris Co. MUD 372; Harris Co. MUD 372; Harris Co. MUD 372; Harris Co. MUD 372
Billing Contact: Brissa Smith
Billing Address: 2002 W Grand Pkwy N Suite 100; 2002 W Grand Pkwy N Suite 100; 2002 W Grand Pkwy N Suite 100; 2002 W Grand Pkwy N Suite 100
Billing Address 2: NULL
Billing City: Katy
Billing State: TX
Billing Zip: 77449
Correspondence: NULL; NULL; NULL; NULL
Provision: 70 - Based on permitted allocation or 70% of total demand, whichever is smaller; E - Authorized withdrawal is the total aggregate allocation for all wells; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
304	3 of 3	S	3.29 / 17,360.29	HC MUD 372 TX	WW HARRIS GAL

Well ID:	7462	**Diameter (inches):**	14
Aggre Lead Well:	7443	**Year Drilled:**	1999
Permit No:	WP2024-101684	**Depth Drilled:**	1400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	800
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.716944
Regulatory Aarea:	3	**Longitude:**	-95.583333

Owner Name:	Harris Co. M.U.D. 372
Billing Contact:	Brissa Smith
Billing Address:	2002 W Grand Pkwy N Suite 100
Billing Address 2:	NULL
Billing City:	Katy
Billing State:	TX
Billing Zip:	77449
Correspondence:	NULL
Provision:	70 - Based on permitted allocation or 70% of total demand, whichever is smaller; E - Authorized withdrawal is the total aggregate allocation for all wells; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
305	1 of 2	ESE	3.30 / 17,401.56	MISS TURNER TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	03/08/1989
Owners Name:	MISS TURNER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	215
Depth Drilled:	370
Latitude:	29.746495
Longtiude:	-95.544779

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

4905 5

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water We
P. O. Box 1308.
Austin, Texas 78711

1) OWNER Miss Turner (Name) Address #28 W. Rivercrest (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: #28 W. Rivercrest
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other

5) DRILLING METHOD (Check):
☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other

6) WELL LOG:
Date Drilling: Started 3-7 1989 Completed 3-8 1989

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
10 3/4"	Surface	370'

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0'	24'	Top Soil & Clay
24'	37'	Surface Sand
37'	102'	Clay & Rock
102'	171'	Sand
171'	214'	Clay
214'	255'	Sand & Clay Streaks
255'	345'	Clay
345'	400'	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC	0'	400'	
2"	N	Galvanized	359'	380'	
2"	N	PVC	380'	390'	.016
2"	N	PVC	390'	400'	.016

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0' ft. to 10' ft. No. of Sacks Used
320' ft. to 370' ft. No. of Sacks Used
Method used Haliburton
Cemented by Bussell & Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 215' ft. below land surface Date 3-8-89
Artesian flow gpm. Date

12) PACKERS: Type Depth

RECEIVED
MAY 18 1989
TEXAS WATER COMMISSION

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 25 gpm with 15 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc (Type or Print) Water Well Driller's License No. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

(Signed) Craig Bussell (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No.
Located on map

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
305	2 of 2	ESE	3.30 / 17,401.56	RICHARD B. TURNER TX	TCEQ WELL LOGS

Grid No:	65-20-3C
Date Drilled:	??/??/????
Owners Name:	RICHARD B. TURNER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	150
Depth Drilled:	350
Latitude:	29.746495
Longtiude:	-95.544779

3C GW 7

65-20-3C

id original copy by
tified mail to the
as Water Development Board
O. Box 12386
tin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-32
Located on map yes
Received: 6-7
Form GW 8
Form GW 9

OWNER:
Person having well drilled Richard B. Turner (Name) Address 6219 Chevy Chase Houston, Texas (Street or RFD) (City) (State)

Landowner Richard B. Turner (Name) Address 28 W. Rivercrest Drive (Street or RFD) Houston, Texas 77042 (City) (State)

LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 2 miles (NE, SW, etc.) direction from N. from Westheimer Road (Town)

NORTH

Lot 13 Block 2 Rivercrest Addition Harris County

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

TYPE OF WORK (Check):
New Well X Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic X Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary X Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

WELL LOG:
Diameter of hole 6-3/4 in. Depth drilled ft. Depth of completed well 350 ft ft. Date drilled
All measurements made from 1' ft. above ground level.

om t.)	To (ft.)	Description and color of formation material
0	8	Surface
8	22	Clay
22	42	Sand
42	44	Rock
44	58	Broken Roack
58	110	Shale
110	148	Sand
148	168	Shale
168	185	Sand

From (ft.)	To (ft.)	Description and color of formation material
185	205	Shale
205	228	Sand
228	285	Shale
285	350	Sand
		(Use reverse side if necessary)

COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
4" Cemented 200 ft
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 150 ft. below land surface Date
Artesian pressure lbs. per square inch Date

CASING:
Type: old ☐ New X Steel ☐ Plastic ☐ Other ☐
Cemented from 200' ft. to Top ft.

10) SCREEN:
Type 2-1/2" 14 Gauge
Perforated ☐ Slotted ☐

ameter nches)	Setting From (ft.)	Setting To (ft.)	Gage
2-1/2"	350	330	14

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size

WELL TESTS:
Was a pump test made? X Yes ☐ No If yes by whom? L. W. Capps
Yield: 62 gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? X Yes ☐ No
Did any strata contain undesirable water? ☐ Yes X No
Type of water? depth of strata 65'

12) PUMP DATA:
Manufacturer's Name Sta-Rite
Type Submersible H.P. 5
Designed pumping rate 50 gpm X gph ☐
Type power unit Electrical
Depth to bowls, cylinder, jet, etc., 210 ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E L. W. Capps (Type or Print) Water Well Drillers Registration No. 14

ress 3770 Elmore Street (Street or RFD) Houston, (City) Texas 77005 (State)

gned) L. W. Capps (Water Well Driller) Bryan Drilling Company, Inc. (Company Name)

ase attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
306	1 of 1	WNW	3.30 / 17,409.08	CAYOTE CONST CO TX	TCEQ WELL LOGS

Grid No:	65-11-8F
Date Drilled:	08/29/1976
Owners Name:	CAYOTE CONST CO
County:	HARRIS
Water Usage:	MUNICIPAL
Static Level:	133
Depth Drilled:	245
Latitude:	29.7839506
Longtiude:	-95.6443598

8F Dup

Dup

65-11-8F

nd original copy by
rtified mail to the
xas Water Development Board
O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-11-8F
Located on map
Received:

1) OWNER:
Person having well drilled Coyote Const. Co (Name) Address 5029 Milwee (Street or RFD) Houston (City) Tx (State)

Landowner JACK-IN-BOX, INC. (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 0 miles in — (N.E., S.W., etc.) direction from Baker (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): (New Well) Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial (Municipal) Irrigation Test Well Other

5) TYPE OF WELL (Check): (Rotary) Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6¾ in. Depth drilled 245 ft. Depth of completed well 245 ft. Date drilled 8-29-76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	12	C
12	26	S
26	84	C
84	96	S
96	104	C
104	111	S
111	114	C
114	138	C
138	144	C
144	163	S
163	166	C

(Use reverse side if necessary)

9) Casing:
Type: Old (New) Steel (Plastic) Other
Cemented from 0 ft. to 230 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	230	Sch 40

10) SCREEN:
Type PVC Undercut
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	235	245	12

7) COMPLETION (Check): (Straight wall) Gravel packed Other Under reamed Open Hole

8) WATER LEVEL:
Static level 133 ft. below land surface Date 8-30-76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 180 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes (No) If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Homer L Lowe (Type or Print) Water Well Drillers Registration No. 1182

ADDRESS P.O. Box 89 (Street or RFD) Porter (City) Tex (State)

(Signed) Homer L. Lowe (Water Well Driller) Lowe Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, available.

*Additional instructions on reverse side.

WDB-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
307	1 of 2	ESE	3.30 / 17,411.75	COKER'S TRAILOR PARK TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 11/05/1991
Owners Name: COKER'S TRAILOR PARK
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 196
Depth Drilled: 395
Latitude: 29.7437228
Longtiude: -95.5468766

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Coker's Trailor Park (Name) ADDRESS 3279 Wheat (Street or RFD) Houston (City) TEX (State) 77086 (Zip)

2) LOCATION OF WELL: County HARRIS . 6 miles in W (NE, SW, etc.) direction from Aldine (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☑ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 11-1 1991 Completed 11-5 1991

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
13½	Surface	50
8½	50	289
4½	289	395

From (ft.)	To (ft.)	Description and color of formation material
0	28	C
28	43	S
43	63	C
63	77	S
77	98	C
98	116	S
116	132	C
132	161	S
161	236	C
236	252	S
252	263	C
263	275	S
275	282	C
282	308	S
308	390	C
390	394	S
394	395	C

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
9⅝	U	Steel	0	50	Std
5	N	PVC	0	289	40
2½	N	PVC WRAPPED	288	308	12

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 50 ft. No. of Sacks Used 17
0 ft. to 289 ft. No. of Sacks Used 59
Method used Circ
Cemented by TW

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 196 ft. below land surface Date 11-5-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED DEC - 4 1991 TEXAS WATER WELL DRILLERS BOARD

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc (Type or print) WELL DRILLER'S LICENSE NO. 1182


ADDRESS P.O. Box 89 (Street or RFD) Porter (City) Texas (State) 77365 (Zip)

(Signed) Homer L. Lowe (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 05-18-90) TEXAS WATER COMMISSION COPY


P
Q
R
U
V
STAFFORD
MISSOURI CITY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
307	2 of 2	ESE	3.30 / 17,411.75	Vanity Homes, LLC #19 West Rivercrest-Jay Prince Houston TX 77042	SDRW WELLS

Track NO: 127605
Date Submitted: 2007-11-20
Owner Name: Vanity Homes, LLC
Owner Address: 7710 F Cherry Park
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77095
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.743611
Longitude: -95.545834
Drilling Date Started: 2004-07-07
Drilling Date Completed: 2004-07-15
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: P. O. Box 664
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=127605&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 404

Top Depth:
Bottom Depth: 415.0

Top Depth: 404
Bottom Depth: 415

Well Levels

Measurement: 196
Measurement Date: 2004-07-15

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
308	1 of 1	ESE	3.30 / 17,419.59	Dr. P. M. Archer TX	GWDB

Well Rep Track No:	
State Well No:	6512927
Owner Name:	Dr. P. M. Archer
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1941
Well Depth:	545
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7566670
Longitude:	-95.5388890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512927&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512927&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
309	1 of 1	WNW	3.30 / 17,419.94	SCHOLL LUMBER CO TX	TCEQ WELL LOGS

Grid No: 65-11-9A
Date Drilled: 05/01/1973
Owners Name: SCHOLL LUMBER CO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 115
Depth Drilled: 326
Latitude: 29.7857656
Longtiude: -95.643805

Dup

65-11-9A

and original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9A
Located on map y/s C
Received: 7 31
DF

1) OWNER:
Person having well drilled Scholl Lumber Co. (Name) Address 6101 S.W. Freeway Suite 110 (Street or RFD) Houston (City) Tex 77027 (State)

Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 14 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc. Katy Freeway
NE. Corner
North
1760
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 236' ft. Depth of completed well 236 ft. Date drilled 5/1/73
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	226	Unconsolidated
226	236	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old | Steel | Plastic | Other
Cemented from 160 ft. to 215 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	215	30
2	215	226	40

10) SCREEN:
Type P.V.C.
Perforated | Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	226	236	16ga

7) COMPLETION (Check):
Straight wall | Gravel packed | Other
Under reamed | Open Hole

8) WATER LEVEL:
Static level 115 ft. below land surface Date 5/1/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes | No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes | No
Did any strata contain undesirable water? Yes | No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS 9739 North Houston Rosslyn Rd. (Street or RFD) Houston (City) Texas (State)

(Signed) Tommy C. Bussell (Water Well Driller) BUSSELL & SON INC (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Additional instructions on reverse side.

DAS-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
310	1 of 1	ESE	3.30 / 17,425.06	ALDO SORDELLI #44 EAST RIVERCREST HOUSTON TX 77042	SDRW WELLS

Track NO: 381600
Date Submitted: 2014-11-18
Owner Name: ALDO SORDELLI
Owner Address: #44 EAST RIVERCREST
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.750834
Longitude: -95.541945
Drilling Date Started: 2014-10-07
Drilling Date Completed: 2014-10-09
Chemical Analysis: No
Company Name: BUSSELL & SONS LLC
Company Address: PO BOX 874
CompanyAddress2:
Company City: TOMBALL
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=381600&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 372

Top Depth: 372
Bottom Depth: 392

Top Depth:
Bottom Depth: 392.0

Well Levels

Measurement: 171
Measurement Date: 2014-10-09

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
311	1 of 1	WSW	3.32 / 17,524.95	JOHN METZLER TX	TCEQ WELL LOGS

Grid No:	65-11-9U
Date Drilled:	11/06/1980
Owners Name:	JOHN METZLER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	145
Depth Drilled:	355
Latitude:	29.7553889
Longtiude:	-95.643223

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-504
Located on map
Received:

1) OWNER John Metzler (Name) Address (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS 3N (miles) from FM1093 (N.E., S.W., etc.) direction from on east side state 6 (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 11-6-80

Dia. (in.)	From (ft.)	To (ft.)
7	Surface	340
3 7/8	340	355

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
	19	tan clay
19	30	fine sand
30	100	red clay
100	119	fine sand
119	135	blue clay
135	147	sand
147	156	blue clay
156	181	sand
181	200	clay
200	222	gravel
222	223	rock
223	230	gravel
230	245	red clay
245	262	sand
262	263	rock
263	286	sand
286	296	white clay
296	300	sand
300	302	clay
302	320	fine sand
320	335	coarse sand
335	345	clay & stone
345	354	coarse white sand
354		rock

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	1 above	340	40
2½	N	PVC	324	344	80
2½	N	PVC Screen	344	354	016

CEMENTING DATA
Cemented from ft. to ft.
Method used
Cemented by (Company or Individual)

9) WATER LEVEL:
Static level 145 ft. below land surface Date 11-6-80
Artesian flow gpm. Date

10) PACKERS: Type Depth
2½ x 4 Lead seal 324

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 252 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 80 gpm with ft. drawdown after hrs.

RECEIVED
AUG 2 1982
CR/TDWR

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME GEORGE S. RHEMANN (Type or Print) Water Well Drillers Registration No. 430

ADDRESS P O B 207 (Street or RFD) SIMONTON (City) TEX (State) 77476 (Zip)

(Signed) Geo S Rhemann (Water Well Driller) GEO S RHEMANN - WATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
312	1 of 1	W	3.32 / 17,533.46	BELLMAN CONST TX	TCEQ WELL LOGS

Grid No:	65-11-9G
Date Drilled:	09/28/1983
Owners Name:	BELLMAN CONST
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	147
Depth Drilled:	300
Latitude:	29.7824123
Longtiude:	-95.6451937

Dup ✓ W.L. #52

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-96
Located on map 4AMM
Received:

1) OWNER Bellaman Corp. (Name) Address 5628 Kansas St. (Street or RFD) Houston (City) TX (State) 77007 (Zip)

2) LOCATION OF WELL: Hwy 6. + I-10
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

☐ See attached map. mapsco 65·05·9AAA

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	300

Date drilled 9-28-83

From (ft.)	To (ft.)	Description and color of formation material
0	280	Unconsolidated
280	300	Production Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galvanized Steel	0	284	
2	N	Galvanized Steel	280	290	
2	N	P.V.C.	290	300	.016

CEMENTING DATA
Cemented from 0 ft. to 234 ft. & ft. to 284 10 ft.
Method used
Cemented by (Company or Individual)

9) WATER LEVEL:
Static level 147 ft. below land surface Date 9-29-83
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
MAR 11 1985
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 210' ft.
1 1/2 HP 230v. 10 F-M

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Texas (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
313	1 of 1	ESE	3.33 / 17,557.11	DR. GARY FRIEDMAN TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 03/04/1997
Owners Name: DR. GARY FRIEDMAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 400
Latitude: 29.743057
Longtiude: -95.546868

Send original copy by certified return receipt requested ma :C, MC 177, P.O. Box 13087, Austin, TX 78711-30f

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Dr. Gary Friedman (Name) ADDRESS #17 W. Rivercrest (Street or RFD) Hstn (City) TX (State) 77042 (Zip)

2) ADDRESS OF WELL: County Harris #17 W. Rivercrest (Street, RFD or other) Hstn (City) TX (State) 77042 (Zip) GRID # 65-20-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) ↑ N

6) WELL LOG:
Date Drilling: Started 3/3 1997 Completed 3/4 1997

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	380
3 7/8	380	400

7) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Bored ☐ Air Rotary ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	360	Unconsolidated
360	400	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	380	
2	N	Galvanized	370	380	
2	N	PVC Screen	380	400	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 6 ft. to 15 ft. No. of sacks used 8
330 ft. to 380 ft. No. of sacks used 3
Method used Halliburton / Trimme
Cemented by Bussell & Son Inc
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 200 ft. below land surface Date 3-4-97
Artesian flow gpm. Date

12) PACKERS:

Type	Depth
(2) 4x2 K. Packer	370

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 50 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
314	1 of 4	ESE	3.33 / 17,600.86	City of Bunker Hill Well #3 TX	GWDB

Well Rep Track No:	
State Well No:	6512931
Owner Name:	City of Bunker Hill Well #3
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1964
Well Depth:	1700
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7586111
Longitude:	-95.5375000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512931&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512931&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
314	2 of 4	ESE	3.33 / 17,600.86	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512961
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106C
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106C
Date Drilled:	00/00/1964
Well Depth:	1700
Screen Top:	1180
Screen Bottom:	1680
Gallons Per Minute:	800
Water Usage:	ACTIVE - PERMANENT
CCN:	P0509
Latitude:	29.75912508
Longitude:	-95.53788251
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
314	3 of 4	ESE	3.33 / 17,600.86	Bunker Hill, City of TX	WW HARRIS GAL

Well ID:	1551	**Diameter (inches):**	14
Aggre Lead Well:	1550	**Year Drilled:**	1964
Permit No:	WP2024-112648	**Depth Drilled:**	1700
Permit Start Date:	10/1/2024	**Depth frm Surf(ft):**	999
Permit End Dt:	9/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.759166
Regulatory Aarea:	2	**Longitude:**	-95.537777
Owner Name:	Bunker Hill, City of		
Billing Contact:	Gama Escamilla		
Billing Address:	11977 Memorial Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	Tx		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
314	4 of 4	ESE	3.33 / 17,600.86	USGS-294532095321601 TX	FED USGS

Site No:	USGS-294532095321601
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	
Well Depth:	1700
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-961
Latitude:	29.75912500000000
Longitude:	-95.5378833000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
315	1 of 4	ENE	3.34 / 17,613.00	City of Houston Spring Oaks TX	GWDB

Well Rep Track No:
State Well No: 6512902
Owner Name: City of Houston Spring Oaks
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1958
Well Depth: 740
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7891670
Longitude: -95.5394450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512902&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512902&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
315	2 of 4	ENE	3.34 / 17,613.00	CITY OF HOUSTON TX	WUD

St Well No:	6512902
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PX
Date Drilled:	00/00/1958
Well Depth:	740
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.789672
Longitude:	-95.53939
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
315	3 of 4	ENE	3.34 / 17,613.00	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PW
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.789672
Longitude:	-95.53939
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
315	4 of 4	ENE	3.34 / 17,613.00	Houston, City of TX	WW HARRIS GAL

Well ID:	3855	**Diameter (inches):**	24
Aggre Lead Well:	1001	**Year Drilled:**	1987
Permit No:	W1986-1001-24262-0	**Depth Drilled:**	1800
Permit Start Date:	2/1/1986	**Depth frm Surf(ft):**	999
Permit End Dt:	1/31/1987	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.793055
Regulatory Aarea:	3	**Longitude:**	-95.538888

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
316	1 of 3	ESE	3.34 / 17,615.61	Chet Dixson 24 W Rivercrest Houston TX 77073	SDRW WELLS

Track NO: 555815
Date Submitted: 2020-10-09
Owner Name: Chet Dixson
Owner Address: 24 W Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77073
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.746111
Longitude: -95.544722
Drilling Date Started: 2020-09-11
Drilling Date Completed: 2020-09-12
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=555815&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 395.0

Top Depth: 0
Bottom Depth: 395

Well Levels

Measurement: 190
Measurement Date: 2020-09-12

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
316	2 of 3	ESE	3.34 / 17,615.61	Chet Dickson 24 W. Rivercrest Houston TX 77042	SDRW WELLS

Track NO:	436868
Date Submitted:	2016-11-10
Owner Name:	Chet Dickson
Owner Address:	24 W. Rivercrest
Owner Address2:	
Owner City:	Houston
Owner State:	TX
Owner Zip:	77042
County:	Harris
Type of Work:	Replacement
Typ of Wrk Oth Descr:	
Proposed Use:	Domestic
Prop Use Oth Descr:	
Latitude:	29.744722
Longitude:	-95.544444
Drilling Date Started:	2016-10-12
Drilling Date Completed:	2016-10-13
Chemical Analysis:	No
Company Name:	Scott Drilling Inc.
Company Address:	11923 Green Pines Circle
CompanyAddress2:	
Company City:	Houston
Company State:	TX
Company Zip:	77066
Company Country:	
Data Source:	Full SDR Database; SDRDB Well Location (Map)
Report Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=436868&Type=SDR-Well

Well Borehole Information

Top Depth:	
Bottom Depth:	395.0
Top Depth:	0
Bottom Depth:	395

Well Levels

Measurement:	185
Measurement Date:	2016-11-09

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
316	3 of 3	ESE	3.34 / 17,615.61	Chet Dixon 26 W. Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 186571
Date Submitted: 2009-07-17
Owner Name: Chet Dixon
Owner Address: 26 W. Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.746111
Longitude: -95.544722
Drilling Date Started: 2009-06-24
Drilling Date Completed: 2009-06-25
Chemical Analysis: No
Company Name: Scott Drilling, Inc.
Company Address: 11923 Green Pines Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=186571&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 375.0

Top Depth: 0
Bottom Depth: 375

Well Levels

Measurement: 210
Measurement Date: 2009-07-01

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
317	1 of 1	ESE	3.34 / 17,650.70	DANESH PAJOOH TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	04/19/1995
Owners Name:	DANESH PAJOOH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	340
Depth Drilled:	376
Latitude:	29.749991
Longtiude:	-95.54163

OF TEXAS WATER WELL REPORT Km4.05

1) OWNER: PAJOOH, DANESH ADDRESS: 38 RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-
2) LOCATION OF WELL: County: HARRIS 0 miles in W direction from HOUSTON

65-12-8

LEGAL DESCRIPTION:
Section No.: F-7 Block No.: W Township: HOUSTON
Abstract No.: RIVERCREST Survey Name:
Distance and direction from two intersecting section or survey lines: GESSNER & BRIAR FOREST

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 15791

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	376

7) BOREHOLE METHOD:
STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 04/19/95

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	15	CLAY
15	36	SAND
36	110	CLAY
110	126	SAND
126	146	CLAY
146	172	SAND
172	185	CLAY
185	215	SAND
215	250	CLAY
250	266	SAND
266	286	CLAY
286	287	ROCK
287	311	SAND
311	314	CLAY
314	330	SAND
330	341	CLAY
341	376	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	340	WW
2.5	N	PVC LINER	331	346	80
2.5	N	SUPERPAC SCREEN	346	376	10

RECEIVED SEP 06 1995 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA:
Cemented from 340 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 200 FT. DATE: 04/18/95
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P VALVE	331

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 294

14) WELL TEST:
JETTED
YIELD: 25 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 35 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883
ADDRESS: 14405 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581

FOR TDWR USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Angel Bautista (signed)
(LICENSED WATER WELL DRILLER) (PROFESSIONAL ENGINEER)

Send original copy by certified mail to: TNRCC, P.O. Bo , Austin, TX 78711-3087 *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Pajook (Name) ADDRESS (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County (Street, RFD or other) (City) (State) (Zip) GRID # 65-12-8

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling:
Started _____ 19 ____
Completed _____ 19 ____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☐ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from _____ ft. to _____ ft. No. of sacks used _____
_____ ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by _____
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS: Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME _____ (Type or print) WELL DRILLER'S LICENSE NO. _____

ADDRESS _____ (Street or RFD) (City) (State) (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94) TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
318	1 of 1	S	3.34 / 17,659.48	JOHN C HAND TX	TCEQ WELL LOGS

Grid No:	65-19-3C
Date Drilled:	07/06/1970
Owners Name:	JOHN C HAND
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	106
Depth Drilled:	275
Latitude:	29.7237799
Longtiude:	-95.5995505

65-19-3C GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3C
Located on map Yes
Received: 9-70
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled JOHN C HAND Address BOX 127 BARKER, TEXAS (Name) (Street or RFD) (City) (State)
Landowner SAME NEW ADDRESS Address ADDICKS, TEX ? (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)
miles in 3 direction from ADDICKS, TEXAS
(NE, SW, etc.) (Town)

KATY, TEX
AIR PORT
NORTH
WELL
2 MILES
ADDICKS
#10
#10
HIWAY #6 — OR HIWAY 1960
SMALL CEMETERY
HOUSTON

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☒ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☒ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☒ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4½" in. Depth drilled 275 ft. Depth of completed well 275 ft. Date drilled 7-6-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	LIGHT BROWN TOP SOIL
3	43	GRAY CLAY TURNING RED
43	65	FINE SAND.
65	95	SOME STRIPS OF ROCK
95	115	FAIR SAND
115	117	FAIR HARD ROCK
117	147	RED CLAY TURNING GRAY
147	170	GOOD COURSE SAND + GRAVEL
170	205	CLAY — RED
205	222	FAIR SAND
222	247	RED CLAY — AND STRIPS OF ROCK
247	275	FAIR SAND TO GOOD GRAVEL
BOTTOM	OF WELL	

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall ☒ Gravel packed ☐ Other ☐ Under reamed ☐ Open hole ☐

8) WATER LEVEL: Static level 101 ft. below land surface Date 7-7-70
Artesian pressure — lbs. per square inch Date —

9) CASING: Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from ft. to ft.

10) SCREEN: Type BRONZE WRAP ON GALV. PIPE
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4"	265	275	EQUAL TO 14 GAGE

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom? BY WELL DRILLER ONLY
Yield: 15 gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? VERY GOOD depth of strata 275+

12) PUMP DATA:
Manufacturer's Name RED JACKET
Type SUBMERSIBLE H.P. 1
Designed pumping rate 675 TO 900 gpm ☐ gph ☒
Type power unit 220 SINGLE VOLT
Depth to bowls, cylinder, jet, etc., 189 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CECIL L. ELLIS (Type or Print) Water Well Drillers Registration No. 815
Address 13719 STAFFORD RD. (Street or RFD) STAFFORD (City) TEXAS 77477 (State)
(Signed) Cecil L. Ellis (Water Well Driller) ELLIS WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

CAF

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
319	1 of 2	ESE	3.35 / 17,671.77	J. Y. Allen TX	GWDB

Well Rep Track No:	
State Well No:	6520207
Owner Name:	J. Y. Allen
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1951
Well Depth:	175
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7483340
Longitude:	-95.5427780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520207&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520207&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
319	2 of 2	ESE	3.35 / 17,671.77	VICTOR DAVIDSON TX	TCEQ WELL LOGS

Grid No:	65-13-8
Date Drilled:	08/25/1996
Owners Name:	VICTOR DAVIDSON
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	210
Depth Drilled:	419
Latitude:	29.748073
Longtiude:	-95.542722

TENTION OWNER: Confidentiality
ivilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

) OWNER: DAVIDSON, VICTOR ADDRESS: # 33 EAST RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-

) ADDRESS OF WELL:
County: HARRIS GRID # 65-13-08
Street or RFD: # 33 EAST RIVERCREST
City, State, Zip code: HOUSTON , TX 77042-

5)

) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

) WELL LOG: 00074

DIAMETER OF HOLE		
DIAMETER	FROM	TO
7.75	0	395
4.75	395	419

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

TE DRILLING:
STARTED: 06/21/96
COMPLETED: 08/25/96

65-13-8 N

ASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	PVC WELL CASING	+2	395	SDR-17
2.5	N	PVC BLANK PIPE	392	398	SCH 80
2.5	N	STAINLESS ROD BASE	398	408	8 GA
2.5	N	STAINLESS ROD BASE	408	418	10 GA
2.5	N	PVC BLANK PIPE	418	419	SCH 80

OLOGICAL DESCRIPTION:

OM	TO	DESCRIPTION
0	20	SANDY TOPSOIL, YELLOW CLAY
20	40	WHITE CLAY SAND
40	60	SAND ROCK SAND
60	120	CLAY YELLOW CLAY GRAY CLAY
120	151	SAND
151	200	CLAY SAND SAND ROCK SAND
200	260	SAND CLAY YELLOW CLAY
260	280	SAND SANDY SHALE ROCK
280	300	SAND CLAY
300	320	CLAY ROCK SAND
320	370	SAND CLAY SAND SAND CLAY SAND SAND CLAY SAND
370	419	SAND SAND SAND
	420	ROCK

9) CEMENTING DATA:

Cemented from				No. of Sacks Used
395	FT.	TO 295	FT.	10
18	FT.	TO 1	FT.	16

Method used: HALLIBURTON METHOD
Cemented by: GEOPHYSICAL DRLG.
Distance to septic field lines: n/a ft.
Method of verification of above distance:
CITY SEWERAGE

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 06/25/96
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
BP SEAL	392
FORMATION PACKER	18

) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 340

14) WELL TEST:
JETTED
YIELD: 100+ GPM WITH FT DRAWDOWN AFTER HRS

) WATER QUALITY:
TYPE OF WATER: EXCELLENT DEPTH OF STRATA: 49 FEET NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

MPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 4898WPK
DRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO. _____
LOCATED ON MAP _____

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) Jimmy D. Briney (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)

RECEIVED OCT 2 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
320	1 of 3	WNW	3.35 / 17,685.11	Conoco Oil Co. TX	GWDB

Well Rep Track No:	
State Well No:	6511909
Owner Name:	Conoco Oil Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1967
Well Depth:	240
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7833340
Longitude:	-95.6438890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511909&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511909&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
320	2 of 3	WNW	3.35 / 17,685.11	HUDECK & FAULKNER CONTRACTORS TX	TCEQ WELL LOGS

Grid No: 65-11-9A
Date Drilled: 05/25/1967
Owners Name: HUDECK & FAULKNER CONTRACTORS
County: HARRIS
Water Usage: SERVICE STATION
Static Level: 106
Depth Drilled: 240
Latitude: 29.783888
Longtiude: -95.645277

65-11-9A GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9A
Located on map 5
Received: 6/67
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Hudeck & Faulkner Contractors (Name) Address P. O. Box 16059-Hou., Tex. (Street or RFD) (City) (State)

Landowner Conoco Oil (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in (NE, SW, etc) direction from (Town)

LOCATION OF WELL

NORTH

Interstate 10 & FM 1960

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well X Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐ Service Station

5) TYPE OF WELL (Check):
Rotary X Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 240 ft. Depth of completed well ft. Date drilled 5/25/67
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	Surface & loose sand
26	94	Red & white Joint clay
94	141	Sand - Broken
141	148	Shale - Gray
148	183	Sand & Gravel
183	216	Shale -broken
216	240	Sand

From (ft.)	To (ft.)	Description and color of formation material
		(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall X Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 106 ft. below land surface Date 5/25/67
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New X Steel X Plastic ☐ Other ☐
Cemented from 0 ft. to 226 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	226	

10) SCREEN:
Type Stainless
Perforated X Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	230	240	.014

11) WELL TESTS:
Was a pump test made? X Yes ☐ No If yes by whom? With Air
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes X No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name McDonald Mfg. Co.
Type Submersible H.P. 1
Designed pumping rate gpm ☐ gph ☐
Type power unit XXXXXXX Electric
Depth to bowls, cylinder, jet, etc., 164 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

Address P. O. Box 8707 (4012 Fulton St.) Houston, Texas 77009 (Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

GM

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
320	3 of 3	WNW	3.35 / 17,685.11	NULL TX	WW HARRIS GAL

Well ID:	2773	**Diameter (inches):**	4
Aggre Lead Well:	2773	**Year Drilled:**	1967
Permit No:	W1996-2773-52425-0	**Depth Drilled:**	240
Permit Start Date:	NULL	**Depth frm Surf(ft):**	230
Permit End Dt:	NULL	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.783888
Regulatory Aarea:	3	**Longitude:**	-95.645277
Owner Name:	Chevron U.S.A., Inc.		
Billing Contact:	NULL		
Billing Address:	NULL		
Billing Address 2:	NULL		
Billing City:	NULL		
Billing State:	NULL		
Billing Zip:	NULL		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
321	1 of 6	S	3.36 / 17,717.35	Andrau Airpark TX	GWDB

Well Rep Track No:	
State Well No:	6520101
Owner Name:	Andrau Airpark
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1946
Well Depth:	608
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7205550
Longitude:	-95.5841670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520101&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520101&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
321	2 of 6	S	3.36 / 17,717.35	Andrau Airpark TX	GWDB

Well Rep Track No:	
State Well No:	6520113
Owner Name:	Andrau Airpark
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1949
Well Depth:	356
Well Usage:	Recreation
Water Level Status:	
Latitude:	29.7252780
Longitude:	-95.5872220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520113&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520113&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
321	3 of 6	S	3.36 / 17,717.35	ANDRAU AIR PARK TX	TCEQ WELL LOGS

Grid No:	65-20-2K
Date Drilled:	07/07/1975
Owners Name:	ANDRAU AIR PARK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	165
Depth Drilled:	450
Latitude:	29.7231562
Longtiude:	-95.5882954

2K

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-20-2K
Located on map yes
Received: 26
dlr

1) OWNER: CONTRACT WORK:
Person having well drilled L.W. CAPPS (Name) Address (Street or RFD) HOUSTON (City) TEX. (State)
Landowner ANDRAU AIR PARK (Name) Address (Street or RFD) ALIEF (City) TEX (State)

2) LOCATION OF WELL:
County HARRIS 1 ½ miles in N. E. (N.E., S.W., etc.) direction from ALIEF (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging
4) PROPOSED USE (Check): Domestic ✓ Industrial / Municipal / Irrigation / Test Well / Other
5) TYPE OF WELL (Check): Rotary ✓ Driven / Dug / Cable / Jetted / Bored

6) WELL LOG:
Diameter of hole 6 ¼" in. Depth drilled 451' ft. Depth of completed well 450' ft. Date drilled 7-7-75
All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	12'	Surface
12'	46'	R. Sand
46'	70'	Clay
70'	93'	Sandy Shale
93'	116'	Sand
116'	140'	Sandy Shale
140'	188'	Sand
188'	192'	Clay Breaks
192'	233	Sand
233'	235'	Clay - Breaks
235'	371'	Sand + Sandy Shale MW ± OUT

(OVER) (Use reverse side if necessary)

9) Casing:
Type: Old / New ✓ Steel ✓ / Plastic / Other
Cemented from 378' ft. to UPWARD ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type S.S. WIRE WRAPPED
Perforated ✓ / Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2 ½"	430'	450'	.014

7) COMPLETION (Check):
Straight wall / Gravel packed / Other 4" x 2½"
Under reamed / Open Hole

8) WATER LEVEL:
Static level 165' ft. below land surface Date 7/7/75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.
SET: 5HP SUBM. 230'

11) WELL TESTS:
Was a pump test made? Yes / No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes / No ✓
Did any strata contain undesirable water? Yes / No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O. P. KERMAN (Type or Print) Water Well Drillers Registration No. 1000
ADDRESS Rt. 9 Box: 807 (Street or RFD) HOUSTON (41), (City) TEX. (State)
(Signed) O. P. Kerman (Water Well Driller) PAUL'S WELL SERV. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

371' - 371'6" Rock
371'6" - 408' Shale
408' - 425' Top of Sand loose
425 - 450' SAND
450' Bott.

RECEIVED
DEC 22 1975
TEXAS WATER
DEVELOPMENT BOARD

JUN 9 1976

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
321	4 of 6	S	3.36 / 17,717.35	ANDRAU AIR PARK TX	TCEQ WELL LOGS

Grid No:	65-20-5
Date Drilled:	09/15/1988
Owners Name:	ANDRAU AIR PARK
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	230
Depth Drilled:	360
Latitude:	29.7231562
Longtiude:	-95.5882954

23 02408

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Andrau Air Park (Name) Address 11903 Westheimer Rd. (Street or RFD) Houston (City) TX (State) 77077 (Zip)

2) LOCATION OF WELL: Andrau Rd. / BACK WELL - EAST WELL # 2
County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map. 2065-04-9

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Injection ☐ Other ____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 9-14 19 88 Completed 9-15 19 88

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	340'
5 7/8	340	360'

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	25'	TOP Soil & Clay
25'	137'	Sand & Gravel
137'	191'	Clay
191'	273'	Sand
273'	335'	Clay
335'	360'	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	340	
2	N	Galvanized liner	330'	340'	
2	N	P.V.C. Screens	340'	350'	.014
2	N	P.V.C. Screens	350'	360'	.016

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
290 ft. to 340 ft. No. of Sacks Used 5
Method used Halliburton
Cemented by Bussell & Son Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 230 ft. below land surface Date 9/15/88
Artesian flow ____ gpm. Date ____

12) PACKERS: Type K-Packer Depth 330'

RECEIVED
APR 28 1989
TEXAS WATER COMMISSION

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 80 gpm with 30 ft. drawdown after 2 hrs.


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc. (Type or Print) Water Well Driller's License No. 2035
ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)
(Signed) Craig Bussell (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 58-20-5
Located on map ____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY


LEGEND
IERAL HIGHWAY MAP
ARRIS COUNTY
TEXAS
ITE DEPARTMENT OF HIGHWAYS
ND PUBLIC TRANSPORTATION
EPARTMENT OF TRANSPORTATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
321	5 of 6	S	3.36 / 17,717.35	HOUSTON SCHELL TX	TCEQ WELL LOGS

Grid No: 65-20-1G
Date Drilled: 04/10/1971
Owners Name: HOUSTON SCHELL
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 115
Depth Drilled: 390
Latitude: 29.7231562
Longtiude: -95.5882954

1G

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. AS-28-1G
Located on map. YES
Received:
Form GW 8.
Form GW 9.

1) OWNER:
Person having well drilled Houston Lobell (Name) Address 5111 Broadway (Street or RFD) Ho (City) Tex (State)

Landowner " (Name) Address " (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 14 W (NE, SW, etc) direction from Houston (Town).

NORTH

14mi Houston 2mi ALIEF TBY

well 6mi

Sketch map of well location with distances from adjacent intersections or survey lines, and to landmarks, roads, and creeks. Buffalo Bayou

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☒ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 390 ft. Depth of completed well 390 ft. Date drilled 4-10-71

All measurements made from ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	21	clay
21	24	sand
24	132	clay
132	141	sand
141	285	clay
285	310	fine sand
310	350	Red clay
350	390	sand

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 115 ft. below land surface Date 4-10 71
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☐ Steel ☐ Plastic ☐ Other ☐
Cemented from 0 ft. to 20 ft.

10) SCREEN:
Type Plastic
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	370	10 #

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4"	370	390	.16

11) WELL TESTS:
Was a pump test made? ☐ Yes ☒ No If yes by whom?

Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Ruth Berry
Type Sumersible H.P. 7 ½
Designed pumping rate 100 gpm ☒ gph ☐
Type power unit 440 3 Phase
Depth to bowls, cylinder, jet, etc., 210 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. H. TALLEY (Type or Print) Water Well Drillers Registration No. 978

Address 4714 Brookston (Street or RFD) Houston (City) Tex (State)

(Signed) W H Talley (Water Well Driller) America Day Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
321	6 of 6	S	3.36 / 17,717.35	SUNRISE COLONY II LP TX	WW HARRIS GAL

Well ID:	2719	**Diameter (inches):**	4
Aggre Lead Well:	2719	**Year Drilled:**	1990
Permit No:	W1999-2719-62404-0	**Depth Drilled:**	450
Permit Start Date:	5/1/1999	**Depth frm Surf(ft):**	376
Permit End Dt:	12/31/1999	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.724166
Regulatory Aarea:	3	**Longitude:**	-95.587222
Owner Name:	SUNRISE COLONY II LP		
Billing Contact:	EDWARD CUMMINS, JR.		
Billing Address:	P.O. Box 27701-484		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77227		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
322	1 of 1	WNW	3.36 / 17,733.44	TEXACO OIL CO - TOM NARUM CONST CO TX	TCEQ WELL LOGS

Grid No: 65-11-9F
Date Drilled: 10/16/1968
Owners Name: TEXACO OIL CO - TOM NARUM CONST CO
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 100
Depth Drilled: 270
Latitude: 29.783164
Longtiude: -95.64564

65-49F GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9F
Located on map 5 16 C
Received: 6-9
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled TOM NARUM CONST. CO. Address F.M. 10 & F.M. 1960 (Name) (Street or RFD) (City) (State)
Landowner TEXACO OIL CO. Address HOU. TEXAS (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor ____ League ____ Abstract No. ____
NW¼ NE¼ SW¼ SE¼ of Section ____ Block No. ____ Survey ____
(Circle as many as are known)
7 miles in E direction from KATY TEXAS. (NE, SW, etc) (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☑ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☐ Industrial ☑ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☑ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 270 ft. Depth of completed well 270 ft. Date drilled 10/16/68
All measurements made from / ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	17	SOIL & CLAY
17	47	SAND WHITE
47	56	CLAY
56	140	SAND WHITE WITH GRAVEL
140	150	CLAY WHITE
150	196	SAND WHITE
196	205	CLAY
205	270	SAND FINE TO COURSE

From (ft.)	To (ft.)	Description and color of formation material
		(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall ☑ Gravel packed ☐ Other ☐ Under reamed ☐ Open hole ☐

8) WATER LEVEL: Static level 100 ft. below land surface Date 10/17/68
Artesian pressure ____ lbs. per square inch Date ____

9) CASING: Type: old ☐ New ☑ Steel ☑ Plastic ☐ Other ☐
Cemented from SURFACE ft. to 231 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	231	

10) SCREEN: Type S/STEEL RIBBED Perforated ☑ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	260	270	014

11) WELL TESTS:
Was a pump test made? ☐ Yes ☑ No If yes by whom?
Yield: ____ gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date ____
Temperature of water ____
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? ____ depth of strata ____

12) PUMP DATA:
Manufacturer's Name RED JACKET.
Type SUB. H.P. 2
Designed pumping rate 150 gpm ☐ gph ☑
Type power unit ____
Depth to bowls, cylinder, jet, etc., 147 ft. below land surface.


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES A HULL (Type or Print) Water Well Drillers Registration No. #1019
Address 14605 REEVESTON RD. HOU. TEX. (Street or RFD) (City) (State)
(Signed) James A Hull (Water Well Driller) H & H WATER WELL DRILLING. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
323	1 of 1	W	3.36 / 17,739.61	HOUSTON LIGHTING & POWER TX	TCEQ WELL LOGS

Grid No: 65-11-9S
Date Drilled: 08/16/1978
Owners Name: HOUSTON LIGHTING & POWER
County: HARRIS
Water Usage: BUSINESS
Static Level: 169
Depth Drilled: 248
Latitude: 29.7713567
Longtiude: -95.647198



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-11-95
Located on map
Received: 80 sec

95 Adp

1) OWNER Houston Lighting & Power (Name) Address P.O. Box 1700 (Street or RFD) Houston (City) TX (State) 77001 (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other business

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 8-16-78

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	248

From (ft.)	To (ft.)	Description and color of formation material
0	24	topsoil/clay
24	48	clay
48	72	clay/rock/sand/clay
72	96	clay/sand/clay/sand
96	120	sand
120	144	sand/clay
144	168	clay/sand
168	192	broken sand
192	216	broken sand/clay/sand
216	240	sand/broken sand/clay
240	266	clay, sand, clay

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2½	new	metal blank	238	228	
2½	new	s.s. redbase screen	248	238	#12
4"	new	metal casing	236	0	40

CEMENTING DATA
Cemented from 236 ft. to 0 ft.
Method used Halliburton
Cemented by Lowry Water Wells (Company or Individual)

9) WATER LEVEL:
Static level 169 ft. below land surface Date 8-78
Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 210 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☑ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS Rt. 1 Box 361 (Street or RFD) Dickenson (City) TX (State) 77539 (Zip)

(Signed) R.B. Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Texas Dept. of Water Resources

RECEIVED
AUG - 9 1979

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
324	1 of 4	SW	3.36 / 17,755.04	City of Houston Westheimer Rd. TX	GWDB

Well Rep Track No:	
State Well No:	6519305
Owner Name:	City of Houston Westheimer Rd.
Drilling Start Dt:	
Drilling Month:	10
Drilling Day:	25
Drilling Year:	1968
Well Depth:	1190
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7380560
Longitude:	-95.6363890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519305&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519305&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
324	2 of 4	SW	3.36 / 17,755.04	CITY OF HOUSTON TX	WUD

St Well No:	6519305
Operating Status:	ABANDONED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FN
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FN
Date Drilled:	11/21/1968
Well Depth:	1190
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - ABANDONED
CCN:	P1552
Latitude:	29.737453
Longitude:	-95.63106
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
324	3 of 4	SW	3.36 / 17,755.04	Houston, City of TX	WW HARRIS GAL

Well ID:	1657	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1968
Permit No:	W1996-1002-50127-0	**Depth Drilled:**	1190
Permit Start Date:	2/1/1996	**Depth frm Surf(ft):**	860
Permit End Dt:	1/31/1997	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.737222
Regulatory Aarea:	3	**Longitude:**	-95.630833

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
324	4 of 4	SW	3.36 / 17,755.04	USGS-294416095381001 TX	FED USGS

Site No:	USGS-294416095381001
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19681023
Well Depth:	1190
Well Depth Unit:	ft
Well Hole Depth:	1255
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-19-305
Latitude:	29.73805556000000
Longitude:	-95.6363889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
325	1 of 5	WSW	3.36 / 17,763.47	A.A.G. Texas, Inc TX	WW HARRIS GAL

Well ID:	3319	**Diameter (inches):**	4
Aggre Lead Well:	3319	**Year Drilled:**	1986
Permit No:	W2011-3319-153875-0	**Depth Drilled:**	280
Permit Start Date:	11/1/2011	**Depth frm Surf(ft):**	0
Permit End Dt:	11/1/2011	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.755833
Regulatory Aarea:	3	**Longitude:**	-95.643888
Owner Name:	A.A.G. Texas, Inc		
Billing Contact:	Abida Giopalani		
Billing Address:	1603 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
325	2 of 5	WSW	3.36 / 17,763.47	FM 359 Brookshire Realty, LLC 1603 Hwy. 6 South Houston TX 77077	SDRW WELLS

Track NO: 650842
Date Submitted: 2023-10-13
Owner Name: FM 359 Brookshire Realty, LLC
Owner Address: 1603 Hwy. 6 South
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Extraction / Monitor
Latitude: 29.755556
Longitude: -95.644167
Drilling Date Started: 2023-10-12
Drilling Date Completed: 2023-10-12
Chemical Analysis: Yes
Company Name: City Survey
Company Address: 13013 Kathy Lane
CompanyAddress2:
Company City: Cypress
Company State: TX
Company Zip: 77429
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=650842&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 25.0

Top Depth: 0
Bottom Depth: 25

Well Levels

Measurement: 20
Measurement Date: 2023-10-12

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
325	3 of 5	WSW	3.36 / 17,763.47	FM 359 Brookshire Realty, LLC 1603 Hwy. 6 South Houston TX 77077	SDRW WELLS

Track NO: 650766
Date Submitted: 2023-10-12
Owner Name: FM 359 Brookshire Realty, LLC
Owner Address: 1603 Hwy. 6 South
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Extraction / Monitor
Latitude: 29.755556
Longitude: -95.643889
Drilling Date Started: 2023-10-10
Drilling Date Completed: 2023-10-10
Chemical Analysis: Yes
Company Name: City Survey
Company Address: 13013 Kathy Lane
CompanyAddress2:
Company City: Cypress
Company State: TX
Company Zip: 77429
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=650766&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 25

Top Depth:
Bottom Depth: 25.0

Well Levels

Measurement: 20
Measurement Date: 2023-10-10

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
325	4 of 5	WSW	3.36 / 17,763.47	FM 359 Brookshire Realty, LLC 1603 Hwy. 6 South Houston TX 77077	SDRW WELLS

Track NO: 650754
Date Submitted: 2023-10-12
Owner Name: FM 359 Brookshire Realty, LLC
Owner Address: 1603 Hwy. 6 South
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Extraction / Monitor
Latitude: 29.755556
Longitude: -95.643889
Drilling Date Started: 2023-10-09
Drilling Date Completed: 2023-10-09
Chemical Analysis: Yes
Company Name: City Survey
Company Address: 13013 Kathy Lane
CompanyAddress2:
Company City: Cypress
Company State: TX
Company Zip: 77429
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=650754&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 25

Top Depth:
Bottom Depth: 25.0

Well Levels

Measurement: 20
Measurement Date: 2023-10-09

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
325	5 of 5	WSW	3.36 / 17,763.47	FM 359 Brookshire Realty, LLC 1603 Hwy. 6 South Houston TX 77077	SDRW WELLS

Track NO: 650762
Date Submitted: 2023-10-12
Owner Name: FM 359 Brookshire Realty, LLC
Owner Address: 1603 Hwy. 6 South
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Extraction / Monitor
Latitude: 29.755556
Longitude: -95.644167
Drilling Date Started: 2023-10-10
Drilling Date Completed: 2023-10-10
Chemical Analysis: Yes
Company Name: City Survey
Company Address: 13013 Kathy Lane
CompanyAddress2:
Company City: Cypress
Company State: TX
Company Zip: 77429
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=650762&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 25

Top Depth:
Bottom Depth: 25.0

Well Levels

Measurement: 20
Measurement Date: 2023-10-10

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
326	1 of 1	WNW	3.37 / 17,788.91	SHILOH BUILERS TX	TCEQ WELL LOGS

Grid No:	65-11-9T
Date Drilled:	09/15/1977
Owners Name:	SHILOH BUILERS
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	150
Depth Drilled:	245
Latitude:	29.788903
Longtiude:	-95.643813

9T

send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-11-9T
Located on map yes
Received: 78
dlr

1) OWNER:
Person having well drilled: Shiloh Builders (Name) Address: 7730 Hwy 6 (Street or RFD) Houston (City) Tx. (State)
Landowner: Sunset Plaza (Name) Address: Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris, _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6-3/4 in. Depth drilled 253 ft. Depth of completed well 245 ft. Date drilled 9/15/77
All measurements made from 18" ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	19	Clay
19	28	Sand
28	50	Clay
50	65	Sand
65	115	Clay
115	185	Sand
185	190	Clay
190	200	Sand
200	230	Shale
230	253	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 230 ft. to 110 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	230	Sch 40

10) SCREEN: Type Plastic
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2-1/2	230	245	.012

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole
2 String Cemented

8) WATER LEVEL:
Static level 150 ft. below land surface Date 9/17/77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 190' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? potable depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464
ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Texas (State)
(Signed) M E Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDB-WO-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
327	1 of 2	WNW	3.37 / 17,807.40	Golbow, Thomas H. TX	WW HARRIS GAL

Well ID:	2563	**Diameter (inches):**	4
Aggre Lead Well:	2563	**Year Drilled:**	1968
Permit No:	W2003-2563-107464-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2003	**Depth frm Surf(ft):**	179
Permit End Dt:	12/31/2007	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.782777
Regulatory Aarea:	3	**Longitude:**	-95.644722
Owner Name:	Golbow, Thomas H.		
Billing Contact:	NULL		
Billing Address:	21822 Franz Rd.		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77449		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
327	2 of 2	WNW	3.37 / 17,807.40	GOLBOW, JOE TX	WW HARRIS GAL

Well ID:	3408	**Diameter (inches):**	2
Aggre Lead Well:	3408	**Year Drilled:**	1981
Permit No:	W1979-3408-3536-0	**Depth Drilled:**	27
Permit Start Date:	7/11/1979	**Depth frm Surf(ft):**	24
Permit End Dt:	1/9/1980	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.783333
Regulatory Aarea:	3	**Longitude:**	-95.645833
Owner Name:	GOLBOW, JOE		
Billing Contact:	NULL		
Billing Address:	214 ADDICKS HOWELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
328	1 of 3	WSW	3.38 / 17,821.77	1721 Highway 6 South, LLC TX	WW HARRIS GAL

Well ID:	5379	**Diameter (inches):**	4
Aggre Lead Well:	5379	**Year Drilled:**	1995
Permit No:	WP2024-102156	**Depth Drilled:**	300
Permit Start Date:	5/1/2024 2:36:00 PM	**Depth frm Surf(ft):**	280
Permit End Dt:	4/30/2025 2:36:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.751388
Regulatory Aarea:	3	**Longitude:**	-95.643611

Owner Name:	1721 Highway 6 South, LLC
Billing Contact:	Sarah Estep
Billing Address:	820 Gessner Rd., Suite 1525
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77024
Correspondence:	Central Management Inc.
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
328	2 of 3	WSW	3.38 / 17,821.77	1721 Highway 6 South, LLC TX	WW HARRIS GAL

Well ID:	11128	**Diameter (inches):**	4
Aggre Lead Well:	5379	**Year Drilled:**	2009
Permit No:	WP2024-102156	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 2:36:00 PM	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025 2:36:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.752222
Regulatory Aarea:	3	**Longitude:**	-95.643333
Owner Name:	1721 Highway 6 South, LLC		
Billing Contact:	Sarah Estep		
Billing Address:	820 Gessner Rd., Suite 1525		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	Central Management Inc.		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
328	3 of 3	WSW	3.38 / 17,821.77	1721 Highway 6 South, LLC TX	WW HARRIS GAL

Well ID:	8300	**Diameter (inches):**	4
Aggre Lead Well:	8300	**Year Drilled:**	
Permit No:	W2008-8300-136917-0	**Depth Drilled:**	0
Permit Start Date:	12/1/2008	**Depth frm Surf(ft):**	0
Permit End Dt:	6/10/2009	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.752777
Regulatory Aarea:	3	**Longitude:**	-95.643055
Owner Name:	1721 Highway 6 South, LLC		
Billing Contact:	Sarah Estep		
Billing Address:	820 Gessner Rd., Suite 1525		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	Central Management Inc.		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
329	1 of 1	ESE	3.38 / 17,839.43	MR. HARRISON TX	TCEQ WELL LOGS

Grid No:	65-12-8D
Date Drilled:	05/18/1984
Owners Name:	MR. HARRISON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	219
Depth Drilled:	405
Latitude:	29.747125
Longtiude:	-95.542734

V Dup Wh# 160

State of Texas
WATER WELL REPORT

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-80
Located on map 40MM
Received:

1) OWNER MR. Harrison (Name) Address #29 East Rivercrest (Street or RFD) Hstn (City) TX (State) 77042 (Zip)

2) LOCATION OF WELL: #29 East Rivercrest
County HARRIS miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map. Map on 65-05-9AAA

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 5/16/84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	405

From (ft.)	To (ft.)	Description and color of formation material
0	24	Top Soil + Clay
24	37	Surface Sand
37	102	Clay
102	171	Sand
171	214	Clay
214	255	Clay Streaks + Sand
255	345	Clay
345	405	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	GALV.	0	380	
2	N	GALV.	395	395	
2	N	PVC	395	395	.014
2	N	PVC	395	405	.016

CEMENTING DATA
Cemented from 0 ft. to 380 ft.
Method used Halliburton
Cemented by Bussell + Son INC. (Company or Individual)

9) WATER LEVEL:
Static level 219 ft. below land surface Date 5/21/84
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
MAR 11 1985
DEPT. OF WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell + Son, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
330	1 of 3	N	3.38 / 17,842.98	Miles Brothers TX	GWDB

Well Rep Track No:	
State Well No:	6512402
Owner Name:	Miles Brothers
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1950
Well Depth:	958
Well Usage:	Stock
Water Level Status:	
Latitude:	29.8261110
Longitude:	-95.6036120
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512402&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512402&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
330	2 of 3	N	3.38 / 17,842.98	PHILLIPS PETROLEUM TX	TCEQ WELL LOGS

Grid No:	65-12-4
Date Drilled:	10/13/1986
Owners Name:	PHILLIPS PETROLEUM
County:	HARRIS
Water Usage:	OTHER
Static Level:	170
Depth Drilled:	430
Latitude:	29.8202683
Longtiude:	-95.5997863

.5m; SW
.7m; W/EL

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER PHILLIPS PETROLEUM (Name) Address P.O. BOX 1967 (Street or RFD) HOUSTON (City) TX (State) 77251 (Zip)

2) LOCATION OF WELL: County HARRIS 20 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

PHILLIPS PETROLEUM BAUER ESTATE 1 LOFFLAND 118

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. 9540 2950

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other —

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other

6) WELL LOG:
Date Drilling: Started 10/10/86 19__ Completed 10/13/86 19__

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	430

From (ft.)	To (ft.)	Description and color of formation material
0	100	SAND, CLAY, ROCK & SHELL
100	105	CLAY & ROCK STRATA
105	120	SAND & ROCK STRATA
120	180	CLAY, SHELL, & ROCK
180	190	HEAVY SAND
190	200	CLAY
200	210	HEAVY SAND
210	215	CLAY
215	225	HEAVY SAND
225	260	CLAY & ROCK STRATA
260	315	GOOD SAND & ROCK
315	320	CLAY & ROCK STRATA
320	330	SAND & ROCK STRATA
330	340	CLAY
340	430	GOOD SAND & ROCK

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 0 ft. to 0 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
P4		NEW CASING	0	360	
			0	0	
			0	0	
P4		SLOTTED	360	420	.020
			0	0	
			0	0	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 10
_____ ft. to _____ ft. No. of Sacks Used 0
Method used SLURRY
Cemented by J & S WATER WELLS

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 170 ft. below land surface Date 10/13/86
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
NEOP	10
NEOP	360

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other SUB
Depth to pump bowls, cylinder, jet, etc., 252 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☑ Estimated
Yield: 70 gpm with NM ft. drawdown after ____ hrs.

RECEIVED
NOV - 6 1986
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME J & S WATER WELLS (Type or Print) Water Well Driller's License No. 1994 (2672W/2673W)


ADDRESS P. O. BOX 475 (Street or RFD) BELLVILLE (City) TX (State) 77418 (Zip)

(Signed) John Munn (Licensed Water Well Driller) (Signed) Willie Mayo (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-12-4
Located on map

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY



LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1979
HARRIS COUNTY TEXAS 102

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
330	3 of 3	N	3.38 / 17,842.98	USGS-294933095361201 TX	FED USGS

Site No: USGS-294933095361201
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled: 19500301
Well Depth: 958
Well Depth Unit: ft
Well Hole Depth:
Well Hole Depth Unit:
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-12-402
Latitude: 29.82611110000000
Longitude: -95.6036111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
331	1 of 1	ENE	3.38 / 17,845.33	DONNA CLARK TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	10/28/2000
Owners Name:	DONNA CLARK
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	33
Depth Drilled:	50
Latitude:	29.7974174
Longtiude:	-95.5433667



Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Te. Department of License and Regulat
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
DONNA CLARK	18033 HAZELHURST	HOU	TX	77090

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	SAME			

Lat. | Long. | Grid # 65-12-5

3) Type of Work: ☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☒ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 10 / 26 / 00
Completed 10 / 28 / 00

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7	0	50

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	20	YELLOW CLAY.
20	42	SAND & CLAY.
42	43	ROCK.
43	50	SAND & GRAVEL
50		ROCK VERY HARD

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☒ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	Casing PLASTIC	0	40	SCH40
4	N	Screen PLASTIC	40	50	.006

9) Cementing Data
Cementing from 0 ft. to 40 ft. # of sacks used 12
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 100 ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 45 ft.

11) Water Level
Static level 33 ft. below Date 10 / 28 / 00
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 8 gpm with 5 ft. drawdown after / hrs.

12) Packers

Type	Depth
NONE	

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print): Raymond Services, Inc. 4577WI

Address 10011 Airline Drive | City Houston | State TX | Zip 77037

Signature (Licensed Driller/Pump Installer) | Date 10 / 28 / 00
Signature (Apprentice) | Date 10 / 28 / 00

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
332	1 of 2	WSW	3.38 / 17,864.26	JOE NETTLES TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	05/17/1991
Owners Name:	JOE NETTLES
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	170
Depth Drilled:	320
Latitude:	29.753689
Longtiude:	-95.643627

Send original copy by certified mail to: Texas Water Com[illegible]n, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Joe Nettles (Name) ADDRESS 1701 Hwy 6 (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris, 10 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 5-16-91 19__ Completed 5-17-91 19__

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	320'

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	60	Clay
60	120	Sand
120	200	Clay
200	320	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	Casing	0	295	
2½"	N	Liner	290	300	
2½"	N	Screen	300	320	

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 125 ft. to 295 ft. No. of Sacks Used 10
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 170 ft. below land surface Date 5-17-91
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-Packer	290

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson water well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Tim Robinson IV (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
332	2 of 2	WSW	3.38 / 17,864.26	Richard, J.R. TX	WW HARRIS GAL

Well ID:	5085	**Diameter (inches):**	4
Aggre Lead Well:	5085	**Year Drilled:**	1993
Permit No:	WP2024-101614	**Depth Drilled:**	250
Permit Start Date:	5/1/2024 9:14:00 AM	**Depth frm Surf(ft):**	240
Permit End Dt:	4/30/2025 9:15:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.753333
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Richard, J.R.		
Billing Contact:	Nicole Hodges		
Billing Address:	1701 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
333	1 of 1	ESE	3.39 / 17,882.92	BARBARA POWELL TX	TCEQ WELL LOGS

Grid No: 65-12-7A
Date Drilled: 03/22/1982
Owners Name: BARBARA POWELL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 204
Depth Drilled: 340
Latitude: 29.753698
Longtiude: -95.538924

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

10 ● WL #101

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-7A
Located on map: T.P.S.
Received: C.F.S.

1) OWNER BARBARA Powell (Name) Address 101 Hickory Ridge (Street or RFD) Houston (City) TEXAS (State) 77024 (Zip)

2) LOCATION OF WELL: 101 Hickory Ridge (Street or RFD) County HARRIS 4 miles in (N.E., S.W., etc.) W direction from Bunker Hill Village (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. mapsco 60 -57-2-H

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 3-22-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	340

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	35	Top Soil + Clay
35	46	Sand
46	98	Clay
98	140	Sand
140	213	Clay
213	241	Sand
241	275	Clay
275	296	Sandy Clay
296	309	Sand
309	315	Clay
315	330	Sandy Clay
330	340	Sand + Gravel

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C.	0	300	
2	N	Galvanized Steel	290	300	
2	N	P.V.C.	300	310	.010
2	N	P.V.C.	330	340	.030

CEMENTING DATA
Cemented from 25 ft. to 300 ft.
Method used Halliburton
Cemented by Bussell + Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 304 ft. below land surface Date 3-23-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
JAN - 4 1983
DEPT. OF
WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 293 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Craig O. Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
334	1 of 1	WSW	3.39 / 17,897.38	PALMS NURSERY TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	03/23/1995
Owners Name:	PALMS NURSERY
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	165
Depth Drilled:	305
Latitude:	29.7516706
Longtiude:	-95.6427635

.TE OF TEXAS WATER WELL REPORT

1) OWNER: PALMS NURSERY ADDRESS: 1725 HIGHWAY 6 CITY: HOUSTON STATE: TX ZIP: 77077-
2) LOCATION OF WELL: County: HARRIS 8 miles in N direction from SUGARLAND

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00921 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
6.75	0	285'
3.875	285'	305'


TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 03/23/95

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	P.V.C. SCH.40	0	285'	CASING
2.5	N	P.V.C. SCH.40	280'	285'	LINER
2.5	N	P.V.C. - SLOTTED	285'	305'	.012

WELL # 65-11-9



GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	83	CLAY-GRAY CLAY-TAN
83	105	SAND-TAN-.006-.008
105	128	BROKEN SAND & CLAY
128	183	SAND-GRAY-.010-.012 SAND-GRAY-.014-.020
183	200	CLAY-GRAY
200	233	SAND-GRAY-.010-.012
233	243	BROKEN SAND & CLAY
243	260	SAND-GRAY-.010-.012
260	278	CLAY-BLUE
278	305	GRAVEL

RECEIVED
OCT 19 1995
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 285 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 165' FT. DATE: 03/24/94
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 252'

14) WELL TEST:
JETTED
YIELD: 70 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 305' NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) _____ (LICENSED WATER WELL DRILLER)
(signed) GONZALO CORTEZ (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
335	1 of 1	NNE	3.39 / 17,907.11	ROGERS STEEL CORP TX	TCEQ WELL LOGS

Grid No:	65-12-2C
Date Drilled:	08/04/1968
Owners Name:	ROGERS STEEL CORP
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	144
Depth Drilled:	378
Latitude:	29.8180369
Longtiude:	-95.5720088

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

2C

65-12-2C GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-2C
Located on map 5 of 5
Received: 6-4-68
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled: Rogers Steel Corp (Name) 3001 Britmore Rd (Address) Houston (City) Texas (State)
Landowner: Rogers Steel Corporation (Name) 3001 Britmore Rd (Address) Houston (City) Texas (State)

2) LOCATION OF WELL:
County: Harris Labor: League: Abstract No. 1463
NW¼ NE¼ SW¼ SE¼ of Section 10 Block No. 1 Survey W.C.R.R. Co.
(Circle as many as are known)
miles 5 SW (NE, SW, etc.) direction from Downtown Houston (Town) Clay Rd.

Rogersteel well 660' off Britmore

Britmore

NORTH

Sketch map of well location with distances from at least two property or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☑ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☐ Industrial ☑ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☑ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4½ in. Depth drilled 378 ft. Depth of completed well 378 ft. Date drilled Aug 4-68
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	7	Top dirt
7	15	yellow clay & sand
15	25	Red & white clay
25	30	Red sand fine
30	44	White & Red clay
44	91	Red, White & Blue clay & sand
91	95	sand
95	105	Blue clay
1051	1531	sand
153	180	sand, Red & Blue clay skipps
180	228	sand
228	249	Red & Blue clay
249	253	Rock & sand
253	258	Red & Blue clay
258	283	sand
283	291	Blue & yellow clay
291	328	sand (Water Inside Formation Zone 20 mile below)
328	348	clay - 348 to 378 Good sand

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 144 ft. below land surface Date Aug-5-68
Artesian pressure ____ lbs. per square inch Date ____

9) CASING:
Type: old ☐ New ☑ Steel ☑ Plastic ☐ Other ☐ GALV
Cemented from ____ ft. to ____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	1	336	SC. 40

10) SCREEN:
Type Stainless Steel Ribb
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	358	378	16 Gage
screen set on 24' of 2½			
casing Lead sealed 1 ft 4"			
casing	332		

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Yield: ____ gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date ____
Temperature of water ____
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? ____ depth of strata ____

12) PUMP DATA:
Manufacturer's Name Red Jacket Submergible.
Type Submergible H.P. 5HP
Designed pumping rate ____ gpm ☐ gph ☐
Type power unit Electricity
Depth to bowls, cylinder, jet, etc., 352' ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C W McKee (Type or Print) Water Well Drillers Registration No. 152
Address 2232 Camp bell Rd (Street or RFD) Houston (City) Texas 77055 (State)
(Signed) C W McKee (Water Well Driller) C & M Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

GM

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
336	1 of 1	ENE	3.40 / 17,941.07	Linda Ayers 10029 Hazelhurst Houston TX 77080	SDRW WELLS

Track NO: 81440
Date Submitted: 2006-04-26
Owner Name: Linda Ayers
Owner Address: 10029 Hazelhurst
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.7975
Longitude: -95.542778
Drilling Date Started: 2006-04-03
Drilling Date Completed: 2006-04-03
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=81440&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 54

Top Depth:
Bottom Depth: 54.0

Well Levels

Measurement: 26
Measurement Date: 2006-04-03


Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
337	1 of 2	ESE	3.40 / 17,941.16	TITUS H. HARRIS JR TX	TCEQ WELL LOGS

Grid No: 65-20-2H
Date Drilled: 11/07/1974
Owners Name: TITUS H. HARRIS JR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 127
Depth Drilled: 326
Latitude: 29.749038
Longtiude: -95.541161



65-20-2H

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-2H
Located on map 1/25
Received: 7-5
dk

1) OWNER:
Person having well drilled Titus H. Harris Jr. (Name) Address #34 East Rivercrest (Street or RFD) Houston (City) Tex. (State)
Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
#34 East Rivercrest.
Map on 60-68-7T
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning Plugging
4) PROPOSED USE (Check): Domestic ✓ Industrial Municipal / Irrigation Test Well Other
5) TYPE OF WELL (Check): Rotary ✓ Driven Dug / Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 326 ft. Depth of completed well 326 ft. Date drilled 11/7/74
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	150	Clay & Unconsolidated
150	210	White Sand
210	300	Unconsolidated
300	326	.016 & .020 Sand

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 246 ft. to 301 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	301	Sch40
2	301	306	Sch.30

10) SCREEN:
Type SSR
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	306	316	.016
2	314	326	.020

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 127 ft. below land surface Date 11/8/74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No ✓
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Carl Russell (Type or Print) Water Well Drillers Registration No. 1581
ADDRESS 5625 Antoine (Street or RFD) Houston (City) Texas (State)
(Signed) Carl Russell (Water Well Driller) Russell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBE-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
337	2 of 2	ESE	3.40 / 17,941.16	MRS. WANDA KAFOGLIS TX	TCEQ WELL LOGS

Grid No: 65-20-3K
Date Drilled: 03/10/1974
Owners Name: MRS. WANDA KAFOGLIS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 155
Depth Drilled: 348
Latitude: 29.749038
Longtiude: -95.541161

①

3K

send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-3K
Located on map Yes
Received: 75
dlc

1) OWNER:
Person having well drilled MRS WANDA KAfogdis (Name) Address 7015 OSAGE (Street or RFD) HOUSTON (City) TEX 77036 (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, ____ miles in ____ (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

① #34 E. Rivercrest

North

map on 60-60-4U

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor ____ League ____

Block ____ Survey ____

Abstract No. ____

(NW¼ NE¼ SW¼ SE¼) of Section ____

3) TYPE OF WORK (Check):
(New Well) Deepening
Reconditioning Plugging

4) ~~PROPOSED~~ USE (Check):
(Domestic) Industrial Municipal
Irrigation Test Well Other

5) ~~TYPE OF~~ WELL (Check):
(Rotary) Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 348 ft. Depth of completed well 348 ft. Date drilled 3/10/74
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	Dirt - Clay
6 -	40	Clay
40 -	140	Sand
140 -	210	Clay
210 -	230	Sand
230 -	320	Clay
320 -	348	Sand .014-.016

9) Casing:
Type: Old (New) Steel (Plastic) Other
Cemented from 265 ft. to 320 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	320	40
2	320 -	348	30

10) SCREEN:
Type SSR
(Perforated) Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	320	336	.016

(Use reverse side if necessary)

7) COMPLETION (Check):
(Straight wall) Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 155 ft. below land surface Date 3/11/74
Artesian pressure ____ lbs. per square inch Date ____
Depth to pump bowls, cylinder, jet, etc., 232 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes (No) If yes, by whom?
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes ~~No~~
Did any strata contain undesirable water? Yes ~~No~~
Type of water? ____ depth of strata ____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Carl Bussell (Type or Print) Water Well Drillers Registration No. 1581

ADDRESS 9739 N-Houston-Rosslyn (Street or RFD) Houston (City) Texas 77088 (State)

(Signed) Carl Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDB-WO-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
338	1 of 2	ESE	3.40 / 17,952.88	KING RESIDENTIAL GRD. TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	07/22/1996
Owners Name:	KING RESIDENTIAL GRD.
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	218
Depth Drilled:	410
Latitude:	29.746524
Longtiude:	-95.542725

Send original copy by certified return receipt requested mail TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER KING RESIDENTIAL GRD. (Name) ADDRESS 53 LEGEND LANE (Street or RFD) HOUSTON (City) TX (State) 77024 (Zip)

2) ADDRESS OF WELL: County HARRIS #27 E. RIVERCREST (Street, RFD or other) HOUSTON (City) TX (State) (Zip) GRID # 65-20-3

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) L

6) WELL LOG:
Date Drilling: Started 7/19 19 96 Completed 7/22 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	385
4 3/4	385	410

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

N

From (ft.)	To (ft.)	Description and color of formation material
0	370	UNCONSOLIDATED
370	410	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	SDR17	0	385	
3	N	GALVANIZED	380	340	
3	N	SSRB	390	400	.012
3	N	SSRB	400	410	.014

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 8
335 ft. to 385 ft. No. of sacks used 3
Method used HALLIBURTON / TRIMME
Cemented by BUSSELL & SON INC.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 150 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 218 ft. below land surface Date 7-22-96
Artesian flow ____ gpm. Date

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS: Type K-PACKER Depth 380

RECEIVED JUN 1997 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P O BOX 874 (Street or RFD) Tomball (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Craig D Bussell (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
338	2 of 2	ESE	3.40 / 17,952.88	Tom and Ryland Pirtle 27 E. Rivercrest Houston TX 77402	SDRW WELLS

Track NO: 42257
Date Submitted: 2004-08-04
Owner Name: Tom and Ryland Pirtle
Owner Address: 27 E. Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77402
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.747222
Longitude: -95.5425
Drilling Date Started: 2004-07-27
Drilling Date Completed: 2004-07-28
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Cir.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=42257&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 370.0

Well Levels

Measurement: 200
Measurement Date: 2004-08-02

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
339	1 of 3	ESE	3.40 / 17,972.61	STAN R. BURYNSKI TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	05/23/1995
Owners Name:	STAN R. BURYNSKI
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	200
Depth Drilled:	421
Latitude:	29.743809
Longtiude:	-95.544645

STATE TEXAS WATER WELL REPORT

1) OWNER: BURZYNSKI, STAN R. ADDRESS: #20 W. RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-
2) LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00949 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO	
8.0	0	398	TWO STRING/K-PACKER
4.75	398	421	IF GRAVEL... FROM FT. TO FT.
			FROM FT. TO FT.

DATE DRILLED: 05/23/95

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	398	CASING
3.0	N	P.V.C. SCH.40	390	401	LINER
3.0	N	STAINLESS - ROD BASE	401	411	.010
3.0	N	STAINLESS - ROD BASE	411	421	.008

WELL # 65-20-2

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	90	CLAY-GRAY CLAY-TAN CLAY-BLUE
90	143	SAND-TAN-.006-.008 SAND-TAN-.010-.012
143	194	CLAY-WHITE
194	223	SAND-TAN-.014-.020 GRAVEL
223	258	CLAY-RED
258	265	SAND-WHITE-.006-.008
265	328	CLAY-TAN
328	348	SAND-WHITE-.010-.012
348	354	CLAY-RED
354	421	SAND-WHITE-.010-.012 SAND-WHITE-.006-.008

RECEIVED
SEP 06 1995
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 398 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 200 FT. DATE: 05/25/95
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 337

14) WELL TEST:
JETTED
YIELD: 100 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 421 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John A. Sylvan (signed) _____
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
339	2 of 3	ESE	3.40 / 17,972.61	DR. MACK RAY TX	TCEQ WELL LOGS

Grid No:	65-20-2B
Date Drilled:	12/??/1976
Owners Name:	DR. MACK RAY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	185
Depth Drilled:	386
Latitude:	29.743809
Longtiude:	-95.544645

65-20-28 Dup

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-28
Located on map
Received:

1) OWNER:
Person having well drilled Dr. Mack Hay (Name) Address 22 W. Rivercrest Houston, Texas (Street or RFD) (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

490 S.

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 366 ft. Depth of completed well 386 ft. Date drilled Dec. 1976

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Yellow clay
15	17	Sand
17	55	Red & yellow clay
55	59	Sand
59	110	Gray clay
110	118	Red & blue clay
118	141	Sand
141	159	Red & gray clay
159	184	Sand
184	189	Red & blue clay
189	224	Sand
224	252	Red & gray clay
252	259	Sand
259	326	Red & yellow clay
326	345	Sand 10 ga.
345	359	Red & gray clay

(Use reverse side if necessary) (over)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 366 up ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	1	366	40

10) SCREEN:
Type Well Supplies Inc. Plastic wrapped
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2⅜"	371	386	14

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 185 ft. below land surface Date Dec. 1976
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 294 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Inc. (Type or Print) Water Well Drillers Registration No. TDL774

ADDRESS 10011 Airline Dr. (Street or RFD) Houston (City) Texas (State)

(Signed) C.A. Raymond Jr (Water Well Driller) Raymond Water WellDrilling (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

ADES-WO4

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.


Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBS-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Received
5/2/77
Quad Revis
TPB

359-369 Sand
369-370 Red & gray clay
370-386 Sand 14 ga.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
339	3 of 3	ESE	3.40 / 17,972.61	LYLE & MARTHA METDORF TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	01/18/1999
Owners Name:	LYLE & MARTHA METDORF
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	385
Latitude:	29.743809
Longtiude:	-95.544645

TENTION OWNER: Confidentiality of Water Well Report
ivilege Notice on Reverse Side

OWNER: METZDORF, LYLE & MARTHA ADDRESS: 18 W. RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-

ADDRESS OF WELL:
County: HARRIS GRID # 65-20-2
Street or RFD: 18 W RIVERCREST
City, State, Zip code: HOUSTON , TX 77042-

TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

5)

WELL LOG: 19426
TE DRILLING:
STARTED: 01/11/99
COMPLETED: 01/18/99

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	385

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N

ASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	360	WW
2.5	N	PVC LINER	345	365	80
2.5	N	SUPERFLO SCREEN	365	385	08

LOGICAL DESCRIPTION:

M	TO	DESCRIPTION
0	3	TOP SOIL
3	85	CLAY
85	114	SAND
14	133	CLAY
33	144	SAND
44	161	CLAY
61	187	SAND
87	196	CLAY
96	249	SAND
49	261	CLAY
61	297	SAND
97	335	ROCK
35	355	CLAY
55	385	SAND

9) CEMENTING DATA:
Cemented from 360 FT. TO 0 FT. No. of Sacks Used 20
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 01/18/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE B P VALVE DEPTH 345

TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 30 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

PANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883
RESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

EREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE (S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

igned) Angel Bautista (LICENSED WATER WELL DRILLER) (signed) Miguel Arguello (REGISTERED DRILLER TRAINEE)

APR 06 1999

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
340	1 of 1	WSW	3.41 / 18,006.29	Sigmor Coroporation TX	WW HARRIS GAL

Well ID:	3730	**Diameter (inches):**	4
Aggre Lead Well:	3730	**Year Drilled:**	1982
Permit No:	W1996-3730-52289-0	**Depth Drilled:**	0
Permit Start Date:	11/1/1996	**Depth frm Surf(ft):**	0
Permit End Dt:	6/7/2001	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.755
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Sigmor Coroporation		
Billing Contact:	STORE #573		
Billing Address:	P.O. Box 696000		
Billing Address 2:	NULL		
Billing City:	San Antonio		
Billing State:	TX		
Billing Zip:	78269		
Correspondence:	LICENSES & PERMITS		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
341	1 of 2	SE	3.42 / 18,042.74	LaRue Coleman 11 W Rivercrest Dr. Houston TX 77042	SDRW WELLS

Track NO: 356681
Date Submitted: 2014-03-13
Owner Name: LaRue Coleman
Owner Address: 11 W Rivercrest Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.741111
Longitude: -95.546945
Drilling Date Started: 2014-01-30
Drilling Date Completed: 2014-01-31
Chemical Analysis: No
Company Name: Bussell & Sons, LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=356681&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 395.0

Top Depth: 370
Bottom Depth: 395

Well Levels

Measurement: 182
Measurement Date: 2014-01-31

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
341	2 of 2	SE	3.42 / 18,042.74	Coleman, Larue TX	WW HARRIS GAL

Well ID:	16863	**Diameter (inches):**	4
Aggre Lead Well:	NULL	**Year Drilled:**	NULL
Permit No:	WP2024-114782	**Depth Drilled:**	NULL
Permit Start Date:	11/13/2024 12:09:00 PM	**Depth frm Surf(ft):**	NULL
Permit End Dt:	4/30/2026 12:09:00 PM	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.741004
Regulatory Aarea:	3	**Longitude:**	-95.546353
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	11 West Rivercrest		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	R - Residential (Single Family) Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
342	1 of 1	WNW	3.43 / 18,091.51	KATY ENGINEERING - HORTON & HORTON TX	TCEQ WELL LOGS

Grid No: 65-11-9B
Date Drilled: 12/29/1967
Owners Name: KATY ENGINEERING - HORTON & HORTON
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 105
Depth Drilled: 298
Latitude: 29.7876511
Longtiude: -95.6453339

65-11-98 . GH 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

CONFIDENTIAL

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-98
Located on map Yes
Received: 68
Form GH 8
Form GH 9


1) OWNER:
Person having well drilled HORTON & HORTON (Name) Address 621 LIVE OAK HOU. (Street or RFD) (City) TEX. (State)

Landowner KATY ENGINEERING (Name) Address KATY Rd. ADDICKS (Street or RFD) (City) TEX. (State)

2) LOCATION OF WELL:
County HARRIS Labor ____ League ____ Abstract No. ____

NW¼ NE¼ SW¼ SE¼ of Section ____ Block No. ____ Survey ____
(Circle as many as are known)

miles in ____ (NE, SW, etc.) direction from ____ (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well X Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal X
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary X Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6¼" in. Depth drilled 298' ft. Depth of completed well 298 ft. Date drilled 12/29/67
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	YELLOW CLAY
10	85	RED SANDY SHALE
85	117	CLAY
117	195	SANDY SHALE
195	236	SHALE
236	298	SAND

From (ft.)	To (ft.)	Description and color of formation material
		(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall X Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 105 ft. below land surface Date 12/29/67
Artesian pressure X lbs. per square inch Date ____

9) CASING:
Type: old ☐ New X Steel X Plastic ☐ Other ☐
Cemented from 273' ft. to VP ft.

10) SCREEN:
Type STAINLESS WIRE ON GALV. PIPE
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
2½"	277'	298	.018

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
			X

11) WELL TESTS:
Was a pump test made? X Yes ☐ No If yes by whom? POMEROY
Yield: 75 gpm with 15 ft. drawdown after 1 hrs
Bailer test X gpm with X ft. drawdown after X hrs
Artesian flow X gpm Date ____
Temperature of water 73° Was a chemical analysis made? ☐ Yes X No
Did any strata contain undesirable water? ☐ Yes X No
Type of water? Good depth of strata 298'

12) PUMP DATA:
Manufacturer's Name JACUZZI
Type SUBMERSIBLE H.P. 5
Designed pumping rate 50 gpm X gph ☐
Type power unit ELECTRIC
Depth to bowls, cylinder, jet, etc., 180- ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CLYDE D. POMEROY (Type or Print) Water Well Drillers Registration No. 1107

Address 202 SO MAIN, ST. (Street or RFD) PASADENA (City) TEXAS (State)

(Signed) Clyde D. Pomeroy (Water Well Driller) POMEROY DRILLING CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

6 11

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
343	1 of 1	S	3.43 / 18,133.54	SAM FRAZIER TX	TCEQ WELL LOGS

Grid No:	65-20-1W
Date Drilled:	05/26/1982
Owners Name:	SAM FRAZIER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	180
Depth Drilled:	324
Latitude:	29.7219451
Longtiude:	-95.5920266

Hes fill

IW

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-710
Located on map YES
Received: C.F.S.

1) OWNER SAM FRABIER (Name) Address 13321 OLD WESTHEIMER (Street or RFD) HOUSTON (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	310
4½	310	324

Date drilled 5-26-82

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	SOIL
2	17	WHITE CLAY
17	20	RED ~~CLAY~~ SAND
20	87	RED CLAY
87	118	SALT & PEPPER SAND 008-010
118	135	SHALE
135	152	SALT & PEPPER SAND 012-016
152	164	SHALE
164	190	YELLOW CLAY
190	240	WHITE CLAY
240	267	SALT & PEPPER SAND 010-016
267	279	YELLOW CLAY
279	288	SALT & PEPPER SAND 010
288	290	YELLOW CLAY
290	300	SAND STREAKS
300	312	BROKEN
312	324	SALT & PEPPER SAND 04-GRAVEL
324		CLAY

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC SCH 40 PIPE	0	310	CASE
2½	N	GALV SCH 40 PIPE	303	314	LINE
2½	N	PUB ON GALV SCH 40 WEJCO SCREEN	314	324	012

CEMENTING DATA
Cemented from 310 ft. to 310 ft.
Method used PRESSURE
Cemented by ALMEDA WATER WELL (Company or Individual)

9) WATER LEVEL:
Static level 180 ft. below land surface Date 5-26-82
Artesian flow ____ gpm. Date ____

10) PACKERS: Type N/A Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 231 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 60 gpm with ____ ft. drawdown after ____ hrs.

RECEIVED
OCT 24 1983
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOSEPH W. ULRICH (Type or Print) Water Well Drillers Registration No. 1876

ADDRESS P.O. BOX 45474 (Street or RFD) HOUSTON (City) TX (State) 77045 (Zip)


(Signed) Joseph W. Ulrich (Water Well Driller) ALMEDA WATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*DWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
344	1 of 1	SE	3.45 / 18,190.86	Kickerillo Homes 9 West Rivercrest Rd. Houston TX	SDRW WELLS

Track NO: 351565
Date Submitted: 2014-01-14
Owner Name: Kickerillo Homes
Owner Address: 1306 South Fry Rd.
Owner Address2:
Owner City: Katy
Owner State: TX
Owner Zip: 77450
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.740556
Longitude: -95.546945
Drilling Date Started: 2013-11-30
Drilling Date Completed: 2013-12-01
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: 4410 FM-359 Rd South
CompanyAddress2:
Company City: Brookshire
Company State: TX
Company Zip: 77423
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=351565&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 385

Top Depth:
Bottom Depth: 400.0

Top Depth: 385
Bottom Depth: 400

Well Levels

Measurement: 170
Measurement Date:

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
345	1 of 2	ESE	3.45 / 18,229.88	LONDELL & GWEN GRAHAM TX	TCEQ WELL LOGS

Grid No: 65-20-3
Date Drilled: 12/21/1996
Owners Name: LONDELL & GWEN GRAHAM
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 420
Latitude: 29.74513
Longtiude: -95.54268

STATE TEXAS WATER WELL REPORT

OWNER: GRAHAM, LONDELL & GWEN ADDRESS: 25 E RIVERCREST CITY: HOUSTON STATE: TX ZIP: -
LOCATION OF WELL: County: HARRIS 0 miles in SW direction from HOUSTON

65-20-3

GAL DESCRIPTION:
Section No.: G-7 Block No.: SW Township: HOUSTON
Abstract No.: RIVERCREST Survey Name: RAY HORNE BLDR
Distance and direction from two intersecting section or survey lines: BELTWAY 8 & WESTHEIMER

TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

WELL LOG: 17354 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO
6.5 0 420 STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
TE DRILLED: 12/21/96 FROM FT. TO FT.

OLOGICAL DESCRIPTION:

M	TO	DESCRIPTION
	3	TOP SOIL
	24	CLAY
	40	SAND
	43	ROCK
	56	SAND
	58	ROCK
	127	CLAY
	156	SAND
	170	CLAY
	180	SAND
	181	ROCK
	220	SAND
	301	CLAY
	308	SAND
	316	CLAY
	332	SAND
	337	CLAY
	347	SAND
	358	CLAY
	369	SAND
	388	CLAY
	420	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	388	WW
2.5	N	PVC LINER	378	390	80
2.5	N	SUPERFLO SCREEN	390	420	10

9) CEMENTING DATA:
Cemented from 388 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 12/23/96
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P VALVE	378

TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 294

14) WELL TEST:
JETTED
YIELD: 35 GPM WITH FT DRAWDOWN AFTER HRS

WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 32 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

PANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4885
RESS: 14405 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

EREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE (S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

gned) Rogelio Meza (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)

SEP 2 4 1997

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
345	2 of 2	ESE	3.45 / 18,229.88	BRIAN WOMAC TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	05/16/1998
Owners Name:	BRIAN WOMAC
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	420
Latitude:	29.74513
Longtiude:	-95.54268

STATE S WATER WELL REPORT

OWNER: WOMAC, BRIAN ADDRESS: #23 E. RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-
LOCATION OF WELL: County: HARRIS 0 miles in SW direction from HOUSTON

GAL DESCRIPTION:
Section No.: G-7 Block No.: SW Township: HOUSTON
Abstract No.: RIVERCREST Survey Name:
Distance and direction from two intersecting section or survey lines: BELTWAY 8 & WESTHEIMER

65-20-2

TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

WELL LOG: 18617 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
6.5	0	420

STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

TE DRILLED: 05/16/98

OLOGICAL DESCRIPTION:

OM	TO	DESCRIPTION
	3	TOP SOIL
	116	CLAY
	150	SAND
	162	CLAY
	222	SAND
	248	CLAY
	267	SAND
	274	CLAY
	275	ROCK
	309	SAND
	330	CLAY
	346	SAND
	352	CLAY
	353	ROCK
	361	CLAY
	372	SAND
	377	CLAY
	389	SAND
	398	CLAY
	420	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	395	WW
2.5	N	PVC LINER	388	400	80
2.5	N	SUPERFLO SCREEN	400	420	06,10

9) CEMENTING DATA:
Cemented from 395 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 05/16/98
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P VALVE	388

TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 45 GPM WITH FT DRAWDOWN AFTER HRS

WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 32 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

PANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883,
RESS: 14405 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

EREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE (S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

gned) _____ (signed) _____
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

Send original copy by certified mail to: TNRCC, P.O. Box 1 In, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER _____ (Name) ADDRESS _____ (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County _____ _____ (Street, RFD or other) (City) (State) (Zip)
GRID # 65-202

3) TYPE OF WORK (Check):
☐ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling:
Started _____ 19 ____
Completed _____ 19 ____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☐ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other _____

N

From (ft.)	To (ft.)	Description and color of formation material

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall
☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from _____ ft. to _____ ft. No. of sacks used _____
_____ ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by _____
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME _____ (Type or print) WELL DRILLER'S LICENSE NO. _____

ADDRESS _____ (Street or RFD) (City) (State) (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

FILE ID DESC BY EMP # SEP 03 1998 COMMENT TEMP

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
346	1 of 3	ESE	3.45 / 18,233.99	DENNIS WALSH TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	05/20/1986
Owners Name:	DENNIS WALSH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	220
Depth Drilled:	412
Latitude:	29.749204
Longtiude:	-95.540027

.6 mi. SSW
.1 mi. WEST

1

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-2
Located on map
Received:

1) OWNER Dennis Walsh (Name) Address #36 E. Rivercrest Dr. (Street or RFD) Houston, Tx (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 1 miles in S (N.E., S.W., etc.) direction from Bunker Hill Village (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. on 65-12-7

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		412

Date drilled 5/20/86

From (ft.)	To (ft.)	Description and color of formation material
0	33	Clay
33	60	Sand
60	91	Clay
91	137	Shale
137	153	Sand
153	234	Clay
234	249	Sand
249	277	Shale
277	283	Sand
283	313	Clay
313	344	Sand
344	379	Shale
379	412	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	385	Sch.
2½"	N	PVC Liner	375	392	40
2½"	N	PVC Slotted Screen	392	412	.014

CEMENTING DATA
Cemented from top ft. to bottom ft.
Method used Halliubrton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 220 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 375

RECEIVED
MAY - 5 1987
TEXAS WATER COMMISSION

11) TYPE PUMP: 1½HP 3-phase Red Jacket
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 270 ft.
1½" Steel

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Robinson water Well Service, Inc. (Type or Print) Water Well Drillers Registration No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)


(Signed) M E Robinson Jr. (Water Well Driller) Robinson Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
346	2 of 3	ESE	3.45 / 18,233.99	Julie Diez 36 E Rivercrest Houston TX	SDRW WELLS

Track NO: 54638
Date Submitted: 2005-03-10
Owner Name: Julie Diez
Owner Address: 36 E. Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.738056
Longitude: -95.550001
Drilling Date Started: 2003-03-09
Drilling Date Completed: 2003-03-10
Chemical Analysis: No
Company Name: O'Day Drilling Company, Inc.
Company Address: 2357 Garden Road
CompanyAddress2:
Company City: Pearland
Company State: TX
Company Zip: 77581
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=54638&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 455

Top Depth:
Bottom Depth: 455.0

Well Levels

Measurement: 198
Measurement Date: 2003-03-09

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
346	3 of 3	ESE	3.45 / 18,233.99	Selma & Mustafa Tameez 36 E Rivercrest Dr. Houston TX 77042	SDRW WELLS

Track NO: 656453
Date Submitted: 2023-12-29
Owner Name: Selma & Mustafa Tameez
Owner Address: 36 E Rivercrest Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.749083
Longitude: -95.539833
Drilling Date Started: 2023-10-04
Drilling Date Completed: 2023-10-20
Chemical Analysis: No
Company Name: Ballard Water Well Co. LLC
Company Address: P.O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=656453&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 360

Top Depth: 360
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Well Levels

Measurement: 180
Measurement Date: 2023-10-20

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
347	1 of 2	WSW	3.46 / 18,247.61	QUALITY CONCRETE, INC. TX	TCEQ WELL LOGS

Grid No:	65-11-9W
Date Drilled:	04/??/1978
Owners Name:	QUALITY CONCRETE, INC.
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	130
Depth Drilled:	321
Latitude:	29.7495892
Longtiude:	-95.6428596

9W

nd original copy by
rtified mail to the
xas Water Development Board
O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 25-11-9W
Located on map
Received: 7-8
Acc

1) OWNER:
Person having well drilled Quality Concrete, inc. (Name) Address Hi Way 6 Houston (Street or RFD) (City) Texas (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 18 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Well is located at concrete plant on HiWay6 , 1 mi. North of Westhiemer, Plant is located on East side of 6.

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well X, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, X Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 6 in. Depth drilled 321 ft. Depth of completed well 321 ft. Date drilled April 78

All measurements made from 3 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	11	clay
11	18	sand
18	90	clay & rock
90	105	sand
105	125	clay
125	148	sand
148	165	clay
165	192	sand
192	196	clay
196	236	sand
236	275	clay
275	321	sand

(Use reverse side if necessary)

9) Casing: Type: Old, X New, X Steel, Plastic, Other
Cemented from 0 ft. to 298 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	±2	298	10.89#

10) SCREEN: Type Pipe based stainless steel ribbed
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	300	320	20 ga.

7) COMPLETION (Check): Straight wall X, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL: Static level 130 ft. below land surface Date April 78
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 190' ft. below land surface.
Jacuzzi Sumersible, model 5S4X20-S2 set 190' on 2" galvanized

11) WELL TESTS: Was a pump test made? Yes X No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes X No.
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) Water Well Drillers Registration No. 229

ADDRESS 7524 N. Freeway (Street or RFD) Houston, Texas 77037 (City) (State)

(Signed) (Water Well Driller) B.J. Swinehart Co. Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBE-WO4

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
347	2 of 2	WSW	3.46 / 18,247.61	Karimbakhsh, Esmail TX	WW HARRIS GAL

Well ID:	15661	**Diameter (inches):**	4
Aggre Lead Well:	15661	**Year Drilled:**	NULL
Permit No:	WP2024-104283	**Depth Drilled:**	NULL
Permit Start Date:	5/1/2024 4:34:00 PM	**Depth frm Surf(ft):**	NULL
Permit End Dt:	4/30/2025 4:34:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.749722
Regulatory Aarea:	3	**Longitude:**	-95.642777
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	10049 West Park #163		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
348	1 of 1	ESE	3.46 / 18,257.68	HERB ZIELEN TX	TCEQ WELL LOGS

Grid No:	65-20-3P
Date Drilled:	07/23/1980
Owners Name:	HERB ZIELEN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	200
Depth Drilled:	350
Latitude:	29.748198
Longtiude:	-95.540541

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-38
Located on map
Received:

1) OWNER Herb Zielen (Name) Address 32 East Rivercrest (Street or RFD) Houston (City) Tx (State) 77042 (Zip)

2) LOCATION OF WELL: County Harris app. 30 miles in Southwest (N.E., S.W., etc.) direction from Spring (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 7-23-80

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	350

From (ft.)	To (ft.)	Description and color of formation material
0	8	top soil + clay
8	14	sand
14	75	clay + rock
75	82	sand
82	90	clay
90	103	sand
103	115	clay
115	173	sand
173	180	clay
180	210	sand
210	250	clay
250	267	sand
267	275	clay
275	308	sand
308	345	sand + gravel
345	350	Fresh sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 steing
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC. Well casing	0	335	
2½	N	PVC. slotted screen	335	350	#10

CEMENTING DATA
Cemented from 0 ft. to 335 ft.
Method used Pressure
Cemented by O. R. Billings (Company or Individual)

9) WATER LEVEL:
Static level 200 ft. below land surface Date 7-24-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
4 x 2½ K-Packers 332

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 320 ft.

12) WELL TESTS: None
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED
AUG 2 1982
CR/Town

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O. R. Billings (Type or Print) Water Well Drillers Registration No. 1929

ADDRESS 25330 Richard Rd. (Street or RFD) Spring (City) Texas (State) 77373 (Zip)

(Signed) O. R. Billings (Water Well Driller) All Weather Water Well Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
349	1 of 2	ESE	3.46 / 18,266.70	GEORGE NOYES TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	11/03/1999
Owners Name:	GEORGE NOYES
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	230
Depth Drilled:	413
Latitude:	29.742368
Longtiude:	-95.544676

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: NOYES, GEORGE ADDRESS: #16 W. RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-20-2
Street or RFD: 16 WEST RIVERCREST
City, State, Zip code: HOUSTON , TX 77042-

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 20527
DATE DRILLING: STARTED: 10/28/99 COMPLETED: 11/03/99

DIAMETER OF HOLE		
DIAMETER	FROM	TO
6.5	0	413

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	390	WW
2.5	N	GALVANIZED LINER	377	398	WW
2.5	N	SUPERFLO SCREEN	398	413	08

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	92	CLAY
92	108	SAND
108	134	CLAY
134	150	SAND
150	163	CLAY
163	186	SAND
186	198	CLAY
198	242	SAND
242	259	CLAY
259	268	SAND
268	295	CLAY
295	309	SAND
309	323	CLAY
323	347	SAND

9) CEMENTING DATA:
Cemented from 390 FT. TO 0 FT. No. of Sacks Used
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 230 FT. DATE: 11/03/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P SEAL	377

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 294

14) WELL TEST:
JETTED
YIELD: 30 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 663 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883,
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Angel Bautista (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

S77 TEXAS WATER WELL REPORT (PAGE 2)

OWNER: NOYES, GEORGE ADDRESS: #16 W. RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-

347	350	CLAY
350	413	SAND



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
349	2 of 2	ESE	3.46 / 18,266.70	DR. CRANE TX	TCEQ WELL LOGS

Grid No:	65-20-2E
Date Drilled:	07/19/1975
Owners Name:	DR. CRANE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	350
Depth Drilled:	350
Latitude:	29.742368
Longtiude:	-95.544676

65-20-2E 65-20-2E GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-2E
Located on map XSS
Received: 2-73
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled DR. CAANE (Name) Address #16W. Rivercrest Dr. (Street or RFD) Houston (City) Tex. (State)
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)
miles in W (NE, SW, etc) direction from HOUSTON (Town).

NORTH

See attached map

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6½ + 4½ in. Depth drilled 350 ft. Depth of completed well 350 ft. Date drilled 7-19-72
All measurements made from / ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Soil
3	45	Clay - White to red
45	46	Sand - fine
46	50	Clay - Red
50	54	Sand - fine red
54	80	Clay - Red to Blue
80	108	Sand - White - .006 to .010
108	128	Clay - Blue
128	140	Sand - White - .012
140	150	Clay - Blue
150	180	Sand - White - .016
180	190	Clay - Blue
190	240	Sand - White - .016 to .020
240	260	Clay - Red
260	266	Sand
OWN		(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 182 ft. below land surface Date 7-21-72
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 230 ft. to 330 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	330	Sch. 40

10) SCREEN:
Type Plastic wrapped w. stalpipe - underlow
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	330	331	Blank
2½	331	338	.010
2½	338	346	.012
2½	346	350	Blank

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Blow Dwell compressor by driller
Yield: 75 gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Reda
Type Submersible H.P. 3
Designed pumping rate 25 gpm ☒ gph ☐
Type power unit Electric - 30-230V
Depth to (bowls) cylinder, jet, etc., 273 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN A. PYBURN (Type or Print) Water Well Drillers Registration No. 843
Address 13910 Almeda School Rd (Street or RFD) Houston (City), Texas (State) 77047
(Signed) John A Pyburn (Water Well Driller) Almeda Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

266-290 Clay - Red
290-295 Sand
295-326 Clay - Red
326-327 Rock - very hard
327-331 Clay
331-346 Sand - white - .010 & .014
346-350 Clay

RECEIVED
FEB 26 1973
Central Records
Texas Water Development Board


ENERAL HIGHWAY MAP
IARRIS COUNTY
TEXAS
'EXAS STATE HIGHWAY DEPARTMENT
PLANNING SURVEY DIVISION
S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1962
LEGEND
Crane well
65-20-2E

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
350	1 of 1	WSW	3.46 / 18,280.62	Ak Aslan LLC TX	WW HARRIS GAL

Well ID:	13731	**Diameter (inches):**	4
Aggre Lead Well:	13731	**Year Drilled:**	NULL
Permit No:	W2020-13731-208967-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2020	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.753333
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Ak Aslan LLC		
Billing Contact:	Seifollah Amirein		
Billing Address:	2100 Tanglewilde Street, Apt No. 69		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77063		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
351	1 of 2	WSW	3.47 / 18,334.52	PAULS SEAFOOD & OYSTER BAR TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	MANAGING MEMBER
Primary Co:	TRAVIS MEADOW
PWSID:	1012057
Source ID:	G1012057A
Utility Name:	PAULS SEAFOOD & OYSTER BAR
WTRSRC:	G1012057A
Date Drilled:	00/00/1983
Well Depth:	300
Screen Top:	280
Screen Bottom:	300
Gallons Per Minute:	5
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.75308978
Longitude:	-95.64494796
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
351	2 of 2	WSW	3.47 / 18,334.52	Meadows, Travis TX	WW HARRIS GAL

Well ID:	5160	**Diameter (inches):**	4
Aggre Lead Well:	5160	**Year Drilled:**	1983
Permit No:	WP2023-117219	**Depth Drilled:**	300
Permit Start Date:	2/14/2024 4:15:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	11/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.752777
Regulatory Aarea:	3	**Longitude:**	-95.644444
Owner Name:	Meadows, Travis		
Billing Contact:	NULL		
Billing Address:	1704 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
352	1 of 1	SE	3.47 / 18,338.22	AVIGNON, MICHAEL TX	TCEQ WELL LOGS

Grid No: 65-20-3
Date Drilled: 01/18/2002
Owners Name: AVIGNON, MICHAEL
County: HARRIS
Water Usage: SINGLE FAMILY RESID
Static Level: 200
Depth Drilled: 416
Latitude: 29.739579
Longtiude: -95.54687

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: AVIGNON, MICHAEL ADDRESS: #7 WEST RIVERCREST CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-20-3
Street or RFD: LAT.-29-44.36 LONG.-095-32.80
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: SINGLE FAMILY RESID
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02248
DATE DRILLING:
STARTED: 01/18/02
COMPLETED:

DIAMETER OF HOLE

DIAMETER	FROM	TO
8.50	0	394
4.875	394	416

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	394	CASING
3.0	N	P.V.C. SCH.40	381	394	LINER
3.0	N	P.V.C. - SLOTTED	394	414	.010
3.0	N	P.V.C. SCH.40	414	416	LINER

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	12	CLAY-GRAY CLAY-TAN
12	105	CLAY-RED CLAY / SAND STREAKS
105	124	SAND-TAN-.006-.008
124	160	CLAY-GRAY
160	174	SAND-TAN-.006-.008 SAND-TAN-.010-.012
174	210	CLAY-GRAY
210	224	SAND-TAN-.010-.012
224	254	CLAY-GRAY
254	266	SAND-TAN-.006-.008 SAND-TAN-.010-.012
266	300	CLAY-GRAY
300	320	BROKEN SAND & CLAY
320	414	SAND-WHITE-.010-.012
414	416	CLAY-RED

9) CEMENTING DATA:
Cemented from No. of Sacks Used
0 FT. TO 394 FT. 75
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: 50+ ft.
Method of verification of above distance:
BUILDER

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 200 FT. DATE: 01/22/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	381
K-PACKER	382

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 275

14) WELL TEST:
JETTED
YIELD: 150 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 416 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2843,2350
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Carl Lofton (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
353	1 of 1	ESE	3.48 / 18,359.86	B.F. SCHNEIDER TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	04/01/1971
Owners Name:	B.F. SCHNEIDER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	175
Depth Drilled:	376
Latitude:	29.744478
Longtiude:	-95.54267

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 4-7-71
Form

1) OWNER:
Person having well drilled B.F. Schneider (Name) Address 21 East Rivercrest Houston, Texas (Street or RFD) (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

see reverse side for map

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well X; Deepening; Reconditioning; Plugging

4) PROPOSED USE (Check): Domestic X; Industrial; Municipal; Irrigation; Test Well; Other

5) TYPE OF WELL (Check): Rotary X; Driven; Dug; Cable; Jetted; Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 376 ft. Depth of completed well 376 ft. Date drilled 4-1-71
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	14	surface yellow clay
14	24	broken sandy shale
24	46	red clay
46	53	sand loose
53	72	brown clay
72	81	white blay
81	104	brown clay
104	120	sandy shale
120	147	sand
147	160	brown clay
160	168	sand broken
168	182	sand
182	192	white shale sandy
192	222	sand broken
222	270	withe clay
270	336	sand shaley (continued)

(Use reverse side if necessary)

9) Casing:
Type: Old; New X; Steel X; Plastic; Other
Cemented from 0 ft. to 357 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	357	

10) SCREEN:
Type Stainless Steel
Perforated X; Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½"balnk	376	371	
2½"screen	371	356	.012
2½"blank	356	350	

7) COMPLETION (Check):
Straight wall X; Gravel packed; Other
Under reamed; Open Hole

8) WATER LEVEL:
Static level 175 ft. below land surface Date 4-1-71
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes; No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes; No X
Did any strata contain undesirable water? Yes; No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R.B. LOWRY (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton (Street or RFD) P.O. Box 8707 Houston, (City) Texas 77009 (State)

(Signed) R.B. Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
SEP 28 1971
Central Records
Texas Water Development Board

AUG 27 1971

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
354	1 of 1	NNE	3.48 / 18,378.51	GLASS & DOOR INTERNATIONAL, INC. TX	WW HARRIS GAL

Well ID:	1928	**Diameter (inches):**	8
Aggre Lead Well:	1928	**Year Drilled:**	1969
Permit No:	W2006-1928-123380-0	**Depth Drilled:**	360
Permit Start Date:	6/1/2006	**Depth frm Surf(ft):**	160
Permit End Dt:	8/25/2006	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.818611
Regulatory Aarea:	3	**Longitude:**	-95.568888
Owner Name:	GLASS & DOOR INTERNATIONAL, INC.		
Billing Contact:	John Hart		
Billing Address:	2002 BRITTMOORE		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
355	1 of 4	WSW	3.49 / 18,409.21	CARSON SHEPHERD ADVERTISING TX	TCEQ WELL LOGS

Grid No: 65-19-3F
Date Drilled: 09/18/1981
Owners Name: CARSON SHEPHERD ADVERTISING
County: HARRIS
Water Usage: DOMESTIC
Static Level: 145
Depth Drilled: 295
Latitude: 29.752599
Longtiude: -95.6449741

19 Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. G59 9-3F
Located on map yes
Received: C-F-8.

1) OWNER Carson & Shepherd Advertising (Name) Address 1708 Hwy. 6 So. (Street or RFD) Houston, Tx. (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 20 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. mapon 65-19-3Y

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9/18/81

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		295

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	45	Clay
45	62	Sand
62	97	Clay
97	155	Sand
155	167	Clay
167	221	Sand
221	235	Clay
235	295	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	280	Sch.
2½"	N	PVC Liner	270	285	40
2½"	N	PVC Slotted Screen	285	295	.012

CEMENTING DATA
Cemented from 280 ft. to 100 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

RECEIVED
MAY -7 1982
DEPT. OF
WATER RESOURCES

9) WATER LEVEL:
Static level 145 ft. below land surface Date 9/21/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 270

11) TYPE PUMP: 1HP
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Texas (State) 77086 (Zip)

(Signed) M. E. Robinson Jr / lh (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
355	2 of 4	WSW	3.49 / 18,409.21	PAUL CARSON TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	03/12/1990
Owners Name:	PAUL CARSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	145
Depth Drilled:	300
Latitude:	29.752599
Longtiude:	-95.6449741

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — 25 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Paul Carson (Name) ADDRESS 1708 Hwy 6 South (Street or RFD) Houston (City) (State) (Zip)

2) LOCATION OF WELL: County Harris , 20 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 3-9- 1990 Completed 3-12 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	300

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Clay
20	93	Sand
93	148	Clay
148	202	Sand
202	263	Clay
263	300	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	Casing	0	290	
2⅛"	N	Liner	280	290	
2⅛"	N	Screen	290	300	

RECEIVED APR 03 1990 TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 100 ft. to 280 ft. No. of Sacks Used 6
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 145 ft. below land surface Date 3-12-90
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-Packer	280

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.
1H.P.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Tx (State) 77086 (Zip)


(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 35 Located on map 65-11-9

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY


52
37
53
48
47
35

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
355	3 of 4	WSW	3.49 / 18,409.21	TEXAS CONTEMPORARY TX	TCEQ WELL LOGS

Grid No:	65-11-9BB
Date Drilled:	09/17/1981
Owners Name:	TEXAS CONTEMPORARY
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	142
Depth Drilled:	245
Latitude:	29.752599
Longtiude:	-95.6449741

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-908
Located on map VAS
Received: 8-30-82

1) OWNER Texas Contemporary (Name) Address 1708 A Hwy. 6 South (Street or RFD) Houston (City) Texas (State) 77077 (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

☐ Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. 16
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled Sept. 16&17 1981

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	230
3 7/8	230	245

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Dual String
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	Black Gumbo
5	16	Red Clay
16	22	Yellow Clay
22	89	Red Clay
89	94	Blue Clay
94	112	Sand
112	117	Blue Clay
117	160	Sand
160	182	Blue Clay
182	210	Sand
210	218	Blue Clay
218	245	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	+1	230	40
2½	N	PVC Screen	230	245	80
2½	N	PVC Liner	232	227	80

CEMENTING DATA
Cemented from 230 ft. to 130 ft.
Method used mud pump
Cemented by self (Company or Individual)

9) WATER LEVEL:
Static level 142 ft. below land surface Date Sept. 17
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
AUG 30 1982
DEPT. OF
WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 189 ft.

(Use reverse side if necessary) 294-15

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Randel S. Johnson (Type or Print) Water Well Drillers Registration No. 1807

ADDRESS 8933 Talcott Ln. (Street or RFD) Houston (City) Texas (State) 77049 (Zip)


(Signed) (Water Well Driller) Johnson's Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
355	4 of 4	WSW	3.49 / 18,409.21	DT Investments TX	WW HARRIS GAL

Well ID:	13289	**Diameter (inches):**	4
Aggre Lead Well:	13289	**Year Drilled:**	NULL
Permit No:	WP2024-108888	**Depth Drilled:**	0
Permit Start Date:	5/1/2024 10:32:00 AM	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025 10:32:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7525
Regulatory Aarea:	3	**Longitude:**	-95.645

Owner Name: Highway Six Twins Inc
Billing Contact: NULL
Billing Address: 3911 Woodlawn Ave
Billing Address 2: NULL
Billing City: Pasadena
Billing State: TX
Billing Zip: 77504
Correspondence: NULL
Provision: DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.
Water Usage: D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
356	1 of 1	ESE	3.49 / 18,422.76	ASH DESMUKH TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	09/20/1994
Owners Name:	ASH DESMUKH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	215
Depth Drilled:	420
Latitude:	29.741656
Longtiude:	-95.544664

STATE OF TEXAS WATER WELL REPORT

1) OWNER: DESHMUKH,ASH ADDRESS: #14 W.RIVERCREST CITY: HOUSTON STATE: TX ZIP: 77042-
2) LOCATION OF WELL: County: HARRIS 10 miles in N direction from STAFFORD

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00866 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
6.75	0	400'
3.875	400'	420'


TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 09/20/94

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	P.V.C. SCH.40	0	400'	CASING
2.5	N	P.V.C. SCH.40	390'	400'	LINER
2.5	N	P.V.C. - SLOTTED	400'	410'	.006
2.5	N	P.V.C. - SLOTTED	410'	420'	.008

WELL # 15-20-2



GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	75	CLAY-WHITE CLAY-RED CLAY-GRAY
75	148	SAND-GRAY-.006-.008 SAND-GRAY-.010-.012
148	156	CLAY-TAN
156	185	SAND-GRAY-.010-.012 GRAVEL
185	193	CLAY-TAN
193	235	SAND-TAN-.014-.020 GRAVEL
235	257	CLAY-WHITE
257	320	CLAY-RED CLAY / SAND STREAKS
320	420	SAND-TAN-.014-.020 SAND-TAN-.006-.008 SAND-TAN-.010-.01

RECEIVED
OCT 19 1995
TEXAS WATER RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 400 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 215' FT. DATE: 09/23/94
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315'

14) WELL TEST:
JETTED
YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 420' NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED


COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) _____ (signed) _____
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
357	1 of 2	S	3.49 / 18,428.77	Superior Oil co TX	GWDB

Well Rep Track No:
State Well No: 6520114
Owner Name: Superior Oil co
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1967
Well Depth: 692
Well Usage: Industrial
Water Level Status:
Latitude: 29.7241670
Longitude: -95.6002780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520114&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520114&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
357	2 of 2	S	3.49 / 18,428.77	SOWELL CONSTRUCTION CO., INC. TX	WW HARRIS GAL

Well ID:	2090	**Diameter (inches):**	12
Aggre Lead Well:	2090	**Year Drilled:**	1966
Permit No:	W1992-2090-40818-0	**Depth Drilled:**	715
Permit Start Date:	6/10/1992	**Depth frm Surf(ft):**	590
Permit End Dt:	3/10/1993	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.723611
Regulatory Aarea:	3	**Longitude:**	-95.600277
Owner Name:	SOWELL CONSTRUCTION CO., INC.		
Billing Contact:	FRED FARNER		
Billing Address:	3318 MERCER Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	TFC MANAGEMENT, INC.		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
358	1 of 1	ESE	3.49 / 18,438.32	R.L. PORTLOCK TX	TCEQ WELL LOGS

Grid No:	65-20-3P
Date Drilled:	10/27/1980
Owners Name:	R.L. PORTLOCK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	200
Depth Drilled:	346
Latitude:	29.747169
Longtiude:	-95.540535

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-3P
Located on map
Received:

1) OWNER R L. Poetlock (Name) Address 30 E. Rivercrest (Street or RFD) Houston (City) Tx (State) 77042 (Zip)

2) LOCATION OF WELL:
County Harris app 60 miles in Southwest (N.E., S.W., etc.) direction from Spring (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled	Dia. (in.)	From (ft.)	To (ft.)
10-27-80	6 3/4	Surface 0	346

From (ft.)	To (ft.)	Description and color of formation material
0	11	top soil + clay
11	17	sand
17	21	rock
21	45	sand
45	115	clay
115	135	sand
135	150	clay
150	210	sand
210	275	clay
275	346	sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC. Well casing	0	331	
2½	N	P.V.C. slotted screen	331	346	#12

CEMENTING DATA
Cemented from 0 ft. to 331 ft.
Method used Pressure
Cemented by O. R Billings (Company or Individual)

9) WATER LEVEL:
Static level 200 ft. below land surface Date 10-28-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
4 x 2½ K-Packers 328

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 320 ft.

12) WELL TESTS: None
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED
AUG 2 1982
CR/TD...

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O. R. Billings (Type or Print) Water Well Drillers Registration No. 1929

ADDRESS 25330 Richard Rd (Street or RFD) Spring (City) Texas (State) 77373 (Zip)

(Signed) O. R. Billings (Water Well Driller) All Weather Water Well Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
359	1 of 2	WSW	3.50 / 18,476.05	BACK PORCH RESTAURANT TX	TCEQ WELL LOGS

Grid No: 65-12-3MM
Date Drilled: 11/??/1980
Owners Name: BACK PORCH RESTAURANT
County: HARRIS
Water Usage: CAFE
Static Level: 140
Depth Drilled: 338
Latitude: 29.7520902
Longtiude: -95.6449598

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-12-3[illegible]
Located on map 405
Received: [illegible]

1) OWNER Back Porch Restaurant (Name) Address 1710 Hiway 6 South (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 19 miles in N (N.E., S.W., etc.) direction from DT Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

Well is located 1710 Hiway S ☐ See attached map. ☒ Legal description on Back

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ~~Hiway~~ Cafe

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 11-80

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6⅝	Surface	315
3 7/8	~~315~~	338

From (ft.)	To (ft.)	Description and color of formation material
0	8	clay
8	45	red clay
45	55	" sand
~~55~~	86	" clay
86	101	sand
101	114	clay
~~114~~	~~255~~	~~sand~~
~~255~~	271	clay
271	338	sand course

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4	N	Galvanized steel	+2'	315	11#	
2⅜	N	WSI ,PVC screen	318	337	16	
2⅜	N	BPV , steel set nillpe	~~337~~	~~338~~		
2½"	N	Gal steel Lap	308	317		

CEMENTING DATA
Cemented from GL ft. to 315 ft.
Method used ~~Pressure~~
Cemented by Raymond WW (Company or Individual)

9) WATER LEVEL: Static level 140 ft. below land surface Date Nov. 80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead seal ~~308

11) TYPE PUMP: ☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 211 ft.
5S4XP18-T2 Jacuzzi set on 2" gal.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 60 gpm with 40 ft. drawdown after 1 hrs.

(Use reverse side if necessary) 294-45

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) Water Well Drillers Registration No. 229

ADDRESS 7524 N. Freeway (Street or RFD) Houston (City) Texas (State) 77037 (Zip)

(Signed) B.J. Swinehart (Water Well Driller) B.J. Swinehart Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Property is .8324 Ac out of lots 5 &6 of Meadowbrook Farms, David Middleton survey A-535 as recorder in olumn 420, page 537 Of Harris ounty records.

RECEIVED
AUG 31 1981
DEPT. OF
WATER RESOURCES

RECEIVED
AUG 31 1981
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
359	2 of 2	WSW	3.50 / 18,476.05	MRS SPEARS TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	04/10/1991
Owners Name:	MRS SPEARS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	70
Depth Drilled:	300
Latitude:	29.7520902
Longtiude:	-95.6449598

Send original copy by certified mail to: Texas Water C , P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATT ION OWNER: *Confidentiality Pledge Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Mrs Spears (Name) ADDRESS 1710 Hwy 6 South (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris , 17 miles in SW (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): XX ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): XX ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): XX ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 4-8-91 19 Completed 4-10-91 19

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	300

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	60	Clay
60	120	Sand
120	200	Clay
200	300	Sand

(Use reverse side if necessary)

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Casing	0	285	
2½"	N	Liner	280	290	
2½"	N	Screen	2909	300	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 185 ft. to 285 ft. No. of Sacks Used 10
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 70 ft. below land surface Date 4-10-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K-Packer Depth 280

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
360	1 of 2	ESE	3.50 / 18,481.28	MIKE BUSBY TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	09/11/1985
Owners Name:	MIKE BUSBY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	219
Depth Drilled:	408
Latitude:	29.7438
Longtiude:	-95.54272

WL #27

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Mike Bushey (Name) Address 8401 Westheimer #110 Hstn TX 77063 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: #19 East River Cust
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map.

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 9-11-85

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	408

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	18	Top Soil + Clay
18	21	Sand
21	50	Clay
50	58	Sand
58	75	Clay
75	115	Sand
115	131	Clay (Sandy)
131	138	Sand
138	149	Clay
149	184	Sand
184	190	Clay
190	219	Sand
219	226	Clay
226	278	Sand
278	285	Clay
285	295	Sand
295	303	Clay
303	305	Sand
305	308	Clay
308	345	Sand
345	348	Clay
348	350	Sand
350	353	Clay
353	375	Sand
375	385	Clay + Sand
385	408	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4	N	Galv. Steel	0	388		
2	N	Galv.	382	388		
2	N	PVC	388	398		.014
2	N	PVC	398	408		.016

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
338 ft. to 388 ft.
Method used Halliburton
Cemented by Bussell + Son, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☑ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 219 ft. below land surface Date 9-12-85
Artesian flow gpm. Date

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED
DEC 12 1985
TEXAS WATER COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell + Son, Inc (Type or Print) Water Well Driller's License No. 2035
ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX. (State) 77375 (Zip)
(Signed) Craig Bussell (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)
For TDWR Use Only Well No. NO-LOC Located on map

Please attach electric log, chemical analysis, and other pertinent information, if available.

DEPARTMENT OF WATER RESOURCES COPY

TDWR-0392 (12/29/83)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
360	2 of 2	ESE	3.50 / 18,481.28	MIKE BUSBY TX	TCEQ WELL LOGS

Grid No:	65-12-8M
Date Drilled:	06/30/1983
Owners Name:	MIKE BUSBY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	219
Depth Drilled:	408
Latitude:	29.7438
Longtiude:	-95.54272

W.W.# 150

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-8M
Located on map yes
Received: C.F.S.

1) OWNER Mike Cushing (Name) Address 8401 Westheimer #110 Hou. Tx. 77063 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: #19 E. Rivercrest County Harris miles in Northeast (N.E., S.W., etc.) direction from Aldine (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. map on 60-59-7EE

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	408

Date drilled 6-30-83

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	18	Top Soil & Clay
18	21	Sand
21	50	Clay
50	58	Sand
58	75	Clay
75	115	Sand
115	131	Clay (SANDY)
131	138	SAND
138	149	CLAY
149	184	SAND
184	190	CLAY
190	219	SAND
219	226	CLAY
226	278	SAND
278	285	CLAY
285	295	SAND
295	303	CLAY
303	305	SAND
305	308	CLAY
308	345	SAND
345	348	CLAY
348	350	SAND
350	353	Clay
353	375	Sand
375	385	SAND
385	408	Sand

RECEIVED SEP 12 1983 DEPT. OF WATER RESOURCES

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	GALV. STEEL	0	388	
2	N	GALV. STEEL	383	388	
2	N	PVC	388	398	.020
2	N	PVC	398	408	.016

CEMENTING DATA
Cemented from 338 ft. to 388 ft.
Method used Halliburton
Cemented by Bussell & Son. Inc. (Company or Individual)

9) WATER LEVEL:
Static level 219 ft. below land surface Date 7/1/83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 254 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Tx. (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell & Son. Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
361	1 of 2	WSW	3.50 / 18,489.54	Inland Machine TX	WW HARRIS GAL

Well ID:	9829	**Diameter (inches):**	4
Aggre Lead Well:	9829	**Year Drilled:**	2004
Permit No:	WP2024-104181	**Depth Drilled:**	325
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	315
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.749722
Regulatory Aarea:	3	**Longitude:**	-95.643611
Owner Name:	Inland Machine		
Billing Contact:	Dennis Noppe		
Billing Address:	1917 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
361	2 of 2	WSW	3.50 / 18,489.54	Inland Machine 1917 Hwy 6-S Houston TX 77077	SDRW WELLS

Track NO: 172537
Date Submitted: 2009-03-27
Owner Name: Inland Machine
Owner Address: 1917 Hwy 6-S
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77077
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.749722
Longitude: -95.644722
Drilling Date Started: 2004-08-09
Drilling Date Completed: 2004-08-10
Chemical Analysis: No
Company Name: Ondrey Water Well Service
Company Address: 7024 Hwy 36 - S
CompanyAddress2:
Company City: Rosenberg
Company State: TX
Company Zip: 77471
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=172537&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 220

Top Depth:
Bottom Depth: 252.0

Top Depth: 220
Bottom Depth: 252

Well Levels

Measurement: 173
Measurement Date: 2004-08-10

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
362	1 of 3	ESE	3.51 / 18,541.56	MR. & MRS. BROWN TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 12/07/1995
Owners Name: MR. & MRS. BROWN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 205
Depth Drilled: 410
Latitude: 29.746584
Longtiude: -95.540539

Send original copy by certified mail to: TNRCC, P.O. Box . .tin, TX 78711-3087 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER MR + MRS. BROWN (Name) ADDRESS #28 EAST RIVERCREST HSTN TX 77042 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS #28 EAST RIVERCREST HSTN TX 77042 (Street, RFD or other) (City) (State) (Zip) GRID # 65-20-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ ~~Domestic~~ ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 12-6 19 95 Completed 12-7 19 95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	385
9 7/8	385	410

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ ~~Mud Rotary~~ ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	380	UNCONSOLIDATED
380	410	SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ ~~Straight Wall~~ ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	~~PVC~~ GALVANIZED	0	385	
2	N	GALVANIZED	380	390	
2	N	SSRB	390	410	.1012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 7
335 ft. to 385 ft. No. of sacks used 3
Method used HALLIBURTON / TRIMME
Cemented by BUSSELL & SON INC
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ ~~Specified~~ Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 205 ft. below land surface Date 12-7-95
Artesian flow ____ gpm. Date ____

12) PACKERS: Type K-PACKER Depth 380

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ ~~Estimated~~
Yield: 50 gpm with ____ ft. drawdown after ____ hrs.

RECEIVED FEB 02 1996

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ ~~No~~

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P O BOX 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig O Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
362	2 of 3	ESE	3.51 / 18,541.56	Sun, Attan & Tan, Muoi TX	WW HARRIS GAL

Well ID:	12824	**Diameter (inches):**	4
Aggre Lead Well:	12824	**Year Drilled:**	NULL
Permit No:	WP2024-108419	**Depth Drilled:**	350
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	330
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.746388
Regulatory Aarea:	3	**Longitude:**	-95.540555
Owner Name:	Sun, Attan & Tan, Muoi		
Billing Contact:	Vincent Sun		
Billing Address:	28 E Rivercrest Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	R - Residential (Single Family) Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
362	3 of 3	ESE	3.51 / 18,541.56	Scotti Carden 28 E. Rivercrest Dr Houston TX 77042	SDRW WELLS

Track NO: 383230
Date Submitted: 2014-12-11
Owner Name: Scotti Carden
Owner Address: 28 E. Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.741111
Longitude: -95.5375
Drilling Date Started: 2014-12-08
Drilling Date Completed: 2014-12-09
Chemical Analysis: No
Company Name: Robinson Water Well Inc.
Company Address: 11819 W. Montgomery Rd
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=383230&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 385

Top Depth: 385
Bottom Depth: 410

Top Depth:
Bottom Depth: 410.0

Well Levels

Measurement: 175
Measurement Date: 2014-12-09

Well Strata

Water Type:

good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
363	1 of 2	WSW	3.51 / 18,557.84	Obeid, Farah H. TX	WW HARRIS GAL

Well ID:	9839	**Diameter (inches):**	4
Aggre Lead Well:	9839	**Year Drilled:**	2007
Permit No:	W2021-9839-216394-0	**Depth Drilled:**	350
Permit Start Date:	5/1/2021	**Depth frm Surf(ft):**	330
Permit End Dt:	4/30/2026	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.749444
Regulatory Aarea:	3	**Longitude:**	-95.643611
Owner Name:	Obeid, Farah H.		
Billing Contact:	NULL		
Billing Address:	1919 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
363	2 of 2	WSW	3.51 / 18,557.84	Heritage Auto Sales, Inc. TX	WW HARRIS GAL

Well ID:	7259	**Diameter (inches):**	2
Aggre Lead Well:	7259	**Year Drilled:**	
Permit No:	W2000-7259-64761-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2000	**Depth frm Surf(ft):**	0
Permit End Dt:	10/13/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.749444
Regulatory Aarea:	3	**Longitude:**	-95.643611
Owner Name:	Heritage Auto Sales, Inc.		
Billing Contact:	R. Brangiforte		
Billing Address:	1919 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
364	1 of 1	SE	3.52 / 18,589.21	GARDENLAND TX	TCEQ WELL LOGS

Grid No:	65-20-2S
Date Drilled:	12/21/1978
Owners Name:	GARDENLAND
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	210
Depth Drilled:	366
Latitude:	29.736118
Longtiude:	-95.549378

25

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-20-25
Located on map
Received:

1) OWNER Gardenland (Name) Address Westheimer (Street or RFD) Houston (City) Tex (State) (Zip)

2) LOCATION OF WELL: County Harris 5 miles in S.W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. 2

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 12-21-78

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	

From (ft.)	To (ft.)	Description and color of formation material
0	20'	Sand white
20	40.	Sand Red -
40'	70'	Clay -
75'	95'	Clay Sand.
95	140	Clay -
140	190	Sand
190'	218'	HARD Fine Sand
218	252	Clay Red.
252	291	Sand -
291	326	Clay -
326	366	Sand - T.D.

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☒ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Steel -	0	346	
2½	New	Pvc - WOP -	346	366	12

CEMENTING DATA
Cemented from 0 ft. to 346 ft.
Method used Pressure -
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 210 ft. below land surface Date 12-22-78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 315' ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bufkin Stephen (Type or Print) Water Well Drillers Registration No. 11696
ADDRESS 5725 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)
(Signed) S. Bufkin (Water Well Driller) Bufkin Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Texas Dept. of Water Resources

RECEIVED
AUG 13 1979

RECEIVED
AUG 13 1979
CR/TDWR

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
365	1 of 1	WSW	3.52 / 18,589.50	Bet Ezra, LLC TX	WW HARRIS GAL

Well ID:	13257	**Diameter (inches):**	4
Aggre Lead Well:	13257	**Year Drilled:**	NULL
Permit No:	WP2023-113310	**Depth Drilled:**	0
Permit Start Date:	8/9/2023 2:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025 2:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.751111
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Bet Ezra, LLC		
Billing Contact:	NULL		
Billing Address:	5802 Holly St Ste G		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77074		
Correspondence:	Robert, Su		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
366	1 of 3	ESE	3.52 / 18,608.93	G.W. KUENSTLER TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	05/15/1973
Owners Name:	G.W. KUENSTLER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	176
Depth Drilled:	344
Latitude:	29.7431024
Longtiude:	-95.5427711

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received 83

1) OWNER:
Person having well drilled G. W. Kuenstler (Name) Address 17 E. Rivercrest-Houston, Texas (Street or RFD) (City) (State)

Landowner G. W. Kuenstler (Name) Address 17 E. Rivercrest-Houston, Texas (Street or RFD) (City) (State)
17 E. Rivercrest-Houston, Texas

2) LOCATION OF WELL:
County Harris, miles in direction from (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well X, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic X, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary X, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 4 in. Depth drilled 0 ft. Depth of completed well 344 ft. Date drilled 5-15-73

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Surface White & Red Clay
24	48	Tough Red Clay
48	72	Clay Light Sand Breaks
72	86	Shale
86	114	Sand
114	144	Shale very Sandy
144	183	Sand Top Broken
183	192	Clay Light Rock
192	222	Sand
222	317	Clay Light Sand Breaks
317	344	Sand

(Use reverse side if necessary)

9) Casing: Type: Old, New X, Steel, Plastic, Other
Cemented from 0 ft. to 328 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0		333

10) SCREEN Type Stainless Rod Base
Perforated X, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	333	344	
2½	328	333	.012
2½	318	328	

7) COMPLETION (Check): Straight wall X, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL: Static level 176 ft. below land surface Date 5-15-73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc. 231 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No X
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton - P. O. Box 8707 (Street or RFD) Houston, Texas 77009 (City) (State)

(Signed) R B Lowry (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

E Rivecrest #17
in the City of Houston

Weatherford

RECEIVED
JUN 27 1973
Central Records
Texas Water Development Board

TEXAS WATER DEVELOPMENT BOARD
RECEIVED
MAY 23 1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
366	2 of 3	ESE	3.52 / 18,608.93	GIRAUD & COMPANY TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	11/04/1998
Owners Name:	GIRAUD & COMPANY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	185
Depth Drilled:	400
Latitude:	29.7431024
Longtiude:	-95.5427711

Send original copy by certified return receipt reques to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Giraud + Company (Name) ADDRESS #17 E. Rivercrest (Street or RFD) Houston (City) TX (State) 77042 (Zip)

2) ADDRESS OF WELL'S LOCATION: County Harris #17 E. Rivercrest (Street, RFD or other) Houston (City) TX (State) ~~77354~~ 77042 (Zip) Long. ____ Lat. ____ Grid # 65-12-8

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) X N

6) WELL LOG:
Date Drilling: Started 11-2 1998 Completed 11-4 1998

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7.5	Surface	400

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	40	SANDY CLAY
40	125	SHALE
125	128	ROCK
128	135	SHALE
135	200	SAND / SHALE
200	210	ROCK
210	280	SAND
280	340	SHALE / SAND
340	400	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other Cement
If Gravel Packed give interval from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Sch 40 Casing	0	365	
2.5	N	Liner	360	380	
2.5	N	PVC Slotted Screen	380	400	.010

9) CEMENTING DATA
Cemented from 0 ft. to 380 ft. No. of sacks used 42
____ ft. to ____ ft. No. of sacks used ____
Method used HALLIBURTON
Cemented by Richard Copeland
Distance to septic system field lines or other concentrated contamination +100 ft.
Method of verification of above distance owner

13) [X] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:
2	400	0	400	40 (pallet)

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[ ] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[X] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [ ] Jetted [X] Estimated
Yield: 25 gpm with 12 ft. drawdown after 2 hrs.

11) WATER LEVEL:
Static level 185 ft. below land surface Date 11/4/98
Artesian flow ____ gpm. Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata ____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
2.1/2 K-PACKER	360

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME FLO-RITE, INC. (Type or print) WELL DRILLER'S LICENSE NO. 54223 W

ADDRESS 26211 FM 2978 (Street or RFD) Magnolia (City) Texas (State) 77354 (Zip)

(Signed) [signature] (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
366	3 of 3	ESE	3.52 / 18,608.93	Adrian Villalobos 17 E Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 653065
Date Submitted: 2023-11-10
Owner Name: Adrian Villalobos
Owner Address: 17 E Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.74279
Longitude: -95.54348
Drilling Date Started: 2023-09-18
Drilling Date Completed: 2023-09-21
Chemical Analysis: No
Company Name: Texas Southern Drilling
Company Address: P.O. Box 1168
CompanyAddress2:
Company City: Columbus
Company State: TX
Company Zip: 78934
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=653065&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 430

Top Depth:
Bottom Depth: 430.0

Well Levels

Measurement: 205
Measurement Date: 2023-09-21

Well Strata

Water Type:

Clear

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
367	1 of 2	NNW	3.53 / 18,632.83	Miles Brothers TX	GWDB

Well Rep Track No:	
State Well No:	6512401
Owner Name:	Miles Brothers
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1946
Well Depth:	410
Well Usage:	Unused
Water Level Status:	
Latitude:	29.8163890
Longitude:	-95.6150010
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512401&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512401&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
367	2 of 2	NNW	3.53 / 18,632.83	USGS-294858095365301 TX	FED USGS

Site No:	USGS-294858095365301
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19460101
Well Depth:	410
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-401
Latitude:	29.81638889000000
Longitude:	-95.6150000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
368	1 of 2	SE	3.53 / 18,644.50	BAKER HUGHES INCORPORATED TX	WW HARRIS GAL

Well ID:	1623	**Diameter (inches):**	14
Aggre Lead Well:	1623	**Year Drilled:**	1957
Permit No:	W2000-1623-64658-0	**Depth Drilled:**	681
Permit Start Date:	5/1/2000	**Depth frm Surf(ft):**	428
Permit End Dt:	4/30/2001	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.731944
Regulatory Aarea:	3	**Longitude:**	-95.554444

Owner Name: BAKER HUGHES INCORPORATED
Billing Contact: NULL
Billing Address: P.O. Box 1407 BLDG #5
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77251
Correspondence: J.V. POLNICK
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: I - Industrial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
368	2 of 2	SE	3.53 / 18,644.50	BAKER HUGHES INCORPORATED TX	WW HARRIS GAL

Well ID:	1624	**Diameter (inches):**	10
Aggre Lead Well:	1623	**Year Drilled:**	1971
Permit No:	W2000-1623-64658-0	**Depth Drilled:**	876
Permit Start Date:	5/1/2000	**Depth frm Surf(ft):**	716
Permit End Dt:	4/30/2001	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.731666
Regulatory Aarea:	3	**Longitude:**	-95.554722

Owner Name: BAKER HUGHES INCORPORATED
Billing Contact: NULL
Billing Address: P.O. Box 1407 BLDG #5
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77251
Correspondence: J.V. POLNICK
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: I - Industrial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
369	1 of 2	ESE	3.54 / 18,673.38	MS. JESSICA WANG TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 10/13/1995
Owners Name: MS. JESSICA WANG
County: HARRIS
Water Usage: DOMESTIC
Static Level: 229
Depth Drilled: 410
Latitude: 29.745834
Longtiude: -95.540556

Send original copy by certified mail to: TNRCC, P.O. Box .tin, TX 78711-3087 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER MS. JESSICA WANG (Name) ADDRESS #26 RIVERCREST (Street or RFD) HSTN (City) TX (State) 77092 (Zip)

2) ADDRESS OF WELL: County HARRIS #26 E RIVERCREST (Street, RFD or other) HSTN (City) TX (State) (Zip) GRID # 65-20-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) X

6) WELL LOG:
Date Drilling: Started 10/12/95 Completed 10/13/95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	385
3 7/8	385	410

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	308	RED BLUE GRAY CLAY + SAND STREAKS
308	345	SAND
345	370	CLAY
370	410	SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	385	
2 1/2	N	GALVANIZED	369	390	
2 1/2	N	PVC SCREEN	390	400	.012
2 1/2	N	PVC SCREEN	400	410	.016

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 7
330 ft. to 385 ft. No. of sacks used 3
Method used HALLIBURTON / TRIMME
Cemented by BUSSELL & SON INC
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 229 ft. below land surface Date 10/13/95
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
(2) K-Packers	369

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

RECEIVED FEB 02 1996

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 50 gpm with 20 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO BOX 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig O'Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
369	2 of 2	ESE	3.54 / 18,673.38	Abercrombie Custom Homes #26 E Rivercrest Houston TX 77063	SDRW WELLS

Track NO: 329061
Date Submitted: 2013-07-31
Owner Name: Abercrombie Custom Homes
Owner Address: 730 Post Oak Ste. 110
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77024
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.745834
Longitude: -95.540556
Drilling Date Started: 2013-01-10
Drilling Date Completed: 2013-03-19
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=329061&Type=SDR-Well

Well Borehole Information

Top Depth: 385
Bottom Depth: 407

Top Depth:
Bottom Depth: 407.0

Top Depth: 0
Bottom Depth: 385

Well Levels

Measurement: 179
Measurement Date: 2013-01-17

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
370	1 of 1	WSW	3.54 / 18,681.09	D.C. MCCAULEY TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	04/30/1993
Owners Name:	D.C. MCCAULEY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	87
Depth Drilled:	349
Latitude:	29.7506231
Longtiude:	-95.6449303

original copy by certified mail to: **Texas Water Commission, P.O. Box 13087, Austin, Texas 78711**

Please use black ink.

..TENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER DC McCauley (Name) ADDRESS 1718 Hwy. 6 South Houston TX (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris . 10 miles in SE (NE, SW, etc.) direction from Katy (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ SEE ATTACHED MAP #18 on map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 4-29 19 93 Completed 4-30 19 93

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	349

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Pressure Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	17	Clay
17	23	Red Sand
23	35	Red Clay
35	39	Sand
39	106	Clay
106	113	Sand
113	137	Clay
137	157	Sand
157	160	Clay
160	194	Sand
194	203	Clay
203	260	Sand
260	266	Clay
266	349	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC SCH-40	0	339	
2½	N	PVC SCH-80 W/Jacco	339	349	.014
2½	N	PVC SCH-40 BLANK	329	339	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 339 ft. to 50 ft. No. of Sacks Used 16
0 ft. to 15 ft. No. of Sacks Used 10
Method used Halliburton
Cemented by Driller

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

WELL TESTS:
Test: ☐ Pump ☐ Baller ☑ Jetted ☑ Estimated
Yield: 75 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 87 ft. below land surface Date 4-30-93
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

12) PACKERS:

Type	Depth
4"x2½" RxR BP Rubber	329'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Waller County Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 02216W

ADDRESS Rt. 1 Box 409 (Street or RFD) Hockley (City) TX (State) 77447 (Zip)

(Signed) Donald B Robinson (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WC-0199 (Rev. 05-18-90) (65-11-9) TEXAS WATER COMMISSION COPY 204806

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
371	1 of 3	ENE	3.54 / 18,689.40	City of Houston Spring Woods TX	GWDB

Well Rep Track No:
State Well No: 6512601
Owner Name: City of Houston Spring Woods
Drilling Start Dt:
Drilling Month: 9
Drilling Day: 14
Drilling Year: 1956
Well Depth: 642
Well Usage: Unused
Water Level Status:
Latitude: 29.7972220
Longitude: -95.5408340
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512601&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512601&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
371	2 of 3	ENE	3.54 / 18,689.40	CITY OF HOUSTON TX	WUD

St Well No:	6512601
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PZ
Date Drilled:	09/14/1956
Well Depth:	642
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.797171
Longitude:	-95.540778
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
371	3 of 3	ENE	3.54 / 18,689.40	Houston, City of TX	WW HARRIS GAL

Well ID:	1031	**Diameter (inches):**	10
Aggre Lead Well:	1031	**Year Drilled:**	1956
Permit No:	W1978-1031-31-0	**Depth Drilled:**	642
Permit Start Date:	11/30/1953	**Depth frm Surf(ft):**	555
Permit End Dt:	11/30/1953	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.796666
Regulatory Aarea:	3	**Longitude:**	-95.541111

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	NULL
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
372	1 of 1	ESE	3.55 / 18,757.04	LARRY MARTIN TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	03/06/2002
Owners Name:	LARRY MARTIN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	439
Latitude:	29.742384
Longtiude:	-95.54277

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: MARTIN, LARRY ADDRESS: 15 E RIVERCREST CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-20-2
Street or RFD: 15 E RIVERCREST
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 23816

DATE DRILLING:
STARTED: 02/27/02
COMPLETED: 03/06/02

DIAMETER OF HOLE		
DIAMETER	FROM	TO
8.5	0	439

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5	N	PVC CASING	0	416	SDR17
2.5	N	GALVANIZED LINER	397	419	WW
2.5	N	S/S PIPE BASE SCREEN	419	439	06,10

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	84	CLAY
84	97	SAND
97	118	CLAY
118	127	SAND
127	162	CLAY
162	186	SAND
186	207	CLAY
207	228	SAND
228	327	CLAY
327	351	SAND
351	357	CLAY
357	400	SAND
400	402	CLAY
402	439	SAND

9) CEMENTING DATA:
Cemented from 416 FT. TO 0 FT. No. of Sacks Used 30
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
SLAB

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 03/06/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P SEAL 397

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 60 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 37 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4885
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

[signed] Roger Mora (LICENSED WATER WELL DRILLER) [signed] Arturo Barrera (REGISTERED DRILLER TRAINEE)

RECEIVED
JUN 03 2002

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
373	1 of 1	ESE	3.56 / 18,796.05	JIMMY THOMAS TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 05/20/1993
Owners Name: JIMMY THOMAS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 210
Depth Drilled: 415
Latitude: 29.7451826
Longtiude: -95.5405497

Send original copy by certified mail to: Texas Water Commi... P.O. Box 13087, Austin, Texas 78711 (2) Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Jimmy Thomas (Name) ADDRESS #24 E. Rivercrest (Street or RFD) Houston (City) TX (State) 77042 (Zip)

2) LOCATION OF WELL: #24 EAST RIVERCREST
County HARRIS ____ miles in ____ (NE, SW, etc.) direction from ____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 5-19 19 93 Completed 5-20 19 93

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	380
3 7/8	380	415

From (ft.)	To (ft.)	Description and color of formation material
0	18	Top Soil & Clay
18	21	Surface, Sand
21	50	Clay
50	78	Sand
78	115	Clay
115	131	Sandy Clay
131	138	Sand
138	149	Clay
149	184	Sand
184	190	Clay

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	Galvanized	0	380	
3 1/2	N	Galvanized	374	395	
2 1/2	N	SSRB	395	415	.014

RECEIVED
JUN 24 1993
TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 18 ft. No. of Sacks Used 8
Cemented from 233 ft. to 380 ft. No. of Sacks Used 6
Method used Halliburton / Trimmie
Cemented by Russell & Son Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 210 ft. below land surface Date 5/20/93
Artesian flow ____ gpm. Date ____

12) PACKERS: Type K-Packer Depth 374

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☐ Jetted ☑ Estimated
Yield: 40 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Russell & Son Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Russell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. ____ Located on map ____

WWD-012 (Rev. 05-18-90) TEXAS WATER COMMISSION COPY

(65-20-2) 204770

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
190	219	SAND
219	226	CLAY
226	278	Sand
278	285	Sandy CLAY
285	295	Sand
295	308	CLAY & SAND STRATA
308	345	SAND
345	353	CLAY
353	380	Sandy CLAY
380	415	Sand

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
374	1 of 2	SW	3.56 / 18,811.49	WESTHEIMER STABLES TX	TCEQ WELL LOGS

Grid No:	65-19-3T
Date Drilled:	10/31/1977
Owners Name:	WESTHEIMER STABLES
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	140
Depth Drilled:	228
Latitude:	29.7352111
Longtiude:	-95.6331975

4887

65-19-3T

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3T
Located on map
Received: 12/

db

1) OWNER:
Person having well drilled Westheimer Stables (Name) Address 12601 Westheimer (Street or RFD) Houston, TX (City) (State)
Landowner XXXXXXXXXXXXXXXX (Name) Same Address 13250 Westheimer (Street or RFD) HOuston, TX (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
(X) See Map Attached
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 213 ft. Depth of completed well 228 ft. Date drilled 10-31-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	8	Surface-black
8	15	yellow clay
15	20	red clay
20	38	white & yellow clay
38	45	sand & clay
45	92	red clay
92	100	grey clay
100	124	sand
124	135	clay-blue, gray & yellow
135	150	clay-white & limestone
150	206	clay-red & white
206	228	sand 16 ga.

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 213 up ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	1'	213	40

10) SCREEN:
Type Well Supplies, Inc. Plastic Wrapped
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	218	228	14 ga.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 140 ft. below land surface Date 10-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. TDL 774

ADDRESS 10011 Airline Dr. (Street or RFD) Houston, (City) Texas (State)

(Signed) C.A. Raymond Jr. (Water Well Driller) RAYMOND WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-6


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



JAN 25 '79

CR/TDWR

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
374	2 of 2	SW	3.56 / 18,811.49	Westheimer BPI Limited TX	WW HARRIS GAL

Well ID:	8252	**Diameter (inches):**	4
Aggre Lead Well:	8252	**Year Drilled:**	2000
Permit No:	W2013-8252-163687-0	**Depth Drilled:**	0
Permit Start Date:	12/31/2012	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2012	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.736111
Regulatory Aarea:	3	**Longitude:**	-95.628055
Owner Name:	Westheimer BPI Limited		
Billing Contact:	NULL		
Billing Address:	3800 Southwest Freeway, Suite 304		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	BPI Realty Services		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
375	1 of 1	SE	3.57 / 18,856.07	Chris Simms Custom Homes TX	SDRW WELLS

Track NO: 336372
Date Submitted: 2013-08-19
Owner Name: Chris Simms Custom Homes
Owner Address: 1 Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77040
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.744445
Longitude: -95.546667
Drilling Date Started: 2011-12-09
Drilling Date Completed: 2011-12-14
Chemical Analysis: No
Company Name:
Company Address:
CompanyAddress2:
Company City:
Company State:
Company Zip:
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=336372&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 421.0

Top Depth: 0
Bottom Depth: 390

Top Depth: 390
Bottom Depth: 421

Well Levels

Measurement: 200
Measurement Date: 2011-12-12

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
376	1 of 1	WSW	3.57 / 18,858.27	REPUBLIC OF TEX. LAND DEVEL INC. TX	TCEQ WELL LOGS

Grid No: 65-11-9L
Date Drilled: 07/06/1981
Owners Name: REPUBLIC OF TEX. LAND DEVEL INC.
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 131
Depth Drilled: 237
Latitude: 29.7494682
Longtiude: -95.6449304

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-9L
Located on map 16S
Received: 8-25-82

1) OWNER Republic of Tex. Land Devel. Inc. (Name) Address 1830 Hwy. 6 South (Street or RFD) Houston (City) Texas (State) 77077 (Zip)

2) LOCATION OF WELL:
County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☒ See attached map. Mapsco 65-11-9BB

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled July 3 & 6 1981

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	220
3 7/8	220	237

From (ft.)	To (ft.)	Description and color of formation material
0	5	Black Gumbo
5	49	Red Clay
49	56	Blue Clay
56	71	Sand
71	110	Red Clay
110	115	Blue Clay
115	196	Sand'
196	212	Blue Clay
212	237	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Dual String
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	+1	220	40
2½	N	PVC Screen	222	237	80
2½	N	PVC Liner	222	218	80

CEMENTING DATA
Cemented from 220 ft. to 120 ft.
Method used mud pump
Cemented by self (Company or Individual)

9) WATER LEVEL:
Static level 131 ft. below land surface Date July 6--81
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

RECEIVED
AUG 30 1982
DEPT. OF
WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 189 ft.

(Use reverse side if necessary) 294-15

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Randel S. Johnson (Type or Print) Water Well Drillers Registration No. 1807


ADDRESS 8933 Talcott Ln. (Street or RFD) Houston (City) Texas (State) 77049 (Zip)

(Signed) ____ (Water Well Driller) Johnson's Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
377	1 of 1	WNW	3.57 / 18,862.13	WOLFE CONSTRUCTION CO TX	TCEQ WELL LOGS

Grid No: 65-11-9E
Date Drilled: 10/27/1977
Owners Name: WOLFE CONSTRUCTION CO
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 126
Depth Drilled: 243
Latitude: 29.7877193
Longtiude: -95.6478648

65-11-9E Dup

nd original copy by
rtified mail to the
xas Water Development Board
O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9E
Located on map
Received: 78
acb

)OWNER:
Person having well drilled Wolfe Construction Col. (Name) Address 20 Briar Hollow Ln. (Street or RFD) Houston (City) TX (State)

Landowner Same (Name) Address HW 6 & Katy Freeway (Street or RFD) (City) (State)

)LOCATION OF WELL:
County Harris, 18 miles in NW (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

See reverse side for map.

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

)TYPE OF WORK (Check):
New Well X | Deepening | Reconditioning | Plugging

4)PROPOSED USE (Check):
Domestic | Industrial X | Municipal | Irrigation | Test Well | Other

5)TYPE OF WELL (Check):
Rotary X | Driven | Dug | Cable | Jetted | Bored

)WELL LOG:
Diameter of hole 4 in. Depth drilled 0 ft. Depth of completed well 243 ft. Date drilled 10/27/77

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Topsoil, Clay & Sand
24	48	Sand & Clay
48	72	Clay
72	96	Clay, Sand & Clay
96	120	Clay, Sand & Clay
120	144	Clay, Sand & Clay
144	168	Clay & Sand
168	192	Sand, Clay & Sand
192	216	Broken Sand & Clay
216	240	Clay, Sand & Gravel
240	243	Sand & Clay 2'

(Use reverse side if necessary)

9) Casing:
Type: Old | New X | Steel X | Plastic | Other

Cemented from 0 ft. to 230 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	230	sch 40

10) SCREEN:
Type Stainless steel rodbase

Perforated X | Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	233	243	#12

7) COMPLETION (Check):
Straight wall X | Gravel packed | Other
Under reamed | Open Hole

8) WATER LEVEL:
Static level 126 ft. below land surface Date 10/27/77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes | No X If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes | No X
Did any strata contain undesirable water? Yes | No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 1327 Aldine Mail Rd. (Street or RFD) P.O. Box 8707 (City) Houston (State) Tx 77009

(Signed) R. B. Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDB-WD-6


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
NOV 2 1978
Central Records
Texas Dept. of Water Resources

RECEIVED
JUL - 6 1978
DEPT. OF
WATER RESOURCES

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
378	1 of 1	WSW	3.57 / 18,870.03	HALIBURTON LOGGING SERV TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	05/06/1991
Owners Name:	HALIBURTON LOGGING SERV
County:	HARRIS
Water Usage:	TEST PIT
Static Level:	NOT REPORTED
Depth Drilled:	350
Latitude:	29.7447394
Longtiude:	-95.642033

STATE OF TEXAS WATER WELL REPORT

1) OWNER: HALIBURTON LOGGING SERV. ADDRE... 2135 HIGHWAY 6 SOUTH CITY: HOUSTON STATE: TX ZIP: -
2) LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: TEST PIT 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00458 DIAMETER OF HOLE DIAMETER FROM TO: 20 0 350 7) BOREHOLE METHOD: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
DATE DRILLED: 05/06/91 FROM FT. TO FT.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
16	U	STEEL,USED,BLACK	0	350	.322

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	2	SOIL
2	85	CLAY-WHITE CLAY-BROWN CLAY-RED
85	111	BROKEN SAND & CLAY
111	118	CLAY-RED
118	250	SAND-TAN-.010-.012 SAND-TAN-.014-.020 GRAVEL
250	260	CLAY-WHITE
260	320	SAND-TAN-.014-.020 GRAVEL
320	330	SHALE
330	340	GRAVEL
340	361	SHALE

RECEIVED
SEP 12 1991
TEXAS WATER COMMISSION

9) CEMENTING DATA:
Cemented from 0 FT. TO 350 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: HALIBURTON

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : FT. DATE:
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
NONE
DEPTH TO PUMP:

14) WELL TEST:
NONE
YIELD: GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: NONE DEPTH OF STRATA: 350 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED


COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) _____ (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)

CWB
198531


LEGEND
HALIBURTON
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
PREPARED BY THE
TEXAS STATE HIGHWAY DEPARTMENT
PLANNING AND RESEARCH DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
SCALE
1973
1970 CENSUS FIGURES
HIGHWAYS REVISED AS JANUARY 1, 1973
CWB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
379	1 of 1	ESE	3.58 / 18,924.13	Torres, Ignacio & Isabelle 13 E Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 183688
Date Submitted: 2009-06-23
Owner Name: Torres, Ignacio & Isabelle
Owner Address: 13 E Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.750834
Longitude: -95.544722
Drilling Date Started: 2009-06-04
Drilling Date Completed: 2009-06-06
Chemical Analysis: No
Company Name: O'Day Drilling Company, Inc
Company Address: 5923 CR 931
CompanyAddress2:
Company City: Rosharon
Company State: TX
Company Zip: 77583
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=183688&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 396

Top Depth:
Bottom Depth: 396.0

Well Levels

Measurement: 200
Measurement Date:

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
380	1 of 1	ESE	3.58 / 18,928.59	Mike Puejol #22 East Rivercrest Houston TX	SDRW WELLS

Track NO: 170607
Date Submitted: 2009-03-10
Owner Name: Mike Puejol
Owner Address: #22 East Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.744445
Longitude: -95.541111
Drilling Date Started: 2004-04-19
Drilling Date Completed: 2004-04-19
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: P.O. Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=170607&Type=SDR-Well

Well Borehole Information

Top Depth: 400
Bottom Depth: 420

Top Depth: 0
Bottom Depth: 420

Top Depth:
Bottom Depth: 420.0

Well Levels

Measurement: 197
Measurement Date: 2004-04-21

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
381	1 of 1	WSW	3.59 / 18,933.37	Frank, Angelo TX	WW HARRIS GAL

Well ID:	5525	**Diameter (inches):**	4
Aggre Lead Well:	5525	**Year Drilled:**	1996
Permit No:	WP2023-116539	**Depth Drilled:**	200
Permit Start Date:	9/26/2023 10:46:32 AM	**Depth frm Surf(ft):**	140
Permit End Dt:	9/30/2024 10:46:39 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.748888
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Fulshear Enterprises LLC		
Billing Contact:	NULL		
Billing Address:	1900 Hwy 6 S		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	1 of 9	ENE	3.59 / 18,949.85	TX	GWDB

Well Rep Track No:
State Well No: 6512944
Owner Name:
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year:
Well Depth: 252
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.7858340
Longitude: -95.5352780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512944&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512944&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	2 of 9	ENE	3.59 / 18,949.85	MITCH ZANSKI TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	01/16/1988
Owners Name:	MITCH ZANSKI
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	205
Depth Drilled:	305
Latitude:	29.7867819
Longtiude:	-95.534129

KM450 x - KM490 B

Bunker Hill

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Mitch Zaski (Name) Address Bunker Hill (Street or RFD) Houston (City) Tx. (State) (Zip)

2) LOCATION OF WELL: County Harris 4 miles in S. W. (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. ON 65-12-3

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started Jan 12 19 88 Completed Jan 16 19 88

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6 3/4	Surface	250
	4 1/2	250	305

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other Two Strings
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	5	Sandy Soil
5	38	Clay
38	48	Sand
48	125	Clay
125	131	Sand
131	195	Clay
195	215	Sand
215	270	Clay
270	305	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	250	40
2½	N	Liner	250	290	40
2½	N	Screen Energle	290	305	80

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
200 ft. to 250 ft. No. of Sacks Used 12
Method used Pressure
Cemented by Cowan

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 205 ft. below land surface Date Jan 16 88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 270' ft.

14) WELL TESTS:
Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata 35
Was a chemical analysis made? ☐ Yes ☑ No

RECEIVED
DEC 1 8 1988
TEXAS WATER COMMISSION

(Use reverse side if necessary)

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Coastal Water Well (Type or Print) Water Well Driller's License No. 512

ADDRESS P.O. Box 745 Pontin (Street or RFD) (City) Tx 77365 (State) (Zip)

(Signed) H.L. Gichard (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 20-12-6
Located on map _____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	3 of 9	ENE	3.59 / 18,949.85	SOUTH TEXAS STONE TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 08/01/1978
Owners Name: SOUTH TEXAS STONE
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 215
Depth Drilled: 413
Latitude: 29.7867819
Longtiude: -95.534129

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No.
Located on map NO
Received: 7/80

South Texas Stone P. O. Box 19074 Houston, Tx. 77024

1) OWNER Mr. Amundsen (Name) Address 9710 Old Katy Rd. (Street or RFD) Houston (City) Tx. (State) 77055 (Zip)

2) LOCATION OF WELL: County Harris, 7 miles in E (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled 8/1/78

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	413

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____ If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	154	Clay
154	170	Sand
170	266	Clay
266	281	Sand
281	306	Clay
306	329	Sand
329	344	Clay
344	359	Sand
359	388	Clay
388	413	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4	N	Galv.	0	384	40	
2 1/2	N	PVC	369	389		
2 1/2	N	Everflo	389	409		20

CEMENTING DATA
Cemented from 12 Sacks ft. to ____ ft.
Method used Pressure
Cemented by O'Day Drilling Co., Inc. (Company or Individual)

9) WATER LEVEL:
Static level 215 ft. below land surface Date 8/3/78
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 315 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 39 gpm with ____ ft. drawdown after ____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Orlen O'Day (Type or Print) Water Well Drillers Registration No. 786

ADDRESS P. O. Box 162 (Street or RFD) Pearland (City) Texas (State) 77581 (Zip)

(Signed) Orlen O'Day (Water Well Driller) O'Day Drilling Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	4 of 9	ENE	3.59 / 18,949.85	B.P. CONSTRUCTION TX	TCEQ WELL LOGS

Grid No:	65-11-9A
Date Drilled:	12/20/1977
Owners Name:	B.P. CONSTRUCTION
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	127
Depth Drilled:	267
Latitude:	29.7867819
Longtiude:	-95.534129

51

65-11-9A Dup

nd original copy by
rtified mail to the
xas Water Development Board
. O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-94
Located on map
Received: 7-9-77

1) OWNER:
Person having well drilled B.P. Construction (Name) Address 9714 Old Kity (Street or RFD) Houston (City) TX (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL: Old Kity Rd
County Harris 9714 Harris Co. 14 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

#51
map on 60-60-1KK
North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 250 ft. Depth of completed well 267 ft. Date drilled 12/20/77
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Top Soil
4	250	Unconsolidated Sandgravel
250	267	Sand

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 200 ft. to 250 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	250	Sch 40

10) SCREEN:
Type W/W
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	247	267	.016ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 127 ft. below land surface Date 12/20/77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 168 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME TOMMY C RUSSELL (Type or Print) Water Well Drillers Registration No. 707
ADDRESS 9735 N. Houston-Ross Lyn (Street or RFD) Houston (City) TX (State)
(Signed) Tommy C Russell (Water Well Driller) Russell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	5 of 9	ENE	3.59 / 18,949.85	DANIEL INDUSTRIES, INC. TX	WW HARRIS GAL

Well ID:	1880	**Diameter (inches):**	4
Aggre Lead Well:	1878	**Year Drilled:**	1962
Permit No:	W1992-1878-39909-0	**Depth Drilled:**	392
Permit Start Date:	5/1/1992	**Depth frm Surf(ft):**	322
Permit End Dt:	4/30/1993	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785277
Regulatory Aarea:	3	**Longitude:**	-95.535277
Owner Name:	DANIEL INDUSTRIES, INC.		
Billing Contact:	RALPH CLEMONS		
Billing Address:	P.O. Box 19097		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	6 of 9	ENE	3.59 / 18,949.85	Daniel Industries, Inc. TX	WW HARRIS GAL

Well ID:	1879	**Diameter (inches):**	4
Aggre Lead Well:	1879	**Year Drilled:**	1962
Permit No:	W2005-1879-117908-0	**Depth Drilled:**	328
Permit Start Date:	6/1/2005	**Depth frm Surf(ft):**	258
Permit End Dt:	6/1/2005	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.786111
Regulatory Aarea:	3	**Longitude:**	-95.535277
Owner Name:	Daniel Industries, Inc.		
Billing Contact:	Dan Engerran		
Billing Address:	P.O. Box 19097		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77224		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	7 of 9	ENE	3.59 / 18,949.85	Daniel Industries, Inc. TX	WW HARRIS GAL

Well ID:	8334	**Diameter (inches):**	5
Aggre Lead Well:	1879	**Year Drilled:**	
Permit No:	W2005-1879-117908-0	**Depth Drilled:**	550
Permit Start Date:	6/1/2005	**Depth frm Surf(ft):**	520
Permit End Dt:	6/1/2005	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.785833
Regulatory Aarea:	3	**Longitude:**	-95.535277
Owner Name:	Daniel Industries, Inc.		
Billing Contact:	Dan Engerran		
Billing Address:	P.O. Box 19097		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77224		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	8 of 9	ENE	3.59 / 18,949.85	South Texas Stone Co. TX	WW HARRIS GAL

Well ID:	9499	**Diameter (inches):**	4
Aggre Lead Well:	9499	**Year Drilled:**	
Permit No:	W2004-9499-113369-0	**Depth Drilled:**	50
Permit Start Date:	6/1/2004	**Depth frm Surf(ft):**	40
Permit End Dt:	6/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785555
Regulatory Aarea:	3	**Longitude:**	-95.531944
Owner Name:	South Texas Stone Co.		
Billing Contact:	NULL		
Billing Address:	14110 Old Katy Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
382	9 of 9	ENE	3.59 / 18,949.85	Daniel Industries, Inc. TX	WW HARRIS GAL

Well ID:	1878	**Diameter (inches):**	6
Aggre Lead Well:	1878	**Year Drilled:**	1975
Permit No:	W2000-1878-64023-0	**Depth Drilled:**	600
Permit Start Date:	1/12/2000	**Depth frm Surf(ft):**	520
Permit End Dt:	11/8/2000	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785555
Regulatory Aarea:	3	**Longitude:**	-95.535
Owner Name:	Daniel Industries, Inc.		
Billing Contact:	Dan Engerran		
Billing Address:	P.O. Box 19097		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77224		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
383	1 of 3	WSW	3.60 / 18,996.51	CAMERON KREAGER TX	TCEQ WELL LOGS

Grid No: 65-19-3
Date Drilled: 11/27/1996
Owners Name: CAMERON KREAGER
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 290
Latitude: 29.7485903
Longtiude: -95.644925

JOB IS NOT COMPLETED 2-16-96

Send original copy by certified mail to: TNRCC, P.O. Box [illegible]7, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER CAMERON KREAGER (Name) ADDRESS 1900 HWY 6 (Street or RFD) HOU. (City) TEX (State) 77077 (Zip)

2) ADDRESS OF WELL: County HARRIS SAME (Street, RFD or other) (City) (State) (Zip) GRID # 65-19-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 11-27 19 96 Completed ____ 19 ____

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	290

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

N

From (ft.)	To (ft.)	Description and color of formation material
0	40	clay
40	70	sand
70	110	clay
110	175	sand
175	190	clay
190	225	sand
225	247	clay
247	290	sand

RECEIVED FEB 27 1996 TEXAS WATER DEVELOPMENT BOARD CONSERVATION COMMISSION

(Use reverse side if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 STRING
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	280	

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 280 ft. to 80 ft. No. of sacks used 15
0 ft. to 10 ft. No. of sacks used 8
Method used HALIBURTON
Cemented by SCOTT WATER WELL SER. INC.
Distance to septic system field lines or other concentrated contamination 75 ft.
Method of verification of above distance VISUAL

RECEIVED MAR 21 1996 TEXAS WATER DEVELOPMENT BOARD CONSERVATION COMMISSION

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level ____ ft. below land surface Date ____
Artesian flow ____ gpm. Date ____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS: Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839

ADDRESS 11915 GREEN PINE CIRCLE HOUSTON, TEXAS 77066 (Street or RFD) (City) (State) (Zip)

(Signed) Scott Robinson JR (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
383	2 of 3	WSW	3.60 / 18,996.51	CAMERON KREAGER TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	03/08/1996
Owners Name:	CAMERON KREAGER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	170
Depth Drilled:	295
Latitude:	29.7485903
Longtiude:	-95.644925

Send original copy by certified mail to: TNRCC, P.O. Box ', Austin, TX 78711-3087 — *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER CAMERON KREAGER (Name) ADDRESS 1900 HWY 6 HOU. TX. 77077 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS SAME (Street, RFD or other) (City) (State) (Zip) GRID # 65-19-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 11/27 19 95 Completed 3/8 19 96

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	295

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

N

From (ft.)	To (ft.)	Description and color of formation material
0	40	clay
40	70	sand
70	110	clay
110	175	sand
175	190	clay
190	225	sand
225	247	clay
247	295	sand

RECEIVED MAR 27 1996 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

(Use reverse side if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	280	
2½	N	PVC LINER	275	285	
2½	N	PVC SCREEN	285	295	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 280 ft. to 80 ft. No. of sacks used 15
0 ft. to 10 ft. No. of sacks used 8
Method used HALIBURTON
Cemented by SCOTT WATER WELL SER. INC.
Distance to septic system field lines or other concentrated contamination 75 ft.
Method of verification of above distance VISUAL

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 170 ft. below land surface Date 3/8/96
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-PACKER	275

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other
Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839

ADDRESS 11915 GREEN PINE CIRCLE (Street or RFD) HOUSTON, TEXAS (City) (State) 77066 (Zip)

(Signed) Scott Robinson jr (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

198529

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
383	3 of 3	WSW	3.60 / 18,996.51	Aivazian, George TX	WW HARRIS GAL

Well ID:	7054	**Diameter (inches):**	4
Aggre Lead Well:	7054	**Year Drilled:**	
Permit No:	W2012-7054-157417-0	**Depth Drilled:**	150
Permit Start Date:	12/31/2011	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2011	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.748333
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Aivazian, George		
Billing Contact:	NULL		
Billing Address:	1910 State Highway 6		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
384	1 of 2	SE	3.60 / 19,013.91	J. A. Ralmuto TX	GWDB

Well Rep Track No:	
State Well No:	6520206
Owner Name:	J. A. Ralmuto
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1954
Well Depth:	358
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7388890
Longitude:	-95.5444450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520206&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520206&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
384	2 of 2	SE	3.60 / 19,013.91	Limon, Philip TX	WW HARRIS GAL

Well ID:	12487	**Diameter (inches):**	4
Aggre Lead Well:	12487	**Year Drilled:**	NULL
Permit No:	WP2024-104226	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 3:09:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	4/30/2025 3:09:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.738888
Regulatory Aarea:	3	**Longitude:**	-95.544722
Owner Name:	Limon, Philip		
Billing Contact:	NULL		
Billing Address:	6 West Rivercrest Dr		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
385	1 of 1	NNE	3.60 / 19,028.51	TARRANT DISTRIBUTORS TX	WW HARRIS GAL

Well ID:	2067	**Diameter (inches):**	16
Aggre Lead Well:	2067	**Year Drilled:**	1971
Permit No:	W1994-2067-45154-0	**Depth Drilled:**	542
Permit Start Date:	6/1/1994	**Depth frm Surf(ft):**	400
Permit End Dt:	5/31/1995	**County:**	H
Well Status:	4 - No electric or plumbing or motor	**Latitude:**	29.820555
Regulatory Aarea:	3	**Longitude:**	-95.5675
Owner Name:	TARRANT DISTRIBUTORS		
Billing Contact:	JOHN M. JOHNSON		
Billing Address:	P.O. Box 800968		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77280		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
386	1 of 1	SE	3.61 / 19,045.49	Mrs. Nellie E. Rodgers TX	GWDB

Well Rep Track No:	
State Well No:	6520214
Owner Name:	Mrs. Nellie E. Rodgers
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1913
Well Depth:	100
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7272220
Longitude:	-95.5602780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520214&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520214&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
387	1 of 1	ESE	3.61 / 19,050.41	MR. W.B. SPENCER TX	TCEQ WELL LOGS

Grid No:	65-20-2P
Date Drilled:	04/22/1981
Owners Name:	MR. W.B. SPENCER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	203
Depth Drilled:	345
Latitude:	29.741027
Longtiude:	-95.542741

W.L. # 104 Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-7P
Located on map Yes
Received: RLW

1) OWNER Mr. W.B. Spencer (Name) Address #11 E. Rivercrest Dr. (Street or RFD) Houston (City) Texas (State) 77042 (Zip)

2) LOCATION OF WELL: #11 E. Rivercrest
County Harris 12 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. Map On 60-57-35

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 4/22/81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4		345'

From (ft.)	To (ft.)	Description and color of formation material
0	12	Top Soil + Clay
12	18	S Sand
18	76	Clay
76	139	Sand
139	217	Clay
217	239	Sand
239	292	Clay
292	310	Sand
310	322	Clay
322	345	Sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Plastic	0	330	
2"	N	Plastic	335	345	.016

CEMENTING DATA
Cemented from 280 ft. to 330 ft.
Method used Haliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 203' ft. below land surface Date 4/23/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 40 gpm with 18 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. #2035

ADDRESS 9739 N. Houston-Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
388	1 of 3	WSW	3.61 / 19,070.93	WEST OAKS AUTO PLAZA/DAVE WARD TX	TCEQ WELL LOGS

Grid No: 65-11-9
Date Drilled: 01/19/2000
Owners Name: WEST OAKS AUTO PLAZA/DAVE WARD
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 170
Depth Drilled: 301
Latitude: 29.748137
Longtiude: -95.644927

Send original copy by certified return receipt requested mail TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-308

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER: West Oaks Auto Plaza/ Dave Ward (Name) ADDRESS: 1918 Hwy. 6 South, Houston, TX 77077 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris — 1918 Hwy. 6 South, Houston, TX 77077 (Street, RFD or other) (City) (State) (Zip) GRID # 65-11-9

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [X] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 1-18 19 2000 Completed 1-19 19 2000

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	301

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	15	Clay
15	49	Sand
49	143	Clay
143	158	Sand
158	163	Clay
163	252	Sand
252	271	Clay
271	301	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other Press. Cemented
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC SCH-40 Casing	0	290	
2.5	N	PVC SCH-40 Liner	280	290	
2.5	N	PVC SCH-80 JaycoWOP	290-	300	.010

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 301 ft. to 150 ft. No. of sacks used 12
0 ft. to 10 ft. No. of sacks used 10
Method used Halliburton
Cemented by Driller
Distance to septic system field lines or other concentrated contamination 85 ft.
Method of verification of above distance to Holding Tanks Measurement

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 170 ft. below land surface Date 1-19-2000
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
4"x2½" RxR	B.P. Seal 281'

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other
Depth to pump bowls, cylinder, jet, etc., 260 ft.

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 60 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME: Waller County Water Wells, Inc. (Type or print) WELL DRILLER'S LICENSE NO. #50223WP

ADDRESS: 27742 Rice Rd. (Street or RFD) Hockley, (City) Texas (State) 77447 (Zip)

(Signed) Eugene Ruiner Jr. (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
388	2 of 3	WSW	3.61 / 19,070.93	Sportline Motors TX	WW HARRIS GAL

Well ID:	8100	**Diameter (inches):**	4
Aggre Lead Well:	8100	**Year Drilled:**	2000
Permit No:	WP2022-107629	**Depth Drilled:**	300
Permit Start Date:	6/8/2022 12:12:00 PM	**Depth frm Surf(ft):**	280
Permit End Dt:	11/30/2023 12:12:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.748333
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Sportline Motors		
Billing Contact:	Donny Veliz		
Billing Address:	1918 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; DF9 - Alternative water source is available and the permittee must convert to the alternative supply or pay disincentive fee for all groundwater withdrawals in excess of 20% of permittee's total water demand. Permittee has elected to pay the disincentive fee each permit term in lieu of conversion.		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
388	3 of 3	WSW	3.61 / 19,070.93	KD and DJ, LLC dba Harveys' The Dam Ice House TX	WW HARRIS GAL

Well ID:	10481	**Diameter (inches):**	4
Aggre Lead Well:	10481	**Year Drilled:**	2006
Permit No:	W2014-10481-169581-0	**Depth Drilled:**	1
Permit Start Date:	12/31/2013	**Depth frm Surf(ft):**	NULL
Permit End Dt:	12/31/2013	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.750555
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	KD and DJ, LLC dba Harveys' The Dam Ice House		
Billing Contact:	Kathleen Harvey		
Billing Address:	1718 S. Highway 6		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
389	1 of 1	ESE	3.61 / 19,071.78	Steve Decker Roy Whitley 20A East Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 105729
Date Submitted: 2007-03-05
Owner Name: Steve Decker Roy Whitley
Owner Address: 20 A East Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.743889
Longitude: -95.540278
Drilling Date Started: 2007-02-28
Drilling Date Completed: 2007-03-05
Chemical Analysis: No
Company Name: Ballard Water Well
Company Address: P. O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=105729&Type=SDR-Well

Well Borehole Information

Top Depth: 400
Bottom Depth: 420

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 420.0

Well Levels

Measurement: 200
Measurement Date: 2007-03-05

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
390	1 of 1	NNE	3.62 / 19,097.93	Authur Nichols Co. TX	GWDB

Well Rep Track No:	
State Well No:	6512514
Owner Name:	Authur Nichols Co.
Drilling Start Dt:	
Drilling Month:	3
Drilling Day:	18
Drilling Year:	1970
Well Depth:	366
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.8205550
Longitude:	-95.5702780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512514&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512514&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
391	1 of 3	S	3.63 / 19,156.63	Superior Oil Co. TX	GWDB

Well Rep Track No:	
State Well No:	6520117
Owner Name:	Superior Oil Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1967
Well Depth:	515
Well Usage:	Irrigation
Water Level Status:	
Latitude:	29.7183330
Longitude:	-95.6008340
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520117&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520117&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
391	2 of 3	S	3.63 / 19,156.63	LIVING WINDOWS TX	TCEQ WELL LOGS

Grid No:	65-20-1R
Date Drilled:	01/30/1978
Owners Name:	LIVING WINDOWS
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	160
Depth Drilled:	264
Latitude:	29.7192702
Longtiude:	-95.5957246

RECEIVED
AUG - 9 1979

65 201R

and original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

Texas Dept. of Water Resources

For TWDB use only
Well No. 65-20-1R
Located on map
Received: 8-9-79

1)OWNER:
Person having well drilled Living Windows (Name) Address Old Westheimer Rd. (Street or RFD) Houston (City) TX (State)

Landowner same (Name) Address (Street or RFD) (City) (State)

2)LOCATION OF WELL:
County Harris, miles in direction (N.E., S.W., etc.) from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

scale map attached
See reverse side.

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3)TYPE OF WORK (Check):
New Well XX Deepening
Reconditioning Plugging

4)PROPOSED USE (Check):
Domestic XX Industrial Municipal
Irrigation Test Well Other

5)TYPE OF WELL (Check):
Rotary XX Driven Dug
Cable Jetted Bored

6)WELL LOG:
Diameter of hole 4 in. Depth drilled 264 ft. Depth of completed well 264 ft. Date drilled 1-30-78

All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Clay
24	48	Clay & Sand
48	72	Clay, Sand & Clay
72	96	Clay, Sand & Rock
96	120	Clay, Sand, Rock & Clay
120	144	Clay, Sand & Clay
144	168	Clay, Sand & Clay
168	192	Clay
192	216	Clay & Sand (4')
216	240	Clay & sand (2")
240	264	Clay & Sand (14')

(Use reverse side if necessary)

9) Casing:
Type: Old New X Steel X Plastic Other
Cemented from 247 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	247	0	sch.40

10) SCREEN:
Type Stainless steel rodbase
Perforated Slotted X

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2¼	254	264	#12

7) COMPLETION (Check):
Straight wall XX Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 160 ft. below land surface Date 1-30-78
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 231 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No X
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS Rt. #1 (Street or RFD) Box 361 Dickenson (City) Texas 77539 (State)

(Signed) R. B. Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDB6-WD6

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
391	3 of 3	S	3.63 / 19,156.63	SOWELL CONSTRUCTION CO., INC. TX	WW HARRIS GAL

Well ID:	2091	**Diameter (inches):**	20
Aggre Lead Well:	2091	**Year Drilled:**	1967
Permit No:	W1997-2091-54055-0	**Depth Drilled:**	512
Permit Start Date:	5/1/1997	**Depth frm Surf(ft):**	355
Permit End Dt:	4/30/1998	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.717777
Regulatory Aarea:	3	**Longitude:**	-95.6

Owner Name: SOWELL CONSTRUCTION CO., INC.
Billing Contact: JAMIE CORNELIUS
Billing Address: 3131 McKinney, Suite 200
Billing Address 2: NULL
Billing City: Dallas
Billing State: TX
Billing Zip: 75204
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
392	1 of 3	WSW	3.63 / 19,162.79	W.H. WHOLESALE ENTERPRISES TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	05/21/1994
Owners Name:	W.H. WHOLESALE ENTERPRISES
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	165
Depth Drilled:	304
Latitude:	29.747581
Longtiude:	-95.644926

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, TX 78711-3087 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

3

Texas Water Well Drillers Board
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER W.H. Wholesale Enterprises (Name) ADDRESS 1940 So. Hwy 6 Hou. Tx (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris . 17 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 5/20/ 1994 Completed 5/21/ 1994

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6 3/4	Surface	304

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other X 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Clay
20	80	Sand
80	120	Clay
120	160	~~XXXX~~ Gravel
160	240	Clay & Shale
240	304	Sand & Gravel

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	0	296	Sch 40
2½	N	PVC Liner	284	296	Sch 40
2½	N	PVC Screen	296	304	.012

RECEIVED
SEP 01 1994
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from _____ ft. to Top ft. No. of Sacks Used _____
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Halliburton
Cemented by RWW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 165 ft. below land surface Date 5/21/94
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 284

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Ser., Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11819 Tomball Pky (Street or RFD) Houston, Texas 77086 (City) (State) (Zip)

(Signed) Tom Robinson dg (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 3 Located on map 6514.3

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

198532


18
3

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
392	2 of 3	WSW	3.63 / 19,162.79	W.H. WHOLSALE ENTERPRISES TX	WW HARRIS GAL

Well ID:	4913	**Diameter (inches):**	4
Aggre Lead Well:	4913	**Year Drilled:**	
Permit No:	W1996-4913-51431-0	**Depth Drilled:**	320
Permit Start Date:	5/1/1996	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/1997	**County:**	H
Well Status:	U - Unique see report	**Latitude:**	29.747222
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	W.H. WHOLSALE ENTERPRISES		
Billing Contact:	BILLY HADDAD		
Billing Address:	1940 Highway 6 SOUTH		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
392	3 of 3	WSW	3.63 / 19,162.79	Cappelletti, Luciano TX	WW HARRIS GAL

Well ID:	7807	**Diameter (inches):**	4
Aggre Lead Well:	7807	**Year Drilled:**	
Permit No:	W2012-7807-157446-0	**Depth Drilled:**	0
Permit Start Date:	12/31/2011	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2011	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.747777
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Cappelletti, Luciano		
Billing Contact:	NULL		
Billing Address:	13815 Hollowgreen		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
393	1 of 2	SE	3.63 / 19,172.95	Bhandari, Amit TX	WW HARRIS GAL

Well ID:	14004	**Diameter (inches):**	4
Aggre Lead Well:	14004	**Year Drilled:**	0
Permit No:	WP2024-104540	**Depth Drilled:**	385
Permit Start Date:	5/1/2024 10:14:00 AM	**Depth frm Surf(ft):**	365
Permit End Dt:	4/30/2025 10:14:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.738055
Regulatory Aarea:	3	**Longitude:**	-95.545277
Owner Name:	Bhandari, Amit		
Billing Contact:	Amit Bhandari		
Billing Address:	4 W Rivercrest Dr.		
Billing Address 2:	NULL		
Billing City:	Houston TX		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	R - Residential (Single Family) Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
393	2 of 2	SE	3.63 / 19,172.95	Amit Bhandari 4 W. Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 478804
Date Submitted: 2018-05-09
Owner Name: Amit Bhandari
Owner Address: 4 W. Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.738
Longitude: -95.545239
Drilling Date Started: 2018-04-10
Drilling Date Completed: 2018-04-16
Chemical Analysis: No
Company Name: Ballard Water Well Co LLC
Company Address: PO Box 1843
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=478804&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth: 400
Bottom Depth: 440

Top Depth:
Bottom Depth: 440.0

Well Levels

Measurement: 189
Measurement Date: 2018-05-16

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
394	1 of 2	ESE	3.63 / 19,192.36	ALLEN CASE TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	03/27/1998
Owners Name:	ALLEN CASE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	200
Depth Drilled:	410
Latitude:	29.743099
Longtiude:	-95.540569

Send original copy by certified return receipt requested mail to: ;C, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER ALLEN CASE (Name) ADDRESS 18 E. RIVERCREST HOU. TX. 77399 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS SAME (Street, RFD or other) (City) (State) (Zip) GRID # 65-20-2

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 3/26 19 98 Completed 3/27 19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	410

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	93	clay
93	139	sand
139	152	clay
152	215	sand
215	247	clay
247	260	sand
260	295	clay & sand
295	296	rock
296	310	sand
310	325	clay & shale
325	370	sand
370	385	shale
385	410	sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	390	
2.5	"	" LINER	380	390	
"	"	" SCREEN	390	410	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 380 ft. to 180 ft. No. of sacks used 16
0 ft. to 10 ft. No. of sacks used 11
Method used HALLIBURTON
Cemented by SCOTT WATER WELL SER. INC.
Distance to septic system field lines or other concentrated contamination N/a ft.
Method of verification of above distance CITY SEWER

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 286 ft.

10) SURFACE COMPLETION
RECEIVED
OCT 07 1998
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 200 ft. below land surface Date 3/19/98
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
JUL 28 1998	
K-PACKER	380

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839 WI

ADDRESS 11915 GREEN PINE CIRCLE HOUSTON, TX. 77066 (Street or RFD) (City) (State) (Zip)

(Signed) Scott Robinson (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
394	2 of 2	ESE	3.63 / 19,192.36	R.B. Ratcliff & Associates, Inc. #18 East Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 170510
Date Submitted: 2009-03-10
Owner Name: R.B. Ratcliff & Associates, Inc.
Owner Address: P.O. Box 369
Owner Address2:
Owner City: Fulshear
Owner State: TX
Owner Zip: 77441
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.743889
Longitude: -95.541667
Drilling Date Started: 2004-07-23
Drilling Date Completed: 2004-08-26
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: P.O. Box 664
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=170510&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 415.0

Top Depth: 400
Bottom Depth: 415

Well Levels

Measurement: 191
Measurement Date: 2004-08-26

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	1 of 8	ESE	3.64 / 19,200.43	Sandalwood Civic Club TX	GWDB

Well Rep Track No:
State Well No: 6512901
Owner Name: Sandalwood Civic Club
Drilling Start Dt:
Drilling Month: 6
Drilling Day: 10
Drilling Year: 1971
Well Depth: 452
Well Usage: Recreation
Water Level Status:
Latitude: 29.7544450
Longitude: -95.5336110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512901&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512901&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	2 of 8	ESE	3.64 / 19,200.43	City of Houston Lakeview #3 TX	GWDB

Well Rep Track No:	
State Well No:	6512917
Owner Name:	City of Houston Lakeview #3
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1963
Well Depth:	493
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7533340
Longitude:	-95.5375000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512917&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512917&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	3 of 8	ESE	3.64 / 19,200.43	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NI
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.752451
Longitude:	-95.537719
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	4 of 8	ESE	3.64 / 19,200.43	CITY OF HOUSTON TX	WUD

St Well No:	6512917
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NJ
Date Drilled:	04/00/1963
Well Depth:	493
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE- PLUGGED
CCN:	P1552
Latitude:	29.752451
Longitude:	-95.537719
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	5 of 8	ESE	3.64 / 19,200.43	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NH
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.752451
Longitude:	-95.537719
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	6 of 8	ESE	3.64 / 19,200.43	Sandalwood Civic Club TX	WW HARRIS GAL

Well ID:	1770	**Diameter (inches):**	8
Aggre Lead Well:	1770	**Year Drilled:**	1971
Permit No:	WP2024-100984	**Depth Drilled:**	450
Permit Start Date:	5/1/2024 4:19:00 PM	**Depth frm Surf(ft):**	350
Permit End Dt:	4/30/2025 4:19:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.754444
Regulatory Aarea:	2	**Longitude:**	-95.533611
Owner Name:	Sandalwood Civic Club		
Billing Contact:	Treasurer		
Billing Address:	P.O. Box 631725		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77263		
Correspondence:	NULL		
Provision:	G2 - Permit is exempt from disincentive permit fees based on the existence of groundwater reduction agreement between permittee and one or more other entities permitted by District.		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	7 of 8	ESE	3.64 / 19,200.43	Houston, City of TX	WW HARRIS GAL

Well ID:	1079	**Diameter (inches):**	8
Aggre Lead Well:	1001	**Year Drilled:**	1963
Permit No:	W1979-1001-2315-0	**Depth Drilled:**	493
Permit Start Date:	2/1/1979	**Depth frm Surf(ft):**	333
Permit End Dt:	1/31/1980	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.753055
Regulatory Aarea:	2	**Longitude:**	-95.538055
Owner Name:	Houston, City of		
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director		
Billing Address:	611 Walker St, 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	ACRES HOMES #2		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
395	8 of 8	ESE	3.64 / 19,200.43	USGS-294511095321401 TX	FED USGS

Site No:	USGS-294511095321401
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19630401
Well Depth:	493
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-917
Latitude:	29.75166667000000
Longitude:	-95.5375000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
396	1 of 2	ESE	3.64 / 19,202.35	Paul A. Smith TX	GWDB

Well Rep Track No:	
State Well No:	6520221
Owner Name:	Paul A. Smith
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1966
Well Depth:	514
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7402780
Longitude:	-95.5427780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520221&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520221&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
396	2 of 2	ESE	3.64 / 19,202.35	ROBERT HORRY TX	TCEQ WELL LOGS

Grid No:	65-12-8
Date Drilled:	04/24/1999
Owners Name:	ROBERT HORRY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	448
Latitude:	29.740278
Longtiude:	-95.542778

'TENTION OWNER: Confidentiality
ivilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

OWNER: HORRY, ROBERT ADDRESS: #9 E. RIVERCREST CITY: HOUSTON STATE: TX ZIP: -

ADDRESS OF WELL:
County: HARRIS GRID # 65-12-8
Street or RFD: #9 E. RIVERCREST
City, State, Zip code: HOUSTON , TX -

TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

5)

WELL LOG: 19779 | DIAMETER OF HOLE: DIAMETER FROM TO: 7 7/8 0 448 | 7) DRILLING METHOD: MUD ROTARY | 8) BOREHOLE COMPLETION: STRAIGHT WALL; IF GRAVEL... FROM FT. TO FT. FROM FT. TO FT.

TE DRILLING:
STARTED: 04/23/99
COMPLETED: 04/24/99

° N

ASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5	N	PVC CASING	0	410	SDR 17
3	N	GALVANIZED LINER	386	428	WW
3	N	S/S PIPE BASE SCREEN	428	448	10,12

OLOGICAL DESCRIPTION:

OM	TO	DESCRIPTION
0	3	TOP SOIL
3	83	CLAY
83	128	SAND
128	133	CLAY
133	156	SAND
156	174	CLAY
174	186	SAND
186	192	CLAY
192	220	SAND
220	251	CLAY
251	286	SAND
286	320	CLAY
320	448	SAND

9) CEMENTING DATA:
Cemented from 410 FT. TO 0 FT. No. of Sacks Used 40
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
SLAB

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 04/24/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P VALVE 386

) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 55 GPM WITH FT DRAWDOWN AFTER HRS

) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 128 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

MPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: ~~1835, 416,~~ 4883
DRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) Angel Bautista (LICENSED WATER WELL DRILLER)

(signed) Miguel Arguello (REGISTERED DRILLER TRAINEE)

SEO #
DESC CO
SEP 01 1999

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
397	1 of 4	E	3.64 / 19,210.97	City of Houston Riedel Estates TX	GWDB

Well Rep Track No:
State Well No: 6512915
Owner Name: City of Houston Riedel Estates
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1954
Well Depth: 606
Well Usage: Unused
Water Level Status:
Latitude: 29.7788890
Longitude: -95.5313890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512915&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512915&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
397	2 of 4	E	3.64 / 19,210.97	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OU
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OU
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778838
Longitude:	-95.531333
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
397	3 of 4	E	3.64 / 19,210.97	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013KM
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013KM
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778007
Longitude:	-95.530776
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
397	4 of 4	E	3.64 / 19,210.97	CITY OF HOUSTON TX	WUD

St Well No:	6512915
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OV
Date Drilled:	00/00/1954
Well Depth:	606
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778838
Longitude:	-95.531333
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
398	1 of 2	ENE	3.64 / 19,224.91	DANIEL INDUSTRY TX	TCEQ WELL LOGS

Grid No: 65-12-9
Date Drilled: 11/07/2000
Owners Name: DANIEL INDUSTRY
County: HARRIS
Water Usage: DOMESTIC/PUBLIC SUPPLY
Static Level: 255
Depth Drilled: 600
Latitude: 29.785738
Longtiude: -95.532884

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

T s Department of License and Regul n

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Daniel Industry	9720 Old Katy Rd.	Houston	TX	77224

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	9720 Old Katy Rd.	Houston	Tx	77224

Lat. | Long. | Grid # 65-12-9

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☑ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☑ Yes ☐ No

5) N↑

6) Drilling Date
Started 11 / 3 / 00
Completed 11 / 7 / 00

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
14	0	53
9	53	570
4 5/8	570	600

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	50	Clay
50	160	Sand
160	310	Clay w/Hard Streaks
310	435	Sand & Gravel
435	460	Clay
460	475	Sand
475	480	Rock
480	560	Clay
560	600	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☑ Other 2 String
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
10	N	Steel	0	53	
5	N	SDR 17 PVC	+2	570	
3	N	Sch 40 PVC	565	570	
3	N	Slotted PVC sch 40	570	600	.010

9) Cementing Data
Cementing from 0 ft. to 53 ft. # of sacks used 14
0 ft. to 570 ft. # of sacks used 94
Method Used Pressure
Cementing By Driller
Distance to septic system field or other concentrated contamination 150 ft.
Method of verification of above distance Sanitary Easement

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☑ Specified Surface Slab Installed
☑ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc. 357 ft.

11) Water Level
Static level 255 ft. below Date 12 / 6 / 00
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 60 gpm with 23 ft. drawdown after 36 hrs.

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

12) Packers

Type	Depth
K Packer	565

Company or individual's Name (type or print) Johnston's Water Well Service, Inc.
Address 14750 Hopper Rd. City Tomball State TX Zip 77375

Signature Licensed Driller/Pump Installer | Date 12 / 19 / 00 | Signature Apprentice | Date / /

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
398	2 of 2	ENE	3.64 / 19,224.91	DANIEL INDUSTRIES, INC. TX	TCEQ WELL LOGS

Grid No: 65-11-8E
Date Drilled: 09/00/1975
Owners Name: DANIEL INDUSTRIES, INC.
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 204
Depth Drilled: 600
Latitude: 29.785738
Longtiude: -95.532884

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
399	1 of 2	WNW	3.65 / 19,272.81	LEGEND PARK 10 TX	TCEQ WELL LOGS

Grid No: 65-11-6
Date Drilled: 03/08/2002
Owners Name: LEGEND PARK 10
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 457
Latitude: 29.789948
Longtiude: -95.648355

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: LEGEND PARK 10 ADDRESS: 15000 PARK ROW CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-11-6
Street or RFD: 15000 PARK ROW
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 23828
DATE DRILLING:
STARTED: 03/04/02
COMPLETED: 03/08/02

DIAMETER OF HOLE			7) DRILLING METHOD:	8) BOREHOLE COMPLETION:
DIAMETER	FROM	TO		
8	0	457	MUD ROTARY	STRAIGHT WALL
				IF GRAVEL... FROM FT. TO FT.
				FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5	N	PVC CASING	0	431	SDR17
3	N	GALVANIZED LINER	416	437	WW
3	N	S/S PIPE BASE SCREEN	437	457	08

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	12	CLAY
12	28	SAND
28	40	CLAY
40	47	SAND
47	48	CLAY
48	112	SAND
112	113	ROCK
113	187	SAND
187	212	CLAY
212	330	GREEN HARD SHALE
330	370	CALICHE SAND
370	422	CALICHE CLAY
422	434	SAND CLAY
434	454	SAND

9) CEMENTING DATA:
Cemented from 431 FT. TO 0 FT. No. of Sacks Used 40
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
SLAB

11) WATER LEVEL:
STATIC LEVEL : 190 FT. DATE: 03/08/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P SEAL 416

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 273

14) WELL TEST:
JETTED
YIELD: 60 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 20 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4884
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Kayclo Mora (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)

RECEIVED
JUN 03 2002

STATE TEXAS WATER WELL REPORT (PAGE 2)

OWNER: LEGEND PARK 10 ADDRESS: 15000 PARK ROW CITY: HOUSTON STATE: TX ZIP: -

454 457 CLAY

RECEIVED
TDLR MAIL ROOM
JUN 0 3 2002

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
399	2 of 2	WNW	3.65 / 19,272.81	Cortland West Houston TX	WW HARRIS GAL

Well ID:	9035	**Diameter (inches):**	5
Aggre Lead Well:	9035	**Year Drilled:**	2002
Permit No:	WP2023-117009	**Depth Drilled:**	400
Permit Start Date:	11/1/2023 4:19:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	10/31/2024 4:19:13 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.789444
Regulatory Aarea:	3	**Longitude:**	-95.649444
Owner Name:	Legend at Park Ten		
Billing Contact:	NULL		
Billing Address:	15000 Park Row		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
400	1 of 2	WSW	3.65 / 19,275.20	MONARCH PAINT TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	07/14/1992
Owners Name:	MONARCH PAINT
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	168
Depth Drilled:	315
Latitude:	29.7471044
Longtiude:	-95.6450402

(1)

Send original copy by certified mail to: Texas Water Comm n, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

8300 W. Little York

1) OWNER MONARCH PAINT (Name) ADDRESS 1950 HWY 6 SOUTH (Street or RFD) HOU. (City) TX. (State) 77040 (Zip)

2) LOCATION OF WELL: HWY 6 SOUTH
County HARRIS ____ miles in ____ (NE, SW, etc.) direction from ____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☐ Driven
☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 7-13 19 92 Completed 7-14 19 92

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	300
3 7/8	300	315

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	TOPSOIL + CLAY
16	54	SURFACE SAND
54	148	CLAY
148	185	SAND
185	250	CLAY
250	315	SAND

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	300	
2	N	GALVANIZED	294	305	
2	N	PVC	305	315	.016

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 300 ft. No. of Sacks Used 22
____ ft. to ____ ft. No. of Sacks Used ____
Method used FULL RETURN | HALLIBURTON
Cemented by BUSSELL + SON INC.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 240' ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☑ Estimated
Yield: 45 gpm with 25 ft. drawdown after 1 hrs.

11) WATER LEVEL:
Static level 168 ft. below land surface Date 7-14-92
Artesian flow ____ gpm. Date ____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
1-4X2 R&R RUBBER	294'

RECEIVED

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL + SON INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 1 Located on map 65-14-3

WD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

198530


7-14-92
THRU
7-27-92
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1979
HARRIS COUNTY TEXAS 102
1- MONARCH PAINT
2- SUPERIOR BUILDERS
3- JOE SCHMIDT
4- GUILLERMO GUERRA

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
400	2 of 2	WSW	3.65 / 19,275.20	Laredo Holdings LLC TX	WW HARRIS GAL

Well ID:	4682	**Diameter (inches):**	4
Aggre Lead Well:	4682	**Year Drilled:**	1992
Permit No:	WP2024-104922	**Depth Drilled:**	300
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	232
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.747222
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	Laredo Holdings LLC		
Billing Contact:	Lazaro Chavarria		
Billing Address:	19855 Southwest Freeway Suite 320		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77479		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
401	1 of 1	WSW	3.66 / 19,302.08	CASTLES DESIGN GROUP TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	05/07/1993
Owners Name:	CASTLES DESIGN GROUP
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	165
Depth Drilled:	352
Latitude:	29.7452424
Longtiude:	-95.6439588

Send original copy by certified mail to: **Texas Water Commission, P.O. Box 13087, Austin, Texas 78711**

(1) *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER (Name) CASTLES DESIGN GROUP ADDRESS (Street or RFD) 4120 BELLAIRE BLVD (City) HSTN (State) TX (Zip) 77025

2) LOCATION OF WELL: County HARRIS . ____ miles in (NE, SW, etc.) ____ direction from (Town) Hi-WAY 6 – MC GEE CHAPEL BAPTIST

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **LEGAL DESCRIPTION:**
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☑ **SEE ATTACHED MAP**

3) **TYPE OF WORK (Check):** ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☐ Domestic ☐ Industrial ☐ Monitor ☑ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) **DRILLING METHOD (Check):** ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____ ☐ Driven

6) **WELL LOG:**
Date Drilling: Started 5-4 19 93 Completed 5-7 19 93

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	330
3 7/8	330	352
12	0	50

From (ft.)	To (ft.)	Description and color of formation material
0	16	TOP SOIL & CLAY
16	36	SURFACE SAND
36	92	CLAY
92	117	SAND
117	126	CLAY
126	210	SAND
210	214	CLAY
214	242	SAND
242	255	CLAY
255	265	SAND

(Use reverse side if necessary)

7) **BOREHOLE COMPLETION:** ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
8	N	SURFACE CASING	0	50	
4	N	GALVANIZED	0	330	
2	N	GALVANIZED	322	332	
3	N	PVC. SCREEN	332	352	.016

RECEIVED JUN 24 1993 TEXAS WATER COMMISSION

9) **CEMENTING DATA** [Rule 287.44(1)]
Cemented from 0 ft. to 50 ft. No. of Sacks Used ____
0 ft. to 330 ft. No. of Sacks Used 28
Method used Halliburton
Cemented by BUSSELL & SON INC

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) **WATER LEVEL:**
Static level 165 ft. below land surface Date 5-7-93
Artesian flow ____ gpm. Date ____

12) **PACKERS:** Type K-PACKER Depth 322

13) **TYPE PUMP:** ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

14) **WELL TESTS:**
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 70 gpm with ____ ft. drawdown after ____ hrs.

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME (Type or print) BUSSELL & SON INC WELL DRILLER'S LICENSE NO. 2035

ADDRESS (Street or RFD) P.O. Box 874 (City) Tomball (State) TX (Zip) 77377-0874

(Signed) Craig Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. ____ Located on map ____

WWD-012 (Rev. 05-18-90) (65-19-3) TEXAS WATER COMMISSION COPY 204826

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
265	274	CLAY
274	352	SAND + GRAVEL

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
402	1 of 4	ESE	3.66 / 19,325.08	ROBERT IVES TX	TCEQ WELL LOGS

Grid No:	65-20-2H
Date Drilled:	08/15/1976
Owners Name:	ROBERT IVES
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	195
Depth Drilled:	325
Latitude:	29.7424143
Longtiude:	-95.5405838

(14)

65-20-2H

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-2H
Located on map
Received:

1) OWNER:
Person having well drilled ROBERT IVES (Name) Address #16 E. RIVERCREST (Street or RFD) HOUSTON (City) TX. (State) 77042

Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL: #16 E. RIVER CREST DR.
County HARRIS . 10 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

#16 E. River Crest Rd.

OVER

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 325 ft. Depth of completed well 353 ft. Date drilled 8-15-74
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	Top Soil + Clay
22	43	Clay + Sand
43	170	Sand & Shale
170	253	Sand
253	325	Unconsolidated Sand + Shale
325	337	Sand & Clay
337	353	Sand + Gravel

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 275 ft. to 325 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	325	Sch 40

10) SCREEN:
Type WW
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	333	353	16/20

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 195 ft. below land surface Date 8-15-74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jets, etc. 230 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Vernon Dixon (Type or Print) Water Well Drillers Registration No. 1689

ADDRESS 9739 N. Hou. Rosslyn (Street or RFD) Houston (City) Texas (State)

(Signed) Vernon Dixon (Water Well Driller) Bussell + Sons Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBE-WD-6


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
FEB 27 1978
Central Records
Texas Dept. of Water Resources

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
402	2 of 4	ESE	3.66 / 19,325.08	KING RESIDENTAIL GROUP TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	12/16/1998
Owners Name:	KING RESIDENTAIL GROUP
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	206
Depth Drilled:	410
Latitude:	29.7424143
Longtiude:	-95.5405838

Send original copy by certified return receipt requested TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER KING RESIDENTIAL GROUP (Name) ADDRESS 53 LEGEND LN. (Street or RFD) HOUSTON (City) TX (State) 77024 (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS #16 E. RIVER CREST (Street, RFD or other) HOUSTON (City) TX (State) 77042 (Zip) Long. _____ Lat. _____ Grid # 65-20-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 12-9 19 98 Completed 12-16 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	385
4 3/4	385	410

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	365	UNCONSOLIDATED
365	410	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	SDR17	0	385	
3	N	GALVANIZED	379	390	
3	N	55RB	390	410	.012

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 16
335 ft. to 385 ft. No. of sacks used 3
Method used Halliburton / TRIMME
Cemented by BUSSELL & SON INC.
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) ☐ Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used

14) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 244 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed
☑ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

15) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 110 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 206 ft. below land surface Date 12-16-98
Artesian flow _____ gpm Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
K-Packer	379

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
402	3 of 4	ESE	3.66 / 19,325.08	EILEEN LAWAL #16 EAST RIVERCREST HOUSTON TX 77042	SDRW WELLS

Track NO:	339035
Date Submitted:	2013-08-26
Owner Name:	EILEEN LAWAL
Owner Address:	#16 EAST RIVERCREST
Owner Address2:	
Owner City:	HOUSTON
Owner State:	TX
Owner Zip:	77042
County:	Harris
Type of Work:	New Well
Typ of Wrk Oth Descr:	
Proposed Use:	Domestic
Prop Use Oth Descr:	
Latitude:	29.7425
Longitude:	-95.540556
Drilling Date Started:	2010-10-15
Drilling Date Completed:	2010-10-19
Chemical Analysis:	No
Company Name:	
Company Address:	
CompanyAddress2:	
Company City:	
Company State:	
Company Zip:	
Company Country:	
Data Source:	Full SDR Database; SDRDB Well Location (Map)
Report Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=339035&Type=SDR-Well

Well Borehole Information

Top Depth:	0
Bottom Depth:	390
Top Depth:	390
Bottom Depth:	412
Top Depth:	
Bottom Depth:	412.0

Well Levels

Measurement:	190
Measurement Date:	2010-10-18

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
402	4 of 4	ESE	3.66 / 19,325.08	Eileen Lawal 16 East Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 420349
Date Submitted: 2016-04-14
Owner Name: Eileen Lawal
Owner Address: 16 East Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.742423
Longitude: -95.540576
Drilling Date Started: 2016-03-18
Drilling Date Completed: 2016-03-21
Chemical Analysis: No
Company Name: Bussell & sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=420349&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 413.0

Top Depth: 0
Bottom Depth: 393

Top Depth: 393
Bottom Depth: 413

Well Levels

Measurement: 181
Measurement Date: 2016-03-21

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
403	1 of 2	SE	3.66 / 19,341.93	FLAIR CONSTRUCTION TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 05/08/1998
Owners Name: FLAIR CONSTRUCTION
County: HARRIS
Water Usage: DOMESTIC
Static Level: 200
Depth Drilled: 380
Latitude: 29.737544
Longtiude: -95.544699

Send original copy by certified return receipt requested mail to: ...C, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER FLAIR Construction (Name) ADDRESS 16720 Stuebner Airline #237 Spring TX 77379 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS # 2 W. RIVERCREST (Street, RFD or other) HOUSTON (City) TX (State) (Zip) GRID # 65-20-2

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) 4 N

6) WELL LOG:
Date Drilling: Started 5/7 1998 Completed 5/8 1998

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	360
4 3/4	360	380

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	16	TOP SOIL & CLAY
16	27	SURFACE SAND
27	87	CLAY
87	117	SAND
117	132	CLAY
132	150	SAND
150	195	CLAY
195	247	SAND
247	257	CLAY
257	272	SAND & ROCK
272	318	CLAY
318	380	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	SDR17 CASING	0	360	
3	N	GALVANICED LINER	354	360	
3	N	PVC SCREEN	360	380	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 10
310 ft. to 360 ft. No. of sacks used 3
Method used Halliburton / TRIMME
Cemented by BUSSELL & SON INC
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance

RECEIVED JUL 07 1998

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 200 ft. below land surface Date 5/8/98
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
K-PACKER	354

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 50 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
403	2 of 2	SE	3.66 / 19,341.93	Rao Polavarapu 2 West Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 493638
Date Submitted: 2018-10-18
Owner Name: Rao Polavarapu
Owner Address: 2 West Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.734072
Longitude: -95.53515
Drilling Date Started: 2018-10-11
Drilling Date Completed: 2018-10-12
Chemical Analysis: No
Company Name: O'Day Drilling Company Inc
Company Address: 5923 Louisiana St
CompanyAddress2:
Company City: Rosharon
Company State: TX
Company Zip: 77583
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=493638&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 380

Top Depth:
Bottom Depth: 380.0

Well Levels

Measurement: 190
Measurement Date: 2018-10-12

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
404	1 of 1	SSE	3.67 / 19,398.41	E.H. RAINWATER TX	TCEQ WELL LOGS

Grid No:	65-20-1U
Date Drilled:	03/18/1981
Owners Name:	E.H. RAINWATER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	125
Depth Drilled:	209
Latitude:	29.723122
Longtiude:	-95.5663337

IU
TEE

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. CS-20-111
Located on map
Received: 8/83

1) OWNER E. H. RAINWATER (Name) Address 1202 BISSONNET (Street or RFD) HOUSTON (City) TEX (State) 77099 (Zip)

2) LOCATION OF WELL: County HARRIS 13 miles in W.S.W. (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4"	Surface	209

Date drilled 3-18-81

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	10	TOP SOIL
10	30	YELLOW SAND
30	54	CLAY
54	67	FINE SAND
67	103	CLAY
103	113	SAND
113	179	CLAY
179	209	SAND COURSE

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	NEW	P.V.C.	0	199	
5"	NEW	P.V.C. SLOTTED	199	209	12

CEMENTING DATA
Cemented from 0 ft. to 199 ft.
Method used PRESSURE
Cemented by THOMAS W.W. (Company or Individual)

9) WATER LEVEL:
Static level 125 ft. below land surface Date 3-18-81
Artesian flow 50 gpm. Date 3-18-81

10) PACKERS: Type K-PACKER Depth 194

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.

12) WELL TESTS: ☐ Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 15 gpm with 10 ft. drawdown after 2 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS BUFKIN (Type or Print) Water Well Drillers Registration No. 1944
ADDRESS 414 BUSCH (Street or RFD) HOUSTON (City) TEXAS (State) 77037 (Zip)
(Signed) THOMAS BUFKIN (Water Well Driller) THOMAS WATER WELL SVC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY

1 (Map)


LEGEND
MRS E. M.
RAINWATER
WELL LOCATION
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
405	1 of 1	NNE	3.68 / 19,418.54	Rogers Steel Co. TX	GWDB

Well Rep Track No:	
State Well No:	6512509
Owner Name:	Rogers Steel Co.
Drilling Start Dt:	
Drilling Month:	8
Drilling Day:	5
Drilling Year:	1968
Well Depth:	378
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.8208330
Longitude:	-95.5691670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512509&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512509&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
406	1 of 3	ESE	3.69 / 19,476.89	BRIAN BRO TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	10/26/1989
Owners Name:	BRIAN BRO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	227
Depth Drilled:	359
Latitude:	29.741729
Longtiude:	-95.540535

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Brian Bro (Name) Address 5442 Richmond (Street or RFD) Houston, Texas 77056 (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 10½ miles in WSW (N.E., S.W., etc.) direction from DT Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

Well is located at #14 East Rivercrest ☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 24 Oct. 1989 Completed 26 1989

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
3 3/4	Surface	380
7 1/2	"	359

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
		Top of rotary-4' above GL
0	4	rotary
4	26	clay
26	66	rock & clay
66	91	clay sand stks
91	111	sand
111	146	clay
146	181	course sand
181	186	clay
186	226	sand
226	251	clay
251	270	sand
270	315	clay
315	336	sand & rock
336	344	broken sand
344	384	good sand
384		clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galvanized	plus 2	358	11#
2½	N	" Lap & liner	353	364	S40
2½	N	SS, RB, HS screen	364	379	16 Ga
2½	N	Set nipple	379	380	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 358 ft. to G1 ft. No. of Sacks Used 30+8%
____ ft. to ____ ft. No. of Sacks Used ____
Method used Halliburton
Cemented by Swinehart Co.

RECEIVED
NOV 28 1989
TEXAS WATER COMMISSION

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 227 ft. below land surface Date Oct 30
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
K- Packers set 353 & 354'

Pump is Grundfos 50S25-26, 5 HP single phase 230 volt set 275' on 2" gal.

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 275' ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 60 gpm with 20 ft. drawdown after 1 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME B.J. Swinehart Co, , Inc (Type or Print) Water Well Driller's License No. 229


ADDRESS 7524 N. Freeway (Street or RFD) Houston (City) Texas (State) 77037 (Zip)

(Signed) B.J. Swinehart (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 58-22-2
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY


A
B
F
K
P
U
HIGHWAY MAP
COUNTY
EXAS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
406	2 of 3	ESE	3.69 / 19,476.89	MR. BRIAN BRO TX	TCEQ WELL LOGS

Grid No:	65-12-8N
Date Drilled:	06/29/1983
Owners Name:	MR. BRIAN BRO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	219
Depth Drilled:	340
Latitude:	29.741729
Longtiude:	-95.540535

W.L. # 149

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-8N
Located on map YES
Received: C.F.S.

1) OWNER Mr. Bryan Bro (Name) Address #14 E. Rivercrest (Street or RFD) Houston (City) Tx. (State) 77093 (Zip)

2) LOCATION OF WELL: #14 E. Rivercrest County Harris 4 miles in Northeast (N.E., S.W., etc.) direction from Aldine (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Mapsco 60-59-JEF

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	340

Date drilled 6-29-83

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	18	Top Soil & Clay
18	21	Sand
21	50	Clay
50	58	Sand
58	75	Clay
75	115	Sand
115	131	Clay
131	138	Sand
138	149	Clay
149	184	Sand
184	190	Clay
190	219	Sand
219	226	Clay
226	278	Sand
278	285	Clay
285	295	Sand
295	303	Clay
303	305	Sand
305	308	Clay
308	340	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P.V.C.	0	320	
2	N	Galvanized Steel	315	320	
2	N	P.V.C.	320	330	.010
2	N	P.V.C.	330	340	.010

CEMENTING DATA
Cemented from 270 ft. to 320 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 219 ft. below land surface Date 6-30-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
SEP 12 1983
DEPT. OF
WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 234' ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 0035
ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Texas (State) 77375 (Zip)
(Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
406	3 of 3	ESE	3.69 / 19,476.89	Erica Stark 14 E. Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 204491
Date Submitted: 2010-01-12
Owner Name: Erica Stark
Owner Address: 14 E. Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.741945
Longitude: -95.540278
Drilling Date Started: 2008-12-15
Drilling Date Completed: 2008-12-19
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: P.O. Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=204491&Type=SDR-Well

Well Borehole Information

Top Depth: 400
Bottom Depth: 420

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 420.0

Well Levels

Measurement: 201
Measurement Date: 2008-12-19

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
407	1 of 1	ENE	3.69 / 19,484.89	Geis, Karl 1413 Butlercrest Houston TX 77080	SDRW WELLS

Track NO: 137993
Date Submitted: 2008-03-31
Owner Name: Geis, Karl
Owner Address: 1413 Butlercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.800001
Longitude: -95.529167
Drilling Date Started: 2007-10-23
Drilling Date Completed: 2007-10-24
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=137993&Type=SDR-Well

Well Borehole Information

Top Depth: 390
Bottom Depth: 400

Top Depth:
Bottom Depth: 400.0

Top Depth: 0
Bottom Depth: 390

Well Levels

Measurement: 190
Measurement Date: 2007-10-24

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
408	1 of 1	SE	3.70 / 19,519.37	STEWART MORRIS TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	08/10/2001
Owners Name:	STEWART MORRIS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	213
Depth Drilled:	414
Latitude:	29.7389458
Longtiude:	-95.5426833

Send original copy by certified return receipt requeste … TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER STEWART MORRIS (Name) ADDRESS #5 E. RIVERCREST (Street or RFD) HOUSTON (City) TX (State) 77042 (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS #5 E. RIVERCREST (Street, RFD or other) HOUSTON, TX. (City) 77042 (State) (Zip) Long. Lat. Grid # 65-20-2

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) X

6) WELL LOG:
Date Drilling: Started 8/9/2001 Completed 8/10/2001

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	400
3 7/8	400	414

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	90	CLAY
90	110	SANDY SHALE
110	130	SAND & CLAY
130	150	SAND
150	190	CLAY
190	210	SAND
210	230	SANDY SHALE
230	310	SAND & CLAY
310	320	SHALE
320	414	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC CASING	0	400	
2.5	N	GALVANIZED LINER	394	404	
2.5	N	S.S.R.B. SCREEN	404	414	.012

9) CEMENTING DATA
Cemented from 0 ft. to 15 ft. No. of sacks used 9
300 ft. to 400 ft. No. of sacks used 12
Method used HALLIBURTON/TRIMME
Cemented by AQUAUTILITY CONSTRUCTION LP
Distance to septic system field lines or other concentrated contamination ft.
Method of verification of above distance

RECEIVED
TDLR MAIL ROOM
OCT 18 2001
RECEIPT # AMOUNT

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[X] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 340 ft.

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 30 gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 213 ft. below land surface Date 8/10/2001
Artesian flow gpm. Date

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
KPACKER	394

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AQUAUTILITY CONSTRUCTION LP (Type or print) WELL DRILLER'S LICENSE NO. 4941WP

ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)

(Signed) SID MOORY (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
409	1 of 3	E	3.70 / 19,534.67	Phillips Petroleum Co. TX	GWDB

Well Rep Track No:	
State Well No:	6512928
Owner Name:	Phillips Petroleum Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1962
Well Depth:	270
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7833340
Longitude:	-95.5308330
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512928&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512928&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
409	2 of 3	E	3.70 / 19,534.67	TX	GWDB

Well Rep Track No:	
State Well No:	6512945
Owner Name:	
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	600
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7836110
Longitude:	-95.5302780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512945&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512945&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
409	3 of 3	E	3.70 / 19,534.67	PHILLIPS 66 SERVICE STATION TX	TCEQ WELL LOGS

Grid No:	65-12-9G
Date Drilled:	09/28/1962
Owners Name:	PHILLIPS 66 SERVICE STATION
County:	HARRIS
Water Usage:	SERVICE STATION
Static Level:	137
Depth Drilled:	270
Latitude:	29.783556
Longtiude:	-95.531256

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

65-12-9B

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-12-96
Located on map V-F
By KJ Date 6-8
Map no. 46-10

1) Well Owner: Phillips 66 Service Station, Katy Road & Bunker Hill Rd. Houston, Tex.
(Street or RFD) (City) (State)

2) Land Owner: Same (B-W Construction Co. Contractors)
(Street or RFD) (City) (State)

3) Intended use: Industrial ☐ ;Municipal ☐ ;Irrigation ☐ ;Other Service Station

4) Location of well: County Harris Labor _____ League _____ Abstract No. _____

NW¼ NE¼ SW¼ SE¼ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)

_____ miles in _____ direction
(NE, SW, etc.)

from _____
(Town)

North

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 4" in. Date drilled Sept. 28, 1962

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	24	Surface, Loose Clay	226	248	Shale
24	96	Red Clay, Sand Breaks	248	270	Sand, Very Good, Top Broken
96	128	~~Sandy Top Broken~~ Gray Clay			
128	168	Sand- Top Broken			
168	204	Shale			
204	209	Sand			
209	221	Shale, Sandy			
221	226	Sand			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall X
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other _____

CASING

Type: Old ☐ New X
Cemented from 253 ft.
to Surface ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4"	0	253'

SCREEN

Type LOP Stainless
Perforated ☐ Slotted X

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½"	255	270

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Driller Lowry Water Wells, Houston, Tex. Reg. No. 116
4012 Fulton St.
(City) (State)

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

tatic water level 137'
t. below _____

Pumping level

feet	hours	gpm

Pump type Fairbanks Morse - 16 Stage
Designed pumping rate _____ gpm ☐ gph ☐
Type power unit Electric
Horsepower 1 H. P.
Depth to bowls, cylinder, jet, etc., _____ ft. below pump base.

of contractor testing well or installing permanent pump if other than your company: _____

02-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
410	1 of 1	NE	3.70 / 19,552.75	SALLY DEPLECHAN TX	TCEQ WELL LOGS

Grid No: 65-12-5
Date Drilled: 10/15/2001
Owners Name: SALLY DEPLECHAN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 7
Depth Drilled: 64
Latitude: 29.8154096
Longtiude: -95.5553217

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
SALLY DERECHAN	10526 EMNORA	HOU	TX	77043

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	SAME			

3) Type of Work ☒ New Well ☐ Deepening ☐ Reconditioning

Lat. | Long. | Grid # 65 12 5

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell

If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 10 / 15 / 01
Completed 10 / 15 / 01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5	0	64

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	15	YELLOW CLAY
15	64	SAND & GA

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☒ Gravel Packed ☐ Other
If Gravel Packed give the interval from 54 ft. to 64 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
2	N	Casing PLASTIC	0	54	SCH 40
2	N	Screen " "	54	64	.006

9) Cementing Data
Cementing from 0 ft. to 54 ft. # of sacks used 8
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 60 ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours.
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc. ft.

11) Water Level
Static level 7 ft. below Date 10 / 15 / 01
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 20 gpm with 5 ft. drawdown after 1 hrs.

12) Packers

Type	Depth
NONE	

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

RECEIVED NOV 21 2001

Company or individual's Name (type or print)	Raymond Services, Inc. 4577WI			
Address	10011 Airline Drive	City Houston	State TX	Zip 77037

Signature Licensed Driller/Pump Installer	Date	Signature Apprentice	Date
	10 / 15 / 01		/ /

TDLR FORM 0014(WWD) White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
411	1 of 1	NNE	3.70 / 19,560.80	HOUSTON LIGHTING & POWER CO TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 07/25/1972
Owners Name: HOUSTON LIGHTING & POWER CO
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 165
Depth Drilled: 324
Latitude: 29.823704
Longtiude: -95.575292

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 72
DE

1) OWNER:
Person having well drilled Houston Lighting & Power Co. (Name) Address P. O. Box 1700 - Houston, Texas 77001 (Street or RFD) (City) (State)

Landowner Same (Name) Address Britmore Substation - Britmore Road (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

See Map reverse side

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well X | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial | Municipal X | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary X | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 324 ft. Depth of completed well 324 ft. Date drilled 7/25/72

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	surface & white clay
24	72	Redclay
72	96	shale - bottom sandy
96	120	sand shaley
120	147	sand x
147	155	shale
155	174	sand
174	192	shale sandy
192	235	red clay
235	244	sand
244	264	clay sand
264	280	sand
280	300	clay
300	324	sand xxx

(Use reverse side if necessary)

9) Casing:
Type: Old | New | Steel | Plastic | Other
Cemented from 0 ft. to 307 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	324'	

10) SCREEN:
Type stainless steel
Perforated X | Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½" blank	323	324	
2½" screen	308	323	.012 RBS
2½" blank	303	308	

7) COMPLETION (Check):
Straight wall X | Gravel packed | Other | Under reamed | Open Hole

8) WATER LEVEL:
Static level 165 ft. below land surface Date 7/25/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes | No X If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes | No X
Did any strata contain undesirable water? Yes | No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146


ADDRESS 4012 Fulton (Street or RFD) P. O. Box 8707 (City) Houston Texas (State) 77009

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


W
2)LOCATION OF WELL:
The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.
Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.
When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.
Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.
H.L.&P.Co.
X
Biltmore Drive
S
N
Interstate 10 - West
OCT 20 1972
E

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
412	1 of 1	ENE	3.71 / 19,589.21	EDDIE JAHNKE TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	03/12/1992
Owners Name:	EDDIE JAHNKE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	34
Depth Drilled:	50
Latitude:	29.796317
Longtiude:	-95.536362

Send original copy by certified mail to: Texas Water Com... on, P.O. Box 13087, Austin, Texas 78711 — *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Eddie Johnke (Name) ADDRESS 1501 Butler Crest (Street or RFD) Houston (City) Tx (State) 77080 (Zip)

2) LOCATION OF WELL: County Harris . 6 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ SEE ATTACHED MAP (1)

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 3-12 19 92 Completed 3-12 19 92

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4½	Surface	50

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	33	C
33	50	S

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	Pvc	0	40	40
2	N	Pvc Slt	40	50	6

RECEIVED APR 13 1992 TEXAS WATER WELL DRILLERS BOARD

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 40 ft. No. of Sacks Used 4
_____ ft. to _____ ft. No. of Sacks Used _____
Method used circ
Cemented by Inv

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 34 ft. below land surface Date 3-12-92
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells Inc (Type or print) WELL DRILLER'S LICENSE NO. 1182

ADDRESS P.O. Box 89 (Street or RFD) Porter (City) Texas (State) 77365 (Zip)

(Signed) Homer L. Lowe (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 1 Located on map 65-12-6

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
413	1 of 2	ESE	3.71 / 19,598.55	KEN ANDERSON TX	TCEQ WELL LOGS

Grid No: 65-20-3Q
Date Drilled: 11/17/1980
Owners Name: KEN ANDERSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 238
Depth Drilled: 338
Latitude: 29.741111
Longtiude: -95.540556

Wk # 51 ✓

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-30
Located on map YES
Received: RWB

1) OWNER Ken Anderson (Name) Address P.O. Box 42592 (Street or RFD) Hou (City) Tx (State) 77042 (Zip)

2) LOCATION OF WELL: #42 E. Rivercrest
County Harris 16 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. ON 65-21-7H

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	338

Date drilled 11/17/80

From (ft.)	To (ft.)	Description and color of formation material
0	44	Clay
44	85	Sand & Clay Streaks
85	230	Sand
230	312	Clay
312	338	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Steel	0	315	
2	N	Plastic	318	338	.020

CEMENTING DATA
Cemented from 265 ft. to 315 ft.
Method used Halliburton
Cemented by Russell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 238 ft. below land surface Date 11/18/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 294' ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 66 gpm with 40 ft. drawdown after 2 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

RECEIVED AUG 24 1982

NAME Craig Russell (Type or Print) Water Well Drillers Registration No. #2035

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) TDWR 77088 (Zip)

(Signed) Craig Russell (Water Well Driller) Russell + Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
413	2 of 2	ESE	3.71 / 19,598.55	Beatrice Fiorito #12 East Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 354617
Date Submitted: 2014-02-19
Owner Name: Beatrice Fiorito
Owner Address: 10719 Holly Springs Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.741111
Longitude: -95.540556
Drilling Date Started: 2013-07-20
Drilling Date Completed: 2013-07-21
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=354617&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 378

Top Depth: 378
Bottom Depth: 402

Top Depth:
Bottom Depth: 402.0

Well Levels

Measurement: 183
Measurement Date: 2013-07-21

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
414	1 of 1	SSW	3.74 / 19,725.28	STUCKEY & ASSOC. TX	TCEQ WELL LOGS

Grid No:	65-20-1N
Date Drilled:	06/11/1977
Owners Name:	STUCKEY & ASSOC.
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	154
Depth Drilled:	295
Latitude:	29.7229072
Longtiude:	-95.6182001

(99)

65-20-1N /N

nd original copy by
rtified mail to the
xas Water Development Board
. O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-1N
Located on map
Received: 7-8-77

1) OWNER:
Person having well drilled STUCKEY & ASSOC. (Name) Address 4545 POST OAK PLACE (Street or RFD) Houston (City) TX (State)

Landowner ~~STUCKEY~~ SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, _____ miles in W. (N.E., S.W., etc.) direction from Hou (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
2183 SYNOTT Rd.
OVER
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6¼ in. Depth drilled ~~295~~ 280 ft. Depth of completed well ~~260~~ 295 ft. Date drilled 6/11/77
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	Top soil + clay
22	106	clay, shale + sand
106	127	clay
127	169	Clay + sand
169	190	Solid clay + sand
190	232	Sand
232	274	clay + sand
274	295	Solid

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from ~~295~~ 280 ft. to ~~295~~ 265 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	~~260~~ 295	Sch 40

10) SCREEN:
Type w/40
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	275	295	.012/.014

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 154 ft. below land surface Date 6/11/77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 190' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS 9735 N. Houston-Rosslyn (Street or RFD) Houston (City) Tx (State)

(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son Drl. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.



2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDB-GW-33 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
415	1 of 1	ENE	3.74 / 19,749.30	MRS DUFFIN TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	06/11/1987
Owners Name:	MRS DUFFIN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	30
Depth Drilled:	56
Latitude:	29.798013
Longtiude:	-95.536824

WE#77V

se use black ink.
id original copy by
rtified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER MRS. DUFFIN (Name) Address 1515 BUTLERCREST (Street or RFD) HOUSTON (City) TX (State) 77080 (Zip)

2) LOCATION OF WELL: 1515 BUTLERCREST
County HARRIS ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other ____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started JUNE 11 19 87 Completed JUNE 11 19 87

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4"	Surface	56'

From (ft.)	To (ft.)	Description and color of formation material
0'	27'	TOP SOIL AND CLAY
27'	56	SAND

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from 10 ft. to 56 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfgr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	P.V.C. CASING	0'	46'	
4"	N	P.V.C. SCREEN	46'	56'	.014

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 1
____ ft. to ____ ft. No. of Sacks Used ____
Method used TRIME
Cemented by BUSSELL & SON, INC.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 30 ft. below land surface Date 6/11/87
Artesian flow ____ gpm. Date ____

12) PACKERS: Type K-PACKERS Depth 46'

JUL 17 87

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 42 ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 10 gpm with 10 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON, INC. (Type or Print) Water Well Driller's License No. 2035


ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77375 (Zip)

(Signed) Geo Bussell (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-12-6
Located on map ____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY


LEGEND
IGHWAY MAP
COUNTY
XAS
ENT OF HIGHWAYS
RANSPORTATION
N PLANNING DIVISION
OF TRANSPORTATION
Y ADMINISTRATION
979

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
416	1 of 1	ENE	3.76 / 19,836.92	MR ALFORD TX	TCEQ WELL LOGS

Grid No:	65-12-6Y
Date Drilled:	09/27/1979
Owners Name:	MR ALFORD
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	15
Depth Drilled:	52
Latitude:	29.798567
Longtiude:	-95.536862

WL #14 (14)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-6Y
Located on map. YOS
Received: C.F.S.

1) OWNER Mr. Alford (Name) Address 1519 Butlercrest (Street or RFD) Houston (City) Tex. (State) 77080 (Zip)

2) LOCATION OF WELL: 1519 Butlercrest
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 9/27/79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½"	Surface	52'

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Plastic	0	46'	
4"	N	Plastic	46'	52'	.010

CEMENTING DATA
Cemented from ft. to ft.
Method used
Cemented by (Company or Individual)

9) WATER LEVEL:
Static level 15 ft. below land surface Date 9-27-79
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
JUN 2 1982
CRA/UWR

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 46' ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
417	1 of 5	SSW	3.76 / 19,858.74	City of Houston Rosewood#2 TX	GWDB

Well Rep Track No:	
State Well No:	6520122
Owner Name:	City of Houston Rosewood#2
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1975
Well Depth:	1288
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7241670
Longitude:	-95.6213890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520122&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520122&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
417	2 of 5	SSW	3.76 / 19,858.74	CITY OF HOUSTON TX	WUD

St Well No:	6520122
Operating Status:	ABANDONED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FG
Date Drilled:	05/00/1975
Well Depth:	1288
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - ABANDONED
CCN:	P1552
Latitude:	29.72417
Longitude:	-95.62197
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
417	3 of 5	SSW	3.76 / 19,858.74	HCFWSD #63 TX	TCEQ WELL LOGS

Grid No:	65-20-1M
Date Drilled:	09/15/1976
Owners Name:	HCFWSD #63
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	152
Depth Drilled:	268
Latitude:	29.7242055
Longtiude:	-95.6219687

1M

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-1M
Located on map Y-S
Received: 9-17
DD

1) OWNER:
Person having well drilled HCFWSD #63 (Name) Address P.O. Box 117 (Street or RFD) ALIEF, (City) TEXAS (State) 7741
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS 2¼ miles in N-E (N.E., S.W., etc.) direction from ALIEF, TEXAS (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* CBY80
FM 1093
Ben's
UNCLE RICE
North
PLANT
WESTHEIMER
TO HOUSTON
WELL
ALIEF TEX
OLD ALIEF ROAD
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): (New Well) Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic (Industrial) Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check): (Rotary) Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 268 ft. Depth of completed well 268 ft. Date drilled 9-15-76
All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	8	FILLED IN —
8	33	GRAVEST, & REDISH CLAY
33	40	VERY FINE SAND
40	90	RED CLAY TO GRAY
90	120	FAIR COURSE SAND-NOWL.
120	160	VERY STICKLY RED-GRAY CLAY
160	220	FAIR COARSES-SAND-W/STRIPS-CLAY
220	244	VERY STICKLY GRAY CLAY
244	268	EXTRA HEAVY-SAND & SMALL GRAVEL
BOTTOM OF WELL —		

(Use reverse side if necessary)

9) Casing:
Type: Old (New) Steel (Plastic) Other
Cemented from TOP ONLY ft. to 0-40' ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	258	40 SECH PLASTIC

Screen: Type BRONZE WRAP ON GALV. PIPE
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	258	268	EQUAL TO 14 GAGE

7) COMPLETION (Check):
(Straight wall) Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 152 ft. below land surface Date 9-15-76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes (No) If yes, by whom? SAME pump LEFT IN WELL
Yield: 25 gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? VERY GOOD depth of strata 268

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CECIL L. ELLIS (Type or Print) Water Well Drillers Registration No. 815
ADDRESS 13719 STAFFORD RD. (Street or RFD) STAFFORD (City) TEXAS, 77477 (State)
(Signed) Cecil L. Ellis (Water Well Driller) ELLIS WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
417	4 of 5	SSW	3.76 / 19,858.74	Houston, City of TX	WW HARRIS GAL

Well ID:	1850	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1975
Permit No:	W1995-1002-47519-0	**Depth Drilled:**	1288
Permit Start Date:	2/1/1995	**Depth frm Surf(ft):**	822
Permit End Dt:	1/31/1996	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.724166
Regulatory Aarea:	3	**Longitude:**	-95.621666

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
417	5 of 5	SSW	3.76 / 19,858.74	USGS-294326095371601 TX	FED USGS

Site No:	USGS-294326095371601
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	197504
Well Depth:	1288
Well Depth Unit:	ft
Well Hole Depth:	1288
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-122
Latitude:	29.72416667000000
Longitude:	-95.6213889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
418	1 of 1	ESE	3.77 / 19,917.62	S. HOGAN TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	11/10/1981
Owners Name:	S. HOGAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	142
Depth Drilled:	345
Latitude:	29.739667
Longtiude:	-95.540497

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-10
Located on map 18S
Received: C.F.S.

1) OWNER S. HOGAN (Name) Address #8 WESTRIVERCREST (Street or RFD) HOUSTON (City) TEXAS (State) (Zip)

2) LOCATION OF WELL: County HARRIS 10 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 11-10-81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	335
3 7/8	335	345

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other 2-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	7	TOP SOIL
7	25	YELLOW SHALE
25	57	SAND
57	61	ROCK
61	68	SAND
68	70	ROCK
70	123	RED SHALE
123	145	SAND
145	190	RED SHALE
190	207	SAND
207	231	BLUE SHALE
231	256	SAND
256	321	RED SHALE
321	345	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	325	40
3		PVC SCREEN	325	345	80

CEMENTING DATA
Cemented from 0 ft. to 325 ft.
Method used PRESURE
Cemented by SUGG-WATER WELL DRILLING (Company or Individual)

9) WATER LEVEL:
Static level 142 ft. below land surface Date 11-11-81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
APR - 6 1983
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS: ☐ Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 450 gpm with 45 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Drillers Registration No. 1006
ADDRESS 13501 CHRISMAN #26 (Street or RFD) HOUSTON (City) TEXAS (State) 77039 (Zip)
(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


S. HOGAN
LEGEND
HIGHWAY MAP
COUNTY
EXAS
TMENT OF HIGHWAYS
TRANSPORTATION
ON PLANNING DIVISION
IT OF TRANSPORTATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
419	1 of 1	ENE	3.77 / 19,926.99	PETER NIMMO TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	06/28/2001
Owners Name:	PETER NIMMO
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	8
Depth Drilled:	52
Latitude:	29.7965711
Longtiude:	-95.5353157

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

...xas Department of License and Regu...ion
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Peter Nimmo	13 Rollingwood dr	Houston	TX	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	Same			

Lat. | Long. | Grid # 65-12-6

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☒ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 6/28/01
Completed 6/28/01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7	Surface	52

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	21	Yellow Clay
21	50	Sand
50	52	Red clay

RECEIVED
TDLR MAIL ROOM
SEP 27 2001
RECEIPT #
AMOUNT

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☒ Gravel Packed ☐ Other
If Gravel Packed give the interval from 50 ft. to 40 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	Casing Plastic	Surface	40	Sch40
4	N	Screen Plastic	40	50	.008

9) Cementing Data
Cementing from 0 ft. to 40 ft. # of sacks used 10
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 50 ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

11) Water Level
Static level 8 ft. below Date 6/28/01
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 25 gpm with ft. drawdown after hrs.

12) Packers

Type	Depth
NONE	

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print)	Raymond Services, Inc. 4577WI		
Address 10011 Airline Drive	City Houston	State TX	Zip 77037
Signature / / Licensed Driller/Pump Installer	Date	Signature Apprentice	6/28/01 Date

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
420	1 of 2	SSW	3.78 / 19,936.05	SUSAN KUANG TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	03/25/1994
Owners Name:	SUSAN KUANG
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	186
Depth Drilled:	350
Latitude:	29.7220076
Longtiude:	-95.6175677

528A

Send original copy by certified mail to: Texas Water Comm[illegible]ion, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER KUANG SU SAN (Name) ADDRESS 13100 WESTPARK HWY (Street or RFD) TX (City) 77082 (State) (Zip)

2) LOCATION OF WELL: County HARRIS . _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling: Started 3-24 19 94 Completed 3-25 19 94

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/8	Surface	340
3 7/8	340	350

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	TOP Soil + Clay
16	21	SURFACE, SAND
21	77	Clay + ROCK
77	98	SAND
98	160	Clay
160	320	SAND
320	325	Clay
325	350	SAND

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	340	
2	N	GALVANIZED	335	340	
2	N	PVC SCREENS	340	350	.014

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 15 ft. No. of Sacks Used 6

290 ft. to 340 ft. No. of Sacks Used 3

Method used Halliburton / TRIMIE

Cemented by BUSSELL + SON INC.

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]

☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]

☐ Pitless Adapter Used [Rule 287.44(3)(B)]

☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 186 ft. below land surface Date 3/25/94

Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-PACKER	335

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated

Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents? ☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED
APR 18 1994
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL + SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) TOMBALL (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

305 - 320 Red Rock
320 - 455 " "

Humble Oil & Ref. Co.
Brown & Altman
Water Supply Well #6

0-6 Sand
6-20 Caliche
20-60 Sand
60-95 "
95-115 Sandy Clay
115-125 Red Bed
125-135 Sand & Gravel
Ran 4 JTS 120' 7" Csg 8 RT
Tested 1 hr. 50 GPM
Bailed To 115'

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
420	2 of 2	SSW	3.78 / 19,936.05	Phan, Hailey Ha TX	WW HARRIS GAL

Well ID:	4775	**Diameter (inches):**	4
Aggre Lead Well:	4775	**Year Drilled:**	1994
Permit No:	WP2024-105089	**Depth Drilled:**	350
Permit Start Date:	5/1/2024 2:07:00 PM	**Depth frm Surf(ft):**	340
Permit End Dt:	4/30/2025 2:07:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.721944
Regulatory Aarea:	3	**Longitude:**	-95.617777
Owner Name:	Hailey Ha Phan		
Billing Contact:	NULL		
Billing Address:	13100 Westpark Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
421	1 of 1	ENE	3.78 / 19,955.20	TX	GWDB

Well Rep Track No:	
State Well No:	6512943
Owner Name:	
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	490
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7855560
Longitude:	-95.5302780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512943&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512943&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
422	1 of 1	ESE	3.78 / 19,961.80	Stone Mountain Properties TX	WW HARRIS GAL

Well ID:	9468	**Diameter (inches):**	5
Aggre Lead Well:	9468	**Year Drilled:**	
Permit No:	W2010-9468-144711-0	**Depth Drilled:**	400
Permit Start Date:	12/31/2009	**Depth frm Surf(ft):**	380
Permit End Dt:	12/31/2009	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.742777
Regulatory Aarea:	3	**Longitude:**	-95.538333
Owner Name:	Stone Mountain Properties		
Billing Contact:	Accounts Payable		
Billing Address:	P.O. Box 421358		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77242		
Correspondence:	(Sun Blossom Gardens)		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
423	1 of 1	ESE	3.78 / 19,967.43	Charles Garner TX	GWDB

Well Rep Track No:	
State Well No:	6512912
Owner Name:	Charles Garner
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	390
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7594450
Longitude:	-95.5300000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512912&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512912&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
424	1 of 2	ENE	3.78 / 19,976.61	MR. BILL GUNN TX	TCEQ WELL LOGS

Grid No:	65-13-6U
Date Drilled:	02/07/1984
Owners Name:	MR. BILL GUNN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	30
Depth Drilled:	42
Latitude:	29.7990174
Longtiude:	-95.5366488

Dup ✓ W.L. #107

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-13-104
Located on map 4 Romm
Received:

1) OWNER MR. Bill GUNN (Name) Address 1523 Butlercrest (Street or RFD) Nstn (City) Tx (State) 77080 (Zip)

2) LOCATION OF WELL: County HARRIS Off of Long Point miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. Mapsco 65-05-9AAA

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 2-7-84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	42

From (ft.)	To (ft.)	Description and color of formation material
0	15	Top Soil + Clay
15	42	Surface Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☑ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 10 ft. to 42 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	42	
4	N	PVC	32	42	020

CEMENTING DATA
Cemented from 0 ft. to 10 ft.
Method used Trimme
Cemented by Bussell + Son Inc (Company or Individual)

9) WATER LEVEL:
Static level 30 ft. below land surface Date 2/11/84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
MAR 11 1985
DEPT. OF WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG O. Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS PO Box 814 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell + Son Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
424	2 of 2	ENE	3.78 / 19,976.61	DATASIGHT - WILLIAM GUNN TX	TCEQ WELL LOGS

Grid No: 65-12-6
Date Drilled: 09/13/2001
Owners Name: DATASIGHT - WILLIAM GUNN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 29
Depth Drilled: 55
Latitude: 29.7990174
Longtiude: -95.5366488

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Gunn Patasight-William	1523 Butlercrest	Houston	Texas	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	Same			

Lat. | Long. | Grid # 65-12-6

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 9 / 13 / 01
Completed 9 / 13 / 01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7	Surface	55

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	19	clay
19	47	sand .006
117	49	clay
49	53	sand .008
53	55	clay

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing	Gage Screen
4	N	Casing Plastic	Surface	33	Sch 40	
4	N	Screen Plastic	33	53		.006 .008

9) Cementing Data
Cementing from 33 ft. to 0 ft. # of sacks used 13
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 150 ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

RECEIVED TDLR MAIL ROOM NOV 21 2001 AM

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

11) Water Level
Static level 29 ft. below Date 9 / 13 / 01
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 15 gpm with ft. drawdown after hrs.

12) Packers

Type	Depth
None	

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print)	Raymond Services, Inc. 4577WI			
Address	10011 Airline Drive	City Houston	State TX	Zip 77037

Signature Licensed Driller/Pump Installer	Date	Signature Apprentice	Date
	9 / 13 / 01		/ /

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
425	1 of 4	S	3.80 / 20,050.24	Builders Supply Co. TX	GWDB

Well Rep Track No:
State Well No: 6520120
Owner Name: Builders Supply Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1970
Well Depth: 410
Well Usage: Industrial
Water Level Status:
Latitude: 29.7161120
Longitude: -95.5897220
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520120&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520120&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
425	2 of 4	S	3.80 / 20,050.24	The Randolph Co. TX	GWDB

Well Rep Track No:	
State Well No:	6520112
Owner Name:	The Randolph Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1962
Well Depth:	411
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7163890
Longitude:	-95.5913890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520112&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520112&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
425	3 of 4	S	3.80 / 20,050.24	Builders Supply Co. Of Houston TX	WW HARRIS GAL

Well ID:	3230	**Diameter (inches):**	6
Aggre Lead Well:	1816	**Year Drilled:**	1986
Permit No:	W1985-1816-23466-0	**Depth Drilled:**	0
Permit Start Date:	11/1/1985	**Depth frm Surf(ft):**	0
Permit End Dt:	10/31/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.716666
Regulatory Aarea:	3	**Longitude:**	-95.59
Owner Name:	Builders Supply Co. Of Houston		
Billing Contact:	B.C. Watson		
Billing Address:	P.O. Box 22047		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
425	4 of 4	S	3.80 / 20,050.24	Builders Supply Co. Of Houston TX	WW HARRIS GAL

Well ID:	1816	**Diameter (inches):**	6
Aggre Lead Well:	1816	**Year Drilled:**	1970
Permit No:	W1985-1816-23466-0	**Depth Drilled:**	410
Permit Start Date:	11/1/1985	**Depth frm Surf(ft):**	358
Permit End Dt:	10/31/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.716666
Regulatory Aarea:	3	**Longitude:**	-95.59
Owner Name:	Builders Supply Co. Of Houston		
Billing Contact:	B.C. Watson		
Billing Address:	P.O. Box 22047		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
426	1 of 2	WNW	3.80 / 20,053.23	JMG BUILDERS TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	04/04/1997
Owners Name:	JMG BUILDERS
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	150
Depth Drilled:	317
Latitude:	29.790277
Longtiude:	-95.650833

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: JMG BUILDERS, LTD. - PARK ADDRESS: 2700 POST OAK BLVD #1670 CITY: HOUSTON STATE: TX ZIP: 77056-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-11-09
Street or RFD: 15200 PARK ROW DRIVE (PARK PLACE APARTMENTS)
City, State, Zip code: HOUSTON , TX 77084- State Well # 5555

5)

3) TYPE OF WORK: NEW WELL
4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 00113
DATE DRILLING:
STARTED: 04/04/96
COMPLETED: 04/04/97

DIAMETER OF HOLE

DIAMETER	FROM	TO
7.75	-0-	295
4.75	295	317

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

65-11-09 N

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	PVC WELL CASING	+2	295	SDR 17
2.5	N	PVC BLANK PIPE	291	296	SCH 80
2.5	N	STAINLESS ROD BASE	296	306	8 GA
2.5	N	STAINLESS ROD BASE	306	316	10 GA
2.5	N	NIP W/BACKWASH VALVE	316	317	SCH 80

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	20	BLACK TOPSOIL, CLAY SAND
20	40	SAND RED CLAY
40	60	RED CLAY ROCK RED CLAY
60	80	WHITE CLAY
80	100	CLAY, SAND, CLAY
100	120	CLAY ROCK SAND
120	140	SAND & GRAVEL
140	160	SAND & GRAVEL ROCK SAND
160	180	SAND WITH ROCK
180	220	SAND,CLAY SHALE SAND
220	240	SAND CLAY SAND
240	252	SAND CLAY SAND
252	317	SAND SAND SAND,CLAY

9) CEMENTING DATA:

Cemented from				No. of Sacks Used
295	FT.	TO 145	FT.	15
-0-	FT.	TO 145	FT.	20

Method used: HALLIBURTON METHOD
Cemented by: GEOPHYSICAL DRLG.
Distance to septic field lines: n/a ft.
Method of verification of above distance:
NONE TO INSTALL

10) SURFACE COMPLETION:
PIPELESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL: 150 FT. DATE: 08/14/96
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
BP SEAL	291
FORMATION PACKER	18

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 220

14) WELL TEST:
JETTED
YIELD: 80 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 65 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 4898WPK
ADDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Jimmy D. Briney (LICENSED WATER WELL DRILLER)
(signed) (REGISTERED DRILLER TRAINEE)

RECEIVED JUN 1 1 1997 TEXAS WATER CONSERVATION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
426	2 of 2	WNW	3.80 / 20,053.23	Park Place Houston TX	WW HARRIS GAL

Well ID:	5555	**Diameter (inches):**	5
Aggre Lead Well:	5555	**Year Drilled:**	1996
Permit No:	WP2024-106108	**Depth Drilled:**	350
Permit Start Date:	6/1/2024 9:44:00 AM	**Depth frm Surf(ft):**	340
Permit End Dt:	5/31/2025 9:44:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.790277
Regulatory Aarea:	3	**Longitude:**	-95.650833
Owner Name:	Park Place Houston		
Billing Contact:	Sarah Pratt - Property Manager		
Billing Address:	15200 Park Row		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
427	1 of 1	SSE	3.81 / 20,097.76	LAYNE WESTERN TX	TCEQ WELL LOGS

Grid No:	65-20-2Q
Date Drilled:	05/01/1979
Owners Name:	LAYNE WESTERN
County:	HARRIS
Water Usage:	SUPPLY
Static Level:	170
Depth Drilled:	340
Latitude:	29.7197162
Longtiude:	-95.5701598

Well Log #129

20

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-20-20
Located on map YES
Received: TH

1) OWNER Layne Western (Name) Address P.O. Box 79060 (Street or RFD) Houston (City) Texas (State) 77079 (Zip)

2) LOCATION OF WELL: N. Wilcrest
County Harris 7 miles in N. W. (N.E., S.W., etc.) direction from Bellaire (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. e log in pocket

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other Supply

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 5/1/79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6½		340

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	83	Clay
83	100	Sand (.016)
100	184	Clay
184	200	Sand
200	282	Clay
282	295	Sand
295	301	Clay
301	311	Sand
311	340	Clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4	N	Plastic	0	290		40
2	N	c	290	300		20
2	n		301	311		20

CEMENTING DATA
Cemented from 240 ft. to 290 ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 170' ft. below land surface Date 5/2/79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other None
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 41 gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston Roaslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
428	1 of 4	SW	3.81 / 20,103.52	Park Ten MUD well #2 TX	GWDB

Well Rep Track No:
State Well No: 6511804
Owner Name: Park Ten MUD well #2
Drilling Start Dt:
Drilling Month: 2
Drilling Day: 29
Drilling Year: 1980
Well Depth: 1641
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7883340
Longitude: -95.6694440
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511804&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511804&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
428	2 of 4	SW	3.81 / 20,103.52	CITY OF HOUSTON TX	WUD

St Well No:	6511804
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SK
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SK
Date Drilled:	02/29/1980
Well Depth:	1641
Screen Top:	610
Screen Bottom:	1626
Gallons Per Minute:	1450
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.7322
Longitude:	-95.635494
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
428	3 of 4	SW	3.81 / 20,103.52	Houston, City of TX	WW HARRIS GAL

Well ID:	2155	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1976
Permit No:	W2003-1002-127237-0	**Depth Drilled:**	1066
Permit Start Date:	2/1/2003	**Depth frm Surf(ft):**	515
Permit End Dt:	3/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.731944
Regulatory Aarea:	3	**Longitude:**	-95.635277

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 21st Floor, Rm 2152
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Afton Village
Provision: G1 - permit exempt from disincentive fee based on provisions in GRP (2002); D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
428	4 of 4	SW	3.81 / 20,103.52	USGS-294717095401001 TX	FED USGS

Site No:	USGS-294717095401001
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19800229
Well Depth:	1641
Well Depth Unit:	ft
Well Hole Depth:	1655
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-804
Latitude:	29.78833333000000
Longitude:	-95.6697222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
429	1 of 1	ENE	3.81 / 20,142.81	Sherif Chemam 8 RollingWood Dr. Houston TX 77080	SDRW WELLS

Track NO: 177608
Date Submitted: 2009-05-08
Owner Name: Sherif Chemam
Owner Address: 8 RollingWood Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.795278
Longitude: -95.533611
Drilling Date Started: 2009-05-07
Drilling Date Completed: 2009-05-07
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=177608&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 50.0

Top Depth: 0
Bottom Depth: 50

Well Levels

Measurement:
Measurement Date: 2009-05-07

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
430	1 of 3	SW	3.82 / 20,173.53	City of Houston WestHollow Park MUD 98 TX	GWDB

Well Rep Track No:
State Well No: 6519322
Owner Name: City of Houston WestHollow Park MUD 98
Drilling Start Dt:
Drilling Month: 6
Drilling Day: 4
Drilling Year: 1975
Well Depth: 1070
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7322220
Longitude: -95.6355560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519322&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519322&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
430	2 of 3	SW	3.82 / 20,173.53	CITY OF HOUSTON TX	WUD

St Well No:	6519322
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FW
Date Drilled:	10/00/1975
Well Depth:	1066
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	640
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.732019
Longitude:	-95.635597
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
430	3 of 3	SW	3.82 / 20,173.53	USGS-294355095380701 TX	FED USGS

Site No:	USGS-294355095380701
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19750604
Well Depth:	1066
Well Depth Unit:	ft
Well Hole Depth:	1307
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-19-322
Latitude:	29.73222220000000
Longitude:	-95.6355556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
431	1 of 1	NE	3.83 / 20,212.82	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PY
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.810838
Longitude:	-95.544887
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
432	1 of 1	ENE	3.83 / 20,215.00	JOE LAUGHLIN TX	TCEQ WELL LOGS

Grid No:	65-12-3GG
Date Drilled:	06/10/1980
Owners Name:	JOE LAUGHLIN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	203
Depth Drilled:	313
Latitude:	29.802016
Longtiude:	-95.5378627

366

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-366
Located on map yes
Received: C.F.S.

1) OWNER Joe Laughlin (Name) Address 8 Shadow Lane (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL:
County Harris 8 miles in S.E. (N.E., S.W., etc.) direction from Jersey Village (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. Map on 65-04-9BB

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	313

Date drilled 6/10/80

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	15	gray clay
15	32	fine sand
32	57	coarse sand + clay strips
57	93	red + gray clay
93	110	clay + sand strips
110	129	coarse sand
129	176	red + gray clay
176	204	sand + clay strips
204	229	fine sand
229	248	clay + sand strips
248	280	red + gray clay
280	287	coarse sand
287	300	red + gray clay
300	313	coarse sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Plastic Casing	0	300	40
2½"	New	Plastic Screen	303	313	12

CEMENTING DATA
Cemented from 300 ft. to 100 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 203 ft. below land surface Date 6/11/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½"x4" R+R 3Ring 295'

RECEIVED
MAR 26 1982
CHAIC

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 13'
Was a chemical analysis made? ☐ Yes ☑ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bobby Potter (Type or Print) Water Well Drillers Registration No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77096 (Zip)

(Signed) Bobby Potter (Water Well Driller) Damrell & Potter Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

TX6512300C9

170795

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
433	1 of 1	WSW	3.83 / 20,236.61	L.W. NICHOLS TX	TCEQ WELL LOGS

Grid No:	65-19-3G
Date Drilled:	04/27/1973
Owners Name:	L.W. NICHOLS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	121
Depth Drilled:	263
Latitude:	29.741783
Longtiude:	-95.64499

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
434	1 of 2	ESE	3.83 / 20,243.10	PINO FARINOLA TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	02/13/2001
Owners Name:	PINO FARINOLA
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	370
Latitude:	29.73827
Longtiude:	-95.540406

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
PINO FARINOLA	4 EAST RIVERCREST	HOUSTON	TX	77042

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	SAME			

Lat. | Long. | Grid # 65-20-3

3) Type of Work: ☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 2 / 12 / 01
Completed 2 / 13 / 01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
6 3/4	0	370

7) Drilling Method (check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	50	CLAY
50	60	SAND
60	75	CLAY
75	140	SAND
140	185	CLAY
185	275	SAND
275	315	CLAY
315	350	SAND

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☒ Other 2 STRING
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing	Gage Screen
4	N	PVC CASING	0	350		
2.5	"	" LINER	340	390		
"	"	" SCREEN	350	370		.010

9) Cementing Data
Cementing from 390 ft. to 0 ft. #of sacks used 18
0 ft. to 10 ft. #of sacks used 10
Method Used HALLIBURTON
Cementing By SDI
Distance to septic system field or other concentrated contamination — ft.
Method of verification of above distance CITY SEWER

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

11) Water Level
Static level 210 ft. below Date 2 / 13 / 01
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

12) Packers

Type	Depth
K-PACKER	340

Company or individual's Name (type or print)	SCOTT DRILLING INC	Lic. No. 4839 WI
Address 11915 GREEN PINE CIRCLE	City HOUSTON	State TX Zip 77066

Signature Scott Robinson (Licensed Driller/Pump Installer) — 3 / 15 / 01 (Date)
Signature D. J. Juneau (Apprentice) — 3 / 15 / 01 (Date)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
434	2 of 2	ESE	3.83 / 20,243.10	Farinola, Pino & Lenora TX	WW HARRIS GAL

Well ID:	8515	**Diameter (inches):**	4
Aggre Lead Well:	8515	**Year Drilled:**	2001
Permit No:	WP2024-101222	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 4:10:00 PM	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025 4:10:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.738333
Regulatory Aarea:	3	**Longitude:**	-95.540555
Owner Name:	Farinola, Pino & Lenora		
Billing Contact:	NULL		
Billing Address:	4 East Rivercrest		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77042		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
435	1 of 1	ENE	3.84 / 20,269.01	RON STEIGER TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	07/30/1992
Owners Name:	RON STEIGER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	230
Depth Drilled:	410
Latitude:	29.7984795
Longtiude:	-95.5352492

450

Send original copy by certified mail to: **Texas Water Commission, P.O. Box 13087, Austin, Texas 78711** — *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Ron Steiger (Name) ADDRESS 27 Rollingwood Dr. Houston, Tx. 77080 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris , 11 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 7/29 19 92 Completed 7/30 19 92

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	410

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top Soil
2	25	Clay
25	40	Sand
40	120	Clay
120	135	Sand
135	250	Shale
250	265	Sand
265	350	Shale
350	411	Sand

(Use reverse side if necessary)

RECEIVED AUG 30 1993 TEXAS WATER COMMISSION

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	Casing	0	390	sch 40
2 1/2	N	Liner	380	390	sch 40
2 1/2	N	Screen	390	410	.012

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 390 ft. to 190 ft. No. of Sacks Used 15
0 ft. to 10 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by RWW

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 230 ft. below land surface Date 7/30/92
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 380

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 280 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Ser. Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11819 Tomball Parkway (Street or RFD) Houaton, Texas (City) 77086 (State) (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

WWD-012 (Rev. 09/21/88) (65-12-6) TEXAS WATER COMMISSION COPY 204903

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
436	1 of 2	WNW	3.84 / 20,275.81	DAVIS BROTHERS CONSTRUCT TX	TCEQ WELL LOGS

Grid No:	65-11-6
Date Drilled:	04/23/1999
Owners Name:	DAVIS BROTHERS CONSTRUCT
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	155
Depth Drilled:	362
Latitude:	29.787586
Longtiude:	-95.652574

TTENTION OWNER: Confidentiality rivilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

) OWNER: DAVIS BROTHERS CONSTRUCT. ADDRESS: 2200 LOUETTA ROAD CITY: HOUSTON STATE: TX ZIP: 77388-4705

) ADDRESS OF WELL:
County: HARRIS GRID # 65-11-06
Street or RFD: THE HERITAGE @ PARK ROW APARTMENTS 15211 PARK ROW DRIVE
City, State, Zip code: HOUSTON , TX 77079-

5)

) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

) WELL LOG: 00336

ATE DRILLING:
STARTED: 04/20/99
COMPLETED: 04/23/99

DIAMETER OF HOLE

DIAMETER	FROM	TO
7.75	-0-	338
4.75	338	362

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	PVC WELL CASING	+2	338	SDR-17
2.5	N	PVC BLANK PIPE	334	340	SCH 80
2.5	N	STAINLESS ROD BASE	340	350	8 GA
2.5	N	STAINLESS ROD BASE	350	360	10 GA
2.5	N	NIP W/BACKWASH VALVE	360	362	SCH 80

EOLOGICAL DESCRIPTION:

ROM	TO	DESCRIPTION
0	20	BLACK TOPSOIL, CLAY SAND
20	60	SAND ROCK CLAY,SAND
60	100	RED & WHITE CLAY
100	135	CLAY SAND SAND & GRAVEL
135	190	CLAY SAND SAND
190	207	CLAY SAND SAND
207	242	CLAY
242	360	SAND SAND SAND

9) CEMENTING DATA:

Cemented from				No. of Sacks Used
338	FT.	TO 188	FT.	13
-0-	FT.	TO 18	FT.	7

Method used: HALLIBURTON METHOD
Cemented by: GDI LOWER PRESSURED
Distance to septic field lines: n/a ft.
Method of verification of above distance:
NONE TO INSTALL

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 155 FT. DATE: 04/23/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATIOM PACKER	18
BP-SEAL	334

3) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 260

14) WELL TEST:
JETTED
YIELD: 100 GPM WITH FT DRAWDOWN AFTER HRS

5) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 118 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

MPANY NAME: GEOPHYSICAL DRILLING,INC. WATER WELL DRILLER'S LICENSE NO.: 4898WPK
DDRESS: P.O. BOX 664 CITY: FULSHEAR STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO. _____
LOCATED ON MAP _____

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) Jimmy D. Brinn (LICENSED WATER WELL DRILLER)

(signed) _____ (REGISTERED DRILLER TRAINEE)

FILED SEP 15 1999 SEQ #

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
436	2 of 2	WNW	3.84 / 20,275.81	Marquis on Park Row TX	WW HARRIS GAL

Well ID:	7267	**Diameter (inches):**	5
Aggre Lead Well:	7267	**Year Drilled:**	1999
Permit No:	W2016-7267-184793-0	**Depth Drilled:**	400
Permit Start Date:	5/1/2016	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2017	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.786944
Regulatory Aarea:	3	**Longitude:**	-95.652222
Owner Name:	Marquis on Park Row		
Billing Contact:	NULL		
Billing Address:	15211 Park Row		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
437	1 of 4	NNE	3.84 / 20,297.88	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512520
Owner Name:	City of Houston
Drilling Start Dt:	
Drilling Month:	2
Drilling Day:	15
Drilling Year:	1980
Well Depth:	1530
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.8244444
Longitude:	-95.5702361
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512520&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512520&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
437	2 of 4	NNE	3.84 / 20,297.88	CITY OF HOUSTON TX	WUD

St Well No:	6512520
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AF
Date Drilled:	04/24/1980
Well Depth:	1530
Screen Top:	842
Screen Bottom:	1512
Gallons Per Minute:	1350
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.82445526
Longitude:	-95.57023621
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
437	3 of 4	NNE	3.84 / 20,297.88	Houston, City of TX	WW HARRIS GAL

Well ID:	3374	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1545
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	707
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.824166
Regulatory Aarea:	3	**Longitude:**	-95.569722
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
437	4 of 4	NNE	3.84 / 20,297.88	USGS-294925095341201 TX	FED USGS

Site No:	USGS-294925095341201
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19800215
Well Depth:	1528
Well Depth Unit:	ft
Well Hole Depth:	1550
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-520
Latitude:	29.82472220000000
Longitude:	-95.5702778000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
438	1 of 1	ENE	3.85 / 20,310.23	Judy Baird 9929 Shadow Wood Houston TX 77080	SDRW WELLS

Track NO: 10975
Date Submitted: 2002-08-26
Owner Name: Judy Baird
Owner Address: 9929 Shadow Wood
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.804445
Longitude: -95.536111
Drilling Date Started: 2002-07-31
Drilling Date Completed: 2002-07-31
Chemical Analysis: No
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=10975&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 53

Top Depth:
Bottom Depth: 53.0

Well Levels

Measurement: 18
Measurement Date: 2002-07-31

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
439	1 of 1	ENE	3.85 / 20,313.03	GEORGE JACKSON TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	07/22/1996
Owners Name:	GEORGE JACKSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	215
Depth Drilled:	407
Latitude:	29.804983
Longtiude:	-95.5398436

STATE OF TEXAS WATER WELL REPORT (65-12-6)

1) OWNER: JACKSON, GEORGE ADDRESS: 9940 SHADOW WOOD CITY: HOUSTON STATE: TX ZIP:
2) LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01225 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
8.00	0	383
4.875	383	407


TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 07/22/96

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	383	CASING
3.0	N	P.V.C. SCH.40	375	386	LINER
3.0	N	STAINLESS - ROD BASE	386	406	.008
3.0	N	STEEL, NEW, GALV.	406	407	BLANK

WELL # 65-12-06



GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	18	CLAY-TAN
18	72	SAND-TAN-.006-.008
72	90	CLAY-RED
90	106	SAND-TAN-.006-.008 BROKEN SANDSTONE
106	176	CLAY-RED CLAY-BLUE
176	196	SAND-TAN-.014-.020
196	208	CLAY-BLUE
208	233	SAND-TAN-.014-.020
233	256	CLAY-TAN
256	288	SAND-TAN-.014-.020
288	310	CLAY-RED
310	349	SAND-TAN-.010-.012
349	351	ROCK
351	406	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012

9) CEMENTING DATA:
Cemented from 0 FT. TO 383 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : 215 FT. DATE: 07/24/96
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 276 ,

14) WELL TEST:
JETTED
YIELD: 150 GPM WITH FT DRAWDOWN AFTER HRS

NOV 14 1997

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 407 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843, 2350, 2843
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed Carl Lofton (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)

STATE TEXAS WATER WELL REPORT (PAGE 2)

OWNER: JACKSON, GEORGE ADDRESS: 9940 SHADOW WOOD CITY: HOUSTON STATE: TX ZIP:

406 407 ROCK

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
440	1 of 1	SE	3.86 / 20,370.05	Mike James 2 East Rivercrest Houston TX 77042	SDRW WELLS

Track NO: 81383
Date Submitted: 2006-04-25
Owner Name: Mike James
Owner Address: 2 East Rivercrest
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.738056
Longitude: -95.54
Drilling Date Started: 2006-04-05
Drilling Date Completed: 2006-04-06
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Circle
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=81383&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 370

Top Depth:
Bottom Depth: 370.0

Well Levels

Measurement: 215
Measurement Date: 2006-04-25

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
441	1 of 4	SW	3.87 / 20,412.08	WEST HARRIS COUNTY MUD 6 TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	ASST VP OPERATIONS
Primary Co:	JAMES COURSEY
PWSID:	1011258
Source ID:	G1011258A
Utility Name:	WEST HARRIS COUNTY MUD 6
WTRSRC:	G1011258A
Date Drilled:	10/10/1979
Well Depth:	1248
Screen Top:	930
Screen Bottom:	1220
Gallons Per Minute:	890
Water Usage:	ACTIVE - PERMANENT
CCN:	P0487
Latitude:	29.726636
Longitude:	-95.629481
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
441	2 of 4	SW	3.87 / 20,412.08	RENN RD MUD TX	TCEQ WELL LOGS

Grid No:	65-19-3V
Date Drilled:	1979
Owners Name:	RENN RD MUD
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	268
Depth Drilled:	480
Latitude:	29.726636
Longtiude:	-95.629481

65-19-3V

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-19-3V
Located on map YES
Received: TH

1) OWNER RENH RD M.U.D. (Name) Address BIG WEST CON. CO. (Street or RFD) ONZOE (City) TEXAS (State) 77303 (Zip)

2) LOCATION OF WELL: County HARRIS, 1/4 miles in EAST (N.E., S.W., etc.) direction from HIWAY #6 (Town) HOUSTON-

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. Log in pocket

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☑ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 1979

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
16	Surface	480

From (ft.) | To (ft.) | Description and color of formation material

See ATTACHED Logs

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☑ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 480 ft. to 894 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
16		STEEL	0	480	
10	.	SCREEN	see Logs-		020

CEMENTING DATA
Cemented from 0 ft. to 480 ft.
Method used _____
Cemented by HALLIBURTON CO. (Company or Individual)

9) WATER LEVEL:
Static level 268 ft. below land surface Date 11-1-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☑ Turbin ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 400 ft.

12) WELL TESTS:
☑ Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1200 gpm with 51 ft. drawdown after 24 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☑ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME P.J. Little (Type or Print) Water Well Drillers Registration No. 278
ADDRESS PO Box 98 (Street or RFD) SHREVEPORT (City) LA (State) 71161 (Zip)
(Signed) P.J. Little (Water Well Driller) LANFORD DRILLING CO. INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

nWB

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
NOV 20 1980
CR/TDWR

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
441	3 of 4	SW	3.87 / 20,412.08	WEST HARRIS COUNTY MUD #6 TX	TCEQ WELL LOGS

Grid No:	65-20-1F
Date Drilled:	10/10/1979
Owners Name:	WEST HARRIS COUNTY MUD #6
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	298
Depth Drilled:	1248
Latitude:	29.726636
Longtiude:	-95.629481

65 20 1F 1F

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-1F
Located on map YES
Received: TH

1) OWNER Wel Harris County M.U.D. #6 (Name) Address 9a.p Texas Co Pkwy & Huffstt's Exley (Street or R.F.D.) Houston (City) Tex (State) 77024 (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. e log in pocket

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG: Well #1
Date drilled 10/16/79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
20	Surface	920
36	920	1245 TD

From (ft.) To (ft.) Description and color of formation material

In attached Well log Chem Analysis E-log

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 920 ft. to 1245 TD ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	To	Gage Casing Screen
16	N	Steel csg	+2	920	
10	N	Steel Blank Perf	+20	930	
16	N	SS Wire Bar Slot Screen	930	960	.040
"	"	"	1055	1085	"
"	"	"	1110	1155	"
"	"	"	1155	1220	"

CEMENTING DATA
Cemented from 0 ft. to 920 ft.
Method used Halliburton
Cemented by Pump (Company or Individual)

9) WATER LEVEL:
Static level 29 ft. below land surface Date 12/18/79
Artesian flow gpm. Date

10) PACKERS: Type Depth
None

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 450 ft.

12) WELL TESTS:
☒ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1200 gpm with 54 ft. drawdown after 36 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No Near-surface water caused it
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leland Lawson (Type or Print) Water Well Drillers Registration No. 28
ADDRESS PO Box 9466 (Street or R.F.D.) Houston (City) Texas (State) 77011 (Zip)
(Signed) Leland Lawson (Water Well Driller) Layne Texas Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

AUG 4 '80
CR/TDWR

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



RECEIVED
MAR 31 1980
DEPT. OF

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
441	4 of 4	SW	3.87 / 20,412.08	Houston, City of TX	WW HARRIS GAL

Well ID:	3278	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1979
Permit No:	WP2023-117626	**Depth Drilled:**	1250
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.726388
Regulatory Aarea:	3	**Longitude:**	-95.629444
Owner Name:	W Harris Co MUD 6		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
442	1 of 4	SSW	3.87 / 20,438.88	City of Houston Ashford Pt. Dist 218 TX	GWDB

Well Rep Track No:	
State Well No:	6520128
Owner Name:	City of Houston Ashford Pt. Dist 218
Drilling Start Dt:	
Drilling Month:	7
Drilling Day:	5
Drilling Year:	1985
Well Depth:	1122
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7205550
Longitude:	-95.6144450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520128&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520128&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
442	2 of 4	SSW	3.87 / 20,438.88	CITY OF HOUSTON TX	WUD

St Well No:	6520128
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FD
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FD
Date Drilled:	07/05/1985
Well Depth:	1122
Screen Top:	692
Screen Bottom:	1102
Gallons Per Minute:	1850
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.719447
Longitude:	-95.614709
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
442	3 of 4	SSW	3.87 / 20,438.88	Houston, City of TX	WW HARRIS GAL

Well ID:	3978	**Diameter (inches):**	18
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1600
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	800
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.719722
Regulatory Aarea:	3	**Longitude:**	-95.614166
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
442	4 of 4	SSW	3.87 / 20,438.88	USGS-294313095365101 TX	FED USGS

Site No:	USGS-294313095365101
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19850705
Well Depth:	1122
Well Depth Unit:	ft
Well Hole Depth:	1500
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-128
Latitude:	29.72055556000000
Longitude:	-95.6144444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
443	1 of 1	ESE	3.87 / 20,449.94	FRIENDSWOOD DEVELOPMENT CORP TX	TCEQ WELL LOGS

Grid No: 65-20-3B
Date Drilled: 02/07/1973
Owners Name: FRIENDSWOOD DEVELOPMENT CORP
County: HARRIS
Water Usage: PLUGGED/ABADONED
Static Level: NOT REPORTED
Depth Drilled: NOT REPORTED
Latitude: 29.741569
Longtiude: -95.536987

Dup

File original with
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL
COMPLETION AND PLUGGING REPORT

For TWDB use only
Well No. 65-20-38
Form GW-55 received 73
Form GW-56 received

1) Well Owner: Friendswood Development Corp., 1117 Hou. Citizens Bank, 1010 Jefferson
Name Street or RFD City State
2) Landowner: Same Houston 77002
Name Street or RFD City State
3) Intended Use: Industrial ☐; Municipal ☐; Irrigation ☐; Domestic ☐; Stock ☐; Other
4) Location Of Well: County Harris Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as known)
See attached map
miles in (NE, SW, etc.) direction from Town. Use reverse side to sketch map of well location showing distances from adjacent section or survey lines, or to landmarks, roads, and creeks.

COMPLETION AND PLUGGING DATA

5) Driller Unknown Registration Number Address
6) ~~Drilling~~ Plugging Well Leland Lawson Registration Number 029 28 Address Layne Texas Co. PO Box 9469 Houston 77011
7) ~~XXXX~~ Plugged 2/7/73 19__; Dug ☐; Cable Tool ☐; Rotary ☐; Other Owners Well Number
8) Diameter Of Hole inches, from to feet, and inches, from to feet; Total depth feet.
9) Casing and Cement:

Diameter (inches)	Set in Well From (feet)	Set in Well To (feet)	Left in Well From (feet)	Left in Well To (feet)	Cement Baskets or Packers, Depth (feet)	Cement From (feet)	Cement To (feet)
						about 200	surf

10) Well Log: All measurments made from feet above ground level.

From (ft.)	To (ft.)	Description and color of formation material

11) Sketch Of Well: Show method of completion and/or plugging including all casing and cemented intervals.


12) Fresh Water-Bearing Zone(s): Depth in feet to top of, Thickness feet.
13) Undesirable Water-Bearing Zone(s): Depth in feet to top of, Thickness feet.
14) Static Water Level(s) feet below land surface. Was the water level measured after penetrating the first water-bearing zone ☐, or after drilling to total depth ☐? Check applicable box(s).
15) Describe in detail the type, volume and manner of placement of all cement. Indicate depth to top of cement behind each casing string. Describe and give percent of all cement additives:
Pump was dropped into ~~XXXX~~ hole. Hole treated with HTH, then plugged with 9 yards of concrete from ~~r~~ready-mix truck from TD to land surface.
16) Was undesirable water exclusion or retention or plugging program checked for adequacy?
If so describe method(s) used.
By observation
17) Attach electrical, gamma ray or other mechanical log(s), water analyses, and other pertinent data if available.


VALIDATION

18) We, the party performing the undesirable water exclusion ☐ retention ☐ plugging XXX (Check applicable box) operations,
, and the landowner or party having well drilled, deepened or otherwise altered,
, certify that the undesirable water exclusion or retention or plugging operations were performed in the manner described above. Leland Lawson RN 029 Layne Texas Co.


TWDB-GW-55

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB












65-20-3B

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
444	1 of 1	ENE	3.87 / 20,451.91	DOROTHY HOUSE TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	05/13/2002
Owners Name:	DOROTHY HOUSE
County:	HARRIS
Water Usage:	NOT REPORTED
Static Level:	10
Depth Drilled:	50
Latitude:	29.7973252
Longtiude:	-95.5338995

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

T[illegible]as Department of License and Regul[illegible]n
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Dorothy House	20 Rollingwood	Houston	TX	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	Same			

Lat. 29° 54.12 N Long. 095° 24.10 W Grid # 65-12-5

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 5 / 13 / 02
Completed 5 / 13 / 02

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5	0	50

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	17	clay
17	50	sand
50		Rock

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	Casing PVC	0	30	Sc 40
4	N	Screen SLOTTED	30	50	.006

9) Cementing Data
Cementing from 20 ft. to 0 ft. # of sacks used 8
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 200 ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

11) Water Level
Static level 10 ft. below Date 5 / 13 / 02
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 20 gpm with ft. drawdown after hrs.

12) Packers Type Depth
None

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

RECEIVED
TDLR MAIL ROOM
JUN 25 2002
RECEIPT # CASH/CK

Company or individual's Name (type or print) Raymond Services, Inc. 4577WI

Address 10011 Airline Drive City Houston State TX Zip 77037

Signature / / Signature / /
Licensed Driller/Pump Installer Date Apprentice Date

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
445	1 of 5	NE	3.88 / 20,508.90	HOUSTON CHRISTIAN HIGH SC TX	TCEQ WELL LOGS

Grid No: 65-12-5
Date Drilled: 10/04/2002
Owners Name: HOUSTON CHRISTIAN HIGH SC
County: HARRIS
Water Usage: IRRIGATION
Static Level: 221
Depth Drilled: 392
Latitude: 29.8196998
Longtiude: -95.5572602

101

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: HOUSTON CHRISTIAN HIGH SC ADDRESS: 2700 W. SAM HOUSTON PWY N CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-5
Street or RFD: LAT. 29-49.21N LONG. 095-33.65W
City, State, Zip code: , TX -

5)

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02379

DATE DRILLING:
STARTED: 09/30/02
COMPLETED: 10/04/02

DIAMETER OF HOLE

DIAMETER	FROM	TO
9.75	0	360
5.875	360	392

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO STRING/K-PACKER

IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N*

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
6.0	N	STEEL, NEW, BLACK	0	360	CASING
4.0	N	P.V.C. SCH.40	350	360	LINER
4.0	N	JOHNSON SUPER FLOW	360	380	.008
4.0	N	JOHNSON SUPER FLOW	380	390	.010
4.0	N	P.V.C. SCH.40	390	392	LINER

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	2	SOIL
2	24	CLAY-GRAY CLAY-TAN
24	58	SAND-TAN-.006-.008 SAND-TAN-.010-.012
58	192	CLAY-RED CLAY-GRAY
192	224	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
224	258	BROKEN SAND & CLAY
258	266	SAND-WHITE-.010-.012
266	320	CLAY-RED
320	350	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
350	360	CLAY-GRAY
360	390	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
390	392	CLAY-RED

9) CEMENTING DATA:
Cemented from No. of Sacks Used
0 FT. TO 360 FT. 80
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
NO SEWER

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : 221 FT. DATE: 10/04/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	350
K-PACKER	351

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 320

14) WELL TEST:
JETTED
YIELD: 200+ GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 392 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2843,2350
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Carl Lotton (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

RECEIVED
TDLR MAIL ROOM
NOV 13 200

184494

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
445	2 of 5	NE	3.88 / 20,508.90	BASEBALL U.S.A. TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	03/02/1999
Owners Name:	BASEBALL U.S.A.
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	207
Depth Drilled:	439
Latitude:	29.8196998
Longtiude:	-95.5572602

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER BASEBALL U.S.A. (Name) ADDRESS C/O D.L. MEACHAM CONSTRUCTION 2108 HOSKINS HOUSTON, TX. 77080 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 2626 W. SAM HOUSTON PKWY. (Street, RFD or other) HOUSTON (City) TX (State) (Zip) Long. Lat. Grid # 65-12-5

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [ ] Industrial [X] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) X

6) WELL LOG:
Date Drilling: Started 2/26 19 99 Completed 3/2 19 99

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
8 3/4	Surface	419
5 3/4	419	439

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

N

From (ft.)	To (ft.)	Description and color of formation material
0	12	TOP SOIL
12	28	SAND
28	34	SHALE
34	65	SAND
65	100	SHALE
100	130	SAND
130	186	SHALE
186	237	SAND
237	240	SHALE
240	267	SAND
267	292	SHALE
292	347	SAND W/ SHALE STREAKS

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
6	N	STEEL	0	419	
4	N	STEEL LINER	409	419	
4	N	BAR LUG	419	439	.16

9) CEMENTING DATA
Cemented from 0 ft. to 419 ft. No. of sacks used 82
ft. to ft. No. of sacks used
Method used HALLIBURTON
Cemented by BUSSELL & SON, INC.
Distance to septic system field lines or other concentrated contamination ft.
Method of verification of above distance

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[X] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 315 ft.

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 200 gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 207 ft. below land surface Date 3/1/99
Artesian flow gpm. Date

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
K-PACKERS	409

FILE ID

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AQUASOURCE/ B & S, INC. (Type or print) WELL DRILLER'S LICENSE NO. 4196W

APR 2 2 1999

COMMENT

ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Robert Pipes ROBERT PIPES (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Y

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER 65-12-5

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
347	365	SANDY CLAY
365	389	SAND
389	396	SHALE
396	439	SAND

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
445	3 of 5	NE	3.88 / 20,508.90	Houston, City of TX	WW HARRIS GAL

Well ID:	12355	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	201
Permit No:	WP2023-117626	**Depth Drilled:**	600
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	400
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.819444
Regulatory Aarea:	3	**Longitude:**	-95.559722

Owner Name: Metro National Corporation-Baseball U.S.A., Inc.
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
445	4 of 5	NE	3.88 / 20,508.90	Houston, City of TX	WW HARRIS GAL

Well ID:	7302	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	1999
Permit No:	W2016-1003-181296-0	**Depth Drilled:**	450
Permit Start Date:	2/1/2016	**Depth frm Surf(ft):**	430
Permit End Dt:	1/31/2017	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.818333
Regulatory Aarea:	3	**Longitude:**	-95.559722

Owner Name: Metro National Corporation-Baseball U.S.A., Inc.
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St. 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Acres Homes #1
Provision: 70 - Based on permitted allocation or 70% of total demand, whichever is smaller; E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
445	5 of 5	NE	3.88 / 20,508.90	Baseball USA 2626 Sam Houston Pkwy Houston TX	SDRW WELLS

Track NO: 316446
Date Submitted: 2013-04-19
Owner Name: Baseball USA
Owner Address: 5805 Cypress St.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.819444
Longitude: -95.559723
Drilling Date Started: 2013-02-23
Drilling Date Completed: 2013-02-24
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: 4410 FM-359 Rd. South
CompanyAddress2:
Company City: Brookshire
Company State: TX
Company Zip: 77423
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=316446&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 460

Top Depth:
Bottom Depth: 502.0

Top Depth: 460
Bottom Depth: 502

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
446	1 of 1	NNE	3.88 / 20,509.95	Houston Sash and Door TX	GWDB

Well Rep Track No:
State Well No: 6512511
Owner Name: Houston Sash and Door
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1971
Well Depth: 552
Well Usage: Industrial
Water Level Status:
Latitude: 29.8244440
Longitude: -95.5680550
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512511&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512511&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
447	1 of 3	SSE	3.90 / 20,587.99	CRYSTAL MFG. CO TX	TCEQ WELL LOGS

Grid No:	65-20-2L
Date Drilled:	02/24/1977
Owners Name:	CRYSTAL MFG. CO
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	60
Depth Drilled:	287
Latitude:	29.7201863
Longtiude:	-95.5646786

65-20-22 65-20-22

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-20-22
Located on map yes
Received: 7-7
dc

1) OWNER:
Person having well drilled Crystal Mfg. Co. (Name) Address 3502 Rogerdale (Street or RFD) Hou. (City) Tex (State)
Landowner Crystal Mfg. Co. (Name) Address 3502 Rogerdale (Street or RFD) Hou. (City) Tex (State)

2) LOCATION OF WELL:
County Harris, 16 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial ✓ Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 7 7/8 in. Depth drilled 287 ft. Depth of completed well 307 ft. Date drilled Feb 24
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	90	clay
90	120	sand, course white
120	210	clay, blue
210	230	sand, course white
230	285	clay, gray
285	307	consal white sand

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 100 ft. to 287 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	280	40

10) SCREEN:
Type Plastic
Perforated Slotted ✓

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	287	307	12

7) COMPLETION (Check):
Straight wall Gravel packed Other ✓
Under reamed Open Hole

8) WATER LEVEL:
Static level 60 ft. below land surface Date Feb 25
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No ✓
Type of water? Fresh depth of strata 60

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME BOYD T. DAMRELL (Type or Print) Water Well Drillers Registration No. 884
ADDRESS 5717 Chippewa (Street or RFD) Houston (City) TEX. (State)
(Signed) Bobby Potter (Water Well Driller) DAMRELL & Potter DRILLING Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
447	2 of 3	SSE	3.90 / 20,587.99	CRYSTAL CHEMICAL CORPORATION TX	WW HARRIS GAL

Well ID:	3085	**Diameter (inches):**	4
Aggre Lead Well:	2815	**Year Drilled:**	1969
Permit No:	W1981-2815-12918-0	**Depth Drilled:**	308
Permit Start Date:	5/1/1981	**Depth frm Surf(ft):**	280
Permit End Dt:	4/30/1982	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.718888
Regulatory Aarea:	3	**Longitude:**	-95.564166
Owner Name:	CRYSTAL CHEMICAL CORPORATION		
Billing Contact:	H.E. MILLS		
Billing Address:	1525 N. POST OAK Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
447	3 of 3	SSE	3.90 / 20,587.99	CRYSTAL CHEMICAL CORPORATION TX	WW HARRIS GAL

Well ID:	2815	**Diameter (inches):**	4
Aggre Lead Well:	2815	**Year Drilled:**	1981
Permit No:	W1981-2815-12918-0	**Depth Drilled:**	320
Permit Start Date:	5/1/1981	**Depth frm Surf(ft):**	300
Permit End Dt:	4/30/1982	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.718888
Regulatory Aarea:	3	**Longitude:**	-95.564166
Owner Name:	CRYSTAL CHEMICAL CORPORATION		
Billing Contact:	H.E. MILLS		
Billing Address:	1525 N. POST OAK Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
448	1 of 5	S	3.90 / 20,596.64	The Randolph Tool Co. TX	GWDB

Well Rep Track No:
State Well No: 6520110
Owner Name: The Randolph Tool Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1939
Well Depth: 1188
Well Usage: Unused
Water Level Status:
Latitude: 29.7150010
Longitude: -95.5911110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520110&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520110&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
448	2 of 5	S	3.90 / 20,596.64	Randolph Company, The TX	WW HARRIS GAL

Well ID:	2189	**Diameter (inches):**	4
Aggre Lead Well:	2189	**Year Drilled:**	1989
Permit No:	WP2024-106293	**Depth Drilled:**	190
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.715277
Regulatory Aarea:	3	**Longitude:**	-95.590833

Owner Name:	Randolph Company, The
Billing Contact:	NULL
Billing Address:	P.O. Box 128
Billing Address 2:	NULL
Billing City:	Flatonia
Billing State:	TX
Billing Zip:	78941
Correspondence:	NULL
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller
Water Usage:	I - Industrial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
448	3 of 5	S	3.90 / 20,596.64	Randolph Company, The TX	WW HARRIS GAL

Well ID:	2190	**Diameter (inches):**	4
Aggre Lead Well:	2189	**Year Drilled:**	1989
Permit No:	WP2024-106293	**Depth Drilled:**	250
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.715277
Regulatory Aarea:	3	**Longitude:**	-95.589722
Owner Name:	Randolph Company, The		
Billing Contact:	NULL		
Billing Address:	P.O. Box 128		
Billing Address 2:	NULL		
Billing City:	Flatonia		
Billing State:	TX		
Billing Zip:	78941		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
448	4 of 5	S	3.90 / 20,596.64	Tradco, Inc. TX	WW HARRIS GAL

Well ID:	8665	**Diameter (inches):**	4
Aggre Lead Well:	8665	**Year Drilled:**	
Permit No:	W2004-8665-112952-0	**Depth Drilled:**	300
Permit Start Date:	5/1/2004	**Depth frm Surf(ft):**	160
Permit End Dt:	5/1/2004	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.711944
Regulatory Aarea:	3	**Longitude:**	-95.634722
Owner Name:	Tradco, Inc.		
Billing Contact:	F. Gonzalez		
Billing Address:	14050 Alief Clodine Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
448	5 of 5	S	3.90 / 20,596.64	USGS-294253095352701 TX	FED USGS

Site No:	USGS-294253095352701
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19390505
Well Depth:	1188
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-110
Latitude:	29.71500000000000
Longitude:	-95.5911111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
449	1 of 1	WNW	3.91 / 20,619.15	Horton & Horton TX	GWDB

Well Rep Track No:	
State Well No:	6511911
Owner Name:	Horton & Horton
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1967
Well Depth:	298
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7861110
Longitude:	-95.6541670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511911&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511911&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
450	1 of 1	ENE	3.91 / 20,640.98	JERRY THOMPSON TX	TCEQ WELL LOGS

Grid No: 65-12-5L
Date Drilled: 03/20/1981
Owners Name: JERRY THOMPSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 207
Depth Drilled: 296
Latitude: 29.7962866
Longtiude: -95.5326467

(10)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-52
Located on map
Received:

1) OWNER Jerry Thompson (Name) Address 58 Rolling Wood (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL:
County Harris 5 miles in S.E. (N.E., S.W., etc.) direction from Jersey Village (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. 3

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 3/20/81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	296

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	25	gray clay
25	55	fine sand
55	90	red & blue clay
90	104	clay & sand strips
104	171	red & gray clay
171	185	clay & sand strips
185	195	coarse sand
195	202	red, gray, & blue clay
202	246	coarse sand
246	262	red, gray, & blue clay
262	270	coarse sand
270	276	rock & sand strips
276	296	coarse sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4"	New	Plastic Casing	0	286	40	
2½"	New	Plastic Screen	286	296		12

CEMENTING DATA
Cemented from 286 ft. to 150 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 207 ft. below land surface Date 3/21/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½"x4" R+R 3 Ring 282'

RECEIVED
AUG 2 1982
CR/It.

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 20'
Was a chemical analysis made? ☐ Yes ☑ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bobby Potter (Type or Print) Water Well Drillers Registration No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Bobby Potter (Water Well Driller) Damrell & Potter Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
451	1 of 1	WSW	3.91 / 20,653.46	PIONEER CONCRETE OF TEXAS, INC. TX	WW HARRIS GAL

Well ID:	3658	**Diameter (inches):**	4
Aggre Lead Well:	3658	**Year Drilled:**	1978
Permit No:	W1986-3658-25766-0	**Depth Drilled:**	300
Permit Start Date:	11/1/1986	**Depth frm Surf(ft):**	280
Permit End Dt:	10/31/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.739722
Regulatory Aarea:	3	**Longitude:**	-95.645
Owner Name:	PIONEER CONCRETE OF TEXAS, INC.		
Billing Contact:	TOPPER MOET		
Billing Address:	11700 Old Katy Rd., Suite 1200		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
452	1 of 2	NNE	3.92 / 20,682.61	Houston Christian High School TX	WW HARRIS GAL

Well ID:	5646	**Diameter (inches):**	4
Aggre Lead Well:	5646	**Year Drilled:**	
Permit No:	W2002-5646-103046-0	**Depth Drilled:**	0
Permit Start Date:	6/1/2002	**Depth frm Surf(ft):**	0
Permit End Dt:	10/9/2002	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.822222
Regulatory Aarea:	3	**Longitude:**	-95.560833

Owner Name:	Houston Christian High School
Billing Contact:	Ty Wagner, Bus. Mgr.
Billing Address:	2700 W. Sam Houston Parkway N.
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77043
Correspondence:	NULL
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
452	2 of 2	NNE	3.92 / 20,682.61	Houston Christian High School TX	WW HARRIS GAL

Well ID:	9249	**Diameter (inches):**	6
Aggre Lead Well:	9249	**Year Drilled:**	2002
Permit No:	WP2024-106060	**Depth Drilled:**	390
Permit Start Date:	6/1/2024 1:05:00 PM	**Depth frm Surf(ft):**	360
Permit End Dt:	5/31/2025 1:05:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.82
Regulatory Aarea:	3	**Longitude:**	-95.560833

Owner Name: Houston Christian High School; Houston Christian High School
Billing Contact: Rick Ellis
Billing Address: 2700 W Sam Houston Pkwy N; 2700 W Sam Houston Pkwy N
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77043
Correspondence: Ellen Lozano; Ellen Lozano
Provision: 70 - Based on permitted allocation or 70% of total demand, whichever is smaller; G1 - permit exempt from disincentive fee based on provisions in GRP (2002)
Water Usage: O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
453	1 of 1	ENE	3.92 / 20,718.43	RALPH SCHAEFERIN TX	TCEQ WELL LOGS

Grid No: 65-12-6
Date Drilled: 06/28/2001
Owners Name: RALPH SCHAEFERIN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 25
Depth Drilled: 65
Latitude: 29.8049987
Longtiude: -95.538276

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Ralph Schaefein	9822 Shadowwood	Houston	TX	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	Same			

Lat. | Long. | Grid # 65-12-6

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 6/28/01
Completed 6/28/01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7	Surface	65

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	20	Yellow Clay
20	62	Sand
62	65	Clay

RECEIVED
TDLR MAIL ROOM SH
SEP 27 2001
RECEIPT # | AMOUNT

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☑ Gravel Packed ☐ Other
If Gravel Packed give the interval from 62 ft. to 52 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	Casing Plastic	Surface	52	SCL40
4	N	Screen Plastic	52	62	.008

9) Cementing Data
Cementing from 52 ft. to Surface ft. # of sacks used 8
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☑ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc. ft.

11) Water Level
Static level 25 ft. below Date 6/28/01
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 22 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☑ No

12) Packers

Type	Depth
NONE	

Company or individual's Name (type or print)	Raymond Services, Inc. 4577WI			
Address	10017 Airline Drive	City Houston	State TX	Zip 77037
Signature Licensed Driller/Pump Installer	6/28/01 Date	Signature Apprentice	6/28/01 Date	

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
454	1 of 1	ENE	3.93 / 20,727.34	MR. KEN NASH TX	TCEQ WELL LOGS

Grid No:	65-12-5H
Date Drilled:	07/07/1980
Owners Name:	MR. KEN NASH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	27
Depth Drilled:	56
Latitude:	29.8041451
Longtiude:	-95.537553

Trial Pg 2

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-5H
Located on map YES
Received: RWB

1) OWNER Mr. Ken Nash (Name) Address 9819 Shadowwood (Street or RFD) Hou. (City) TX. (State) 77080 (Zip)

2) LOCATION OF WELL: County HARRIS ~~[illegible]~~ 14 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Same as above

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON 65-21-7H

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 1/2"	Surface	56'

Date drilled 7/7/80

From (ft.)	To (ft.)	Description and color of formation material
0	15	Clay
15	56	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☑ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	P.V.C	0	50	
4"	N	P.V.C.	50	56	.020

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 20' ft. below land surface Date 7/7/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 40 gpm with 10 ft. drawdown after 2 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

AUG 24 1982

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. # 300

ADDRESS 9939 N. Hwy. Roseslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
455	1 of 1	ENE	3.93 / 20,732.49	JOYCE CHAPMAN TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	08/13/1990
Owners Name:	JOYCE CHAPMAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	430
Latitude:	29.796868
Longtiude:	-95.532649

(61) 450

...inal copy by certified mail to: Texas Water Cor ...ion, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Joyce Chapman (Name) ADDRESS 54 Rolling Wood (Street or RFD) Houston (City) Tx (State) (Zip)

2) LOCATION OF WELL: County Harris . 13 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): XX Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): XX Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 8-10 19 90 Completed 8-13 19 90

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
		Surface	
	6 3/4	0	430

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed XX Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	40	Clay
40	120	Sand
120	130	Shale
130	260	Sand
260	300	Clay
300	360	Sand
360	380	Clay
380	430	Sand

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	PVC Casing	0	400	
2½	N	PVC Liner	390	410	
2½	N	PVC Screen	410	430	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 200 ft. to 400 ft. No. of Sacks Used 12
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well

13) TYPE PUMP: ☐ Turbine ☐ Jet XX Submersible ☐ Cylinder ☐ Other _____
3 H.P. 2206
Depth to pump bowls, cylinder, jet, etc., 300 ft.

10) SURFACE COMPLETION
XX Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 210 ft. below land surface Date 8-13-90
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes XX No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS: Type K-Packer Depth 390

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, INc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)


(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 61 Located on map 25.12.6

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY


#7
HARRIS COUNTY TEXAS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
456	1 of 1	ENE	3.94 / 20,791.58	RALPH E GARDNER TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	05/25/1988
Owners Name:	RALPH E GARDNER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	23
Depth Drilled:	53
Latitude:	29.7973518
Longtiude:	-95.5327157

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Ralph E. Gardner (Name) Address #52 Rollingswood Dr (Street or RFD) Houston (City) (State) Tex.

2) LOCATION OF WELL: County Harris 11 miles in NW (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

#8

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 0965-04-5

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 5-24 1988 Completed 5-25 1988

DIAMETER OF HOLE Dia (in.)	From (ft.)	To (ft.)
6 1/4	Surface	40
3 7/8	40	53

From (ft.)	To (ft.)	Description and color of formation material
0	30	Clay
30	53	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Drive w/ cement tip
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	0	40	40
2	N	PVC Sch.	39	43	40
2	N	PVC perforated	43	53	80
		8 Sauge			

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 40 ft. to 10 ft. No. of Sacks Used 8
_____ ft. to _____ ft. No. of Sacks Used _____
Method used MUD PUMP
Cemented by Y-FAIR WATER WELL SERVICE

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 23 ft. below land surface Date 5-25-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 39

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 37 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
JUL 29 1988
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Y-FAIR WATER WELL SERVICE (Type or Print) Water Well Driller's License No. 1101

ADDRESS 11630 Mueller Comm Rd (Street or RFD) Cypress (City) Texas (State) 77429 (Zip)

(Signed) John B Lumpkin Jr (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only.
Well No. 65-12-6
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
457	1 of 1	NE	3.94 / 20,826.05	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PU
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PU
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.816457
Longitude:	-95.550766
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
458	1 of 1	SW	3.95 / 20,856.89	COOLEY PROPERTIES TX	TCEQ WELL LOGS

Grid No:	65-19-3Y
Date Drilled:	09/11/1981
Owners Name:	COOLEY PROPERTIES
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	145
Depth Drilled:	295
Latitude:	29.736067
Longtiude:	-95.6427

16

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-19-31
Located on map yes
Received: C-PS.

Original copy by ... mail to the ... as Department of Water Resources ... O. Box 13087 Austin, Texas 78711

1) OWNER Cooley Properties (Name) Address Hwy. 6 & Westheimer (Street or RFD) Houston, (City) Tx. (State) (Zip)

2) LOCATION OF WELL:
County Harris 20 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☐ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 9/11/81

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		295

From (ft.)	To (ft.)	Description and color of formation material
0	45	Clay
45	62	Sand
62	97	Clay
97	155	Sand
155	167	Clay
167	221	Sand
221	235	Clay
235	295	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval ... from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	280	Sch.
2½"	N	PVC Liner	270	285	40
2½"	N	PVC Slotted Screen	285	295	.012

CEMENTING DATA
Cemented from 280 ft. to 100 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 145 ft. below land surface Date 9/14/81
Artesian flow ____ gpm. Date ____

10) PACKERS: Type K Depth 270

RECEIVED
MAY -7 1982
DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP: 1HP
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water potable Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464
ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)
(Signed) M. E. Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY

198526



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
459	1 of 1	ENE	3.96 / 20,902.73	LILLE WATSON TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	02/13/2002
Owners Name:	LILLE WATSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	12
Depth Drilled:	52
Latitude:	29.8058413
Longtiude:	-95.5382599

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Lille Watson	9909 Nevens rd	Houston	Texas	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	Same			

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

Lat. | Long. | Grid # 65-12-5

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 2 / 12 / 02
Completed 2 / 13 / 02

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7	0	52

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	20	clay
20	52	sand, .10 gauge
52		Rock

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	Casing PVC	0	42	Sch 40
4	N	Screen PVC	42	52	.010

9) Cementing Data
Cementing from 42 ft. to 0 ft. # of sacks used 9
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 120 ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc. ft.

11) Water Level
Static level 12 ft. below Date 2 / 13 / 02
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

12) Packers

Type	Depth
None	

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

RECEIVED
TDLR MAIL ROOM CB
JAN 12 2002
RECEIPT # AMOUNT

Company or individual's Name (type or print)	Raymond Services, Inc. 4577WI			
Address	10011 Airline Drive	City Houston	State TX	Zip 77037
Signature		2 / 13 / 02	Signature	
Licensed Driller/Pump Installer		Date	Apprentice	Date

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
460	1 of 1	ESE	3.96 / 20,918.25	MR. R.E. DANIELS TX	TCEQ WELL LOGS

Grid No:	65-20-2A
Date Drilled:	06/17/1963
Owners Name:	MR. R.E. DANIELS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	96
Depth Drilled:	298
Latitude:	29.7450709
Longtiude:	-95.5329557

65-20-2A

File original copy with Texas Water Commission P. O. Box 2311, Capitol Station Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-20-2a
Located on map Yes
By KW Date 63
Map no. 10 (1)

1) Well Owner: Mr. R. E. Daniels (Name) 1928 Bank of The Southwest Bldg., (Street or RFD #) Houston, Texas (City, State)

2) Land Owner: Same (Name) Well Location: Briar Forest, (Street or RFD) Houston, Texas (City, State)

3) Intended use: Industrial ☐ Municipal ☐ Irrigation ☐ Other Domestic

4) Location of well: County Harris Labor _____ League _____ Abstract No. _____

NW¼ NE¼ SW¼ SE¼ (Circle as many as are known) of Section _____ Block No. _____ Survey _____

_____ miles in _____ (NE, SW, etc.) direction

from _____ (Town)

North

ok

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: ~~Air~~ Rotary Diameter of hole 4" in. Date drilled June 17, 1963

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	41	Red & Yellow Surface Clay (Rock)			
41	98	Red Clay - Sand Broken			
98	116	Sand Loose & Broken			
116	157	Gray Clay Sandy			
157	273	Sand Very Good			
273	274	Break			
274	294	Sand Very Good			
294	298	Shale			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall ☒
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other _____

CASING

Type: Old ☐ New ☒
Cemented from 0 ft.
to 191 ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4"	1	191

SCREEN

Type LOP Stainless
Perforated ☐ Slotted ☒

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½	264	294

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Lowry Water Wells, (Signature) Houston, Texas 4012 Fulton (Company Name) Reg. No. 116

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 96' ft. below _____

Pumping level

feet	hours	gpm

Pump type Jacuzzi Submersible
Designed pumping rate _____ gpm ☐ gph ☐
Type power unit Electric
Horsepower 5 HP
Depth to bowls, cylinder, jet, etc., 168 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company: _____

C-34 (62-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
461	1 of 4	SE	3.96 / 20,933.57	City of Houston Westchase - Dist. 52 TX	GWDB

Well Rep Track No:
State Well No: 6520309
Owner Name: City of Houston Westchase - Dist. 52
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1956
Well Depth: 908
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7363889
Longitude: -95.5391667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520309&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520309&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
461	2 of 4	SE	3.96 / 20,933.57	CITY OF HOUSTON TX	WUD

St Well No:	6520309
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QG
Date Drilled:	05/05/1956
Well Depth:	908
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.736619
Longitude:	-95.539108
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
461	3 of 4	SE	3.96 / 20,933.57	Houston, City of TX	WW HARRIS GAL

Well ID:	1039	**Diameter (inches):**	14
Aggre Lead Well:	1001	**Year Drilled:**	1956
Permit No:	W1985-1001-21803-0	**Depth Drilled:**	908
Permit Start Date:	2/1/1985	**Depth frm Surf(ft):**	568
Permit End Dt:	1/31/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.734722
Regulatory Aarea:	3	**Longitude:**	-95.538888

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
461	4 of 4	SE	3.96 / 20,933.57	USGS-294410095322001 TX	FED USGS

Site No:	USGS-294410095322001
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19560505
Well Depth:	908
Well Depth Unit:	ft
Well Hole Depth:	1000
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-309
Latitude:	29.73638889000000
Longitude:	-95.5391667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
462	1 of 1	ENE	3.97 / 20,945.90	BUSSELL'S WATER WELL SERVICE TX	TCEQ WELL LOGS

Grid No: 65-12-8F
Date Drilled: 07/02/1983
Owners Name: BUSSELL'S WATER WELL SERVICE
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 47
Latitude: 29.798414
Longtiude: -95.5327915

Dup. V W.W.S

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-9F
Located on map 4400MM
Received:

1) OWNER BUSSELL'S WATER WELL SERVICE (Name) Address 9739 N. HOUSTON ROSSLYN (Street or RFD) HOUSTON (City) TEXAS (State) 77088 (Zip)

2) LOCATION OF WELL: #48 Rollingwood (Gary Webb)
County Harris 3 miles in W.E&t (N.E., S.W., etc.) direction from Spring Valley (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. Mapsco 65 05 9AAA

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 7-2-83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	47

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 0 ft. to 47 ft.

From (ft.)	To (ft.)	Description and color of formation material
0	18	Top Soil & Clay
18	47	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2.5	N	P.V.C.	0	41	
2.5	N	P.V.C.	41	47	.014

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
MAR 11 1985
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG BUSSELL (Type or Print) Water Well Drillers Registration No. #2035

ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
463	1 of 6	SSW	3.97 / 20,959.36	Shadow Lake HOA TX	GWDB

Well Rep Track No:	
State Well No:	6520130
Owner Name:	Shadow Lake HOA
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	425
Well Usage:	
Water Level Status:	
Latitude:	29.7152780
Longitude:	-95.6041670
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520130&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520130&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
463	2 of 6	SSW	3.97 / 20,959.36	JIM SOWELL CONSTRUCTION CO TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	05/16/1997
Owners Name:	JIM SOWELL CONSTRUCTION CO
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	188
Depth Drilled:	400
Latitude:	29.715277
Longtiude:	-95.604166

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
463	3 of 6	SSW	3.97 / 20,959.36	Houston, City of TX	WW HARRIS GAL

Well ID:	9083	**Diameter (inches):**	8
Aggre Lead Well:	1003	**Year Drilled:**	2002
Permit No:	WP2023-117626	**Depth Drilled:**	400
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	360
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.715277
Regulatory Aarea:	3	**Longitude:**	-95.604166

Owner Name: Shadow Lake HOA
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
463	4 of 6	SSW	3.97 / 20,959.36	Shadow Lake Homeowners Assoc. TX	WW HARRIS GAL

Well ID:	6021	**Diameter (inches):**	8
Aggre Lead Well:	6021	**Year Drilled:**	
Permit No:	W2002-6021-102627-0	**Depth Drilled:**	400
Permit Start Date:	5/1/2002	**Depth frm Surf(ft):**	350
Permit End Dt:	6/12/2002	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.714444
Regulatory Aarea:	3	**Longitude:**	-95.604166
Owner Name:	Shadow Lake Homeowners Assoc.		
Billing Contact:	Janet Sakach		
Billing Address:	15995 N. Barkers Landing, Suite162		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77079		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
463	5 of 6	SSW	3.97 / 20,959.36	Shadowlake H O A 4019 S. Dairy Ashford Houston TX 77072	SDRW WELLS

Track NO: 12243
Date Submitted: 2002-09-19
Owner Name: Shadowlake H O A
Owner Address: P. O. Box 219223
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77218
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.715278
Longitude: -95.604167
Drilling Date Started: 2002-07-11
Drilling Date Completed: 2002-07-23
Chemical Analysis:
Company Name: Johnston's Water Well Service, Inc.
Company Address: 14750 Hooper Rd.
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=12243&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 385

Top Depth: 385
Bottom Depth: 425

Top Depth:
Bottom Depth: 425.0

Well Levels

Measurement: 205
Measurement Date: 2002-07-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
463	6 of 6	SSW	3.97 / 20,959.36	USGS-294255095361501 TX	FED USGS

Site No:	USGS-294255095361501
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	20020723
Well Depth:	425
Well Depth Unit:	ft
Well Hole Depth:	425
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-130
Latitude:	29.71527778000000
Longitude:	-95.6041667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
464	1 of 5	SSE	3.98 / 20,999.41	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6520226
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month: 5
Drilling Day: 15
Drilling Year: 1979
Well Depth: 1610
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7166000
Longitude: -95.5721194
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520226&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520226&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
464	2 of 5	SSE	3.98 / 20,999.41	CITY OF HOUSTON TX	WUD

St Well No:	6520226
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DG
Date Drilled:	05/15/1979
Well Depth:	1610
Screen Top:	1144
Screen Bottom:	1600
Gallons Per Minute:	1111
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.7166
Longitude:	-95.572121
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
464	3 of 5	SSE	3.98 / 20,999.41	HARRIS COUNTY M.U.D. #51 TX	TCEQ WELL LOGS

Grid No: 65-20-2G
Date Drilled: 07/13/1979
Owners Name: HARRIS COUNTY M.U.D. #51
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 356
Depth Drilled: 1610
Latitude: 29.7165534
Longtiude: -95.5720925

65-20-2G Map 26

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-2G
Located on map
Received: 8-0 8-9-

1) OWNER Harris County M.U.D. #51 (Name) Address c/o Gerry Pate Engineer, P.O. Box 94024 (Street or RFD) Houston (City) Tx. (State) 77018 (Zip)

2) LOCATION OF WELL: County Harris 10 miles in W. (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 7/13/79

Dia. (in.)	From (ft.)	To (ft.)
26"	Surface	1135
30"	1135	1600
17"	1600	1610

DIAMETER OF HOLE

From (ft.)	To (ft.)	Description and color of formation material
		SEE ATTACHED

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 1135 ft. to 1610 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
20"	N	Steel	0	1135	.375
12"	N	Blank Liner and 287'	1035 -	1610	.330
		of Howard Smith Co.			.040
		SS Screen			

CEMENTING DATA
Cemented from 0 ft. to 1135 ft.
Method used pressure
Cemented by Halliburton (Company or Individual)

9) WATER LEVEL:
Static level 356 ft. below land surface Date 7/13/79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
NONE

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Baller ☐ Jetted ☐ Estimated
Yield: 1669 gpm with 96 ft. drawdown after 24 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James O'Connor (Type or Print) Water Well Drillers Registration No. 999

ADDRESS 5931 Brittmoore Rd. (Street or RFD) Houston (City) Texas (State) 77041 (Zip)

(Signed) _____ (Water Well Driller) LAYNE-WESTERN COMPANY, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



AUG - 6 1979

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
464	4 of 5	SSE	3.98 / 20,999.41	Houston, City of TX	WW HARRIS GAL

Well ID:	3328	**Diameter (inches):**	20
Aggre Lead Well:	1003	**Year Drilled:**	1979
Permit No:	WP2023-117626	**Depth Drilled:**	1100
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	580
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.716666
Regulatory Aarea:	3	**Longitude:**	-95.571944

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
464	5 of 5	SSE	3.98 / 20,999.41	USGS-294301095341801 TX	FED USGS

Site No: USGS-294301095341801
Site Type: Well
Formation Type: Evangeline Aquifer
Date Drilled: 19790515
Well Depth: 1610
Well Depth Unit: ft
Well Hole Depth: 1803
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-20-226
Latitude: 29.71722220000000
Longitude: -95.5719444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
465	1 of 1	NNE	3.98 / 21,003.42	NATURES WAY RESOURCES TX	TCEQ WELL LOGS

Grid No: 65-12-4
Date Drilled: 06/30/1998
Owners Name: NATURES WAY RESOURCES
County: HARRIS
Water Usage: DOMESTIC
Static Level: 207
Depth Drilled: 390
Latitude: 29.8235196
Longtiude: -95.5619343

Send original copy by certified return receipt requested mail to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER NATURES WAY RESOURCES (Name) ADDRESS PO Box 79429 (Street or RFD) Houston (City) TX (State) 77279 (Zip)

2) ADDRESS OF WELL: County HARRIS 3100 W. Sam Houston PKWY N Houston (Street, RFD or other) (City) TX (State) (Zip) GRID # 65-12-4

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) X

6) WELL LOG:
Date Drilling: Started 6-27 19 98 Completed 6-30 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	370
4 3/4	370	390

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	16	TOP SOIL & Clay
16	37	SURFACE SAND
37	46	CLAY
46	61	SAND
61	118	CLAY
118	131	SAND
131	185	CLAY
185	260	SAND
260	294	CLAY
294	318	SAND
318	330	SANDY CLAY
330	350	SAND
350	358	CLAY
358	390	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	SDR17 PVC	0	320	
3	N	GALVANIZED	360	370	
3	N	PVC. SCREENS	370	390	.010

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 10
320 ft. to 370 ft. No. of sacks used 4
Method used Halliburton / Trimme
Cemented by Bussell & Son Inc.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 207 ft. below land surface Date 6-30-98
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-Packer	360

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 336 ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 125 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

FILE ID SEQ # CHK # DESC CO. SEP 03 1998 SEGMENT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

65-12-4

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

X

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
466	1 of 1	ENE	3.98 / 21,024.81	KYLE WILLIS TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	05/03/1999
Owners Name:	KYLE WILLIS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	370
Latitude:	29.8058599
Longtiude:	-95.5377986

TENTION OWNER: Confidentiality
ivilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

OWNER: WILLIS, KYLE ADDRESS: 9901 NEUENS CITY: SPRING BRANCH STATE: TX ZIP: 77080-

ADDRESS OF WELL:
County: HARRIS GRID # 65-12-6
Street or RFD: 9901 NEUENS
City, State, Zip code: SPRING BRANCH , TX 77080-

5)

TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

WELL LOG: 19778
TE DRILLING:
STARTED: 04/28/99
COMPLETED: 05/03/99

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	370

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION:
STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N'

ASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	272	WW
2.5	N	GALVANIZED LINER	265	350	WW
2.5	N	S/S PIPE BASE SCREEN	350	370	12

OLOGICAL DESCRIPTION:

OM	TO	DESCRIPTION
0	3	TOP SOIL
3	34	CLAY
34	57	SAND
57	142	CLAY
142	156	SAND
156	163	CLAY
163	200	SAND
200	206	CLAY
206	242	SAND
242	272	CLAY
272	292	SAND
292	311	CLAY
311	370	SAND

9) CEMENTING DATA:
Cemented from No. of Sacks Used
272 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 05/03/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P VALVE 265

) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 252

14) WELL TEST:
JETTED
YIELD: 30 GPM WITH FT DRAWDOWN AFTER HRS

) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 59 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

MPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: ~~1879,~~ ~~411,~~ 4883
DRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) Angel Bautista (LICENSED WATER WELL DRILLER)
(signed) Miguel Aguillo (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
467	1 of 1	WNW	3.98 / 21,034.79	CASCO ENTERPRISES TX	TCEQ WELL LOGS

Grid No:	65-11-6
Date Drilled:	01/08/1985
Owners Name:	CASCO ENTERPRISES
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	160
Depth Drilled:	400
Latitude:	29.80206
Longtiude:	-95.647778

.6 mi. NISW
1.1 mi: E(W)

3 of 5

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-6
Located on map
Received:

1) OWNER Casco Enterprises (Name) Address 5930 Hwy. 6 (Street or RFD) Houston, Tx. (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 6 miles in N (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. on 60-59-8

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 1/8/85

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	400

From (ft.)	To (ft.)	Description and color of formation material
0	30	Clay
30	85	Sand
85	145	Clay
145	190	Shale
190	240	Sand
240	315	Shale
315	335	Clay
335	400	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Steel Casing	0	357	Sch. 40
2½"	N	PVC Liner	350	370	
2½"	N	PVC Slotted Screen	370	400	.012

CEMENTING DATA
Cemented from 357 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 160 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 350

MAY 0 7 87

11) TYPE PUMP: 5HP 3,000 gal tank
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 252 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? pothble Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Robinson Water Well Service, Inc. (Type or Print) Water Well Drillers Registration No. 1464


ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M.E. Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


LEGEND
ARRIS COUNTY
TEXAS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
468	1 of 1	ENE	3.98 / 21,038.23	MR. JERRY CONNER TX	TCEQ WELL LOGS

Grid No:	65-12-5T
Date Drilled:	09/10/1984
Owners Name:	MR. JERRY CONNER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	212
Depth Drilled:	290
Latitude:	29.798966
Longtiude:	-95.532796

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only DCH
Well No. 65-12-5T
Located on map 12-3
Received: 5-8-85

1) OWNER Mr. Jerry Conkle Address 4412 Carolyn St. Hstn TX 77084
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: #44 Kleingwood
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map. mapsco 65-12-95

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 9/10/84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	290

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	Top Soil & Clay
16	35	Surface Sand
35	76	Clay
76	122	Sand
122	145	Clay
145	172	Sand
172	212	Clay
212	231	Sand
231	269	Clay
269	290	Sand & Gravel

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	225	
2	N	GALVANIZED	220	280	
2	N	PVC	280	290	.020

CEMENTING DATA
Cemented from 0 ft. to 225 ft. and from 10 ft. to 275 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 212 ft. below land surface Date 9-11-84
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
MAY - 7 1985
DEPT. OF
WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS P.O. Box 874 (Street or RFD) Conroe (City) TX (State) 77305 (Zip)
(Signed) Craig Bussell (Water Well Driller) Bussell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

WR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
469	1 of 1	WNW	3.99 / 21,046.07	CASTONE DEVELOPING CORP. TX	TCEQ WELL LOGS

Grid No:	65-11-6Q
Date Drilled:	04/13/1978
Owners Name:	CASTONE DEVELOPING CORP.
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	105
Depth Drilled:	175
Latitude:	29.786559
Longtiude:	-95.655423

484 Y

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-60
Located on map 1:S
Received: 28 1
46

1) OWNER:
Person having well drilled: Castone Developing Corp. (Name) Address: 15530 Katy Fwy. (Street or RFD) Hou. (City) TX (State)
Landowner: Same (Name) Address: Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris, _____ miles in _____ (N.E., S.W., etc.) direction from _____ (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 160 ft. Depth of completed well 175 ft. Date drilled 4/13/78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	White & red clay
15	20	Rock
20	45	Red clay
45	50	White clay
50	85	Brown & red clay
85	130	Sand & clay streaks
130	135	White clay
135	175	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New 160 up, Steel, Plastic, Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	1'	160	40

10) SCREEN:
Type Well Supplies, Inc. W.O.P.
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	165	175	12 ga.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 105 ft. below land surface Date 4-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 147 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. TDL 774
ADDRESS 10011 Airline Dr. (Street or RFD) Houston, (City) TX (State)
(Signed) C.A. Raymond Jr. (Water Well Driller) RAYMOND WATER WELL DRILLING (Company Name)

AMENDED RECORD
DEC 08
OCT - 2 1978

*Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

DBS/WDB


HOUSTON INTERCONTINENTAL AIRPORT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
470	1 of 1	WSW	3.99 / 21,051.35	DEE'S NURSERY TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	06/30/1987
Owners Name:	DEE'S NURSERY
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	170
Depth Drilled:	315
Latitude:	29.737429
Longtiude:	-95.644669

STATE OF TEXAS WATER WELL REPORT

1) Owner: DEE'S NURSERY Address: 2410 HWY 6 SOUTH City: HOUSTON State: TX ZIP: 77077
2) LOCATION OF WELL:
County: HARRIS 17 miles in SW direction from HOUSTON

LEGAL DESCRIPTION:
Section No.: H246 Block No.: SW Township: HOUSTON
Abstract No.: HWY 6 Survey Name:
Distance and direction from two intersecting section or survey lines: HWY 6 & WESTHEIMER

3) TYPE OF WORK: NEW WELL
4) PROPOSED USE: IRRIGATION
5) DRILLING METHOD: MUD ROTARY on 65'20-8

6) WELL LOG:

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	315

7) BOREHOLE METHOD:
STRAIGHT WALL
IF GRAVEL... FROM FT TO FT

Date Drilled: 06/30/87

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	60	CLAY
60	115	SAND
115	150	CLAY
150	245	SAND
245	287	CLAY
287	315	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	293	40
4	N	EVERFLO SCREEN	293	303	222222

9) CEMENTING DATA:
Cemented from 10 FT. TO 0 FT.
FT. TO FT.
Method used: POURED
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 170 FT. DATE 07/02/87
ARTESIAN FLOW: GPM. DATE / /

12) PACKERS:

TYPE	DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 210

14) WELL TEST:
JETTED
YIELD: 25 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD WATER DEPTH OF STRATA: 28
NO STRATA OF UNDESIRABLE WATER PENETRATED

NO CHEMICAL ANALYSIS MADE

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877
ADDRESS: P. O. BOX 162 CITY: PEARLAND STATE: TX ZIP CODE: 77588

(signed) Michael O'Day (signed)

A-10

RECEIVED
AUG 28 1987

198525

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
471	1 of 2	SSE	4.00 / 21,094.30	SUBURBAN BUILDERS TX	TCEQ WELL LOGS

Grid No: 65-20-2J
Date Drilled: 06/15/1979
Owners Name: SUBURBAN BUILDERS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 116
Depth Drilled: 240
Latitude: 29.7194259
Longtiude: -95.5627651

11 Log #138 DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-20-2Q
Located on map YES
Received: TH

1) OWNER Suburban Builders (Name) Address 9909-U Harwin (Street or RFD) Houston (City) Texas (State) 77036 (Zip)

2) LOCATION OF WELL: Synott Rd.
County Harris 8.3 miles in N.E. (N.E., S.W., etc.) direction from Cloverine (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Mapon 65-20-2Q

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 6/15/79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6½		240'

From (ft.)	To (ft.)	Description and color of formation material
0	20	Clay
20	37	S. Sand
37	150	Clay
150	193	Sand
193	240	Sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4	N	Plastic	0	220		40
2	N		230	240		20

CEMENTING DATA
Cemented from 170 ft. to 220 ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 116' ft. below land surface Date 6/16/79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 147 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 37 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
471	2 of 2	SSE	4.00 / 21,094.30	LELAND ANDERSON TX	TCEQ WELL LOGS

Grid No:	65-20-2J
Date Drilled:	08/25/1975
Owners Name:	LELAND ANDERSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	150
Depth Drilled:	270
Latitude:	29.7194259
Longtiude:	-95.5627651

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-2J
Located on map 1 of 1
Received: 75-1

1) OWNER:
Person having well drilled Leland Anderson (Name) Address 1328 Bank of the Southwest Bldg, Houston, Texas (Street or RFD) (City) (State)

Landowner Leland Anderson (Name) Address 1328 Bank of the Southwest Bldg, Houston, Texas (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Co., 2 miles in E (N.E., S.W., etc.) direction from Aldine (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Houston – Aldine Rd.
Aldine 2 mi

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
X New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
X Domestic | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
X Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 270 ft. Depth of completed well 270 ft. Date drilled 8-25-75
All measurements made from _____ ~~(circle one)~~ ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	70	Clay
70	96	sand
96	128	clay
128	134	sand & rock
136	157	Clay
157	230	sand
230	243	tight sand
243	270	sand & rock

(Use reverse side if necessary)

9) Casing:
Type: Old X New Steel X Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	260	sch 40

10) SCREEN:
Type plastic
X Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4	260	270	20 ga

7) COMPLETION (Check):
X Straight wall | Gravel packed | Other
Under reamed | Open Hole

8) WATER LEVEL:
Static level 150 ft. below land surface Date 8-25-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 231 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L.S. PATE (Type or Print) Water Well Drillers Registration No. 181

ADDRESS P.O. Box 24 (Street or RFD) Fulshear (City) Texas (State)

(Signed) L.S. Pate (Mrs. L.S. Pate) (Water Well Driller) Pate water well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WO-8

DEVELOPMENT BOARD
AUSTIN, TEXAS
OCT 14 1975
RECEIVED

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
472	1 of 1	S	4.00 / 21,097.42	ROBERT N. INGLET TX	TCEQ WELL LOGS

Grid No:	65-20-1D
Date Drilled:	05/29/1968
Owners Name:	ROBERT N. INGLET
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	138
Depth Drilled:	278
Latitude:	29.7138157
Longtiude:	-95.589506

10 GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 58-79-10
Located on map 4 E S
Received: 6 9 7
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Robert N. Inglet (Name) Address 1923 5th Street (Street or RFD) Alief (City) Texas (State)

Landowner Robert N. Inglet (Name) Address " (Street or RFD) " (City) " (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Lot No 1. Block No. 59 Survey Dairy Subdivison
(Circle as many as are known)

miles in (NE, SW, etc) direction from In town of Alief (Town).

NORTH

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well X Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic X Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary X Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 278 ft ft. Depth of completed well 278' ft. Date drilled 5/29/68

All measurements made from Ground ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	Surface
6	35	Clay
35	60	Clay & Sand streaks
60	80	Sand & Clay
80	125	Shale
125	138	Sand
138	185	Shale
185	190	Sand
190	240	Sandy shale
240	248	Sand
248	258	Shale
258	278	Sand (Bottom).

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 138 ft. below land surface Date 5/29/68
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New X Steel ☐ Plastic ☐ Other ☐
Cemented from 10 sks ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	Ground	243 ft Cemented	

10) SCREEN:
Type
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2-1/2"	242	278	12 gauge

11) WELL TESTS:
Was a pump test made? X Yes ☐ No If yes by whom? L. W. Capps
Yield: 1120 gph gpm with 180 ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date 5/29/68
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name 15S4C 1-1/2 H. P. Jacuzzi
Type Submersible H.P. 1-1/2
Designed pumping rate gpm ☐ 1120 gph ☐
Type power unit Electrical
Depth to bowls, cylinder, jet, etc., ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. W. Capps (Type or Print) Water Well Drillers Registration No. 14


Address Box 19146 (Street) Houston, (City) Texas 77024 (State)

(Signed) L. W. Capps (Water Well Driller) Bryan Drilling Company, Inc,. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
473	1 of 1	ENE	4.00 / 21,107.01	JOHN WATSON TX	TCEQ WELL LOGS

Grid No:	65-12-6L
Date Drilled:	06/02/1974
Owners Name:	JOHN WATSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	21
Depth Drilled:	50
Latitude:	29.8040357
Longtiude:	-95.5360214



6L

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map
Received:

1) OWNER:
Person having well drilled: JOHN WATSON (Name) Address: #6 SHADOW WOOD LANE (Street or RFD) (City) (State)
Landowner: JOHN WATSON (Name) Address: " (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: HARRIS, 12 miles in NW (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
#7
#6 SHADOW WOOD
WITTE
North
LONG POINT
(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.
Labor: League:
Block: Survey:
Abstract No.:
(NW¼ NE¼ SW¼ SE¼) of Section:

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging
4) PROPOSED USE (Check): Domestic ✓ Industrial / Municipal / Irrigation / Test Well / Other
5) TYPE OF WELL (Check): Rotary ✓ Driven / Dug / Cable / Jetted / Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 53 ft. Depth of completed well 50 ft. Date drilled 6-2-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	24	GRAY CLAY
24	29	WHITE SAND
29	31	GRAY CLAY
31	53	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old / Steel ✓ / Plastic / Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	42	SCH 40

10) SCREEN:
Type PLASTIC
Perforated ✓ / Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4	42	50	12

7) COMPLETION (Check):
Straight wall ✓ / Gravel packed / Other
Under reamed / Open Hole

8) WATER LEVEL:
Static level 21 ft. below land surface Date 6-2-74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 42 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ✓
Did any strata contain undesirable water? Yes / No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LOMPKIN, JR (Type or Print) Water Well Drillers Registration No. 1101
ADDRESS 7507 JANAN (Street or RFD) HOUSTON (City) TEXAS (State)
(Signed) John B Lompkin (Water Well Driller) LONG POINT WATER WELL SERV. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBI-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
474	1 of 1	ENE	4.00 / 21,116.97	Constance Aberant 39 Rollingwood Houston TX 77080	SDRW WELLS

Track NO: 97776
Date Submitted: 2006-11-14
Owner Name: Constance Aberant
Owner Address: 39 Rollingwood
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.799445
Longitude: -95.533055
Drilling Date Started: 2006-10-25
Drilling Date Completed: 2006-10-25
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=97776&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 50

Top Depth:
Bottom Depth: 50.0

Well Levels

Measurement: 18
Measurement Date: 2006-10-25

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
475	1 of 1	WSW	4.01 / 21,162.78	Tim Miles TX	GWDB

Well Rep Track No:	
State Well No:	6519304
Owner Name:	Tim Miles
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1930
Well Depth:	152
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7366670
Longitude:	-95.6447220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519304&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519304&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
476	1 of 6	E	4.02 / 21,211.12	City of Bunker Hill Well #2 TX	GWDB

Well Rep Track No:	
State Well No:	6512914
Owner Name:	City of Bunker Hill Well #2
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1960
Well Depth:	1670
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7733330
Longitude:	-95.5244440
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512914&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512914&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
476	2 of 6	E	4.02 / 21,211.12	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512914
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106B
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106B
Date Drilled:	00/00/1960
Well Depth:	1670
Screen Top:	1170
Screen Bottom:	1660
Gallons Per Minute:	675
Water Usage:	ACTIVE - PERMANENT
CCN:	P0509
Latitude:	29.77352269
Longitude:	-95.52452456
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
476	3 of 6	E	4.02 / 21,211.12	Bunker Hill, City of TX	WW HARRIS GAL

Well ID:	1550	**Diameter (inches):**	12
Aggre Lead Well:	1550	**Year Drilled:**	1960
Permit No:	WP2021-3258	**Depth Drilled:**	1660
Permit Start Date:	10/1/2021 12:11:00 PM	**Depth frm Surf(ft):**	999
Permit End Dt:	9/30/2022 12:11:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.773611
Regulatory Aarea:	2	**Longitude:**	-95.524444

Owner Name: Bunker Hill, City of
Billing Contact: Steve Smith
Billing Address: 11977 Memorial Dr.
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77024
Correspondence: Jacob M. Floyd, P.E.
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
476	4 of 6	E	4.02 / 21,211.12	USGS-294624095312801 TX	FED USGS

Site No:	USGS-294624095312801
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	
Well Depth:	1670
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-914
Latitude:	29.77352220000000
Longitude:	-95.5245250000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
476	5 of 6	E	4.02 / 21,211.12	Bunker Hill, City of TX	WW HARRIS GAL

Well ID:	1550	**Diameter (inches):**	12
Aggre Lead Well:	1550	**Year Drilled:**	1960
Permit No:	WP2021-3258	**Depth Drilled:**	1660
Permit Start Date:	10/1/2021 12:11:00 PM	**Depth frm Surf(ft):**	999
Permit End Dt:	9/30/2022 12:11:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.773611
Regulatory Aarea:	2	**Longitude:**	-95.524444
Owner Name:	Bunker Hill, City of		
Billing Contact:	Steve Smith		
Billing Address:	11977 Memorial Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	Jacob M. Floyd, P.E.		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
476	6 of 6	E	4.02 / 21,211.12	Bunker Hill, City of TX	WW HARRIS GAL

Well ID:	1550	**Diameter (inches):**	12
Aggre Lead Well:	1550	**Year Drilled:**	1960
Permit No:	WP2024-112648	**Depth Drilled:**	1660
Permit Start Date:	10/1/2024	**Depth frm Surf(ft):**	999
Permit End Dt:	9/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.773611
Regulatory Aarea:	2	**Longitude:**	-95.524444

Owner Name: Bunker Hill, City of; Bunker Hill, City of; Bunker Hill, City of; Bunker Hill, City of
Billing Contact: Gama Escamilla
Billing Address: 11977 Memorial Drive; 11977 Memorial Drive; 11977 Memorial Drive; 11977 Memorial Drive
Billing Address 2: NULL
Billing City: Houston
Billing State: Tx
Billing Zip: 77024
Correspondence: NULL; NULL; NULL; NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
477	1 of 1	SW	4.02 / 21,242.31	SHELL OIL COMPANY TX	TCEQ WELL LOGS

Grid No:	65-19-3L
Date Drilled:	07/23/1975
Owners Name:	SHELL OIL COMPANY
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	127
Depth Drilled:	312
Latitude:	29.735103
Longtiude:	-95.64337

65-19-3L

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3L
Located on map
Received: 7-25
dlr

1) OWNER:
Person having well drilled The Zunker Company (Name) Address 5034 Bingle, Houston, TX 77018 (Street or RFD) (City) (State)

Landowner Shell Oil Company (Name) Address S. H. 6 & Westheimer Rd. Houston (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

SEE REVERSE SIDE

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well X | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial X | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary X | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 312 ft. Depth of completed well 312 ft. Date drilled 7-23-75

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Surface Clay
24	48	Clay and Sand
48	72	Clay
72	96	Clay and Loose Sand
96	120	Loose Sand
120	144	Clay and Sand
144	168	Clay and Sand
168	312	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old | New | Steel X | Plastic | Other

Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type Stainless steel rod base

Perforated X | Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
#12 guage	307	312	
2½ Blank	289	307	

7) COMPLETION (Check):
Straight wall X | Gravel packed | Other | Under reamed | Open Hole

8) WATER LEVEL:
Static level 127 ft. below land surface Date 7-27-75

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes | No X If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes | No X

Did any strata contain undesirable water? Yes | No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS P. O. Box 8707; Houston, TX 77009 (Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-8

1863


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



FEB 11 1975
Texas Water Development Board

RECEIVED
SEP 11 1975
TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
478	1 of 1	NE	4.03 / 21,252.53	XUYEN QUANG DOAN TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	01/17/1989
Owners Name:	XUYEN QUANG DOAN
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	210
Depth Drilled:	350
Latitude:	29.8150276
Longtiude:	-95.5462812

3

Send original copy by certified mail to: Texas Water Com on, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Xuyen Quang Doan (Name) ADDRESS 10219 Emnora Ln. Houston, Tx. 77043 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris . 10 miles in NW (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 1/16 19 89 Completed ~~1/17~~ 19 ~~89~~

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	350

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	28	Clay
28	50	Rock
50	86	Sand
86	140	Clay
140	210	sand
210	245	Clay
245	285	Sand
285	310	Clay
310	350	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	0	330	s 40
2½"	N	Pvc Liner	320	330	s 40
2½"	N	PVC Slotted Screen	330	350	.012

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 340 ft. to 60 ft. No. of Sacks Used 15
20 ft. to 0 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson Water Well Service Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 210 ft. below land surface Date 1/17/89
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K-Packer Depth 320

13) TYPE PUMP: 2 H.P.
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 280 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED
TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 Houston, Texas 77086 (Street or RFD) (City) (State) (Zip)

(Signed) Tim Robinson 1/19 (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-72-5 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

184499

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
479	1 of 1	ENE	4.03 / 21,259.51	MR J R LINDSEY TX	TCEQ WELL LOGS

Grid No:	65-12-6E
Date Drilled:	04/27/1982
Owners Name:	MR J R LINDSEY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	17
Depth Drilled:	52
Latitude:	29.797985
Longtiude:	-95.53143

116 W/L # 116

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-605
Located on map XE 5
Received: C.F.S.

1) OWNER Mr. J. R. Lindsey (Name) Address #53 Rollingwood (Street or RFD) Houston (City) Tx (State) 77088 (Zip)

2) LOCATION OF WELL: #53 Rollingwood County Harris 1 miles in NE (N.E., S.W., etc.) direction from Spring Valley (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. ~ agem 60-57-2 H

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Diameter of Hole: Dia. (in.)	From (ft.)	To (ft.)
10 3/4	Surface	52'

Date drilled 4/20/82

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Top Soil & Clay
24	41	Sand
41		Rock
41	52	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	42	
4	N	PVC	42	52	.012

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 17 ft. below land surface Date 4/28/82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
JAN - 4 1983
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS 9739 N Houston Rosslyn (Street or RFD) Houston (City) Tx (State) 77088 (Zip)

(Signed) Craig E. Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
480	1 of 6	WSW	4.03 / 21,264.92	City of Houston West Houston MUD TX	GWDB

Well Rep Track No:	
State Well No:	6519320
Owner Name:	City of Houston West Houston MUD
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1985
Well Depth:	1314
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7413889
Longitude:	-95.6461111
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519320&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519320&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
480	2 of 6	WSW	4.03 / 21,264.92	CITY OF HOUSTON TX	WUD

St Well No:	6519320
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FM
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FM
Date Drilled:	03/00/1985
Well Depth:	1314
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2000
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.7409
Longitude:	-95.64817
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
480	3 of 6	WSW	4.03 / 21,264.92	WEST HOUSTON M.U.D. - C/O LOCKWOOD, ANDR TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 09/??/1984
Owners Name: WEST HOUSTON M.U.D. - C/O LOCKWOOD, ANDR
County: HARRIS
Water Usage: MUNICIPAL
Static Level: NOT REPORTED
Depth Drilled: 1800
Latitude: 29.7409348
Longtiude: -95.6482064

State Well No. _____

File Original with Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711 Phone 512/475-6176	State of Texas WATER WELL COMPLETION AND PLUGGING REPORT	Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711 Phone 512/475-6176

1) Well Owner: West Houston M.U.D. - c/o Lockwood, Andrews & Newnam, 1500 City West Blvd., 77042
Name — Street or RFD — City — State

2) Landowner: as above
Name — Street or RFD — City — State

3) Intended Use: Industrial ☐; Municipal XX; Irrigation ☐; Domestic ☐; Stock ☐; Other _____

4) Location Of Well: County Harris Labor _____ League _____ Abstract No. _____

NW¼ NE¼ SW¼ SE¼ of Section _____ Block No. _____ Survey _____
(Circle as many as known)

15 miles in westerly (NE, SW, etc.) direction from Houston Town. Use reverse side to sketch map of well location showing distances from adjacent section or survey lines, or to landmarks, roads, and creeks. See attached map

COMPLETION OR PLUGGING DATA

5) Driller Layne-Western Co., Inc. Registration Number 999 Address P.O. Box 79009, Houston 7727

6) Party Completing Or Plugging Well Layne-Western Co. Registration Number _____ Address _____

7) Drilled Sept. 19 84 Dug ☐; Cable Tool ☐; Rotary XX; Other _____ Owners Well Number TH #1

8) Diameter Of Hole 9-7/8 inches, from 0 to 1800 feet, and _____ inches, from _____ to _____ feet; Total depth 1800 feet.

9) Casing and Cement:


Diameter (inches)	Set in Well From (feet)	Set in Well To (feet)	Left in Well From (feet)	Left in Well To (feet)	Cement Baskets or Packers, Depth (feet)	Cement From (feet)	Cement To (feet)
30	+18"	38.5	+18	38.5		G.L.	38.5

10) Well Log: All measurments made from 5 feet above ground level.

From (ft.)	To (ft.)	Description and color of formation material

RECEIVED
NOV 26 1984
DEPT. OF WATER RESOURCES

11) Sketch Of Well: Show method of completion and/or plugging including all casing and cemented intervals.



12) Fresh Water-Bearing Zone(s): Depth in feet to top of _____, Thickness _____ feet.

13) Undesirable Water-Bearing Zone(s): Depth in feet to top of _____, Thickness _____ feet.

14) Static Water Level(s) unk feet below land surface. Was the water level measured after penetrating the first water-bearing zone ☐, or after drilling to total depth ☐? Check applicable box(s).

15) Describe in detail the type, volume and manner of placement of all cement. Indicate depth to top of cement behind each casing string. Describe and give percent of all cement additives: _____

16) Was undesirable water exclusion or retention or plugging program checked for adequacy? No
If so describe method(s) used. _____

17) Attach electrical, gamma ray or other mechanical log(s), water analyses, and other pertinent data if available.


VALIDATION

18) We, the party performing the undesirable water exclusion ☐ retention ☐ plugging XXX (Check applicable box) operations,
Layne-Western Co., Inc., and the landowner or party having well drilled, deepened or otherwise altered,
Layne-Western Co., Inc., certify that the undesirable water exclusion or retention or plugging operations were performed in the manner described above.

DISTRIBUTION OF COPIES: WHITE—Departm:ent of Water Resources BLUE—Well Owner YELLOW—Contractor

TDWR-0492 (Rev. 10-9-81)

NOTE: Owner plans to redrill and complete at a later date.




Lockwood, Andrews & Newnam, Inc.
Engineering Architecture Planning Project Management

Location Map

WEST HOUSTON M.U.D.
TEST HOLE FOR W.P. No.2

Scale: N.T.S.	Date: 6/84	Designed By: LMJD	Dwn. By: JAG	Chkd. By: LMJD	Appd. By: REF	Proj. No. 1643-20-001-000


WATER PLANT SITE
WESTHEIMER ROAD
NORTH MILES DRIVE
OAKS WEST DRIVE
STATE HIGHWAY 6
HARRIS COUNTY MUD 96
WEST OAKS CENTER
WEST HOUSTON MUD
WESTHEIMER ROAD MUD
ACREAGE
HOUSTON CITY LIMITS
LEGEND
EXISTING
PROPOSED
WATER MAINS
FLUSHING VALVES
GATE VALVE & BOX
BLOWOFF VALVE
BENCH MARKS
GENERAL CONSTRUCTION LAYOUT
PROPOSED WATER MAINS
WEST HOUSTON MUNICIPAL UTILITY DISTRICT
MILES - GUNTHER SUBDIVISION
HARRIS COUNTY, TEXAS
Lockwood, Andrews & Newnam, Inc.

TEST HOLE EPORT

Layne-Western Company, Inc.

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING • WATER WELLS • PUMPS

tract Name West Houston MUD #2

No. M-1833 Date

Houston State Texas

TEST HOLE No. 1

Driller R. Ward

ation of Test Hole 1200' West of S.H. 6
7900 North of FM 1093

¼ ¼ Sec. of T,

, Co., .

Elevation of Test Hole

Static Water Level

Measured Hours After Completion

om	To	Description of Strata	Water Bearing
	0	Clay	
	15	Sand	
	20	Clay	
	25	Sand	
	45	Clay	
	62	Sand	
	119	Clay	
	126	Sand	
	271	Clay	
	282	Sand	
	315	Clay	
	339	Sand	
	409	Clay	
	432	Sand	
	448	Clay	
	456	Sand	
	474	Clay	
	503	Sand and Clay stks.	
	558	Clay	
	567	Sand and Clay	

arks:

V-62

TEST HOLE REPORT

Layne-Western Company, Inc.

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING • WATER WELLS • PUMPS

Page 2

tract Name West Houston MUD #2

No. M-1833 Date

Houston State Texas

TEST HOLE No. 1

Driller R. Ward

ation of Test Hole 1200' West of S.H. 6
7900 North of FM1093

¼ ¼ Sec. of T,

, Co., .

Elevation of Test Hole

Static Water Level

Measured Hours After Completion

om	To	Description of Strata	Water Bearing	
	572	Sand		
	585	Clay		
	611	Sand		
	626	Clay		
	657	Sand		
	678	Clay & Sand Stks.		
	706	Sand		
	714	Sand and Clay Stks.		
	781	Clay		
	794	Sand and Clay Stks.		
	973	Clay		
	1024	Sand		
	1111	Sandy Shale		
	1162	Clay		
	1188	Sand - rock		
	1217	Clay		
	1265	Sandy shale		
	1306	Shale		
	1490	Sand shale and clay		
	1500	Sand		

arks:

-62

TEST HOLE REPORT

Layne-Western Company, Inc.

WATER SUPPLY SERVICES SINCE 1924

TEST DRILLING • WATER WELLS • PUMPS

Page 3

tract Name West Houston MUD #2

No. M-1833 Date

Houston State Texas

TEST HOLE No.

Driller

ation of Test Hole

¼ ¼ Sec. of T ,

, Co., .

Elevation of Test Hole

Static Water Level

Measured Hours After Completion

m	To	Description of Strata	Water Bearing	
	1530	Shale		
	1570	Sandy shale		
	1610	Shale		
	1800	T.D.		

arks:

-62

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
480	4 of 6	WSW	4.03 / 21,264.92	WEST HOUSTON M.U.D. - C/O L-A-N TX	TCEQ WELL LOGS

Grid No: 65-11-9EE
Date Drilled: 09/??/1984
Owners Name: WEST HOUSTON M.U.D. - C/O L-A-N
County: HARRIS
Water Usage: TEST WELL - PLUGGED
Static Level: NOT REPORTED
Depth Drilled: NOT REPORTED
Latitude: 29.7409348
Longtiude: -95.6482064

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 6511-9EE
Located on map Yes DLP
Received:

1) OWNER West Houston MUD (Name) Address c/o Lockwood, Andrews & Newnam 1500 City West Blvd., (Street or RFD) Houston (City) Texas (State) 77042 (Zip)

2) LOCATION OF WELL:
County Harris 15 miles in Westerly (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☒ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled Septe. 84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Test Hole Only
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
		See attached sheets

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
30	N	Steel	+18"	48.5'	.250

CEMENTING DATA
Cemented from G.L. ft. to 48.5 ft.
Method used Tremie Line
Cemented by Layne-Western Co., Inc. (Company or Individual)

9) WATER LEVEL:
Static level N/A ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: N/A Type Depth

RECEIVED
NOV 26 1984
DEPT. OF WATER RESOURCES

11) TYPE PUMP: N/A
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: N/A
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James O'Connor (Type or Print) Water Well Drillers Registration No. 999

ADDRESS 5931 Brittmoore Rd. (Street or RFD) Houston (City) Texas (State) 77041 (Zip)

(Signed) James O'Connor (Water Well Driller) Layne-Western Company, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

65-11-9EE

(SEE 199634)

10285

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
480	5 of 6	WSW	4.03 / 21,264.92	Houston, City of TX	WW HARRIS GAL

Well ID:	3995	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	W2011-1003-148822-0	**Depth Drilled:**	1600
Permit Start Date:	2/1/2011	**Depth frm Surf(ft):**	800
Permit End Dt:	1/31/2012	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.740833
Regulatory Aarea:	3	**Longitude:**	-95.648333

Owner Name: Houston, City of
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St., 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Acres Homes #1
Provision: 70 - Based on permitted allocation or 70% of total demand, whichever is smaller; E - Authorized withdrawal is the total aggregate allocation for all wells; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).; G1 - permit exempt from disincentive fee based on provisions in GRP (2002); M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
480	6 of 6	WSW	4.03 / 21,264.92	USGS-294428095384501 TX	FED USGS

Site No:	USGS-294428095384501
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	198503
Well Depth:	1314
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-19-320
Latitude:	29.74138889000000
Longitude:	-95.6461111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
481	1 of 1	ENE	4.03 / 21,289.70	Spring Manor Townhouses TX	WW HARRIS GAL

Well ID:	5185	**Diameter (inches):**	4
Aggre Lead Well:	5185	**Year Drilled:**	1994
Permit No:	WP2022-104755	**Depth Drilled:**	50
Permit Start Date:	6/1/2022 10:07:00 AM	**Depth frm Surf(ft):**	40
Permit End Dt:	5/31/2023 10:07:00 AM	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.793888
Regulatory Aarea:	3	**Longitude:**	-95.528888

Owner Name:	Spring Manor Townhouses
Billing Contact:	Bill Haglund
Billing Address:	1438 Springrock Ln.
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77055
Correspondence:	NULL
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller
Water Usage:	D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
482	1 of 2	ENE	4.03 / 21,297.82	H L & P Co. Echo Substation TX	GWDB

Well Rep Track No:
State Well No: 6512936
Owner Name: H L & P Co. Echo Substation
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1967
Well Depth: 325
Well Usage: Domestic
Water Level Status:
Latitude: 29.7861110
Longitude: -95.5263890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512936&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512936&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
482	2 of 2	ENE	4.03 / 21,297.82	STAR ENTERPRISE TX	WW HARRIS GAL

Well ID:	3078	**Diameter (inches):**	4
Aggre Lead Well:	3078	**Year Drilled:**	1971
Permit No:	W1989-3078-31895-0	**Depth Drilled:**	200
Permit Start Date:	4/12/1989	**Depth frm Surf(ft):**	0
Permit End Dt:	10/31/1990	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785277
Regulatory Aarea:	3	**Longitude:**	-95.526388
Owner Name:	STAR ENTERPRISE		
Billing Contact:	J.L. HARRISON		
Billing Address:	12600 N. BOROUGH, Suite 300		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77067		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
483	1 of 2	SE	4.04 / 21,330.58	WOODTRAILS TX	TCEQ WELL LOGS

Grid No:	65-20-2
Date Drilled:	05/10/2002
Owners Name:	WOODTRAILS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	210
Depth Drilled:	385
Latitude:	29.729442
Longtiude:	-95.544833

(D(

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: WOODTRIALS ADDRESS: 9900 RICHMOND CITY: HOUSTON STATE: TX ZIP: 77042-

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-20-2
Street or RFD: 9900 RICHMOND
City, State, Zip code: HOUSTON , 77 042 -

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

5)

6) WELL LOG: 24159
DATE DRILLING:
STARTED: 05/08/02
COMPLETED: 05/10/02

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	385

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

K^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	364	WW
2.5	N	GALVANIZED LINER	355	365	WW
2.5	N	S/S PIPE BASE SCREEN	365	385	06

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	90	CLAY
90	122	SAND
122	163	CLAY
163	173	SAND
173	206	CLAY
206	227	SAND
227	365	CLAY
365	385	SAND

9) CEMENTING DATA:
Cemented from 364 FT. TO 0 FT. No. of Sacks Used 20
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
SLAB

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 05/10/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P SEAL 355

RECEIVED
JUL 26 2002

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 45 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 20
NO STRATA OF UNDESIRABLE WATER PENETRATED

NO CHEMICAL ANALYSIS MADE

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111 4884
ADDRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Rogelio Meza (signed)
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
483	2 of 2	SE	4.04 / 21,330.58	GHC Woodtrails, LLC TX	WW HARRIS GAL

Well ID:	9129	**Diameter (inches):**	4
Aggre Lead Well:	9129	**Year Drilled:**	2002
Permit No:	WP2024-105753	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 3:13:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	4/30/2025 3:13:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.730277
Regulatory Aarea:	3	**Longitude:**	-95.545
Owner Name:	GHC Woodtrails, LLC		
Billing Contact:	Alex Weng		
Billing Address:	4622 Riverstone Blvd.		
Billing Address 2:	NULL		
Billing City:	Missouri City		
Billing State:	TX		
Billing Zip:	77459		
Correspondence:	Lake Management Services, LP		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
484	1 of 1	ENE	4.04 / 21,341.53	JIM DESANTO TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	11/22/1993
Owners Name:	JIM DESANTO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	25
Depth Drilled:	50
Latitude:	29.798498
Longtiude:	-95.531438

Send original copy by certified mail to: Texas Water Co sion, P.O. Box 13087, Austin, TX 78711-3087 KR TX 12 Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Jim DESANTO (Name) ADDRESS #47 Rolling Wood Dr (Street or RFD) HSTN (City) TX (State) 77080 (Zip)

2) LOCATION OF WELL: County HARRIS #47 ROLLINGWOOD . _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP 60.59.1

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 11-22 19 93 Completed 11-22 19 93

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	50

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☑ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 15 ft. to 50 ft.

From (ft.)	To (ft.)	Description and color of formation material
0	18	Top Soil + Clay
18	50	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	40	
4	N	PVC	40	50	.04

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 8
_____ ft. to _____ ft. No. of Sacks Used _____
Method used TRIMME
Cemented by BUSSELL + SON INC

RECEIVED JAN 25 1994 TEXAS WATER COMMISSION

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 25 ft. below land surface Date 11-22-93
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL + SON INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO BOX 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 12 Located on map 65.12.6

TWC-0199 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
485	1 of 7	SSW	4.04 / 21,348.54	City of Houston Dist 218 TX	GWDB

Well Rep Track No:	
State Well No:	6520125
Owner Name:	City of Houston Dist 218
Drilling Start Dt:	
Drilling Month:	1
Drilling Day:	
Drilling Year:	1983
Well Depth:	1610
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7147230
Longitude:	-95.6061120
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520125&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520125&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
485	2 of 7	SSW	4.04 / 21,348.54	CITY OF HOUSTON TX	WUD

St Well No:	6520125
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FC
Date Drilled:	10/06/1982
Well Depth:	1663
Screen Top:	704
Screen Bottom:	1590
Gallons Per Minute:	1330
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.714646
Longitude:	-95.606622
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
485	3 of 7	SSW	4.04 / 21,348.54	HARRIS COUNTY MUD #218 TX	TCEQ WELL LOGS

Grid No:	65-20-1Q
Date Drilled:	01/11/1983
Owners Name:	HARRIS COUNTY MUD #218
County:	HARRIS
Water Usage:	NOT REPORTED
Static Level:	311
Depth Drilled:	1610
Latitude:	29.714646
Longtiude:	-95.606622

DUP

Send original by certified mail to ...e
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-10
Located on map YES
Received: C.F.S.

1) OWNER Harris County MUD # 218 (Name) Address off Alief-Clodine (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. e log in pocket

3) TYPE OF WORK (Check):
☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Dia. (in.)	From (ft.)	To (ft.)
26"	Surface	700'
30"	700'	1610'

Date drilled 1-11-83

From (ft.) To (ft.) Description and color of formation material

SEE ATTACHED LOG

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 700 ft. to 1610 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
		SEE ATTACHED DRAWING			

RECEIVED
MAR - 3 1983
DEPT. OF
WATER RESOURCES

CEMENTING DATA
Cemented from 0 ft. to 700' ft.
Method used Halliburton
Cemented by by Halliburton (Company or Individual)

9) WATER LEVEL:
Static level 311 ft. below land surface Date 1-10-83
Artesian flow N/A gpm. Date N/A

10) PACKERS: Type Depth
N/A

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

(Use reverse side if necessary) 317-15

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2,000 gpm with 111.60 ft. drawdown after 24 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Alvin C. England (Type or Print) Water Well Drillers Registration No. 2016


ADDRESS 6615 Gant Street (Street or RFD) Houston (City) Texas (State) 77066 (Zip)

(Signed) A. C. England (Water Well Driller) Alsay-Texas Corporation (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

CB


LEGEND
GHWAY MAP
COUNTY
(AS
NT OF HIGHWAYS
TRANSPORTATION
PLANNING DIVISION
F TRANSPORTATION
/ ADMINISTRATION
73

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
485	4 of 7	SSW	4.04 / 21,348.54	HARRIC COUNTY M.U.D. 218 TX	TCEQ WELL LOGS

Grid No: 65-20-1
Date Drilled: 03/28/1985
Owners Name: HARRIC COUNTY M.U.D. 218
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 270
Depth Drilled: 1122
Latitude: 29.714646
Longtiude: -95.606622

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER HARRIS COUNTY M.U.D. 218 (Name) Address 13000 Ashford Point (Street or RFD) Houston, Texas (City) (State) 77077 (Zip)

2) LOCATION OF WELL: County HARRIS ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

XX See attached map.

3) TYPE OF WORK (Check):
XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial XX Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
XX Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Dia. (in.)	From (ft.)	To (ft.)
26	Surface	685
30	685	1122

Date drilled 3-28-85

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall XX Underreamed
XX Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from 685 ft. to 1122 ft.

From (ft.) To (ft.) Description and color of formation material

SEE ATTACHED

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
		SEE ATTACHED			

CEMENTING DATA
Cemented from 0 ft. to 685 ft.
Method used Haliburton
Cemented by Dowell (Company or Individual)

9) WATER LEVEL:
Static level 270 ft. below land surface Date 07/05/85
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

RECEIVED
JAN - 2 1986
TEXAS WATER COMMISSION

11) TYPE PUMP:
XX Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 500 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes XX No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: XX Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1804 gpm with 93 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME ALSAY INCORPORATED (Type or Print) Water Well Driller's License No. 2016

ADDRESS 6615 GANT STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77066 (Zip)

(Signed) a c England A.C. ENGLAND (Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use: Well No. 65-20-1 Located on map ____

DWR 0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

MUD NO. 218 - REMOTE 05/01/85

PROPOSED RECOMMENDED MATERIAL SETTINGS

DEPTH	20" CSG	BLANK	SCREEN
0-685'	685'		
585-692'		107'	
692-728'			36'
728-738'		10'	
738-824'			86'
824-838'		14'	
838-862'			24'
862-934'		72'	
934-970'			36'
970-1004'		34'	
1004-1102'			98'
1102-1122' TD		20'	
		257'	280'

TOTAL MATERIALS


20" Surface Casing = 685'
12-3/4" Blank Liner = 257'
12-3/4" Screen = 280'

RECEIVED
JAN - 2 1986
TEXAS WATER COMMISSION

MUD NO. 218 - REMOTE 3/28/85

DRILLER'S LOG

DEPTH	DESCRIPTION OF MATERIALS
0 - 5	Substructure
5 - 9	Top soil
9 - 48	Clay white
48 - 57	San tan
57 - 71	Clay red
71 - 161	Clay white and red
161 - 192	Sand white
192 - 253	Clay white and blue
253 - 375	Sand with blue clay
375 - 390	Clay with gravel
390 - 460	Sand tan
460 - 495	Clay with sand stringers
495 - 512	Clay white
512 - 672	Sand tan
672 - 692	Clay red
692 - 825	Sand with clay stringers
825 - 836	Clay white
836 - 870	Sand tan
870 - 930	Clay white and red
930 - 974	Sand tan
974 - 1005	Clay red
1005 - 1105	Sand with gray clay
1105 - 1214	Shale gray
1214 - 1375	Sand with shale stringers
1375 - 1500 TD	Shale gray


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1979
MUD 218
13000 ASHFORD POINT
RECEIVED
JAN - 2 1986
TEXAS WATER COMMISSION

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
485	5 of 7	SSW	4.04 / 21,348.54	Houston, City of TX	WW HARRIS GAL

Well ID:	3792	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	1982
Permit No:	WP2023-117626	**Depth Drilled:**	350
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	250
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.715
Regulatory Aarea:	3	**Longitude:**	-95.606944
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
485	6 of 7	SSW	4.04 / 21,348.54	Houston, City of TX	WW HARRIS GAL

Well ID:	3677	**Diameter (inches):**	20
Aggre Lead Well:	1001	**Year Drilled:**	1982
Permit No:	W1985-1001-21803-0	**Depth Drilled:**	1500
Permit Start Date:	2/1/1985	**Depth frm Surf(ft):**	800
Permit End Dt:	1/31/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.715
Regulatory Aarea:	3	**Longitude:**	-95.606944

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
485	7 of 7	SSW	4.04 / 21,348.54	USGS-294252095362101 TX	FED USGS

Site No:	USGS-294252095362101
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19830111
Well Depth:	1610
Well Depth Unit:	ft
Well Hole Depth:	1829
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-125
Latitude:	29.71472220000000
Longitude:	-95.6061111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
486	1 of 5	NNW	4.05 / 21,379.71	HARRIS COUNTY PCT 3 BEAR CREEK PIO TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011015
Source ID:	G1011015C
Utility Name:	HARRIS COUNTY PCT 3 BEAR CREEK PIO
WTRSRC:	G1011015C
Date Drilled:	09/21/1991
Well Depth:	828
Screen Top:	755
Screen Bottom:	820
Gallons Per Minute:	190
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.82605833
Longitude:	-95.61714444
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
486	2 of 5	NNW	4.05 / 21,379.71	HARRIS COUNTY PCT 3 BEAR CREEK PIO TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011015
Source ID:	G1011015B
Utility Name:	HARRIS COUNTY PCT 3 BEAR CREEK PIO
WTRSRC:	G1011015B
Date Drilled:	
Well Depth:	220
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	N/A
Latitude:	29.826187
Longitude:	-95.620782
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
486	3 of 5	NNW	4.05 / 21,379.71	Texas United F.C. TX	WW HARRIS GAL

Well ID:	11925	**Diameter (inches):**	5
Aggre Lead Well:	11925	**Year Drilled:**	201
Permit No:	W2011-11925-153728-0	**Depth Drilled:**	350
Permit Start Date:	5/26/2011	**Depth frm Surf(ft):**	330
Permit End Dt:	5/26/2011	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.826111
Regulatory Aarea:	3	**Longitude:**	-95.616388
Owner Name:	Texas United F.C.		
Billing Contact:	Augi Colchado 9		
Billing Address:	P.O. Box 841712		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77284		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
486	4 of 5	NNW	4.05 / 21,379.71	Harris County TX	WW HARRIS GAL

Well ID:	2511	**Diameter (inches):**	6
Aggre Lead Well:	2511	**Year Drilled:**	1977
Permit No:	W1993-2511-43929-0	**Depth Drilled:**	600
Permit Start Date:	11/1/1993	**Depth frm Surf(ft):**	424
Permit End Dt:	4/13/1994	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.825833
Regulatory Aarea:	3	**Longitude:**	-95.616666
Owner Name:	Harris County		
Billing Contact:	Glenda Bucceri ,		
Billing Address:	1001 Preston St., Suite 800		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	(Sheldon Park)		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
486	5 of 5	NNW	4.05 / 21,379.71	West Harris County Regional Water Authority TX	WW HARRIS GAL

Well ID:	4411	**Diameter (inches):**	6
Aggre Lead Well:	1364	**Year Drilled:**	1991
Permit No:	WP2023-117239	**Depth Drilled:**	700
Permit Start Date:	1/1/2024 2:12:00 PM	**Depth frm Surf(ft):**	525
Permit End Dt:	12/31/2024 2:12:00 PM	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.826111
Regulatory Aarea:	3	**Longitude:**	-95.616944

Owner Name:	Harris County Precinct 4
Billing Contact:	Cindy Gloyna
Billing Address:	3100 W Alabama St.
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77098
Correspondence:	NULL
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
487	1 of 1	ENE	4.06 / 21,432.26	MR. NOVACK TX	TCEQ WELL LOGS

Grid No:	65-12-9R
Date Drilled:	09/18/1980
Owners Name:	MR. NOVACK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	27
Depth Drilled:	52
Latitude:	29.8032036
Longtiude:	-95.53418

W.L. # 26 ✓

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-9
Located on map YES
Received: RWB

1) OWNER Mr. Orovacr (Name) Address #20 Shadow Ln. (Street or RFD) Hou. (City) TX (State) 77080 (Zip)

2) LOCATION OF WELL: County Harris #20 Shadow Lyn miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. ?

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 9/18/80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	52

From (ft.)	To (ft.)	Description and color of formation material
0	13	Clay
13	56	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☑ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	46	
4	N	Plastic	46	52	.020

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used Halliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 27' ft. below land surface Date 9/18/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 42 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 45 gpm with 18 ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED
AUG 24 1982
CR/TDWR

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #107

ADDRESS 9939 N. Houston Rosslyn (Street or RFD) Hou. (City) TX (State) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

184855

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
488	1 of 1	S	4.07 / 21,468.02	Walter Krenek TX	GWDB

Well Rep Track No:	
State Well No:	6520108
Owner Name:	Walter Krenek
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1938
Well Depth:	74
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7136120
Longitude:	-95.5911110
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520108&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520108&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
489	1 of 7	SSE	4.07 / 21,474.62	Houston Shell and Concrete Co. TX	GWDB

Well Rep Track No:	
State Well No:	6520220
Owner Name:	Houston Shell and Concrete Co.
Drilling Start Dt:	
Drilling Month:	6
Drilling Day:	1
Drilling Year:	1966
Well Depth:	514
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7180550
Longitude:	-95.5672220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520220&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520220&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
489	2 of 7	SSE	4.07 / 21,474.62	R.E. Smith TX	GWDB

Well Rep Track No:	
State Well No:	6520201
Owner Name:	R.E. Smith
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1948
Well Depth:	603
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7163890
Longitude:	-95.5647230
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520201&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520201&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
489	3 of 7	SSE	4.07 / 21,474.62	J.C. Hastings TX	GWDB

Well Rep Track No:	
State Well No:	6520212
Owner Name:	J.C. Hastings
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1913
Well Depth:	80
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7163890
Longitude:	-95.5650010
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520212&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520212&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
489	4 of 7	SSE	4.07 / 21,474.62	City of Houston TW-3 TX	GWDB

Well Rep Track No:
State Well No: 6520223
Owner Name: City of Houston TW-3
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1939
Well Depth: 1810
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.7172220
Longitude: -95.5602780
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520223&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520223&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
489	5 of 7	SSE	4.07 / 21,474.62	HOUSTON SHELL & CONCRETE TX	TCEQ WELL LOGS

Grid No:	65-20-4B
Date Drilled:	06/01/1966
Owners Name:	HOUSTON SHELL & CONCRETE
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	128
Depth Drilled:	240
Latitude:	29.7171661
Longtiude:	-95.5656592

65-20-4B

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-4B
Located on map
Received:
Form GW 8
Form GW 9


1) OWNER:
Person having well drilled Houston Shell & Concrete (Name) Address 412 north 2nd (Street or RFD) Deer Park (City) Tex (State)

Landowner Houston Shell & Concrete Co (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

3 miles in East (NE, SW, etc.) direction from Deer Park (Town).



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☒ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☐ Industrial ☒ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☒ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 9 5/8 in. Depth drilled 240 ft. Depth of completed well 514 ft. Date drilled June 1-66

All measurements made from ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	19	Surface
19	110	Clay
110	142	Sand
142	180	Clay
180	210	fine Sand
210	238	Clay
238	268	Coarse Sand
268	310	Clay
310	350	White Sand
350	484	Blue Clay
484	514	Coarse White Sand

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall ☐ Gravel packed ☐ Other ☒ Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 125 ft. below land surface Date June 1-66
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from Surface ft. to 240 ft.

10) SCREEN:
Type Wire wrapped
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
6"	Surface	240	16/16
4	230	238	1/4
4"	268	310	1/4
4	350	484	1/4

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4	238	268	16
4	310	350	14
4	484	514	18

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes by whom? W. H. Talley
Yield: 300 gpm with 48 ft. drawdown after 2 hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Red Jacket
Type Turbogild H.P. 25
Designed pumping rate 300 gpm ☒ gph ☐
Type power unit 440 3 Phase
Depth to bowls, cylinder, jet, etc., 252 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. H. TALLEY (Type or Print) Water Well Drillers Registration No. 1148

Address 4631 Allum Rd (Street or RFD) Houston (City) Texas (State)

(Signed) W. H. Talley (Water Well Driller) American Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
489	6 of 7	SSE	4.07 / 21,474.62	HOUSTON SHELL & CONCRETE TX	WW HARRIS GAL

Well ID:	2855	**Diameter (inches):**	4
Aggre Lead Well:	2854	**Year Drilled:**	1971
Permit No:	W1986-2854-25683-0	**Depth Drilled:**	340
Permit Start Date:	11/1/1986	**Depth frm Surf(ft):**	300
Permit End Dt:	10/31/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.717222
Regulatory Aarea:	3	**Longitude:**	-95.566944
Owner Name:	HOUSTON SHELL & CONCRETE		
Billing Contact:	PAT CALDWELL		
Billing Address:	P.O. Box 348		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
489	7 of 7	SSE	4.07 / 21,474.62	HOUSTON SHELL & CONCRETE TX	WW HARRIS GAL

Well ID:	2854	**Diameter (inches):**	6
Aggre Lead Well:	2854	**Year Drilled:**	1968
Permit No:	W1986-2854-25683-0	**Depth Drilled:**	590
Permit Start Date:	11/1/1986	**Depth frm Surf(ft):**	540
Permit End Dt:	10/31/1987	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.717222
Regulatory Aarea:	3	**Longitude:**	-95.566944
Owner Name:	HOUSTON SHELL & CONCRETE		
Billing Contact:	PAT CALDWELL		
Billing Address:	P.O. Box 348		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
490	1 of 2	S	4.07 / 21,486.54	HARRIS COUNTY TX	TCEQ WELL LOGS

Grid No:	65-20-1P
Date Drilled:	01/??/1978
Owners Name:	HARRIS COUNTY
County:	HARRIS
Water Usage:	PARK
Static Level:	165
Depth Drilled:	264
Latitude:	29.71353
Longtiude:	-95.602446

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

65-20-1P 1P

nd original copy by
rtified mail to the
xas Water Development Board
. O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-1P
Located on map
Received: 78
1P

1) OWNER:
Person having well drilled Harris County (Name) Address Harris County Court House (Street or RFD) Houston (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 1 miles in W (N.E., S.W., etc.) direction from Aleif (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Well is Located at Aleif Amity Park, 12613 Alief- Clodine Rd.

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
X New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal Irrigation Test Well Other park

5) TYPE OF WELL (Check):
X Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 264 ft. Depth of completed well 264 ft. Date drilled Jan 78

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	9	surface & clay
9	36	red & yellow clay
36	84	red clay
84	110	sand
110	118	blue clay
118	140	sand
140	154	blue clay
154	235	red clay
235	264	sand

(Use reverse side if necessary)

9) Casing: Type: Old X New X Steel Plastic Other

Cemented from 80 ft. to 231 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	+2	231	10.89#

10) SCREEN: Type Pipe based stainless steel

Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	248	263	16 ga.

7) COMPLETION (Check):
X Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 165 ft. below land surface Date Jan. 78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 226 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes X No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes X No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) Water Well Drillers Registration No. 229

ADDRESS 7524 N. Freeway (Street or RFD) Houston (City) Texas 77037 (State)

(Signed) B.J. Swinehart (Water Well Driller) B.J. Swinehart Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.


*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
490	2 of 2	S	4.07 / 21,486.54	Harris County TX	WW HARRIS GAL

Well ID:	3148	**Diameter (inches):**	4
Aggre Lead Well:	3148	**Year Drilled:**	1978
Permit No:	W1998-3148-59014-0	**Depth Drilled:**	264
Permit Start Date:	11/1/1998	**Depth frm Surf(ft):**	248
Permit End Dt:	4/12/1999	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.713611
Regulatory Aarea:	3	**Longitude:**	-95.598055
Owner Name:	Harris County		
Billing Contact:	Glenda Bucceri ,		
Billing Address:	1001 Preston St., Suite 800		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	(Sheldon Park)		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
491	1 of 1	ENE	4.10 / 21,635.11	JAMES BIVENS TX	TCEQ WELL LOGS

Grid No:	65-12-6Y
Date Drilled:	10/20/1980
Owners Name:	JAMES BIVENS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	250
Depth Drilled:	377
Latitude:	29.7969629
Longtiude:	-95.5295478



DUP
WL #36 ✓

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-67
Located on map YES
Received RWB

1) OWNER James Bueno (Name) Address 2311 Langley (Street or RFD) Hou (City) TX (State) 77093 (Zip)

2) LOCATION OF WELL: County Harris Carling Rd 15 miles in N. (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. ON 65-21-74

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 10/20/80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10 3/4	Surface	377'

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	180	Unconsolidated
180	204	Sand (C&C)
204	394	Clay & Broken Sand
394	377	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	355	
2	N	Plastic	357	377	.020

CEMENTING DATA
Cemented from 305 ft. to 355 ft.
Method used Halliburton
Cemented by 225 (Company or Individual)

9) WATER LEVEL:
Static level 250' ft. below land surface Date 10/20/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☑ Estimated
Yield: 36 gpm with 33 ft. drawdown after 2 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

RECEIVED
AUG 24 1982

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #107

ADDRESS 9939 N Houston Rosslyn (Street or RFD) (City) Hou (State) TX (Zip) 77088


(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
492	1 of 1	S	4.11 / 21,674.73	Pham, Tai TX	WW HARRIS GAL

Well ID:	12794	**Diameter (inches):**	4
Aggre Lead Well:	12794	**Year Drilled:**	NULL
Permit No:	W2015-12794-175965-0	**Depth Drilled:**	300
Permit Start Date:	12/31/2014	**Depth frm Surf(ft):**	280
Permit End Dt:	12/31/2014	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.712222
Regulatory Aarea:	3	**Longitude:**	-95.588333
Owner Name:	Pham, Tai		
Billing Contact:	NULL		
Billing Address:	9427 Stone Porch Lane		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77064-7496		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	R - Residential (Single Family) Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
493	1 of 1	ENE	4.11 / 21,703.02	ROBERT VICKERS TX	TCEQ WELL LOGS

Grid No:	65-12-6N
Date Drilled:	03/29/1974
Owners Name:	ROBERT VICKERS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	14
Depth Drilled:	63
Latitude:	29.800655
Longtiude:	-95.531463

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

5

GN

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 58-37-6N
Located on map
Received: 7-8-74

1) OWNER:
Person having well drilled Robert Vickers (Name) Address 1607 Crestdale (Street or RFD) Hou (City) Tex (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, ____ miles in ____ (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

1607 Crestdale

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor ____ League ____

Block ____ Survey ____

Abstract No. ____

(NW¼ NE¼ SW¼ SE¼) of Section ____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 63 ft. Depth of completed well 63 ft. Date drilled 3/29/74

All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	30	Clay
30	63	Sand

9) Casing:
Type: Old, New, Steel, Plastic, Other

Cemented from ____ ft. to ____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	53'	40

10) SCREEN:
Type P.V.C.

Perforated Underbar, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4	53	63	.04

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 14 ft. below land surface Date 3/29/74

Artesian pressure ____ lbs. per square inch Date ____

Depth to pump bowls, cylinder, jet, etc. 40' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes, No If yes, by whom?

Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.

Artesian flow ____ gpm

Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes

Did any strata contain undesirable water? Yes

Type of water? ____ depth of strata ____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Carl Bussell (Type or Print) Water Well Drillers Registration No. 1581

ADDRESS 9739 N. Houston-Rosslyn (Street or RFD) Houston (City) Texas (State)

(Signed) Carl Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

rwDBS-WD-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
494	1 of 1	ENE	4.12 / 21,730.14	BUSSELLS WATER WELL SERVICE TX	TCEQ WELL LOGS

Grid No:	65-12-9R
Date Drilled:	07/02/1983
Owners Name:	BUSSELLS WATER WELL SERVICE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	18
Depth Drilled:	47
Latitude:	29.798474
Longtiude:	-95.530052

W.W. #4

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-9R
Located on map 4400mm
Received:

1) OWNER BUSSELLS WATER WELL SERVICE (Name) Address 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Tx. (State) 77088 (Zip)

2) LOCATION OF WELL: 9618 Dale Crest (E. Hellenguard)
County Harris 2 miles in W.EST (N.E., S.W., etc.) direction from Spring Valley (Town)

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ See attached map. Harris 65-05-9AAA

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 7-2-83

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	47

From (ft.)	To (ft.)	Description and color of formation material
0	18	Topsoil & Clay
18	47	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 0 ft. to 47 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2.5	N	P.V.C.	0	41	
2.5	N	P.V.C.	41	47	014

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 18 ft. below land surface Date 7/2/83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
MAR 11 1985
DEPT. OF WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

(Use reverse side if necessary)

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig Bussell (Type or Print) Water Well Drillers Registration No. #2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Texas (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

184853

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
495	1 of 2	SSW	4.12 / 21,757.33	Reeves Service Station TX	GWDB

Well Rep Track No:
State Well No: 6520116
Owner Name: Reeves Service Station
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1968
Well Depth: 280
Well Usage: Industrial
Water Level Status:
Latitude: 29.7130560
Longitude: -95.6050010
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520116&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520116&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
495	2 of 2	SSW	4.12 / 21,757.33	BMT TX	TCEQ WELL LOGS

Grid No:	65-20-1P
Date Drilled:	01/20/1978
Owners Name:	BMT
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	179
Depth Drilled:	295
Latitude:	29.713199
Longtiude:	-95.605072

65-20-1P 1P Dug

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-1P
Located on map 1 yes
Received: 78
dd

1) OWNER:
Person having well drilled BMT (Name) Address 6110 Dairy Ashford (Street or RFD) Hou (City) Tx (State)
Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 12 miles in W (N.E., S.W., etc.) direction from Hou (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Houston
Dairy Ashford North
Alief Clodine

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
~~New Well~~ Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
~~Domestic~~ Industrial Municipal Irrigation Test Well Other

5) ~~TYPE~~ OF WELL (Check):
~~Rotary~~ Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 295 ft. Depth of completed well 295 ft. Date drilled 1-20-78
All measurements made from / ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	28	clay
28	34	sand
34	86	clay
86	113	sand
113	137	clay
137	158	sand
158	197	clay
197	212	sand coarse
212	227	sand fine
227	250	clay
250	258	sand
258	266	clay
266	280	sand
280	295	sand coarse

(Use reverse side if necessary)

9) Casing:
Type: Old ~~New~~ Steel ~~Plastic~~ Other
Cemented from none ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	285	

10) SCREEN:
Type Everflo
Perforated ~~Slotted~~

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4	285	295	.012

7) COMPLETION (Check):
~~Straight wall~~ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 179 ft. below land surface Date 1-20-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes ~~No~~ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ~~No~~
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. Hendon JR. (Type or Print) Water Well Drillers Registration No. 1439
ADDRESS 14605 Reeveston (Street or RFD) Hou (City) Tx (State)
(Signed) A R Hendon Jr (Water Well Driller) H+H Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
496	1 of 1	ENE	4.13 / 21,819.86	LISENBY CO, INC. TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 03/23/1999
Owners Name: LISENBY CO, INC.
County: HARRIS
Water Usage: DOMESTIC
Static Level: 230
Depth Drilled: 423
Latitude: 29.7880168
Longtiude: -95.5251226

ITENTION OWNER: Confidentiality — STATE OF TEXAS
rivilege Notice on Reverse Side — WATER WELL REPORT

) OWNER: LISENBY CO. INC. ADDRESS: 9434 OLD KATY RD #140 CITY: HOUSTON STATE: TX ZIP: 77055-

) ADDRESS OF WELL:
County: HARRIS GRID # 65-20-2
Street or RFD: 9434 OLD KATY RD
City, State, Zip code: HOUSTON , TX 77055-

5)

) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

WELL LOG: 19634

DIAMETER	FROM	TO
6.5	0	423

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N"

ATE DRILLING:
STARTED: 03/11/99
COMPLETED: 03/23/99

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	396	WW
2.5	N	PVC LINER	382	402	80
2.5	N	SUPERFLO SCREEN	402	422	06
2.5	N	PVC LINER	422	423	80

OLOGICAL DESCRIPTION:

OM	TO	DESCRIPTION
0	3	TOP SOIL
3	10	CLAY
10	19	SAND
19	48	CLAY
48	63	SAND
63	91	CLAY
91	122	SAND
122	126	CLAY
126	136	SAND
136	167	CLAY
167	181	SAND
181	188	CLAY
188	238	SAND
238	259	CLAY
259	300	SAND

9) CEMENTING DATA:
Cemented from 396 FT. TO 0 FT. — No. of Sacks Used 22
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 230 FT. DATE: 03/23/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P VALVE	382

) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 30 GPM WITH FT DRAWDOWN AFTER HRS

) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 27 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

PANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO. ~~1077,4111~~ 4883,
DRESS: 2357 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581-8744

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) Angel Bautista (signed)
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)


STA C. EXAS WATER WELL REPORT (PAGE 2)

OWNER: LISENBY CO. INC. ADDRESS: 9434 OLD KATY RD #140 CITY: HOUSTON STATE: TX ZIP: 77055-

300	323	CLAY
323	366	SAND
366	396	CLAY
396	423	SAND

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
497	1 of 1	SW	4.13 / 21,831.82	MABEL RICHARDSON TX	TCEQ WELL LOGS

Grid No:	65-19-3S
Date Drilled:	08/30/1983
Owners Name:	MABEL RICHARDSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	105
Depth Drilled:	228
Latitude:	29.7347935
Longtiude:	-95.6454602



DOY # 10
65-19-35

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER MABEL RICHARDSON (Name) Address 3327 ADDICKS CLODINE (Street or RFD) / SUGARLAND (City) TX. (State) (Zip)

2) LOCATION OF WELL: County ~~FORT BEND~~ Harris 3 miles in EAST (N.E., S.W., etc.) direction from CLODINE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map #10

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 8-30-82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7"	Surface	
	0	228'

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	35	CLAY (RED)
35	48	SAND
48	62	CLAY
62	78	SAND
78	143	CLAY
143	168	SAND
168	198	CLAY
198	228	SAND
T.D.		

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PLASTIC	0	218'	40
4	N	JOHNSON SCREEN	218	228'	16

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 105 ft. below land surface Date 8-30-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

RECEIVED
SEP 20 1983
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME WELLCO (Type or Print) Water Well Driller's License No. 316

ADDRESS 5423 DOTSY (Street or RFD) HOUSTON (City) TEXAS (State) 77085 (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-19-35
Located on map YRSC-F-6

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY


A
B
C
K
P
U
#10

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
498	1 of 1	ESE	4.14 / 21,862.99	R.J. ST. GERMAIN TX	TCEQ WELL LOGS

Grid No:	65-12-9F
Date Drilled:	06/02/1967
Owners Name:	R.J. ST. GERMAIN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	138
Depth Drilled:	306
Latitude:	29.744143
Longtiude:	-95.530154

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled R. J. St. Germain (Name) Address #13 West Shady Lane-Hou. Tex. (Street or RFD) (City) (State)
Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)
miles in (NE, SW, etc) direction from (Town)

LOCATION OF WELL

#13 West Shady Lane
Piney Point Estates

NORTH

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 306 ft. Depth of completed well ft. Date drilled 6/2/67 6/6/67
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	White clay
24	48	Loose shale
48	96	Blue clay
96	120	Sand
120	164	Hard white clay
164	210	Sand
210	240	Brown clay
240	260	Sand broken & sand rock
260	288	Sand
288	291	Shale break
291	297	Sand
297		Break
297	306	Sand

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 138. below land surface Date 6/2/67
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 0 ft. to 275 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	275	

10) SCREEN:
Type LOP Stainless
Perforated ☒ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	277	287	.012
2½	293	303	.012

11) WELL TESTS:
Was a pump test made? ☒ Yes ☐ No If yes by whom? With air
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name
Type H.P.
Designed pumping rate gpm ☐ gph ☐
Type power unit
Depth to bowls, cylinder, jet, etc., 189 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146
Address 4012 Fulton St. (P. O. Box 8707) (Street or RFD) Houston, Texas 77009 (City) (State)
(Signed) R B Lowry (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
499	1 of 1	ENE	4.14 / 21,879.00	DON WATUSEK TX	TCEQ WELL LOGS

Grid No:	65-13-4
Date Drilled:	11/15/2001
Owners Name:	DON WATUSEK
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	25
Depth Drilled:	67
Latitude:	29.8056982
Longtiude:	-95.5343728

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department [illegible] License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Don Matusek	28 Shadow Lane	Houston	TX	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	Same			

Lat. | Long. | Grid # 65-13-4F

3) Type of Work: ☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☒ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑ 0

6) Drilling Date
Started 11 / 15 / 01
Completed 11 / 15 / 01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7	Surface	67

7) Drilling Method (check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	22	Clay
22	67	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing	Gage Screen
4"	N	Casing PVC	0	47	Sch 40	
4"	N	Screen PVC Slotted	46	67		.008

9) Cementing Data
Cementing from 42 ft. to 0 ft. # of sacks used 8
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination 250 ft.
Method of verification of above distance Customer

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

RECEIVED TDLR MAIL ROOM SH
FEB 1 1 2002
RECEIPT # AMOUNT

11) Water Level
Static level 25 ft. below Date 11 / 14 / 01
Artesian Flow gpm. Date / /

12) Packers

Type	Depth
None	

13) Plugged ☐ Well plugged within 48 hours

Casing left in well: From (ft)	To (ft)	Cement/Bentonite placed in well: From (ft)	To (ft)	Sacks used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print)	Raymond Services, Inc. 4577WI		
Address 10011 Airline Drive	City Houston	State TX	Zip 77037

Signature (Licensed Driller/Pump Installer)	Date	Signature (Apprentice)	Date
	11 / 16 / 01		/ /

TDLR FORM 001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
500	1 of 1	SSE	4.14 / 21,880.87	CenterPoint Energy Houston Electric, LLC TX	WW HARRIS GAL

Well ID:	3168	**Diameter (inches):**	4
Aggre Lead Well:	3168	**Year Drilled:**	1978
Permit No:	WP2024-113694	**Depth Drilled:**	248
Permit Start Date:	11/1/2024	**Depth frm Surf(ft):**	238
Permit End Dt:	10/31/2029	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.718611
Regulatory Aarea:	3	**Longitude:**	-95.559166

Owner Name: CenterPoint Energy Houston Electric, LLC
Billing Contact: Holly Vinson
Billing Address: 4500 South Shaver, Bldg. D
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77034
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee
Water Usage: D - Domestic/Commercial

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
501	1 of 1	SSW	4.15 / 21,936.40	MIKE KINDRED - A.C. COMPAGNIA TX	TCEQ WELL LOGS

Grid No: 65-12-8J
Date Drilled: 11/03/1983
Owners Name: MIKE KINDRED - A.C. COMPAGNIA
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 295
Latitude: 29.71272
Longtiude: -95.605203

map ✓ W.L. # 72

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-8J
Located on map 4 AMM
Received:

1) OWNER Mike Kindred - A.C. Compagnia (Name) Address PO Box 218916 (Street or RFD) Hstn (City) TX (State) 77218 (Zip)

2) LOCATION OF WELL: 6120 Dairy Ashford
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

☐ See attached map. Mason 65:05 · 9AAA

3) TYPE OF WORK (Check): ■ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ■ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ■ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 11-3-83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	295

7) BOREHOLE COMPLETION: ☐ Open Hole ■ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	28	Top Soil & Clay
28	41	Sand
41	65	Clay
65	135	Sand
135	178	Clay + Broken Sand
178	192	Sand
192	250	Clay
250	258	Sand
258	274	Clay
274	295	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	280	
2	N	Galv. Steel	272	275	
2	N	P.V.C.	275	295	.016

CEMENTING DATA
Cemented from 0 230 ft. to 10 280 ft.
Method used Halliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 190 ft. below land surface Date 11-4-83
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
MAR 11 1985
DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ■ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.


13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ■ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS P.O. Box 894 (Street or RFD) Conroe (City) TX. (State) 77305 (Zip)
(Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

attach electric log, chemical analysis, and other pertinent information, if available.

'92 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY


HIGHWAY MAP
IS COUNTY
TEXAS
1979
LEGEND
HOUSTON

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
502	1 of 3	S	4.16 / 21,953.45	MR. R. O. IRELAND TX	TCEQ WELL LOGS

Grid No:	65-20-2G
Date Drilled:	09/24/1982
Owners Name:	MR. R. O. IRELAND
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	196
Depth Drilled:	400
Latitude:	29.711615
Longtiude:	-95.586067

WL #40

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-26
Located on map yes
Received: C.F.S.

1) OWNER Mr. R. D. Dreland (Name) Address 11820 High Star (Street or RFD) Houston (City) TX. (State) 77072 (Zip)

2) LOCATION OF WELL: High Star @ Kirkwood
County Harris 12 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. map on 60-59-7EE

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 9-24-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	400

From (ft.)	To (ft.)	Description and color of formation material
0	21	Top Soil + Clay
21	70	Surface Sand
70	175	Clay
175	215	Sand
215	332	Clay
332	360	Sandy Clay
360	400	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galv.	0	380	
2	N	Galv.	370	380	
2	N	P.V.C.	380	390	.016
2	N	P.V.C.	390	400	.020

CEMENTING DATA
Cemented from 330 ft. to 380 ft.
Method used Haliburton
Cemented by Bussell + Son (Company or Individual)

RECEIVED
SEP 12 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 196 ft. below land surface Date 9-27-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 254 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX. (State) 77375 (Zip)
(Signed) Craig Bussell (Water Well Driller) Bussell + Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
502	2 of 3	S	4.16 / 21,953.45	Earthworks, Inc. TX	WW HARRIS GAL

Well ID:	9490	**Diameter (inches):**	5
Aggre Lead Well:	9490	**Year Drilled:**	2003
Permit No:	WP2024-102913	**Depth Drilled:**	400
Permit Start Date:	5/1/2024 4:08:00 PM	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025 4:08:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.711944
Regulatory Aarea:	3	**Longitude:**	-95.586388
Owner Name:	Earthworks, Inc.		
Billing Contact:	Shaun Callaway		
Billing Address:	11830 High Star Drive		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77072		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	A - Agricultural Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
502	3 of 3	S	4.16 / 21,953.45	Brays Bayou Nursery 11830 High Star Houston TX 77072	SDRW WELLS

Track NO: 36121
Date Submitted: 2004-04-19
Owner Name: Brays Bayou Nursery
Owner Address: 11830 High Star
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77072
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.740556
Longitude: -95.553334
Drilling Date Started: 2003-06-03
Drilling Date Completed: 2003-06-06
Chemical Analysis: No
Company Name: Geophysical Drilling, Inc.
Company Address: P.O. Box 664
CompanyAddress2:
Company City: Fulshear
Company State: TX
Company Zip: 77441
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=36121&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 336.0

Top Depth: 0
Bottom Depth: 324

Top Depth: 324
Bottom Depth: 336

Well Levels

Measurement: 194
Measurement Date: 2003-06-06

Well Strata


Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
503	1 of 1	ENE	4.16 / 21,985.29	GENE WELCH TX	TCEQ WELL LOGS

Grid No:	65-13-6M
Date Drilled:	06/17/1974
Owners Name:	GENE WELCH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	18
Depth Drilled:	46
Latitude:	29.7978506
Longtiude:	-95.528808

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



end original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-13-6M
Located on map 41 S
Received: 7-1
25

1) OWNER:
Person having well drilled GENE WELCH (Name) Address 9601 DALECREST (Street or RFD) HOUSTON (City) TEX (State)
Landowner GENE WELCH (Name) Address " (Street or RFD) " (City) (State)

2) LOCATION OF WELL:
County HARRIS 10 miles in NW (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
#5
45 290
Point Map on 65-13-4K
North
DRIVEWAY
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 48 ft. Depth of completed well 46 ft. Date drilled 6-17-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	26	GRAY CLAY
26	28	ROCK
28	48	SAND

9) Casing:
Type: Old ✓ Steel Plastic ✓ Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2	0	38	SCH 40

10) SCREEN:
Type PLASTIC
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	38	46	10

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 18 ft. below land surface Date 6-17-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 30 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. (Type or Print) Water Well Drillers Registration No. 1101
ADDRESS 7507 JANAK (Street or RFD) HOUSTON (City) TEXAS (State)
(Signed) John B Lumpkin Jr (Water Well Driller) LONG POINT WATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
504	1 of 1	NW	4.17 / 22,033.32	KEN EUQUA HOMES INC TX	TCEQ WELL LOGS

Grid No: 65-11-3
Date Drilled: 07/10/1974
Owners Name: KEN EUQUA HOMES INC
County: HARRIS
Water Usage: DOMESTIC
Static Level: 111
Depth Drilled: 204
Latitude: 29.8235995
Longtiude: -95.6272556

65-11-3J

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-3J
Located on map Yes
Received: 7-11-74

1) OWNER:
Person having well drilled Ken. Fuqua Homes, Inc. (Name) Address 2321 West Creek, Houston Tx. (Street or RFD) (City) (State)

Landowner J. W. Odell (Name) Address Bear Creek Park (Street or RFD) (City) Houston TX (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ (N.E., S.W., etc.) direction from _____ (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

SEE REVERSE SIDE

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well X; Deepening; Reconditioning; Plugging

4) PROPOSED USE (Check): Domestic X; Industrial; Municipal; Irrigation; Test Well; Other

5) TYPE OF WELL (Check): Rotary X; Driven; Dug; Cable; Jetted; Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 204 ft. Depth of completed well 204 ft. Date drilled 7/10/74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Surface clay
24	48	Red Clay
48	72	Clay, Sand Rock
72	96	Clay
96	120	Sand
120	144	Clay & Sand
144	168	Clay
168	192	Sand & Rock
192	204	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old; New; Steel; Plastic X; Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage

10) SCREEN:
Type Stainless steel rod base
Perforated X; Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
#12 guage	199	204	
2½ Blank	194	199	

7) COMPLETION (Check):
Straight wall X; Gravel packed; Other
Under reamed; Open Hole

8) WATER LEVEL:
Static level 111 ft. below land surface Date 7/10/74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 168 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes; No X If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes; No X
Did any strata contain undesirable water? Yes; No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton, P. O. Box 8707; Houston, TX 77009 (Street or RFD) (City) (State)

(Signed) R B Lowry (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JAN 23 1975
Texas Water Development Board

RECEIVED
AUG - 2 1974
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
505	1 of 1	ESE	4.17 / 22,041.43	MAGGIE PLUMB TX	TCEQ WELL LOGS

Grid No:	65-20-2C
Date Drilled:	07/15/1966
Owners Name:	MAGGIE PLUMB
County:	HARRIS
Water Usage:	MUNICIPAL
Static Level:	90
Depth Drilled:	210
Latitude:	29.7453853
Longtiude:	-95.5288117

65-20-2C

File original copy with Texas Water Commission P. O. Box 2311, Capitol Station Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-20-2C
Located on map 4-5
By [illegible] Date 66
Map no.

1) Well Owner: Maggie Plumb - #16 Shady Lane (Street or RFD) Houston (City) Tex (State)


2) Land Owner: Same (Street or RFD) (City) (State)

3) Intended use: Industrial ☐ ; Municipal ☑ ; Irrigation ☐ ; Other

4) Location of well: County Harris Labor League Abstract No.

NW¼ NE¼ (SW¼) SE¼ of Section Block No. Survey

6 miles in S W direction from Houston T-4 (Town)



Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 6 ¼" in. Date drilled 7-15-66

All measurements made from ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	190	Brown clay			
190	210	water sand			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall ☑
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING

Type: Old ☐ New ☑
Cemented from surface ft.
to 10' ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4" O.D.	Ground level	to 200'

SCREEN

Type 10' - 12 Gauge stainless steel
Perforated ☑ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
4½"	200'	210'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Driller Bigham-V.R. (Driver) Houston (City) Tex (State) Reg. No. 649

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 90'
ft. below Ground

Pumping level

feet	hours	gpm
110	4	20

Pump type 1-HP Sub
Designed pumping rate 1140 gpm ☐ gph ☑
Type power unit Electric
Horsepower 1-HP
Depth to bowls, cylinder, jet, etc., 147' ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company: W.H. Talley.

C-34 (62-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
506	1 of 1	ENE	4.18 / 22,058.12	MR. GOEHRS TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	02/10/1973
Owners Name:	MR. GOEHRS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	20
Depth Drilled:	50
Latitude:	29.799505
Longtiude:	-95.529492

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No.
Located on map
Received: 3-5-73

1) OWNER:
Person having well drilled MR. GOEHRS (Name) 9615 YAPONDALE (Street or RFD) HOUSTON (City) TEXAS (State)
Landowner " (Name) " (Street or RFD) " (City) " (State)

2) LOCATION OF WELL:
County HARRIS 11 miles in NW (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Tract LOT # 16 League
Block # 2 Survey
Abstract No. LONG POINT ACREAS ADDTN.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging
4) PROPOSED USE (Check): Domestic ✓ Industrial / Municipal / Irrigation / Test Well / Other
5) TYPE OF WELL (Check): Rotary / Driven / Dug ✓ Cable / Jetted / Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 50 ft. Depth of completed well 47 ft. Date drilled 2-10-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	TOP SOIL
3	18	GRAY CLAY
18	26	WHITE SAND
26	50	BROWN SAND

9) Casing:
Type: Old / Steel ✓ Plastic / Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	39	SCH 40

10) SCREEN:
Type PLASTIC
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	39	47	12

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed / Other
Under reamed / Open Hole

8) WATER LEVEL:
Static level 20 ft. below land surface Date 2-10-73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 32 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes / No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes / No ✓
Did any strata contain undesirable water? Yes / No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR (Type or Print) Water Well Drillers Registration No. 1101
ADDRESS 7507 JANAK (Street or RFD) HOUSTON (City) TEX 77055 (State)
(Signed) John B. Lumpkin Jr (Water Well Driller) LONG POINT WATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
507	1 of 1	NE	4.19 / 22,111.82	Geaccone, Donald TX	WW HARRIS GAL

Well ID:	11009	**Diameter (inches):**	4
Aggre Lead Well:	11009	**Year Drilled:**	2009
Permit No:	W2019-11009-205196-0	**Depth Drilled:**	250
Permit Start Date:	6/1/2019	**Depth frm Surf(ft):**	30
Permit End Dt:	6/1/2019	**County:**	H
Well Status:	8 - Open Casing	**Latitude:**	29.816388
Regulatory Aarea:	3	**Longitude:**	-95.544444
Owner Name:	Geaccone, Donald		
Billing Contact:	NULL		
Billing Address:	2500 N. Gessner		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77080		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
508	1 of 1	ENE	4.19 / 22,143.30	SCHINDLER ENTERPRISES TX	TCEQ WELL LOGS

Grid No: 65-12-9
Date Drilled: 10/10/1991
Owners Name: SCHINDLER ENTERPRISES
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 19
Depth Drilled: 41
Latitude: 29.7868717
Longtiude: -95.5237154

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER SCHINDLER ENTERPRISES (Name) ADDRESS P.O. Box 842 (Street or RFD) Columbus (City) Tx (State) 78934 (Zip)

2) LOCATION OF WELL: County HARRIS, 1/4 miles in W (NE, SW, etc.) direction from SPRING VILLAGE (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☑ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 10-10 19 91 Completed _____ 19 __

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	8½	Surface	41

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☑ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 41 ft. to 21 ft.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Topsoil
1	6	Sdy W. Clay
6	15	W. Clay + Soft Rock Strks
15	20	Red Clay
20	24	W. Clay
24	39	F. Wh. Sand
39	40	Rock
40	41	F+W. Clay

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	S40 PVC	+2	21	
4	N	S40 PVC JSSR	21	41	012

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 1½
____ ft. to ____ ft. No. of Sacks Used _____
Method used Concrete Poured
Cemented by NWWSI

RECEIVED DEC 27 1991 TEXAS WATER COMMISSION

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 19 ft. below land surface Date 10-10-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
None

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 38 ft.

14) WELL TESTS: Pumped 24 w/9FT DRAWDOWN
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☐ Estimated
Yield: 17 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME _____ (Type or print) WELL DRILLER'S LICENSE NO. 2867

ADDRESS _____ (Street or RFD) (City) (State) (Zip)

(Signed) Kenneth Fenendorff (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map 55-12-4

WWD-012 (Rev. 05-18-90)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
509	1 of 1	S	4.20 / 22,162.24	MR. AIR TX	TCEQ WELL LOGS

Grid No:	65-20-5
Date Drilled:	08/07/1985
Owners Name:	MR. AIR
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	140
Depth Drilled:	205
Latitude:	29.711764
Longtiude:	-95.579377

STATE OF TEXAS WATER WELL REPORT

1) Owner: MR. AIR Address: P. O. BOX 386 City: ALIEF State: TX ZIP: 77411
2) LOCATION OF WELL:
County: HARRIS 16 miles in SW direction from HOUSTON

LEGAL DESCRIPTION:
Section No.: H266 Block No.: SW Township: HOUSTON
Abstract No.: SYNDTT RD. Survey Name:
Distance and direction from two intersecting section or survey lines: FM 1876 & SYNDTT RD.

·3mi. NISW
·2mi. EIW

3) TYPE OF WORK: NEW WELL
4) PROPOSED USE: DOMESTIC
5) DRILLING METHOD: MUD ROTARY

6) WELL LOG:

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	205

7) BOREHOLE METHOD:
STRAIGHT WALL
IF GRAVEL... FROM FT TO FT

Date Drilled: 08/07/85

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	22	CLAY
22	30	SAND
30	90	CLAY
90	125	SAND
125	180	CLAY
180	205	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	185	40
4	N	EVERFLO SCREEN	185	205	12

9) CEMENTING DATA:
Cemented from 10 FT. TO 0 FT.
FT. TO FT.
Method used: POURED
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 140 FT. DATE 08/07/85
ARTESIAN FLOW: GPM. DATE / /

12) PACKERS:

TYPE	DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 189

14) WELL TEST:
JETTED
YIELD: 15 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD WATER DEPTH OF STRATA: 25
NO STRATA OF UNDESIRABLE WATER PENETRATED


NO CHEMICAL ANALYSIS MADE

RECEIVED
SEP - 2 1986
TEXAS WATER COMMISSION

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877
ADDRESS: P. O. BOX 162 CITY: PEARLAND STATE: TX ZIP CODE: 77588

(signed) Michael O'Day (signed)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	1 of 8	SW	4.21 / 22,219.78	Shell Development Company TX	GWDB

Well Rep Track No:
State Well No: 6519306
Owner Name: Shell Development Company
Drilling Start Dt:
Drilling Month: 12
Drilling Day: 3
Drilling Year: 1973
Well Depth: 243
Well Usage: Irrigation
Water Level Status:
Latitude: 29.7250000
Longitude: -95.6411110
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519306&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519306&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	2 of 8	SW	4.21 / 22,219.78	Shell Development Co. Westhollow Research TX	GWDB

Well Rep Track No:	
State Well No:	6519307
Owner Name:	Shell Development Co. Westhollow Research
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1974
Well Depth:	1295
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7255550
Longitude:	-95.6372220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519307&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519307&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	3 of 8	SW	4.21 / 22,219.78	Shell Development Co. Westhollow Research TX	GWDB

Well Rep Track No:	
State Well No:	6519308
Owner Name:	Shell Development Co. Westhollow Research
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1974
Well Depth:	1295
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7216670
Longitude:	-95.6400000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519308&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519308&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	4 of 8	SW	4.21 / 22,219.78	SHELL OIL COMPANY WELL #3 TX	TCEQ WELL LOGS

Grid No: 65-19-3K
Date Drilled: 05/21/1974
Owners Name: SHELL OIL COMPANY WELL #3
County: HARRIS
Water Usage: CONSTRUCTION WATER
Static Level: 125
Depth Drilled: 244
Latitude: 29.7260298
Longtiude: -95.63767

65-19-3K

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3K
Located on map Y-E-S
Received: 7-1
NL

1) OWNER:
Person having well drilled W. S. Bellows Const. Co. (Name) Address Box 2132 (Street or RFD) Houston, Tex. 77001 (City) (State)
Landowner Shell Oil Co. (Name) Address Well #3 (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 4 miles in S (N.E., S.W., etc.) direction from Addicks (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Map No 65-19-3K
Date 12-3-73
See attached map.
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
(New Well) Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal Irrigation Test Well ~~Other~~ Construction Water

5) TYPE OF WELL (Check):
(Rotary) Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ + 4½ in. Depth drilled 244 ft. Depth of completed well 244 ft. Date drilled 5-21-74
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Fill + soil
4	12	Clay - gray to red
12	20	Sand - brown - .006
20	70	Clay - red & blue
70	109	Sand - white - .012 & .018
109	119	Clay - white
119	134	Sand - wht. - .016
134	156	Clay - white & blue
156	174	Sand - wht. - .016
174	205	Clay - red & blue
205	242	Sand - wht. - .010 & .016
242	244	Clay - red

(reverse)

7) COMPLETION (Check):
(Straight wall) Gravel packed Other
Under reamed Open Hole Lead Seal

8) WATER LEVEL:
Static level 125 ft. below land surface Date 5-23-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump (bowls) cylinder, jet, etc., 190 ft.
below land surface.

9) Casing:
Type: Old (New) (Steel) Plastic Other
Cemented from 70 ft. to 223 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	222	40

10) SCREEN:
Type Stainless Steel underbalanced on steel pipe
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	225	241	.012
2½	241	244	Blank

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Blew with compressor by driller
Yield: 100 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John A. Pyburn (Type or Print) Water Well Drillers Registration No. 843
ADDRESS 13910 Almeda School Rd (Street or RFD) Houston (City) Texas (State)
(Signed) John A. Pyburn (Water Well Driller) Almeda Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	5 of 8	SW	4.21 / 22,219.78	CHARLIE WILLIAMS TX	TCEQ WELL LOGS

Grid No:	65-19-3F
Date Drilled:	05/05/1973
Owners Name:	CHARLIE WILLIAMS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	70
Depth Drilled:	380
Latitude:	29.7260298
Longtiude:	-95.63767

65-19-3F

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-19-3F
Located on map U & S
Received: 7 3 1
dlf

1) OWNER:
Person having well drilled Charlie Williams (Name) Address 10523 Thorncs (Street or RFD) Houston (City) 77034 Tex (State)

Landowner SAME (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, miles in (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning / Plugging

4) PROPOSED USE (Check): Domestic ✓ Industrial / Municipal / Irrigation / Test Well / Other

5) TYPE OF WELL (Check): Rotary ✓ Driven / Dug / Cable / Jetted / Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 380 ft. Depth of completed well 380 ft. Date drilled 5/5/83
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	360	Unconsolidated Sand
360	380	Sand

9) Casing:
Type: Old / New / Steel ✓ / Plastic / Other
Cemented from 292 ft. to 348 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	348	30
2	348	370	40

10) SCREEN:
Type SSR
Perforated ✓ / Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2	370	380	14ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ / Gravel packed / Other
Under reamed / Open Hole

8) WATER LEVEL:
Static level 70 ft. below land surface Date 5/6/83
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc.: 168 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes / No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes / No ✓
Did any strata contain undesirable water? Yes / No ✓
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy O. Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS 9735 North Houston Rosslyn (Street or RFD) Houston (City) Texas (State)

(Signed) Tommy O. Bussell (Water Well Driller) Bussell & Son (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	6 of 8	SW	4.21 / 22,219.78	SHELL OIL COMPANY WELL #2 TX	TCEQ WELL LOGS

Grid No: 65-19-3K
Date Drilled: 04/18/1974
Owners Name: SHELL OIL COMPANY WELL #2
County: HARRIS
Water Usage: CONSTRUCTION WATER
Static Level: 122
Depth Drilled: 238
Latitude: 29.7260298
Longtiude: -95.63767

65-19-3K

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3K
Located on map 1/0 £
Received: 7-7-74

1) OWNER:
Person having well drilled W.S. Bellows Const. Co. (Name) Address Box 2132 (Street or RFD) Houston (City), Tex. 77001 (State)
Landowner Shell Oil Co. (Name) Address Well #2 (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 4 miles in S (N.E., S.W., etc.) direction from Addicks (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* Map on 65-19-3K date 12-3-73
See Attached Map
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
(New Well) Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well (Other) Construction Water

5) TYPE OF WELL (Check):
(Rotary) Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ + 4½ in. Depth drilled 238 ft. Depth of completed well 238 ft. Date drilled 4-18-74
All measurements made from / ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Fill + Soil
4	15	Clay - grey to white
15	35	Sand - white - .010
35	75	Clay - red
75	114	Sand - Brown - .016
114	123	Clay - white
123	138	Sand - white - .016
138	143	Clay - blue
143	180	Sand - white - .016
180	203	Clay - Brown
203	234	Sand - white - .012
234	238	Clay and Sand (Reverse side)

9) Casing:
Type: Old (New) (Steel) Plastic Other
Cemented from 60 ft. to 216 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	216	40

10) SCREEN:
Type Stainless Steel underbreaker pipe base
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	218	234	.012
2½	234	238	Blank

7) COMPLETION (Check):
(Straight wall) Gravel packed Other
Under reamed Open Hole lead seal

8) WATER LEVEL:
Static level 122 ft. below land surface Date 4-18-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump (bowls), cylinder, jet, etc., 194 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? Blower well compressor by driller
Yield: 100 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John A. Pyburn (Type or Print) Water Well Drillers Registration No. 843
ADDRESS 13910 Almeda School Rd (Street or RFD) Houston (City), Texas (State)
(Signed) John A Pyburn (Water Well Driller) Almeda Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDB-WD-4

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	7 of 8	SW	4.21 / 22,219.78	Shell Chem. LP TX	WW HARRIS GAL

Well ID:	2133	**Diameter (inches):**	16
Aggre Lead Well:	2132	**Year Drilled:**	1974
Permit No:	W2010-2132-144695-0	**Depth Drilled:**	1295
Permit Start Date:	12/31/2009	**Depth frm Surf(ft):**	965
Permit End Dt:	12/31/2009	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.721388
Regulatory Aarea:	3	**Longitude:**	-95.64
Owner Name:	Shell Chem. LP		
Billing Contact:	D. Beth Collier		
Billing Address:	3333 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	Shell Technology Center Houston		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
510	8 of 8	SW	4.21 / 22,219.78	Shell Chem. LP TX	WW HARRIS GAL

Well ID:	2132	**Diameter (inches):**	16
Aggre Lead Well:	2132	**Year Drilled:**	1974
Permit No:	W2010-2132-144695-0	**Depth Drilled:**	1295
Permit Start Date:	12/31/2009	**Depth frm Surf(ft):**	950
Permit End Dt:	12/31/2009	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.724722
Regulatory Aarea:	3	**Longitude:**	-95.636944
Owner Name:	Shell Chem. LP		
Billing Contact:	D. Beth Collier		
Billing Address:	3333 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	Shell Technology Center Houston		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
511	1 of 1	NNE	4.21 / 22,249.67	A.A. ATZENHOFFER TX	TCEQ WELL LOGS

Grid No:	65-12-5J
Date Drilled:	02/26/1971
Owners Name:	A.A. ATZENHOFFER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	60
Depth Drilled:	116
Latitude:	29.8266609
Longtiude:	-95.5603571

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

65-12-55

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-5J
Located on map
Received:

1) OWNER:
Person having well drilled A.A. Atzenhoffer (Name) Address 414 Louise Street (Street or RFD) Houston (City) Texas (State)

Landowner (Same) (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 7 miles in West (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* 10 miles W of 1777 Hwy

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): X New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): X Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 2" in. Depth drilled 116' ft. Depth of completed well 116' ft. Date drilled 2/26/71
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Clay
20	50	Fine Sand
50	63	Clay
63	73	Sand
73	109	Clay
109	116	Course Sand

(Use reverse side if necessary)

9) Casing:
Type: Old X New Steel Plastic Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2"	0	116'	Standard

10) SCREEN:
Type Plastic
X Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	0	116'	

7) COMPLETION (Check): X Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 60' ft. below land surface Date 2/26/71
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME ~~Leon~~ Leon Davis (Type or Print) Water Well Drillers Registration No. # 316

ADDRESS ~~5423 Lotus Street~~ (Street or RFD) Houston (City) Texas (State) 77045

(Signed) (Water Well Driller) WELLCO WATER WELL DRILLING COMPANY (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	1 of 12	SSW	4.22 / 22,264.60	Braes U.D. #2 TX	GWDB

Well Rep Track No:	
State Well No:	6520123
Owner Name:	Braes U.D. #2
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1980
Well Depth:	1305
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7186110
Longitude:	-95.6219440
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520123&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520123&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	2 of 12	SSW	4.22 / 22,264.60	City of Houston Parkridge #2 TX	GWDB

Well Rep Track No:	
State Well No:	6520129
Owner Name:	City of Houston Parkridge #2
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	880
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7183333
Longitude:	-95.6216667
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520129&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520129&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	3 of 12	SSW	4.22 / 22,264.60	Braes Utility District Well #2 TX	GWDB

Well Rep Track No:	
State Well No:	6519608
Owner Name:	Braes Utility District Well #2
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1984
Well Depth:	880
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.6852780
Longitude:	-95.6263890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519608&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519608&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	4 of 12	SSW	4.22 / 22,264.60	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RJ
Date Drilled:	08/16/1984
Well Depth:	880
Screen Top:	497
Screen Bottom:	880
Gallons Per Minute:	910
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.717712
Longitude:	-95.624438
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	5 of 12	SSW	4.22 / 22,264.60	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RI
Date Drilled:	07/07/1980
Well Depth:	1305
Screen Top:	989
Screen Bottom:	1289
Gallons Per Minute:	1100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.717694
Longitude:	-95.624428
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	6 of 12	SSW	4.22 / 22,264.60	BRAES UTILITY DISTRICT TX	TCEQ WELL LOGS

Grid No:	65-19-6K
Date Drilled:	08/16/1984
Owners Name:	BRAES UTILITY DISTRICT
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	231.76
Depth Drilled:	900
Latitude:	29.7178359
Longtiude:	-95.6244175

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-19-6K
Located on map 425 DLF
Received:

1) OWNER Braes Utility District (Name) Address Eldrige Road (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. -log in pocket

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 8/16/84

Dia. (in.)	From (ft.)	To (ft.)
26	Surface	497
30	497	880

From (ft.) To (ft.) Description and color of formation material

See Driller's Log

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 497 ft. to 880 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
		See Attached			

CEMENTING DATA
Cemented from 0 ft. to 497 ft.
Method used Halliburton
Cemented by The Western Company (Company or Individual)

9) WATER LEVEL:
Static level 231.76 ft. below land surface Date 8/16/84
Artesian flow gpm. Date

10) PACKERS: Type Depth
N/A

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 350 ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1001 gpm with 37.6 ft. drawdown after 12 hrs.

RECEIVED NOV - 9 1984 DEPT. OF WATER RESOURCES

13) WATER WELL DRILLER'S LOG (Use reverse side if necessary)
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A. C. England (Type or Print) Water Well Drillers Registration No. 2016

ADDRESS 6615 Gant Street (Street or RFD) Houston (City) Texas (State) 77066 (Zip)

(Signed) A C England (Water Well Driller) Alsay Incorporated (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

CB

DWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

65-19-6K

BRAES UTILITY DISTRICT 6/26/84

DRILLER'S LOG

DEPTH	DESCRIPTION
-5 - 0	Substructure
0 - 3	Topsoil
3 - 15	Clay, Sandy
15 - 50	Sand, White
50 - 80	Clay, Red
80 - 110	Clay, Red and Gray
110 - 145	Gravel
145 - 173	Clay w/Gravel, Red
173 - 214	Clay, White
214 - 296	Sand, White
296 - 392	Clay, White and Blue
392 - 432	Sand w/Gravel
432 - 440	Clay, White and Blue
440 - 528	Sand w/Gravel
528 - 542	Clay, Gray
542 - 657	Sand, Tan
657 - 691	Clay, White and Blue
691 - 711	Sand, Tan
711 - 731	Sand w/Clay
731 - 762	Sand, Tan
762 - 813	Clay w/Sand
813 - 848	Sand, Tan
848 - 900 TD	Clay, White


RECEIVED
NOV - 9 1984
DEPT. OF
WATER RESOURCES

WELL LOG and MATERIAL REPORT

CUSTOMER Braes Utility District — WELL NO. .....

LOCATION ..... — COMPLETED .....

ADDRESS ..... — CONTRACT NO. .....



DIMENSIONS:

A — 880'
B — 497'
C — 397'
D — 100'
E — 5'
F — 282'
G — 20'
H — 26" Diam.
I — 30" Diam.
J — 231.76

Size 20" / Weight STD / Wall STD

(Static Level)

Size 14" / Weight STD / Wall STD

Size 14" / Type Pipe Base / Material S.S. / Gauge .035 / Opening .035

PUMP DATA: Serial .....

Bowl Assembly ..... Stage, Size ..... Model .....

Discharge Column — Setting ..... Feet

Size — ..... Pipe ..... Tubing ..... Shaft

Head-Type ..... Size Discharge .....

Suction, Length ..... Size .....

Design Conditions: — ..... USGPM ..... TDH

Manufacturing: .....

MOTOR DATA:

HP ..... Make ..... Speed .....

Voltage ..... Frame ..... Type .....

Serial No. .....

Calculated Thrust: .....

Thrust Capacity: .....

REMARKS: .....

See Pump Data

SCREEN & BLANK LINER LAYOUT:

Depth	Blank	Screen

See Attached

ALSAY-TEXAS CORPORATION
Industrial & Municipal Water Wells
Well and Pump Workover
6615 Gant St. Houston, Texas 77066
(713) 444-6960 Telex: 792838

BRAES UTILITY DISTRICT 6/27/84

PROPOSED RECOMMENDED MATERIAL SETTINGS

DEPTH	BLANK	SCREEN
397 - 502'	105'	
502 - 518'		16'
518 - 524'	6'	
524 - 574'		50'
574 - 578'	4'	
578 - 604'		26'
604 - 626'	22'	
626 - 662'		36'
662 - 688'	26'	
688 - 722'		34'
722 - 730'	8'	
730 - 824'		94'
824 - 834'	10'	
834 - 860'		26'
860 - 880' TD	20'	
	201'	282'

TOTAL MATERIALS

20" Surface Casing	=	497'
14" Blank Liner	=	201'
14" Screen	=	282'

EDNA WOOD LABORATORIES INC.

WATER TECHNOLOGISTS · · CHEMISTS · MICROBIOLOGISTS

29 August 1984

To: Alsey Texas Company
6615 Gant
Houston, Texas 77066

RECEIVED AUG 30 1984

For: Mr. Brent Collins

Sample marked: Brass UD - 8-17-84 - 5:00 PM

Received: 8-20-84

WATER ANALYSIS
results in parts per million (mg/l) except as noted

Dissolved Residue at 350° C		294	Conductance, micromhos/cm, 25°C		513
Total Dissolved Solids, actual†		407	Color, units		2
Total Dissolved Solids, calc.		406	Turbidity, units		0.2
Silica	SiO_2	25	As Calcium Carbonate, $CaCo_3$:		
Calcium	Ca	62	Phenolphthalein Alkalinity		0
Magnesium	Mg	7	Total Alkalinity		182
Sodium (diff.) Na + K as	Na	34	Total Hardness		185
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	9.8
Bicarbonate	HCO_3	222	pH . . . 7.53 at 24°C		
Sulfate	SO_4	5	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	51			
Total Fluoride	F	0.1			
Total Nitrate	NO_3	0.4			
Total Manganese **	Mn	0.01			
Total Iron**	Fe	0.06			
Iron, filtered sample	Fe	-			

**By Atomic Absorption.

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

EDNA WOOD LABORATORIES, INC.

By: Alice Perry
Alice Perry, Supervising Chemist

1710
slp

Tel: (713) 747-7271 • O. BOX 14171 • 4820 OLD SPANISH TRAIL • HOUSTON, TEXAS 77021

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	7 of 12	SSW	4.22 / 22,264.60	BRAES UTIL DIST TX	TCEQ WELL LOGS

Grid No:	65-20-1S
Date Drilled:	05/24/1980
Owners Name:	BRAES UTIL DIST
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	307
Depth Drilled:	1305
Latitude:	29.7178359
Longtiude:	-95.6244175

15

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-30-15
Located on map Y&S
Received: 6-15-81

1) OWNER Brazi Util Dist % Commun Dev Council Champion Dr. Inc. Houston Tx 77069
(Name) Address (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☑ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Well #2
Date drilled 5/14/81

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	20	Surface	940
	30	940	1305 TD

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☑ Underreamed
☑ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 940 ft. to 1305 TD ft.

From (ft.)	To (ft.)	Description and color of formation material
		See Attached Well Log
		Chem Analysis
		E-Log
		12 x 16 Well Pad

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
16	N	Blank Steel Csg	+4	940	
10	N	Blank Steel Liner	475	845	
10	N	Slotted Burley Screen	845	1004	040
"	"	"	1024	1040	8
"	"	"	1070	1085	"
"	"	"	1120	1160	"
"	"	"	1170	1182	"
"	"	"	1184	1215	"
"	"	"	1230	1267	"
"	"	"	1264	1284	"

CEMENTING DATA
Cemented from 0 ft. to 940 ft.
Method used Halliburton
Cemented by Dowell (Company or Individual)

9) WATER LEVEL:
Static level 307 ft. below land surface Date 6/20/82
Artesian flow gpm. Date

10) PACKERS: Type Depth
None

11) TYPE PUMP:
☑ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 450 ft.

12) WELL TESTS:
☐ Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1012 gpm with 79 ft. drawdown after 7½ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No Salt cvd eff
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

SEP 17 1981

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Leland Lawson (Type or Print) Water Well Drillers Registration No. 24
ADDRESS PO Box 9465 (Street or RFD) Houston (City) Texas (State) 77011 (Zip)
(Signed) Leland Lawson (Water Well Driller) Layne Texas Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

WB

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



RECEIVED
AUG 26 1980
DEPT. OF
WATER RESOURCES

EDNA WOOD LABORATORIES

WATER TECHNOLOGISTS . . CHEMISTS . . MICROBIOLOGISTS

26 June 1980

To: Layne Texas Company
P. O. Box 9469
Houston, Texas 77011

SO #1102-9308

Sample marked: Well No. 1, Sample No. 1, Braes UD, Harris County, Texas. Taken after 8 hrs. pumping at 1012 gpm. 10 min. Static head: 311'. Pumping level: 346'. Screened: 990' to 1290'. By: C. R. McFarland

Received: 6-23-80

WATER ANALYSIS

results in parts per million (mg/l) except as noted

Dissolved Residue at 350°C		*299	Conductance, micromhos/cm, 25°C		500
Total Dissolved Solids, actual†		*413	Color, units		0
Total Dissolved Solids, calc.		400	Turbidity, units		1
Silica	SiO_2	16	As Calcium Carbonate, $CaCO_3$:		
Calcium	Ca	31	Phenolphthalein Alkalinity		0
Magnesium	Mg	7	Total Alkalinity		184
Sodium (diff.) Na + K as	Na	68	Total Hardness		108
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	9
Bicarbonate	HCO_3	224	pH . . . 7.56		
Sulfate	SO_4	12	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	42	Calcium Bicarbonate		126
Total Fluoride	F	0.3	Magnesium Bicarbonate		44
Total Nitrate	NO_3	< 0.1	Sodium Bicarbonate		127
Total Manganese	Mn	< 0.05	Sodium Sulfate		17
Total Iron	Fe	0.06	Sodium Chloride		69
Iron, filtered sample	Fe	-	Sodium Fluoride		1
*Sample hygroscopic; gains weight on balance			Silica		16
			Total Dissolved Solids, Calc.		400

ATTACHMENT

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

7953
aws

EDNA WOOD LABORATORIES, INC.

By: Alice Perry
Alice Perry, Supervising Chemist

Tel: (713) 747-7271 • P. O. BOX 14171 • 4820 OLD SPANISH TRAIL • HOUSTON, TEXAS 77021

'NE TEXAS COMPAN'
HOUSTON -:- DALLAS

WELL LOG

REPORT NO.
S. O. 1102-9308
PAGE 1 of 2
FILE NO. 3975
DATE 5/27/80

CUSTOMER LOCATION

FOR Braes U.D.

LOCATION WELL ½ mi. West of Synott & ½ mi. S. of Westpark

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS

WELL DATA

NAME WELL WELL NO. 2
ELEVATION DATUM
RT C GR
TEST HOLE SIZE 1300' TD 9 7/8"
DATE STARTED DRILLING 5/20/80
DATE FINISHED DRILLING 5/24/80
DRILLER McFarland RIG NO. 5
TYPE MUD Gel NO. SACKS 48
ELECTRIC LOG Yes TYPE G.O.
SURVEY Eastman TYPE Single shot
OTHER Jardon

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES DEPTH	SAMPLES TYPE	SAMPLES NUMBER
0		Surface			
3'	3'	Top Soil			
13'	10'	Clay			
45'	32'	Sand			
72'	27'	Clay			
117'	45'	Sand & clay stks.			
125'	8'	Clay & sand stks.			
189'	64'	Sand & Clay stks.			
219'	30'	Clay			
242'	23'	Sandy shale			
285'	43'	Sand & shale stks.			
304'	19'	Shale & sand stks.			
312'	8'	Sand			
330'	18'	Shale			
332'	2'	Lime			
358'	26'	Sand			
385'	27'	Shale			
408'	23'	Sand & shale stks.			
419'	11'	Sand			
429'	10'	Sandy shale			
453'	24'	Shale			
463'	10'	Sand & shale stks.			
471'	8'	Clay			
490'	19'	Sand			
497'	7'	Clay			
580'	83'	Sand & shale stks.			
606'	26'	Sandy shale			
623'	17'	Shale			
652'	29'	Sand			
676'	24'	Shale & lime			
792'	116'	Sandy shale & lime			
826'	34'	Sandy shale			
829'	3'	Clay			
857'	28'	Sandy shale w/lime			
894'	37'	Clay			
934'	40'	Shale			
958'	24'	Sand w/lime & shale stks.			
972'	14'	Shale			
1018'	46'	Sandy shale			

ATTACHMENT

'NE TEXAS COMPAN
HOUSTON -:- DALLAS

WELL LOG

REPORT NO.
S. O. 1102-9308
PAGE 2 of 2
FILE NO. 3975
DATE 5/27/80

CUSTOMER LOCATION		WELL DATA	
FOR Braes U.D.		NAME WELL	WELL NO. 2
LOCATION WELL		ELEVATION	DATUM
		RT C	GR
SURVEY	FIELD	TEST HOLE SIZE	TD
		DATE STARTED DRILLING	
COUNTY	STATE	DATE FINISHED DRILLING	
		DRILLER	RIG NO.
OTHER LAND MARKS		TYPE MUD	NO. SACKS
		ELECTRIC LOG	TYPE
		SURVEY	TYPE
		OTHER	

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES DEPTH	SAMPLES TYPE	SAMPLES NUMBER
1031'	13'	Clay			
1044'	13'	Clay & sand stks.			
1071'	27'	Clay			
1079'	8'	Sand			
1105'	26'	Shale			
1161'	56'	Sand			
1172'	11'	Shale			
1264'	92'	Sand & shale stks.			
1269'	5'	Shale			
1290'	21'	Sandy shale			
1300'	10'	Shale			

ATTACHMENT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	8 of 12	SSW	4.22 / 22,264.60	Houston, City of TX	WW HARRIS GAL

Well ID:	3900	**Diameter (inches):**	20
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	800
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	500
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.717777
Regulatory Aarea:	3	**Longitude:**	-95.624722

Owner Name: Park Ride
Billing Contact: Ekaterina Fitos, GISP
Billing Address: 611 Walker St 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: Karly Stelzer
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	9 of 12	SSW	4.22 / 22,264.60	Houston, City of TX	WW HARRIS GAL

Well ID:	2968	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1978
Permit No:	WP2023-117626	**Depth Drilled:**	1200
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	900
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.717777
Regulatory Aarea:	3	**Longitude:**	-95.624444
Owner Name:	Park Ride		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	10 of 12	SSW	4.22 / 22,264.60	USGS-294106095370401 TX	FED USGS

Site No:	USGS-294106095370401
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19840816
Well Depth:	880
Well Depth Unit:	ft
Well Hole Depth:	900
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-19-608
Latitude:	29.68527778000000
Longitude:	-95.6180556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	11 of 12	SSW	4.22 / 22,264.60	USGS-294306095371801 TX	FED USGS

Site No:	USGS-294306095371801
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19800524
Well Depth:	1305
Well Depth Unit:	ft
Well Hole Depth:	1305
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-123
Latitude:	29.71861110000000
Longitude:	-95.6219444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
512	12 of 12	SSW	4.22 / 22,264.60	USGS-294306095371802 TX	FED USGS

Site No:	USGS-294306095371802
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19840627
Well Depth:	880
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-129
Latitude:	29.71861110000000
Longitude:	-95.6219444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
513	1 of 1	ESE	4.22 / 22,274.74	MRS. COMISKEY TX	TCEQ WELL LOGS

Grid No:	65-12-8P
Date Drilled:	08/06/1982
Owners Name:	MRS. COMISKEY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	214
Depth Drilled:	386
Latitude:	29.745002
Longtiude:	-95.528208

WL #17

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-8P
Located on map YES
Received: 6-F-5-

1) OWNER Mrs. Comiskey (Name) Address 11686 Arrowood (Street or RFD) Houston (City) Tx. (State) 77375 (Zip)

2) LOCATION OF WELL: County Harris 11686 Arrowood 5 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. Map on 60-59-7EE

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 8-6-82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	386

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	23	Top Soil & Clay
23	31	Sand
31	175	Clay
175	247	Sand
247	295	Clay
295	380	Sand
380	386	Clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galvanized	0	366	
2	n	Galvanized	356	366	
2	N	PVC	366	386	.016

CEMENTING DATA
Cemented from 316 ft. to 366 ft.
Method used Haliburton
Cemented by Bussell & Son, INc. (Company or Individual)

RECEIVED
SEP 12 1983
DEPT. OF
WATER RESOURCES

9) WATER LEVEL:
Static level 214 ft. below land surface Date 8-9-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc. 273 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Texas (State) 77375 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
514	1 of 1	ESE	4.23 / 22,309.46	MARVIN FRANK TX	TCEQ WELL LOGS

Grid No:	65-20-3C
Date Drilled:	12/27/1982
Owners Name:	MARVIN FRANK
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	214
Depth Drilled:	348
Latitude:	29.743896
Longtiude:	-95.528718



Dup
65-20-3C

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Marvin Frank (Name) Address #18 Lazy Lane (Street or RFD) Houston (City) (State) (Zip)

2) LOCATION OF WELL: County Harris ¼ miles in N-INTERSECTION-JENETTA ST, 4/1093 direction from HOUSTON (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description: Piney Point Estates
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☑ See attached map. Mapsco Dup 65-03-4F

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Dia. (in.)	From (ft.)	To (ft.)
7	Surface	330
4½	330	348

Date drilled 12-27-82

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	18	red clay
18	34	sand
34	40	brown clay
40	60	red clay
60	80	Gray clay
80	100	fine sand
100	132	gray clay
132	140	tan clay
140	166	blue-gray clay
166	212	dirty sand
212	234	tan clay
234	260	pinkish clay
260	264	coarse sand
264	266	hard stone
266	288	rusty sand
288	289	white clay
289	296	fine white sand
296	300	white chalky stone
300	306	chalky sand
306	308	very hard stone
308	330	hard white clay
330	348	coarse clean sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC casing	grade level	330	40
2½	N	PVC liner	333	338	80
2½	N	PVC Screen	338	348	012

RECEIVED
FEB - 9 1983
DEPT. OF WATER RESOURCES

CEMENTING DATA
Cemented ____ ft. to ____ ft.
Method used ____
Cemented ____ (Company or Individual)

9) WATER LEVEL:
Static level 214 ft. below land surface Date 12-17-82
Artesian flow ____ gpm. Date 12-17-82

10) PACKERS: Type Depth
2½ X 4 - Lead - 4H Top Thread - 323

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 50 gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME ____ (Type or Print) Water Well Driller's License No. 430

ADDRESS PO Box 207 (Street or RFD) Sinton (City) Texas (State) 77476 (Zip)

(Signed) Geo S Rehmann (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee) DLB


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-20-3C
Located on map Yese-Fa.

DWR 0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
515	1 of 1	ENE	4.23 / 22,324.57	HOWARD DYE TX	TCEQ WELL LOGS

Grid No: 65-13-4U
Date Drilled: 04/10/1978
Owners Name: HOWARD DYE
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 68
Depth Drilled: 200
Latitude: 29.800245
Longtiude: -95.528986

(54)

65-13-44

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-13-44
Located on map
Received: 79 SAC

1) OWNER:
Person having well drilled Howard Dye (Name) Address 4822 Lost Oak (Street or RFD) Spring (City) TX (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Spondale 6 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

#54
Map on 60-60-1KK
North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☐ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☐ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6¼ in. Depth drilled 200 ft. Depth of completed well 210 ft. Date drilled 4/10/78
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Top soil
4	200	Unconsolidated Sand
200	210	Sand

9) Casing:
Type: Old ☐ New ✓ Steel ✓ Plastic ✓ Other ☐
Cemented from 150 ft. to 200 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	200	Sch 40

10) SCREEN:
Type w/w
Perforated ✓ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2"	200	210	.014 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ✓ Gravel packed ☐ Other ☐
Under reamed ☐ Open Hole ☐

8) WATER LEVEL:
Static level 68 ft. below land surface Date 4/10/78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 105 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ☐ No ✓ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ☐ No ✓
Did any strata contain undesirable water? Yes ☐ No ☐
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C Bussell (Type or Print) Water Well Drillers Registration No. 707


ADDRESS 9735 N. Houston-Rosslyn (Street or RFD) Houston (City) TX (State)

(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-6


INSET NO I
TOMBALL
JERSEY VILLAGE
KATY
BELLAIRE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
516	1 of 3	SW	4.23 / 22,327.91	SUPERIOR BLDG CO. TX	TCEQ WELL LOGS

Grid No:	65-19-3F
Date Drilled:	05/07/1973
Owners Name:	SUPERIOR BLDG CO.
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	127
Depth Drilled:	274
Latitude:	29.728456
Longtiude:	-95.641119

65-19-3F

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3F
Located on map
Received: 7-3-73

1) OWNER:
Person having well drilled Superior Bldg. Co (Name) Address P.O. Box 36058 (Street or RFD) Hou. (City) Texas (State)
Landowner X (Name) Address X (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 8 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* W/S THEMER
Texas
North
SHELL Developement Company
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well / Deepening / Reconditioning / Plugging

4) PROPOSED USE (Check):
Domestic / Industrial / Municipal / Irrigation / Test Well / Other

5) TYPE OF WELL (Check):
Rotary / Driven / Dug / Cable / Jetted / Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 274 ft. Depth of completed well 274 ft. Date drilled 5/2/73
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	258	Unconsolidated
258	274	Sand

9) Casing:
Type: Old / New / Steel / Plastic / Other
Cemented from 200 ft. to 250 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	250	30
2	250	264	40

10) SCREEN:
Type SSR
Perforated / Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	264	274	20 ga

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall / Gravel packed / Other
Under reamed / Open Hole

8) WATER LEVEL:
Static level 127 ft. below land surface Date 5/2/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 190 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes / No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes / No
Did any strata contain undesirable water? Yes / No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. _____

ADDRESS 9735 North Houston Rosslyn (Street or RFD) Houston (City) Texas (State)

(Signed) Tommy C. Bussell (Water Well Driller) Bussell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBS-WO-6

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
516	2 of 3	SW	4.23 / 22,327.91	Shell Chem. LP TX	WW HARRIS GAL

Well ID:	2134	**Diameter (inches):**	4
Aggre Lead Well:	2134	**Year Drilled:**	1973
Permit No:	WP2024-100927	**Depth Drilled:**	243
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	227
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.725277
Regulatory Aarea:	3	**Longitude:**	-95.641666
Owner Name:	Shell Chem. LP		
Billing Contact:	D. Beth Collier		
Billing Address:	3333 Highway 6 South		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	Beth Collier		
Provision:	70 - Based on permitted allocation or 70% of total demand, whichever is smaller; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
516	3 of 3	SW	4.23 / 22,327.91	SHELL OIL COMPANY TX	WW HARRIS GAL

Well ID:	2870	**Diameter (inches):**	4
Aggre Lead Well:	2870	**Year Drilled:**	1975
Permit No:	W1993-2870-44050-0	**Depth Drilled:**	312
Permit Start Date:	11/1/1993	**Depth frm Surf(ft):**	0
Permit End Dt:	10/31/1994	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.734166
Regulatory Aarea:	3	**Longitude:**	-95.643333
Owner Name:	SHELL OIL COMPANY		
Billing Contact:	M.G. MURRAY		
Billing Address:	520 Post Oak Blvd., Suite 250		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77027		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
517	1 of 1	SE	4.24 / 22,383.48	Main Street RV Park, LP 10575 West Office Drive Houston TX	SDRW WELLS

Track NO: 45206
Date Submitted: 2004-09-22
Owner Name: Main Street RV Park, LP
Owner Address: 10575 West Office Drive
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77042
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.652778
Longitude: -95.461945
Drilling Date Started: 2003-12-11
Drilling Date Completed: 2003-12-13
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: P. O. Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=45206&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 400

Top Depth:
Bottom Depth: 434.0

Top Depth: 400
Bottom Depth: 434

Well Levels

Measurement: 191
Measurement Date: 2003-12-13

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
518	1 of 1	ENE	4.24 / 22,387.60	PACER BUILDING TX	TCEQ WELL LOGS

Grid No:	65-12-5T
Date Drilled:	09/30/1977
Owners Name:	PACER BUILDING
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	20
Depth Drilled:	52
Latitude:	29.801081
Longtiude:	-95.529271

450 T

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-5T
Located on map
Received: 7-8-77

1) OWNER:
Person having well drilled Pacer Building (Name) Address 6000 Waltrip (Street or RFD) Houston, TX (City) (State)

Landowner Don Windon (Name) Address 1611 Elmview (Street or RFD) Houston, TX (City) (State)

2) LOCATION OF WELL:
County Harris, ____ miles in ____ direction from ____ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
See map Attached
(X) 450 T
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor ____ League ____
Block ____ Survey ____
Abstract No. ____
(NW¼ NE¼ SW¼ SE¼) of Section ____

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 42 ft. Depth of completed well 52 ft. Date drilled 9-30-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Surface
2	10	yellow clay
10	30	gray clay
30	32	Rock
32	52	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 42 up ft. to ____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	1'	42	40

10) SCREEN:
Type Well Supplies, Inc. Plastic Wrapped
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	42	52	10 ga.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 20 ft. below land surface Date 9-30
Artesian pressure ____ lbs. per square inch Date ____
Depth to pump bowls, cylinder, jet, etc., 42 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? ____ depth of strata ____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. TDL 774

ADDRESS 10011 Airline Dr. (Street or RFD) Houston (City) Texas (State)


(Signed) C.A. Raymond Jr. (Water Well Driller) RAYMOND WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDST-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
519	1 of 4	NNE	4.25 / 22,414.68	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6512519
Owner Name:	City of Houston
Drilling Start Dt:	
Drilling Month:	12
Drilling Day:	
Drilling Year:	1979
Well Depth:	1200
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.8315667
Longitude:	-95.5741194
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512519&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512519&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
519	2 of 4	NNE	4.25 / 22,414.68	CITY OF HOUSTON TX	WUD

St Well No:	6512519
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AG
Date Drilled:	01/11/1980
Well Depth:	1196
Screen Top:	636
Screen Bottom:	1181
Gallons Per Minute:	440
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.83156586
Longitude:	-95.57411957
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
519	3 of 4	NNE	4.25 / 22,414.68	Houston, City of TX	WW HARRIS GAL

Well ID:	3373	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1990
Permit No:	WP2023-117626	**Depth Drilled:**	1545
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	707
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.831666
Regulatory Aarea:	3	**Longitude:**	-95.574166

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
519	4 of 4	NNE	4.25 / 22,414.68	USGS-294952095342601 TX	FED USGS

Site No:	USGS-294952095342601
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19791003
Well Depth:	1200
Well Depth Unit:	ft
Well Hole Depth:	1552
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-519
Latitude:	29.83138889000000
Longitude:	-95.5741667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
520	1 of 2	N	4.25 / 22,416.41	Strowmatt, Fritzi TX	WW HARRIS GAL

Well ID:	9827	**Diameter (inches):**	4
Aggre Lead Well:	9827	**Year Drilled:**	2004
Permit No:	WP2024-114039	**Depth Drilled:**	300
Permit Start Date:	6/1/2024 10:53:00 AM	**Depth frm Surf(ft):**	250
Permit End Dt:	5/31/2025 10:53:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.833333
Regulatory Aarea:	3	**Longitude:**	-95.598055
Owner Name:	Strowmatt, Fritzi Glover		
Billing Contact:	NULL		
Billing Address:	12570 Clay Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77041		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
520	2 of 2	N	4.25 / 22,416.41	Special Cheers 12570 Clay Rd. Houston TX 77041	SDRW WELLS

Track NO: 42251
Date Submitted: 2004-08-04
Owner Name: Special Cheers
Owner Address: 12570 Clay Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77041
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Stock
Prop Use Oth Descr:
Latitude: 29.833334
Longitude: -95.598334
Drilling Date Started: 2004-07-29
Drilling Date Completed: 2004-07-30
Chemical Analysis: No
Company Name: Scott Drilling Inc.
Company Address: 11923 Green Pine Cir.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=42251&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 285

Top Depth:
Bottom Depth: 285.0

Well Levels

Measurement: 170
Measurement Date: 2004-08-02

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
521	1 of 4	S	4.27 / 22,532.66	City of Houston Alief Dist. 78 TX	GWDB

Well Rep Track No:	
State Well No:	6520118
Owner Name:	City of Houston Alief Dist. 78
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1968
Well Depth:	730
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7100010
Longitude:	-95.5900000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520118&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520118&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
521	2 of 4	S	4.27 / 22,532.66	CITY OF HOUSTON TX	WUD

St Well No:	6520118
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EG
Date Drilled:	08/00/1968
Well Depth:	730
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.709675
Longitude:	-95.589669
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
521	3 of 4	S	4.27 / 22,532.66	Houston, City of TX	WW HARRIS GAL

Well ID:	1881	**Diameter (inches):**	8
Aggre Lead Well:	1002	**Year Drilled:**	1968
Permit No:	W1991-1002-37198-0	**Depth Drilled:**	740
Permit Start Date:	2/1/1991	**Depth frm Surf(ft):**	492
Permit End Dt:	1/31/1992	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.709444
Regulatory Aarea:	3	**Longitude:**	-95.589444

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
521	4 of 4	S	4.27 / 22,532.66	USGS-294237095351901 TX	FED USGS

Site No:	USGS-294237095351901
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19680531
Well Depth:	730
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-118
Latitude:	29.71055556000000
Longitude:	-95.5888889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
522	1 of 1	ENE	4.27 / 22,555.65	Campbell Place TX	GWDB

Well Rep Track No:	
State Well No:	6512907
Owner Name:	Campbell Place
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1948
Well Depth:	486
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7891670
Longitude:	-95.5230550
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512907&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512907&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
523	1 of 1	ENE	4.28 / 22,587.29	PAUL CLEVELAND TX	TCEQ WELL LOGS

Grid No:	65-12-6W
Date Drilled:	11/23/1976
Owners Name:	PAUL CLEVELAND
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	18
Depth Drilled:	50
Latitude:	29.8040997
Longtiude:	-95.5305342

H7

GW

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-614
Located on map
Received: 7-27-77

1) OWNER:
Person having well drilled PAUL CLEVELAND (Name) Address 1716 CRESTDALE (Street or RFD) HOU (City) TX (State) 77055

Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL: SAME
County HARRIS, 9 miles in W (N.E., S.W., etc.) direction from HOU (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

1716 Crestdale

CUCK

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 40 ft. Depth of completed well 50 ft. Date drilled 11-23-76
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	Topsoil & Clay & Sand
22	43	SAND
43	50	SAND

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from — ft. to — ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	40	Sch 40

10) SCREEN:
Type WW
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	40	50	.016

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed ✓ Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 18 ft. below land surface Date 11-23-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 40' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Vernon E. Dixon (Type or Print) Water Well Drillers Registration No. 1689

ADDRESS 9739 N. Hou. Rosslyn (Street or RFD) Houston (City) Texas (State)

(Signed) Vernon E. Dixon (Water Well Driller) Russell & Son Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-4

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-33 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
524	1 of 2	SW	4.29 / 22,637.38	ALIEF ISD TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	05/11/1999
Owners Name:	ALIEF ISD
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	180
Depth Drilled:	340
Latitude:	29.7211656
Longtiude:	-95.6327759

ITTENTION OWNER: Confidentiality — STATE OF TEXAS
rivilege Notice on Reverse Side — WATER WELL REPORT

) OWNER: ALIEF I.S.D. — ADDRESS: 12135 HIGH STAR — CITY: HOUSTON — STATE: TX ZIP: 77072-

) ADDRESS OF WELL:
County: HARRIS — GRID # 65-19-03
Street or RFD: 13938 SCHILLER RD., FFA SCHOOL PROJECT
City, State, Zip code: HOUSTON , TX 77082-

5)

) TYPE OF WORK: NEW WELL — 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

) WELL LOG: 00339

ATE DRILLING:
STARTED: 05/07/99
COMPLETED: 05/11/99

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.75	-0-	328
4.75	328	340

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO-STRING
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4.0	N	PVC WELL CASING	+2	328	SCH 40
2.5	N	PVC BLANK PIPE	310	328	SCH 80
2.5	N	STAINLESS ROD BASE	328	338	8 GA
2.5	N	NIP W/BACKWASH VALVE	338	340	SCH 80

EOLOGICAL DESCRIPTION:

ROM	TO	DESCRIPTION
0	20	BLACK TOPSOIL, CLAY
20	40	WHITE CLAY ROCK RED CLAY
40	60	RED CLAY
60	80	RED CLAY BROWN CLAY
80	100	CLAY SAND
100	120	STICKY RED CLAY SAND
120	140	SAND STICKY RED CLAY
140	160	STICKY RED CLAY SAND
160	180	SAND CLAY
180	232	SHALE SHALE SHALE
232	268	SAND
268	285	CLAY SAND
285	320	CLAY SAND CLAY
320	323	CLAY
323	340	SAND SAND

9) CEMENTING DATA:

Cemented from				No. of Sacks Used
328	FT.	TO -0-	FT.	12
-0-	FT.	TO 18	FT.	4

Method used: HALLIBURTON METHOD
Cemented by: GDI FULLY PRESSURED
Distance to septic field lines: ft.
Method of verification of above distance:
NONE INSTALLED

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 180 FT. DATE: 05/11/99
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
FORMATIOM PACKER	18
BP-SEAL	310

) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 260

14) WELL TEST:
JETTED
YIELD: 60 GPM WITH FT DRAWDOWN AFTER HRS

) WATER QUALITY:
TYPE OF WATER: GOOD — DEPTH OF STRATA: 10+ — NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

MPANY NAME: GEOPHYSICAL DRILLING,INC. — WATER WELL DRILLER'S LICENSE NO.: 4898WPK
DRESS: P.O. BOX 664 — CITY: FULSHEAR — STATE: TX ZIP CODE: 77441

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

signed) Jimmy D. Brim (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)

FILE ID SEP 15 1999

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
524	2 of 2	SW	4.29 / 22,637.38	Alief Independent School District TX	WW HARRIS GAL

Well ID:	7518	**Diameter (inches):**	4
Aggre Lead Well:	7518	**Year Drilled:**	1999
Permit No:	WP2024-105750	**Depth Drilled:**	400
Permit Start Date:	6/1/2024 3:07:00 PM	**Depth frm Surf(ft):**	350
Permit End Dt:	5/31/2025 3:07:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.721111
Regulatory Aarea:	3	**Longitude:**	-95.631944
Owner Name:	Alief Independent School		
Billing Contact:	Jose Hernandez		
Billing Address:	12135 High Star		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77072		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
525	1 of 1	ENE	4.30 / 22,680.25	MARTY STETSON TX	TCEQ WELL LOGS

Grid No: 65-12-6Z
Date Drilled: 02/10/1983
Owners Name: MARTY STETSON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 190
Depth Drilled: 305
Latitude: 29.8044465
Longtiude: -95.5304341

62
Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-62
Located on map yes
Received: C.F.S.

1) OWNER MARTY STETSON (Name) Address 7813 SHADOW WOOD (Street or RFD) HOUSTON (City) (State) 77088 (Zip)

2) LOCATION OF WELL: County HARRIS Apx. 10 miles in WEST (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
X See attached map.

3) TYPE OF WORK (Check): X New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): X Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): X Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled FEB 10, 1983

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface 0	305

From (ft.)	To (ft.)	Description and color of formation material
0	5	TOP SOIL
5	24	CLAY
24	40	SAND
40 -	42	CLAY
42 -	70	SAND
70 -	144	CLAY
144 -	161	SAND
161 -	184	CLAY
184 -	201	SAND
201 -	207	CLAY
207 -	225	SAND
225 -	230	CLAY
230 -	242	SAND
242 -	262	CLAY
262 -	270	SAND STONE
270 -	305	SAND

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other TWO STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	0	295	
2½	N	SLOTTED	295	305	#8

CEMENTING DATA
Cemented from 0 ft. to 295 ft.
Method used PRESSURE
Cemented by Michael L. McClung (Company or Individual)

9) WATER LEVEL:
Static level 190 ft. below land surface Date FEB 11, 1983
Artesian flow _____ gpm. Date _____

10) PACKERS: Type RUBBER K-PACKER Depth 290

RECEIVED
JAN 20 1984
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet X Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: NONE
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes X No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes X No

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MICHAEL L. McCLUNG (Type or Print) Water Well Drillers Registration No. 2215

ADDRESS 4602 ELLA BLVD. (Street or RFD) HOUSTON (City) TEXAS (State) 77018 (Zip)

(Signed) Michael L. McClung (Water Well Driller) M+M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
526	1 of 2	ENE	4.30 / 22,720.70	CRESTDALE TOWN HOMES TX	TCEQ WELL LOGS

Grid No: 65-12-5X
Date Drilled: 10/04/1984
Owners Name: CRESTDALE TOWN HOMES
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 285
Depth Drilled: 510
Latitude: 29.8038407
Longtiude: -95.5298639

$500

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-5X
Located on map YES MAP
Received:

1) OWNER CRESTDALE TOWN HOMES (Name) Address 1716 CRESTDALE (Street or RFD) HOUSTON (City) TEXAS (State) 77080 (Zip)

2) LOCATION OF WELL: County HARRIS 10 miles in W (N.E., S.W., etc.) direction from HOUSTON (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☑ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 10-4-84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
7⅞	Surface	500
3⅞	500	510

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other 2-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	4	TOP SOIL
4	23	YELLOW SHALE
23	47	SAND
47	71	RED SHALE
71	74	SAND ROCK
74	85	RED SAND
85	87	SAND ROCK
87	165	RED SHALE
165	189	SAND
189	220	RED SHALE
220	243	FINE SAND
243	261	WHITE SHALE
261	285	SAND
285	290	ROCK
290	308	SAND
308	351	RED SHALE
351	380	RED SHALE W/ SAND STRINGERS
380	417	RED SHALE
417	455	WHITE SHALE
455	484	WHITE SHALE W/ SAND STRINGERS
484	510	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
5	N	PLASTIC	0	490	SCH 40	
2½	N	PLASTIC	490	510		SCH 80

CEMENTING DATA
Cemented from 0 ft. to 490 ft.
Method used PRESSURE
Cemented by SUGG WATER WELL (Company or Individual)

9) WATER LEVEL:
Static level 285 ft. below land surface Date 10-6-84
Artesian flow _____ gpm. Date _____

PACKERS: Type Depth

RECEIVED
OCT 28 1985
TEXAS WATER COMMISSION

(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 399 ft.

12) WELL TESTS: ☐ Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 11.8 gpm with 16 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Drillers Registration No. 1006
ADDRESS 13501 CHRISMAN #26 (Street or RFD) HOUSTON (City) TEXAS (State) 77039 (Zip)
(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY


LEGEND
HIGHWAY MAP
S COUNTY
EXAS
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
526	2 of 2	ENE	4.30 / 22,720.70	Crestdale Townhome Assoc. TX	WW HARRIS GAL

Well ID:	5127	**Diameter (inches):**	4
Aggre Lead Well:	5127	**Year Drilled:**	1985
Permit No:	W2009-5127-139345-0	**Depth Drilled:**	500
Permit Start Date:	12/31/2008	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2008	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.804166
Regulatory Aarea:	3	**Longitude:**	-95.53
Owner Name:	Crestdale Townhome Assoc.		
Billing Contact:	Warren Treadway		
Billing Address:	69 Champion Villa Dr.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77069		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
527	1 of 1	SSW	4.31 / 22,734.98	UTOTEM DIV. OF FAIRMONT FOODS TX	WW HARRIS GAL

Well ID:	2062	**Diameter (inches):**	4
Aggre Lead Well:	2062	**Year Drilled:**	1975
Permit No:	W1984-2062-21477-0	**Depth Drilled:**	254
Permit Start Date:	11/1/1984	**Depth frm Surf(ft):**	244
Permit End Dt:	10/31/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.713055
Regulatory Aarea:	3	**Longitude:**	-95.613888
Owner Name:	UTOTEM DIV. OF FAIRMONT FOODS		
Billing Contact:	NULL		
Billing Address:	P.O. Box 52084		
Billing Address 2:	NULL		
Billing City:	Phoenix		
Billing State:	AZ		
Billing Zip:	85072		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
528	1 of 2	E	4.31 / 22,742.48	Piney Point Manor Water Co. TX	WW HARRIS GAL

Well ID:	1943	**Diameter (inches):**	5
Aggre Lead Well:	1942	**Year Drilled:**	1953
Permit No:	W2006-1942-123120-0	**Depth Drilled:**	429
Permit Start Date:	5/1/2006	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2006	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.766388
Regulatory Aarea:	2	**Longitude:**	-95.52
Owner Name:	Piney Point Manor Water Co.		
Billing Contact:	NULL		
Billing Address:	11434 Calico Ln.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
528	2 of 2	E	4.31 / 22,742.48	Piney Point Manor Water Co. TX	WW HARRIS GAL

Well ID:	1942	**Diameter (inches):**	4
Aggre Lead Well:	1942	**Year Drilled:**	1989
Permit No:	W2006-1942-123120-0	**Depth Drilled:**	543
Permit Start Date:	5/1/2006	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2006	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.766388
Regulatory Aarea:	2	**Longitude:**	-95.519722
Owner Name:	Piney Point Manor Water Co.		
Billing Contact:	NULL		
Billing Address:	11434 Calico Ln.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
529	1 of 1	ESE	4.31 / 22,746.35	PUEJOL, MIKE TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	06/15/1998
Owners Name:	PUEJOL, MIKE
County:	HARRIS
Water Usage:	SINGLE FAMILY RESID
Static Level:	208
Depth Drilled:	398
Latitude:	29.743233
Longtiude:	-95.527561

STAT OF TEXAS WATER WELL REPORT

OWNER: PUEJOL, MIKE ADDRESS: #20 EAST SHADY LANE CITY: HOUSTON STATE: TX ZIP:
LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

AL DESCRIPTION SEE ATTACHED MAP

TYPE OF WORK: NEW WELL 4) PROPOSED USE: SINGLE FAMILY RESID 5) DRILLING METHOD: MUD ROTARY

WELL LOG: 01449 DIAMETER OF HOLE 7) BOREHOLE METHOD:

DIAMETER	FROM	TO
9.0	0	367
4.875	367	398


TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

E DRILLED: 06/15/98

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	367	CASING
3.0	N	P.V.C. SCH.40	359	368	LINER
3.0	N	P.V.C. - SLOTTED	368	378	.010
3.0	N	P.V.C. - SLOTTED	378	388	.012
3.0	N	P.V.C. SCH.40	388	398	LINER

WELL # 65-20-3



OLOGICAL DESCRIPTION:

FM	TO	DESCRIPTION
0	3	SOIL
3	17	CLAY-GRAY CLAY-RED
17	30	SAND-RED-FINE
30	172	CLAY-RED CLAY-GRAY
172	182	SAND-TAN-.010-.012
182	186	CLAY-RED
186	212	SAND-TAN-.006-.008 SAND-TAN-.010-.012
212	264	CLAY-RED
264	311	SAND-TAN-.006-.008 ROCK SAND-TAN-.006-.008
311	335	CLAY-RED CLAY-BLUE
335	346	SAND-WHITE-.014-.020
346	356	CLAY-RED CLAY-BLUE
356	388	SAND-WHITE-.010-.012
388	398	ROCK BROKEN SAND & CLAY

9) CEMENTING DATA:
Cemented from 0 FT. TO 367 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : 208 FT. DATE: 06/17/98
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 297

14) WELL TEST:
JETTED
YIELD: 125 GPM WITH FT DRAWDOWN AFTER HRS

) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 398 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

MPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843, 2350, 2843
DRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TDWR USE ONLY
WELL NO. _____
LOCATED ON MAP _____

HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN E TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE G(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

igned) Carl Lofton (signed) _____
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

GEO #
FILE #
EMP #
COMMENTS
SEP 02 1998
CB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
530	1 of 2	ENE	4.31 / 22,782.14	City of Houston Long Point TX	GWDB

Well Rep Track No:
State Well No: 6512605
Owner Name: City of Houston Long Point
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1951
Well Depth: 518
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7969450
Longitude: -95.5255550
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512605&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512605&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
530	2 of 2	ENE	4.31 / 22,782.14	CITY OF HOUSTON TX	WUD

St Well No:	6512605
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NP
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NP
Date Drilled:	00/00/1951
Well Depth:	518
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.796895
Longitude:	-95.525496
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
531	1 of 2	SSW	4.32 / 22,785.94	City of Houston TW-4 TX	GWDB

Well Rep Track No:	
State Well No:	6520121
Owner Name:	City of Houston TW-4
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1939
Well Depth:	1250
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7147230
Longitude:	-95.6219440
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520121&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520121&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
531	2 of 2	SSW	4.32 / 22,785.94	WALKER-KURTH TX	TCEQ WELL LOGS

Grid No:	65-20-1Q
Date Drilled:	NOT REPORTED
Owners Name:	WALKER-KURTH
County:	HARRIS
Water Usage:	OTHER
Static Level:	92
Depth Drilled:	179
Latitude:	29.7151223
Longtiude:	-95.6218871

1Q

1 1Q

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 25-20-16
Located on map
Received:

1) OWNER Walker-Kurth (Name) Address P.O. Box 40158 (Street or RFD) Houston (City) Texas (State) 77040 (Zip)

2) LOCATION OF WELL: County Harris, 6 miles in S (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

XX See attached map. 186 Map on 25-16-55

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well XX Other _____

5) DRILLING METHOD (Check):
XX Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled _____

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	158
3 3/4	158	179

From (ft.)	To (ft.)	Description and color of formation material
0	4	top soil
4	87	clay
87	95	sand
95	155	clay
155	179	sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic pipe	0	158	40
2	N	Plastic pipe	158	160	40
2	N	Everflo screen	160	179	10

CEMENTING DATA
Cemented from 0 ft. to 22 ft.
Method used Trimmer Tube
Cemented by Welsco Drilling Company (Company or Individual)

9) WATER LEVEL:
Static level 92 ft. below land surface Date 04-11-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
4" Formation 22 ft
K-Packer 158 ft.

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 150 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes XX No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes XX No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ed Smith (Type or Print) Water Well Drillers Registration No. 1692

ADDRESS P.O. Box 694 (Street or RFD) Katy (City) Texas (State) 77450 (Zip)

(Signed) Ed Smith (Water Well Driller) Welsco Drilling Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TDWR-0392


2) **LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
NOV 05 '79
CR/IDWR

AUG - 6 1979

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
532	1 of 1	E	4.32 / 22,814.67	TEXACO TX	TCEQ WELL LOGS

Grid No:	65-12-9H
Date Drilled:	11/30/1970
Owners Name:	TEXACO
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	174
Depth Drilled:	324
Latitude:	29.7835307
Longtiude:	-95.5206959

65129H

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-42-9H
Located on map
Received:

1) OWNER:
Person having well drilled Tom Narum Construction (Name) Address P.O. Box 55305 (Street or RFD) Houston, Texas (City) (State)

Landowner Texaco Inc. (Name) Address 1111 Rusk (Street or RFD) Houston, Texas (City) (State)

2) LOCATION OF WELL:
County Harris . miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

nee reverse side for amp

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well x Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial x Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary x Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 324 ft. Depth of completed well 324 ft. Date drilled 11-30-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	surface & white clay
24	61	sand loose & light rock
61	140	red & white clay
140	192	sand broken & sand rock
192	240	tough white clay
240	290	sand broken & sand rock
290	305	tough shale
305	324	sand

(Use reverse side if necessary)

9) Casing:
Type: Old New x Steel x Plastic Other
Cemented from 0 ft. to 306 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	306	

10) SCREEN:
Type A Stainless settl
Perforated x Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"screen	324	309	.014
2½"bland	309	300	

7) COMPLETION (Check):
Straight wall x Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 174 ft. below land surface Date 12-2-70
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 252 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No x If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No x
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R.B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton (Street or RFD) P.O. Box 8707 (City) Houston, Texas (State) 77009

(Signed) R B Lowry (Water Well Driller) Lowry Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-33 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
FEB 26 1971

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
533	1 of 1	ESE	4.33 / 22,859.23	Ainsworth, Martha #4 W Shady Lane Houston TX 77063	SDRW WELLS

Track NO: 224663
Date Submitted: 2010-07-27
Owner Name: Ainsworth, Martha
Owner Address: #4 W Shady Lane
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77063
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.738889
Longitude: -95.529722
Drilling Date Started: 2010-06-30
Drilling Date Completed: 2010-07-02
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: PO Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=224663&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 376

Top Depth:
Bottom Depth: 401.0

Top Depth: 376
Bottom Depth: 401

Well Levels

Measurement: 193
Measurement Date: 2010-07-02

Well Strata

Water Type:

Not Tested

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
534	1 of 4	W	4.33 / 22,859.81	City of Houston Memorial West MUD TX	GWDB

Well Rep Track No:
State Well No: 6511917
Owner Name: City of Houston Memorial West MUD
Drilling Start Dt:
Drilling Month: 5
Drilling Day: 26
Drilling Year: 1983
Well Depth: 1288
Well Usage: Unused
Water Level Status:
Latitude: 29.7841670
Longitude: -95.6613890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511917&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511917&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
534	2 of 4	W	4.33 / 22,859.81	TEN PLAZA WEST TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	PROPERTY MANAGER
Primary Co:	KAYLYNN ESPINOZA
PWSID:	1011997
Source ID:	G1011997A
Utility Name:	TEN PLAZA WEST
WTRSRC:	G1011997A
Date Drilled:	05/00/1982
Well Depth:	567
Screen Top:	500
Screen Bottom:	562
Gallons Per Minute:	60
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.783655
Longitude:	-95.66211
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
534	3 of 4	W	4.33 / 22,859.81	Waste Water Treatment, Inc. TX	WW HARRIS GAL

Well ID:	4875	**Diameter (inches):**	4
Aggre Lead Well:	4875	**Year Drilled:**	1981
Permit No:	WP2024-101620	**Depth Drilled:**	0
Permit Start Date:	5/1/2024 9:29:00 AM	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/2025 9:29:00 AM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.783611
Regulatory Aarea:	3	**Longitude:**	-95.661944
Owner Name:	Waste Water Treatment, Inc.		
Billing Contact:	Eric Drewa		
Billing Address:	PO Box 662		
Billing Address 2:	NULL		
Billing City:	Fulshear		
Billing State:	TX		
Billing Zip:	77441		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
534	4 of 4	W	4.33 / 22,859.81	TEN PLAZA WEST BLDG TX	TCEQ WELL LOGS

Grid No:	65-11-8E
Date Drilled:	05/00/1982
Owners Name:	TEN PLAZA WEST BLDG
County:	HARRIS
Water Usage:	OFFICE BLDG
Static Level:	147
Depth Drilled:	567
Latitude:	29.7836892
Longtiude:	-95.6620313

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
535	1 of 4	ENE	4.34 / 22,931.96	City of Houston Spring Woods TX	GWDB

Well Rep Track No:
State Well No: 6512602
Owner Name: City of Houston Spring Woods
Drilling Start Dt:
Drilling Month: 12
Drilling Day: 20
Drilling Year: 1956
Well Depth: 650
Well Usage: Unused
Water Level Status:
Latitude: 29.8061120
Longitude: -95.5338890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512602&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512602&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
535	2 of 4	ENE	4.34 / 22,931.96	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PT
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PT
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.805783
Longitude:	-95.53411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
535	3 of 4	ENE	4.34 / 22,931.96	CITY OF HOUSTON TX	WUD

St Well No:	6512602
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QA
Date Drilled:	12/20/1956
Well Depth:	650
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.805783
Longitude:	-95.53411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
535	4 of 4	ENE	4.34 / 22,931.96	USGS-294821095320101 TX	FED USGS

Site No:	USGS-294821095320101
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19561215
Well Depth:	650
Well Depth Unit:	ft
Well Hole Depth:	650
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-602
Latitude:	29.80611110000000
Longitude:	-95.5338889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
536	1 of 1	ESE	4.35 / 22,957.41	THE RANDOLPH COMPANY TX	TCEQ WELL LOGS

Grid No: 65-20-3
Date Drilled: 08/03/1996
Owners Name: THE RANDOLPH COMPANY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 214
Depth Drilled: 380
Latitude: 29.743638
Longtiude: -95.526581

Send original copy by certified return receipt requested t. TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER THE RANDOLPH COMPANY (Name) ADDRESS 12010 ALIEF CLODINE (Street or RFD) HSTN (City) TX (State) 77082 (Zip)

2) ADDRESS OF WELL: County HARRIS 11655 ARROWWOOD CT. (Street, RFD or other) HOUSTON (City) TX (State) (Zip) GRID # 65-20-3

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 8/22 19 96 Completed 8/23 19 96

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	360
3 7/8	360	380

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	23	TOP SOIL + CLAY
23	31	SURFACE SAND
31	175	CLAY
175	247	SAND
247	295	CLAY
295	380	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	360	
2	N	GALVANIZED	353	360	
2	N	PVC SCREENS	360	380	.014

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 8
310 ft. to 360 ft. No. of sacks used 3
Method used HALLIBURTON / TRIMME
Cemented by BUSSELL + SON INC.
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 214 ft. below land surface Date 8/23/96
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
K-PACKER	353

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 50 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

RECEIVED JUN 1997 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL + SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO BOX 874 (Street or RFD) TOMBALL (City) TEXAS (State) 77377-0874 (Zip)

(Signed) Craig O Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
537	1 of 1	SSE	4.35 / 22,967.87	ALIEF INDEPENDENT SCHOOL DIST TX	TCEQ WELL LOGS

Grid No: 65-20-5
Date Drilled: 12/07/1968
Owners Name: ALIEF INDEPENDENT SCHOOL DIST
County: HARRIS
Water Usage: CONSTRUCTION WELL
Static Level: 110
Depth Drilled: 205
Latitude: 29.7100379
Longtiude: -95.5762394

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

65 20 45 GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 5
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled ALIEF INDEPNDNT SCHOOL DIST (Name) Address BISSONNET AND BOONE RD (Street or RFD) (City) (State)


Landowner SAME (Name) NEW SITE (Address) BUSINESS MANAGER 12101 7, ST. ALIEF, TE (Street or RFD) (City) (State)

WELL TO BE USED IN BUILDING CONT. AND FOR THE YARD GRASS

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 4 SOUTH (NE, SW, etc.) direction from ALIEF TEXAS (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☒ CONSTRUCTION WELL TO TOP OF CLAY

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4½" OD in. Depth drilled 205 ft. Depth of completed well 205 ft. Date drilled 12-7-68

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	BLACK TOP SOIL
2	7	" DIRT OR CLAY
7	12	GRAY CLAY TURNING RED
12	52	RED CLAY
52	60	FINE SAND
60	105	RED CLAY TURNING GRAY
105	120	STRIPS OF FINE SAND
120	178	MER STICKY CLAY
178	205	COURSE SAND AND GRAVEL
	205	CLAY BOTTOM

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 110 ft. below land surface Date 12-7-68
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from 0 ft. to 8 FROM TOP

10) SCREEN:
Type BRONZE WRAP ON GALV. PIPE
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
SAME	SIZE	ALL THE WAY	

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4½" OD	195	205	EQUAN TO 12 GAGE

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
SAME PUMP IN WELL
Yield: 21 gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water: EXTAR GOOD depth of strata 205

12) PUMP DATA:
Manufacturer's Name FAIR BANKS MORSE
Type SUBMERSIBLE H.P. ½
Designed pumping rate 1265 gpm ☐ gph ☒
Type power unit 230 VOLT SINGLE PHASE
Depth to bowls, cylinder, jet, etc., 189-1½" ft. PIPE INSIDE below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CECIL L. ELLIS (Type or Print) Water Well Drillers Registration No. 915

Address Box 285 (Street or RFD) STAFFORD (City) TEXAS - 77477 (State)

(Signed) Cecil L. Ellis (Water Well Driller) ELLIS WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

65-20-511

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
538	1 of 1	E	4.35 / 22,979.17	HOUSTON LIGHTING & POWER COMPANY TX	WW HARRIS GAL

Well ID:	1189	**Diameter (inches):**	4
Aggre Lead Well:	1189	**Year Drilled:**	1967
Permit No:	W1991-1189-39335-0	**Depth Drilled:**	325
Permit Start Date:	11/1/1991	**Depth frm Surf(ft):**	293
Permit End Dt:	10/31/1992	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.785555
Regulatory Aarea:	3	**Longitude:**	-95.520555
Owner Name:	HOUSTON LIGHTING & POWER COMPANY		
Billing Contact:	STEPHEN DAVIES		
Billing Address:	P.O. Box 1700		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77251		
Correspondence:	ENVIRONMENTAL DEPARTMENT		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
539	1 of 1	ENE	4.35 / 22,982.35	HOLLAND PLBG CO TX	TCEQ WELL LOGS

Grid No: 65-05-9FF
Date Drilled: 06/05/1973
Owners Name: HOLLAND PLBG CO
County: HARRIS
Water Usage: DOMESTIC
Static Level: 132
Depth Drilled: 232
Latitude: 29.7949166
Longtiude: -95.523921

9FF 6505.9FF

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT #7

For TWDB use only
Well No. 65-05-9FF
Located on map yes
Received: 7 31
20

1) OWNER:
Person having well drilled Holland Plbg Co. (Name) Address 1348 Cedar Post Hou Tex (Street or RFD) (City) (State)
Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Montg, HARRIS. miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
1348 Cedar Post Lane
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other
5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 232 ft. Depth of completed well 232 ft. Date drilled 6/5/73
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	220	Unconsolidated
220	232	Sand

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 161 ft. to 232 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	211'	50
2"	211	222'	40

10) SCREEN:
Type SSR
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	222	232'	14 ga.

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 132 ft. below land surface Date 6/4/73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 190' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. 707
ADDRESS 9739 North Houston Rose Lyn Houston Texas (Street or RFD) (City) (State)
(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	1 of 9	ENE	4.36 / 23,010.73	Village Health Care Center (Well #3) TX	GWDB

Well Rep Track No:	
State Well No:	6512638
Owner Name:	Village Health Care Center (Well #3)
Drilling Start Dt:	
Drilling Month:	4
Drilling Day:	18
Drilling Year:	2005
Well Depth:	600
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7936110
Longitude:	-95.5236110
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512638&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512638&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	2 of 9	ENE	4.36 / 23,010.73	Village Health Care Center TX	GWDB

Well Rep Track No:	
State Well No:	6512627
Owner Name:	Village Health Care Center
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1983
Well Depth:	592
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7997220
Longitude:	-95.5247220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512627&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512627&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	3 of 9	ENE	4.36 / 23,010.73	BLALOCK NURSING HOME TX	TCEQ WELL LOGS

Grid No: 65-12-6Z
Date Drilled: 09/28/1982
Owners Name: BLALOCK NURSING HOME
County: HARRIS
Water Usage: OTHER
Static Level: 230
Depth Drilled: 582
Latitude: 29.7938671
Longtiude: -95.5233648

160
102 DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-62
Located on map yes
Received: C.F.S.

1) OWNER Blalock Nursing Home (Name) Address Unknown Long Point (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 15 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☐ See attached map. mapon 65-04-602N

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 9/28/82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		582

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	17	Clay
17	64	Sand
64	111	Clay
111	143	Sand
143	206	Clay
206	290	Sand
290	300	Clay
300	340	Sand
340	389	Clay
389	450	Sand
450	493	Clay
493	506	Sand
506	512	Clay
512	582	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Steel Casing	0	525	Sch.
2½"	N	Blank Pipe	520	532	40
2½"	N	PVC Slotted Screen	532	582	.012

CEMENTING DATA
Cemented from 525 ft. to 235 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

RECEIVED
JUL 19 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 230 ft. below land surface Date 9/28/82
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Lead Seal Depth 520

11) TYPE PUMP: 5HP
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 357 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Roger Scholl (Type or Print) Water Well Drillers Registration No. 2213

ADDRESS 11607 Fm 149 (Street or RFD) Houston, (City) Texas (State) 77086 (Zip)

(Signed) Roger Scholl (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	4 of 9	ENE	4.36 / 23,010.73	BLALOCK NURSING HOME TX	TCEQ WELL LOGS

Grid No:	65-12-5T
Date Drilled:	06/30/1983
Owners Name:	BLALOCK NURSING HOME
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	230
Depth Drilled:	592
Latitude:	29.7938671
Longtiude:	-95.5233648

73

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER XXXXX Blalock Nursing Home (Name) Address 1341 Blalock (Street or RFD) Houston (City) Texas (State) 77055 (Zip)

2) LOCATION OF WELL: County Harris 10 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. mapcom 65-11-6P Dup

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): XX Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): XX Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 6-30-83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
7 7/8		539
4½		592

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-	17	Clay
17-	63	Sand
63-	145	Clay
145-	232	Sand
232-	301	Clay
301-	463	Sand
463-	515	Clay
515-	540	Sand
540-	560	Clay
560-	592	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	Casing	0	520	sch 40
2½	N	Blank Pipe	500	520	sch 40
2½	N	Slotted Screen	520	540	012
2½	N	Blank Pipe	540	560	sch 40
2½	N	Slotted Screen	560	592	012

CEMENTING DATA
Cemented from 520 ft. to 320 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 230 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead Seal 520

RECEIVED
DEC - 7 1984
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP: 7½ HP
☐ Turbine ☐ Jet XX Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well Service (Type or Print) Water Well Driller's License No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) M. E. Robinson Jr. (Licensed Water Well Driller) (Signed) Roger Arnold Dup (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-5T
Located on map yes c.f.s.

TDWR-0392 (Rev. 5-27-82) DEPARTMENT OF WATER RESOURCES COPY

B44496

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	5 of 9	ENE	4.36 / 23,010.73	Village Healthcare Center, The TX	WW HARRIS GAL

Well ID:	9987	**Diameter (inches):**	6
Aggre Lead Well:	9987	**Year Drilled:**	2005
Permit No:	W2011-9987-153958-0	**Depth Drilled:**	600
Permit Start Date:	11/1/2011	**Depth frm Surf(ft):**	570
Permit End Dt:	11/1/2011	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.793888
Regulatory Aarea:	3	**Longitude:**	-95.523611
Owner Name:	Village Healthcare Center, The		
Billing Contact:	Randy Council		
Billing Address:	1341 Blalock Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	6 of 9	ENE	4.36 / 23,010.73	Mariner Healthcare TX	WW HARRIS GAL

Well ID:	4201	**Diameter (inches):**	5
Aggre Lead Well:	4201	**Year Drilled:**	1989
Permit No:	W2004-4201-115453-0	**Depth Drilled:**	650
Permit Start Date:	11/1/2004	**Depth frm Surf(ft):**	600
Permit End Dt:	5/11/2005	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.793611
Regulatory Aarea:	3	**Longitude:**	-95.523333
Owner Name:	Mariner Healthcare		
Billing Contact:	Administrator		
Billing Address:	1341 Blalock Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	7 of 9	ENE	4.36 / 23,010.73	Houston, City of TX	WW HARRIS GAL

Well ID:	3857	**Diameter (inches):**	24
Aggre Lead Well:	1001	**Year Drilled:**	1987
Permit No:	W1986-1001-24262-0	**Depth Drilled:**	1800
Permit Start Date:	2/1/1986	**Depth frm Surf(ft):**	999
Permit End Dt:	1/31/1987	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.793333
Regulatory Aarea:	3	**Longitude:**	-95.523611

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	8 of 9	ENE	4.36 / 23,010.73	ARA LIVING CENTERS TX	WW HARRIS GAL

Well ID:	4202	**Diameter (inches):**	4
Aggre Lead Well:	4201	**Year Drilled:**	1990
Permit No:	W1993-4201-43432-0	**Depth Drilled:**	400
Permit Start Date:	9/8/1993	**Depth frm Surf(ft):**	360
Permit End Dt:	10/31/1994	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.793611
Regulatory Aarea:	3	**Longitude:**	-95.5225

Owner Name:	ARA LIVING CENTERS
Billing Contact:	MARK SKROBAROZYK
Billing Address:	2808 STONEYBROOK, 2ND FLOOR
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77063
Correspondence:	NULL
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
540	9 of 9	ENE	4.36 / 23,010.73	USGS-294758095312801 TX	FED USGS

Site No:	USGS-294758095312801
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19830630
Well Depth:	592
Well Depth Unit:	ft
Well Hole Depth:	592
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-627
Latitude:	29.79972220000000
Longitude:	-95.5247222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
541	1 of 2	SSW	4.36 / 23,020.98	F.W. Liestman TX	GWDB

Well Rep Track No:	
State Well No:	6520111
Owner Name:	F.W. Liestman
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1939
Well Depth:	470
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7163890
Longitude:	-95.6238890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520111&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520111&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
541	2 of 2	SSW	4.36 / 23,020.98	USGS-294258095372501 TX	FED USGS

Site No:	USGS-294258095372501
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	193905
Well Depth:	470
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-111
Latitude:	29.71638889000000
Longitude:	-95.6238889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
542	1 of 1	ENE	4.36 / 23,042.50	Walter Rode 1725 Elmview Dr. Houston TX 77080	SDRW WELLS

Track NO: 25523
Date Submitted: 2003-09-15
Owner Name: Walter Rode
Owner Address: 1725 Elmview Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899445
Longitude: -95.400556
Drilling Date Started: 2003-09-05
Drilling Date Completed: 2003-09-05
Chemical Analysis:
Company Name: Raymond Services Inc.
Company Address: 10011 Airline Dr.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77080
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=25523&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 47

Top Depth:
Bottom Depth: 47.0

Well Levels

Measurement: 12
Measurement Date: 2003-09-05

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
543	1 of 2	SW	4.37 / 23,053.44	BESSIE KOVAR TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	11/08/1998
Owners Name:	BESSIE KOVAR
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	170
Depth Drilled:	303
Latitude:	29.71894
Longtiude:	-95.63138

Send original copy by certified return receipt requested mail . . . TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER BESSIE KOVAR (Name) ADDRESS 13916 SCHILLER ROAD (Street or RFD) HOUSTON (City) TEXAS (State) 77082 (Zip)

2) ADDRESS OF WELL: County HARRIS 13916 SCHILLER ROAD (Street, RFD or other) HOUSTON (City) TEXAS (State) 77082 (Zip) GRID # 65-19-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 11/02 19 98 Completed 11/08 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7-1/2	Surface	280
3-7/8	280	303

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	60	RED SURFACE CLAY
60	95	SAND
95	125	RED CLAY
125	145	COARSE SAND
145	164	CLAY
164	182	COARSE SAND
182	242	CLAY
242	260	MEDIUM-FINE SAND
260	269	SHALE
269	275	STRIP SAND
275	292	SHALE & ROCK
292	303	COARSE WATER SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 4X2
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	278	40
2	N	PVC	278	293	40
2	N	JAYCO WOP	293	303	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 273 ft. No. of sacks used 29
_____ ft. to _____ ft. No. of sacks used _____
Method used PUMP DOWN
Cemented by WELLCO
Distance to septic system field lines or other concentrated contamination 60 ft.
Method of verification of above distance CUSTOMER

13) TYPE PUMP: [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 252 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 170 ft. below land surface Date 11/08/98
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
K-PACKER	L - R 273

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME WELLCO DRILLING & SERVICE COMPANY (Type or print) WELL DRILLER'S LICENSE NO. 3251WI

ADDRESS 5423 LOTUS STREET (Street or RFD) HOUSTN (City) TEXAS (State) 77085-1903 (Zip)

(Signed) _____ (Licensed Well Driller)

FILED FEB 05 1999 DEC 00 (Signed) _____ (Registered Driller Trainee)

COMMENT

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
543	2 of 2	SW	4.37 / 23,053.44	JOE KENNEDY TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	01/20/1987
Owners Name:	JOE KENNEDY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	169
Depth Drilled:	280
Latitude:	29.71894
Longtiude:	-95.63138

FORT BEND # 1

d original copy by
:tified mail to the
:as Water Development Board
O. Box 13087
:tin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-19-3
Located on map
Received:

OWNER:
Person having well drilled JOE KENNEDY (Name) Address 13825 SCHILER (Street or RFD) HOUSTON (City) TEX (State)

Landowner SAME (Name) Address JUST OFF HIWAY # 6 (Street or RFD) (City) (State)

LOCATION OF WELL:
County HARRIS, 7½ miles in N-E (N.E., S.W., etc.) direction from SUGARLAND, TEX (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)
SUGARLAND TEX

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

TYPE OF WORK (Check): (New Well) Deepening Reconditioning Plugging

4) PROPOSED USE (Check): (Domestic) Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): (Rotary) Driven Dug Cable Jetted Bored

WELL LOG:
Diameter of hole 4 in. Depth drilled 280 ft. Depth of completed well 280 ft. Date drilled 1-20-87
All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	BLACK TOP SOIL
6	15	GRAYISH TO RED CLAY
15	26	REDISH CLAY TO GRAY
26	39	LIGHT SAND
39	85	RED CLAY MIXED W/GRAY
85	117	FAIR SAND TO COURSE
117	165	RED CLAY VERY STICKLY
165	180	STRIPS OF SAND & CLAY
180	210	FAIR SAND
210	255	RED TO GRAY CLAY
255	280	COURSE SAND W/ GRAVEL
		BOTTOM OF WELL — CLAY

(Use reverse side if necessary)

9) Casing:
Type: Old New Steel (Plastic) Other
Cemented from GROUND LEVEL ft. to 55-65 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	-0-	243	40 SECH.
2½"	243	270	40 SECH

10) SCREEN:
Type SAWED PVC.
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	270'	280	14 GAGE

COMPLETION (Check):
Straight wall Gravel packed Other INSIDE SET W/ PACKER
Under reamed Open Hole

WATER LEVEL:
Static level 119 ft. below land surface Date 1-20-87
Artesian pressure _____ lbs. per square inch Date 1-20-87
Depth to pump bowls, cylinder, jet, etc., 226 ft. below land surface.

RECEIVED
SEP 2 1987

11) WELL TESTS:
Was a pump test made? Yes (No) If yes, by whom?
Yield: 16 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water —

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? VERY GOOD depth of strata 280'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CECIL L. ELLIS (Type or Print) Water Well Drillers Registration No. _____

ADDRESS 13719 STAFFORD, RD. (Street or RFD) STAFFORD (City) TEXAS (State) 77477

(Signed) Cecil L. Ellis (Water Well Driller) ELLIS WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
544	1 of 2	ESE	4.37 / 23,074.13	CAROL CHIU TX	TCEQ WELL LOGS

Grid No: 65-12-9
Date Drilled: 11/06/2001
Owners Name: CAROL CHIU
County: HARRIS
Water Usage: WATER
Static Level: NOT REPORTED
Depth Drilled: 26
Latitude: 29.7557334
Longtiude: -95.5209825

Send original copy by certified return receipt requested mail to:
TNRCC
MC 177
P.O. Box 13087
Austin, TX 78711-3087

#4736

State of Texas
PLUGGING REPORT

(This form must be completed and filed with the TNRCC within 30 days following the date the well is plugged as required by current statutory law.)

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER Carol Chiu (Name) ADDRESS 11540 Raintree (Street or RFD) Houston (City) Tx. (State) 77024 (Zip)

2) ADDRESS OF WELL: County Harris 11540 Raintree (Street, RFD or other) Houston (City) Tx. (State) 77024 (Zip) GRID # 65-12-9

3) OWNER'S WELL NO: _____

4) WELL TYPE (Check): ☑ Water ☐ Monitor ☐ Injection ☐ De-watering

5) N 2945 17
W 95 31 16

Driller, Pump Installer, or Landowner performing the plugging operations **must** locate and identify the location of the well within a specific grid on a full scale-gridded County map available from the TNRCC/Installers Certification Program. The location of the well should be denoted within the grid by placing a corresponding dot in the grid to the right. The legal description section below is optional.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section lines or survey lines: _____

B. HISTORICAL DATA ON WELL TO BE PLUGGED (if available)

6) Driller ? License No. ? City ?

7) Drilled ? 19____; 8) Diameter of hole 4 inches; 9) Total depth of well 320 feet.

C. CURRENT PLUGGING DATA

10) Date well plugged 11-6 2001


11) Sketch of well: Using space at right, show method of plugging the well including all casing and cemented intervals.

12) Name of Driller/Pump Installer actually performing the plugging operations
Rick Olsen
License number 4427 KT

13) Casing and cementing data relative to the plugging operations:

DIAMETER (inches)	CASING LEFT IN WELL	
	FROM (feet)	TO (feet)
4	2	320

CEMENT PLUG(S) PLACED IN WELL		SACK(S) OF CEMENT USED
FROM (feet)	TO (feet)	
2	320	26



RECEIVED
TDER MAIL ROOM SH
NOV 21 2001
AMOUNT
RECEIPT #

D. VALIDATION OF INFORMATION INCLUDED IN FORM

I hereby certify that this well was plugged by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 13 will result in the report(s) being returned for completion and resubmittal.

Company or Individual's Name (type or print) Johnston's Water Well Service Inc.

Address: Street or RFD 14750 Hooper Rd. City Tomball State Tx. Zip 77375

Signature:

x _____ (Licensed Driller/Pump Installer) 11-6-01 (Date) _____ (Owner of Well) _____ (Date)

_____ (Trainee/Apprentice) _____ (Date)

White - TNRCC Yellow - Well Owner Pink - Licensed Well Driller/Pump Installer

TNRCC-0055 (Rev. 05-21-96)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
544	2 of 2	ESE	4.37 / 23,074.13	CAROL CHIU TX	TCEQ WELL LOGS

Grid No:	65-12-9
Date Drilled:	10/27/2001
Owners Name:	CAROL CHIU
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	190
Depth Drilled:	430
Latitude:	29.7557334
Longtiude:	-95.5209825

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Carol Chiu	11540 Raintree	Houston	Tx	77024

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	11540 Raintree	Houston	Tx	77024

3) Type of Work ☑ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

Lat. Long. Grid # 65-12-9

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☑ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 10/26/01
Completed 10/27/01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
6 3/4	Surface	400
4 3/4	400	430

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	165	Clay
165	180	Sand
180	193	Clay
193	210	Sand
210	260	Clay
260	280	Sand
280	282	H. Clay
282	300	Sand
300	308	Clay
308	327	Sand
327	347	Clay
347	360	Sand
360	390	Clay
390	430	Sand

(Use reverse side of Well Owner's copy if necessary)

RECEIVED TDLR MAIL ROOM NOV 21 2001 AMOUNT

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☑ Other 2 String
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	Sch 40 PVC	+2	400	
2 1/2	N	Sch 40 PVC	395	400	
2 1/2	N	Sch 40 Slotted	400	430	.010

9) Cementing Data
Cementing from 0 ft. to 400 ft. # of sacks used 40
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Driller
Distance to septic system field or other concentrated contamination N/A
Method of verification of above distance No Septic

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☑ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet etc., 315 ft.

11) Water Level
Static level 190 ft. below Date 10/27/01
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☐ Jetted ☑ Estimated
Yield: 40 gpm with 35 ft. drawdown after 1 hrs.

12) Packers

Type	Depth
K Packer 4x2 1/2	395'

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print) Johnston's Water Well Serv, Inc. Lic. No. 2778 WI
Address 14750 Hooper Rd. City Tomball State Tx Zip 77375

Signature Tommy K. Johnston Pres 11/7/01
Licensed Driller/Pump Installer | Date | Signature | Apprentice | Date

TDLR FORM L-5(01/WWD) White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
545	1 of 6	W	4.38 / 23,101.66	Earl Miles TX	GWDB

Well Rep Track No:	
State Well No:	6511901
Owner Name:	Earl Miles
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1950
Well Depth:	583
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7552778
Longitude:	-95.6597222
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511901&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511901&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
545	2 of 6	W	4.38 / 23,101.66	Earl Miles TX	GWDB

Well Rep Track No:	
State Well No:	6511902
Owner Name:	Earl Miles
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1957
Well Depth:	678
Well Usage:	Irrigation
Water Level Status:	
Latitude:	29.7552780
Longitude:	-95.6583340
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511902&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511902&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
545	3 of 6	W	4.38 / 23,101.66	BIG 6 DRILLING CO TX	TCEQ WELL LOGS

Grid No: 65-11-9AA
Date Drilled: 11/15/1980
Owners Name: BIG 6 DRILLING CO
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 90
Depth Drilled: 240
Latitude: 29.7579312
Longtiude: -95.6623353

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-944
Located on map YES
Received: AUG 25

1) OWNER Big 6 Drilling Co. (Name) Address 7500 San Felipe Suite 666 (Street or RFD) Houston (City) 77063 (Zip)

2) LOCATION OF WELL: County Harris Co. miles in Hwy 6 + IH10 (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. #5 2

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. ON 65-19-20

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☑ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ~~☐ Bored~~ ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Dia. (in.)	From (ft.)	To (ft.)
3"	Surface	240

Date drilled 11-15-80

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	42	CLAY
42	66	SAND
66	87	CLAY
87	130	SAND
130	196	CLAY
196	240	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
3"	N	Steel Pipe	0	200	
				40 ft Slotted	

(Use reverse side if necessary)

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 90 ft. below land surface Date 11-15-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☑ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? FRESH Depth of strata 44 ft.
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

AUG 25 1982
TDWR

NAME Samuel C. Gore (Type or Print) Water Well Drillers Registration No. 911

ADDRESS Star. Rt-1. Box 1945 (Street or RFD) Silsbee (City) Texas (State) 77656 (Zip)


(Signed) Samuel C. Gore (Water Well Driller) SAM. GORE WATER WELL SERV. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
545	4 of 6	W	4.38 / 23,101.66	MILES, EARL TX	WW HARRIS GAL

Well ID:	2308	**Diameter (inches):**	20
Aggre Lead Well:	2308	**Year Drilled:**	1951
Permit No:	W1979-2308-2894-0	**Depth Drilled:**	580
Permit Start Date:	4/1/1979	**Depth frm Surf(ft):**	0
Permit End Dt:	3/31/1980	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.755
Regulatory Aarea:	3	**Longitude:**	-95.658333
Owner Name:	MILES, EARL		
Billing Contact:	NULL		
Billing Address:	1721 Highway 6 SOUTH		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77077		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	A - Agricultural Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
545	5 of 6	W	4.38 / 23,101.66	USGS-294518095392901 TX	FED USGS

Site No:	USGS-294518095392901
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19570701
Well Depth:	678
Well Depth Unit:	ft
Well Hole Depth:	678
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-902
Latitude:	29.75527778000000
Longitude:	-95.6583333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
545	6 of 6	W	4.38 / 23,101.66	USGS-294518095393401 TX	FED USGS

Site No:	USGS-294518095393401
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	195005
Well Depth:	583
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-901
Latitude:	29.75527778000000
Longitude:	-95.6597222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
546	1 of 4	SSE	4.38 / 23,114.53	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6520224
Owner Name:	City of Houston
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1974
Well Depth:	1075
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7102194
Longitude:	-95.5731583
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520224&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520224&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
546	2 of 4	SSE	4.38 / 23,114.53	CITY OF HOUSTON TX	WUD

St Well No:	6520224
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CT
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CT
Date Drilled:	08/00/1974
Well Depth:	1080
Screen Top:	669
Screen Bottom:	1070
Gallons Per Minute:	1382
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.71022
Longitude:	-95.573158
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
546	3 of 4	SSE	4.38 / 23,114.53	Houston, City of TX	WW HARRIS GAL

Well ID:	1773	**Diameter (inches):**	20
Aggre Lead Well:	1003	**Year Drilled:**	1974
Permit No:	WP2023-117626	**Depth Drilled:**	1080
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	580
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.710277
Regulatory Aarea:	3	**Longitude:**	-95.573333

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
546	4 of 4	SSE	4.38 / 23,114.53	USGS-294237095342301 TX	FED USGS

Site No:	USGS-294237095342301
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	197408
Well Depth:	1080
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-224
Latitude:	29.71055556000000
Longitude:	-95.5733333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
547	1 of 3	SW	4.38 / 23,115.09	HOUSTON DURGA BARI SOCIETY TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	PRESIDENT
Primary Co:	SOOVO SEN
PWSID:	1013150
Source ID:	G1013150A
Utility Name:	HOUSTON DURGA BARI SOCIETY
WTRSRC:	G1013150A
Date Drilled:	06/02/2000
Well Depth:	300
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	20
Water Usage:	ACTIVE - PERMANENT
CCN:	
Latitude:	29.718836
Longitude:	-95.633061
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
547	2 of 3	SW	4.38 / 23,115.09	HOUSTON DURGA-BARI SOCIETY TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	06/02/2000
Owners Name:	HOUSTON DURGA-BARI SOCIETY
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	150
Depth Drilled:	300
Latitude:	29.719347
Longtiude:	-95.632421

Send original copy by certified return receipt requeste ail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER HOUSTON DURGA-BARI SOCIETY (Name) ADDRESS P.O. BOX 30-0512 (Street or RFD) HOUSTON (City) TX (State) 77230-0512 (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 13944 SCHILLER RD. (Street, RFD or other) HOUSTON (City) TEXAS (State) (Zip) Long. _____ Lat. _____ Grid # 65-19-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [X] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 5/31/ 00 Completed 6/2/ 2000

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
8	0	300

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	70	CLAY
70	150	SAND
150	160	CLAY
160	180	SAND
180	230	SHALE
230	300	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 STRING
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
5	N	PVC SDR 17 CASING	0	240	
2.5	"	" LINER	230	275	
"	"	" SCREEN	275	300	010

9) CEMENTING DATA
Cemented from 0 ft. to 240 ft. No. of sacks used 20
0 ft. to 10 ft. No. of sacks used 10
Method used HALLIBURTON
Cemented by SDI
Distance to septic system field lines or other concentrated contamination 300 ft.
Method of verification of above distance OB OWNERS VER.

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP: [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

10) SURFACE COMPLETION
[X] Specified Surface Slab Installed
[ ] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: 40+ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 150 ft. below land surface Date 6/2/00
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS: Type Depth
K-PACKER 230

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT DRILLING, INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839 WI

ADDRESS 11915 GREEN PINE CIRCLE (Street or RFD) HOUSTON, TEXAS 77066 (City) (State) (Zip)

(Signed) Scott Robinson (Licensed Well Driller) (Signed) D. J. Jusseaun (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
547	3 of 3	SW	4.38 / 23,115.09	Houston Durga Bari Society TX	WW HARRIS GAL

Well ID:	8305	**Diameter (inches):**	5
Aggre Lead Well:	8305	**Year Drilled:**	2000
Permit No:	WP2022-106600	**Depth Drilled:**	300
Permit Start Date:	6/1/2022 9:43:00 PM	**Depth frm Surf(ft):**	200
Permit End Dt:	5/31/2027	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.718888
Regulatory Aarea:	3	**Longitude:**	-95.633055
Owner Name:	Houston Durgabari Society		
Billing Contact:	Shibir Chowdhury		
Billing Address:	13944 Schiller Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
548	1 of 1	SE	4.39 / 23,171.15	R.E. Smith TX	GWDB

Well Rep Track No:	
State Well No:	6520202
Owner Name:	R.E. Smith
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1948
Well Depth:	618
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7183330
Longitude:	-95.5519450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520202&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520202&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
549	1 of 2	ENE	4.39 / 23,194.21	GENE ZOCH TX	TCEQ WELL LOGS

Grid No:	65-20-6
Date Drilled:	03/28/1991
Owners Name:	GENE ZOCH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	228
Depth Drilled:	401
Latitude:	29.8052896
Longtiude:	-95.529127

21

Send original copy by certified mail to: Texas Water Com ion, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER GENE ZOCH (Name) ADDRESS 4306 Langtry (Street or RFD) Houston (City) Tx. (State) 77041 (Zip)

2) LOCATION OF WELL: County HARRIS, _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)
1733 Elmview

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ SEE ATTACHED MAP on 65-20-3

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 3-27 19 91 Completed 3-28 19 91

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6 3/4"	Surface	390'
	3 7/8"	390'	401'

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16'	Top Soil & Clay
16	51'	Surface Sand
51	64'	Clay
64	80'	Sand
80	135'	Clay
135	154'	Sand
154	199'	Clay
199	223'	Sand
223	234'	Clay
234	242'	Sand
242	260'	Clay
260	280'	Sand
280	305'	Clay
305	311'	Sandy Clay
311	330'	Sand
330	341'	Clay
341	402'	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	Galvanized	0	390'	
2"	N	Galvanized	384'	391'	
2"	N	PVC	391'	401'	.012

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15' ft. No. of Sacks Used 6
340' ft. to 390' ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Bussell & Son

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS: Type Test: ☐ Pump ☐ Baller ☒ Jetted ☒ Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED JUN 18 1991 TEXAS WATER WELL DRILLERS BOARD

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 228' ft. below land surface Date 3-28-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type (2) K-Packers Depth 384'

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Tx. (State) 77377-0874 (Zip)

(Signed) Tommy Bussell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-20-6 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
549	2 of 2	ENE	4.39 / 23,194.21	GENE ZOCH TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	11/26/1990
Owners Name:	GENE ZOCH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	235
Depth Drilled:	402
Latitude:	29.8052896
Longtiude:	-95.529127

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Gene Zoch (Name) ADDRESS 4306 Lanstry (Street or RFD) Houston (City) TX (State) 77041 (Zip)

2) LOCATION OF WELL: 1733 Elmview
County Harris . ____ miles in ____ (NE, SW, etc.) direction from ____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ SEE ATTACHED MAP on 65-04-7

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 11-16 19 90 Completed 11-26 19 90

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
13 3/4	Surface	390
7 7/8	390	402

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	Top Soil & Clay
16	51	Surface Sand
51	64	Clay
64	80	Sand
80	135	Clay
135	154	Sand
154	199	Clay
199	223	Sand
223	234	Clay
234	242	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	390	
2	N	Galvanized	382	392	
2	N	PVC	392	402	.016

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 16 ft. No. of Sacks Used ____
290 ft. to 390 ft. No. of Sacks Used ____
Method used Halliburton
Cemented by Bussell & Son Inc

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☑ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 235 ft. below land surface Date 11-26-90
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
K-Packer	382

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

RECEIVED DEC 05 1990 TEXAS WATER COMMISSION

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Greg Bussell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-12-6 Located on map ____

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
242	260	CLAY
260	280	SAND
280	305	CLAY
305	311	SANDY CLAY
311	330	SAND
330	341	CLAY
341	402	SAND

RECEIVED
OCT 10 91
TEXAS WATER COMMISSION
RECORDS

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
550	1 of 5	E	4.40 / 23,233.84	Memorial Village TX	GWDB

Well Rep Track No:	
State Well No:	6512908
Owner Name:	Memorial Village
Drilling Start Dt:	
Drilling Month:	5
Drilling Day:	20
Drilling Year:	1955
Well Depth:	545
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7700000
Longitude:	-95.5172220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512908&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512908&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
550	2 of 5	E	4.40 / 23,233.84	Memorial Village Water Authority TX	GWDB

Well Rep Track No:	
State Well No:	6513749
Owner Name:	Memorial Village Water Authority
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1983
Well Depth:	1526
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7783330
Longitude:	-95.4986110
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6513749&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6513749&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
550	3 of 5	E	4.40 / 23,233.84	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6513749
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148D
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148D
Date Drilled:	00/00/1983
Well Depth:	1498
Screen Top:	974
Screen Bottom:	1460
Gallons Per Minute:	1239
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.76378632
Longitude:	-95.51872253
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
550	4 of 5	E	4.40 / 23,233.84	Memorial Villages Water Authority TX	WW HARRIS GAL

Well ID:	1485	**Diameter (inches):**	10
Aggre Lead Well:	1483	**Year Drilled:**	1960
Permit No:	WP2024-102119	**Depth Drilled:**	1570
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	989
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.763888
Regulatory Aarea:	2	**Longitude:**	-95.518888

Owner Name: Memorial Villages Water Authority
Billing Contact: NULL
Billing Address: 8955 Gaylord Street
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77024
Correspondence: NULL
Provision: E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
550	5 of 5	E	4.40 / 23,233.84	USGS-294641095295401 TX	FED USGS

Site No:	USGS-294641095295401
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19831113
Well Depth:	1526
Well Depth Unit:	ft
Well Hole Depth:	1600
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-13-749
Latitude:	29.77833333000000
Longitude:	-95.4986111000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
551	1 of 5	NW	4.40 / 23,255.26	Harris County Bear Creek Park TX	GWDB

Well Rep Track No:	
State Well No:	6511603
Owner Name:	Harris County Bear Creek Park
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1981
Well Depth:	379
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.8208330
Longitude:	-95.6400000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511603&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511603&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
551	2 of 5	NW	4.40 / 23,255.26	HARRIS COUNTY PCT 3 HOUSTON FARM & TX	WUD

St Well No:	6511603
Operating Status:	OPERATIONAL
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011896
Source ID:	G1011896A
Utility Name:	HARRIS COUNTY PCT 3 HOUSTON FARM &
WTRSRC:	G1011896A
Date Drilled:	09/22/1981
Well Depth:	400
Screen Top:	311
Screen Bottom:	378
Gallons Per Minute:	200
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.8194809
Longitude:	-95.64009857
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
551	3 of 5	NW	4.40 / 23,255.26	HARRIS CO BEAR CREEK PARK TX	TCEQ WELL LOGS

Grid No:	65-11-6J
Date Drilled:	09/22/1981
Owners Name:	HARRIS CO BEAR CREEK PARK
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	165
Depth Drilled:	400
Latitude:	29.8194809
Longtiude:	-95.6400986

✓ WW WL #33

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-6J
Located on map Yes
Received: ALW

1) OWNER Harris Co. Bear Creek Park (Name) Address 1001 Preston Ave., 7th Floor (Street or RFD) Hou. (City) TX (State) 77002 (Zip)

2) LOCATION OF WELL: County Harris Farm & Ranch Rd. 6 miles in N (N.E., S.W., etc.) direction from Aldicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Map on 65-11-2V

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☑ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG: Date drilled 9/22/81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
12 1/4"	Surface	400

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	13	Topsoil + Clay
13	66	Sand + Rock Ledges
66	114	Sand + Gravel
114	116	Clay
116	145	Fine Sand
145	215	Clay
215	240	Sand + Gravel (.025)
240	245	Sandy Clay
245	270	Sand (.025)
270	275	Clay
275	288	Sand (.014)
288	306	Sand (.020)
306	312	Clay
312	322	Sand (.016)
322	326	Clay
326	329	Sand
329	345	Clay
345	378	Sand
378	379	Rock
379	389	Clay
389	400	Sand

(Use reverse side if necessary) 2-84-15

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
8"	N	Black Steel (Weld End)	0	312	
6	N	S. S. R. B.	337	349	.014
6	N	S. S. R. B.	349	369	.032
6	N	S. S. R. B.	369	379	.030

CEMENTING DATA
Cemented from 0 ft. to 312 ft.
Method used Haliburton
Cemented by Russell + Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 165 ft. below land surface Date 9/25/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 350 gpm with 25 ft. drawdown after 6 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig Bussell (Type or Print) Water Well Drillers Registration No. 2035

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Craig Bussell (Water Well Driller) Bussell + Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
551	4 of 5	NW	4.40 / 23,255.26	Harris County - Bear Creek Farm and Ranch (Pct 4) TX	WW HARRIS GAL

Well ID:	3642	**Diameter (inches):**	8
Aggre Lead Well:	3642	**Year Drilled:**	1981
Permit No:	WP2024-113679	**Depth Drilled:**	680
Permit Start Date:	11/1/2024	**Depth frm Surf(ft):**	640
Permit End Dt:	10/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.819444
Regulatory Aarea:	3	**Longitude:**	-95.64
Owner Name:	Harris County		
Billing Contact:	NULL		
Billing Address:	1111 Fannin St., 8th Fl		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
551	5 of 5	NW	4.40 / 23,255.26	USGS-294914095382301 TX	FED USGS

Site No:	USGS-294914095382301
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19810922
Well Depth:	379
Well Depth Unit:	ft
Well Hole Depth:	400
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-603
Latitude:	29.82083333000000
Longitude:	-95.6400000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
552	1 of 1	NNE	4.41 / 23,282.20	JOHNSON, ROY TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	12/03/2001
Owners Name:	JOHNSON, ROY
County:	HARRIS
Water Usage:	SINGLE FAMILY RESID.
Static Level:	206
Depth Drilled:	374
Latitude:	29.8282634
Longtiude:	-95.5568069

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: JOHNSON, ROY ADDRESS: 3027 QUINCANNON CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-5
Street or RFD: LAT.-29-49.75 LONG.-095-33.45
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: SINGLE FAMILY RESID
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02224
DATE DRILLING:
STARTED: 10/02/01
COMPLETED: 12/03/01

DIAMETER OF HOLE

DIAMETER	FROM	TO
8.0	0	352
4.875	352	374

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	352	CASING
3.0	N	P.V.C. SCH.40	341	352	LINER
3.0	N	STAINLESS - ROD BASE	352	372	.008
3.0	N	P.V.C. SCH.40	372	374	LINER

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	5	FILL SOIL
5	32	CLAY-GRAY CLAY-TAN CLAY-RED
32	55	SAND-TAN-.006-.008
55	65	CLAY-GRAY
65	72	SAND-TAN-.006-.008
72	118	CLAY-RED
118	146	SAND-TAN-.006-.008
146	188	CLAY-RED
188	208	CLAY-RED BROKEN SAND & CLAY
208	252	SAND-TAN-.010-.012 SAND-TAN-.014-.020
252	279	CLAY-RED
279	336	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
336	352	CLAY-RED CLAY-BLUE
352	373	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
373	374	CLAY-RED

9) CEMENTING DATA:
Cemented from No. of Sacks Used
0 FT. TO 352 FT. 60
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
NO SEPTIC

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 206 FT. DATE: 10/05/01
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	341
K-PACKER	342

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 316

14) WELL TEST:
JETTED
YIELD: 60 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 374 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2843,2350
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Carl Lotter (LICENSED WATER WELL DRILLER)

(signed) _____ (REGISTERED DRILLER TRAINEE)

84493

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
553	1 of 5	W	4.42 / 23,345.80	CITY OF HOUSTON TX	WUD

St Well No:	6511917
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EM
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EM
Date Drilled:	05/26/1983
Well Depth:	1286
Screen Top:	633
Screen Bottom:	1266
Gallons Per Minute:	1360
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78315
Longitude:	-95.663704
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
553	2 of 5	W	4.42 / 23,345.80	CITY OF HOUSTON BELLAIRE WELL #3 TX	TCEQ WELL LOGS

Grid No: 65-19-3
Date Drilled: 03/29/1985
Owners Name: CITY OF HOUSTON BELLAIRE WELL #3
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 301
Depth Drilled: 1654
Latitude: 29.7831497
Longtiude: -95.6637039

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER City of Houston (Name) Address 8222 Fairdale (Street or RFD) Houston (City) TX (State) (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG: Bellaire Well No. 3
Date drilled 3/29/85

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
28	Surface	590
24	590	1326 TD

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 590 ft. to 1326 TD ft.

From (ft.)	To (ft.)	Description and color of formation material
		See attached Well log
		Chem. Analysis
		E-Log
754	795	16" W SS(WW) Barlay Screen 040
803	849	16"x14" Sludge
804	880	14" W SS(WW) Barlay Screen 040
949	985	4
1014	1048	4
1104	1130	4
1185	1225	4
1244	1300	4

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
24	N	Blank Steel csg	+3	590	
16	N	Blank Steel liner	401	403	
~~16~~	~~N~~	~~Sludge~~	~~803~~	~~803~~	
16	N	SS(WW) Barlay Screen	599	649	040
14	N	SS(WW) Barlay Screen	690	740	040

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from Surface ft. to 590 ft.
ft. to ft.
Method used Halliburton
Cemented by B.J. Titan

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 501 ft. below land surface Date 5/20/85
Artesian flow gpm. Date

12) PACKERS: Type Depth
None

13) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 467 ft.

14) WELL TESTS:
Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2023 gpm with 102 ft. drawdown after 4 hrs.

RECEIVED
FEB 18 1986
WATER Will.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Layne Texas Co (Type or Print) Water Well Driller's License No. 2A
ADDRESS Po Box 9469 (Street or RFD) Houston (City) TX (State) 77261 (Zip)
(Signed) Leland Lawson (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No.
Located on map

DEPARTMENT OF WATER RESOURCES COPY

DWR-0392 (12/29/83)

65-19-3 ✓ GWB

EDNA WOOD LABORATORI. INC

WATER TECHNOLOGISTS · CHEMISTS · MICROBIOLOGISTS

30 May 1985

To: Layne Texas Company
P. O. Box 9469
Houston, Texas 77261

SO #1102-2395

Sample marked: Bellaire #3, Sample #1, City of Houston, Bellaire 3 Plant - Harris County, Texas. Taken: 5-24-85 3 PM after 48 hours pumping at 2,023 gpm with Test pump. 10 min. static head: 311'. Pumping level: 392'. Screened: 600' to 1,300'. Appearance: Clear by H. D. Hinds

Received: 5-28-85

WATER ANALYSIS
results in parts per million (mg/l) except as noted

Dissolved Residue at 350° C		290	Conductance, micromhos/cm, 25°C		540
Total Dissolved Solids, actual†		404	Color, units		5
Total Dissolved Solids, calc.		410	Turbidity, units		0.22
Silica	SiO_2	24	As Calcium Carbonate, $CaCo_3$:		
Calcium	Ca	54	Phenolphthalein Alkalinity		0
Magnesium	Mg	7	Total Alkalinity		184
Sodium (diff.) Na + K as	Na	45	Total Hardness		162
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	17
Bicarbonate	HCO_3	224	pH . . . 7.34 at 22.5°C		
Sulfate	SO_4	10	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	46			
Total Fluoride	F	0.2			
Total Nitrate	NO_3	< 0.4			
Total Manganese *	Mn	0.01			
Total Iron *	Fe	0.02			
Iron, filtered sample	Fe	-			

*By Atomic Absorption.

RECEIVED
FEB 18 1986
TEXAS WATER COMMISSION

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

EDNA WOOD LABORATORIES, INC.
By: Alice Perry
Alice Perry, supervising Chemist

3933
pm

HOUSTON, TEXAS 77021

LAYNE TEXAS COMPANY
Houston * Dallas

WELL LOG

S.O.# 1102-2395
Page 1 of 2
File# 4109
Date: 3-29-85

CUSTOMER LOCATION

For: City of Houston

Location: 1 mi. W. of Highway 6 on Bellaire Blvd.

Survey: Field:

County: Harris State: Texas

Other Land Marks:

WELL DATA

Name Well: Bellaire Well# 3

Elevation: Datum:

RT C GR

Test Hole Size: 9 7/8" TD 1654'

Date Started Drilling: 3-18-85

Date Finished Drilling: 3-29-85

Driller: Hinds Rig# 2

Type Mud: Gel No. Sacks: 150

Electric Log: yes Type:

Survey: Eastman Type: Single Shot

Other: Prather

Depth Strata In Feet	Each Strata In Feet	Description Formation	Samples Depth In Feet	Samples Type	Samples Number
0		Surface			
10	10	Black Gumbo			
25	15	Red clay			
54	29	Sandy clay			
68	14	Hard clay			
95	27	Soft shale			
104	9	Soft shale			
132	28	Red clay			
199	67	Sandy shale			
238	39	White clay			
265	27	Shale			
301	36	Sand w/little shale			
328	27	Shale			
341	13	Sand layers & lime stks.			
367	26	Sand & sandy shale layers			
398	31	Shale & sandy layers			
452	54	Sand & sandy shale stks.			
486	34	Sandy shale & lime stks.			
506	20	Sand			
540	34	Sand & lime stks.			
549	9	Fine sand			
567	18	Sand & lime stks.			
574	7	Sand			
597	23	Shale			
657	60	Sand & shale stks.			
669	12	Shale			
674	5	Sand			
690	16	Shale			
732	42	Sand			
746	14	Sand with lime			
762	16	Shale			
786	24	Sand			
811	25	Sandy shale & broken sand layers			
846	35	Sand & sandy shale			
850	4	Sandy shale			
872	22	Sand & fine sandy shale layers			
880	8	Sandy shale			
884	4	Sand			

RECEIVED
FEB 18 1986
TEXAS WATER COMMISSION

CWB

S.O.# 1102-2395
Page 2 of 2


Depth Strata In Feet	Each Strata In Feet	Description Formation	Surface Depth In Feet	Surface Number	Surface Type
953	69	Shale			
963	10	Sand			
1015	52	Sandy shale			
1044	29	Fine sand			
1113	69	Shale			
1173	60	Fine sand			
1183	10	Sand w/shale stks.			
1204	21	Shale			
1257	53	Sand & sandy shale			
1300	43	Sand			
1345	45	Shale & sandy stks.			
1382	37	Shale			
1389	7	Hard clay			
1407	18	Sand & shale stks.			
1454	47	Shale			
1466	12	Lime & sand stks.			
1539	73	Shale & sandy shale			
1544	5	Sand			
1547	3	Shale & lime			
1554	7	Sand & sandy shale			
1562	8	Sandy shale			
1563	1	Rock			
1654	91	Sandy shale & lime stks.			

RECEIVED
FEB 18 1986
TEXAS WATER COMMISSION

CW3

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
553	3 of 5	W	4.42 / 23,345.80	MEMORIAL WEST WATER UTIL DIST TX	TCEQ WELL LOGS

Grid No: 65-11-9K
Date Drilled: 06/16/1971
Owners Name: MEMORIAL WEST WATER UTIL DIST
County: HARRIS
Water Usage: NOT REPORTED
Static Level: NOT REPORTED
Depth Drilled: 716
Latitude: 29.7831497
Longtiude: -95.6637039



65-11-9K

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-9K
Located on map Yes
Received: 7-27

1) OWNER:
Person having well drilled Memorial West Util. Dist. c/o E. Hinshaw Address 5051 Westheimer Houston 77027
(Name) (Street or RFD) (City) (State)

Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris _____ miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole _____ in. Depth drilled _____ ft. Depth of completed well _____ ft. Date drilled _____
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material

9) Casing:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type _____
Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bruce H. Claycomb (Type or Print) Water Well Drillers Registration No. 027

ADDRESS PO Box 9498 Houston 77011 Texas
(Street or RFD) (City) (State)

(Signed) [signature] (Water Well Driller) Layne Texas Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WW-53

Q-1661

65-11-7K

FORM NO. 28

State

LAYNE TEXAS COMPANY,
HOUSTON -:- DALLAS

REPORT NO. 8645
S. O. 1104-433
PAGE 1 of 1
FILE NO. 3531-71
DATE 6/16/71

WELL LOG

CUSTOMER LOCATION

FOR Memorial West Utility District

LOCATION WELL Near Addicks Reservoir

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS

WELL DATA

NAME WELL WELL NO. 1

ELEVATION DATUM

RT C GR

TEST HOLE SIZE 6-5/8" TD 750'

DATE STARTED DRILLING 6-14-71

DATE FINISHED DRILLING 6-16-71

DRILLER Atchison RIG NO. 20

TYPE MUD Gel NO. SACKS 8

ELECTRIC LOG Yes TYPE Widco

SURVEY Eastman TYPE Single-shot

OTHER driller: Weaver

DEPTH STRATA	EACH STRATUM	DESCRIPTION FORMATION	SAMPLES		
			DEPTH	TYPE	NUMBER
2	2	Top soil			
16	14	Clay with sand streaks			
32	16	Sand			
72	40	Clay with streaks of sand			
98	26	Sandy clay with sand			
134	36	Sand			
157	23	Sandy clay with sand			
165	8	Tuff shale			
188	23	Sand (broken)			
207	19	Sand with sandy clay			
218	11	Sandy clay & shale			
259	41	Sand with hard streaks			
265	6	Sandy shale			
323	58	Hard sand & gravel, layers of shale			
329	6	Sandy shale with sand			
342	13	Sand (broken) & gravel			
347	5	Sandy shale with sand			
363	16	Sand (broken) & hard streaks			
380	17	Hard sand & gravel			
390	10	Sandy shale			
400	10	Hard sand & gravel			
420	20	Shale & sandy shale			
430	10	Hard sand & shale			
441	11	Sandy clay with sand			
457	16	Sand (broken)			
472	15	Hard shale with sand			
492	20	Sand (broken)			
504	12	Shale, sand & hard streaks			
512	8	Sandy shale with sand			
522	10	Sand (broken)			
532	10	Sandy shale with sand			
563	31	Broken sand with hard streaks			
570	7	Sandy shale w/strks. of sand			
595	25	Sand & shale breaks			
600	5	Sandy shale with sand			
627	27	Sand & shale breaks			
639	12	Sandy clay with sand			
664	25	Shale with sand			
725	61	Sand with shale			
750	25	Hard sandy shale			

R-1661

FORM NO 1202 - IM - 8-51 - B&L

THE LAYNE TEXAS COMPANY, LTD.

HOUSTON -:- DALLAS

REPORT NO. 8646
S. O. 1104-433
PAGE 1 OF 1
FILE NO. 3531-71
DATE 7/14/71

MATERIAL SETTING

CUSTOMER LOCATION

FOR Memorial West Utility District

LOCATION WELL Near Addicks Reservoir

SURVEY FIELD

COUNTY Harris STATE Texas

OTHER LAND MARKS At La Cour Du Roi

WELL DATA

NAME WELL WELL NO. 1

ELEVATION DATUM

TYPE WELL Gravel-wall

SURFACE CASING CEMENTED Yes NO. SACKS 96+8% Gel

SIZE HOLE UNDERREAMED 18" DEPTH 570-716'

GRAVEL TYPE 112-113- NO. CU. YDS 21

TYPE SCREEN S.S. W.W. Bar- Lug GAGE .045"


DRILLER D. Atchison NO. 20

OTHER

DEPTH	LENGTH	SIZE, KIND, WEIGHT MATERIAL
+2'		8-5/8" O.D. surface casing, 24.70#
0		Surface
470'		Top of 4½" O.D. liner
570'	572'	8-5/8" O.D. surface casing, 24.70#
580'	110'	4½" O.D. blank liner 11.00#
600'	20'	4½" O.D. S.S. W.W. Barlug screen .045" ga.
620'	20'	4½" O.D. blank liner 11.00#
630'	10'	4½" O.D. S.S. W.W. Barlug screen .045" ga.
670'	40'	4½" O.D. blank liner 11.00#
690'	20'	4½" O.D. S.S. W.W. Barlug screen .045" ga.
696'	6'	4½" O.D. blank liner 11.00#
706'	10'	4½" O.D. S.S. W.W. Barlug screen .045" ga.
714'	8'	4½" O.D. blank liner 11.00#
716'	2'	4½" O.D. set nipple & back pressure valve

Total depth 716 ft.

SKETCH



Q-1661

REPORT NO. 8647
S. O. 1104-433
PAGE 1 of 1
FILE NO. 3531-71
DATE 7/14/71

LAYNE TEXAS COMPANY

HOUSTON -:- DALLAS

WATER WELL TEST

CUSTOMER LOCATION

TEST FOR Memorial West Utility District
LOCATION OF WELL Near Addicks Reservoir
SURVEY FIELD
COUNTY Harris STATE Texas
DESCRIPTION OF LAND MARKS La Cour Du Roi

WELL DATA

NAME WELL WELL NO. 1
ELEVATION DATUM
WELL SIZE 8" x 4" x 18" UR
TOTAL DEPTH 716' TOP SCREEN 500-580
GRAVEL WELL Yes STRAIGHT WELL
TYPE SCREEN S.S. W.W. GAGE .045"
TEMPERATURE OF WATER Barlug
WATER CONDITION Clear

WATER MEASURING DEVICE

ORIFICE SIZE 4"x3" LENGTH 10'
OTHER

TEST PUMP DATA

DEPTH SETTING TOP OF BOWL 300'
LENGTH AIR LINE 300' SIZE 1/4"
TYPE BOWL RKLC 8" NO. STAGES 12
LENGTH BOWL SUCTION LT.

SAND CONTENT OZ. PER 100 GAL.

ACTIVE STATIC HEAD AFTER PUMP STOPPED

5 MIN. 157 FT. 20 MIN. 154 FT.
10 MIN. 154 FT. 25 MIN. 154 FT.
15 MIN. 154 FT. 30 MIN. 154 FT.
S.L. before start 150 ft.

WATER SAMPLE TAKEN Yes NO. SAMPLES 1
BACTERIOLOGICAL SAMPLE TAKEN
DRAWDOWN SPECIFIC CAPACITY

DATE HOUR	AIR LINE GAGE	PUMPING LEVEL	DISCH. PRESS.	HEAD ON ORIFICE INCHES	GPM	RPM	OPERATOR	REMARKS
7/9/71								
7:30 AM				19	183			Few grains sand
8:00	110	190		19½	185			
8:30	109	191		19+	183			
9:00	108	192		19	183			
9:30	107	193		19	183			No trace sand
10:00	106½	193½		19+	183			
10:30	106½	193½		19	183			
11:00	106	194		19	183			
11:30	106	194		19	183			
12:00 N	106	194		19-	183			
12:30 PM	106	194		19-	183			
1:00	105½	194½		19	183			
1:30	105	195		19½	185			
2:00	105	195		19	183			
2:30	105	195		19	183			
3:00	104½	195½		19+	183			
3:30	104½	195½		19	183			

OBSERVERS

FOR OWNER

D. E. Atchison
FOR LAYNE TEXAS CO.

Q-1667

EDNA WOOD LABORATORIES

WATER TECHNOLOGISTS . . CHEMISTS . . MICROBIOLOGISTS

14 July 1971

To: Layne Texas Company
Houston, Texas

SO #1104-433

Sample marked: Memorial West U.D. Taken after 8 hrs. pumping at 183 gpm.
Static Head: 150' - at 10 min. 154'. Pumping Level: 193'
Screened: 580-590' - 620-630' - 670-690' - 696-706'
Water Clear. D. E. Atchison

Received: 7-12-71

WATER ANALYSIS
results in parts per million (mg/1) except as noted

Dissolved Residue at 350°C		285	Conductance, micromhos/cm, 25°C		496
Total Dissolved Solids, actual†		397	Color, units		2
Total Dissolved Solids, calc.		398	Turbidity, units		< 1
Silica	SiO_2	25	As Calcium Carbonate, $CaCO_3$:		
Calcium	Ca	54	Phenolphthalein Alkalinity		0
Magnesium	Mg	9	Total Alkalinity		180
Sodium (diff.) Na + K as	Na	38	Total Hardness		170
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	9
Bicarbonate	HCO_3	220	pH 7.55		
Sulfate	SO_4	4	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	47	Calcium Bicarbonate		218
Total Iron	Fe	0.08	Magnesium Bicarbonate		52
Total Fluoride	F	0.2	Sodium Bicarbonate		18
Total Nitrate	NO_3	1.2	Sodium Sulfate		5
Total Manganese	Mn	< 0.02	Sodium Chloride		77
			Sodium Fluoride		1
			Sodium Nitrate		2
			Silica		25
			Total Dissolved Solids, calc.		398

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

EDNA WOOD LABORATORIES

By: Edna Wood
Edna Wood

7816 - md

Q-1661

Tel: (713) 747-7271 · P. O. BOX 14171 · 4820 OLD SPANISH TRAIL · HOUSTON, TEXAS 77021

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
553	4 of 5	W	4.42 / 23,345.80	Houston, City of TX	WW HARRIS GAL

Well ID:	3811	**Diameter (inches):**	20
Aggre Lead Well:	1003	**Year Drilled:**	1982
Permit No:	WP2023-117626	**Depth Drilled:**	1200
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	650
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.783333
Regulatory Aarea:	3	**Longitude:**	-95.663611
Owner Name:	Memorial West -2 #3		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
553	5 of 5	W	4.42 / 23,345.80	USGS-294702095394001 TX	FED USGS

Site No:	USGS-294702095394001
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19830526
Well Depth:	1288
Well Depth Unit:	ft
Well Hole Depth:	1301
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-917
Latitude:	29.78305556000000
Longitude:	-95.6638889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
554	1 of 1	ENE	4.42 / 23,355.49	ROBERT VICKERS TX	TCEQ WELL LOGS

Grid No:	65-12-5U
Date Drilled:	09/27/1979
Owners Name:	ROBERT VICKERS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	15
Depth Drilled:	47
Latitude:	29.8078817
Longtiude:	-95.5304475

WL #15 (15)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-511
Located on map YES
Received: C.F.S.

1) OWNER Robert Vickers (Name) Address P.O. Box 40232 (Street or RFD) Houston (City) Texas (State) 77040 (Zip)

2) LOCATION OF WELL: Crestdale
County Harris miles in (N.E., S.W., etc.) direction from (Town)

☐ Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☐ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 9/27/79

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6¼"		47

From (ft.) | To (ft.) | Description and color of formation material

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Plastic	0	41'	
4"	N	Plastic	41'	47'	.010

CEMENTING DATA
Cemented from ft. to ft.
Method used
Cemented by (Company or Individual)

9) WATER LEVEL:
Static level 15 ft. below land surface Date 9-27-79
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
JUN 2 1982
CR-TDWR
(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 42 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9789 N. Houston Rosslyn (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

(Signed) Tommy C. Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
555	1 of 4	SW	4.42 / 23,362.98	BETHEL LUTHERAN CHURCH TX	TCEQ WELL LOGS

Grid No:	65-19-6H
Date Drilled:	11/08/1982
Owners Name:	BETHEL LUTHERAN CHURCH
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	148
Depth Drilled:	276
Latitude:	29.7192686
Longtiude:	-95.6336609

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-19-6H
Located on map yes
Received: C.F.S.

1) OWNER Bethel Lutheran Church Address 13950 Schiller Rd., Houston, Texas 77082
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 5 miles in N (N.E., S.W., etc.) direction from Sugarland (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. 4

☐ Legal description:
Section No. ____ Lot ~~Block~~ No. 7 Subdivision ~~Township~~ J.M. Forst 312
Abstract No. ____ Survey Name H.C.M.R.
Distance and direction from two intersecting section or survey lines ____
☐ See attached map. Mapson Fort Bend Co. 65-27-4W

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
5½	Surface	276

Date drilled 11-8-82

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top Soil
1	25	Clay
25	50	Sand
50	70	Clay
70	147	Sand
147	160	Clay
160	190	Sand
190	235	Clay
235	247	Sand
247	255	Clay
255	275	Coarse Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2"	N	10' Plastic Screen	265	275	

CEMENTING DATA
Cemented from ____ ft. to ____ ft.
Method used ____
Cemented by ____ (Company or Individual)

9) WATER LEVEL:
Static level 148 ft. below land surface Date 11-8-82
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

RECEIVED
JAN 18 1983
DEPT. OF WATER RESOURCES

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No


12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Henry Ondrey Jr. (Type or Print) Water Well Drillers Registration No. 1043
ADDRESS Rt. 1 Box 58A, (Street or RFD) Rosenberg, (City) Texas (State) 77471 (Zip)
(Signed) Henry Ondrey Jr. (Water Well Driller) Ondrey Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

DWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY


For TDWR use only
LEGEND
Schultz Rd

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
555	2 of 4	SW	4.42 / 23,362.98	House on the Word TX	WW HARRIS GAL

Well ID:	13888	**Diameter (inches):**	5
Aggre Lead Well:	13888	**Year Drilled:**	0
Permit No:	WP2023-104165	**Depth Drilled:**	430
Permit Start Date:	5/1/2023	**Depth frm Surf(ft):**	410
Permit End Dt:	4/30/2028	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.718888
Regulatory Aarea:	3	**Longitude:**	-95.633888
Owner Name:	House on the Word		
Billing Contact:	Mr. Steve Sayebo		
Billing Address:	13950 Schiller Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	Motara Somuyiwa		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
555	3 of 4	SW	4.42 / 23,362.98	House On The Word TX	WW HARRIS GAL

Well ID:	8647	**Diameter (inches):**	4
Aggre Lead Well:	8647	**Year Drilled:**	
Permit No:	W2018-8647-196078-0	**Depth Drilled:**	0
Permit Start Date:	5/1/2018	**Depth frm Surf(ft):**	0
Permit End Dt:	5/1/2018	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.718888
Regulatory Aarea:	3	**Longitude:**	-95.633888
Owner Name:	House on the Word		
Billing Contact:	Pastor Steve Soyebo		
Billing Address:	13950 Schiller Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
555	4 of 4	SW	4.42 / 23,362.98	House of the Word 13950 Schiller Houston TX 77082	SDRW WELLS

Track NO:	481890
Date Submitted:	2018-06-13
Owner Name:	House of the Word
Owner Address:	13950 Schiller
Owner Address2:	
Owner City:	Houston
Owner State:	TX
Owner Zip:	77082
County:	Harris
Type of Work:	Replacement
Typ of Wrk Oth Descr:	
Proposed Use:	Domestic
Prop Use Oth Descr:	
Latitude:	29.718333
Longitude:	-95.633611
Drilling Date Started:	2018-04-19
Drilling Date Completed:	2018-04-20
Chemical Analysis:	No
Company Name:	Scott Drilling Inc.
Company Address:	11923 Green Pines Circle
CompanyAddress2:	
Company City:	Houston
Company State:	TX
Company Zip:	77066
Company Country:	
Data Source:	Full SDR Database; SDRDB Well Location (Map)
Report Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=481890&Type=SDR-Well

Well Borehole Information

Top Depth:	0
Bottom Depth:	405
Top Depth:	
Bottom Depth:	405.0

Well Levels

Measurement:	175
Measurement Date:	2018-06-13

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
556	1 of 6	E	4.43 / 23,388.03	Memorial Village TX	GWDB

Well Rep Track No:
State Well No: 6512930
Owner Name: Memorial Village
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1964
Well Depth: 1235
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7636120
Longitude: -95.5188890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512930&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512930&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
556	2 of 6	E	4.43 / 23,388.03	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512930
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148C
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148C
Date Drilled:	00/00/1964
Well Depth:	1235
Screen Top:	955
Screen Bottom:	1232
Gallons Per Minute:	1681
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.78251457
Longitude:	-95.51960754
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
556	3 of 6	E	4.43 / 23,388.03	M.W. WATER AUTHORITY/ MEMORIAL VILLAGE #6 TX	TCEQ WELL LOGS

Grid No: 65-12-9Q
Date Drilled: 11/13/1983
Owners Name: M.W. WATER AUTHORITY/ MEMORIAL VILLAGE #6
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 392.40
Depth Drilled: 1600
Latitude: 29.7825313
Longtiude: -95.5186543

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER M.V. Water Authority (Name) Address (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris County — Memorial Village #6 miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. log in pocket

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 11/13/83

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
		See Attached Sheet

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
		See Attached Drawing			

CEMENTING DATA
Cemented from ft. to ft.
Method used Halliburton
Cemented by Dowell (Company or Individual)

RECEIVED
JUL 27 1984
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 392.40 ft. below land surface Date 2/10/84
Artesian flow gpm. Date

10) PACKERS: Type Depth
N/A

11) TYPE PUMP: ☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: ☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2,006 gpm with 53 ft. drawdown after 48 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Alsay-Texas Corporation (Type or Print) Water Well Driller's License No. 2016

ADDRESS 6615 Gant Street (Street or RFD) Houston (City) Texas (State) 77066 (Zip)

(Signed) A.C. England (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-4Q
Located on map V-5 DNF

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

eb

EDNA WOOD LABORATO[illegible]S, INC.

WATER TECHNOLOGISTS · · CHEMISTS · · MICROBIOLOGISTS

15 February 1984

To: Alsay Texas Company
6615 Gant
Houston, Texas 77066

P. O. No. A09809

For: Mr. Brent Collins

Sample marked: Memorial Village 2-10-84 10:00 AM

Received: 2-10-84

WATER ANALYSIS
results in parts per million (mg/l) except as noted

Dissolved Residue at 350° C		286	Conductance, micromhos/cm, 25°C		486
Total Dissolved Solids, actual†		414	Color, units		0
Total Dissolved Solids, calc.		426	Turbidity, units		0.6
Silica	SiO_2	18	As Calcium Carbonate, $CaCo_3$:		
Calcium	Ca	22	Phenolphthalein Alkalinity		0
Magnesium	Mg	4	Total Alkalinity		206
Sodium (diff.) Na + K as	Na	88	Total Hardness		70
Carbonate	CO_3	0	Free Carbon Dioxide	CO_2	10
Bicarbonate	HCO_3	251	pH · · · 7.58 at 25°C		
Sulfate	SO_4	15	HYPOTHETICAL COMBINATIONS		
Chloride	Cl	28			
Total Fluoride	F	0.5			
Total Nitrate	NO_3	< 0.4			
*Total Manganese	Mn	< 0.01			
*Total Iron	Fe	0.10			
Iron, filtered sample	Fe	-			

*By Atomic Absorption

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

8996
pm

EDNA WOOD LABORATORIES, INC.

By: Alice Perry

Alice Perry, Supervising Chemist

MEMORIAL VILLAGES #6
DRILLER'S LOG

11/13/83

DEPTH	DESCRIPTION
-5-0	Substructure
0-2	Sub Soil
2-15	Clay Red
15-64	Sand White
64-82	Clay Red
82-118	Sand White w/clay
118-125	Clay gray
125-160	Sand white & Black
160-223	Sand white & w/clay
223-255	Sand w/gray clay
255-300	Sand white & black
300-314	Clay gray clay
314-385	Sand w/gravel
385-402	Clay white
402-513	Sand w/traces white clay
513-575	Clay w/sand stringers
575-625	Sand tan & white
625-730	Sand w/clay stringers
730-779	Shale gray
799-850	Sand tan
850-940	Clay tan to white
940-970	Sand tan
970-994	Clay white
994-1194	Sand w/shale stringers
1194-1375	Shale gray & brown
1375-1395	Sand tan
1395-1420	Shale gray & brown
1420-1480	Sand tan to gray
1480-1600	Shale w/sand stringers


CB

WELL LOG and MATERIAL REPORT

CUSTOMER Memorial Village Water Authority — WELL NO. No. 6

LOCATION Memorial Village No. 6 — COMPLETED

ADDRESS — CONTRACT NO.



DIMENSIONS:

A — 1526'
B — 780'
C — 680'
D — 106'
E — 5'
F — 575'
G — 20'
H — 26" Diam.
I — 34" Diam.
J — 392.40

Size 20"
Weight 78.6/lb-ft
Wall .375"

J (Static Level)

H

Size 14"
Weight 48.18lb-ft
Wall .330"

Size 14"
Type R. Base
Material S.S.
Gauge
Opening .035

I

PUMP DATA: Serial

Bowl Assembly ... Stage, Size ... Model

Discharge Column — Setting ... Feet

Size — ... Pipe ... Tubing ... Shaft

Head-Type ... Size Discharge

Suction, Length ... Size

Design Conditions: — ... USGPM ... TDH

Manufacturing:

MOTOR DATA:

HP ... Make ... Speed

Voltage ... Frame ... Type

Serial No.

Calculated Thrust:

Thrust Capacity:

REMARKS:

SCREEN & BLANK LINER LAYOUT:

Depth	Blank	Screen

See Attached

ALSAY-TEXAS CORPORATION
Industrial & Municipal Water Wells
Well and Pump Workover
6615 Gant St. Houston, Texas 77066
(713) 444-6960 Telex: 792838


MEMORIAL VILLAGES #6
RECOMMENDED MATERIALS SETTINGS 11/13/83

DEPTH		14" Blank	14" Screen
680 - 786'		106'	
786 - 848'			62'
848 - 942'		94'	
942 - 970'			28'
970 - 992'		22'	
992 - 1068'			76'
1068 - 1078'		10'	
1078 - 1148'			70'
1148 - 1162'		14'	
1162 - 1200'			38'
1200 - 1324'		124'	
1324 - 1332'			8'
1332 - 1374'		42'	
1374 - 1394'			20'
1394 - 1418'		24'	
1418 - 1480'			62'
1480 - 1490'		10'	
1490 - 1506'			16'
1506 - 1526'	Back pressure valves, mule shoe	20'	
		466'	380'

TOTAL RECOMMENDED MATERIALS

20" Surface Casing	=	780'
14" Blank Liner	=	466'
14" Screen	=	380'
1-1/2" Measuring Tube	=	675'

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
556	4 of 6	E	4.43 / 23,388.03	MEMORIAL DRIVE COUNTRY CLUB TX	WW HARRIS GAL

Well ID:	3208	**Diameter (inches):**	6
Aggre Lead Well:	3208	**Year Drilled:**	1953
Permit No:	W1983-3208-17754-0	**Depth Drilled:**	367
Permit Start Date:	6/1/1983	**Depth frm Surf(ft):**	337
Permit End Dt:	5/31/1984	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.761111
Regulatory Aarea:	2	**Longitude:**	-95.501944
Owner Name:	MEMORIAL DRIVE COUNTRY CLUB		
Billing Contact:	NULL		
Billing Address:	201 VOSS Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
556	5 of 6	E	4.43 / 23,388.03	Memorial Villages Water Authority TX	WW HARRIS GAL

Well ID:	3924	**Diameter (inches):**	18
Aggre Lead Well:	1483	**Year Drilled:**	1990
Permit No:	WP2024-102119	**Depth Drilled:**	1620
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	810
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7825
Regulatory Aarea:	2	**Longitude:**	-95.519722
Owner Name:	Memorial Villages Water Authority		
Billing Contact:	NULL		
Billing Address:	8955 Gaylord Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
556	6 of 6	E	4.43 / 23,388.03	USGS-294548095310701 TX	FED USGS

Site No:	USGS-294548095310701
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19641001
Well Depth:	1235
Well Depth Unit:	ft
Well Hole Depth:	1604
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-930
Latitude:	29.76361110000000
Longitude:	-95.5188889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
557	1 of 2	ENE	4.43 / 23,391.60	THOMAS CRIAG CONSTRUCTION, INC. TX	TCEQ WELL LOGS

Grid No: 65-13-4
Date Drilled: 07/30/2001
Owners Name: THOMAS CRIAG CONSTRUCTION, INC.
County: HARRIS
Water Usage: DOMESTIC
Static Level: 18
Depth Drilled: 50
Latitude: 29.8051325
Longtiude: -95.5282875

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Thomas Craig Construction, Inc.	1724 Elmview	Houston	TX	77055

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	1724 Elmview	Houston	TX	77055

Lat. | Long. | Grid # 65-13-4

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 7/30/01
Completed 7/30/01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5"	0	50

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	16	clay
16	41	Sand
41		Rock
41	47	Sand
47		Rock
47	50	Shale

RECEIVED
TDLR MAIL ROOM
SEP 27 2001
RECEIPT # | AMOUNT

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
2"	N	Casing	0	37	SCH40
2"	N	Screen	37	47	.008

9) Cementing Data
Cementing from 37 ft. to 0 ft. # of sacks used 12
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance Customer

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used
FILED SEP 19 2001 HARRIS CO

14) Typepump
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

11) Water Level
Static level 18 ft. below Date 7/30/01
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 10 gpm with 5 ft. drawdown after 1 hrs.

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

12) Packers Type Depth
None

Company or individual's Name (type or print)	Raymond Services, Inc. 4577WI			
Address	10011 Airline Drive	City Houston	State TX	Zip 77037
Signature Licensed Driller/Pump Installer	7/30/01 Date	Signature Zachary Apprentice	7/30/01 Date	

TDLR FORM 001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
557	2 of 2	ENE	4.43 / 23,391.60	RFallin Series, LLC TX	WW HARRIS GAL

Well ID:	8789	**Diameter (inches):**	2
Aggre Lead Well:	8789	**Year Drilled:**	2001
Permit No:	WP2024-105955	**Depth Drilled:**	50
Permit Start Date:	6/1/2024 3:53:00 PM	**Depth frm Surf(ft):**	40
Permit End Dt:	5/31/2025 3:53:00 PM	**County:**	H
Well Status:	1 - No electric	**Latitude:**	29.804722
Regulatory Aarea:	3	**Longitude:**	-95.528333
Owner Name:	1730-1734 Elmview, LLC		
Billing Contact:	NULL		
Billing Address:	9545 Katy Frwy, Suite 100		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	Richard Fallin (1730 Elmview Drive)		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
558	1 of 1	ESE	4.44 / 23,417.41	DR MOOL NIGAN TX	TCEQ WELL LOGS

Grid No: 65-21-1
Date Drilled: 07/24/1990
Owners Name: DR MOOL NIGAN
County: HARRIS
Water Usage: IRRIGATION
Static Level: 215
Depth Drilled: 402
Latitude: 29.7493531
Longtiude: -95.5221616

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Dr Mool Nigam (Name) Address #8 Carlton Park (Street or RFD) Houston (City) TX (State) (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☑ See attached map. 0765-10-3

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☑ Irrigation ☐ Test Well ☐ Injection ☐ Other

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other

6) WELL LOG:
Date Drilling: Started 11-14 1989 Completed 7-24 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	385
4 3/4	385	402

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Two String
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	CLAY + white SAND
20	40	SAND + red clay
40	60	red CLAY
60	80	white CLAY
80	100	"
100	120	"
120	140	"
140	160	SAND
160	180	SAND + gravel
180	200	SAND + CLAY
200	220	CLAY
220	240	"
240	260	"
260	280	"
280	300	CLAY + SAND
300	320	CLAY
320	340	CLAY + SAND
340	360	CLAY + SAND
360	380	red CLAY
380	402	Sandy

RECEIVED
AUG 9 1990
TEXAS WATER COMMISSION

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
4"	N	Sch 40	0	385	40	
2½	N	sch 80 BLANK	380	390	80	
2½	N	under-wrap plt. .010 gage	390	402		80

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 385 ft. to 300 ft. No. of Sacks Used 16
0 ft. to 15 ft. No. of Sacks Used 3
Method used Haliburton
Cemented by Geophysical Drilling Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☑ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 215 ft. below land surface Date 7-24-90
Artesian flow gpm. Date

12) PACKERS: Type Depth
Formation 15'
Charlie R. Packer 2½ 380'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 75 gpm with ft. drawdown after hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drilling Inc (Type or Print) Water Well Driller's License No. #2888

ADDRESS PO Box 664 (Street or RFD) Fulshear (City), TEXAS (State) 77441 (Zip)

(Signed) Greg Hill (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65 21-1
Located on map

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
559	1 of 1	NNE	4.44 / 23,424.14	Metronational TX	WW HARRIS GAL

Well ID:	8723	**Diameter (inches):**	6
Aggre Lead Well:	8723	**Year Drilled:**	
Permit No:	W2002-8723-103134-0	**Depth Drilled:**	500
Permit Start Date:	6/1/2002	**Depth frm Surf(ft):**	480
Permit End Dt:	6/1/2002	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.828333
Regulatory Aarea:	3	**Longitude:**	-95.556388
Owner Name:	Metronational		
Billing Contact:	Scott Price		
Billing Address:	820 Gessner		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	(Lory Park)		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
560	1 of 1	SW	4.45 / 23,473.78	HOUSTON PATIO TX	TCEQ WELL LOGS

Grid No:	65-19-3BB
Date Drilled:	11/14/1984
Owners Name:	HOUSTON PATIO
County:	HARRIS
Water Usage:	XMAS TREE LOT
Static Level:	130
Depth Drilled:	246
Latitude:	29.727982
Longtiude:	-95.6456

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER HOUSTON PATIO. (Name) Address 8725 WEST LOOP SO. (Street or RFD) HOUSTON (City) TEX (State) (Zip)

2) LOCATION OF WELL: County HARRIS 2 miles in WEST (N.E., S.W., etc.) direction from HOUSTON, TEX (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. RICHMOND AT FM 6

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): X MAS TREE LOT ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled NOV. 14. 84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	225
3 7/8	225	246

From (ft.)	To (ft.)	Description and color of formation material
0	40	CLAY.
40	47	SAND
47	66	CLAY.
66	109	SAND
109	191	CLAY.
191	246	SAND

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other TWO-STRING.
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC.	0	225	40
2 1/2	N	GALVANIZE	225	229	40
2 1/2	N	PVC. SCREEN	229	246	#40

CEMENTING DATA
Cemented from 100 ft. to 225 ft.
Method used PUMP
Cemented by BODE DRILLING CO. INC. (Company or Individual)

9) WATER LEVEL:
Static level 130 ft. below land surface Date NOV. 14. 84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
JAN - 4 1985
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata 55
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME BODE DRILLING CO. INC. (Type or Print) Water Well Driller's License No. 46

ADDRESS PO BOX 90067. (Street or RFD) HOUSTON. (City) TEX. (State) 77290 (Zip)

(Signed) C. E. Bode (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-19-308
Located on map Yes DLF

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
561	1 of 1	ESE	4.45 / 23,495.86	WALKER, DAVID & KATHY TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	03/09/1998
Owners Name:	WALKER, DAVID & KATHY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	190
Depth Drilled:	392
Latitude:	29.74432
Longtiude:	-95.524318

STATE TEXAS WATER WELL REPORT

OWNER: WALKER, DAVID & KATHY ADDRESS: 11607 ARROWWOOD CITY: HOUSTON STATE: TX ZIP: -
LOCATION OF WELL: County: HARRIS 0 miles in NW direction from HOUSTON

GAL DESCRIPTION:
Section No.: F-7 Block No.: NW Township: HOUSTON
Abstract No.: ARROWWOOD Survey Name:
Distance and direction from two intersecting section or survey lines: WESTHEIMER & FONDREN

65-20-3
65-20-3

TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

WELL LOG: 18454 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO
6.5 0 392 STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

ATE DRILLED: 03/09/98

EOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
	3	TOP SOIL
	24	CLAY
4	31	SAND
1	80	CLAY
0	123	SAND
23	165	CLAY
65	184	SAND
84	195	CLAY
95	224	SAND
24	251	CLAY
51	260	SAND
60	266	CLAY
66	287	SAND
87	289	CLAY
89	301	SAND
01	304	CLAY
04	310	SAND
10	332	CLAY
32	354	SAND
54	358	CLAY
58	390	SAND
90	392	CLAY

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	360	WW
2.5	N	GALVANIZED LINER	341	362	WW
2.5	N	SUPERFLO SCREEN	362	392	12

9) CEMENTING DATA:
Cemented from 360 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 190 FT. DATE: 03/09/98
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
B P VALVE 341

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 30 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 32 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877,4111,4883,
ADDRESS: 14405 GARDEN RD CITY: PEARLAND STATE: TX ZIP CODE: 77581

FILE ID
FOR TDWR USE ONLY
WELL NO.
LOCATED ON MAP
SEP 03 1998
SEQ #
DESC CO
TEMP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THROUGH 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Angel Bautista (LICENSED WATER WELL DRILLER)

(signed) _____ (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
562	1 of 1	ESE	4.45 / 23,496.17	JOHN MCMAHON TX	TCEQ WELL LOGS

Grid No: 65-20-3
Date Drilled: 12/05/1997
Owners Name: JOHN MCMAHON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 202
Depth Drilled: 385
Latitude: 29.74107
Longtiude: -95.526198

Send original copy by certified return receipt requested m TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER JOHN MCMAHON (Name) ADDRESS #25 E. Shady LN. Houston TX 77063 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris #25 E Shady LN. Houston TX 77063 (Street, RFD or other) (City) (State) (Zip) GRID # 65 20-3

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling: Started 12-4 1997 Completed 12-05 1997

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	365
3 7/8	365	385

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	22	TOP Soil & CLAY
22	47	SURFACE SAND
47	116	CLAY
116	145	SANDY CLAY
145	223	SAND
223	261	SANDY CLAY
261	308	SAND
308	340	CLAY
340	385	SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	365	
2	N	GALVANIZED	355	365	
2	N	PVC SCREENS	365	385	.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 8
315 ft. to 365 ft. No. of sacks used 3
Method used HALLIBURTON / TRIMMC
Cemented by BUSSELL & Son INC
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 202 ft. below land surface Date 12-5-97
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
RUBBER PACKER	355

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 280 ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 50 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

FEB 04 1998

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & Son INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
563	1 of 1	ENE	4.46 / 23,528.88	AUTOTRONIC SYSTEM, INC. TX	TCEQ WELL LOGS

Grid No: 65-13-7F
Date Drilled: 01/29/1979
Owners Name: AUTOTRONIC SYSTEM, INC.
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 220
Depth Drilled: 336
Latitude: 29.7984567
Longtiude: -95.5237664

65-137F

d original copy by
tified mail to the
xas Department of Water Resources
. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-13-7F
Located on map YES
Received: TJ!

1) OWNER Autotronic System Inc. (Name) Address 4550 Post Oak Pl. #100 (Street or RFD) Houston (City) Tx. (State) 77027 (Zip)

2) LOCATION OF WELL:
County Harris 10 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map. 65-03-2DD

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 1/29/79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	336

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	22	Clay
22	39	Sand
39	125	Clay
125	179	Sand
179	195	Clay
195	252	Sand
252	262	Clay
262	336	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	320	40
2 1/2	N	PVC	306	326	80
2 1/2	N	Everflo	326	336	12

CEMENTING DATA
Cemented from 17 Sacks ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 220 ft. below land surface Date 1-31-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)


13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Orlen O'Day (Type or Print) Water Well Drillers Registration No. 786
ADDRESS P.O.Box 162 (Street or RFD) Pearland (City) Texas (State) 77581 (Zip)
(Signed) Orlen O'Day (Water Well Driller) O'Day Drilling Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY


CYPRESS
SATSUMA
JERSEY VILLAGE
ADDICKS
BARKER
HUNTERS CREEK VILLAGE
PINE POINT VILLAGE
BUNKER HILL VILLAGE
CLODINE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
564	1 of 2	SW	4.46 / 23,557.81	Ace Electric Sign Co TX	WW HARRIS GAL

Well ID:	9297	**Diameter (inches):**	5
Aggre Lead Well:	9297	**Year Drilled:**	2002
Permit No:	WP2023-107428	**Depth Drilled:**	430
Permit Start Date:	5/1/2023 9:59:00 AM	**Depth frm Surf(ft):**	410
Permit End Dt:	4/30/2028	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.719166
Regulatory Aarea:	3	**Longitude:**	-95.635
Owner Name:	Ace Ele Sign Co.		
Billing Contact:	NULL		
Billing Address:	14000 Schiller Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
564	2 of 2	SW	4.46 / 23,557.81	ACE SIGN COMPANY 14010 SCHILLER RD HOUSTON TX 77082	SDRW WELLS

Track NO: 12787
Date Submitted: 2002-10-09
Owner Name: ACE SIGN COMPANY
Owner Address: 14010 SCHILLER RD
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77082
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Industrial
Prop Use Oth Descr:
Latitude: 29.719167
Longitude: -95.634722
Drilling Date Started: 2002-09-25
Drilling Date Completed: 2002-09-26
Chemical Analysis: No
Company Name: SCOTT DRILLING INC
Company Address: 11923 GREEN PINE CIRCLE
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=12787&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 410.0

Top Depth: 0
Bottom Depth: 410

Well Levels

Measurement: 200
Measurement Date: 2002-09-26

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
565	1 of 2	NNE	4.46 / 23,573.72	CENTRAL BANK TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	06/19/2001
Owners Name:	CENTRAL BANK
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	203
Depth Drilled:	374
Latitude:	29.8312269
Longtiude:	-95.5617375

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: CENTRAL BANK ADDRESS: P.O. BOX 1540 CITY: HOUSTON STATE: TX ZIP: 77251-1540

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-5
Street or RFD: 11201 CLAY ROAD
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02187
DATE DRILLING:
STARTED: 05/29/01
COMPLETED: 06/19/01

DIAMETER OF HOLE

DIAMETER	FROM	TO
8.0	0	348
4.875	348	374

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	348	CASING
3.0	N	P.V.C. SCH.40	341	352	LINER
3.0	N	P.V.C. - SLOTTED	352	372	.012
3.0	N	P.V.C. SCH.40	372	374	LINER

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	11	CLAY-GRAY CLAY-TAN
11	56	SAND-TAN-FINE SAND-TAN-.006-.008
56	121	CLAY-RED
121	132	SAND-TAN-.006-.008
132	186	CLAY-RED
186	196	SAND-TAN-.006-.008
196	206	CLAY-TAN
206	251	SAND-TAN-.010-.012 SAND-TAN-.014-.020
251	272	CLAY-RED BROKEN SAND & CLAY
272	320	SAND-TAN-.006-.008 SAND-TAN-.010-.012
320	348	CLAY-TAN BROKEN SAND & CLAY
348	372	SAND-WHITE-.010-.012 SAND-WHITE-.014-.020
372	374	CLAY-RED

9) CEMENTING DATA:
Cemented from No. of Sacks Used
0 FT. TO 348 FT. 69
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
CITY SEWER

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 203 FT. DATE: 06/01/01
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	341
K-PACKER	342

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 300

14) WELL TEST:
JETTED
YIELD: 125 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 374 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2843,2350
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Carl Lolton (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
565	2 of 2	NNE	4.46 / 23,573.72	Central Bank TX	WW HARRIS GAL

Well ID:	8613	**Diameter (inches):**	6
Aggre Lead Well:	8613	**Year Drilled:**	2001
Permit No:	WP2024-104502	**Depth Drilled:**	400
Permit Start Date:	6/1/2024	**Depth frm Surf(ft):**	380
Permit End Dt:	5/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.830833
Regulatory Aarea:	3	**Longitude:**	-95.561388
Owner Name:	Central Bank		
Billing Contact:	Ian Simon		
Billing Address:	11201 Clay Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77041		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
566	1 of 5	SSW	4.47 / 23,604.83	City of Houston Bellaire - Dist 158 TX	GWDB


Well Rep Track No:
State Well No: 6520127
Owner Name: City of Houston Bellaire - Dist 158
Drilling Start Dt:
Drilling Month: 9
Drilling Day: 1
Drilling Year: 1982
Well Depth: 1385
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.7119778
Longitude: -95.6201361
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520127&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520127&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
566	2 of 5	SSW	4.47 / 23,604.83	CITY OF HOUSTON TX	WUD

St Well No:	6520127
Operating Status:	EMERGENCY
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FK
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FK
Date Drilled:	09/01/1982
Well Depth:	1385
Screen Top:	683
Screen Bottom:	1370
Gallons Per Minute:	2285
Water Usage:	ACTIVE - EMERGENCY
CCN:	P1552
Latitude:	29.711978
Longitude:	-95.620136
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
566	3 of 5	SSW	4.47 / 23,604.83	CITY OF HOUSTON BELLAIRE #2 TX	TCEQ WELL LOGS

Grid No: 65-20-1G
Date Drilled: 07/13/1982
Owners Name: CITY OF HOUSTON BELLAIRE #2
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 366
Depth Drilled: 1385
Latitude: 29.711978
Longtiude: -95.620136



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-20-16
Located on map YES
Received: C.F-S.

1) OWNER City of Houston Bellaire #2 (Name) Dept. Public Works Address P O Box 1562 & Warren Rds (Street or RFD) Houston (City) Tx (State) 77001 (Zip)

2) LOCATION OF WELL:
County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☒ See attached map. Log in POCKET

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Bellaire #2
Date drilled 7/13/42

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
24	Surface	670
34	670	1345 TD

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 670 ft. to 1345 TD ft.

From (ft.)	To (ft.)	Description and color of formation material
		See attached well log
		Chem. Analyses
		E-Log

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfgr., if commercial	Setting (ft.) From	To	Gage Casing Screen
24	N	Blank Steel Csg	+3	670	
18	N	Blank Steel Csg	586	643	
16	N	SSKW Burley Screen	643	702	040
		"	702	743	"
		"	743	783	"
		"	783	846	"
		14&14 Swedges	823		
14	N	SSKW Burley Screen	846	950	040
14	N	SSKW Burley Screen	926-966		040
"			966-1026		"
"			1056-1096		"
"			1100-1130		"
"			1170-1210		"
"			1224-1264		"
"			1317-1324		"
"			1350-1374		"

CEMENTING DATA
Cemented from Surf ft. to 670 ft.
Method used Halliburton
Cemented by Dowell (Company or Individual)

9) WATER LEVEL:
Static level 346 ft. below land surface Date 9/1/42
Artesian flow gpm Date

10) PACKERS: None

RECEIVED
SEP 30 1983
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 530 ft.

(Use reverse side if necessary)

13) WATER QUALITY: Surface water encountered
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☒ Yes ☐ No

12) WELL TESTS:
☒ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2000 gpm with 84 ft. drawdown after 48 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


NAME Leland Lawson (Type or Print) Water Well Drillers Registration No. 24

ADDRESS P O Box 6466 (Street or RFD) Houston (City) Texas (State) 77261 (Zip)

(Signed) Leland Lawson (Water Well Driller) Layne Texas Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY


City of Houston
Pollution #2 Well
(4057)
DUP
65-20-16

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
566	4 of 5	SSW	4.47 / 23,604.83	Houston, City of TX	WW HARRIS GAL

Well ID:	3612	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1981
Permit No:	WP2023-117626	**Depth Drilled:**	1650
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	999
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.711944
Regulatory Aarea:	3	**Longitude:**	-95.620277

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
566	5 of 5	SSW	4.47 / 23,604.83	USGS-294243095371201 TX	FED USGS

Site No:	USGS-294243095371201
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19820713
Well Depth:	1370
Well Depth Unit:	ft
Well Hole Depth:	1650
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-127
Latitude:	29.71222220000000
Longitude:	-95.6202778000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
567	1 of 1	E	4.47 / 23,611.77	ALBERT CHEN TX	TCEQ WELL LOGS

Grid No:	65-12-7
Date Drilled:	07/14/1997
Owners Name:	ALBERT CHEN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	195
Depth Drilled:	432
Latitude:	29.7701232
Longtiude:	-95.5169413

Send original copy by certified return receipt requested m... ...RCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Albert Chen (Name) ADDRESS 11318 Smithdale Rd. Houston, Tx. (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris 11318 SmithDale Rd. Houston, Tx. (Street, RFD or other) (City) (State) (Zip) GRID # 65-12-7

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started 07-11 19 97 Completed 07-14 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	432

7) DRILLING METHOD (Check): ☐ Driven ☒ Air Rotary ☐ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
	0-20	Clay
	20-60	Sand
	60-160	Clay
	160-260	Sand, Shale
	260-320	Clay
	320-380	Clay, Rock
	380-410	Shale
	410-432	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2-String
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	420	0	Sch40
2½	N	PVC Liner	416	400	Sch40
2½	N	PVC Screen	432	416	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 420 ft. to 180 ft. No. of sacks used 12
0 ft. to 15 ft. No. of sacks used 14
Method used Halliburton
Cemented by Robinson Water Well
Distance to septic system field lines or other concentrated contamination 150 ft.
Method of verification of above distance Contractor

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 195 ft. below land surface Date 07-14-97
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 400

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 1464 WPTK

ADDRESS 11819 W. Montgomery Rd. Houston, Tx. 77086 (Street or RFD) (City) (State) (Zip)

(Signed) Rob Robinson B-L (Licensed Well Driller)

(Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
568	1 of 1	S	4.47 / 23,617.03	F.O. GO TX	TCEQ WELL LOGS

Grid No:	65-20-4U
Date Drilled:	03/05/1985
Owners Name:	F.O. GO
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	180
Depth Drilled:	360
Latitude:	29.7068704
Longtiude:	-95.5907719

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER F. O. Go (Name) Address 13038 Bissonet (Street or RFD) Houston (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:
Date drilled 3/5/85

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	343
4½	343	360

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Soil
3	9	Wh Clay
9	34	Tn Sand 008-010
34	43	Rd Clay
43	116	Wh Clay
116	154	Wh Sand 008
154	177	Shale
177	220	Gr Sand 010-Gr
220	222	Shale
222	244	Gr Sand 012-016
244	310	Shale
310	327	Tan Sand 008-010
327	347	Shale
347	357	Tn Sand 012-012
357	360	Clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Sch 40 Pipe	0	343	Case
2½	N	Galv Sch 40 Pipe	336	347	Line
2½	N	PVC On Galv Sch 40			
		Wesco Screen	347	357	010
2½	N	Galv Sch 40 Pipe	357	360	Blank

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 160 ft. to 343 ft.
____ ft. to ____ ft.
Method used Pressure
Cemented by US

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 180 ft. below land surface Date 3/7/85
Artesian flow ____ gpm. Date ____

12) PACKERS: Type N/A Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 25 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 75 gpm with ____ ft. drawdown after ____ hrs.

RECEIVED
SEP 24 1985
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Almeda Water Well (Type or Print) Water Well Driller's License No. 1876
ADDRESS P.O. Box 266 (Street or RFD) Manvel (City) Tx (State) 77578 (Zip)
(Signed) Joseph W. Ulrich (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-20-42
Located on map Yes DLF

TDWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
569	1 of 1	SW	4.48 / 23,675.85	MR. CHARLIE SCHELLER TX	TCEQ WELL LOGS

Grid No:	65-19-3D
Date Drilled:	06/01/1973
Owners Name:	MR. CHARLIE SCHELLER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	118
Depth Drilled:	284
Latitude:	29.7192616
Longtiude:	-95.63534

65-19-3D

nd original copy by
rtified mail to the
xas Water Development Board
. O. Box 12386
stin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-19-3D
Located on map 4 c 5
Received: 7 3 /
26

1) OWNER:
Person having well drilled MR CHARLIE SCHELLER (Name) Address RT. 4 BOX 335 (Street or RFD) HOUSTON, TEXAS (City) (State) 77036
Landowner SAME (Name) SCHELLER, ROAD (Street or RFD) Address — (City) (State)

2) LOCATION OF WELL:
County HARRIS 4 miles in S W (N.E., S.W., etc.) direction from ADDICKS, TEXAS (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
(New Well) Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
(Domestic) Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
(Rotary) Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4½" OD in. Depth drilled 284 ft. Depth of completed well 284 ft. Date drilled 6-1-73
All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	BLACK TOP SOIL
3	30	RED CLAY TO BRAY
30	55	FAIR WHITE SAND
55	90	RED CLAY
90	160	STRIPS OF SAND & CLAY
160	205	STICKLY RED CLAY
205	220	GOOD COURSE SAND
220	260	SOLF STICKY RED CLAY
260	284	SAND AND GRAVEL
		BOTTOM OF WELL

(Use reverse side if necessary)

9) Casing:
Type: Old (New) (Steel) Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4½" OD	0	274'	REQ 9 GAGE

10) SCREEN:
Type BRONZE WRAP ON GALV. PIPE
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4½"	274	284	EQUAL TO 14 GAGE

7) COMPLETION (Check):
(Straight wall) Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 118 ft. below land surface Date 6-1-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 178' ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes (No) If yes, by whom? SAME PUMP LEFT IN WELL
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? VERY GOOD depth of strata 284

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CECIL L. ELLIS (Type or Print) Water Well Drillers Registration No. 815
ADDRESS 13719 STAFFORD ROAD (Street or RFD) STAFFORD (City) TEXAS (State) 77477
(Signed) Cecil L. Ellis (Water Well Driller) ELLIS WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
570	1 of 1	NE	4.48 / 23,676.16	SAM MULLIN TX	TCEQ WELL LOGS

Grid No:	65-12-5V
Date Drilled:	05/06/1982
Owners Name:	SAM MULLIN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	40
Depth Drilled:	228
Latitude:	29.8240111
Longtiude:	-95.5467922

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-5V
Located on map yes
Received: C.F.S.

1) OWNER George Mullins (Name) Address 1702 West Rd. #51 (Street or RFD) Kaustan (City) TX (State) 77055 (Zip)

2) LOCATION OF WELL: County Harris 5 miles in W (N.E., S.W., etc.) direction from Kaustan (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

1

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. 3-1 mapson 60-58-80

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 5/6/82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	228

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	80	clay
80	96	sand
96	107	clay
107	109	rock
109	200	clay
200	228	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	0	200	C
2½	N	"	190	218	C
2½	N	"	218	228	scr.

CEMENTING DATA
Cemented from 0 ft. to 200 ft.
Method used pressure
Cemented by myself (Company or Individual)

9) WATER LEVEL:
Static level 40 ft. below land surface Date 5/7/82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 190

RECEIVED
AUG 30 1982
DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 50 gpm with 20 ft. drawdown after 1 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Jesse H. Bain (Type or Print) Water Well Drillers Registration No. TDL-1487


ADDRESS Rt 2 Box 451 (Street or RFD) Walker (City) TX (State) 77484 (Zip)

(Signed) Jesse H. Bain (Water Well Driller) Bain W. W. Sr. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


Map #1
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
571	1 of 1	ESE	4.49 / 23,707.42	BARRY GALLOWAY TX	TCEQ WELL LOGS

Grid No:	65-20-3H
Date Drilled:	05/26/1981
Owners Name:	BARRY GALLOWAY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	212
Depth Drilled:	390
Latitude:	29.743432
Longtiude:	-95.524065

WL #778 DUP

65-20-3H

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-20-3H
Located on map
Received: 8-6-81 NFS

1) OWNER Barry Galloway (Name) Address 10310 Harwin St. (Street or RFD) Houston (City) Texas (State) 77088 (Zip)

2) LOCATION OF WELL: County Harris 2210 S. Piney Point 12 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. Mapsco 60-57-3J

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 5/26/81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4"		390

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	Top Soil + Clay
16	35	S. Sand
35	160	Clay
160	185	Sand
185	192	Sandy Clay
192	220	Sand
220	260	Clay
260	315	Sand
315	322	Clay
322	356	Sand (.016 - .020)
356	359	Sandy Clay
359	390	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galvanized Steel	0	358	
2	N	Plastic	370	380	.016
2	N	Plastic	380	390	.020

CEMENTING DATA
Cemented from 308 ft. to 358 ft.
Method used Haliburton
Cemented by Bussell & Son, Inc. (Company or Individual)

9) WATER LEVEL:
Static level 212 ft. below land surface Date 5/27/81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 252' ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 50 gpm with 30 ft. drawdown after 2 hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If so, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG O. BUSSELL (Type or Print) Water Well Drillers Registration No. #2035

ADDRESS 9739 N. HOUSTON-ROSSLYN (Street or RFD) HOUSTON (City) TEXAS (State) 77088 (Zip)

(Signed) Craig Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
572	1 of 1	ENE	4.49 / 23,723.89	TOM TANNOUS TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	11/13/1996
Owners Name:	TOM TANNOUS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	18
Depth Drilled:	45
Latitude:	29.7903509
Longtiude:	-95.5196501

Send original copy by certified mail to: TNRCC, P.O. Box 1 Austin, TX 78711-3087 4504

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER TOM TANNOUS (Name) ADDRESS 9254 ELIZABETH STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77055 (Zip)

2) ADDRESS OF WELL: County HARRIS (SAME) (Street, RFD or other) (City) (State) (Zip) GRID # 65-12-6

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling:
Started 11/13 19 96
Completed 11/13 19 96

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
3	Surface	45

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	35	SURFACE CLAY
35	45	MEDUM COARSE WATER SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval ... from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	PVC JET STREAM	0	35	40
2	N	PVC SLOTTED	35	45	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 10 ft. No. of sacks used 5
ft. to ft. No. of sacks used
Method used HAND MIXED
Cemented by WELLCO
Distance to septic system field lines or other concentrated contamination ft.
Method of verification of above distance CITY SEWER

RECEIVED JUN 1997 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

13) TYPE PUMP:
[ ] Turbine [X] Jet [ ] Submersible [ ] Cylinder
[ ] Other
Depth to pump bowls, cylinder, jet, etc., 22 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 18 ft. below land surface Date 11/13/96
Artesian flow gpm. Date

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS: Type Depth
NONE

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME WELLCO DRILLING & SERVICE COMPANY (Type or print) WELL DRILLER'S LICENSE NO. 315 WI

ADDRESS 5423 LOTUS STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77085-1903 (Zip)

(Signed) (Licensed Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94) TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
573	1 of 2	ESE	4.50 / 23,734.23	MIKE BAKER TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	10/19/1989
Owners Name:	MIKE BAKER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	231
Depth Drilled:	395
Latitude:	29.738096
Longtiude:	-95.527283

Send original copy by certified mail to: Texas Water Comml), P.O. Box 13087, Austin, Texas 78711 OVP?, 15 Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Mike BAKER (Name) ADDRESS 9300 Westheimer (Street or RFD) Houston (City) TX (State) 77063 (Zip)

2) LOCATION OF WELL: 9300 Westheimer
County Harris . ____ miles in ____ (NE, SW, etc.) direction from ____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ SEE ATTACHED MAP ON 60-59-6

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 10/17 1989 Completed 10/19 1989

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6 3/4	Surface	395

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	21	Top Soil + Clay
21	55	Sand + Rock
55	85	Clay
85	120	Sand
120	175	Clay
175	194	Sand
194	208	Clay
208	231	Sand
231	254	Clay
254	302	Sand.

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	375	
2	N	GALV	369	375	
2	N	SSRB	375	385	.014
2	N	SSRB	385	395	.016

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used ____
325 ft. to 375 ft. No. of Sacks Used ____
Method used Halliburton
Cemented by Bussell + Son INC.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 231 ft. below land surface Date 10-19-89
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
K-Packer	369

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

RECEIVED DEC 14 1989 TEXAS WATER COMMISSION

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 40 gpm with 20 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell + Son INC (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David Lyons (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-20-3 Located on map ____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
573	2 of 2	ESE	4.50 / 23,734.23	West Car Wash Ltd. TX	WW HARRIS GAL

Well ID:	7925	**Diameter (inches):**	4
Aggre Lead Well:	7925	**Year Drilled:**	1987
Permit No:	W2016-7925-182578-0	**Depth Drilled:**	400
Permit Start Date:	11/19/2015	**Depth frm Surf(ft):**	380
Permit End Dt:	11/19/2015	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.738611
Regulatory Aarea:	2	**Longitude:**	-95.527222

Owner Name:	West Car Wash Ltd.
Billing Contact:	NULL
Billing Address:	8554 Katy Freeway, Suite 301
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77024
Correspondence:	NULL
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee
Water Usage:	O - Other

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
574	1 of 2	NNE	4.50 / 23,765.61	AMTEX MACHINE PRODUCTS TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	01/28/1998
Owners Name:	AMTEX MACHINE PRODUCTS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	260
Depth Drilled:	500
Latitude:	29.835372
Longtiude:	-95.574155

Send original copy by certified return receipt requested m TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Amtex Machine Products (Name) ADDRESS 4517 Brittmore (Street or RFD) Houston, TX 77041 (City) (State) (Zip)

2) ADDRESS OF WELL: County Harris 4517 Brittmore (Street, RFD or other) Houston, Tx 77041 (City) (State) (Zip) GRID # 65-12-5

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 1-27 19 98 Completed 1-28 19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	500

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	25	Clay
25	66	Sand
66	127	Clay
127	146	Sand
146	208	Clay
208	249	Sand
249	265	Clay
265	340	Sand
340	348	Shale
348	358	Sand
358	440	Clay
440	475	Sand
475	480	Shale
480	500	Sand
500	508	Shale

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other Press. Cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC SCH-40 Casing	0	480	
2.5	N	PVC SCH-40 Liner	470	480	
2.5	N	PVC SCH-40 JaycoWOP	480	500	.010
2.5	N	PVC SCH-40 LIner	500	508	

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 480 ft. to 150 ft. No. of sacks used 25
0 ft. to 15 ft. No. of sacks used 10
Method used Halliburton
Cemented by Driller
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance None Present

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 260 ft. below land surface Date 1-28-98
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
2-1/2"x4" RxR BP Rubber Seal & BP Rubber K-Packers	470'

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other _____
Depth to pump bowls, cylinder, jet, etc., 357 ft.

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 75 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Waller County Water Wells, Inc. (Type or print) WELL DRILLER'S LICENSE NO. 50223WP
ADDRESS Rt. 1 Box 409 Rice Rd. (Street or RFD) Hockley, (City) TX (State) 77447 (Zip)
(Signed) Eugene H. Riemer, Jr. (Licensed Well Driller) RECEIVED DEC 09 1999 (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
574	2 of 2	NNE	4.50 / 23,765.61	Amtex Machine Products TX	WW HARRIS GAL

Well ID:	6532	**Diameter (inches):**	4
Aggre Lead Well:	6532	**Year Drilled:**	1998
Permit No:	WP2024-104786	**Depth Drilled:**	500
Permit Start Date:	6/1/2024 4:19:00 PM	**Depth frm Surf(ft):**	480
Permit End Dt:	5/31/2025 4:19:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.834722
Regulatory Aarea:	3	**Longitude:**	-95.573611
Owner Name:	Amtex Machine Products		
Billing Contact:	NULL		
Billing Address:	4517 Brittmoore		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77041		
Correspondence:	NULL		
Provision:	D1 - Adoption of 2013 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
575	1 of 1	NW	4.51 / 23,820.40	SOUTHERN UNITED DEVELOPMENT TX	TCEQ WELL LOGS

Grid No: 65-11-6
Date Drilled: 11/25/1985
Owners Name: SOUTHERN UNITED DEVELOPMENT
County: HARRIS
Water Usage: IRRIGATION
Static Level: 100
Depth Drilled: 260
Latitude: 29.818786
Longtiude: -95.643569

.5 mi. SW
1.0 mi. W/EL

24

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Southern United Development (Name) Address Unknown (Street or RFD) Houston, Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Harris 18 miles in NW (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ See attached map. ON 65-04-6

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 11/25/85

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6-3/4	Surface	260

From (ft.)	To (ft.)	Description and color of formation material
0	15	Clay
15	35	Sand & Gravel
35	95	Clay
95	130	Sand
130	160	Shale
160	195	Sand
195	230	Clay
230	260	Sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., ~~Slotted~~, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	231	Sch.
2½"	N	PVC Liner	225	240	40
2½"	N	PVC Slotted Screen	240	260	.010

CEMENTING DATA
Cemented from 231 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 100 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 225

RECEIVED
MAY - 5 1987
TEXAS WATER COMMISSION

11) TYPE PUMP: 3HP
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well Service (Type or Print) Water Well Driller's License No. 1464


ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M. E. Robinson Jr. (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-11-6
Located on map _____

TDWR-0392 (Rev. 5-27-82) DEPARTMENT OF WATER RESOURCES COPY


HARRIS COUNTY TEXAS
I-45
US 59
I-610

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
576	1 of 2	SW	4.52 / 23,844.91	W. HOUSTON VALVE & FTGS TX	TCEQ WELL LOGS

Grid No:	65-20-1
Date Drilled:	11/08/1991
Owners Name:	W. HOUSTON VALVE & FTGS
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	170
Depth Drilled:	295
Latitude:	29.71807
Longtiude:	-95.634346

STATE OF TEXAS WATER WELL REPORT

1) OWNER: W. HOUSTON VALVE & FTGS ADDRESS: 14031 SCHILLER RD CITY: HOUSTON STATE: TX ZIP: 77082-
2) LOCATION OF WELL: County: HARRIS 8 miles in W direction from HOUSTON

LEGAL DESCRIPTION:
Section No.: 6-6 Block No.: W Township: HOUSTON
Abstract No.: SCHILLER Survey Name: S.L.I. CONST.
Distance and direction from two intersecting section or survey lines: HWY 6 & SCHILLER RD

H-7

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: INDUSTRIAL 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 13233

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	295

7) BOREHOLE METHOD:
STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 11/08/91

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	70	CLAY
70	185	SAND
185	240	CLAY
240	250	SAND
250	260	CLAY
260	295	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC CASING	0	280	WW
2.5	N	PVC LINER	275	285	80
2.5	N	PVC WRAPPED SCREEN	285	295	10

9) CEMENTING DATA:
Cemented from 280 FT. TO 0 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 170 FT. DATE: 11/08/91
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
B P VALVE	275

RECEIVED
JAN 13 1992
TEXAS WATER COMMISSION

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 231

14) WELL TEST:
JETTED
YIELD: 25 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: N/A DEPTH OF STRATA: 35 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED


COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877
ADDRESS: P. O. BOX 162 CITY: PEARLAND STATE: TX ZIP CODE: 77588

FOR TDWR USE ONLY
WELL NO. H-7
LOCATED ON MAP 65.20.

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Michael O'Day (LICENSED WATER WELL DRILLER)
(signed) Angel Bautista (REGISTERED DRILLER TRAINEE)

Love


LEGEND
5666
5667
5767
5868

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
576	2 of 2	SW	4.52 / 23,844.91	Le, Viet TX	WW HARRIS GAL

Well ID:	7278	**Diameter (inches):**	4
Aggre Lead Well:	7278	**Year Drilled:**	1991
Permit No:	WP2024-100365	**Depth Drilled:**	295
Permit Start Date:	5/1/2024 12:38:00 PM	**Depth frm Surf(ft):**	285
Permit End Dt:	4/30/2025 12:38:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.718333
Regulatory Aarea:	3	**Longitude:**	-95.634166
Owner Name:	Le, Viet		
Billing Contact:	NULL		
Billing Address:	14031 Schiller Road		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
577	1 of 1	SSW	4.53 / 23,924.37	ALIEF INDEPENDENT SCHOOL DISTRICT TX	TCEQ WELL LOGS

Grid No: 65-20-4P
Date Drilled: 10/??/1975
Owners Name: ALIEF INDEPENDENT SCHOOL DISTRICT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 160
Depth Drilled: 438
Latitude: 29.709585
Longtiude: -95.615769

HP

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-42
Located on map
Received:

1) OWNER:
Person having well drilled Alief Independent School District (Name) Address Alief (Street or RFD) Texas (City) (State)

Landowner same (Name) Address same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 16½ miles in W SW (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Well is located on Sympathy Rd, South of intersection on Bellaire Blvd.

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
X New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, X Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 438 ft. Depth of completed well 438 ft. Date drilled Oct. 75

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	surface
5	10	yellow clay
10	55	red & yellow clay
55	75	red clay
75	85	red & gray clay
85	95	sand
95	97	red clay
97	115	brown clay
115	125	gray clay
125	135	sand
135	170	blue clay
170	186	sand
186	246	red & blue clay
246	251	sand
251	302	red & gray clay

(Use reverse side if necessary)

9) Casing:
Type: Old, X New, Steel, X Plastic, Other
Cemented from 413 up ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	+1	413	sch.40

10) SCREEN:
Type Plastic pipe, plastic wire wrapped
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	418	438	14ga.

7) COMPLETION (Check):
X Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 160 ft. below land surface Date Oct. 25
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 212' ft. below land surface.

3 HP Jacuzzi Sumersible model 3S4D-S2 set 212' on 1½" gal. pipe

11) WELL TESTS:
Was a pump test made? Yes X No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) Water Well Drillers Registration No. 229

ADDRESS 2524 N. Freeway (Street or RFD) Houston (City) Texas 77032

(Signed) B.J. Swinehart (Water well Driller) B.J. Swinehart Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-6

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

302'	312'	sand
312	333	red clay
333	345	sand
345	351	red clay
351	352	rock
352	357	clay
357	361	sand
361	368	clay
368	380	sand
380	405	clay
405	438	sand

RECEIVED
JAN - 8 1976
TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
578	1 of 6	NNW	4.53 / 23,934.22	Harris County Bear Creek Park TX	GWDB

Well Rep Track No:
State Well No: 6511601
Owner Name: Harris County Bear Creek Park
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1966
Well Depth: 268
Well Usage: Public Supply
Water Level Status:
Latitude: 29.8302780
Longitude: -95.6266670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511601&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511601&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
578	2 of 6	NNW	4.53 / 23,934.22	HARRIS COUNTY PCT 3 BEAR CREEK PIO TX	WUD

St Well No:	6511601
Operating Status:	PLUGGED
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011015
Source ID:	G1011015A
Utility Name:	HARRIS COUNTY PCT 3 BEAR CREEK PIONEERS
WTRSRC:	G1011015A
Date Drilled:	
Well Depth:	303
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	N/A
Latitude:	29.830227
Longitude:	-95.626612
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
578	3 of 6	NNW	4.53 / 23,934.22	HARRIS COUNTY TX	TCEQ WELL LOGS

Grid No:	65-11-3
Date Drilled:	04/??/1976
Owners Name:	HARRIS COUNTY
County:	HARRIS
Water Usage:	PARK
Static Level:	190
Depth Drilled:	705
Latitude:	29.8297932
Longtiude:	-95.6268879

65-11-3M

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-11-3M
Located on map yes
Received: 7-6

1) OWNER: Person having well drilled Harris County (Name) Address Houston, Texas (Street or RFD) (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION County Harris, 18 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Well is located in Bear Creek Park, Section 2. Bear Creek Park is Located on Clay Rd, just East of FM 1960
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): X New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other Park

5) TYPE OF WELL (Check): X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 6" in. Depth drilled 705 ft. Depth of completed well 705 ft. Date drilled April 76
All measurements made from 4' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	clay
15	37	sand
37	140	clay
140	170	sand
170	220	clay
220	330	sand
330	342	clay
342	352	sand
352	392	clay
392	413	sand & Rock
413	521	clay, sand & rock streaks
521	535	sand
535	648	clay
648	663	sand
663	670	clay
670	704	sand
704	705	clay

(Use reverse side if necessary)

9) Casing: Type: Old, X New Steel, X Plastic, Other
Cemented from +0 ft. to 520' ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
6"	+2	520.	19#
liner 4"	536	548	
	663	680	
	800	804	

10) SCREEN: Type Stainless steel ribbed
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	521	536	12 ga.
	648	663	14 ga.
	680	700	16 ga.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL: Static level 190 ft. below land surface Date April 76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 300' ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes X No If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes X No.
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) Water Well Drillers Registration No. #229

ADDRESS 7524 N. Freeway (Street or RFD) Houston, Texas (City) 77037 (State)

(Signed) (Water Well Driller) B.J. Swinehart Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
578	4 of 6	NNW	4.53 / 23,934.22	BEAR CREEK PARK C/O T &C TX	TCEQ WELL LOGS

Grid No: 65-11-6
Date Drilled: 09/21/1991
Owners Name: BEAR CREEK PARK C/O T &C
County: HARRIS
Water Usage: DOMESTIC
Static Level: 360
Depth Drilled: 828
Latitude: 29.8297932
Longtiude: -95.6268879

*2 pages

STATE OF TEXAS WATER WELL REPORT

Map 3 #2

1) OWNER: BEAR CREEK PARK C/O T&C ADDRESS: CONSTRUCTION 5411 KILLOUG CITY: HOUSTON STATE: TX ZIP: 77086-

2) LOCATION OF WELL: County: HARRIS 16 miles in NW direction from Houston

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01943

DATE DRILLED: 09/21/91

DIAMETER OF HOLE

DIAMETER	FROM	TO
10	0	746
6	746	828

7) BOREHOLE METHOD:

STRAIGHT WALL

IF GRAVEL... FROM FT. TO FT.

FROM FT. TO FT.

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
	32	SAND
32	60	CLAY
60	77	SAND
77	90	CLAY
90	110	SAND
110	118	CLAY
118	129	SAND
129	144	CLAY
144	178	SAND
178	216	CLAY
216	338	SAND
338	642	CLAY & ROCK
642	669	SAND
669	744	CLAY & ROCK
744	820	SAND
820	828	CLAY & ROCK

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
8	N	BLACK T&C	0	746	SCH 30
4"	N	GALV.	731	755	SCH 40
4	N	RBSS	755	765	.012
4	N	GALV.	765	772	SCH 40
4	N	RBSS	772	786	.010
4	N	GALV.	786	788	SCH 40

9) CEMENTING DATA:

Cemented from 0 FT. TO 746 FT.

FT. TO FT.

Method used: PRESSURE

Cemented by: WEISINGER WATER WELL

10) SURFACE COMPLETION:

SURFACE SLAB INST.

RECEIVED

APR 0 2 1992

TEXAS WATER COMMISSION

11) WATER LEVEL:

STATIC LEVEL : 360 FT. DATE: 10/09/91

ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:

SUBMERSIBLE

DEPTH TO PUMP: 596

14) WELL TEST:

JETTED

YIELD: 304 GPM WITH 59 FT DRAWDOWN AFTER 4 HRS

15) WATER QUALITY:

TYPE OF WATER: EXCELLENT DEPTH OF STRATA: 820 NO CHEMICAL ANALYSIS MADE

NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO.: 1541, 1991, &1992

ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301

FOR TDWR USE ONLY

WELL NO. _____

LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John E. Weisinger (LICENSED WATER WELL DRILLER)

(signed) _____ (REGISTERED DRILLER TRAINEE)

X

Pg 2

STATE OF TEXAS WATER WELL REPORT

1) OWNER: BEAR CREEK PARK ADDRESS: ART 2 CITY: STATE: TX ZIP: -
2) LOCATION OF WELL: County: HARRIS 16 miles in NW direction from Houston

LEGAL DESCRIPTION:
Section No.: Block No.: Township:
Abstract No.: - Survey Name:
Distance and direction from two intersecting section or survey lines:

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01944 DIAMETER OF HOLE DIAMETER FROM TO 7) BOREHOLE METHOD:
STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.
DATE DRILLED: 10/09/91

GEOLOGICAL DESCRIPTION:
FROM TO DESCRIPTION

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	GALV.	786	788	SCH 40
4	N	RBSS	788	804	.012
4	N	GALV.	804	810	SCH 40
4	N	RBSS	810	820	.012
4	N	GALV.	820	828	SCH 40

9) CEMENTING DATA:
Cemented from FT. TO FT.
FT. TO FT.
Method used: PRESSURE
Cemented by:

RECEIVED
APR 0 2 1992
TEXAS WATER COMMISSION

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : FT. DATE:
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP:

14) WELL TEST:
JETTED
YIELD: GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: EXCELLENT DEPTH OF STRATA: NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO. 1541,1991,&1992 | FOR TDWR USE ONLY
ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301 | WELL NO.
| LOCATED ON MAP


I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John C Weisinger (LICENSED WATER WELL DRILLER) (signed) (REGISTERED DRILLER TRAINEE)

12-11-6

X

Map #



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
578	5 of 6	NNW	4.53 / 23,934.22	Harris County TX	WW HARRIS GAL

Well ID:	2543	**Diameter (inches):**	10
Aggre Lead Well:	2543	**Year Drilled:**	1966
Permit No:	W1997-2543-55422-0	**Depth Drilled:**	263
Permit Start Date:	11/1/1997	**Depth frm Surf(ft):**	224
Permit End Dt:	10/31/1998	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.830277
Regulatory Aarea:	3	**Longitude:**	-95.625833
Owner Name:	Harris County		
Billing Contact:	Glenda Bucceri ,		
Billing Address:	1001 Preston St., Suite 800		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	(Sheldon Park)		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
578	6 of 6	NNW	4.53 / 23,934.22	USGS-294948095373501 TX	FED USGS

Site No:	USGS-294948095373501
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19660610
Well Depth:	268
Well Depth Unit:	ft
Well Hole Depth:	268
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-601
Latitude:	29.83027778000000
Longitude:	-95.6266667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
579	1 of 1	N	4.54 / 23,968.20	JOHN GEELAN TX	TCEQ WELL LOGS

Grid No:	65-12-1AA
Date Drilled:	09/19/1984
Owners Name:	JOHN GEELAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	80
Depth Drilled:	193
Latitude:	29.837649
Longtiude:	-95.5929726

2

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER John Heelan (Name) Address 16114 Charlis (Street or RFD) Cypress (City) Tx (State) 77429 (Zip)

2) LOCATION OF WELL: County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled 9-19-84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	193

From (ft.)	To (ft.)	Description and color of formation material
0	16	TS - Clay
16	27	Sand 10
27	80	Clay 2.5 + Rock
80	95	Sand 8-14
95	121	Clay Rock
121	164	Sand 10-8
164	187	Clay
187	193	Sand 10

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 Strung
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	P. Well Casing	0	183	
2 1/2	N	P. " Screen	183	193	8

CEMENTING DATA
Cemented from 0 ft. to 183 ft.
Method used Pressure
Cemented by D Otto (Company or Individual)

9) WATER LEVEL:
Static level 80 ft. below land surface Date 9-20-84
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth
4X2 1/2 K Packer 180

RECEIVED
JAN - 4 1985
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer None ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME ALLWEATHER W. W. Inc (Type or Print) Water Well Driller's License No. 1929

ADDRESS 25330 Richard Rd (Street or RFD) Spring (City) Tx (State) 77386 (Zip)

(Signed) O.R. Billings (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-1AA
Located on map Yr. DLE

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Geelan # 2


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
U.S. DEPARTMENT OF TRANSPORTATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
580	1 of 4	NNE	4.54 / 23,974.37	HILMERS HOTHOUSE FARMS INC. TX	TCEQ WELL LOGS

Grid No: 65-12-2C
Date Drilled: 07/05/1979
Owners Name: HILMERS HOTHOUSE FARMS INC.
County: HARRIS
Water Usage: DOMESTIC
Static Level: 185
Depth Drilled: 300
Latitude: 29.8354457
Longtiude: -95.5717916

5

65-12-2C 2C

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-2C
Located on map YES
Received: TH

1) OWNER Hilmers Hothouse Farms Inc. (Name) Address #915 Britmore (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris 3 miles in S. (N.E., S.W., etc.) direction from Jersey Village (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. Map 60-52-9C

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

Date drilled 7/5/79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½"	Surface	300

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	100	red + gray clay
100	140	sand + gravel
140	150	red + gray clay
150	160	sand
160	172	clay
172	178	sand
178	260	clay
260	300	coarse sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	New	Plastic Casing	0	280	40
2½"	New	Plastic Screen	280	300	12

CEMENTING DATA
Cemented from 280 ft. to 150 ft.
Method used Pressurized
Cemented by Ind. (Company or Individual)

9) WATER LEVEL:
Static level 185 ft. below land surface Date 7/6/79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½"x4" RtR 3 Ring 274'

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 252 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Fresh Depth of strata 40'
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Bobby Potter (Type or Print) Water Well Drillers Registration No. 1872

ADDRESS 5717 Chippewa (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) Bobby Potter (Water Well Driller) Damcell + Potter Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
580	2 of 4	NNE	4.54 / 23,974.37	Site One Landscape Supply TX	WW HARRIS GAL

Well ID:	10996	**Diameter (inches):**	5
Aggre Lead Well:	10996	**Year Drilled:**	2008
Permit No:	WP2023-116253	**Depth Drilled:**	600
Permit Start Date:	6/1/2023 4:18:00 PM	**Depth frm Surf(ft):**	580
Permit End Dt:	5/31/2024	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.835
Regulatory Aarea:	3	**Longitude:**	-95.5725
Owner Name:	Site One Landscape Supply		
Billing Contact:	Geo Solis		
Billing Address:	4519 Brittmoore Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77041		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
580	3 of 4	NNE	4.54 / 23,974.37	John Deere Landscape 4519 Brittmoore Rd. Houston TX 77041	SDRW WELLS

Track NO: 163323
Date Submitted: 2008-12-23
Owner Name: John Deere Landscape
Owner Address: 4519 Brittmoore
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77041
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.833334
Longitude: -95.576389
Drilling Date Started: 2008-10-07
Drilling Date Completed: 2008-10-08
Chemical Analysis: No
Company Name: Robinson Water Well
Company Address: 11819 W. Montgomery Rd.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=163323&Type=SDR-Well

Well Borehole Information

Top Depth: 450
Bottom Depth: 480

Top Depth: 0
Bottom Depth: 450

Top Depth:
Bottom Depth: 480.0

Well Levels

Measurement: 200
Measurement Date: 2008-10-08

Well Strata

Water Type:

No data

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
580	4 of 4	NNE	4.54 / 23,974.37	Site One Landscape Supply TX	WW HARRIS GAL

Well ID:	16685	**Diameter (inches):**	5
Aggre Lead Well:	10996	**Year Drilled:**	NULL
Permit No:	WP2023-117973	**Depth Drilled:**	480
Permit Start Date:	11/29/2023 3:34:00 PM	**Depth frm Surf(ft):**	450
Permit End Dt:	5/31/2024 3:34:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.835
Regulatory Aarea:	3	**Longitude:**	-95.5725
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	4519 Brittmoore Rd		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77041		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
581	1 of 1	E	4.54 / 23,979.21	Gabrisch, Mark TX	WW HARRIS GAL

Well ID:	13608	**Diameter (inches):**	4
Aggre Lead Well:	13608	**Year Drilled:**	0
Permit No:	WP2023-117938	**Depth Drilled:**	450
Permit Start Date:	3/1/2024 12:50:00 PM	**Depth frm Surf(ft):**	430
Permit End Dt:	2/28/2025 12:50:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.762777
Regulatory Aarea:	2	**Longitude:**	-95.516111
Owner Name:	Gabrisch, Mark		
Billing Contact:	Mark Gabrisch		
Billing Address:	11330 Greenbay St		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	S - Single Family Residential		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
582	1 of 2	SE	4.54 / 23,987.20	City of Houston Westchase - Dist.52 TX	GWDB

Well Rep Track No:	
State Well No:	6520310
Owner Name:	City of Houston Westchase - Dist.52
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1957
Well Depth:	887
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7244440
Longitude:	-95.5388890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520310&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520310&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
582	2 of 2	SE	4.54 / 23,987.20	CITY OF HOUSTON TX	WUD

St Well No:	6520310
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QH
Date Drilled:	01/02/1957
Well Depth:	887
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.723842
Longitude:	-95.53939
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
583	1 of 1	ENE	4.55 / 23,998.26	MR. HACK RAGSDILL TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 07/13/1972
Owners Name: MR. HACK RAGSDILL
County: HARRIS
Water Usage: DOMESTIC
Static Level: 130
Depth Drilled: 240
Latitude: 29.803487
Longtiude: -95.524993

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map ND
Received: 7-2

1) OWNER:
Person having well drilled Mr. Hack Ragsdill (Name) Address 1663 Blalock (Street or RFD) Houston, (City) Texas 77055 (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, _____ miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Over

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
XX New Well — Deepening — Reconditioning — Plugging

4) PROPOSED USE (Check):
XX Domestic — Industrial — Municipal — Irrigation — Test Well — Other

5) TYPE OF WELL (Check):
XX Rotary — Driven — Dug — Cable — Jetted — Bored

6) WELL LOG:
Diameter of hole 6 3/4" in. Depth drilled 240' ft. Depth of completed well 240' ft. Date drilled 7/13/72

All measurements made from 0' ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0'	40'	Clay
40'	50'	Sand
50'	126'	Clay
126'	140'	Sand
140'	210'	Clay
210'	240'	Corse Sand

(Use reverse side if necessary)

9) Casing:
Type: Old — New XX — Steel — Plastic — Other XX

Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage

10) SCREEN:
Type Filter Screen

Perforated XX — Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size

7) COMPLETION (Check):
XX Straight wall — Gravel packed — Other — Under reamed — Open Hole

8) WATER LEVEL:
Static level 130' ft. below land surface Date 7/14/72

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 189' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No

Type of water? _____ depth of strata 240'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Jimmy Davis (Type or Print) Water Well Drillers Registration No. 315

ADDRESS 5423 Lotus Street (Street or RFD) Houston, (City) Texas 77045 (State)

(Signed) _____ (Water Well Driller)

Wellco Water Well Drilling & Service Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
DEC 20 1972
RECEIVED
AUG 25 1972
TEXAS WATER DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
584	1 of 3	ESE	4.55 / 24,001.09	ROSEWOOD GENERAL HOSPITAL TX	TCEQ WELL LOGS

Grid No: 65-19-3H
Date Drilled: 12/20/1976
Owners Name: ROSEWOOD GENERAL HOSPITAL
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 133
Depth Drilled: 233
Latitude: 29.737915
Longtiude: -95.526427

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

65-19-3H Dupe GW 7

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 12386
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-3H
Located on map yes
Received: 7-7-77
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled ROSEWOOD GENERAL HOSPITAL (Name) 9200 WESTHEIMER (Street or RFD) HOUSTON (City) TEX. (State)


Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

5 miles in W (NE, SW, etc.) direction from HOUSTON (Town).

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.



3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☑
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6¼ in. Depth drilled 233 ft. Depth of completed well 233 ft. Date drilled 12-20-76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	TOP SOIL
6	31	RED SHALE
31	60	RED SAND & SAND STONE
60	83	WHITE SHALE
83	101	SAND
101	156	RED SHALE
156	189	SAND
189	214	BLUE SHALE
214	233	SAND

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☑
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 133 ft. below land surface Date 12-21-76
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☐ Steel ☐ Plastic ☐ Other ☐
Cemented from 0 ft. to 215 ft.

10) SCREEN:
Type PLASTIC SCH 80
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	2' above ground	215	SCH 40
2½	215	218	SCH 80

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	218	233	.008

11) WELL TESTS:
Was a pump test made? ☑ Yes ☐ No If yes by whom? JAMES H. SUGG JR.
Yield: 25+ gpm with 18 ft. drawdown after 2 hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☑ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name STA-RITE
Type SUBMERSIBLE H.P. 2
Designed pumping rate 1620 gpm ☐ gph ☑
Type power unit
Depth to bowls, cylinder, jet, etc., 189 ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. (Type or Print) Water Well Drillers Registration No. 1006

Address 13501 CHRISMAN #26 (Street or RFD) HOUSTON (City) TEXAS (State)

(Signed) James H. Sugg Jr. (Water Well Driller) SUGG WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
584	2 of 3	ESE	4.55 / 24,001.09	ROSEWOOD HOSPITAL TX	TCEQ WELL LOGS

Grid No: 65-20-2
Date Drilled: 11/15/1991
Owners Name: ROSEWOOD HOSPITAL
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 237
Depth Drilled: 395
Latitude: 29.737915
Longtiude: -95.526427

Send original copy by certified mail to: **Texas Water Commission, P.O. Box 13087, Austin, Texas 78711** (10) *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

L

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Rosewood Hospital (Name) ADDRESS PO Box 36927 (Street or RFD) Houston (City) TX (State) 77236 (Zip)

2) LOCATION OF WELL: Westheimer RD
County Harris . _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Monitor ☑ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 11-12 19 91 Completed 11-15 19 91

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	375
3 7/8	375	395
12 1/4	+1	20

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	355	Clay & Sand
355	395	Sand

RECEIVED
JAN 13 1992
TEXAS WATER COMMISSION

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	Galvanized	0	375	
2	N	Galvanized	364	375	
2	N	PVC	375	385	.014
2	N	PVC	385	395	.016
2	N	Steel Sch. 40	+1	20	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 375 ft. No. of Sacks Used 35
0 ft. to 20 ft. No. of Sacks Used 15
Method used Halliburton
Cemented by Bussell & Son Inc.

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☑ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 237 ft. below land surface Date 11-15-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type (2) K-Packer Depth 369

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 336 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 45 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Love

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 10 Located on map 65 202

WWD-012 (Rev. 05-18-90) TEXAS WATER COMMISSION COPY

V

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
584	3 of 3	ESE	4.55 / 24,001.09	ROSEWOOD MEDICAL CENTER TX	WW HARRIS GAL

Well ID:	7685	**Diameter (inches):**	4
Aggre Lead Well:	7685	**Year Drilled:**	1991
Permit No:	W1996-7685-62817-0	**Depth Drilled:**	395
Permit Start Date:	5/1/1996	**Depth frm Surf(ft):**	375
Permit End Dt:	4/30/2001	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.737777
Regulatory Aarea:	2	**Longitude:**	-95.526944
Owner Name:	ROSEWOOD MEDICAL CENTER		
Billing Contact:	PETE ROSAS		
Billing Address:	9200 WESTHEIMER		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77063		
Correspondence:	NULL		
Provision:	T - Requirement that the permittee must reduce its reliance on groundwater in accordance with requirements of the District Plan is suspended for term of permit.		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
585	1 of 2	SW	4.55 / 24,004.67	BENNETT ESTATE, JAMES T. TX	WW HARRIS GAL

Well ID:	3253	**Diameter (inches):**	6
Aggre Lead Well:	3253	**Year Drilled:**	1984
Permit No:	W1983-3253-17249-0	**Depth Drilled:**	0
Permit Start Date:	5/1/1983	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/1984	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.717777
Regulatory Aarea:	3	**Longitude:**	-95.635277
Owner Name:	BENNETT ESTATE, JAMES T.		
Billing Contact:	KAY PLAISANCE		
Billing Address:	8730 TAUB Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77064		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
585	2 of 2	SW	4.55 / 24,004.67	BENNETT ESTATE, JAMES T. TX	WW HARRIS GAL

Well ID:	3254	**Diameter (inches):**	4
Aggre Lead Well:	3253	**Year Drilled:**	1984
Permit No:	W1983-3253-17249-0	**Depth Drilled:**	0
Permit Start Date:	5/1/1983	**Depth frm Surf(ft):**	0
Permit End Dt:	4/30/1984	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.717777
Regulatory Aarea:	3	**Longitude:**	-95.635277
Owner Name:	BENNETT ESTATE, JAMES T.		
Billing Contact:	KAY PLAISANCE		
Billing Address:	8730 TAUB Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77064		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
586	1 of 4	SE	4.55 / 24,019.78	City of Houston Windswept TX	GWDB

Well Rep Track No:	
State Well No:	6520322
Owner Name:	City of Houston Windswept
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1976
Well Depth:	1524
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7241670
Longitude:	-95.5363890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520322&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520322&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
586	2 of 4	SE	4.55 / 24,019.78	CITY OF HOUSTON TX	WUD

St Well No:	6520322
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IV
Date Drilled:	00/00/1976
Well Depth:	1535
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.723842
Longitude:	-95.536056
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
586	3 of 4	SE	4.55 / 24,019.78	Houston, City of TX	WW HARRIS GAL

Well ID:	2625	**Diameter (inches):**	24
Aggre Lead Well:	1001	**Year Drilled:**	1976
Permit No:	W1990-1001-33658-0	**Depth Drilled:**	1535
Permit Start Date:	2/1/1990	**Depth frm Surf(ft):**	658
Permit End Dt:	1/31/1991	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.723611
Regulatory Aarea:	2	**Longitude:**	-95.535833

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
586	4 of 4	SE	4.55 / 24,019.78	USGS-294326095321001 TX	FED USGS

Site No:	USGS-294326095321001
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	197601
Well Depth:	1535
Well Depth Unit:	ft
Well Hole Depth:	1600
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-322
Latitude:	29.72416667000000
Longitude:	-95.5363889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
587	1 of 1	ENE	4.55 / 24,032.92	Ben Saoula 9230 Elizabeth Houston TX 77055	SDRW WELLS

Track NO: 53517
Date Submitted: 2005-02-21
Owner Name: Ben Saoula
Owner Address: 9230 Elizabeth Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77055
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.790278
Longitude: -95.518611
Drilling Date Started: 2005-02-16
Drilling Date Completed: 2005-02-18
Chemical Analysis: No
Company Name: Ballard Water Well
Company Address: P. O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=53517&Type=SDR-Well

Well Borehole Information

Top Depth: 300
Bottom Depth: 320

Top Depth: 0
Bottom Depth: 300

Top Depth:
Bottom Depth: 320.0

Well Levels

Measurement: 189
Measurement Date: 2005-02-18

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
588	1 of 1	NNE	4.55 / 24,048.94	TIDE AIR CO. TX	TCEQ WELL LOGS

Grid No: 65-12-2C
Date Drilled: 06/??/1977
Owners Name: TIDE AIR CO.
County: HARRIS
Water Usage: INDUSTRIAL
Static Level: 155
Depth Drilled: 249
Latitude: 29.8346671
Longtiude: -95.5679415

65-12-2C

2C Dup

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-2C
Located on map
Received: 7/

1) OWNER:
Person having well drilled Ed Thomas Co. (Name) Address P.O. Box 10747 City 77018 (Street or RFD) (City) (State)
Landowner Tide Air Co. (Name) Address 4430 Brittmore Rd. Houston (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, 13 miles in W (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Well is located at Tide Air Plant on Corner of Brittmore & Clay RD
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, X Industrial, Municipal, Irrigation, Test Well, Other
5) TYPE OF WELL (Check): X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 249 ft. Depth of completed well 249 ft. Date drilled June 77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Fill
3	25	Yellow clay
25	55	red sand & red clay
55 &	65	red clay
65	92	red & blue clay
92	115	sand
115	119	red clay
119	140	sand
140	214	red & yellow clay
214	249	course sand

(Use reverse side if necessary)

9) Casing:
Type: Old, X New, Steel, X Plastic, Other
Cemented from 214 ft. to GL ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	+2	230'	scdl. 40

10) SCREEN:
Type Pipe based plastic wire
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	234	249	14 ga.

7) COMPLETION (Check): X Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 155 ft. below land surface Date july 77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 210 ft. below land surface.
Jacuzzi sumersible model 2S4D-S2 set 210' on 1½"

11) WELL TESTS:
Was a pump test made? Yes X No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes X No.
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J.Swinehart (Type or Print) Water Well Drillers Registration No. 229
ADDRESS 7524 N. Freeway (Street or RFD) Houston (City) Texas 77037 (State)
(Signed) B.J. Swinehart (Water Well Driller) B.J. Swinehart Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBE-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

37)

65-12-2CC

nd original copy by
rtified mail to the
xas Water Development Board
. O. Box 13087
stin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-12-2CC
Located on map C-69
Received: 79 JAN

1)OWNER:
Person having well drilled P. A. Mims (Name) Address % 5931 Britmore (Street or RFD) Houston (City) TX (State)
Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2)LOCATION OF WELL: Mg. Dirty Lone
County Harris, 12 miles in N.W. (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

#37
Map on 60-60-1KK
North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3)TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4)PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5)TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6)WELL LOG:
Diameter of hole 6½ in. Depth drilled 337 ft. Depth of completed well 370 ft. Date drilled 10/25/77
All measurements made from 4 ft.above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	65	Clay & Sand
65	85	Clay
85	169	Gravel Sand & Gravel
169	190	Sand & Rock Sand
190	211	Gravel & Clay
211	232	Clay & Sand
232	295	Sandy Clay & Sand
295	370	Solid

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from 287 ft. to 337 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	337	Sch 40

10) SCREEN:
Type Wire Wound
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2"	350	370	.020 gal

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 155 ft. below land surface Date 10/25/77
Artesian pressure ____ lbs. per square inch Date ____
Depth to pump bowls, cylinder, jet, etc., 190 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft.drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No.
Type of water? ____ depth of strata ____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Tommy C Bussell (Type or Print) Water Well Drillers Registration No. 707

ADDRESS 9735 N. Houston-Rosslyn (Street or RFD) Houston (City) TX (State) 77088


(Signed) Tommy C Bussell (Water Well Driller) Bussell & Son, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WDBE-WO-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB


JERSEY VILLAGE
Houston City Limit
SATSUMA OIL FIELD
ADDICKS OIL FIELD
NORTH HOUSTON
SPRING VALLEY VILLAGE
HILSHIRE VILLAGE
BUNKER HILL VILLAGE
HEDWIG VILLAGE
HUNTERS CREEK VILLAGE
BARKER RESERVOIR
ADDICKS RESERVOIR
Buffalo Bayou
Langham Creek
Cypress Creek
Green Creek
Spring Branch
Mary Creek
Rosslyn Creek
Collier Creek
Fortune Creek
Jackson Creek
Becker Creek
Perry Creek
Bammel Creek
Ehrhardt Creek
Barker Reservoir
Addicks Reservoir
Barker Reservoir Flood Line Elev. 111'
Addicks Reservoir Flood Line Elev. 115'
Houston City Limit
Houston City Limit
Houston City Limit

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
589	1 of 1	ENE	4.56 / 24,057.94	Joe Glass 9221 Elizabeth Rd. Houston TX 77055	SDRW WELLS

Track NO: 72952
Date Submitted: 2005-12-22
Owner Name: Joe Glass
Owner Address: 9221 Elizabeth Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77055
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.789445
Longitude: -95.518333
Drilling Date Started: 2005-12-13
Drilling Date Completed: 2005-12-16
Chemical Analysis: No
Company Name: Ballard Water Well
Company Address: P. O. Box 970
CompanyAddress2:
Company City: Willis
Company State: TX
Company Zip: 77378
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=72952&Type=SDR-Well

Well Borehole Information

Top Depth: 337
Bottom Depth: 380

Top Depth: 0
Bottom Depth: 337

Top Depth:
Bottom Depth: 380.0

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
590	1 of 1	ENE	4.57 / 24,103.73	Dennis Williams 1748 Oak Tree Houston TX 77080	SDRW WELLS

Track NO: 108516
Date Submitted: 2007-04-06
Owner Name: Dennis Williams
Owner Address: 1748 Oak Tree
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.804723
Longitude: -95.526667
Drilling Date Started: 2007-03-16
Drilling Date Completed: 2007-03-16
Chemical Analysis: No
Company Name: Raymond Services, Inc.
Company Address: 10011 Airline
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77037
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=108516&Type=SDR-Well

Well Borehole Information

Top Depth:
Bottom Depth: 53.0

Top Depth: 0
Bottom Depth: 53

Well Levels

Measurement: 10
Measurement Date: 2007-03-16

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
591	1 of 1	SW	4.58 / 24,180.86	Joe Schiller TX	GWDB

Well Rep Track No:	
State Well No:	6519302
Owner Name:	Joe Schiller
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	184
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7180550
Longitude:	-95.6361110
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519302&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519302&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
592	1 of 1	NE	4.59 / 24,242.48	METRO NATIONAL CORP. TX	TCEQ WELL LOGS

Grid No: 65-12-5
Date Drilled: 10/01/1991
Owners Name: METRO NATIONAL CORP.
County: HARRIS
Water Usage: IRRIGATION
Static Level: 265
Depth Drilled: 620
Latitude: 29.8241693
Longtiude: -95.5440912

Se... original copy by certified mail to: Texas Water Commi... on, P.O. Box 13087, Austin, Texas 78711 — 3 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

East Annex SUITE IC

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER METRO NATIONAL CORP (Name) ADDRESS CONSTRUCTION DEPT. 902 FROSTWOOD HOU. (Street or RFD) (City) TX (State) 77024 (Zip)

2) LOCATION OF WELL: County HARRIS. ID miles in W (NE, SW, etc.) direction from HOUSTON (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☑ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☐ Driven
☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 9/26 1991 Completed 10/1 1991

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	15"	Surface	460
	9"/8"	460'	620'

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☑ Gravel Packed ☐ Other ____
If Gravel Packed give interval ... from 460 ft. to 620 ft.

From (ft.)	To (ft.)	Description and color of formation material
0'	300'	Sand + Clay streaks
300	345	sand
345	358	Clay (white)
358	375	sand
375	445	white + red clay
445	482	sand
482	485	Clay (white)
485	494	sand
494	514	Clay (white)
514	534	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
10	N	BLACK STEEL	0'	460'	
6	N	SEE BACK			

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 200 ft. No. of Sacks Used 75
460 ft. to 300 ft. No. of Sacks Used 100
Method used HALLIBURTON + TRIMME
Cemented by BUSSELL + SON INC.

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 420' ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 400 gpm with 200 ft. drawdown after 10 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 265' ft. below land surface Date 10/1/91
Artesian flow 0 gpm. Date 10/1/91

12) PACKERS:

Type	Depth
NONE	NONE

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL + SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P.O. BOX 474 (Street or RFD) TOMBALL (City) TX (State) 77375 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 3 Located on map 65-12-5

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

184498

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY


The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
534 -	550	Clay (white)
550	558	Sand
558	606	Clay (tan)
606	612	sand
612	648	Clay (green + gray)
648	656	sand
656	750	sandy clay white
		1 Screen + Liner Setting
440 - 460'	N	6" BLACK STEEL
460' - 494'	N	6" S.S.R.B. 025
494 - 514'	N	6" BLACK STEEL
514' - 534'	N	6" S.S.R.B. .020
534 - 550	N	6" BLACK STEEL
550 - 558	N	6" S.S.R.B. .016
558 - 606	N	6" BLACK STEEL
606 - 612	N	6" S.S.R.B 012

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
593	1 of 1	ENE	4.59 / 24,243.96	NED DAVENPORT TX	TCEQ WELL LOGS

Grid No: 65-12-6
Date Drilled: 10/16/1989
Owners Name: NED DAVENPORT
County: HARRIS
Water Usage: DOMESTIC
Static Level: 220
Depth Drilled: 413
Latitude: 29.796753
Longtiude: -95.52048

(14)

Send original copy by certified mail to: Texas Water Com'n, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Ned Davenport (Name) ADDRESS 9317 Olathe (Street or RFD) Houston (City) Tx (State) 77055 (Zip)

2) LOCATION OF WELL: County Harris . 10 miles in W (NE, SW, etc.) direction from Houston (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Pluggihg

4) PROPOSED USE (Check): XX Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven XX Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 10-14-89 19__ Completed 10-16-89 19__

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	413

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed XX Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	36	Clay
36	89	Sand
89	121	Clay
121	163	Sand
163	194	Clay
194	237	Sand
237	273	Clay
273	305	Sand
305	347	Clay
347	371	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC CAsing	0	383	sch40
2½"	N	Liner	383	393	Sch 40
2½"	N	Slotted Screen	393	413	.0012

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 383 ft. to 223 ft. No. of Sacks Used 10
15 ft. to 0 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson WAter WellService, INc.

RECEIVED
APR 03 1992
TEXAS WATER COMMISSION

13) TYPE PUMP: 1½ H.P.
☐ Turbine ☐ Jet XX Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 300 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
XX Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 220 ft. below land surface Date 10-16-89
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes XX No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes XX No

12) PACKERS: Type K-Packer Depth 383

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, INc. (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Tx (State) 77086 (Zip)

(Signed) Tim Robinson IV (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 14 Located on map 63-12-6

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
371	390	Clay
390	413	Sand


#7
HARRIS COUNTY TEXAS 102

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
594	1 of 1	SSE	4.59 / 24,252.35	KATY LANE WESTCAN TX	TCEQ WELL LOGS

Grid No:	65-20-2F
Date Drilled:	07/08/1974
Owners Name:	KATY LANE WESTCAN
County:	HARRIS
Water Usage:	OTHER
Static Level:	70
Depth Drilled:	280
Latitude:	29.712739
Longtiude:	-95.555851

2F

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-30-2F
Located on map 1/25
Received: 7-9-74

1) OWNER:
Person having well drilled KATY LANE WESTON Address (Name) (Street or RFD) HOUSTON (City) TEXAS (State)

Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Co. 2 miles in E (N.E., S.W., etc.) direction from ALOIF (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

ALOIF
2 MILES
well
North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor PULLED WELL League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other ✓

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6¼ in. Depth drilled 280 ft. Depth of completed well 280 ft. Date drilled 7-8-74
All measurements made from 1½ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	25	surface soil
25	50	sand
50	72	clay
72	118	sand
118	160	clay
160	192	shale
192	208	blue shale
208	280	sand

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from — ft. to — ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	1½	280	SCH 40

10) SCREEN:
Type Steel Pipe
Perforated Slotted ✓

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4"	260	280	10

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole ✓

8) WATER LEVEL:
Static level 70 ft. below land surface Date 7-8-74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: 65 gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No ✓
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Robert Gerjes (Type or Print) Water Well Drillers Registration No. 1533

ADDRESS Box 66 (Street or RFD) EDNA (City) TEXAS (State)

(Signed) Robert Gerjes (Water Well Driller) CHRIS TOMPSON WATER WELL DRL (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
595	1 of 2	ESE	4.61 / 24,348.49	IRONWOOD APTS TX	TCEQ WELL LOGS

Grid No: 65-20-3
Date Drilled: 10/28/1998
Owners Name: IRONWOOD APTS
County: HARRIS
Water Usage: IRRIGATION
Static Level: 235
Depth Drilled: 440
Latitude: 29.735793
Longtiude: -95.526644

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER IRONWOOD APTS (Name) ADDRESS 2742 JEANETTA (Street or RFD) HOU. (City) TX. (State) 77063 (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS SAME (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 65-20-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [ ] Domestic [ ] Industrial [X] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 10/26 19 98 Completed 10/28 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
7 7/8	0	440

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	15	clay
15	20	sand
20	80	clay
80	125	sand
125	155	clay
155	190	sand
190	260	clay/shale
260	290	sand
290	315	clay/shale
315	350	snad
350	390	shale
390	440	sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 string
If Gravel Packed give interval from ft. to ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	PVC SDR-17	0	410	
2½	"	" LINER	400	410	
"	"	" SCREEN	410	440	.012

9) CEMENTING DATA
Cemented from 410 ft. to 100 ft. No. of sacks used 24
0 ft. to 10 ft. No. of sacks used 12
Method used HALLIBURTON
Cemented by SCOTT WATER WELL SER. INC.
Distance to septic system field lines or other concentrated contamination n/a
Method of verification of above distance CITY SEWER

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc. ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[X] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 235 ft. below land surface Date 10/28/98
Artesian flow gpm. Date

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
K-PACKER	400

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839 WI

ADDRESS 11915 GREEN PINE CIRCLE (Street or RFD) HOUSTON, (City) TX. (State) 77066 (Zip)

(Signed) Scott Robinson (Licensed Well Driller) (Signed) (Registered Driller Trainee)

FILE # NOV 17 1998 COMMENT

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
595	2 of 2	ESE	4.61 / 24,348.49	Marquis on Westheimer / CWS Apartment Homes, LLC TX	WW HARRIS GAL

Well ID:	7184	**Diameter (inches):**	5
Aggre Lead Well:	7184	**Year Drilled:**	1998
Permit No:	WP2024-105759	**Depth Drilled:**	400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	375
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.736111
Regulatory Aarea:	2	**Longitude:**	-95.526944
Owner Name:	Marquis on Westheimer		
Billing Contact:	Daniel Vallejo		
Billing Address:	2742 Jeanetta Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77063		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
596	1 of 2	N	4.62 / 24,374.60	PETRUS OPERATING TX	TCEQ WELL LOGS

Grid No:	65-12-1AA
Date Drilled:	10/06/1984
Owners Name:	PETRUS OPERATING
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	170
Depth Drilled:	402
Latitude:	29.8382875
Longtiude:	-95.6006246

STATE OF TEXAS WATER WELL REPORT

1) Owner: PETRUS OPERATING INC. Address: P. O. BOX 838 City: CALDWELL State: TX ZIP: 77836
2) LOCATION OF WELL:
County: HARRIS 15.5 miles in NW direction from HOUSTON

LEGAL DESCRIPTION:
Section No.: H187 Block No.: SW Township: ADDICKS
Abstract No.: CLAY RD. Survey Name: J.HANKAMER USA1
Distance and direction from two intersecting section or survey lines: CLAY RD. & ADDICKS FAIRBA

3) TYPE OF WORK: NEW WELL
4) PROPOSED USE: INDUSTRIAL
5) DRILLING METHOD: MUD ROTARY

#1279

6) WELL LOG:

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	402

7) BOREHOLE METHOD: STRAIGHT WALL
IF GRAVEL... FROM FT TO FT

Date Drilled: 10/06/84

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	TOP SOIL
3	18	CLAY
18	50	SAND
50	90	CLAY
90	120	SAND
120	176	CLAY
176	226	SAND
226	237	CLAY
237	280	SAND
280	284	CLAY
284	313	SAND
313	324	CLAY
324	334	SAND
334	348	CLAY
348	358	SAND
358	368	CLAY
368	378	SAND
378	386	CLAY
386	402	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING	GAGE SCREEN
4	N	PVC CASING	0	293		40
2.5	N	PVC LINER PIPE	282	362		20
2.5	N	EVERFLO SCREEN	362	382		20
2.5	N	EVERFLO SCREEN	382	402		20

9) CEMENTING DATA:
Cemented from 0 FT. TO 293 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: ODCI

10) SURFACE COMPLETION:
OTHER

11) WATER LEVEL:
STATIC LEVEL : 170 FT. DATE 10/06/84
ARTESIAN FLOW: GPM. DATE / /

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
OTHER
DEPTH TO PUMP: 336

14) WELL TEST:
JETTED
YIELD: 55 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD WATER DEPTH OF STRATA: 16
NO STRATA OF UNDESIRABLE WATER PENETRATED

NO CHEMICAL ANALYSIS MADE

RECEIVED
SEP - 6 1985
DEPT. OF WATER RESOURCES

COMPANY NAME: O'DAY DRILLING CO., INC. WATER WELL DRILLER'S LICENSE NO.: 1877
ADDRESS: P. O. BOX 162 CITY: PEARLAND STATE: TX ZIP CODE: 77588

(signed) (signed)

Dup

65-12-1AA

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER _____ (Name) Address _____ (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County _____ _____ miles in _____ (N.E., S.W., etc.) direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check):
☐ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled _____

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from _____ ft. to _____ ft.
_____ ft. to _____ ft.
Method used _____
Cemented by _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
SEP - 6 1985
DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME _____ (Type or Print) Water Well Driller's License No. _____

ADDRESS _____ (Street or RFD) (City) (State) (Zip)

(Signed) Michael O'Day (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-1AA
Located on map Yes DLF

DEPARTMENT OF WATER RESOURCES COPY

TDWR-0392 (12/29/83)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
596	2 of 2	N	4.62 / 24,374.60	BSE DRILLING COMPANY TX	TCEQ WELL LOGS

Grid No:	65-12-1JJ
Date Drilled:	12/17/1984
Owners Name:	BSE DRILLING COMPANY
County:	HARRIS
Water Usage:	SUPPLY
Static Level:	NOT REPORTED
Depth Drilled:	330
Latitude:	29.8382875
Longtiude:	-95.6006246

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER BSE Drilling Company (Name) Address P.O. Box 4260 (Street or RFD) Victoria, Tex. (City) 77903 (State) (Zip)

2) LOCATION OF WELL: County Harris 14 miles in NW (N.E., S.W., etc.) direction from Katy (Town)
Wise #2

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. MAP C, Well #1

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other Supply

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 12-17-84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4		330

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	36	Clay
36	52	Sand
52	98	Clay
98	115	Sand & Pea Gravel
115	133	Sand
133	140	Clay
140	150	Sand Rock, Sand & Clay
150	185	Clay
185	238	Sand
238	255	Clay
255	320	Sand & Pea Gravel
320	325	Clay
325	330	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Pipe	+3	255	40
4"	N	PVC Slotted	255	315	40

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 15 ft. to Surface ft.
_____ ft. to _____ ft.
Method used _____
Cemented by Friedel Drilling Company

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Formation 252 249

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 70 gpm with 10 ft. drawdown after 2 hrs.

RECEIVED
MAY 14 1985
DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Friedel Drilling Company (Type or Print) Water Well Driller's License No. #2232

ADDRESS Route 2, Box 90-A (Street or RFD) Yoakum, (City) Texas (State) 77995 (Zip)


(Signed) John Garcia (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-114
Located on map Yesc.F.S.

DEPARTMENT OF WATER RESOURCES COPY

TDWR-0392 (12/29/83)


LEGEND
IIGHWAY MAP
COUNTY
XAS
1ENT OF HIGHWAYS
RANSPORTATION
N PLANNING DIVISION
OF TRANSPORTATION
AY ADMINISTRATION
979
MHPC

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
597	1 of 1	S	4.62 / 24,391.57	SIGMOR CORPORATION TX	WW HARRIS GAL

Well ID: 3242
Aggre Lead Well: 3242
Permit No: W1984-3242-20193-0
Permit Start Date: 7/1/1984
Permit End Dt: 4/10/1985
Well Status: P - Plugged
Regulatory Aarea: 3
Owner Name: SIGMOR CORPORATION
Billing Contact: SYLVIA SCOTT MENDEZ
Billing Address: P.O. Box 20267
Billing Address 2: NULL
Billing City: San Antonio
Billing State: TX
Billing Zip: 78220
Correspondence: SIGMOR NUMBER 267, INC.
Provision: NULL
Water Usage: I - Industrial

Diameter (inches): 4
Year Drilled: 1969
Depth Drilled: 0
Depth frm Surf(ft): 0
County: H
Latitude: 29.704166
Longitude: -95.585833

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
598	1 of 1	SW	4.64 / 24,484.30	JOE J. SEBESTA TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	10/18/1972
Owners Name:	JOE J. SEBESTA
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	121
Depth Drilled:	295
Latitude:	29.718211
Longtiude:	-95.6379847

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 7-?
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled JOE J. SEBESTA (Name) Address BOX 12 (Street or RFD) ALIEF (City) TEXAS (State) 77411
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)
miles in 6 (NE, SW, etc.) N.W. direction from ALIEF, TEX (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☒ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☒ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☒ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4½" OD in. Depth drilled 295' ft. Depth of completed well 295' ft. Date drilled 10-18-72
All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	BLACK TOP SOIL
4	33	RED CLAY TO GRAY
33	40	SOLF WHITE SAND
40	85	RED CLAY TURNING GRAY
85	175	STRIPS OF SAND W/GRAVEL
175	200	VERY STICKLY RED CLAY
200	215	COURSE SAND
215	258	VERY STICKLY RED CLAY
258	295	VERY COURSE SAND & GRAVEL BOTTOM OF WELL

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall ☒ Gravel packed ☐ Other ☐ Under reamed ☐ Open hole ☐

8) WATER LEVEL: Static level 121 ft. below land surface Date 10-18-72
Artesian pressure lbs. per square inch Date

9) CASING: Type: old ☐ New ☒ Steel ☐ Plastic ☒ Other ☐
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4½" OD	0	285	40 SEC PLASTIC

10) SCREEN: Type BRONZE WRAPE ON GALV. PIPE
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
4½ OD	285	295	EQUAL TO 14 GAGE

11) WELL TESTS:
Was a pump test made? ☐ Yes ☒ No If yes by whom? SAME PUMP LEFT IN WELL
Yield: 20 gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date 10-18-72
Temperature of water
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? VERY GOOD depth of strata 295

12) PUMP DATA: REDA - SUBMERSIBLE
Manufacturer's Name ~~FAIRBANKS MOORSE~~
Type SUBMERSIBLE H.P. 1½
Designed pumping rate 1200 gpm ☐ gph ☒
Type power unit 220 SIGLE PHASE
Depth to bowls, cylinder, jet, etc., ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CECIL L. ELLIS (Type or Print) Water Well Driller's Registration No. 815
Address 13719 STAFFORD RD (Street or RFD) STAFFORD, TEXAS (City) 77477
(Signed) Cecil L. Ellis (Water Well Driller) ELLIS WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
599	1 of 2	NW	4.64 / 24,509.53	Harris County - Congressman Bill Archer Park TX	WW HARRIS GAL

Well ID:	10419	**Diameter (inches):**	8
Aggre Lead Well:	10419	**Year Drilled:**	2007
Permit No:	WP2024-113678	**Depth Drilled:**	750
Permit Start Date:	11/1/2024	**Depth frm Surf(ft):**	550
Permit End Dt:	10/31/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.8175
Regulatory Aarea:	3	**Longitude:**	-95.646388
Owner Name:	Harris County		
Billing Contact:	NULL		
Billing Address:	1111 Fannin St., 8th Fl		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
599	2 of 2	NW	4.64 / 24,509.53	Harris County Bill Archer Park 3201 Hwy 6 @ Bear Creek Houston TX 77082	SDRW WELLS

Track NO: 217480
Date Submitted: 2010-05-25
Owner Name: Harris County Bill Archer Park
Owner Address: 1001 Preston 7th Floor
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77002
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.727222
Longitude: -95.643889
Drilling Date Started: 2007-04-04
Drilling Date Completed: 2007-07-31
Chemical Analysis: No
Company Name: Bussell & Sons LLC
Company Address: PO Box 874
CompanyAddress2:
Company City: Tomball
Company State: TX
Company Zip: 77377
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=217480&Type=SDR-Well

Well Borehole Information

Top Depth: 370
Bottom Depth: 468

Top Depth:
Bottom Depth: 468.0

Top Depth: 0
Bottom Depth: 370

Well Levels

Measurement: 174
Measurement Date: 2007-04-10

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
600	1 of 2	NNE	4.65 / 24,538.39	TEXAS PIPE THREADERS TX	TCEQ WELL LOGS

Grid No:	65-12-2FF
Date Drilled:	01/05/1981
Owners Name:	TEXAS PIPE THREADERS
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	180
Depth Drilled:	315
Latitude:	29.837197
Longtiude:	-95.5724533

QFF
Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-2FF
Located on map
Received:

1) OWNER Texas Pipe Threaders (6) (Name) Address 4511 Brittmore (Street or RFD) Houston, Texas (City) (State) 7702[illegible] (Zip)

2) LOCATION OF WELL: County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

☐ See attached map. MAP ON # 65-03-24

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4 3/4"	Surface	340'
6 3/4"	"	315'

Date drilled 1-5-81

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other Two-String
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	17	Yellow Gray
17	20	Sand
20	28	Red Gray
28	56	Sand
56	Rock	
56	76	Red Gray
76	85	Sand
85	104	Red Gray
104	138	Sand
138	160	Red Gray
160	195	Red Gray
195	246	Sand
246	250	Clay
250	268	Sand
268	272	Clay
272	280	Sand
280	290	Clay
290	340	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Galv. Steel	+24	315'	
2½	N	Well Supplies Inc.			
	N	WOP PVC Screen	340'	320'	16ga
2½	N	Blank Liner PVC			
		SCH 80	320'	300'	

CEMENTING DATA
Cemented from 315' ft. to Surface ft.
Method used Pressure Cement
Cemented by Raymond Wtaer Wells (Company or Individual)

9) WATER LEVEL:
Static level 180' ft. below land surface Date 1-5-81
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Lead Seal Depth 300'

RECEIVED
AUG 2 1982
CR/L

(Use reverse side if necessary)

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 252' ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 30 gpm with 12 ft. drawdown after 24 hrs.


13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. 774
ADDRESS 7010 W. Airline Dr. (Street or RFD) Houston, Texas 77037 (City) (State) (Zip)
(Signed) [signature] (Water Well Driller) Raymond Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973
HARRIS COUNTY
ATTACHMENT

65-03-2Y Dup

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
600	2 of 2	NNE	4.65 / 24,538.39	KWK Houston Properties LLC TX	WW HARRIS GAL

Well ID:	14478	**Diameter (inches):**	4
Aggre Lead Well:	14478	**Year Drilled:**	
Permit No:	WP2024-105957	**Depth Drilled:**	0
Permit Start Date:	6/1/2024 3:57:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	5/31/2025 3:57:00 PM	**County:**	H
Well Status:	1 - No electric	**Latitude:**	29.837222
Regulatory Aarea:	3	**Longitude:**	-95.571111
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	P.O. Box 19469		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77224		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
601	1 of 1	NNW	4.65 / 24,540.54	FLORIDA EXPLORATION TX	TCEQ WELL LOGS

Grid No: 65-12-1Z
Date Drilled: 12/04/1979
Owners Name: FLORIDA EXPLORATION
County: HARRIS
Water Usage: DOMESTIC
Static Level: 172
Depth Drilled: 284
Latitude: 29.8378181
Longtiude: -95.6070952

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-12
Located on map Yes
Received: C.F.S.

1) OWNER Florida Exploration (Name) Address 1100 Milam Building. (Street or RFD) Houston (City) TX (State) 77002 (Zip)

2) LOCATION OF WELL: County Harris 4 miles in NE (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

XX See attached map. Map on 60-60-5T

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): X Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): XX Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 12-4-79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	284

7) BOREHOLE COMPLETION: ☐ Open Hole X Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	16	Clay
16	24	Sand
24	28	Clay
28	58	Sand
58	58.5	Clay
58.5	63	Sand
63	68	Clay
68	72	Sand
72	84	Clay
84	128	Sand
128	179	Clay
179	201	Snad
201	211	Clay
211	224	Sand
224	243	Clay
243	251	Sand
251	257	Clay
257	283	Sand

RECEIVED
MAR 26 1982
CR/L...

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing	Gage Screen
44	N	PVC	0	260		40
4	N	Everflo	260	280		20

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 172 ft. below land surface Date 12-4-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
X Other Airline
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer X Jetted ☐ Estimated
Yield: 65 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes X No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes XX No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Orlen O'Day (Type or Print) Water Well Drillers Registration No. 786

ADDRESS P.O.Box 162 (Street or RFD) Pearland (City) TX (State) 77581 (Zip)

(Signed) Orlen O'Day (Water Well Driller) O'Day Drilling Co.,Inc. (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are con-
cerned that some persons having water wells drilled may not be aware of the confidentiality
pr
We



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
602	1 of 2	NNE	4.66 / 24,607.80	Y.M.C.A. of Greater Houston TX	WW HARRIS GAL

Well ID:	9705	**Diameter (inches):**	6
Aggre Lead Well:	9705	**Year Drilled:**	2004
Permit No:	W2019-9705-203451-0	**Depth Drilled:**	400
Permit Start Date:	6/1/2019	**Depth frm Surf(ft):**	370
Permit End Dt:	6/1/2019	**County:**	H
Well Status:	L - Lost	**Latitude:**	29.831111
Regulatory Aarea:	3	**Longitude:**	-95.554722
Owner Name:	Y.M.C.A. of Greater Houston		
Billing Contact:	NULL		
Billing Address:	2600 Northwest Loop West, Ste 300		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
602	2 of 2	NNE	4.66 / 24,607.80	YMCA 10665 Clay Road Houston TX	SDRW WELLS

Track NO: 170605
Date Submitted: 2009-03-10
Owner Name: YMCA
Owner Address: 10665 Clay Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip:
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Irrigation
Prop Use Oth Descr:
Latitude: 29.831111
Longitude: -95.554723
Drilling Date Started: 2004-05-19
Drilling Date Completed: 2004-07-12
Chemical Analysis: No
Company Name: Almeda Water Well Service
Company Address: P.O. Box 266
CompanyAddress2:
Company City: Manvel
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=170605&Type=SDR-Well

Well Borehole Information

Top Depth: 351
Bottom Depth: 480

Top Depth: 0
Bottom Depth: 351

Top Depth:
Bottom Depth: 480.0

Well Levels

Measurement: 199
Measurement Date: 2004-07-09

Well Strata

Water Type:

Good

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
603	1 of 1	SW	4.66 / 24,609.07	GRIMES GRASS CO TX	TCEQ WELL LOGS

Grid No:	65-19-3S
Date Drilled:	03/08/1978
Owners Name:	GRIMES GRASS CO
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	118
Depth Drilled:	211
Latitude:	29.7238651
Longtiude:	-95.6460181

4885

65-19-35

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-19-35
Located on map 1:62
Received: 7-27

1) OWNER:
Person having well drilled: Grimes Grass Co. (Name) Address 8530 No. Fwy. Houston, TX (Street or RFD) (City) (State)
Landowner: Same (Name) Address 1-10 So. on Hwy 6. Hou. TX (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

SEE MAP ATTACHED

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor ____ League ____
Block ____ Survey ____
Abstract No. ____
(NW¼ NE¼ SW¼ SE¼) of Section ____

3) TYPE OF WORK (Check):
New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial | Municipal | Irrigation | Test Well | Other

5) TYPE OF WELL (Check):
Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 196 ft. Depth of completed well 211 ft. Date drilled 3-8-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-4		Black clay
4-9		Yellow clay
9-17		Red, yellow clay
17-28		Sand
28-55		Red, gray clay
55-65		Sand
65-117		Red, gray clay
117-122		Sand
122-125		Blue & red clay
125-133		Sand
133-147		Blue & yellow clay
147-159		Sand

(Use reverse side if necessary)

9) Casing:
Type: Old | New | Steel | Plastic | Other
Cemented from ____ ft. to ____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	1'	196	40

10) SCREEN:
Type Well Supplies. Inc. Plastic Wrapped
Perforated | Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	201	211	10 ga.

7) COMPLETION (Check):
Straight wall | Gravel packed | Other | Under reamed | Open Hole

8) WATER LEVEL:
Static level 118 ft. below land surface Date 3-78
Artesian pressure ____ lbs. per square inch Date ____
Depth to pump bowls, cylinder, jet, etc., 147 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes | No If yes, by whom?
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes | No
Did any strata contain undesirable water? Yes | No
Type of water? ____ depth of strata ____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. (Type or Print) Water Well Drillers Registration No. TDL 774
ADDRESS 10011 Airline Dr. (Street or RFD) Houston, Texas (City) (State)
(Signed) C.A. Raymond Jr. (Water Well Driller)
RAYMOND WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WATER RESOURCES
RECEIVED
JUL 31 1978

2)LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

159-167	Yellow clay
167-169	Sand
169-176	Yellow & gray clay
176-210	Sand 10 ga.
210-211	Rock



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	1 of 11	ENE	4.68 / 24,692.24	City of Spring Valley Bonnie Oaks TX	GWDB

Well Rep Track No:	
State Well No:	6512911
Owner Name:	City of Spring Valley Bonnie Oaks
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	400
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7891670
Longitude:	-95.5127780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512911&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512911&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	2 of 11	ENE	4.68 / 24,692.24	City of Spring Valley Bonnie Oaks TX	GWDB

Well Rep Track No:	
State Well No:	6512906
Owner Name:	City of Spring Valley Bonnie Oaks
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	390
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7866670
Longitude:	-95.5136120
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512906&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512906&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	3 of 11	ENE	4.68 / 24,692.24	CITY OF SPRING VALLEY VILLAGE TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	JASMIN TORRES
PWSID:	1010214
Source ID:	G1010214B
Utility Name:	CITY OF SPRING VALLEY VILLAGE
WTRSRC:	G1010214B
Date Drilled:	09/09/1981
Well Depth:	1200
Screen Top:	725
Screen Bottom:	1185
Gallons Per Minute:	800
Water Usage:	ACTIVE - PERMANENT
CCN:	P0523
Latitude:	29.78763144
Longitude:	-95.51565308
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	4 of 11	ENE	4.68 / 24,692.24	CITY OF SPRING VALLEY VILLAGE TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	JASMIN TORRES
PWSID:	1010214
Source ID:	G1010214A
Utility Name:	CITY OF SPRING VALLEY VILLAGE
WTRSRC:	G1010214A
Date Drilled:	00/00/1978
Well Depth:	650
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	55
Water Usage:	INACTIVE - PLUGGED
CCN:	P0523
Latitude:	29.787645
Longitude:	-95.515671
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	5 of 11	ENE	4.68 / 24,692.24	CITY OF SPRING VALLEY TX	TCEQ WELL LOGS

Grid No:	65-12-6Y
Date Drilled:	09/09/1981
Owners Name:	CITY OF SPRING VALLEY
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	399
Depth Drilled:	1200
Latitude:	29.7876329
Longtiude:	-95.5156567

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-D-64
Located on map Yes
Received: RLW

1) OWNER City of Spring Valley (Name) Address 1025 Campbell Rd., (Street or RFD) SpringValley, (City) Texas (State) 77055 (Zip)

2) LOCATION OF WELL: County Harris 1 miles in West (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled 9/9/81

Dia. (in.)	From (ft.)	To (ft.)
20"	Surface	720'
30"	720'	1200'

From (ft.)	To (ft.)	Description and color of formation material
See Attached Sheet		

(Use reverse side if necessary) 317 - 15

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from 720 ft. to 1200 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
16	N	Steel Apl 5LB	+2	720	.375
10-3/4	N	Steel API 5LB	650	1200	.375
10-3/4	N	SST. W.W. Screen	725	1185	.035

CEMENTING DATA
Cemented from 0 ft. to 720 ft.
Method used Halliburton
Cemented by Halliburton (Company or Individual)

9) WATER LEVEL:
Static level 399 ft. below land surface Date 9/9/81
Artesian flow -- gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 510 ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1230 gpm with 45 ft. drawdown after 24 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☒ Yes ☐ No


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Philip E. Luther (Type or Print) Water Well Drillers Registration No. 2135
ADDRESS 5931 Brittmoore Rd., (Street or RFD) Houston (City) Texas (State) 77041 (Zip)
(Signed) Philip E. Luther (Water Well Driller) Layne-Western Company, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available. KEEP MATERIAL CONFIDENTIAL

TDWR-0392 (Rev. 1-12-79)
DEPARTMENT OF WATER RESOURCES COPY

CF


CITY OF SPRING VALLEY
WELL #1

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	6 of 11	ENE	4.68 / 24,692.24	Houston, City of TX	WW HARRIS GAL

Well ID:	3304	**Diameter (inches):**	8
Aggre Lead Well:	1003	**Year Drilled:**	1978
Permit No:	WP2023-117626	**Depth Drilled:**	650
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	255
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.787777
Regulatory Aarea:	3	**Longitude:**	-95.515555
Owner Name:	SPRING VALLEY, CITY OF		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	7 of 11	ENE	4.68 / 24,692.24	SPRING VALLEY, CITY OF TX	WW HARRIS GAL

Well ID:	2052	**Diameter (inches):**	4
Aggre Lead Well:	2052	**Year Drilled:**	1954
Permit No:	W1992-2052-40354-0	**Depth Drilled:**	602
Permit Start Date:	4/8/1992	**Depth frm Surf(ft):**	562
Permit End Dt:	5/31/1993	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.788888
Regulatory Aarea:	3	**Longitude:**	-95.510277
Owner Name:	SPRING VALLEY, CITY OF		
Billing Contact:	City Administrator		
Billing Address:	1025 CAMPBELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	8 of 11	ENE	4.68 / 24,692.24	SPRING VALLEY, CITY OF TX	WW HARRIS GAL

Well ID:	2053	**Diameter (inches):**	4
Aggre Lead Well:	2052	**Year Drilled:**	1948
Permit No:	W1984-2052-19758-0	**Depth Drilled:**	390
Permit Start Date:	6/1/1984	**Depth frm Surf(ft):**	348
Permit End Dt:	5/31/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.791944
Regulatory Aarea:	3	**Longitude:**	-95.511944
Owner Name:	SPRING VALLEY, CITY OF		
Billing Contact:	City Administrator		
Billing Address:	1025 CAMPBELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	9 of 11	ENE	4.68 / 24,692.24	SPRING VALLEY, CITY OF TX	WW HARRIS GAL

Well ID:	2051	**Diameter (inches):**	6
Aggre Lead Well:	2051	**Year Drilled:**	1981
Permit No:	W1978-2051-1051-0	**Depth Drilled:**	440
Permit Start Date:	11/30/1953	**Depth frm Surf(ft):**	400
Permit End Dt:	11/30/1953	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.791111
Regulatory Aarea:	3	**Longitude:**	-95.503055
Owner Name:	SPRING VALLEY, CITY OF		
Billing Contact:	NULL		
Billing Address:	1025 CAMPBELL Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	10 of 11	ENE	4.68 / 24,692.24	Houston, City of TX	WW HARRIS GAL

Well ID:	13880	**Diameter (inches):**	19
Aggre Lead Well:	1003	**Year Drilled:**	0
Permit No:	WP2023-117626	**Depth Drilled:**	1200
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	730
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.7875
Regulatory Aarea:	3	**Longitude:**	-95.515555
Owner Name:	City of Spring Valley Village		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
604	11 of 11	ENE	4.68 / 24,692.24	Spring Valley Village 1025 Campbell Rd Houston TX 77055	SDRW WELLS

Track NO: 532258
Date Submitted: 2020-01-15
Owner Name: Spring Valley Village
Owner Address: 1025 Campbell Rd
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77055
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.787474
Longitude: -95.515479
Drilling Date Started: 2019-06-26
Drilling Date Completed: 2019-09-01
Chemical Analysis: Yes
Company Name: Alsay Incorporated
Company Address: 6615 Gant Rd
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=532258&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 725

Top Depth: 725
Bottom Depth: 1210

Top Depth: 1210
Bottom Depth: 1213

Top Depth:
Bottom Depth: 1213.0

Well Levels

Measurement: 305
Measurement Date: 2019-10-28

Well Strata

Water Type:

Fresh

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
605	1 of 1	ENE	4.68 / 24,693.08	JIM SCHWABENLAND TX	TCEQ WELL LOGS

Grid No:	65-13-4
Date Drilled:	03/21/2001
Owners Name:	JIM SCHWABENLAND
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	12
Depth Drilled:	45
Latitude:	29.790465
Longtiude:	-95.516507

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

T[redacted]s Department of License and Regul[redacted]n
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Jim Schwabenland	9166 Elizabeth	Houston	TX	77055

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris	Same			

3) Type of Work
☑ New Well ☐ Deepening ☐ Reconditioning

Lat. | | | **Long.** | | | **Grid #** 65-13-4

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 3/21/01
Completed 3/21/01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
97	Surface	45

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
Surface	15	Yellow & Gray Clay
15	30	Sand & Clay
30		Rock
30	45	Sand & Clay
45		Rock

FILE ID DESC CO JUL 0 3 2001 COMMENT AG

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☑ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	Casing Plastic	Surface	35	Sch 40
4	N	Screen Plastic	35	45	.006

9) Cementing Data
Cementing from 35 ft. to Surface ft. # of sacks used 9
ft. to ft. # of sacks used
Method Used Pressure
Cementing By Raymond Services, Inc.
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance Customer

10) Surface Completion
☐ Specified Surface Slab Installed
☑ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level
Static level 12 ft. below Date 3/21/01
Artesian Flow gpm. Date / /

12) Packers

Type	Depth
formation	34

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet etc., ft.

15) Water Test
Typetest ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 20 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☐ No

Company or individual's Name (type or print)	Raymond Services, Inc. 45774I			
Address	10011 Airline Drive	City Houston	State TX	Zip 77037

Signature		Signature	
Licensed Driller/Pump Installer	Date / /	Apprentice	Date 3/21/01

TDLR FORM 001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
606	1 of 1	ENE	4.69 / 24,749.34	MR. CHARLES GRAHAM TX	TCEQ WELL LOGS

Grid No: 65-12-9
Date Drilled: 05/08/1996
Owners Name: MR. CHARLES GRAHAM
County: HARRIS
Water Usage: DOMESTIC
Static Level: NOT REPORTED
Depth Drilled: 53
Latitude: 29.7923464
Longtiude: -95.5169717

Send original copy by certified mail to: TNRCC, P.O. B 087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Mr. Charles Graham (Name) ADDRESS 9174 Ranston (Street or RFD) Houston (City) TX. (State) (Zip)

2) ADDRESS OF WELL: County Harris (Street, RFD or other) (City) (State) (Zip) GRID # 65-12-9

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started May 8 19 96 Completed May 8 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
4 1/2	Surface	53

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	28	Clay
28	53	Sand

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from 20 ft. to 53 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	PVC.	0	43	40
2	N	PVC. J210	43	53	.08

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 20 ft. No. of sacks used 6
ft. to ft. No. of sacks used
Method used Hand mix
Cemented by CWW.
Distance to septic system field lines or other concentrated contamination ft.
Method of verification of above distan the septic -

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level ft. below land surface Date May 8, 96
Artesian flow gpm. Date

12) PACKERS: Type — Depth —

13) TYPE PUMP:
☐ Turbine ☑ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 40 ft.

14) WELL TESTS:
Type test: ☑ Pump ☐ Bailer ☐ Jetted ☑ Estimated
Yield: 5 gpm with ft. drawdown after hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Potable Depth of strata 25'
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Coastal Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 812

ADDRESS P.O Box 745 (Street or RFD) Porter (City) TX, (State) 77365 (Zip)

(Signed) W.L. Gehrels (Licensed Well Driller) (Signed) Keith Gehrels (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94) TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
607	1 of 3	SW	4.70 / 24,795.38	DAIVD GRIFFS TX	TCEQ WELL LOGS

Grid No:	65-19-3
Date Drilled:	07/14/1997
Owners Name:	DAIVD GRIFFS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	140
Depth Drilled:	300
Latitude:	29.7192157
Longtiude:	-95.6410157

Send original copy by certified return receipt requested mail to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER DAVID GRIFFS (Name) ADDRESS 909 FANNIN HOU. TX. 77010 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS 3535 S. HWY 6, HOU. TX 77082 (Street, RFD or other) (City) (State) (Zip) GRID # 65-19-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) SEC # DIR BC CD CB N

6) WELL LOG:
Date Drilling: Started 7/12 1997 Completed 7/14 1997

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
		Surface	
	6 3/4	0	300

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other
SEP 05 1997 COMMENT

From (ft.)	To (ft.)	Description and color of formation material
0	75	clay
75	100	sand / [illegible] clay
100	130	clay
130	160	sand / clay
160	225	sand
225	248	sand / clay
248	300	sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	280	
2.5	"	" LINER	290	280	
"	"	" SCREEN	290	300	.008

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 290 ft. to 130 ft. No. of sacks used 12
0 ft. to 10 ft. No. of sacks used 9
Method used HALLIBURTON
Cemented by SCOTT WATER WELL
Distance to septic system field lines or other concentrated contamination -- ft.
Method of verification of above distance TO BE INSTALLED

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 140 ft. below land surface Date 7/14/97
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K-PACKER Depth 280

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839 WI

ADDRESS 11915 GREEN PINE CIRCLE HOUSTON, TX. 77066 (Street or RFD) (City) (State) (Zip)

(Signed) Scott Robinson (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
607	2 of 3	SW	4.70 / 24,795.38	QRV HWY 6, LLC TX	WW HARRIS GAL

Well ID:	13748	**Diameter (inches):**	5
Aggre Lead Well:	13748	**Year Drilled:**	0
Permit No:	WP2024-102686	**Depth Drilled:**	400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	370
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.718888
Regulatory Aarea:	3	**Longitude:**	-95.640555

Owner Name: QRV HWY 6, LLC
Billing Contact: Ashleigh Rohr
Billing Address: 10590 Westoffice Dr #101
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77042
Correspondence: Anita Toquica
Provision: SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
607	3 of 3	SW	4.70 / 24,795.38	Schiller Road RV 14350 Schiller Road Houston TX 77082	SDRW WELLS

Track NO: 473418
Date Submitted: 2017-04-26
Owner Name: Schiller Road RV
Owner Address: 14350 Schiller Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77082
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Lake Supply
Latitude: 29.718889
Longitude: -95.639722
Drilling Date Started: 2016-12-27
Drilling Date Completed: 2017-02-27
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=473418&Type=SDR-Well

Well Borehole Information

Top Depth: 371
Bottom Depth: 401

Top Depth:
Bottom Depth: 401.0

Top Depth: 0
Bottom Depth: 370

Well Levels

Measurement: 178
Measurement Date: 2017-02-27

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
608	1 of 1	NW	4.70 / 24,818.75	DAVID C. WILLIAMS TX	TCEQ WELL LOGS

Grid No:	65-11-6J
Date Drilled:	11/??/1971
Owners Name:	DAVID C. WILLIAMS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	104
Depth Drilled:	226
Latitude:	29.822538
Longtiude:	-95.643571

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 25-77-6J
Located on map
Received: 12/7
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled David C. Williams (Name) Address 10029 Lazy Oaks (Street or RFD) Houston (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

16 miles in W (NE, SW, etc) direction from Houston (Town).

NORTH

Well is Located off 1960, 1mi S of Clay rd, & 500 E of Memorial Skyway Aipport

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 226 ft. Depth of completed well 226 ft. Date drilled Nov.71

All measurements made from 3 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
o	95	red clay
95	110	brown sand
110	125	wlay
125	170	sand medium
170	208	clay
208	224	course sand
224	226	clay

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 104 ft. below land surface Date 30 Nov. 71
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☐ Plastic ☐ Other ☐
Cemented from 90 ft. to 212 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	212	10.89#

10) SCREEN:
Type Pipe based plastic ribbed
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	214	224	14 ga.

11) WELL TESTS:
Was a pump test made? ☐ Yes ☒ No If yes by whom?

Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☒ No
Did any strata contain undesirable water? ☐ Yes ☒ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name Jacuzzi Sumersible
Type sumersible 2S46 H.P. 2
Designed pumping rate 20 gpm gpm ☐ gph ☐
Type power unit elrctric 230 volt 1 phase
Depth to bowls, cylinder, jet, etc., 168 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehatt (Type or Print) Water Well Drillers Registration No. 229

Address 7524 N. Freeway (Street or RFD) Houston (City) Texas (State)

(Signed) B.J. Swinehart (Water Well Driller) B.J. Swinehart Co. Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
609	1 of 6	WSW	4.71 / 24,854.98	City of Houston West Houston MUD # 1 TX	GWDB

Well Rep Track No:	
State Well No:	6519317
Owner Name:	City of Houston West Houston MUD # 1
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1981
Well Depth:	800
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7325000
Longitude:	-95.6544444
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519317&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519317&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
609	2 of 6	WSW	4.71 / 24,854.98	CITY OF HOUSTON TX	WUD

St Well No:	6519317
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FH
Date Drilled:	00/00/1981
Well Depth:	800
Screen Top:	472
Screen Bottom:	800
Gallons Per Minute:	545
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.73196
Longitude:	-95.654922
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
609	3 of 6	WSW	4.71 / 24,854.98	WEST HOUSTON MUD TX	TCEQ WELL LOGS

Grid No:	65-19-3B
Date Drilled:	02/11/1982
Owners Name:	WEST HOUSTON MUD
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	316.75
Depth Drilled:	1420
Latitude:	29.7319757
Longtiude:	-95.6549368

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-17-38
Located on map Yes
Received: 6 DEC 82

1) OWNER West Houston MUD (Name) Address Highway 6 (Street or RFD) Houston (City) TX (State) (Zip)

2) LOCATION OF WELL: County Harris 1/2 miles in S.W. (N.E., S.W., etc.) direction from Corner Westheimer & Hwy 6 (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

Received DEC 6 1982

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other TD 1420'

6) WELL LOG: Test hole by Layne Texas
Date drilled 2-11-82

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
32"	Surface	46'
29"	0	703'
34"	703'	1420'

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from 603 ft. to 1420 ft.

From (ft.)	To (ft.)	Description and color of formation material
		SEE ATTACHED COPIES

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
30"	N	Steel	0	46'	.320
24"	N	Steel	0	703'	.500
18"	N	Steel - Stainless	603'	993'	.375
14"	N	Steel - Stainless	993'	1420'	.375

CEMENTING DATA
Cemented from 703 ft. to Ground Level ft.
Method used Solid Hydraulics
Cemented by Dowell (Company or Individual)

RECEIVED
DEC -6 1982
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 316.75 ft. below land surface Date 11-15-82
Artesian flow ____ gpm. Date ____

10) PACKERS: Type N/A Depth

11) TYPE PUMP: ☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 580 ft.

12) WELL TESTS: ☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2000 gpm with 80 ft. drawdown after 24 hrs.

(Use reverse side if necessary) 3/7-15

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Neil D. Rollie (Type or Print) Water Well Drillers Registration No. 2048

ADDRESS 6615 Gant Street (Street or RFD) Houston (City) Texas (State) 77066 (Zip)

(Signed) Neil Rollie (Water Well Driller) ALSAY-TEXAS CORPORATION (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

NA WOOD LABORATORIES, INC.

TEST TECHNOLOGISTS · · CHEMISTS · · MICROBIOLOGISTS

22 November 1982

To: Alsay Texas Company
6615 Gant
Houston, Texas 77066

P. O. No. A-6649

For: Mr. Denny Miller

Sample marked: West Houston Mud - 11-17-82 - 6:50 - 98°

Received: 11-18-82

Received
DEC 6 1982
TDWR

WATER ANALYSIS
results in parts per million (mg/l) except as noted

Dissolved Residue at 350° C		302	Conductance, micromhos/cm, 25°C	537
Total Dissolved Solids, actual†		421	Color, units	0
Total Dissolved Solids, calc.		433	Turbidity, units	0.4
Silica	SiO_2	18	As Calcium Carbonate, $CaCO_3$:	
Calcium	Ca	33	Phenolphthalein Alkalinity	0
Magnesium	Mg	8	Total Alkalinity	192
Sodium (diff.) Na + K as	Na	76	Total Hardness	114
Carbonate	CO_3	0	Free Carbon Dioxide CO_2	15
Bicarbonate	HCO_3	234	pH . . . 7.41	
Sulfate	SO_4	10	~~HYPOTHETICAL COMBINATIONS~~	
Chloride	Cl	54	Ryzmar Stability Index	7.93
Total Fluoride	F	0.4	Langelier SI	- 0.26
Total Nitrate	NO_3	< 0.1	H_2S - on receipt	0.0 mg/l
Total Manganese	Mn	< 0.05		
Total Iron	Fe	0.08		
Iron, filtered sample	Fe	-		

†Total Dissolved Solids, actual = Dissolved Residue + 50.8% of bicarbonate (HCO_3) ion

EDNA WOOD LABORATORIES, INC.

By: Alice Perry
Alice Perry, Supervising Chemist

5332-2
lb

Tel: (713) 747-7271 • P. O. BOX 14171 • 4820 OLD SPANISH TRAIL • HOUSTON, TEXAS 77021

ALSAY-TEXAS CORPOR[illegible]ON
6615 Gant Street
HOUSTON, TEXAS 77066

(713) 444-6960

LETTL[illegible] OF TRANSMITTAL

DATE 11-29-82 | JOB NO.

ATTENTION

RE West Houston MUD

TO Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

Received
DEC 6 1982
TDWR

WE ARE SENDING YOU ☒ Attached ☐ Under separate cover via _____ the following items:

☐ Shop drawings ☐ Prints ☐ Plans ☐ Samples ☐ Specifications
☐ Copy of letter ☐ Change order ☐ _____

COPIES	DATE	NO.	DESCRIPTION
1	11-29-82		State of Texas Water Well Report
1	11-29-82		Well Site Map
1	11-29-82		Material Settings
1	11-29-82		Water Analysis

THESE ARE TRANSMITTED as checked below:

☐ For approval ☐ Approved as submitted ☐ Resubmit _____ copies for approval
☐ For your use ☐ Approved as noted ☐ Submit _____ copies for distribution
☐ As requested ☐ Returned for corrections ☐ Return _____ corrected prints
☐ For review and comment ☐ _____
☐ FOR BIDS DUE _____ 19 _____ ☐ PRINTS RETURNED AFTER LOAN TO US

REMARKS If you require further information please advise.

COPY TO _____

SIGNED: A. C. England

PRODUCT 240-2 NEBS Inc., Groton, Mass. 01450

If enclosures are not as noted, kindly notify us at once.

WEST HOUSTON MUD

RECOMMEND SCREEN SETTINGS

18" Liner


Depth		Blank	Screen
603 - 708'		105'	
708 - 738'			30'
738 - 758'		20'	
758 - 768'			10'
768 - 780'		12'	
780 - 820'			40'
820 - 898'		78'	
898 - 930'			32'
930 - 993'		63'	
993 - 995'	18"x14" Swedge Reducer	2'	
		280'	112'

14" Liner

995 - 1000'		5'	
100 - 1066'			66'
1066 - 1118'		52'	
1118 - 1186'			68'
1186 - 1244'		58'	
1244 - 1258'			14'
1258 - 1328'		70'	
1328 - 1364'			36'
1364 - 1380'		16'	
1380 - 1400'			20'
1400 - 1420'	Mule Shoe & B.P.V.	20'	
		221'	104'


24" surface casing = 703'
18" blank = 280'
18" screen = 112'
14" blank = 221'
14" blank = 203'

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
609	4 of 6	WSW	4.71 / 24,854.98	WEST HOUSTON MUD TX	TCEQ WELL LOGS

Grid No: 65-19-3W
Date Drilled: 1981
Owners Name: WEST HOUSTON MUD
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 173
Depth Drilled: 800
Latitude: 29.7319757
Longtiude: -95.6549368



State of Texas
WATER WELL REPORT

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-19-3W
Located on map YES
Received: RWB

1) OWNER West Houston M.U.D. (Name) Address 15310 Westheimer (Street or RFD) Houston (City) Tx (State) (Zip)

2) LOCATION OF WELL: County HARRIS 3/4 miles in WEST (N.E., S.W., etc.) direction from Hwy. 6 on North side of Westheimer (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map. 1 Log in pocket

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
21	Surface	475
30	475	800

Date drilled 1981

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☒ Underreamed ☒ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from 475 ft. to 800 ft.

From (ft.) To (ft.) Description and color of formation material

SEE Attached Logs

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
16	N	Steel	0	475	
	N	Stainless Steel	475	790	.020

CEMENTING DATA
Cemented from 0 ft. to 475 ft.
Method used Halliburton
Cemented by Halliburton (Company or Individual)

9) WATER LEVEL:
Static level 173 ft. below land surface Date 1981
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP: ☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 400 ft.

(Use reverse side if necessary) 380-15

12) WELL TESTS: ☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 1000 gpm with 51 ft. drawdown after 24 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 475-790
Was a chemical analysis made? ☒ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Preston J. Niette (Type or Print) Water Well Drillers Registration No. 278
ADDRESS P.O. Box 98 (Street or RFD) Shreveport (City) LA. (State) 71161 (Zip)
(Signed) P J Niette (Water Well Driller) Stanford Drilling Comp., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available

DWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

121043

POPE Testing LABORATORIES, Inc.

CONSULTING ANALYTICAL CHEMISTS
AND TESTING ENGINEERS

FOODS, FEEDS, DAIRY PROD.
WATER, MISCL. ANALYSES
COTTON SEED PRODUCTS
PACKING HOUSE PRODUCTS

P. O. BOX 903
DALLAS, TEXAS 75221

OFFICIAL CHEMISTS
WEIGHERS AND INSPECTORS
NATL. COTTONSEED PRODUCTS ASS'N.
NATL. SOYBEAN PROCESSOR'S ASS'N.
REFEREE CHEMISTS
AMERICAN OIL CHEMISTS SOCIETY

Date Rec'd 3-19-81

To: Lanford Drilling Company
Shreveport, La

Report of Tests on Water

Received From: You

Identification Marks: West Houston M.U.D.

Values reported are for minerals in solution

	Parts Per Million
Calcium	69.7
Magnesium	4.4
Iron	0.09
Manganese	0.0
Sodium	34.6
Carbonate	0.0
Bicarbonate	224.5
Sulphate	10.0
Chloride	52.0
Fluoride	1.0
Nitrate	0.0
Phenolphthalein Alkalinity as $CaCO_3$	0.0
Total Alkalinity as $CaCO_3$	184.0
Total Hardness as $CaCO_3$	192.0
Dissolved Residue (TS) Calculated	396.3
Specific Conductance Micromhos/cm	540
pH	7.1

RECOMMENDED LIMITS FOR DRINKING WATER (P. P. M.)

Iron	0.3	Fluoride	0.6 — 1.0
Manganese	0.05	Nitrate	45
Sulphate	250	Total Solids	500
Chloride	250		

POPE TESTING LABORATORIES, Inc.
By Leon Houston

Lab. No. 97266

F-158—1M

LANFORD DRILLING COMPANY, INC.
P.O. Box 98 Shreveport, Louisiana 71161 Tel. 869-2519

PUMPING TEST DATA

Test conducted by: P. J. Niette
Well Owner: West Houston M.U.D. Address:
Pumped Well No: Location:
Airline Lengths: Pumped Well Static Water Level
Remarks:

PUMPED WELL DATA

	Date and Time	Orfice Reading in inches	Pumping Rate GPM	Pump Discharge Pressure	Altitude Gage Reading Feet	remarks
6-81	9:30p.m.	16 1/2"	1000		227	
	9:31	16 1/2	1000		227	
	9:32	16 1/2	1000		227	
	9:33	16 1/2	1000		228	
	9:34	16 1/2	1000		228	
	9:35	16 1/2	1000		228	
	9:36	16 1/2	1000		228	
	9:37	16 1/2	1000		228	
	9:38	16 1/2	1000		228	
	9:39	16 1/2	1000		228	
	9:40	16 1/2	1000		228	
	9:45	16 1/2	1000		228	
	9:50	16 1/2	1000		228	
	9:55	16 1/2	1000		228	
	10:00	16 1/2	1000		228	
	10:05	16 1/2	1000		228	
	10:10	16 1/2	1000		228	
	10:15	16 1/2	1000		228	
	10:20	16 1/2	1000		228	
	10:25	16 1/2	1000		228	
	10:30	16 1/2	1000		228	
	10:35	16 1/2	1000		228	
	10:40	16 1/2	1000		228	
	10:45	16 1/2	1000		228	
	10:50	16 1/2	1000		228	
	10:55	16 1/2	1000		228	
	11:00	16 1/2	1000		228	
	11:15	16 1/2	1000		228	
	11:30	16 1/2	1000		228	
	11:45	16 1/2	1000		228	
	12:00m.n.	16 1/2	1000		228	
7-81	12:15a.m.	16 1/2	1000		228	
	12:30	16 1/2	1000		228	
	12:45	16 1/2	1000		228	
	1:00	16 1/2	1000		229	
	1:15	16 1/2	1000		229	
	1:30	16 1/2	1000		229	

LANFORD DRILLING COMPANY, INC.
P.O. Box 98 Shreveport, Louisiana 71161 Tel. 869-2519

PUMPING TEST DATA

Test conducted by: P. J. Niette
Well Owner: West Houston M.U.D. Address:
Pumped Well No: Location:
Airline Lengths: Pumped Well Static Water Level
Remarks:

PUMPED WELL DATA

	Date and Time	Orfice Reading in inches	Pumping Rate GPM	Pump Discharge Pressure	Altitude Gage Reading Feet	remarks
7-81	1:30a.m.	30"	1325		249	
	1:31	30	1325		249	
	1:32	30	1325		249	
	1:33	30	1325		250	
	1:34	30	1325		250	
	1:35	30	1325		250	
	1:36	30	1325		250	
	1:37	30	1325		250	
	1:38	30	1325		250	
	1:39	30	1325		250	
	1:40	30	1325		250	
	1:45	30	1325		251	
	1:50	30	1325		251	
	1:55	30	1325		251	
	2:00	30	1325		251	
	2:05	30	1325		251	
	2:10	30	1325		251	
	2:15	30	1325		251	
	2:20	30	1325		251	
	2:25	30	1325		251	
	2:30	30	1325		251	
	2:35	30	1325		251	
	2:40	30	1325		251	
	2:45	30	1325		251	
	2:50	30	1325		251	
	2:55	30	1325		251	
	3:00	30	1325		251	
	3:15	30	1325		251	
	3:30	30	1325		251	
	3:45	30	1325		251	
	4:00	30	1325		251	
	4:15	30	1325		251	
	4:30	30	1325		251	
	4:45	30	1325		251	
	5:00	30	1325		252	
	5:15	30	1325		252	
	5:30	30	1325		252	

LANFORD DRILLING COMPANY. INC.

P.O. Box 98 Shreveport, Louisiana 71161 Tel. 869-2519

PUMPING TEST DATA

Test conducted by: P. J. Niette

Well Owner: West Houston M.U.D. Address:

Pumped Well No: Location:


Airline Lengths: Pumped Well Static Water Level

Remarks:

PUMPED WELL DATA

RECOVERY TEST

	Date and Time	Orfice Reading	Pumping Rate GPM	Pump Discharge Pressure	Altitude Gage Reading Feet	remarks
17-81	5:30a.m.				253	
	5:31				180	
	5:32				180	
	5:33				182	
	5:34				176	
	5:35				176	
	5:36				176	
	5:37				176	
	5:38				176	
	5:39				175	
	5:40				175	
	5:45				174	
	5:50				174	
	5:55				174	
	6:00				173	
	6:05				173	
	6:10				173	


Well
Location
HARRIS COUNTY


WEST HOUTON MUD

M-1913

DEPTH	AMOUNT	MATERIALS
0-636	636	24" Casing
586-660	74	18" Blank
660-680	20	18" Screen
680-698	18	18" Blank
698-718	20	18" Screen
718-726	8	18" Blank
726-736	10	18" Screen
736-758	22	18" Blank
758-778	20	18" Screen
778-838	60	18" Blank
838-868	30	18" Screen
868-892	24	18" Blank
892-922	30	18" Screen
922-938	16	18" Blank
938-958	20	18" Screen
985-972	14	18" Blank
972-973	1	18" x 14" Swage
973-1060	87	14" Blank
060-1168	108	14" Screen
168-1186	18	14" Blank
186-1222	36	14" Screen
222-1252	30	14" Blank
252-1294	42	14" Screen
294-1314	20	14" Blank with wooden wash plug, back pressure valve, and set shoe

ATERIAL QUANTITIES:

24" Casing	636'
18" Blank	236'
18" Screen	150'
14" Blank	155'
14" Screen	186'
Well Depth	1314'



OWNER: West Houston MUD

CONTRACTOR: Layne-Western Company, Inc.

DRAWN BY: DWF

DATE: 6-3-85

APPROVED BY: JOC

NO Scale

LANFORD DRILLING COMPANY, INC.


P.O. Box 98 **Shreveport, Louisiana** 71161 **Tel.** 869-2519

WELL LOG and MATERIAL REPORT

CUSTOMER West Houston M.U.D. WELL NO. 1

LOCATION 3/4 mile west of Hwy. 6 on Westheimer COMPLETED 1981

ADDRESS c/o Payton Construction Co., Houston, Texas CONTRACT NO.



DIMENSIONS:

A — 800'
B — 475'
C — 375'
D — 100'
E — 0
* F — See Below
G — 10'
H — 21" Diam.
I — 30" Diam.
J — 173'

Size 16"
Weight 62.58
Wall .375

(Static Level)

Size 12 3/4"
Weight 49.56
Wall .375

Size 12 3/4"
Type Bar Lug
Material S.S.
Gauge .020
Opening .020

PUMP DATA:

Bowl Assembly 8 Stage, Size Type
Discharge Column — Setting 400 Feet
Size — 8" Pipe 1-11/16 Tubing 2½" Shaft
Head-Type Flanged Size Discharge 12"
Suction, Length 10 Size 8"
Design Conditions: — 1000 USGPM 472 TDH

MOTOR DATA:

HP 200 Make G.E. Speed 1750
Voltage 460 Type VHS

REMARKS: Peabody Floway pump Set

FORMATION LOG:

0-3-Sand	635-650-Shale
3-11-Clay	650-680-Sand
11-38-Sand	680-720-Shale
38-50-Sand Shale	720-790-Sand & Sandy Shale
50-180-Sand	790-880-Shale
180-200-Shale	880-900-Sandy Shale
200-280-Sand	900-990-Shale
280-290-Shale	990-1015-Sandy Shale
290-350-Sand	1015-1080-Shale
350-390-Shale	1080-1150-Sandy Shal
390-500-Sand & Sandy Shale	1150-1220-Shale
500-530-Shale	1220-1240-Sandy Shal
530-570-Sand	1240-1300-Shale
570-610-Shale	1300-1400-Sandy Shal
610-635-Sand	1400-1508-Shale

* 12 3/4" Screen Set		12 3/4" Blank Liner Set	
475-500 ft.	25ft.	500-526 ft.	26 ft.
526-552	26	552-560	8
560-572	12	572-606	34
606-632	26	632-646	14
646-688	42	688-708	20
708-746	38	746-754	8
754-790	36	790-800	10

RAILROAD COMMISSION OF TEXAS
OIL AND GAS DIVISION

Form W-15
(Rev. 11-1-69)

CEMENTING REPORT

Field Name (as per RRC Records or Wildcat): West Houston M.U.D.	*2. RRC District
*3. Operator	*4. County: Harris
*5. Lease Name(s) and RRC Lease Number(s) or I. D. Number(s)	*6. Well Number: 1
*7. Location (Section, Block, and Survey)	

CASING CEMENTING DATA:	SURFACE CASING	INTER-MEDIATE CASING	PRODUCTION CASING		MULTI-STAGE CEMENTING PROCESS	
			Single String	Multiple Parallel Strings	Tool	Shoe
8. Cementing Date	2-20--81					
*9. (a) Size of Drill Bit (inches)						
(b) Estimated % Wash or Hole Enlargement Used in Calculations.						
*10. Size of Casing (inches O.D.)						
*11. Top of Liner (if liner used) (ft.)						
*12. Setting Depth of Casing (ft.)						
13. Type API Class Cement & Amount of Additives Used: (a) In First (Lead) or Only Slurry *(If additional space is needed, use "REMARKS" on reverse side.)*	HLC; 3% Salt					
(b) In Second Slurry	Class A					
(c) In Third Slurry						
14. Sacks of Cement Used: (a) In First (Lead) or Only Slurry	255					
(b) In Second Slurry	100					
(c) In Third Slurry						
(d) Total Sacks of Cement Used	355					
15. Slurry Volume per Sack of Cement (cu.ft./sack): (a) In First (Lead) or Only Slurry	1.97					
(b) In Second Slurry	1.18					
(c) In Third Slurry						
16. Volume of Slurry Pumped: (cu. ft.) (Item 14 x Item 15) (a) In First (Lead) or Only Slurry	502.35					
(b) In Second Slurry	118					
(c) In Third Slurry						
(d) Total Slurry Volume Pumped (cu.ft.)	620.35					
17. Calculated Annular Height of Cement Slurry behind Pipe (ft.)	611.6'					
18. Was cement circulated to ground surface (or bottom of cellar) outside casing? (Yes or No)	Yes					

CEMENTING TO PLUG AND ABANDON DATA:	PLUG NO. 1	PLUG NO. 2	PLUG NO. 3	PLUG NO. 4	PLUG NO. 5	PLUG NO. 6
19. Cementing Date						
*20. Size of Hole or Pipe in which Plug Placed (inches)						
*21. Depth to Bottom of Tubing or Drill Pipe (ft.)						
22. Sacks of Cement Used (each plug)						
23. Slurry Volume Pumped (cu. ft.)						
24. Calculated Top of Plug (ft.)						
*25. Measured Top of Plug (if tagged) (ft.)						

(CEMENTING COMPANY AND OPERATOR MUST COMPLY WITH THE INSTRUCTIONS ON REVERSE SIDE HEREOF.)

– OVER –

* Designates items to be completed by Operator. Items not so designated shall be completed by Cementing Company.

26. Remarks:

*27. Remarks:

CEMENTING COMPANY

I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that the cementing of casing and/or the placing of cement plugs in this well as shown in the report was performed by me or under my supervision, and that the cementing data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers cementing data only.

Kevin Graham

Signature of Cementer or Authorized Representative

Kevin Graham — Cementer

Name of Person and Title (type or print)

Halliburton Services

Cementing Company

PO BOX 1172

Street Address or P.O. Box

Fresno, Texas — 77545

City, State — Zip Code

Telephone 713 — 431-2531

Area Code

Date

***OPERATOR**

I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that I have knowledge of the well data and information presented in this report, and that data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers all well data and information presented herein.

*Signature of Operator or Authorized Representative

*Name of Person and Title (type or print)

*Operator

*Street Address or P.O. Box

*City, State — Zip Code

*Telephone — Area Code

*Date

INSTRUCTIONS

1. A. This form shall be filed by the operator in the RRC District Office with:
   (1) Each copy of an initial Form G-1 or W-2 if a cementing report is required by Statewide or Special Rules, or if exception is needed to cementing requirements in Statewide or Special Rules;
   (2) Each copy of Form W-3;
   (3) Each copy of Form W-4 if a multiple parallel casing completion.
   B. At least an original and one copy of this form shall be filed for each cementing company used on a well.
   C. The cementing of different casing strings on a well by one cementing company may be consolidated on one form (to be filed in duplicat
2. Cementing Company and Operator shall comply with the applicable portions of Statewide Rules 8, 13, and 14. For offshore operations, Cementing Company and Operator shall comply with Statewide Rule 13(E).
3. If setting FULL AMOUNT OF SURFACE CASING:
   A. Depth to protect fresh water determined by:
   (1) Fi Rule
   (2) T s Water Development Board, if no Field Rule
   B. Set surface casing below depth to be protected and cement from casing shoe to ground surface.
4. IF SETTING ANYTHING OTHER THAN THE FULL AMOUNT OF SURFACE CASING, PERMISSION SHALL BE OBTAINED FROM THE RAILROAD COMMISSION.
5. If setting NO SURFACE CASING (See Item 4 above.):
   A. If no multi-stage tool is used, the next deeper casing string shall be cemented from the casing shoe to the surface.
   B. If using the multi-stage tool on the next deeper string, cement from the depth that protects fresh water sands to the surface.
6. If setting SHORT SURFACE CASING (See Item 4 above.):
   A. Cement short surface casing from the shoe to the surface.
   B. Whether the multi-stage tool is or is not used on the next deeper casing string, cement from the depth that protects fresh water sands t
   (1) the surface, or
   (2) a point midway between shoe of surface string and the surface. Compliance will be considered if a temperature survey shows that the top of the cement is at least one-third of the distance from the shoe of the surface string to the surface.
7. Setting PRODUCTION STRING of Casing: (Statewide Rules; Special Rules may vary.)
   A. Cement to a point at least 600 feet above the casing shoe.
   B. When 3,000 feet or more of pipe is set for the production or protecting string, a minimum of 30 feet of cement shall be left inside the pi
8. PLUGGING and ABANDONING:
   A. Cement plugs shall be placed in the well bore as required by Rules and Regulations of the Commission plus any additional plugs as m be specified by the RRC District Director.
   B. The minimum amount of cement normally used in each plug shall be a slurry volume equal to the amount necessary to fill the calculate volume of 100 feet of the hole in which the plug is placed.

LANFORD DRILLING COMPANY, INC.

P.O. Box 98 Shreveport, Louisiana 71161 Tel. 869-2519

PUMPING TEST DATA

Test conducted by: P. J. Niette

Well Owner: West Houston M.U.D. Address:

Pumped Well No: 1 Location: 3/4 mile west of hiway # 6

Airline Lengths: Pumped Well 350 ft. Static Water Level 173

Remarks: Used 7" X 8" Orfice to measure water quantity. Regulated flow by Engine speed.

PUMPED WELL DATA

DEVELOPMENT TEST

	Date and Time	Orfice Reading in inches	Pumping Rate GPM	Pump Discharge Pressure	Altitude Gage Reading Feet	remarks
16-81	1:30p.m.	10 1/2"	800		209	Water clear- no sand
	1:31	10 1/2	800		209	
	1:32	10 1/2	800		209	
	1:33	10 1/2	800		209	
	1:34	10 1/2	800		210	
	1:35	10 1/2	800		210	
	1:36	10 1/2	800		210	
	1:37	10 1/2	800		210	
	1:38	10 1/2	800		210	
	1:39	10 1/2	800		211	
	1:40	10 1/2	800		211	
	1:45	10 1/2	800		212	
	1:50	10 1/2	800		212	
	1:55	10 1/2	800		212	
	2:00	10 1/2	800		212	
	2:05	10 1/2	800		213	
	2:10	10 1/2	800		213	
	2:15	10 1/2	800		213	
	2:20	10 1/2	800		213	
	2:25	10 1/2	800		213	
	2:30	10 1/2	800		213	
	2:35	10 1/2	800		213	
	2:40	10 1/2	800		213	
	2:45	10 1/2	800		213	
	2:50	10 1/2	800		213	
	2:55	10 1/2	800		213	
	3:00	10 1/2	800		213	
	3:15	10 1/2	800		214	
	3:30	10 1/2	800		214	
	3:45	10 1/2	800		214	
	4:00	10 1/2	800		214	
	4:15	10 1/2	800		214	
	4:30	10 1/2	800		214	
	4:45	10 1/2	800		214	
	5:00	10 1/2	800		214	
	5:15	10 1/2	800		214	
	5:30	10 1/2	800		214	

LANFORD DRILLING COMPANY, INC.
P.O. Box 98 Shreveport, Louisiana 71161 Tel. 869-2519

PUMPING TEST DATA

Test conducted by: P. J. Niette
Well Owner: West Houston M.U.D. Address:
Pumped Well No: Location:
Airline Lengths: Pumped Well Static Water Level
Remarks:

PUMPED WELL DATA

	Date and Time	Orfice Reading in inches	Pumping Rate GPM	Pump Discharge Pressure	Altitude Gage Reading Feet	remarks
16-81	5:30p.m.	13"	900		219	
	5:31	13	900		219	
	5:32	13	900		219	
	5:33	13	900		219	
	5:34	13	900		219	
	5:35	13	900		219	
	5:36	13	900		219	
	5:37	13	900		219	
	5:38	13	900		219	
	5:39	13	900		219	
	5:40	13	900		219	
	5:45	13	900		219	
	5:50	13	900		219	
	5:55	13	900		219	
	6:00	13	900		219	
	6:05	13	900		220	
	6:10	13	900		220	
	6:15	13	900		220	
	6:20	13	900		220	
	6:25	13	900		220	
	6:30	13	900		220	
	6:35	13	900		220	
	6:40	13	900		220	
	6:45	13	900		220	
	6:50	13	900		220	
	6:55	13	900		220	
	7:00	13	900		220	
	7:15	13	900		220	
	7:30	13	900		220	
	7:45	13	900		220	
	8:00	13	900		220	
	8:15	13	900		220	
	8:30	13	900		220	
	8:45	13	900		220	
	9:00	13	900		220	
	9:15	13	900		220	
	9:30	13	900		220	

LANI RD DRILLING COMP. Y. INC.

P.O. Box 98 Shreveport, Louisiana 71161 Tel. 869-2519

PUMPING TEST DATA

Test conducted by: P. J. Niette & Crew

Well Owner: West Houston M.U.D. Address:

Pumped Well No: Location:

Airline Lengths: Pumped Well Static Water Level

Remarks:

PUMPED WELL DATA

FINAL PUMPING TEST

Date and Time	Orfice Reading in Inches	Pumping Rate GPM	Pump Discharge Pressure	Altitude Gage Reading Feet	remarks
3-17-81 7:30a.m.	16 1/2	1000		173	Pump on- water clear
7:31	16 1/2	1000		201	No sand
7:32	16 1/2	1000		206	
7:33	16 1/2	1000		208	
7:34	16 1/2	1000		210	
7:35	16 1/2	1000		212	
7:36	16 1/2	1000		214	
7:37	16 1/2	1000		215	
7:38	16 1/2	1000		217	
7:39	16 1/2	1000		225	
7:40	16 1/2	1000		225	
7:45	16 1/2	1000		225	
7:50	16 1/2	1000		225	
8:00	16 1/2	1000		230	Adjusted throttle
8:05	16 1/2	1000		227	
8:10	16 1/2	1000		227	
8:15	16 1/2	1000		227	
8:20	16 1/2	1000		227	
8:25	16 1/2	1000		227.5	
8:30	16 1/2	1000		227.5	
8:35	16 1/2	1000		228	
8:40	16 1/2	1000		228	
8:45	16 1/2	1000		228	
8:50	16 1/2	1000		228	
8:55	16 1/2	1000		228	
9:00	16 1/2	1000		228	
9:05	16 1/2	1000		228	
9:10	16 1/2	1000		228	
9:15	16 1/2	1000		228	
9:30	16 1/2	1000		228.5	
9:45	16 1/2	1000		228.5	
10:00	16 1/2	1000		228.5	
10:15	16 1/2	1000		229	
10:30	16 1/2	1000		229	
11:00	16 1/2	1000		229	
11:30	16 1/2	1000		229	
12:00	16 1/2	1000		229	

LANFORD DRILLING COMPANY. INC.

P.O. Box 98 Shreveport, Louisiana 71161 Tel. 869-2519

PUMPING TEST DATA

Test conducted by: P. J. Niette

Well Owner: West Houston M.U.D. Address:

Pumped Well No: Location:

Airline Lengths: Pumped Well Static Water Level

Remarks:

PUMPED WELL DATA

FINAL PUMPING TEST

	Date and Time	Orfice Reading	Pumping Rate GPM	Pump Discharge Pressure	Altitude Gage Reading Feet	remarks
3-17-81	12:30p.m.	16 1/2	1000		229	
	1:00	16 1/2	1000		229	
	2:00	16 1/2	1000		229	
	3:00	16 1/2	1000		229	
	4:00	16 1/2	1000		229	
	5:00	16 1/2	1000		229	
	6:00	16 1/2	1000		229	
	7:00	16 1/2	1000		229	
	8:00	16 1/2	1000		229	
	9:00	16 1/2	1000		229	
	10:00	16 1/2	1000		229	
	11:00	16 1/2	1000		229	
	12:00m.n.	16 1/2	1000		230	
3-18-81	1:00a.m.	16 1/2	1000		230	
	2:00	16 1/2	1000		230	
	3:00	16 1/2	1000		230	
	4:00	16 1/2	1000		230	
	5:00	16 1/2	1000		230	
	6:00	16 1/2	1000		230	
	7:00	16 1/2	1000		230	
	7:30	16 1/2	1000		230	Pump shut off- Started recovery readings
	7:31				176	
	7:32				176	
	7:33				176	
	7:34				175	
	7:35				175	
	7:36				175	
	7:37				174	
	7:38				174	
	7:39				174	
	7:40				174	
	7:45				174	
	7:50				173	
	7:55				173	
	8:00				173	

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
609	5 of 6	WSW	4.71 / 24,854.98	Houston, City of TX	WW HARRIS GAL

Well ID:	3571	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1981
Permit No:	WP2023-117626	**Depth Drilled:**	1200
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	825
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.731944
Regulatory Aarea:	3	**Longitude:**	-95.655
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
609	6 of 6	WSW	4.71 / 24,854.98	USGS-294356095391501 TX	FED USGS

Site No:	USGS-294356095391501
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19810101
Well Depth:	800
Well Depth Unit:	ft
Well Hole Depth:	800
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-19-317
Latitude:	29.73250000000000
Longitude:	-95.6544444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
610	1 of 1	E	4.71 / 24,857.00	Grace Community Church TX	WW HARRIS GAL

Well ID:	2493	**Diameter (inches):**	4
Aggre Lead Well:	2493	**Year Drilled:**	1981
Permit No:	W2010-2493-144971-0	**Depth Drilled:**	450
Permit Start Date:	12/31/2009	**Depth frm Surf(ft):**	425
Permit End Dt:	12/31/2009	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.786388
Regulatory Aarea:	3	**Longitude:**	-95.514722
Owner Name:	Grace Community Church		
Billing Contact:	Richard E. Minett		
Billing Address:	1021 Campbell Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77055		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
611	1 of 2	ENE	4.71 / 24,893.36	BIG BEND APARTMENTS TX	TCEQ WELL LOGS

Grid No: 65-12-6J
Date Drilled: 04/03/1979
Owners Name: BIG BEND APARTMENTS
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 207
Depth Drilled: 415
Latitude: 29.798492
Longtiude: -95.51909

Well Log #109
65-U-6J DUP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 65-12-6J
Located on map YES
Received: TH

1) OWNER Big Bend Apartments (Name) Address 1501 Big Bend (Street or RFD) Houston (City) Texas (State) 77055 (Zip)

2) LOCATION OF WELL: Same
County HARRIS — miles in — direction from Spring Valley (Town)
(N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☐ See attached map. Map on 65-20-2Q

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 4/3/79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6¼		415'

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	12	Clay
12	30	S. Sand
30	70	Clay
70	86	Sand
86	195	Clay
195	214	Sand
214	237	Clay
237	290	Sand
290	320	Clay
320	332	Sand
332	340	Clay
340	379	Sand
379	415	Production Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gravel Casing Screen
4	N	Steel	0	380	40
2	N		395	415	(R.B.

CEMENTING DATA
Cemented from 330 ft. to 380 ft.
Method used ____
Cemented by ____ (Company or Individual)

9) WATER LEVEL:
Static level 207 ft. below land surface Date 4/3/79
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 375 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 51 gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


NAME Tommy C. Bussell (Type or Print) Water Well Drillers Registration No. #707

ADDRESS 9739 N. Houston Rosslyn (Street or RFD) Houston, Texas (City) 77088 (Zip)

(Signed) Tommy C Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.
TDWR-0392


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
611	2 of 2	ENE	4.71 / 24,893.36	BIG BEND APARTMENTS TX	TCEQ WELL LOGS

Grid No: 65-13-6E
Date Drilled: 02/08/1984
Owners Name: BIG BEND APARTMENTS
County: HARRIS
Water Usage: DOMESTIC
Static Level: 215
Depth Drilled: 415
Latitude: 29.798492
Longtiude: -95.51909

Dup W.L.# 108

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-13-6E
Located on map 40mm
Received:

1) OWNER Big Bend Apartments (Name) Address 1501 Big Bend (Street or RFD) Hstn (City) TX (State) 77055 (Zip)

2) LOCATION OF WELL: 1501 Big Bend Loff Longpoint
County HARRIS miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

☐ See attached map. mapsc 65:05:9AAA

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 2-8-84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
8 3/4	Surface	415

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	12	Clay
12	30	S. Sand
30	70	Clay
70	86	Sand
86	195	Clay
195	214	Sand
214	237	Clay
237	290	Sand
290	320	Clay
320	332	Sand
332	340	Clay
340	379	Sand
379	415	Production Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	PVC	0	390	
3	N	GALV.	385	395	
3	N	PVC	395	415	.016

CEMENTING DATA
Cemented from 0 ft. to 390 ft.
Method used HALIBURTON
Cemented by Bussell & Son. Inc (Company or Individual)

9) WATER LEVEL:
Static level 215 ft. below land surface Date 2/9/84
Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED
MAR 11 1985
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG O. Bussell (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77375 (Zip)
(Signed) Craig Bussell (Water Well Driller) Bussell & Son Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
612	1 of 1	S	4.73 / 24,956.85	L.L. WAITE TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	05/24/1973
Owners Name:	L.L. WAITE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	145
Depth Drilled:	315
Latitude:	29.704173
Longtiude:	-95.578022

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 7-3
dk

1) OWNER:
Person having well drilled L.L. WAITE (Name) Address 11302 BELL AIR (Street or RFD) HO. (City) TEX. (State)
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 4 miles in WEST (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



11302 (Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): ~~New~~ Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): ~~Domestic~~, Industrial, Municipal, Irrigation, Test Well, Other
5) TYPE OF WELL (Check): ~~Rotary~~, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 10 5/8 in. Depth drilled 315 ft. Depth of completed well 315 ft. Date drilled 5-24-73
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	32	CLAY
32	38	SAND
38	96	CLAY
96	110	SAND
110	130	CLAY
130	175	SAND
175	220	CLAY
220	230	SAND
230	280	CLAY
280	290	SAND
290	295	CLAY
295	315	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old ~~New~~ ~~Steel~~ Plastic Other
Cemented from 0 ft. to 294 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	294	

10) SCREEN:
Type STEEL
Perforated ~~Slotted~~

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
3 1/2	305	315	12

7) COMPLETION (Check):
Straight wall, Gravel packed, ✓ Other LEAD SEAL, Under reamed, Open Hole

8) WATER LEVEL:
Static level 145 ft. below land surface Date 5-24-73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 210 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes ~~No~~ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ~~No~~
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME A.R. HENDON (Type or Print) Water Well Drillers Registration No. 334
ADDRESS 14605 REEVES TOM (Street or RFD) HO. (City) TEX. (State)
(Signed) A.R. Hendon (Water Well Driller) H&H WATER WELL DRILLING (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

VDBS-WD-8

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
613	1 of 1	SSE	4.73 / 24,967.09	Owens TX	GWDB

Well Rep Track No:	
State Well No:	6520503
Owner Name:	Owens
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	
Well Depth:	80
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7052780
Longitude:	-95.5750000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520503&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520503&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
614	1 of 2	ENE	4.73 / 24,990.26	HOLMES, W. K. TX	WW HARRIS GAL

Well ID:	2492	**Diameter (inches):**	4
Aggre Lead Well:	2491	**Year Drilled:**	1985
Permit No:	W1985-2491-4209-0	**Depth Drilled:**	450
Permit Start Date:	6/1/1985	**Depth frm Surf(ft):**	425
Permit End Dt:	10/9/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.788055
Regulatory Aarea:	3	**Longitude:**	-95.514444
Owner Name:	HOLMES, W. K.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 19353		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
614	2 of 2	ENE	4.73 / 24,990.26	HOLMES, W. K. TX	WW HARRIS GAL

Well ID:	2491	**Diameter (inches):**	4
Aggre Lead Well:	2491	**Year Drilled:**	1985
Permit No:	W1985-2491-4209-0	**Depth Drilled:**	450
Permit Start Date:	6/1/1985	**Depth frm Surf(ft):**	425
Permit End Dt:	10/9/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.788055
Regulatory Aarea:	3	**Longitude:**	-95.514444
Owner Name:	HOLMES, W. K.		
Billing Contact:	NULL		
Billing Address:	P.O. Box 19353		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
615	1 of 1	S	4.74 / 25,006.40	F.W. RELSHAUSEN TX	TCEQ WELL LOGS

Grid No: 65-20-4E
Date Drilled: 09/26/1968
Owners Name: F.W. RELSHAUSEN
County: HARRIS
Water Usage: DOMESTIC
Static Level: 84
Depth Drilled: 195
Latitude: 29.703156
Longtiude: -95.595686

65-20-4E 4E

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-4E
Located on map
Received:

1) OWNER:
Person having well drilled F.W. Rolehausen (Name) Address Rt. 4 Box 196B (Street or RFD) Houston, (City) Texas (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris ? miles in (N., E., S.W., etc.) direction from Bellaire (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Corner of Bellaire Blvd & Cook Rd.

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well X, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): X Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): X Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6¼ in. Depth drilled 195 ft. Depth of completed well 195 ft. Date drilled 26 Sept.60
All measurements made from 3 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	95	red clay
95	140	sand
140	142	clay
142	164	fine sand
164	182	clay
182	195	sand

(Use reverse side if necessary)

9) Casing:
Type: Old X New Steel X Plastic Other
Cemented from none ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
0	185	0	

10) SCREEN:
Type Pipe based stainless steel
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	185	195	16 ga

7) COMPLETION (Check):
Straight wall X, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 84 ft. below land surface Date 26 Sept
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., unknown ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart o. Inc (Type or Print) Water Well Drillers Registration No. 229

ADDRESS 7524 N. Freeway 7524 (Street or RFD) Houston (City) Texas (State)

(Signed) B.J. Swinehart (Water Well Driller) B.J. Swinehart o. Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	1 of 8	NW	4.74 / 25,006.72	Harris Co., Bear Creek Golf Course TX	GWDB

Well Rep Track No:
State Well No: 6511602
Owner Name: Harris Co., Bear Creek Golf Course
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1968
Well Depth: 445
Well Usage: Irrigation
Water Level Status:
Latitude: 29.8280550
Longitude: -95.6372220
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511602&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511602&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	2 of 8	NW	4.74 / 25,006.72	LAKESIDE AIRPORT TX	TCEQ WELL LOGS

Grid No:	65-11-6T
Date Drilled:	01/07/1982
Owners Name:	LAKESIDE AIRPORT
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	NOT REPORTED
Depth Drilled:	333
Latitude:	29.8279314
Longtiude:	-95.6367682

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-11-67
Located on map Yes
Received: 9-1-82

1) OWNER Lakeside Airport (Name) Address C/O Woodrow Lesikar (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris 3 miles in N (N.E., S.W., etc.) direction from Addicks (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map. mapon 65-02-1K

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 1-7-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	333

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil
3	40	Clay
40	65	Sand
65	90	Clay
90	140	Sand
140	210	Clay
210	250	Sand
250	296	Clay
296	333	Sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	295	40
2½	N	PVC	290	313	80
2½	N	Everflo	313	333	12

CEMENTING DATA
Cemented from 14 sacks ft. to _____ ft.
Method used pressure
Cemented by O'day Drilling Co., Inc. (Company or Individual)

31

RECEIVED
SEP - 1 1982
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 210 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Orlen O'Day (Type or Print) Water Well Drillers Registration No. 786


ADDRESS P. O. Box 162 (Street or RFD) Pearland (City) TX (State) 77581 (Zip)

(Signed) Orlen O'Day (Water Well Driller) O'Day Drilling Co., Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY


GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
LEGEND
1973
610

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	3 of 8	NW	4.74 / 25,006.72	BEAR CREEK GOLF WORLD TX	TCEQ WELL LOGS

Grid No:	65-12-4
Date Drilled:	03/16/1995
Owners Name:	BEAR CREEK GOLF WORLD
County:	HARRIS
Water Usage:	PUBLIC SUPPLY
Static Level:	154
Depth Drilled:	365
Latitude:	29.8279314
Longtiude:	-95.6367682

Send original copy by certified mail to: TNRCC, P.O. Bo 7, Austin, TX 78711-3087 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER BEAR CREEK Golf WORLD (Name) ADDRESS 16001 Clay Rd. Houston TX 77084 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS 16001 CLAY RD. Houston TX 77084 (Street or RFD) (City) (State) (Zip) STATE WELL # 65-12-4

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☑ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☑ Yes ☐ No

5) X

6) WELL LOG:
Date Drilling: Started 3/14 19 95 Completed 3/16 19 95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	345
3 7/8	345	365

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	345	UNCONSOLIDATED
345	365	SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	GALVANIZED	0	345	
2	N	GALVANIZED	340	345	
2	N	PVC SCREENS	345	355	.014
2	N	PVC SCREENS	355	365	.012

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 345 ft. No. of sacks used 55
_____ ft. to _____ ft. No. of sacks used _____
Method used HALLIBURTON
Cemented by BUSSELL & SON INC.
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

RECEIVED JUN 26 1995 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 154 ft. below land surface Date 3-16-95
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K-PACKER Depth 340

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BUSSELL & SON INC. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93) TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	4 of 8	NW	4.74 / 25,006.72	Harris County TX	WW HARRIS GAL

Well ID:	5385	**Diameter (inches):**	4
Aggre Lead Well:	2352	**Year Drilled:**	1995
Permit No:	W2021-2352-216833-0	**Depth Drilled:**	377
Permit Start Date:	6/1/2021	**Depth frm Surf(ft):**	355
Permit End Dt:	5/31/2022	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.828333
Regulatory Aarea:	3	**Longitude:**	-95.637222
Owner Name:	Harris County		
Billing Contact:	NULL		
Billing Address:	10555 NW Fwy, Ste 120		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	Daniela Cioce		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	5 of 8	NW	4.74 / 25,006.72	Harris County TX	WW HARRIS GAL

Well ID:	2352	**Diameter (inches):**	4
Aggre Lead Well:	2352	**Year Drilled:**	1972
Permit No:	W2021-2352-216833-0	**Depth Drilled:**	220
Permit Start Date:	6/1/2021	**Depth frm Surf(ft):**	210
Permit End Dt:	5/31/2022	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.83
Regulatory Aarea:	3	**Longitude:**	-95.639722
Owner Name:	Harris County		
Billing Contact:	NULL		
Billing Address:	10555 NW Fwy, Ste 120		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	Daniela Cioce		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	6 of 8	NW	4.74 / 25,006.72	Beat Creek Golf World TX	WW HARRIS GAL

Well ID:	2353	**Diameter (inches):**	4
Aggre Lead Well:	2353	**Year Drilled:**	1986
Permit No:	W1991-2353-39025-0	**Depth Drilled:**	205
Permit Start Date:	12/1/1991	**Depth frm Surf(ft):**	195
Permit End Dt:	11/30/1992	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.828333
Regulatory Aarea:	3	**Longitude:**	-95.636944
Owner Name:	Beat Creek Golf World		
Billing Contact:	CHARLES RIZZO		
Billing Address:	16001 CLAY Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	7 of 8	NW	4.74 / 25,006.72	Beat Creek Golf World TX	WW HARRIS GAL

Well ID:	4542	**Diameter (inches):**	4
Aggre Lead Well:	4542	**Year Drilled:**	1991
Permit No:	W1994-4542-46725-0	**Depth Drilled:**	377
Permit Start Date:	12/1/1994	**Depth frm Surf(ft):**	345
Permit End Dt:	11/30/1995	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.828333
Regulatory Aarea:	3	**Longitude:**	-95.64
Owner Name:	Beat Creek Golf World		
Billing Contact:	CHARLES RIZZO		
Billing Address:	16001 CLAY Rd.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77084		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
616	8 of 8	NW	4.74 / 25,006.72	Harris County TX	WW HARRIS GAL

Well ID:	2647	**Diameter (inches):**	14
Aggre Lead Well:	2352	**Year Drilled:**	1968
Permit No:	W2021-2352-216833-0	**Depth Drilled:**	445
Permit Start Date:	6/1/2021	**Depth frm Surf(ft):**	201
Permit End Dt:	5/31/2022	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.828055
Regulatory Aarea:	3	**Longitude:**	-95.636666
Owner Name:	Harris County		
Billing Contact:	NULL		
Billing Address:	10555 NW Fwy, Ste 120		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77092		
Correspondence:	Daniela Cioce		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
617	1 of 3	ESE	4.76 / 25,133.91	Vargos on the Lake TX	WW HARRIS GAL

Well ID:	14996	**Diameter (inches):**	4
Aggre Lead Well:	14996	**Year Drilled:**	1990
Permit No:	WP2023-116750	**Depth Drilled:**	425
Permit Start Date:	12/13/2023 3:24:00 PM	**Depth frm Surf(ft):**	405
Permit End Dt:	4/30/2025 3:24:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.741944
Regulatory Aarea:	2	**Longitude:**	-95.520833

Owner Name: NULL
Billing Contact: Andrew Vacek
Billing Address: 1600 Hwy 6 South, Ste 245
Billing Address 2: NULL
Billing City: Sugar Land
Billing State: TX
Billing Zip: 77478
Correspondence: NULL
Provision: 9 - Based on permitted allocation or 20% of total demand, whichever is smaller; F - Notice at time of permit issuance, one or more unresolved violations committed by the permittee have been referred to GM for compromise and settlement per Resolution No. 96-602. The issuance of the permit does not resolve or negate the violation(s) and permittee remains responsible for appropriate settlement or resolution of the violation(s).
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
617	2 of 3	ESE	4.76 / 25,133.91	VARGOS RESTEURANT TX	TCEQ WELL LOGS

Grid No:	65-12-9P
Date Drilled:	08/16/1974
Owners Name:	VARGOS RESTEURANT
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	184
Depth Drilled:	423
Latitude:	29.742723
Longtiude:	-95.519478

#5 9P

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-12-9P
Located on map 4 of 5
Received: 2-7
2-15

1) OWNER:
Person having well drilled "VARGOS" RESTEURANT Address PINEY-POINT RD AT (Name) (Street or RFD) (City) (State)
WESTHEIMER RD
Landowner UNKNOWN PS: CONTRACT JOB (Name) for L.W. CAPPS Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris St. Rt. #14 miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Map on 60-58-8D

(Use reverse side if necessary)

WESTHEIMER

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial ✓ Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary ✓ Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6" in. Depth drilled 423' ft. Depth of completed well 423 ft. Date drilled 8/16/74
All measurements made from / ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	23'	Surface
25	37	R. SAND - 37-39' ROCK
39	45	Wh. SAND - 45-78' Clay
78	109	Sand - 109-163 "
163	179	SHALE 179-182 SAND
182	186	Clay - Brown 186-244 "
244	268	Clay 268-301 SAND
301	302'	Rock 302-310 SANDY-SHALE
310	349	SAND 349-372 SANDY
372	396	SHALE 396-408 fine SAND
408	423	SAND (GOOD) BOTT. 423

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ ~~Steel~~ Plastic ✓ ~~Other~~
Cemented from 380' ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
19 4/5			

4" 10 PLAST.

10) SCREEN:
Type PLAST. 20' 2½" .014
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole 4" x 2½"

8) WATER LEVEL:
Static level 184' ft. below land surface Date 8/16/74
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., ft.
below land surface.
SET HIS 5HP SUBM.
SETT. 252'

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No ✓
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O.P. KERMAN (Type or Print) Water Well Drillers Registration No. 1000
ADDRESS RT. 9 BOX 807 (Street or RFD) HOUSTON (HO) (City) TEX. (State)
(Signed) O.P. Kerman (Water Well Driller) PAUL'S WELL SERV. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
617	3 of 3	ESE	4.76 / 25,133.91	VARGO'S TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	05/23/1990
Owners Name:	VARGO'S
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	220
Depth Drilled:	425
Latitude:	29.742723
Longtiude:	-95.519478

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Vargo's (Name) Address 2401 Fondren (Street or RFD) Houston (City) TX (State) 77063 (Zip)

2) LOCATION OF WELL: County Harris miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
☑ See attached map. 0965-10-3

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☑ Irrigation ☐ Test Well ☐ Injection ☐ Other

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other

6) WELL LOG:
Date Drilling: Started 5-7 1990 Completed 5-23 1990

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6¾	Surface	400
4¾	400	425

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other two string
If Gravel Packed give interval . . . from ft. to ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	gravel + clay
20	40	sand + clay
40	60	clay + rock
60	80	clay + sand
80	100	sand
100	120	clay
120	140	clay
140	160	"
160	180	"
180	200	"
200	220	clay + sand
220	240	" "
240	260	" "
260	280	" "
280	300	" "
300	320	clay + rock + sand
320	340	sand
340	360	sand + clay
360	380	sand + clay
380	400	clay
400	405	clay
405	425	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	Sch 40 well casing	0	400	
2½	N	Sch 80 BLANK	400	405	
2½	N	Sch 80 WRAP PVC	405	415	.008
"	"	" "	415	425	.010

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 400 ft. to 200 ft. No. of Sacks Used 16
0 ft. to 20 ft. No. of Sacks Used 5
Method used pressure pumping
Cemented by Geophysical Drilling Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☑ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 220 ft. below land surface Date 5-23-90
Artesian flow gpm. Date

12) PACKERS: Type Depth
Formation Packer 487" 30'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other 40575-21 7½ hp
Depth to pump bowls, cylinder, jet, etc., 378 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 80 gpm with ft. drawdown after hrs.

RECEIVED
AUG 9 1990
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☑ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drilling (Type or Print) Water Well Driller's License No. 2888
ADDRESS Po. Box 664 (Street or RFD) Fulshear (City), TX (State) 77441 (Zip)
(Signed) Greg Bill (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-20-3
Located on map

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
618	1 of 1	ENE	4.76 / 25,139.46	BARBARA F APPELT TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	06/12/2001
Owners Name:	BARBARA F APPELT
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	15
Depth Drilled:	37
Latitude:	29.7998553
Longtiude:	-95.5189227

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Te[illegible]L[illegible]partment of License and Regulat
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
BARBARA F. APPELT	9317 SADDLE LANE	HOUSTON	TEXAS	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	9317 SADDLE LANE	HOUSTON	TEXAS	77060

Lat. | Long. | Grid # 65-12-6

3) Type of Work
☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 06 / 12 / 01
Completed 06 / 12 / 01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5	0	37

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	05	SURFACE TOP SOIL
05	19	GRAY CLAY
19	25	MEDIUM SAND
25	37	MEDIUM COARSE SAND

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
2	N	PVC	0	27	40
2	N	PVC SLOTTED	27	37	.008

9) Cementing Data
Cementing From 0 ft. to 20 ft. # of sacks used 3
ft. to ft. # of sacks used
Method Used HAND MIXED
Cementing By WELLCO
Distance to septic system field or other concentrated contamination 0 ft.
Method of verification of above distance CITY LIMITS

13) Plugged N/A ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc. 20 ft.

11) Water Level
Static level 15 ft. below Date 06 / 12 / 01
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

12) Packers

Type	Depth
NONE	

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

Company or individual's Name (type or print) WELLCO DRILLING & SERVICE COMPANY | Lic. No. 4729PKW
Address 5423 LOTUS STREET | City HOUSTON | State TEXAS | Zip 77085

Signature [signature] Licensed Driller/Pump Installer | Date 06 / 12 / 01
Signature Apprentice | Date / /

TDLR FORM 6001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer CM7099 3400 0017 1144 5692

RECEIVED JUN 18 2004 TCEQ - CENTRAL FILE ROOM
JUL 02 2001 COMMENT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
619	1 of 1	ENE	4.76 / 25,155.40	RITA ARN TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	09/29/2000
Owners Name:	RITA ARN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	18
Depth Drilled:	45
Latitude:	29.8003812
Longtiude:	-95.5191384

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Tex Department of License and Regulat

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
RITA ARN	9318 SADDLE	HOUSTON	TEXAS	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	9318 SADDLE	HOUSTON	TEXAS	77080

Lat. | Long. | Grid # 65-12-6

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑ *

6) Drilling Date
Started 09 / 29 / 00
Completed 09 / 29 / 00

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
2-7/8	SURFACE	45

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	10	SURFACE TOP SOIL CLAY
10	30	FINE SAND
30	45	COARSE WATER SAND

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing	Gage Screen
2	N	PVC JET STREAM	0	35	40	
2	N	PVC SLOTTED SCREEN	35	45		.012

9) Cementing Data
Cementing from 0 ft. to 20 ft. # of sacks used 3
ft. to ft. # of sacks used
Method Used HAND MIXED
Cementing By WELLCO
Distance to septic system field or other concentrated contamination 0 ft.
Method of verification of above distance CITY

13) Plugged ☐ Well plugged within 48 hours N/A
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☒ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc. 22 ft.

11) Water Level
Static level 18 ft. below Date 09/29/00
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

12) Packers

Type	Depth
NONE	

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

Company or individual's Name (type or print) WELLCO DRILLING & SERVICE COMPANY

Address 5423 LOTUS STREET City HOUSTON State TEXAS Zip 77085

Signature Licensed Driller/Pump Installer | Date 10 / 06 / 00 | Signature Apprentice | Date

CM 7000 0520 0022 8445 0623

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
620	1 of 1	NNE	4.77 / 25,175.87	CONTINENTAL CONSTRUCTORS TX	TCEQ WELL LOGS

Grid No: 65-12-2D
Date Drilled: NOT REPORTED
Owners Name: CONTINENTAL CONSTRUCTORS
County: HARRIS
Water Usage: BUSNESS
Static Level: 180
Depth Drilled: 341
Latitude: 29.8375664
Longtiude: -95.5666794

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Continental Constructors, Inc (Name) Address 4510 Brittmore Rd. (Street or RFD) Houston (City) Texas (State) 77041 (Zip)

2) LOCATION OF WELL County Harris WKNWX 13½ miles in W NW (N.E., S.W., etc.) direction from Houston (Town)

☐ Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____

Well is located at 4510 Brittmore ☒ See attached map. 65-12-20

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other Business

5) DRILLING METHOD (Check): ☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG: Date drilled ____

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6	Surface	341

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	24	clay
24	55	sand
55	70	clay
70	85	sand
85	120	clay
120	143	sand
143	215	clay
215	267	sand
267	275	clay
275	340	sand
340	341	clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfgr., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	+1	325	Sdl40
2⅜	N	Gal steel lap	319	330	"
2⅜	N	SS RB screen	330	340	16 ga.
2½	N	Gal NN & BPV	340	341	

CEMENTING DATA
Cemented from 75 ft. to 325 ft.
Method used Pressure
Cemented by Swinehart Co (Company or Individual)

9) WATER LEVEL:
Static level 180 ft. below land surface Date Feb. 84
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth
Lead seal at 319'

RECEIVED
MAR 15 1984
DEPT. OF WATER RESOURCES

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 375' ft.
Meyers 1½ HP J11 pump set on 1¼"

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 50 gpm with 35 ft. drawdown after ½ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME B.J. Swinehart Co., Inc (Type or Print) Water Well Driller's License No. 229

ADDRESS 7524 N. Freeway (Street or RFD) Houston (City) Texas (State) 77037 (Zip)


(Signed) B.J. Swinehart (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 65-12-20
Located on map 4400MM

DWR-0392 (Rev. 5-27-82) DEPARTMENT OF WATER RESOURCES COPY

Dup


Continental Cons.
4510 Braithmore
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973
HARRIS COUNTY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
621	1 of 1	NNE	4.77 / 25,189.31	W.A. SCHEAFER TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 06/06/1973
Owners Name: W.A. SCHEAFER
County: HARRIS
Water Usage: DOMESTIC
Static Level: 8
Depth Drilled: 53
Latitude: 29.8328114
Longtiude: -95.5538115

end original copy by
ertified mail to the
exas Water Development Board
. O. Box 13087
ustin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map NO
Received: 7-8
dk

1) OWNER:
Person having well drilled W. A. SCHEAFER Address 9818 SPRING BROOK DRIVE (Name) (Street or RFD) (City) (State)
Landowner " " Address HOUSTON TEX (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 11 miles in NW direction from HOUSTON (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
HEMPSTEAD HWY.
I 10
SPRING BROOK
(Use reverse side if necessary)
North

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract SPRING BRANCH ACREAS
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 3 7/8 in. Depth drilled 53 ft. Depth of completed well 53 ft. Date drilled 6-6-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	22	GRAY CLAY
22	24	ROCK
24	39	RED CLAY
39	40	ROCK
40	53	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2	0	47	SCH 40

10) SCREEN:
Type PLASTIC
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2	47	53	6

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 8 ft. below land surface Date 6-6-73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 10 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes ✓
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B COMPKIN, JR Water Well Drillers Registration No. 1101
(Type or Print)
ADDRESS 7507 DAHAK DR HOUSTON TEXAS
(Street or RFD) (City) (State)
(Signed) John B Compkin Jr LONG POINT WATER WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
622	1 of 2	S	4.77 / 25,205.81	Quillian Memorial Center TX	GWDB

Well Rep Track No:
State Well No: 6520401
Owner Name: Quillian Memorial Center
Drilling Start Dt:
Drilling Month: 7
Drilling Day: 22
Drilling Year: 1957
Well Depth: 823
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7022230
Longitude: -95.5891670
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520401&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520401&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
622	2 of 2	S	4.77 / 25,205.81	QUILLIAN CENTER TX	WW HARRIS GAL

Well ID:	2234	**Diameter (inches):**	16
Aggre Lead Well:	2234	**Year Drilled:**	1957
Permit No:	W1985-2234-22097-0	**Depth Drilled:**	735
Permit Start Date:	5/1/1985	**Depth frm Surf(ft):**	410
Permit End Dt:	8/14/1985	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.701388
Regulatory Aarea:	3	**Longitude:**	-95.588611
Owner Name:	QUILLIAN CENTER		
Billing Contact:	JOYCE MATTHEWS		
Billing Address:	1320 Main St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	FIRST METHODIST CHURCH		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
623	1 of 1	NNW	4.77 / 25,210.68	LANDOR CORPORATION TX	TCEQ WELL LOGS

Grid No:	65-12-1
Date Drilled:	05/16/1994
Owners Name:	LANDOR CORPORATION
County:	HARRIS
Water Usage:	IRRIGATION
Static Level:	168
Depth Drilled:	371
Latitude:	29.8388837
Longtiude:	-95.6111544

d original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087 — *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Landar Corporation (Name) ADDRESS 515 Post Oak Blvd Suite 810 Houston, TX 77027 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris . 4 miles in SW (NE, SW, etc.) direction from Jersey Village (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP 65 . 4 . 4

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☑ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 5-9 19 94 Completed 5-16 19 94

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
9½	Surface	340
6	340	370

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other 2 string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top Soil
1	23	Red Gray
23	45	Sand w/ Clay St
45	55	Red
55	75	Red Gray Clay
75	98	Sand
98	145	Red Gray Clay
145	170	Sand
170	190	Gravel
190	200	Gravel w/ Clay St

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4 5/8	N	Steel Sch 40	+2	340	
4	N	Galvanized Sch 40	319	340	
4	N	Stainless Steel Pad Board Screen (H.S.S.C.)	340	370	
4	N	Galvanized Sch 40	370	371	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from +1 ft. to 340 ft. No. of Sacks Used 48
_____ ft. to _____ ft. No. of Sacks Used _____
Method used pressure cement w/ 10% gel
Cemented by Kerry Johnston

RECEIVED JUL 28 1994 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

14) WELL TESTS: Type Test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 150 gpm with 40 ft. drawdown after 1 hrs.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 168 ft. below land surface Date 5-16-94
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) PACKERS:

Type	Depth
B-P Seal	4" x 6" 319

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Johnston's Waterwell Service (Type or print) WELL DRILLER'S LICENSE NO. 2772WI

ADDRESS 28414 Calvert Rd (Street or RFD) Tomball (City) TX (State) 77375 (Zip)

(Signed) Kerry L. Johnston (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TNRCC use only: Well no. _____ Located on map 65-12-1

TNRCC-0199 (Rev. 05-18-90)

TNRCC COPY


IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
200	222	Red Gray Clay
222	255	Red Gray Clay
255	259	Red Gray Clay
259	310	Sand w/ Clay St
310	336	Gray Clay
336	346	Sand
346	348	Gray Clay
348	358	Sand
358	359	Gray Clay
359	370	Sand


5366
5367
5368
5466
5467
5468
5566
5567
5568
5666
5667
5668
5767
5768
5868
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1987
LEGEND

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
624	1 of 1	ENE	4.78 / 25,244.27	ELISE COWAN TX	TCEQ WELL LOGS

Grid No:	65-12-5
Date Drilled:	08/11/1995
Owners Name:	ELISE COWAN
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	15
Depth Drilled:	35
Latitude:	29.8073912
Longtiude:	-95.523031

ginal copy by certified mail to: TNRCC, P.O. Box 087, Austin, TX 78711-3087

Please use black ink.

ENTION OWNER: Confidentiality
ge Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

OWNER ELISE COWAN (Name) ADDRESS 9436 CAMBELL HOUSTON TX 77080 (Street or RFD) (City) (State) (Zip)

ADDRESS OF WELL:
County HARRIS (Street, RFD or other) (City) (State) (Zip) GRID # 6512 - 5

TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) X

WELL LOG:
Date Drilling:
Started 8-11 19 95
Completed 8-11 19 95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
3 7/8	Surface	35

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

N

From (ft.)	To (ft.)	Description and color of formation material
0 -	3	TOP SOIL
3 -	14	YELLOW SHALE
14 -	18	RED SAND
18 -	28	RED SHALE
28 -	29	WHITE ROCK
29 -	35	SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2	N	PVC	0	29	SCH40
2	N	PVC SLOTTED	29	35	11

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 28 ft. No. of sacks used 2
ft. to ft. No. of sacks used
Method used MIXED & POURED
Cemented by SUGG WATER WELL
Distance to septic system field lines or other concentrated contamination ft.
Method of verification of above distance HOOKED TO CITY

TYPE PUMP:
☐ Turbine ☑ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 27 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

WELL TESTS:
Type test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 5 gpm with 5 ft. drawdown after 2 hrs.

11) WATER LEVEL:
Static level 15 ft. below land surface Date 8-11-95
Artesian flow gpm. Date

WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
2	FORMATION 27-28

I certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SUGG WATER WELL DRILLING (Type or print) WELL DRILLER'S LICENSE NO. 1006 WPKL

ADDRESS 13501 CHRISMAN #26 (Street or RFD) HOUSTON (City) TEXAS (State) 77039 (Zip)

(Licensed Well Driller) James H. Sugg Jr. (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

(99 (Rev. 11-01-94)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
625	1 of 1	NW	4.78 / 25,254.03	H.B. ZACHRY TX	TCEQ WELL LOGS

Grid No:	65-11-6
Date Drilled:	10/03/1989
Owners Name:	H.B. ZACHRY
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	151
Depth Drilled:	382
Latitude:	29.820848
Longtiude:	-95.647607

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER H. B. ZACHRY (Name) Address P.O. Box 840009 (Street or RFD) HOUSTON (City) TX (State) 77284 (Zip)

2) LOCATION OF WELL: County HARRIS 2 miles in N on Hwy 6 (N.E., S.W., etc.) direction from I-10 HOUSTON, TX. (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☐ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☑ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other ____

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 10-2 1989 Completed 10-3 1989

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	342

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOPSOIL
2	90	CLAY + SAND STREAKS
90	103	SAND
103	124	WHITE CLAY & SOME P. GRAVEL
124	136	SAND
136	142	WHITE CLAY
142	172	SAND & FINE GRAVEL
172	174	HARD ROCK
174	229	R+W CLAY & LIME STONE STRKS
229	264	FINE SAND & ROCK STREAKS
264	271	R+W CLAY & ROCK STREAKS
271	285	FINE SAND & ROCK STREAKS
285	290	HARD ROCK
290	296	R+W CLAY
296	297	FINE SAND & ROCK STREAKS
297	317	FAST SAND
317	341	M. FINE SAND & ROCK STREAKS
341	342	ROCK

RECEIVED
FEB 20 1990
TEXAS WATER COMMISSION

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC SCH 40	+2	300	
4	N	PVC JSS SAWED	300	340	12
4	N	PVC SCH 40	340	342	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
____ ft. to ____ ft. No. of Sacks Used ____
Method used CONCRETE POURED
Cemented by NWWSI

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 151 ft. below land surface Date 10-3-89
Artesian flow ____ gpm. Date ____

12) PACKERS: Type 2 SHALE TRAPS Depth 292 + 299 ft.

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 55 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Nevenhoffs Water Well Svc. Inc. (Type or Print) Water Well Driller's License No. 531
ADDRESS Po Box 131 (Street or RFD) COLUMBUS (City) TX (State) 78934 (Zip)
(Signed) Floyd A. Nevenhoff (Licensed Water Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65 11-6
Located on map ____

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY


Scale 1/2" = 1 mile
N
NEUENDORFF'S
WATER WELL SVC. INC.
P. O. BOX 131
COLUMBUS, TEXAS 78934
H.B. ZACHARY
HARRIS COUNTY
10-2-89
WELL
5565
5568

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
626	1 of 1	SW	4.78 / 25,256.71	Griffis, David L. TX	WW HARRIS GAL

Well ID:	6008	**Diameter (inches):**	4
Aggre Lead Well:	6008	**Year Drilled:**	1997
Permit No:	W2015-6008-175890-0	**Depth Drilled:**	300
Permit Start Date:	5/1/2015	**Depth frm Surf(ft):**	280
Permit End Dt:	4/30/2020	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.718888
Regulatory Aarea:	3	**Longitude:**	-95.643611
Owner Name:	Griffis, David L.		
Billing Contact:	NULL		
Billing Address:	3535 Highway 6 S		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77082		
Correspondence:	Marshall Movers		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
627	1 of 3	SW	4.78 / 25,263.70	Houston Golf Academy TX	GWDB

Well Rep Track No:	
State Well No:	6519313
Owner Name:	Houston Golf Academy
Drilling Start Dt:	
Drilling Month:	4
Drilling Day:	30
Drilling Year:	1978
Well Depth:	425
Well Usage:	Irrigation
Water Level Status:	
Latitude:	29.7177780
Longitude:	-95.6413890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519313&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519313&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
627	2 of 3	SW	4.78 / 25,263.70	ARYA SAMAJ GREATER HOUSTON TX	TCEQ WELL LOGS

Grid No: 65-19-3
Date Drilled: 05/07/1997
Owners Name: ARYA SAMAJ GREATER HOUSTON
County: HARRIS
Water Usage: DOMESTIC
Static Level: 150
Depth Drilled: 291
Latitude: 29.717683
Longtiude: -95.641195

Send original copy by certified return receipt requested ma TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER ARYA SAMAJ GREATER HOUSTON (Name) ADDRESS 1434 W. SAM HOU PKWY #100 HOU TX 77043 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County HARRIS 14375 SCHILLER HOU TX 77082 (Street, RFD or other) (City) (State) (Zip) GRID # 65-19-3

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling: Started 5/6 19 97 Completed 5/7 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	291

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

N

From (ft.)	To (ft.)	Description and color of formation material
0	35	clay
35	55	sand
55	175	clay
175	190	sand
190	225	clay
225	250	sand
250	255	clay
255	291	sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC CASING	0	270	
2½	"	" LINER	261	271	
"	"	" SCREEN	271	291	.008

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 270 ft. to 80 ft. No. of sacks used 15
10 ft. to 0 ft. No. of sacks used 11
Method used HALIBURTON
Cemented by SCOTT WATER WELL SER. INC.
Distance to septic system field lines or other concentrated contamination XX ft.
Method of verification of above distance TO BE INSTALLED

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 200 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 150 ft. below land surface Date 5/7/97
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
K-PACKER	270

JUL 23 1997

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. (Type or print) WELL DRILLER'S LICENSE NO. 4839

ADDRESS 11915 GREEN PINE CIR (Street or RFD) HOUSTON, TX (City) 77066 (State) (Zip)

(Signed) Scott Robinson (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) White - TNRCC Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
627	3 of 3	SW	4.78 / 25,263.70	Arya Samaj- Greater Houston TX	WW HARRIS GAL

Well ID:	5985	**Diameter (inches):**	4
Aggre Lead Well:	5985	**Year Drilled:**	1997
Permit No:	W2010-5985-144526-0	**Depth Drilled:**	300
Permit Start Date:	5/1/2010	**Depth frm Surf(ft):**	220
Permit End Dt:	5/1/2010	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.717777
Regulatory Aarea:	3	**Longitude:**	-95.641666
Owner Name:	Arya Samaj- Greater Houston		
Billing Contact:	Devinder Mahajan		
Billing Address:	529 Trails End		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
628	1 of 1	E	4.79 / 25,283.38	L. G. Gaines TX	GWDB

Well Rep Track No:	
State Well No:	6512909
Owner Name:	L. G. Gaines
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1954
Well Depth:	297
Well Usage:	Domestic
Water Level Status:	
Latitude:	29.7702780
Longitude:	-95.5080560
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512909&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512909&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
629	1 of 3	SSE	4.79 / 25,313.16	Ada Oil Co. TX	GWDB

Well Rep Track No:	
State Well No:	6520510
Owner Name:	Ada Oil Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1968
Well Depth:	310
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7027780
Longitude:	-95.5747220
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520510&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520510&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
629	2 of 3	SSE	4.79 / 25,313.16	ADA OIL COMPANY TX	TCEQ WELL LOGS

Grid No:	65-20-5B
Date Drilled:	09/14/1968
Owners Name:	ADA OIL COMPANY
County:	HARRIS
Water Usage:	FILLEN STATION
Static Level:	130
Depth Drilled:	310
Latitude:	29.7036362
Longtiude:	-95.5752299

5B

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. [illegible]
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled: Ada Oil Company (Name) Address: Intersection - Bellaire & Boone Rd. (Street or RFD) Bellaire, Texas (City) (State)

Landowner: Same as above (Name) Address: (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris Labor: League: Abstract No.:

NW¼ NE¼ SW¼ SE¼ of Section: Block No.: Survey:
(Circle as many as are known)

miles in (NE, SW, etc.) direction from (Town).

NORTH

See reverse side for map

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☒ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

Fillen Station

5) TYPE OF WELL (Check):
Rotary ☒ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole: 6¼ in. Depth drilled 310 ft. Depth of completed well 310 ft. Date drilled 9-14-68

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	Top Soil
10	45	Clay (red)
45	50	Sand
50	60	Clay (red)
60	63	Sand
63	80	Clay
80	112	Sand
112	126	Clay
126	146	Sand
146	250	Clay (red and white mixed)
250	310	Sand (brown)

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☒ Lead Seal
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 130 ft. below land surface Date 9-14-68
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	294	schedule 30
2½"	290	300	schedule 30

10) SCREEN:
Type: Stainless Steel Screen
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½"	300	310	16

11) WELL TESTS:
Was a pump test made? ☐ Yes ☒ No If yes by whom?

Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name: Reda Pump Company
Type: Submersible H.P.: 1
Designed pumping rate: 10 gpm ☒ gph ☐
Type power unit:
Depth to bowls, cylinder, jet, etc., 210 ft. below land surface.


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME: Schoppa Water Well Service (Type or Print) Water Well Drillers Registration No.: 582

Address: Rt. #1, Box 232-C (Street or RFD) Spring, (City) Texas 77373 (State)

(Signed): Pete Schoppa (Water Well Driller) Schoppa Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.


BELLAIRE BLVD.
150 FT.
WELL
PHILLIPS 66 STATION
BOONE R.D.
KIRKWOOD R.D.
RECEIVED
DEC
Central Records
Texas Water Development Board
TEXAS WATER
DEVELOPMENT BOARD
NOV 26 1968

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
629	3 of 3	SSE	4.79 / 25,313.16	ADA RESOURCES, INC. TX	WW HARRIS GAL

Well ID:	2711	**Diameter (inches):**	4
Aggre Lead Well:	2711	**Year Drilled:**	1968
Permit No:	W1985-2711-23525-0	**Depth Drilled:**	310
Permit Start Date:	11/1/1985	**Depth frm Surf(ft):**	300
Permit End Dt:	10/8/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.703888
Regulatory Aarea:	3	**Longitude:**	-95.576388
Owner Name:	ADA RESOURCES, INC.		
Billing Contact:	W.A. McKEE		
Billing Address:	P.O. Box 844		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
630	1 of 1	E	4.80 / 25,336.91	JOE REEVES TX	TCEQ WELL LOGS

Grid No: 65-12-9
Date Drilled: 12/18/2001
Owners Name: JOE REEVES
County: HARRIS
Water Usage: SINGLE FAMILY RESID.
Static Level: 210
Depth Drilled: 430
Latitude: 29.7741281
Longtiude: -95.511525

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: REEVES, JOE ADDRESS: 11211 WILDING LANE CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-12-9
Street or RFD: LAT.29-46.40 LONG.095-30.69
City, State, Zip code: HOUSTON , TX -

5)

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: SINGLE FAMILY RESID
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02189

DATE DRILLING:
STARTED: 11/26/01
COMPLETED: 12/18/01

DIAMETER OF HOLE

DIAMETER	FROM	TO
8.0	0	400
4.875	400	430

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO STRING/K-PACKER

IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE	CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	400		CASING
3.0	N	P.V.C. SCH.40	391	408		LINER
3.0	N	P.V.C. - SLOTTED	408	428		.012
3.0	N	P.V.C. SCH.40	428	430		LINER

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	3	SOIL
3	17	CLAY-GRAY CLAY-TAN CLAY-RED
17	46	SAND-TAN-.006-.008
46	161	CLAY-RED CLAY-BROWN
161	185	SAND-TAN-.010-.012 SAND-TAN-.014-.020
185	248	CLAY-RED CLAY-GRAY
248	270	SAND-TAN-.006-.008 SAND-TAN-.010-.012
270	306	ROCK BROKEN SAND & CLAY
306	354	SAND-WHITE-.006-.008 SAND-WHITE-.010-.012
354	395	BROKEN SAND & CLAY ROCK
395	428	SAND-WHITE-.010-.012
428	430	CLAY-RED

9) CEMENTING DATA:
Cemented from No. of Sacks Used
0 FT. TO 400 FT. 85
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
CITY SEWER

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : 210 FT. DATE: 12/03/01
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	391
K-PACKER	392

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 316

14) WELL TEST:
JETTED
YIELD: 150 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 430 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2843,2350
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Carl L Cotton (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

184854

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
631	1 of 2	ENE	4.80 / 25,345.33	H & J UTILITY SERVICES TX	WW HARRIS GAL

Well ID:	3144	**Diameter (inches):**	4
Aggre Lead Well:	1841	**Year Drilled:**	1977
Permit No:	W1981-1841-14556-0	**Depth Drilled:**	300
Permit Start Date:	10/14/1981	**Depth frm Surf(ft):**	0
Permit End Dt:	10/31/1982	**County:**	H
Well Status:	E - Exempt	**Latitude:**	29.795277
Regulatory Aarea:	3	**Longitude:**	-95.516111
Owner Name:	H & J UTILITY SERVICES		
Billing Contact:	NULL		
Billing Address:	11782 Eastex Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
631	2 of 2	ENE	4.80 / 25,345.33	H & J UTILITY SERVICES TX	WW HARRIS GAL

Well ID:	1841	**Diameter (inches):**	6
Aggre Lead Well:	1841	**Year Drilled:**	1960
Permit No:	W1985-1841-4203-0	**Depth Drilled:**	330
Permit Start Date:	11/1/1985	**Depth frm Surf(ft):**	300
Permit End Dt:	6/11/1986	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.795277
Regulatory Aarea:	3	**Longitude:**	-95.516111
Owner Name:	H & J UTILITY SERVICES		
Billing Contact:	NULL		
Billing Address:	11782 Eastex Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77039		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
632	1 of 1	ESE	4.81 / 25,378.32	Atlantic Richfield Co. TX	GWDB

Well Rep Track No:
State Well No: 6520317
Owner Name: Atlantic Richfield Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1964
Well Depth: 293
Well Usage: Industrial
Water Level Status:
Latitude: 29.7377780
Longitude: -95.5213890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520317&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520317&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
633	1 of 2	ENE	4.81 / 25,380.26	JAMES GRIGGS TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	03/26/2000
Owners Name:	JAMES GRIGGS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	13
Depth Drilled:	36
Latitude:	29.8031519
Longtiude:	-95.5198722

Send original copy by certified return receipt requested to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER JAMES GRIGGS (Name) ADDRESS 9324 GREENSWARD ROAD (Street or RFD) HOUSTON (City) TEXAS (State) 77080 (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 9324 GREENSWARD ROAD (Street, RFD or other) HOUSTON (City) TEXAS (State) 77080 (Zip) Long. _____ Lat. _____ Grid # 65-12-6

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) *

6) WELL LOG:
Date Drilling:
Started 03/26 19 00
Completed 03/26 19 00

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
5.50	Surface	36

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other _____

N

From (ft.)	To (ft.)	Description and color of formation material
0	05	SURFACE TOP SOIL
05	20	GRAY CLAY
20	36	COARSE WATER SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2	N	PVC JET STREAM	0	26	40
2	N	PLASTIC SLOTTED	26	36	.012

9) CEMENTING DATA
Cemented from 25 ft. to 0 ft. No. of sacks used 5
_____ ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by WELLCO
Distance to septic system field lines or other concentrated contamination 0 ft.
Method of verification of above distance CITY SEWER

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[ ] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[X] Approved Alternative Procedure Used

14) TYPE PUMP:
[ ] Turbine [X] Jet [ ] Submersible [ ] Cylinder
[ ] Other _____
Depth to pump bowls, cylinder, jet, etc., 20 ft.

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: 8 gpm with 2 ft. drawdown after 1 hrs.

11) WATER LEVEL:
Static level 13 ft. below land surface Date 03/26/00
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS: Type Depth
NONE

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME WELLCO DRILLING & SERVICE COMPANY (Type or print) WELL DRILLER'S LICENSE NO. 4729PKW

ADDRESS 5423 LOTUS STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77085 (Zip)

(Signed) _____ (Licensed Well Driller) JUN 01 2000 (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
633	2 of 2	ENE	4.81 / 25,380.26	JAMES GRIGGS TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	10/20/2000
Owners Name:	JAMES GRIGGS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	13
Depth Drilled:	45
Latitude:	29.8031519
Longtiude:	-95.5198722

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Tex Department of License and Regulat
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
JAMES GRIGGS	9324 GREENSWARD ROAD	HOUSTON	TEXAS	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
HARRIS	9324 GREENSWARD ROAD	HOUSTON	TEXAS	77080

Lat. Long. Grid # 65-12-6

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑ *

6) Drilling Date
Started 10/ 20 /00
Completed 10/ 20 /00

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5.50	0	45

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	05	SURFACE TOP SOIL
05	20	GRAY CLAY
20	36	COARSE SAND
36	45	COARSE WATER SAND

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
2	N	PVC JET STREAM	0	35	40
2	N	PLASTIC SLOTTED	35	45	.012

9) Cementing Data
Cementing from 25 ft. to 0 ft. # of sacks used 5
ft. to ft. # of sacks used
Method Used HAND MIXED
Cementing By WELLCO
Distance to septic system field or other concentrated contamination 0 ft.
Method of verification of above distance CITY SEWER

13) Plugged N/A ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☒ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 20 ft.

11) Water Level
Static level 13 ft. below Date 10/20/00
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 8 gpm with 2 ft. drawdown after 1 hrs.

12) Packers

Type	Depth
NONE	

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

NOV 15 2000

Company or individual's Name (type or print)	WELLCO DRILLING & SERVICE COMPANY		
Address 5423 LOTUS STREET	City HOUSTON	State TEXAS	Zip 77085

Signature Licensed Driller/Pump Installer	Date	Signature Apprentice	Date
	11/02/00		/ /

TDLR FORM 001WWD White - TDLR Yellow - Owner Pink - Driller/Pump Installer

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
634	1 of 1	ENE	4.81 / 25,400.06	FRANCINE T. TISDALE TX	TCEQ WELL LOGS

Grid No:	65-12-16
Date Drilled:	08/19/2000
Owners Name:	FRANCINE T. TISDALE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	18
Depth Drilled:	43
Latitude:	29.802595
Longtiude:	-95.519485

Send original copy by certified return receipt request ail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER FRANCINE T. TISDALE (Name) ADDRESS 9321 GREENSWARD ROAD (Street or RFD) HOUSTON (City) TEXAS (State) 77080 (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 9321 GREENSWARD ROAD (Street, RFD or other) HOUSTON (City) TEXAS (State) 77080 (Zip) Long. _____ Lat. _____ Grid # 65-12-16

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) *

6) WELL LOG:
Date Drilling: Started 08/19 19 00 Completed 08/19 19 00

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
2-7/8	Surface	43

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other _____

N

From (ft.)	To (ft.)	Description and color of formation material
0	15	SURFACE TOP SOIL
15	22	FINE SAND
22	43	COARSE WATER SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	PVC JET STREAM	0	33	40
2	N	PVC SLOTTED SCREEN	33	43	.008

9) CEMENTING DATA
Cemented from 0 ft. to 30 ft. No. of sacks used 4
_____ ft. to _____ ft. No. of sacks used _____
Method used HAND MIXED
Cemented by WELLCO
Distance to septic system field lines or other concentrated contamination 0 ft.
Method of verification of above distance CITY SEWER

13) [ ] Well plugged within 48 hours N/A

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[ ] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[X] Approved Alternative Procedure Used

14) TYPE PUMP:
[ ] Turbine [X] Jet [ ] Submersible [ ] Cylinder [ ] Other _____
Depth to pump bowls, cylinder, jet, etc., 28 ft.

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 18 ft. below land surface Date 08/19/00
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS: Type Depth
NONE

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME WELLCO DRILLING & SERVICE COMPANY (Type or print) WELL DRILLER'S LICENSE NO. 4729PKW

ADDRESS 5423 LOTUS STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77085 (Zip)

(Signed) Gary Q (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

SEP 05 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
635	1 of 1	NE	4.81 / 25,401.94	Metro-National - Goals Soccer TX	WW HARRIS GAL

Well ID:	8931	**Diameter (inches):**	6
Aggre Lead Well:	8931	**Year Drilled:**	
Permit No:	W2003-8931-108085-0	**Depth Drilled:**	500
Permit Start Date:	6/1/2003	**Depth frm Surf(ft):**	480
Permit End Dt:	6/1/2003	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.823055
Regulatory Aarea:	3	**Longitude:**	-95.536666
Owner Name:	Metro-National - Goals Soccer		
Billing Contact:	NULL		
Billing Address:	820 Gessner		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	D - Adoption of 1999 Regulatory Plan and notice that some changes may affect permittee		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
636	1 of 2	NE	4.81 / 25,406.88	USGS TX	GWDB

Well Rep Track No:	
State Well No:	6512636
Owner Name:	USGS
Drilling Start Dt:	
Drilling Month:	3
Drilling Day:	25
Drilling Year:	2003
Well Depth:	27
Well Usage:	Unused
Water Level Status:	
Latitude:	29.8219444
Longitude:	-95.5347222
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512636&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512636&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
636	2 of 2	NE	4.81 / 25,406.88	USGS-294919095320501 TX	FED USGS

Site No:	USGS-294919095320501
Site Type:	Well
Formation Type:	Chicot Aquifer, Upper
Date Drilled:	20030325
Well Depth:	26.5
Well Depth Unit:	ft
Well Hole Depth:	26.5
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-636
Latitude:	29.82194444000000
Longitude:	-95.5347222000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
637	1 of 1	NNE	4.81 / 25,420.18	SEABOARD COMPANIES TX	TCEQ WELL LOGS

Grid No:	65-12-4C
Date Drilled:	10/18/1980
Owners Name:	SEABOARD COMPANIES
County:	HARRIS
Water Usage:	INDUSTRIAL
Static Level:	171
Depth Drilled:	332
Latitude:	29.8388617
Longtiude:	-95.5688781

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-12-4C
Located on map. YES
Received: RWB

1) OWNER Seaboard Companies (Name) Address 4514 Brittmore, Houston, Texas 77041 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Harris ____ miles in ____ (N.E., S.W., etc.) direction from ____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6¾	Surface	317
3&7/8	317	332

Date drilled 10-17&18-80

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☒ Other Dual String
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	21	Red & Yellow Clay
21	35	Sand
35	38	Red Clay
38	51	Sand
51	96	Red Clay
96	104	Blue Clay
104	142	Sand
142	146	Blue Clay
146	194	Blue Clay & Sand
194	277	Sand
277	286	Blue Clay
286	332	Sand

(Use reverse side if necessary) 294 -15

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Casing	1	317	40
2½	N	PVC Screen	317	332	80
2½	N	PVC Liner	317	315	80

CEMENTING DATA
Cemented from 317 ft. to 217 ft.
Method used Mud Pump
Cemented by Self (Company or Individual)

9) WATER LEVEL:
Static level 171 ft. below land surface Date 10-18-80
Artesian flow ____ gpm. Date ____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 232 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Randel S. Johnson (Type or Print) Water Well Drillers Registration No. 1807

ADDRESS 8933 Talcott (Street or RFD) Houston, (City) Texas (State) (7


(Signed) ____ (Water Well Driller) Johnson's Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
638	1 of 3	WNW	4.82 / 25,424.17	City of Houston Park Ten Central #1 TX	GWDB

Well Rep Track No:	
State Well No:	6511803
Owner Name:	City of Houston Park Ten Central #1
Drilling Start Dt:	
Drilling Month:	1
Drilling Day:	15
Drilling Year:	1974
Well Depth:	1394
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7875000
Longitude:	-95.6694440
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511803&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511803&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
638	2 of 3	WNW	4.82 / 25,424.17	CITY OF HOUSTON TX	WUD

St Well No:	6511803
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SJ
Date Drilled:	01/15/1974
Well Depth:	1394
Screen Top:	616
Screen Bottom:	1384
Gallons Per Minute:	1181
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.787419
Longitude:	-95.669386
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
638	3 of 3	WNW	4.82 / 25,424.17	USGS-294712095401301 TX	FED USGS

Site No:	USGS-294712095401301
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19740108
Well Depth:	1394
Well Depth Unit:	ft
Well Hole Depth:	1883
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-803
Latitude:	29.78694444000000
Longitude:	-95.6705556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
639	1 of 1	NNE	4.82 / 25,427.69	MIKE JOHNSON TX	TCEQ WELL LOGS

Grid No:	65-12-2
Date Drilled:	07/26/1991
Owners Name:	MIKE JOHNSON
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	160
Depth Drilled:	310
Latitude:	29.8378689
Longtiude:	-95.5652176

Send original copy by certified mail to: Texas Water Commission, P.O. Box /, Austin, Texas 78711

71

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

2

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Mike Johnson (Name) ADDRESS 6030-640 Brittmore Houston, Texas (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Harris , 10 miles in NW (NE, SW, etc.) direction from Houston (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ SEE ATTACHED MAP

3) TYPE OF WORK (Check):
XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
XX Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
XX Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____ ☐ Driven

6) WELL LOG:
Date Drilling: Started 7-24-91 19__ Completed 7-26-91 19__

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
7 7/8	0	310

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed XX Other 2 String Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	60	Clay
60	120	Sand
120	200	Clay
200	310	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5"	N	Casing	0	287	SDR-17
2½"	N	Liner	285	295	
2½"	N	Screen	295	310	

RECEIVED
APR 0 8 1992
TEXAS WATER COMMISSION

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 137 ft. to 287 ft. No. of Sacks Used 10
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Robinson WAterWell

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
XX Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 160 ft. below land surface Date 7-26-91
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-Packer	285

13) TYPE PUMP:
☐ Turbine ☐ Jet XX Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes XX No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes XX No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well Service, Inc (Type or print) WELL DRILLER'S LICENSE NO. 2212

ADDRESS 11607 FM 149 (Street or RFD) Houston (City) Texas (State) 77086 (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee) CWB


Please attach electric log, chemical analysis, and other pertinent information, if available. Love

For TWC use only: Well No. 71 Located on map 65-12-2

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
640	1 of 2	ENE	4.82 / 25,429.88	CLARENCE H. COOK TX	TCEQ WELL LOGS

Grid No: 65-13-4
Date Drilled: 06/18/2003
Owners Name: CLARENCE H. COOK
County: HARRIS
Water Usage: DOMESTIC
Static Level: 18
Depth Drilled: 34
Latitude: 29.806693
Longtiude: -95.521883

31000

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Clarence H. Cook	9421 Campbell Road	Houston	Texas	77080

2) WELL LOCATION

County	Physical Address	City	State	Zip
Harris 101	9421 Campbell Road	Houston	Texas	77080

Lat. 29 47 43 Long. 095 29 08 Grid # 65-13-4

3) Type of Work
☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑ x 0.5 y 0.9 *

6) Drilling Date
Started 06/ 18 / 03
Completed 06/ 18 / 03

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5	0	34

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	05	Top Soil
05	20	White Clay
20	25	Fine Sand
25	34	Medium Coarse Water Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
2	N	PVC Plastic	0	24	40
2	N	PVC Slotted	24	34	.008

9) Cementing Data
Cementing from 0 ft. to 20 ft. # of sacks used 2
ft. to ft. # of sacks used
Method Used Trimmie Line
Cementing By: Wellco
Distance to septic system field or other concentrated contamination 0 ft.
Method of verification of above distance City Sewer

13) Plugged NA ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

NOV 19 2004

14) Type Pump
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 24 ft.

11) Water Level
Static level 18 ft. below Date 06/ 18/ 03
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 10 gpm with 1 ft. drawdown after 1 hrs.

12) Packers Type Depth
None

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☒ No

RECEIVED
TDLR MAIL ROOM
JUL 0 [illegible]

Company or individual's Name (type or print)	WELLCO DRILLING & SERVICE COMPANY	Lic. No. 4729PKW
Address 5423 Lotus Street	City Houston	State Texas Zip 77085

RECEIPT # AMOUNT

Signature Licensed Driller/Pump Installer	Date 06/ 19 /03	Signature Apprentice	Date

TDLR FORM b001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

CM#7001 2510 0009 3616 7840

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
640	2 of 2	ENE	4.82 / 25,429.88	Clarence H. Cook 9421 Campbell Road Houston TX 77080	SDRW WELLS

Track NO: 31000
Date Submitted: 2004-01-14
Owner Name: Clarence H. Cook
Owner Address: 9421 Campbell Road
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.795278
Longitude: -95.489445
Drilling Date Started: 2003-06-18
Drilling Date Completed: 2003-06-18
Chemical Analysis: No
Company Name: Wellco Drilling & Service Company
Company Address: 5423 Lotus Street
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77085
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=31000&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 34

Top Depth:
Bottom Depth: 34.0

Well Levels

Measurement: 18
Measurement Date: 2003-06-18

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
641	1 of 3	SE	4.82 / 25,449.20	STONE MOUNTAIN PROPERTIES TX	TCEQ WELL LOGS

Grid No: 65-20-6
Date Drilled: 10/18/2002
Owners Name: STONE MOUNTAIN PROPERTIES
County: HARRIS
Water Usage: IRRIGATION
Static Level: 217
Depth Drilled: 414
Latitude: 29.7130593
Longtiude: -95.5477548

10)

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: STONE MOUNTAIN PROPERTIES ADDRESS: 5900 RANCHESTER CITY: HOUSTON STATE: TX ZIP: -

2) ADDRESS OF WELL:
County: HARRIS GRID # 65-20-6
Street or RFD: LAT. 29-42.80N LONG. 095-32.85W
City, State, Zip code: , TX -

5)

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: IRRIGATION
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02380
DATE DRILLING:
STARTED: 10/09/02
COMPLETED: 10/18/02

DIAMETER OF HOLE

DIAMETER	FROM	TO
8.5	0	390
4.875	390	414

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION: TWO STRING/K-PACKER
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	390	CASING
3.0	N	P.V.C. SCH.40	381	392	LINER
3.0	N	JOHNSON SUPER FLOW	392	412	.012
3.0	N	P.V.C. SCH.40	412	414	LINER

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	2	SOIL
2	18	CLAY-GRAY CLAY-RED
18	32	SAND-RED-FINE SAND-RED-.006-.008
32	170	CLAY-RED ROCK CLAY-RED
170	197	SAND-TAN-.006-.008 SAND-TAN-.010-.012
197	214	CLAY-RED
214	238	SAND-TAN-.006-.008 ROCK
238	294	CLAY-RED BROKEN SAND & CLAY
294	318	SAND-WHITE-.006-.008
318	350	CLAY-RED
350	383	BROKEN SAND & CLAY
383	389	CLAY-GRAY
389	412	SAND-WHITE-.010-.012 SAND-WHITE-.014-.020
412	414	CLAY-RED

9) CEMENTING DATA:
Cemented from 0 FT. TO 390 FT. No. of Sacks Used 85
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: AWWS
Distance to septic field lines: N/A ft.
Method of verification of above distance:
CITY SEWER

10) SURFACE COMPLETION:
SURFACE SLAB INST.

11) WATER LEVEL:
STATIC LEVEL : 217 FT. DATE: 10/15/02
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K-PACKER	381
K-PACKER	382

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 295

14) WELL TEST:
JETTED
YIELD: 100+ GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 414 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2843,2350
ADDRESS: P.O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578

FOR TWC USE ONLY
WELL NO.
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Carl Lostin (LICENSED WATER WELL DRILLER)

(signed) (REGISTERED DRILLER TRAINEE)

RECEIVED
TDLR MAIL ROOM AR
NOV 15 2002
RECEIPT AMOUNT

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
641	2 of 3	SE	4.82 / 25,449.20	Stone Mountain Properties TX	WW HARRIS GAL

Well ID:	8989	**Diameter (inches):**	5
Aggre Lead Well:	8989	**Year Drilled:**	
Permit No:	W2010-8989-144710-0	**Depth Drilled:**	400
Permit Start Date:	12/31/2009	**Depth frm Surf(ft):**	380
Permit End Dt:	12/31/2009	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.7175
Regulatory Aarea:	3	**Longitude:**	-95.545555
Owner Name:	Stone Mountain Properties		
Billing Contact:	Accounts Payable		
Billing Address:	P.O. Box 421358		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77242		
Correspondence:	(Sun Blossom Gardens)		
Provision:	NULL		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
641	3 of 3	SE	4.82 / 25,449.20	Stone Mountain Properties TX	WW HARRIS GAL

Well ID:	8987	**Diameter (inches):**	5
Aggre Lead Well:	8987	**Year Drilled:**	2002
Permit No:	WP2024-105354	**Depth Drilled:**	400
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	380
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.713333
Regulatory Aarea:	3	**Longitude:**	-95.5475
Owner Name:	Stone Mountain Properties		
Billing Contact:	NULL		
Billing Address:	P.O. Box 421358		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77242		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
642	1 of 3	WNW	4.82 / 25,455.10	CITY OF HOUSTON TX	WUD

St Well No:	6511920
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SL
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SL
Date Drilled:	07/07/1993
Well Depth:	1238
Screen Top:	732
Screen Bottom:	1216
Gallons Per Minute:	1410
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.788153
Longitude:	-95.669289
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
642	2 of 3	WNW	4.82 / 25,455.10	Houston, City of TX	WW HARRIS GAL

Well ID:	3303	**Diameter (inches):**	20
Aggre Lead Well:	1003	**Year Drilled:**	1979
Permit No:	WP2023-117626	**Depth Drilled:**	1550
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	0
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.788055
Regulatory Aarea:	3	**Longitude:**	-95.669166
Owner Name:	Park Ten		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
642	3 of 3	WNW	4.82 / 25,455.10	USGS-294723095382601 TX	FED USGS

Site No:	USGS-294723095382601
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19930707
Well Depth:	1238
Well Depth Unit:	ft
Well Hole Depth:	1238
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-11-920
Latitude:	29.79000000000000
Longitude:	-95.6408333000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
643	1 of 1	S	4.82 / 25,459.52	ALIEF YOUTH ASSOCIATION TX	TCEQ WELL LOGS

Grid No:	65-20-4M
Date Drilled:	05/11/1974
Owners Name:	ALIEF YOUTH ASSOCIATION
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	143
Depth Drilled:	321
Latitude:	29.702498
Longtiude:	-95.602571

65-20-4M4M

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 65-20-4M
Located on map
Received:

1) OWNER:
Person having well drilled: SID BERGOON (Name) — Address: 12102 FAIRPOINT (Street or RFD) HOUSTON (City) TEXAS (State) TEX
Landowner: ALIEF YOUTH ASSOC (Name) — Address: (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: HARRIS — miles in W direction from ALIEF (Town) TEXAS
(N.E., S.W., etc.)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

NO MAP

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 321 ft. Depth of completed well 321 ft. Date drilled 5-11-74
All measurements made from / ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	28	CLAY
28	39	LOUSE YELLOW CLAY
39	44	FINE SAND
44	98	COURSE SAND
98	176	HARD YELLOW SHALE
176	181	SAND FINE
181	302	SANDY SHALE
302	321	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old ✓ Steel ✓ Plastic Other
Cemented from 304 ft. to SURFACE ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	304	GROUND LEVEL	
P.V.C. SCL 40			

10) SCREEN:
Type P.V.C. UNDER REAM
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	301	321	12 SLOT

7) COMPLETION (Check) SCREEN SET WITH HEAD SEAL
Straight wall Gravel packed CASING CEMENTED
Under reamed Open hole TO TOP OF WATER SAND

8) WATER LEVEL:
Static level 143 ft. below land surface Date 5-11-74
Artesian pressure — lbs. per square inch Date —
Depth to pump bowls, cylinder, jet, etc., 231 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? ✓ Yes No If yes, by whom?
Yield: 46 gpm with 8 ft. drawdown after 1 hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? ✓ Yes No
Did any strata contain undesirable water? Yes ✓ No
Type of water? ____ depth of strata 19½ 177

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME BRUNO DIETZ (Type or Print) — Water Well Drillers Registration No. 323
ADDRESS 3051 ROTHERMIEL (Street or RFD) HOUSTON (City) TEXAS (State)
(Signed) BRUNO DIETZ (Water Well Driller) — DIETZ PUMP WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WD-8


2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
644	1 of 1	ENE	4.83 / 25,506.13	WILLIAM L. BUTCHER, JR TX	TCEQ WELL LOGS

Grid No: 65-12-6
Date Drilled: 03/26/1999
Owners Name: WILLIAM L. BUTCHER, JR
County: HARRIS
Water Usage: DOMESTIC
Static Level: 18
Depth Drilled: 43
Latitude: 29.8026299
Longtiude: -95.5191323

Send original copy by certified return receipt request ... il to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER WILLIAM L. BUTCHER,JR (Name) ADDRESS 9317 GREENSWARD (Street or RFD) HOUSTON, TEXAS 77080 (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County HARRIS 9317 GREENSWARD (Street, RFD or other) HOUSTON, TEXAS 77080 (City) (State) (Zip) Long. ____ Lat. ____ Grid # 65-12-16

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) *

6) WELL LOG:
Date Drilling: Started 3/26 19 99 Completed 3/26 19 99

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
2-7/8	Surface	43

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

N

From (ft.)	To (ft.)	Description and color of formation material
0	05	SURFACE SOIL CLAY
05	18	CLAY
18	20	FINE SAND
20	25	SAND CLAY
25	35	ROCK & SAND
35	43	COARSE WATER SAND

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	PVC PLASTIC	0	33	40
2	N	PVC SUPER SLOTTED	33	43	.008

9) CEMENTING DATA
Cemented from 0 ft. to 10 ft. No. of sacks used 3
____ ft. to ____ ft. No. of sacks used ____
Method used HAND MIXED
Cemented by WELLCO
Distance to septic system field lines or other concentrated contamination 0 ft.
Method of verification of above distance CITY SEWER

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:
		NONE		

14) TYPE PUMP:
[ ] Turbine [X] Jet [ ] Submersible [ ] Cylinder [ ] Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[ ] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[X] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 18 ft. below land surface Date 3/26/99
Artesian flow ____ gpm. Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS: Type ____ Depth
NONE

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME WELLCO DRILLING & SERVICE COMPANY (Type or print) WELL DRILLER'S LICENSE NO. 4729PKW

ADDRESS 5423 LOTUS STREET (Street or RFD) HOUSTON (City) TEXAS (State) 77085 (Zip)

(Signed) ____ (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) *White - TDLR Yellow - DRILLER Pink - WELL OWNER*

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
645	1 of 2	ESE	4.83 / 25,516.71	Humble Oil & Refining Co. TX	GWDB

Well Rep Track No:
State Well No: 6520314
Owner Name: Humble Oil & Refining Co.
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1963
Well Depth: 192
Well Usage: Industrial
Water Level Status:
Latitude: 29.7366670
Longitude: -95.5213890
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520314&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520314&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
645	2 of 2	ESE	4.83 / 25,516.71	HUMBLE OIL CO STATION TX	TCEQ WELL LOGS

Grid No:	65-20-3A
Date Drilled:	12/03/1963
Owners Name:	HUMBLE OIL CO STATION
County:	HARRIS
Water Usage:	SERVICE STATION
Static Level:	107
Depth Drilled:	192
Latitude:	29.737026
Longtiude:	-95.521493

3A

File original copy with Texas Water Commission P. O. Box 2311, Capitol Station Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 25-30-32
Located on map
By
Date
Map no. 42 (1)

1) Well Owner: Humble Oil Co. Station (Name) Houston (City) Texas (State)

2) Land Owner: Same: Westheimer Rd & Piney Point Intersection (Name; Street or RFD) Houston (City) Texas (State)

3) Intended use: Industrial ☐ Municipal ☐ Irrigation ☐ Other Service Station

4) Location of well: County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in (NE, SW, etc.) direction from (Town)

Approximately 12 miles West of Harris County Court House at the intersection of Westheimer Rd & Piney Point Rd.

North

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 4" in. Date drilled 12/3/63

All measurements made from ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	19	Surface White Clay	164	190	Sand Good
19	27	Broken Rock	190	192	Shale
27	34	Sand, Broken Rock			
34	48	Tough Shale			
48	74	Sand Broken			
74	126	Shale			
126	140	Sand Badly Broken			
140	164	Shale			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION
Straight wall ☒
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING
Type: Old ☐ New ☒
Cemented from 179 ft.
to Surface ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4	0	179
4½	2½" Pipe.	18" below
	& 3' above screen	

SCREEN
Type LOP Stainless .012 Ga.
Perforated ☐ Slotted ☒

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½	180	190

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

R B Lowry (Signature) LOWRY WATER WELLS (Company Name) Reg. No. 116

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 107 Ft.
ft. below

Pumping level

feet	hours	gpm

Pump type Fairbanks Morse Submersible
Designed pumping rate gpm ☐ gph ☐
Type power unit Electric
Horsepower One HP
Depth to bowls, cylinder, jet, etc., ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
646	1 of 1	ESE	4.83 / 25,519.23	JOHNNY MONTALBANO TX	TCEQ WELL LOGS

Grid No: 65-13-7
Date Drilled: 11/14/1990
Owners Name: JOHNNY MONTALBANO
County: HARRIS
Water Usage: IRRIGATION
Static Level: 234
Depth Drilled: 400
Latitude: 29.748825
Longtiude: -95.515344

(17)

Send original copy by certified mail to: Texas Water Com. ...ion, P.O. Box 13087, Austin, Texas 78711 Kr. 1990 Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Johnny Montalbano (Name) ADDRESS 715 E. Whitney (Street or RFD) Hstn (City) Tx. (State) 77022 (Zip)

2) LOCATION OF WELL: #8 W/S# Still Forest
County Harris , ____ miles in ____ (NE, SW, etc.) direction from ____ (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. ____ Block No. ____ Township ____ Abstract No. ____ Survey Name ____
Distance and direction from two intersecting section or survey lines ____
☒ SEE ATTACHED MAP 0765-04-7

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☒ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other ____

6) WELL LOG:
Date Drilling: Started 11-13 19 90 Completed 11-14 19 90

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	380
3 7/8	380	400

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from ____ ft. to ____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	Topsoil & Clay
16	45	Surface Sand
45	137	Clay
137	182	Sand
182	195	Clay
195	209	Sand
209	248	Clay
248	255	Sand
255	288	Clay
288	302	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	380	
2	N	Galvanized	374	380	
2	N	PVC	380	390	.016
2	N	PVC	390	400	.020

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used ____
330 ft. to 380 ft. No. of Sacks Used ____
Method used Halliburton
Cemented by Bussell & Son

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 234 ft. below land surface Date 11/14/90
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
(2) K-Packer	374

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

RECEIVED DEC 05 1990 TEXAS WATER COMMISSION

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 45 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) Tx (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David L Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-13-7 Located on map ____

WWD-012 (Rev. 05-18-90) TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
302	317	CLAY
317	337	SAND & ROCK
337	361	CLAY
361	400	SAND

RECEIVED
OCT 10 91
GEARHART

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
647	1 of 1	ENE	4.83 / 25,519.68	ADA RESOURCES, INC. TX	WW HARRIS GAL

Well ID:	2716	**Diameter (inches):**	4
Aggre Lead Well:	2716	**Year Drilled:**	1981
Permit No:	W1979-2716-3095-0	**Depth Drilled:**	0
Permit Start Date:	4/1/1979	**Depth frm Surf(ft):**	0
Permit End Dt:	5/13/1981	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.792777
Regulatory Aarea:	3	**Longitude:**	-95.515
Owner Name:	ADA RESOURCES, INC.		
Billing Contact:	W.A. SRACK		
Billing Address:	P.O. Box 844		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77001		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	I - Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
648	1 of 5	SW	4.83 / 25,521.14	West Harris Co. MUD 4 TX	GWDB

Well Rep Track No:	
State Well No:	6519318
Owner Name:	West Harris Co. MUD 4
Drilling Start Dt:	
Drilling Month:	8
Drilling Day:	16
Drilling Year:	1982
Well Depth:	1205
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7291670
Longitude:	-95.6527780
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519318&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519318&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
648	2 of 5	SW	4.83 / 25,521.14	West Houston MUD City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6519319
Owner Name:	West Houston MUD City of Houston
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1982
Well Depth:	1420
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7313890
Longitude:	-95.6488890
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6519319&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6519319&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
648	3 of 5	SW	4.83 / 25,521.14	CITY OF HOUSTON TX	WUD

St Well No:	6519319
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FI
Date Drilled:	02/11/1982
Well Depth:	1420
Screen Top:	606
Screen Bottom:	1402
Gallons Per Minute:	1050
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.725691
Longitude:	-95.651932
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
648	4 of 5	SW	4.83 / 25,521.14	Houston, City of TX	WW HARRIS GAL

Well ID:	3673	**Diameter (inches):**	20
Aggre Lead Well:	1003	**Year Drilled:**	1982
Permit No:	WP2023-117626	**Depth Drilled:**	1600
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	999
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.725833
Regulatory Aarea:	3	**Longitude:**	-95.651944
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
648	5 of 5	SW	4.83 / 25,521.14	USGS-294352095385501 TX	FED USGS

Site No:	USGS-294352095385501
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19820211
Well Depth:	1420
Well Depth Unit:	ft
Well Hole Depth:	1420
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-19-319
Latitude:	29.73138889000000
Longitude:	-95.6488889000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
649	1 of 5	WNW	4.86 / 25,643.35	City of Houston, Park Ten Place TX	GWDB

Well Rep Track No:	394203
State Well No:	6511809
Owner Name:	City of Houston, Park Ten Place
Drilling Start Dt:	2015-01-22
Drilling Month:	5
Drilling Day:	1
Drilling Year:	2015
Well Depth:	533
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7877778
Longitude:	-95.6700000
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6511809&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6511809&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
649	2 of 5	WNW	4.86 / 25,643.35	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013TH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013TH
Date Drilled:	05/01/2015
Well Depth:	533
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	812
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.787778
Longitude:	-95.67
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
649	3 of 5	WNW	4.86 / 25,643.35	Houston, City of TX	WW HARRIS GAL

Well ID:	12904	**Diameter (inches):**	23
Aggre Lead Well:	1003	**Year Drilled:**	NULL
Permit No:	WP2023-117626	**Depth Drilled:**	570
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.787777
Regulatory Aarea:	3	**Longitude:**	-95.67
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
649	4 of 5	WNW	4.86 / 25,643.35	CITY OF HOUSTON 1300 LANGHAM CREEK DR HOUSTON TX 77084	SDRW WELLS

Track NO: 394203
Date Submitted: 2015-05-04
Owner Name: CITY OF HOUSTON
Owner Address: 611 WALKER ST
Owner Address2:
Owner City: HOUSTON
Owner State: TX
Owner Zip: 77084
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Public Supply
Prop Use Oth Descr:
Latitude: 29.787778
Longitude: -95.67
Drilling Date Started: 2015-01-22
Drilling Date Completed: 2015-05-01
Chemical Analysis: Yes
Company Name: ALSAY INC.
Company Address: 6615 GANT RD
CompanyAddress2:
Company City: HOUSTON
Company State: TX
Company Zip: 77066
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=394203&Type=SDR-Well

Well Borehole Information

Top Depth: 60
Bottom Depth: 370

Top Depth: 0
Bottom Depth: 60

Top Depth: 378
Bottom Depth: 533

Top Depth:
Bottom Depth: 533.0

Well Levels

Measurement: 164.6
Measurement Date: 2015-05-01

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
649	5 of 5	WNW	4.86 / 25,643.35	USGS-294716095401201 TX	FED USGS

Site No: USGS-294716095401201
Site Type: Well
Formation Type: Chicot Aquifer, undifferentiated
Date Drilled:
Well Depth: 533
Well Depth Unit: ft
Well Hole Depth: 650
Well Hole Depth Unit: ft
Reporting Agency: USGS Texas Water Science Center
Station Name: LJ-65-11-809
Latitude: 29.78777778000000
Longitude: -95.6700000000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
650	1 of 1	SW	4.86 / 25,676.21	Vlaimir Asinousky 14355 Schiller Houston TX 77082	SDRW WELLS

Track NO: 145575
Date Submitted: 2008-07-01
Owner Name: Vlaimir Asinousky
Owner Address: 14355 Schiller
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77082
County: Harris
Type of Work: Replacement
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.716112
Longitude: -95.641111
Drilling Date Started: 2008-06-12
Drilling Date Completed: 2008-06-13
Chemical Analysis: No
Company Name: Tim Franks Water Wells
Company Address: P.O. Box 93
CompanyAddress2:
Company City: Dobbin
Company State: TX
Company Zip: 77333
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=145575&Type=SDR-Well

Well Borehole Information

Top Depth: 330
Bottom Depth: 348

Top Depth:
Bottom Depth: 348.0

Top Depth: 0
Bottom Depth: 330

Well Levels

Measurement: 184
Measurement Date: 2008-06-13

Well Strata

Water Type:

soft

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
651	1 of 6	E	4.86 / 25,677.25	Memorial Country Club TX	GWDB

Well Rep Track No:
State Well No: 6512910
Owner Name: Memorial Country Club
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1953
Well Depth: 367
Well Usage: Domestic
Water Level Status:
Latitude: 29.7577780
Longitude: -95.5005560
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512910&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512910&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
651	2 of 6	E	4.86 / 25,677.25	Memorial Villages Water Authority#5 TX	GWDB

Well Rep Track No:	
State Well No:	6512939
Owner Name:	Memorial Villages Water Authority#5
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1981
Well Depth:	1620
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7661120
Longitude:	-95.5105560
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512939&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512939&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
651	3 of 6	E	4.86 / 25,677.25	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512939
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148E
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148E
Date Drilled:	02/00/1981
Well Depth:	1620
Screen Top:	810
Screen Bottom:	1610
Gallons Per Minute:	1846
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.76623726
Longitude:	-95.51065826
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
651	4 of 6	E	4.86 / 25,677.25	MEMORIAL VILLAGES WATER AUTHORITY TX	TCEQ WELL LOGS

Grid No: 65-12-9F
Date Drilled: 02/??/1981
Owners Name: MEMORIAL VILLAGES WATER AUTHORITY
County: HARRIS
Water Usage: PUBLIC SUPPLY
Static Level: 420
Depth Drilled: 1620
Latitude: 29.7662367
Longtiude: -95.5106609

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 6S-12-9F
Located on map
Received:

1) OWNER Memorial Villages Water Authority (Name) Address 8955 Gaylord St. (Street or RFD) Houston (City) Texas (State) 77024 (Zip)

2) LOCATION OF WELL: County Harris 1-1/4 miles XX S. of I-10 (N.E., S.W., etc.) direction from in Piney Point Village (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☒ Legal description:
Section No. ____ Block No. ____ Township ____
Abstract No. 72.1224F Survey Name John D. Taylor
Distance and direction from two intersecting section or survey lines
on Claymore Road, Fritz Sauer Subdivision
☒ See attached map.

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other ____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other ____

6) WELL LOG:

Date drilled 2-81

Dia. (in.)	From (ft.)	To (ft.)
12¼	Surface	1800
26	0	800
34	800	1620

From (ft.)	To (ft.)	Description and color of formation material
		Memorial Villages Water Well No. 5
		See Attached

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☒ Underreamed
☒ Gravel Packed ☐ Other ____
If Gravel Packed give interval . . . from 800 ft. to 1620 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
20	N	Steel casing	0	800	.375
12	N	Steel Liner	730	1620	.375
12	N	Stainless Steel Wire Wrapped Screen, Howard Smith Co. Net length 301'	810	1610	.035

CEMENTING DATA
Cemented from 0 ft. to 800 ft.
Method used Thru drill pipe
Cemented by Western Co. of N.A. (Company or Individual)

RECEIVED
AUG 2 1982
CR/[illegible]

9) WATER LEVEL:
Static level 420 ft. below land surface Date 4-81
Artesian flow -0- gpm. Date ____

10) PACKERS: Type Depth
None

11) TYPE PUMP:
☒ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 580 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes XX No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? XX Yes ☐ No

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 2,089 gpm with 520 ft. drawdown after 12 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James O'Connor (Type or Print) Water Well Drillers Registration No. 999

ADDRESS 5931 Brittmoore Road (Street or RFD) Houston (City) Texas (State) 77041 (Zip)

(Signed) James O'Connor (Water Well Driller)

Layne-Western Company, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Layne-Western Company, Inc. A Marley Company
P.O. Box 79009 · Houston, Texas 77079 · 713/466-5001

DRILLER'S LOG


Memorial Villages Water Authority
Job No. M-1087, Well No. 5
February, 1981

0 - 40	Conductor
40 - 49	Clay
49 - 62	Sandy Clay
62 - 80	Clay
80 - 95	Sand
95 - 126	Clay
126 - 136	Sand
136 - 157	Sandy Clay
157 - 172	Sandy Clay Strks.
172 - 180	Clay
180 - 185	Sandy Clay
185 - 208	Clay and Sand Strks.
208 - 270	Sand, few clay stks.
270 - 287	Hard clay/shale
287 - 292	Sand
292 - 312	Clay
312 - 329	Sand
329 - 349	Shale
349 - 358	Sand
358 - 372	Clay with sand strks.
372 - 411	Sand with clay strks.
411 - 420	Sand
420 - 430	Clay and Sand strks.
431 - 448	Sand and clay strks.
449 - 458	Clay
458 - 466	Sand and Clay strks.
466 - 488	Sand
489 - 495	Clay
496 - 525	Sand
525 - 565	Clay
566 - 596	Sand
597 - 605	Clay
605 - 620	Sand
620 - 665	Clay
666 - 685	Sand
686 - 705	Clay
705 - 730	Sand and Clay strks.
731 - 755	Clay
755 - 770	Clay and sand strks.
770 - 789	Sand
789 - 821	Clay
821 - 835	Sand
835 - 900	Clay
900 - 960	Hard shale
960 - 980	Sand
980 - 989	Clay
989 - 1035	Sand
1036 - 1040	Clay
1040 - 1053	Sand
1054 - 1065	Clay and Sand stks.
1066 - 1071	Clay
1072 - 1082	Sand and clay
1083 - 1130	Sand
1131 - 1140	Clay
1141 - 1163	Sand and Hard strks.
1164 - 1181	Sand
1187 - 1190	Clay
1191 - 1220	Sand and Clay strks.
1221	Clay
1285 - 1314	Clay
1314 - 1321	Limestone
1321 - 1363	Sand and Limestone
1363 - 1370	Clay
1376 - 1400	Sand with Ls strks.
1400 - 1405	Clay
1405 - 1490	Hard Limestone
1491 - 1520	Limestone & sand strks.
1521 - 1432	Sand
1533 - 1595	Limestone & sand strks.
1595 - 1609	Sand
1610 - 1680	Sand & Limestone strks.
1680 - 1720	Clay & Sand strks.
1721 - 1723	Limestone & sand
1724 - 1734	Sand & clay
1734 - 1802	Sand

RECEIVED
AUG 2 1982

ATTACHMENT
W5-12-9F

WATER SUPPLY SERVICES


ATTACHMENT
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
651	5 of 6	E	4.86 / 25,677.25	Memorial Villages Water Authority TX	WW HARRIS GAL

Well ID:	3599	**Diameter (inches):**	20
Aggre Lead Well:	1483	**Year Drilled:**	1981
Permit No:	WP2024-102119	**Depth Drilled:**	1800
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	955
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.766111
Regulatory Aarea:	2	**Longitude:**	-95.510555
Owner Name:	Memorial Villages Water Authority		
Billing Contact:	NULL		
Billing Address:	8955 Gaylord Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
651	6 of 6	E	4.86 / 25,677.25	USGS-294557095303701 TX	FED USGS

Site No:	USGS-294557095303701
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	198102
Well Depth:	1610
Well Depth Unit:	ft
Well Hole Depth:	1610
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-939
Latitude:	29.76611110000000
Longitude:	-95.5105556000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
652	1 of 1	E	4.87 / 25,714.99	Mark & Courtney Toon 16 Lacewood Ln Houston TX 77024	SDRW WELLS

Track NO: 190060
Date Submitted: 2009-08-18
Owner Name: Mark & Courtney Toon
Owner Address: 16 Lacewood Ln
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77024
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.759445
Longitude: -95.513889
Drilling Date Started: 2006-10-19
Drilling Date Completed: 2006-11-01
Chemical Analysis: No
Company Name: O'Day Drilling Company, Inc.
Company Address: 5923 CR 931
CompanyAddress2:
Company City: Rosharon
Company State: TX
Company Zip: 77583
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=190060&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 419

Top Depth:
Bottom Depth: 419.0

Well Levels

Measurement: 190
Measurement Date: 2006-11-01

Well Strata

Water Type:

n/a

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
653	1 of 1	ESE	4.87 / 25,718.66	SINCLAIR REFINING CO TX	TCEQ WELL LOGS

Grid No: 65-20-3G
Date Drilled: 11/27/1964
Owners Name: SINCLAIR REFINING CO
County: HARRIS
Water Usage: SERVICE STATION
Static Level: 126
Depth Drilled: 313
Latitude: 29.737036
Longtiude: -95.520755

File original copy with
Texas Water Commission
P. O. Box 12311, Capitol Station
Austin, Texas 78711

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only
Well No. 65-20-36
Located on map
By
Date
Map no. 1025(1)

1) Well Owner: Sinclair Refining Co., Ft. Worth, Texas (Name, Street or RFD, City, State)

2) Land Owner: Same (Name, Street or RFD, City, State)

3) Intended use: Industrial ☐ Municipal ☐ Irrigation ☐ Other Service Station

4) Location of well: County Harris Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in direction
(NE, SW, etc.)
from
(Town)

LOCATION OF WELL: Westheimer & Fondren Road, Houston, Texas

North

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 4" in. Date drilled Nov. 27, 1964

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material
0	40	Surface Clay
40	44	Red Sand
44	72	Red Clay
72	96	Loose Blue Shale
96	116	Sand
116	164	Sand, Few Brakes Red & Blue Clay,
164	186	Sand, Few Brakes
186	190	Shale
190	221	Sand
221	252	White Shale
252	268	Sand
268	272	Shale, Sandy
272	298	Sand
298		Rock
298	313	Sand, Loose

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall ☒
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING

Type: Old ☐ New ☒
Cemented from Surface ft.
to 276 ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4"	0	276

SCREEN

Type LOP Stainless
Perforated ☐ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½"	273	293

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

R B Lowry (Signature) Lowry Water Wells (Company Name) Reg. No. 116

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 126 ft. below

Pumping level

feet	hours	gpm

Pump type Electric
Designed pumping rate gpm ☐ gph ☐
Type power unit Jacuzzi Submersible
Horsepower 3 HP
Depth to bowls, cylinder, jet, etc., 189' ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

C-34 (62-4)

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
654	1 of 1	SE	4.89 / 25,802.47	R.E. Smith TX	GWDB

Well Rep Track No:	
State Well No:	6520305
Owner Name:	R.E. Smith
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1951
Well Depth:	788
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7194440
Longitude:	-95.5380560
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520305&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520305&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
655	1 of 1	ENE	4.89 / 25,811.57	Andy Cao 2319 Campbell Rd. Houston TX 77080	SDRW WELLS

Track NO: 28784
Date Submitted: 2003-11-25
Owner Name: Andy Cao
Owner Address: 2319 Campbell Rd.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Domestic
Prop Use Oth Descr:
Latitude: 29.899167
Longitude: -95.480555
Drilling Date Started: 2003-09-22
Drilling Date Completed: 2003-09-23
Chemical Analysis: No
Company Name: Robinson Water Well Service, Inc.
Company Address: 11819 W. Montgomery Rd.
CompanyAddress2:
Company City: Houston
Company State: TX
Company Zip: 77086
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=28784&Type=SDR-Well

Well Borehole Information

Top Depth: 0
Bottom Depth: 410

Top Depth:
Bottom Depth: 410.0

Well Levels

Measurement: 225
Measurement Date: 2003-09-23

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
656	1 of 1	ESE	4.89 / 25,813.62	Gibbs Meador TX	GWDB

Well Rep Track No:	
State Well No:	6512925
Owner Name:	Gibbs Meador
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1938
Well Depth:	192
Well Usage:	Unused
Water Level Status:	
Latitude:	29.7513890
Longitude:	-95.5144450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512925&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512925&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
657	1 of 1	ESE	4.89 / 25,836.90	Tavakoli, Fred TX	WW HARRIS GAL

Well ID:	16829	**Diameter (inches):**	5
Aggre Lead Well:	NULL	**Year Drilled:**	NULL
Permit No:	WP2024-113530	**Depth Drilled:**	400
Permit Start Date:	9/11/2024 4:21:00 PM	**Depth frm Surf(ft):**	370
Permit End Dt:	4/30/2026 4:21:00 PM	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.74844
Regulatory Aarea:	2	**Longitude:**	-95.51422
Owner Name:	NULL		
Billing Contact:	NULL		
Billing Address:	45 East Stillforest Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	9 - Based on permitted allocation or 20% of total demand, whichever is smaller; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	R - Residential (Single Family) Irrigation		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
658	1 of 2	SE	4.90 / 25,858.02	RUSSELL LANDSCAPE CO TX	TCEQ WELL LOGS

Grid No: 65-20-6
Date Drilled: 03/14/1989
Owners Name: RUSSELL LANDSCAPE CO
County: HARRIS
Water Usage: IRRIGATION
Static Level: 227
Depth Drilled: 385
Latitude: 29.722281
Longtiude: -95.532863

STATE OF TEXAS WATER WELL REPORT

1) OWNER: RUSSELL LANDSCAPE CO. ADDRESS: 3906 ADE STREET CITY: HOUSTON STATE: TX ZIP: 77063
2) LOCATION OF WELL: County: HARRIS miles in W direction from HOUSTON

LEGAL DESCRIPTION: SEE ATTACHED MAP: 00116
Section No.: Block No.: Township:
Abstract No.: Survey Name:
Distance and direction from two intersecting section or survey lines:

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00116

DIAMETER	FROM	TO
8.0	0	359
5.0	359	385

7) BOREHOLE METHOD:
TWO STRING/B.P. SEAL IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 03/14/89

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	4	SOIL
4	16	CLAY-WHITE
16	35	SAND-RED-FINE
35	87	CLAY-RED
87	120	BROKEN SAND & CLAY
120	140	CLAY-RED
140	152	SAND-RED-.006-.008
152	158	BROKEN SAND & CLAY
158	179	CLAY / SAND STREAKS
179	194	SAND-TAN-.006-.008
194	203	CLAY-RED
203	241	SAND-TAN-.014-.020
241	269	CLAY-RED
269	281	SAND-WHITE-.006-.008
281	300	BROKEN SAND & CLAY
300	317	SAND-WHITE-.014-.020
317	352	CLAY-RED
352	385	SAND-WHITE-.010-.012
385		CLAY-RED

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
5.0	N	P.V.C. S.D.R.17	0	359	
3.0	N	P.V.C. SCH.80	351	361	LINER
3.0	N	STAINLESS - ROD BASE	361	381	.011
3.0	N	STEEL, NEW, GALV.	381	385	S.T.N.

9) CEMENTING DATA:
Cemented from 159 FT. TO 359 FT.
FT. TO FT.
Method used: PRESSURE-HALIBURTON
Cemented by: ALMEDA WATER WELL

RECEIVED
DEC. 1 1989
TEXAS WATER COMMISSION

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 227 FT. DATE: 03/15/89
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 315

14) WELL TEST:
JETTED
YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 385 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: ALMEDA WATER WELL SERVICE WATER WELL DRILLER'S LICENSE NO.: 843,2703,2843
ADDRESS: P. O. BOX 266 CITY: MANVEL STATE: TX ZIP CODE: 77578


FOR TDWR USE ONLY
WELL NO. 65-20-6
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) _____ (LICENSED WATER WELL DRILLER)
(signed) _____ (REGISTERED DRILLER TRAINEE)

CWB

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
658	2 of 2	SE	4.90 / 25,858.02	RUSSELL'S NURSERY TX	TCEQ WELL LOGS

Grid No: 65-20-3M
Date Drilled: 11/13/1975
Owners Name: RUSSELL'S NURSERY
County: HARRIS
Water Usage: DOMESTIC
Static Level: 240
Depth Drilled: 372
Latitude: 29.722281
Longtiude: -95.532863

65-20-3M Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 65-20-3M
Located on map
Received: 76

1) OWNER:
Person having well drilled: L. W. Capps (Name) Address: 3770 Elmora (Street or RFD) Houston (City) TX (State)
Landowner: Russell's Nursery (Name) Address: Ade Dr (Street or RFD) Houston (City) TX (State)

2) LOCATION OF WELL:
County: Harris, 0 miles in — (N.E., S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): (New Well) Deepening Reconditioning Plugging
4) PROPOSED USE (Check): (Domestic) Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check): (Rotary) Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 372 ft. Depth of completed well 372 ft. Date drilled 11-13-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Top soil
4	34	Clay
34	38	Sand
38	130	Clay
130	150	Sand
150	170	Clay
170	190	Sand
190	260	Clay + Sand
260	316	Sand
316	350	Clay
350	372	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old (New) Steel (Plastic) Other
Cemented from 350 ft. to 250 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
6	0	350	Sch 40
2½	342	352	Sch 80

10) SCREEN:
Type Everflo
Perforated (Slotted)

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	352	372	.012

7) COMPLETION (Check):
Straight wall Gravel packed (Other)
Under reamed Open Hole

8) WATER LEVEL:
Static level 240 ft. below land surface Date 11-12-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes (No) If yes, by whom? Air Compression
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes (No)
Did any strata contain undesirable water? Yes (No)
Type of water? _____ depth of strata 22

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Orlen O'Day (Type or Print) Water Well Drillers Registration No. 786
ADDRESS P.O. Box 162 (Street or RFD) Pearland (City) Texas (State)
(Signed) Orlen O'Day (Water Well Driller) O'Day Drilling Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDB-WO-8
4283

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
659	1 of 2	W	4.90 / 25,897.18	FULTON PRODUCTS TX	TCEQ WELL LOGS

Grid No:	65-11-9
Date Drilled:	02/29/1992
Owners Name:	FULTON PRODUCTS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	142
Depth Drilled:	260
Latitude:	29.7835844
Longtiude:	-95.6717766

Send original by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Fulton Products (Name) ADDRESS 16717 West I10 (Street or RFD) Houston (City), Tx (State) 77094 (Zip)

2) LOCATION OF WELL: County Harris. Yeway between Barker Cypress (NE, SW, etc.) ¼ Hyle on 'S' side right on Feeder (Town) Road

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ SEE ATTACHED MAP

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 2-18 1992 Completed 2-29 1992

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	232
4 3/4	232	254

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other TWO STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	60	clay — SAND, clay, SAND, clay
60	120	clay, SAND, clay, SAND, clay
120	140	SAND — clay SAND", clay
140	160	SAND, clay, SAND —
160	180	SAND gravel —
180	200	Hard rock clay —
200	220	clay, rock, rock SAND, Rock, SAND
220	240	SAND —
240	260	SAND — clay

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Well Casing	+2	232	sch 40
2½	N	BLANK Pipe	230	237	sch 80
2½	N	SS Rod Base	237	252	12GR
		(15') Screen			
2½			252	254	sch 80

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 232 ft. to 32 ft. No. of Sacks Used 9
0 ft. to 20 ft. No. of Sacks Used 6
Method used Haliburton
Cemented by Geophysical Drlg, Inc.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☑ Pitless Adapter Used [Rule 287.44(3)(B)]
☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 142 ft. below land surface Date 2-21-92
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Formation Packer	15'
BP Well Seal	230'

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS: Type Test: ☐ Pump ☐ Baller ☑ Jetted ☐ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED APR 02 1992 TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Geophysical Drlg., Inc (Type or print) WELL DRILLER'S LICENSE NO. 2389 W

ADDRESS P O Box 664 (Street or RFD) Pulshear (City) TX (State) 77441 (Zip)

(Signed) Brad J. Niel (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map 65-11-4

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY


Fulton Products
LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
PREPARED BY THE
TEXAS STATE HIGHWAY DEPARTMENT
PLANNING AND RESEARCH DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
SCALE
1973
1970 CENSUS FIGURES
HIGHWAYS REVISED TO JANUARY 1, 1973

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
659	2 of 2	W	4.90 / 25,897.18	Haas, Jeff TX	WW HARRIS GAL

Well ID:	8877	**Diameter (inches):**	4
Aggre Lead Well:	8877	**Year Drilled:**	1950
Permit No:	W2019-8877-202557-0	**Depth Drilled:**	NULL
Permit Start Date:	5/1/2019	**Depth frm Surf(ft):**	NULL
Permit End Dt:	5/1/2019	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.784444
Regulatory Aarea:	3	**Longitude:**	-95.671666
Owner Name:	Haas, Jeff		
Billing Contact:	NULL		
Billing Address:	11222 Katy Freeway		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	NULL		
Provision:	M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
660	1 of 1	ENE	4.92 / 25,962.15	TERRY HARTMAN TX	TCEQ WELL LOGS

Grid No: 65-12-6
Date Drilled: 06/08/1995
Owners Name: TERRY HARTMAN
County: HARRIS
Water Usage: NOT REPORTED
Static Level: 15
Depth Drilled: 43
Latitude: 29.8052326
Longtiude: -95.5190404

Send original copy by certified mail to: TNRCC, P.O. Box 1 Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Terry Hartman (Name) ADDRESS 9346 Livernois Dr Houston (Street or RFD) (City) (State) TX (Zip)

2) ADDRESS OF WELL: County Harris (Street, RFD or other) (City) (State) (Zip) GRID # 65-12-6

3) TYPE OF WORK (Check): ☐ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:
Date Drilling: Started June 8 19 95 Completed June 8 19 95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4 1/2	Surface	43

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

N

From (ft.)	To (ft.)	Description and color of formation material
0	25	Clay
25	43	Sand, rock 40'

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☑ Gravel Packed ☐ Other
If Gravel Packed give interval ... from 20 ft. to 43 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	P.V.C.	0	33	40
2	N		33	43	.08

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 10 ft. No. of sacks used 3
ft. to ft. No. of sacks used
Method used Hand Mix
Cemented by C. Mw.
Distance to septic system field lines or other concentrated contamination none ft.
Method of verification of above distance No Septic

13) TYPE PUMP:
☐ Turbine ☑ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 30 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: ☑ Pump ☐ Bailer ☐ Jetted ☑ Estimated
Yield: 6 gpm with ft. drawdown after hrs.

11) WATER LEVEL:
Static level 15 ft. below land surface Date June 8, 95
Artesian flow gpm. Date

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Potable Depth of strata 18
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS: Type Depth
none

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Coastal Water Well (Type or print) WELL DRILLER'S LICENSE NO. 812

ADDRESS P.O. Box 745 (Street or RFD) Porter (City) TX (State) 77365 (Zip)

(Signed) H. L. Gebeke (Licensed Well Driller) (Signed) Keith Gebeke (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94) TNRCC COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
661	1 of 1	ENE	4.92 / 25,974.38	WAYNE LIEBER TX	TCEQ WELL LOGS

Grid No:	65-12-6
Date Drilled:	05/29/1991
Owners Name:	WAYNE LIEBER
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	225
Depth Drilled:	405
Latitude:	29.7974617
Longtiude:	-95.5149383

(3)

Send original copy by certified mail to: **Texas Water Commission, P.O. Box 13087, Austin, Texas 78711** Km 450Y

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Wayne Lieber (Name) ADDRESS 9130 Pecos (Street or RFD) Houston (City) TX (State) 77055 (Zip)

2) LOCATION OF WELL: 9130 Pecos
County Harris . _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ SEE ATTACHED MAP 65.4.4

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):
☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 5/28 19 91 Completed 5/29 19 91

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	390
3 7/8	390	405

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	16	Top Soil & Clay
16	52	Surface Sand & Rock
52	61	Clay
61	70	Sand
70	109	Clay
109	127	Sand & Rock
127	139	Clay
139	146	Sand
146	180	Clay
180	191	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	390	
2	N	Galvanized	385	395	
2	N	PVC Seimens	395	405	.016

9) CEMENTING DATA [Rule 267.44(1)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 8
340 ft. to 390 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by Bussell & Son Inc

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 267.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 267.44(3)(A)]
☐ Pitless Adapter Used [Rule 267.44(3)(B)]
☑ Approved Alternative Procedure Used [Rule 267.71]

11) WATER LEVEL:
Static level 225 ft. below land surface Date 5/29/91
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-Packir	385

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 393

RECEIVED
AUG 12 1991
TEXAS WATER WELL DRILLERS BOARD

14) WELL TESTS:
Type Test: ☐ Pump ☐ Baller ☑ Jetted ☑ Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bussell & Son Inc (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS P O Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bussell (Licensed Well Driller) (Signed) David Lyons (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 3 Located on map 65.12.6

WWD-012 (Rev. 05-18-90)

TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
191	211	Clay
211	245	Sand
245	256	Clay
256	285	Sand
285	315	Sandy Clay
315	333	Sand
333	338	Clay
338	405	Sand

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
662	1 of 5	S	4.92 / 26,002.24	City of Houston TX	GWDB

Well Rep Track No:
State Well No: 6520512
Owner Name: City of Houston
Drilling Start Dt:
Drilling Month: 9
Drilling Day: 21
Drilling Year: 1968
Well Depth: 1360
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.7005556
Longitude: -95.5816639
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520512&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520512&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
662	2 of 5	S	4.92 / 26,002.24	CITY OF HOUSTON TX	WUD

St Well No:	6520512
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DC
Date Drilled:	11/00/1968
Well Depth:	1370
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.700787
Longitude:	-95.581887
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
662	3 of 5	S	4.92 / 26,002.24	Houston, City of TX	WW HARRIS GAL

Well ID:	1494	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1965
Permit No:	W1994-1002-44643-0	**Depth Drilled:**	825
Permit Start Date:	2/1/1994	**Depth frm Surf(ft):**	535
Permit End Dt:	1/31/1995	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.700555
Regulatory Aarea:	3	**Longitude:**	-95.581666

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
662	4 of 5	S	4.92 / 26,002.24	Houston, City of TX	WW HARRIS GAL

Well ID:	1493	**Diameter (inches):**	16
Aggre Lead Well:	1002	**Year Drilled:**	1968
Permit No:	W1993-1002-41998-0	**Depth Drilled:**	1370
Permit Start Date:	2/1/1993	**Depth frm Surf(ft):**	580
Permit End Dt:	1/31/1994	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.699722
Regulatory Aarea:	3	**Longitude:**	-95.581111

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St., 21st Floor, Rm 2152
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Afton Village
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
662	5 of 5	S	4.92 / 26,002.24	USGS-294203095345402 TX	FED USGS

Site No:	USGS-294203095345402
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19680921
Well Depth:	1360
Well Depth Unit:	ft
Well Hole Depth:	1370
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-512
Latitude:	29.70111110000000
Longitude:	-95.5819444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
663	1 of 3	S	4.93 / 26,009.14	City of Houston TX	GWDB

Well Rep Track No:	
State Well No:	6520508
Owner Name:	City of Houston
Drilling Start Dt:	1965-06-14
Drilling Month:	6
Drilling Day:	17
Drilling Year:	1965
Well Depth:	825
Well Usage:	Plugged or Destroyed
Water Level Status:	
Latitude:	29.7005556
Longitude:	-95.5811083
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520508&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520508&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
663	2 of 3	S	4.93 / 26,009.14	CITY OF HOUSTON TX	WUD

St Well No:	6520508
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DB
Date Drilled:	07/12/1965
Well Depth:	825
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.700787
Longitude:	-95.58133
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
663	3 of 3	S	4.93 / 26,009.14	USGS-294203095345401 TX	FED USGS

Site No:	USGS-294203095345401
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19650617
Well Depth:	810
Well Depth Unit:	ft
Well Hole Depth:	825
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-508
Latitude:	29.70111110000000
Longitude:	-95.5819444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
664	1 of 1	ENE	4.93 / 26,029.92	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OX
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.800531
Longitude:	-95.518766
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
665	1 of 2	ENE	4.93 / 26,042.00	HENRY C RICHARDS TX	TCEQ WELL LOGS

Grid No:	65-12-5H
Date Drilled:	11/14/1970
Owners Name:	HENRY C RICHARDS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	10
Depth Drilled:	60
Latitude:	29.7941017
Longtiude:	-95.5133402

65-12-5H

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT


For TWDB use only
Well No. 65-12-5H
Located on map
Received:

1) OWNER:
Person having well drilled RICHARDS PRINTING COMPANY (Name) Address 1410 CAMPBELL RD (Street or RFD) HOUSTON (City) TEX (State)

Landowner HENRY C RICHARDS (Name) Address " (Street or RFD) " (City) (State)

2) LOCATION OF WELL:
County HARRIS, 15 miles in NW (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well XX; Deepening; Reconditioning; Plugging

4) PROPOSED USE (Check): Domestic XX; Industrial; Municipal; Irrigation; Test Well; Other

5) TYPE OF WELL (Check): Rotary XX; Driven; Dug; Cable; Jetted; Bored

6) WELL LOG:
Diameter of hole 5 1/2 in. Depth drilled 60 ft. Depth of completed well 58 ft. Date 11/14/70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Top soil
4	24	Gray clay
24	28	Rock
28	37	Gray clay
37	60	Brown sand

(Use reverse side if necessary)

9) Casing:
Type: Old; New XX; Steel X; Plastic; Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
3	0	48	Standard

10) SCREEN:
Type Plastic
Perforated; Slotted XX

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
3	48	58	8

7) COMPLETION (Check):
Straight wall X; Gravel packed; Other
Under reamed; Open Hole

8) WATER LEVEL:
Static level 10 ft. below land surface Date 11/14/70
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 20 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes XX If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes XX
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. LUMPKIN, JR. (Type or Print) Water Well Drillers Registration No. 1101

ADDRESS 1802 ANTOINE (Street or RFD) HOUSTON (City) TEXAS (State) 77055

(Signed) John B Lumpkin Jr (Water Well Driller) LONG POINT WATER WELL SERVICE (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
665	2 of 2	ENE	4.93 / 26,042.00	HENRY C. RICHARDS TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	06/23/1973
Owners Name:	HENRY C. RICHARDS
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	10
Depth Drilled:	57
Latitude:	29.7941017
Longtiude:	-95.5133402



Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map
Received: 7-9

1) OWNER:
Person having well drilled HENRY C. RICHARDS Address 1410 CAMPBELL (Name) (Street or RFD) HOUSTON, TEX (City) (State)
Landowner " (Name) Address " (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS, 15 miles in NW (N.E., S.W., etc.) direction from HOUSTON (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.
CAMPBELL RD.
HOMESTEAD WPRD
North
(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well ✓ Deepening / Reconditioning Plugging

4) PROPOSED USE (Check): Domestic ✓ Industrial Municipal / Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary ✓ Driven Dug / Cable Jetted Bored

6) WELL LOG:
Diameter of hole 5½ in. Depth drilled 57 ft. Depth of completed well 55 ft. Date drilled 6-23-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	TOP SOIL
3	24	GRAY CLAY
24	28	ROCK
28	36	ROCK + SAND mix
36	57	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old Steel ✓ Plastic ✓ Other
Cemented from ft. to ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
3	0	47	SCH 40

10) SCREEN:
Type PLASTIC
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
3	47	55	12

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 10 ft. below land surface Date 6-23-73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 21 ft.
below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JOHN B. CUMPKIN, JR. Water Well Drillers Registration No. 1101
(Type or Print)
DDRESS 7507 JANAK DR. HOUSTON TEXAS
(Street or RFD) (City) (State)
ned) John B Cumpkin Jr LONG POINT WATER WELL SERVICE
(Water Well Driller) (Company Name)

attach electric log, chemical analysis, and other pertinent information, if available.
al instructions on reverse side.

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
666	1 of 1	NW	4.93 / 26,044.40	BEAR CREEK GOLF WORLD TX	TCEQ WELL LOGS

Grid No: 65-11-6
Date Drilled: 02/01/1991
Owners Name: BEAR CREEK GOLF WORLD
County: HARRIS
Water Usage: DOMESTIC
Static Level: 154
Depth Drilled: 377
Latitude: 29.827071
Longtiude: -95.64345

13

Send original copy by certified mail to: Texas Water Com...sion, P.O. Box 13087, Austin, Texas 78711 — Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

C

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 77711

1) OWNER Bear Creek Golf World (Name) ADDRESS 1606 Clay Rd. (Street or RFD) Houston (City) Texas (State) 77084-4299 (Zip)

2) LOCATION OF WELL: Hi-Way 6
County Harris . _____ miles in _____ (NE, SW, etc.) direction from _____ (Town)
713 (859-8188)

Driller **must** complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ SEE ATTACHED MAP on 65-20-3

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☑ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 1-31 19 91 Completed 2-1 19 91

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	345
3 7/8	345	377

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	35	Top Soil & Clay
35	85	Surface Sand
85	110	Clay
110	124	Sand
124	175	Clay
175	198	Sand
198	261	Clay
261	266	Sand
266	303	Clay
303	344	Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	345	
2	N	Galvanized	336	345	
2	N	PVC	345	355	.014
2	N	PVC	355	365	.016
2	N	PVC Tailpipe	365	377	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 345 ft. No. of Sacks Used 45
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Halliburton
Cemented by Russell & Son Inc.

RECEIVED JUN 18 1991 TEXAS WATER WELL DRILLERS BOARD

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☑ Approved Alternative Procedure Used [Rule 287.71]

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., _____

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 154 ft. below land surface Date 2-1-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type 2 K-Packer Depth 336

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Russell & Son, Inc. (Type or print) WELL DRILLER'S LICENSE NO. 707

ADDRESS P.O. Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Tommy Russell (Licensed Well Driller) (Signed) David Lyoung (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 65-11-6 Located on map _____

WWD-012 (Rev. 05-18-90)


IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
344	365	SAND
365	377	SAND & CLAY


LEGEND
GENERAL HIGHWAY MAP
HARRIS COUNTY
TEXAS
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
1979
HARRIS COUNTY TEXAS
A
B
C
E
F
G
K
P
Q
R
U

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
667	1 of 1	SW	4.93 / 26,051.81	L & L Funding, Inc. TX	WW HARRIS GAL

Well ID:	5004	**Diameter (inches):**	4
Aggre Lead Well:	5004	**Year Drilled:**	1979
Permit No:	W2012-5004-157517-0	**Depth Drilled:**	290
Permit Start Date:	12/31/2011	**Depth frm Surf(ft):**	0
Permit End Dt:	12/31/2011	**County:**	H
Well Status:	2 - No electric or plumbing	**Latitude:**	29.716388
Regulatory Aarea:	3	**Longitude:**	-95.643333
Owner Name:	L & L Funding, Inc.		
Billing Contact:	NULL		
Billing Address:	5445 Almeda Rd., Suite 500		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77004		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
668	1 of 1	SW	4.94 / 26,060.19	J.M.MONK CONST. TX	TCEQ WELL LOGS

Grid No:	65-19-3AA
Date Drilled:	01/12/1986
Owners Name:	J.M.MONK CONST.
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	110
Depth Drilled:	295
Latitude:	29.720822
Longtiude:	-95.648992

W. L. # 77

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 65-19-3[illegible]
Located on map yes
Received: 6-85

1) OWNER J.M. MONK CONST. (Name) Address 114 W. DREW (Street or RFD) HOU. (City) TX. (State) 77006 (Zip)

2) LOCATION OF WELL: County HARRIS Hull Airport, miles in N.W. (N.E., S.W., etc.) direction from Sugarland (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map. mapon 60-59-7EE

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other

6) WELL LOG:
Date drilled 1-12-83

Dia. (in.)	From (ft.)	To (ft.)
10 3/4	Surface	295

7) BOREHOLE COMPLETION: ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	6	RED Clay
6	55	SAND
55	93	Clay (RED)
93	160	SAND
160	261	CLAY
261	295	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mof., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galv. Steel	0	274	
2	N	Galv. Steel	269	275	
2	N	P.V.C.	275	285	.016
2	N	P.V.C.	285	295	.014

CEMENTING DATA
Cemented from 224 ft. to 274 ft.
Method used Haliburton
Cemented by BUSSELL & SON, INC. (Company or Individual)

RECEIVED
SEP 12 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 110 ft. below land surface Date 1-13-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 170 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME CRAIG O. BUSSELL (Type or Print) Water Well Drillers Registration No. 2035
ADDRESS P.O. BOX 874 (Street or RFD) TOMBALL (City) TX. (State) 77375 (Zip)
(Signed) Craig Bussell (Water Well Driller) BUSSELL & SON, INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

DWR-0392 (Rev. 1-12-79) DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB



Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
669	1 of 4	S	4.94 / 26,064.72	City of Houston Bellaire Brays TX	GWDB

Well Rep Track No:
State Well No: 6520405
Owner Name: City of Houston Bellaire Brays
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1969
Well Depth: 1621
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7005556
Longitude: -95.5991667
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520405&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520405&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
669	2 of 4	S	4.94 / 26,064.72	CITY OF HOUSTON TX	WUD

St Well No:	6520405
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013G
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013G
Date Drilled:	05/00/1970
Well Depth:	1630
Screen Top:	640
Screen Bottom:	1620
Gallons Per Minute:	2100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.70042
Longitude:	-95.598549
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
669	3 of 4	S	4.94 / 26,064.72	Houston, City of TX	WW HARRIS GAL

Well ID:	1009	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1969
Permit No:	WP2023-117626	**Depth Drilled:**	1630
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	640
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.700555
Regulatory Aarea:	3	**Longitude:**	-95.598611
Owner Name:	Houston, City of		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
669	4 of 4	S	4.94 / 26,064.72	USGS-294201095355601 TX	FED USGS

Site No:	USGS-294201095355601
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	1969
Well Depth:	1621
Well Depth Unit:	ft
Well Hole Depth:	1895
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-405
Latitude:	29.70055556000000
Longitude:	-95.5991667000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
670	1 of 4	E	4.94 / 26,067.88	Memorial Village TX	GWDB

Well Rep Track No:	
State Well No:	6512904
Owner Name:	Memorial Village
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1959
Well Depth:	1555
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7811110
Longitude:	-95.5094450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512904&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512904&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
670	2 of 4	E	4.94 / 26,067.88	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512904
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148A
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148A
Date Drilled:	01/00/1960
Well Depth:	1570
Screen Top:	940
Screen Bottom:	1555
Gallons Per Minute:	1101
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.78126144
Longitude:	-95.50989532
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
670	3 of 4	E	4.94 / 26,067.88	Memorial Villages Water Authority TX	WW HARRIS GAL

Well ID:	1486	**Diameter (inches):**	10
Aggre Lead Well:	1483	**Year Drilled:**	1960
Permit No:	WP2024-102119	**Depth Drilled:**	1570
Permit Start Date:	5/1/2024	**Depth frm Surf(ft):**	989
Permit End Dt:	4/30/2025	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.781388
Regulatory Aarea:	2	**Longitude:**	-95.509722
Owner Name:	Memorial Villages Water Authority		
Billing Contact:	NULL		
Billing Address:	8955 Gaylord Street		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; SP9 - Permit is issued based on permitted allocation or 20% of total demand plus 0 MG of groundwater credits, whichever is smaller		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
670	4 of 4	E	4.94 / 26,067.88	USGS-294651095303301 TX	FED USGS

Site No:	USGS-294651095303301
Site Type:	Well
Formation Type:	Evangeline Aquifer
Date Drilled:	19591201
Well Depth:	1570
Well Depth Unit:	ft
Well Hole Depth:	1625
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-904
Latitude:	29.78111110000000
Longitude:	-95.5094444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
671	1 of 1	SW	4.94 / 26,071.30	MRS. MILDRED GEORGE TX	TCEQ WELL LOGS

Grid No:	65-19-3B
Date Drilled:	07/28/1969
Owners Name:	MRS. MILDRED GEORGE
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	90
Depth Drilled:	194
Latitude:	29.711191
Longtiude:	-95.63515

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

3B
GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 67-19-3B
Located on map 1/6 S
Received: 8-9
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled MRS. MILDRED GEORGE (Name) Address RT. 4, BOX 323 (Street or RFD) HOUSTON (City) TEX (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County HARRIS Labor League Abstract No.
NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)
4 miles in EAST (NE, SW, etc) direction from CLODINE TEX. (Town)
14107. CLODINE – ALIEF ROAD



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☑ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☑ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☑ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6⅝ in. Depth drilled 194 ft. Depth of completed well 194 ft. Date drilled JULY 28 69
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	42	CLAY
42	52	SAND
52	86	CLAY
86	106	SAND
106	108	CLAY
108	117	SAND
117	157	CLAY
157	167	SAND – GRAVEL
167	170	CLAY
170	194	SAND

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐ TWO – STRING.

8) WATER LEVEL:
Static level 90 ft. below land surface Date JULY 28 69
Artesian pressure lbs. per square inch Date

9) CASING:
Type: old ☐ New ☑ Steel ☑ Plastic ☐ Other ☐
Cemented from 100 ft. to 170 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	170	
2⅜	170	182	

10) SCREEN:
Type STAINLESS – RIBBED
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2⅜	182	194	#16

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Yield: gpm with ft. drawdown after hrs
Bailer test gpm with ft. drawdown after hrs
Artesian flow gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☑ No
Type of water? depth of strata

12) PUMP DATA:
Manufacturer's Name REDA –
Type SUBMERG. H.P. 3/4
Designed pumping rate 800 gpm ☐ gph ☑
Type power unit ELECT
Depth to bowls, cylinder, jet, etc., 147 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE (Type or Print) Water Well Drillers Registration No. 46
Address BOX. 67, WESTFIELD, TEXAS (Street or RFD) (City) (State)
(Signed) E.L. Bode (Water Well Driller) E.L. BODE DRILLING CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

GW 7

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
672	1 of 1	N	4.94 / 26,083.62	Lakes of Eldridge, Ltd./WHCRWA TX	WW HARRIS GAL

Well ID:	5337	**Diameter (inches):**	10
Aggre Lead Well:	5337	**Year Drilled:**	1995
Permit No:	W2005-5337-120854-0	**Depth Drilled:**	450
Permit Start Date:	12/1/2005	**Depth frm Surf(ft):**	400
Permit End Dt:	11/30/2006	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.843333
Regulatory Aarea:	3	**Longitude:**	-95.596388
Owner Name:	Lakes of Eldridge, Ltd./WHCRWA		
Billing Contact:	Mackey McIntyre		
Billing Address:	P.O. Box 9		
Billing Address 2:	NULL		
Billing City:	Katy		
Billing State:	TX		
Billing Zip:	77492		
Correspondence:	Lake Pro, Inc.		
Provision:	G1 - permit exempt from disincentive fee based on provisions in GRP (2002)		
Water Usage:	O - Other		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
673	1 of 1	N	4.94 / 26,085.79	West Harris County Regional Water Authority TX	WW HARRIS GAL

Well ID:	10400	**Diameter (inches):**	10
Aggre Lead Well:	1364	**Year Drilled:**	2006
Permit No:	WP2023-117239	**Depth Drilled:**	480
Permit Start Date:	1/1/2024 2:12:00 PM	**Depth frm Surf(ft):**	320
Permit End Dt:	12/31/2024 2:12:00 PM	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.843333
Regulatory Aarea:	3	**Longitude:**	-95.596388
Owner Name:	Lakes On Eldridge HOA		
Billing Contact:	Cindy Gloyna		
Billing Address:	3100 W Alabama St.		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77098		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
674	1 of 5	E	4.95 / 26,120.64	Memorial Village TX	GWDB

Well Rep Track No:
State Well No: 6512905
Owner Name: Memorial Village
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1960
Well Depth: 1570
Well Usage: Public Supply
Water Level Status:
Latitude: 29.7805550
Longitude: -95.5144450
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512905&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512905&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
674	2 of 5	E	4.95 / 26,120.64	Mem Village well # 1 TX	GWDB

Well Rep Track No:	
State Well No:	6512941
Owner Name:	Mem Village well # 1
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1981
Well Depth:	537
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7811110
Longitude:	-95.5094450
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512941&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512941&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
674	3 of 5	E	4.95 / 26,120.64	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512905
Operating Status:	PLUGGED
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148B
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148B
Date Drilled:	00/00/1960
Well Depth:	1570
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	1100
Water Usage:	INACTIVE - PLUGGED
CCN:	P0351
Latitude:	29.780505
Longitude:	-95.514388
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
674	4 of 5	E	4.95 / 26,120.64	Memorial Villages Water Authority TX	WW HARRIS GAL

Well ID:	1484	**Diameter (inches):**	10
Aggre Lead Well:	1483	**Year Drilled:**	1964
Permit No:	W1998-1483-57204-0	**Depth Drilled:**	1604
Permit Start Date:	5/1/1998	**Depth frm Surf(ft):**	955
Permit End Dt:	4/30/1999	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.780555
Regulatory Aarea:	2	**Longitude:**	-95.513888
Owner Name:	Memorial Villages Water Authority		
Billing Contact:	Mike Montgomery		
Billing Address:	8955 Gaylord		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77024		
Correspondence:	NULL		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
674	5 of 5	E	4.95 / 26,120.64	USGS-294651095303302 TX	FED USGS

Site No:	USGS-294651095303302
Site Type:	Well
Formation Type:	Chicot Aquifer, undifferentiated
Date Drilled:	19811109
Well Depth:	537
Well Depth Unit:	ft
Well Hole Depth:	
Well Hole Depth Unit:	
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-12-941
Latitude:	29.78111110000000
Longitude:	-95.5094444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
675	1 of 5	SSW	4.95 / 26,124.38	City of Houston Dist 158 - Bellaire #3 TX	GWDB

Well Rep Track No:	
State Well No:	6520419
Owner Name:	City of Houston Dist 158 - Bellaire #3
Drilling Start Dt:	
Drilling Month:	3
Drilling Day:	29
Drilling Year:	1985
Well Depth:	1320
Well Usage:	Public Supply
Water Level Status:	
Latitude:	29.7036120
Longitude:	-95.6194440
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6520419&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6520419&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
675	2 of 5	SSW	4.95 / 26,124.38	CITY OF HOUSTON TX	WUD

St Well No:	6520419
Operating Status:	EMERGENCY
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FL
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FL
Date Drilled:	05/20/1985
Well Depth:	1320
Screen Top:	599
Screen Bottom:	1300
Gallons Per Minute:	1978
Water Usage:	ACTIVE - EMERGENCY
CCN:	P1552
Latitude:	29.70463
Longitude:	-95.620758
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
675	3 of 5	SSW	4.95 / 26,124.38	Houston, City of TX	WW HARRIS GAL

Well ID:	3257	**Diameter (inches):**	16
Aggre Lead Well:	1003	**Year Drilled:**	1978
Permit No:	WP2023-100161	**Depth Drilled:**	1000
Permit Start Date:	2/1/2023	**Depth frm Surf(ft):**	650
Permit End Dt:	1/31/2024	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.696388
Regulatory Aarea:	3	**Longitude:**	-95.618888

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
675	4 of 5	SSW	4.95 / 26,124.38	Houston, City of TX	WW HARRIS GAL

Well ID:	3611	**Diameter (inches):**	24
Aggre Lead Well:	1003	**Year Drilled:**	1981
Permit No:	WP2023-117626	**Depth Drilled:**	1650
Permit Start Date:	2/1/2024 1:23:00 PM	**Depth frm Surf(ft):**	999
Permit End Dt:	1/31/2025 1:23:00 PM	**County:**	H
Well Status:	C - Capped	**Latitude:**	29.704722
Regulatory Aarea:	3	**Longitude:**	-95.620833

Owner Name:	Houston, City of
Billing Contact:	Ekaterina Fitos, GISP
Billing Address:	611 Walker St 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	Karly Stelzer
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
675	5 of 5	SSW	4.95 / 26,124.38	USGS-294211095370901 TX	FED USGS

Site No:	USGS-294211095370901
Site Type:	Well
Formation Type:	Chicot and Evangeline Aquifers
Date Drilled:	19850329
Well Depth:	1320
Well Depth Unit:	ft
Well Hole Depth:	1654
Well Hole Depth Unit:	ft
Reporting Agency:	USGS Texas Water Science Center
Station Name:	LJ-65-20-419
Latitude:	29.70333333000000
Longitude:	-95.6194444000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
676	1 of 1	ESE	4.95 / 26,126.74	MR. HARITI TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	07/16/1999
Owners Name:	MR. HARITI
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	206
Depth Drilled:	425
Latitude:	29.747122
Longtiude:	-95.514008

Send original copy by certified return receipt requeste il to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER MR. HARiti (Name) ADDRESS #37 Stillforest (Street or RFD) Houston (City) TX (State) 77024 (Zip)

2) ADDRESS OF WELL'S LOCATION: County ~~HARRIS~~ #37 Stillforest (Street, RFD or other) Houston (City) TX (State) 77024 (Zip) Long. ____ Lat. ____ Grid # 65-20-3

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

(4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) ↑ N

6) WELL LOG:
Date Drilling: Started 7/14 1999 Completed 7/16 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	405
4 3/4	405	425

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other ____

From (ft.)	To (ft.)	Description and color of formation material
0	12	TOP Soil + Clay
12	16	Surface Sand
16	102	Clay
102	115	Sand
115	130	Clay
130	307	Sand
307	318	Sandy Clay
318	385	Sand
385	390	Clay
390	425	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ ~~Straight~~ Wall ☐ Underreamed ☐ Gravel Packed ☐ Other ____
If Gravel Packed give interval from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
5	N	SDR17 PVC	0	405	
3	N	GALVANICED	399	405	
3	N	PVC SCREENS	405	425	.016

9) CEMENTING DATA
Cemented from 0 ft. to 15 ft. No. of sacks used 8
Cemented from 355 ft. to 405 ft. No. of sacks used 4
Method used Halliburton / TRIMME
Cemented by ~~Russell + Sons Inc~~ Aqua Source / B+S
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

13) ☐ Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other ____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

15) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 100+ gpm with ____ ft. drawdown after ____ hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed
☑ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) WATER LEVEL:
Static level 206 ft. below land surface Date 7-16-99
Artesian flow ____ gpm. Date ____

12) PACKERS: Type K-Packer Depth 399

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Aqua Source / B+S Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2035

ADDRESS PO Box 874 (Street or RFD) Tomball (City) TX (State) 77377-0874 (Zip)

(Signed) Craig Bonsell (Licensed Well Driller) (Signed) David Young (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
677	1 of 2	NNW	4.95 / 26,127.32	HARRIS CO. M.U.D. 255 TX	WW HARRIS GAL

Well ID:	3877	**Diameter (inches):**	16
Aggre Lead Well:	3877	**Year Drilled:**	1986
Permit No:	W1985-3877-22739-0	**Depth Drilled:**	1500
Permit Start Date:	6/1/1985	**Depth frm Surf(ft):**	600
Permit End Dt:	5/31/1986	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.841944
Regulatory Aarea:	3	**Longitude:**	-95.608888
Owner Name:	HARRIS CO. M.U.D. 255		
Billing Contact:	GAIL ATWOOD		
Billing Address:	1313 SHERWOOD FOREST		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	R.G. MILLER ENGINEERS, INC.		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
677	2 of 2	NNW	4.95 / 26,127.32	HARRIS CO. M.U.D. 255 TX	WW HARRIS GAL

Well ID:	4388	**Diameter (inches):**	16
Aggre Lead Well:	4388	**Year Drilled:**	1991
Permit No:	W1990-4388-35694-0	**Depth Drilled:**	1800
Permit Start Date:	12/12/1990	**Depth frm Surf(ft):**	600
Permit End Dt:	5/31/1992	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.841944
Regulatory Aarea:	3	**Longitude:**	-95.608888
Owner Name:	HARRIS CO. M.U.D. 255		
Billing Contact:	RON NIELSEN		
Billing Address:	1313 SHERWOOD FOREST		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77043		
Correspondence:	R.G. MILLER ENGINEERS, INC.		
Provision:	NULL		
Water Usage:	P - Public Supply		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
678	1 of 3	NE	4.95 / 26,153.83	Houston, City of TX	WW HARRIS GAL

Well ID:	4088	**Diameter (inches):**	10
Aggre Lead Well:	4008	**Year Drilled:**	1993
Permit No:	W2018-1003-194873-0	**Depth Drilled:**	750
Permit Start Date:	2/1/2018	**Depth frm Surf(ft):**	500
Permit End Dt:	1/31/2019	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.829722
Regulatory Aarea:	3	**Longitude:**	-95.537222

Owner Name: Spring Brook Village
Billing Contact: Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address: 611 Walker St. 18th Floor
Billing Address 2: NULL
Billing City: Houston
Billing State: TX
Billing Zip: 77002
Correspondence: NULL
Provision: M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; O - Permittee must provide proof that meter is installed according to Rule 8.5 on or before 2/11/1997; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)
Water Usage: L - Lake/Pond/Pool

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
678	2 of 3	NE	4.95 / 26,153.83	Houston, City of TX	WW HARRIS GAL

Well ID:	14333	**Diameter (inches):**	6
Aggre Lead Well:	1003	**Year Drilled:**	0
Permit No:	WP2023-100161	**Depth Drilled:**	400
Permit Start Date:	2/1/2023	**Depth frm Surf(ft):**	375
Permit End Dt:	1/31/2024	**County:**	H
Well Status:	O - Operable	**Latitude:**	29.828888
Regulatory Aarea:	3	**Longitude:**	-95.538888
Owner Name:	Spring Brook Village c/o CoH GRP		
Billing Contact:	Ekaterina Fitos, GISP		
Billing Address:	611 Walker St 18th Floor		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77002		
Correspondence:	Karly Stelzer		
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells; M - Within 60 days of permit term, permittee must provide proof that meter is installed according to Rule 8.5; G1A - permit exempt from disincentive fee based on provisions in GRP (2015)		
Water Usage:	L - Lake/Pond/Pool		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
678	3 of 3	NE	4.95 / 26,153.83	Spring Brook Village Spring Brook Village Dr. Houston TX 77080	SDRW WELLS

Track NO: 527318
Date Submitted: 2019-11-06
Owner Name: Spring Brook Village
Owner Address: Spring Brook Village Dr.
Owner Address2:
Owner City: Houston
Owner State: TX
Owner Zip: 77080
County: Harris
Type of Work: New Well
Typ of Wrk Oth Descr:
Proposed Use: Other
Prop Use Oth Descr: Lake Supply
Latitude: 29.829167
Longitude: -95.539167
Drilling Date Started: 2019-08-08
Drilling Date Completed: 2019-08-13
Chemical Analysis: No
Company Name: ALMEDA WATER WELL SERVICE
Company Address: PO BOX 266
CompanyAddress2:
Company City: MANVEL
Company State: TX
Company Zip: 77578
Company Country:
Data Source: Full SDR Database; SDRDB Well Location (Map)
Report Link: https://www3.twdb.texas.gov/apps/waterdatainteractive/GetReports.aspx?Num=527318&Type=SDR-Well

Well Borehole Information

Top Depth: 360
Bottom Depth: 387

Top Depth: 0
Bottom Depth: 360

Top Depth:
Bottom Depth: 387.0

Well Levels

Measurement: 190
Measurement Date: 2019-08-13

Well Strata

Water Type:

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
679	1 of 1	ENE	4.96 / 26,187.50	Gulf Oil Co. TX	GWDB

Well Rep Track No:	
State Well No:	6512620
Owner Name:	Gulf Oil Co.
Drilling Start Dt:	
Drilling Month:	
Drilling Day:	
Drilling Year:	1964
Well Depth:	291
Well Usage:	Industrial
Water Level Status:	
Latitude:	29.7944450
Longitude:	-95.5130560
Data Source:	Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512620&Type=GWDB
Document Link:	https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512620&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
680	1 of 2	S	4.96 / 26,210.56	HOUSTON LIGHTING & POWER CO TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 1/03/1973
Owners Name: HOUSTON LIGHTING & POWER CO
County: HARRIS
Water Usage: MUNICIPAL
Static Level: 122
Depth Drilled: 312
Latitude: 29.7004417
Longtiude: -95.5798138

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map Ne
Received: 2-7

1) OWNER:
Person having well drilled Houston Lighting & Power Co. (Name) Address P. O. Box 1700 - Houston, Texas 77001 (Street or RFD) (City) (State)

Landowner Same (Name) Address Alief Substation - 7200 Baneway Drive (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Harris, miles in (N.E., S.W., etc.) direction from (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check): New Well x; Deepening; Reconditioning; Plugging

4) PROPOSED USE (Check): Domestic; Industrial; Municipal x; Irrigation; Test Well; Other

5) TYPE OF WELL (Check): Rotary x; Driven; Dug; Cable; Jetted; Bored

6) WELL LOG:
Diameter of hole 4" in. Depth drilled 312 ft. Depth of completed well 312 ft. Date drilled 1/3/73

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	Surface & Grey Clay
24	41	Red Clay
41	53	Sand - very shaley
53	72	Red Clay
72	84	Red & Blue Clay
84	109	Sand
109	120	Blue Clay
120	144	Blue & Red Clay
144	151	Sand
151	176	Clay
176	207	Sand - top loose
207	240	Shale
240	264	Shale & Clay
264	289	Clay - light sand breaks
289	312	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old; New x; Steel; Plastic; Other
Cemented from 0 ft. to 294 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	294	

10) SCREEN:
Type Stainless steel Rod Base
Perforated x; Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½" blank	312	311	
2½" screen	296	311	.012 RBS
2½" blank	289	296	

7) COMPLETION (Check):
Straight wall; Gravel packed; Other
Under reamed; Open Hole

8) WATER LEVEL:
Static level 122 ft. below land surface Date 1/3/73
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 231 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes; No x If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes; No x
Did any strata contain undesirable water? Yes; No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R. B. Lowry (Type or Print) Water Well Drillers Registration No. 146

ADDRESS 4012 Fulton - P. O. Box 8707 (Street or RFD) Houston, Texas 77009 (City) (State)

(Signed) John F. Johnson (Water Well Driller) LOWRY WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Bellaire Boulevard

Southwest Freeway

RECEIVED
MAR 23 1973
Central Records
Texas Water Development Board

RECEIVED
FEB 27 1973
TEXAS WATER
DEVELOPMENT BOARD

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
680	2 of 2	S	4.96 / 26,210.56	CenterPoint Energy Houston Electric, LLC TX	WW HARRIS GAL

Well ID:	1201	**Diameter (inches):**	4
Aggre Lead Well:	1201	**Year Drilled:**	1973
Permit No:	W2016-1201-186454-0	**Depth Drilled:**	312
Permit Start Date:	12/31/2015	**Depth frm Surf(ft):**	288
Permit End Dt:	12/31/2015	**County:**	H
Well Status:	P - Plugged	**Latitude:**	29.700555
Regulatory Aarea:	3	**Longitude:**	-95.581666
Owner Name:	CenterPoint Energy Houston Electric, LLC		
Billing Contact:	NULL		
Billing Address:	P.O. Box 1700		
Billing Address 2:	NULL		
Billing City:	Houston		
Billing State:	TX		
Billing Zip:	77251		
Correspondence:	NULL		
Provision:	NULL		
Water Usage:	D - Domestic/Commercial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
681	1 of 1	ENE	4.97 / 26,215.23	CAMPBELL PLACE WATER SYSTEM TX	TCEQ WELL LOGS

Grid No: N/A
Date Drilled: 04/05/1971
Owners Name: CAMPBELL PLACE WATER SYSTEM
County: HARRIS
Water Usage: SUPPLY WATER SYSTEM
Static Level: 176
Depth Drilled: 447
Latitude: 29.7953437
Longtiude: -95.5132435

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No.
Located on map
Received:

1) OWNER:
Person having well drilled: Campbell place Water System (Name) Address: P.O. Box 19353 Houston, Texas 77055 (Street or RFD) (City) (State)

Landowner: Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Harris 7 miles in W (N.E.W S.W., etc.) direction from Houston (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Well is located behind church at 1416 Campbell rd. 1 mi N. from Katy Freeway and 400 yrs W. of Campbell Rd.

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

3) TYPE OF WORK (Check):
X New Well | Deepening | Reconditioning | Plugging

4) PROPOSED USE (Check):
Domestic | Industrial | Municipal | Irrigation | Test Well | Other
Supply water system

5) TYPE OF WELL (Check):
X Rotary | Driven | Dug | Cable | Jetted | Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 447 ft. Depth of completed well 447 ft. Date drilled 5 April 71
All measurements made from 3 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	21	clay
21	64	sand
64	130	clay
130	188	sand
188	209	clay
209	226	sand
226	250	clay
250	269	fine sand
269	309	clay
309	328	sand
328	347	clay
347	366	sand
366	370	clay
370	389	sand
389	398	clay
398	444	sand
444	447	clay

(Use reverse side if necessary)

9) Casing:
Type: Old | New | Steel | Plastic | Other
Cemented from 0 ft. to 423 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	423	11¢

10) SCREEN:
Type Pipe based stainless steel ribbed
Perforated | Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½"	424	444	

7) COMPLETION (Check):
Straight wall X | Gravel packed | Other
Under reamed | Open Hole

8) WATER LEVEL:
Static level 174 ft. below land surface Date 6 April 71
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 272 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water

12) WATER QUALITY:
Was a chemical analysis made? Yes No X
Did any strata contain undesirable water? Yes No
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME B.J. Swinehart (Type or Print) Water Well Drillers Registration No. 229

ADDRESS 7524 N. Freeway Houston, Texas 77037 (State)

(Signed) B.J. Swinehart (Water Well Driller) B.J. Swinehart Co., Inc.

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
682	1 of 6	ENE	4.97 / 26,247.91	City of Houston Spring Branch Oaks TX	GWDB

Well Rep Track No:
State Well No: 6512606
Owner Name: City of Houston Spring Branch Oaks
Drilling Start Dt:
Drilling Month:
Drilling Day:
Drilling Year: 1950
Well Depth: 624
Well Usage: Plugged or Destroyed
Water Level Status:
Latitude: 29.8036120
Longitude: -95.5172220
Data Source: Groundwater Database (GWDB) Reports; GIS shapefile of GWDB well locations
Well Info Report: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetReports.aspx?Num=6512606&Type=GWDB
Document Link: https://www3.twdb.texas.gov/apps/waterdatainteractive//GetScannedImage.aspx?Num=6512606&Cnty=Harris

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
682	2 of 6	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PR
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PR
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803561
Longitude:	-95.517164
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
682	3 of 6	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PP
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PP
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803824
Longitude:	-95.514487
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
682	4 of 6	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	6512606
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PS
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PS
Date Drilled:	00/00/1950
Well Depth:	624
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803561
Longitude:	-95.517165
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
682	5 of 6	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PQ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PQ
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803561
Longitude:	-95.517164
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
682	6 of 6	ENE	4.97 / 26,247.91	Houston, City of TX	WW HARRIS GAL

Well ID:	3856	**Diameter (inches):**	24
Aggre Lead Well:	1001	**Year Drilled:**	1987
Permit No:	W1986-1001-24262-0	**Depth Drilled:**	1800
Permit Start Date:	2/1/1986	**Depth frm Surf(ft):**	999
Permit End Dt:	1/31/1987	**County:**	H
Well Status:	N - Not Drilled	**Latitude:**	29.798611
Regulatory Aarea:	3	**Longitude:**	-95.513888

Owner Name:	Houston, City of
Billing Contact:	Carol Ellinger Haddock, P.E. Senior Assistant Director
Billing Address:	611 Walker St, 18th Floor
Billing Address 2:	NULL
Billing City:	Houston
Billing State:	TX
Billing Zip:	77002
Correspondence:	ACRES HOMES #2
Provision:	E - Authorized withdrawal is the total aggregate allocation for all wells
Water Usage:	P - Public Supply

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
683	1 of 1	S	4.97 / 26,262.17	RICK LOCKWOOD TX	TCEQ WELL LOGS

Grid No:	65-19-9R
Date Drilled:	10/01/1979
Owners Name:	RICK LOCKWOOD
County:	FORT BEND
Water Usage:	DOMESTIC
Static Level:	120
Depth Drilled:	242
Latitude:	29.6996797
Longtiude:	-95.5952416

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB

3 Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 65-19-9R
Located on map yes
Received: 6.F.S.

1) **OWNER** Rick Lockwood (Name) Address 12249 Sharpview (Street or RFD) Houston, (City) Tx. (State) 77072 (Zip)

2) **LOCATION OF WELL:**
County Fort Bend 2 miles in N (N.E., S.W., etc.) direction from Sugarland (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

XX See attached map. map on 65-29-9w

3) **TYPE OF WORK** (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check):
XX Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check):
XX Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**
Date drilled 10/1/79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	242

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top Soil
2	27	Clay
27	74	Sand
74	160	Clay
160	182	Sand
182	210	Clay
210	242	Sand

7) **BOREHOLE COMPLETION:**
☐ Open Hole XX Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	230	40
2 1/2	N	PVC	222	232	80
2 1/2	N	Everflo	232	242	10

CEMENTING DATA
Cemented from 11 Sacks ft. to _____ ft.
Method used Pressure
Cemented by O'Day Drilling Co., Inc. (Company or Individual)

9) **WATER LEVEL:**
Static level 120 ft. below land surface Date 10/2/79
Artesian flow _____ gpm. Date _____

10) **PACKERS:** Type Depth

11) **TYPE PUMP:**
☐ Turbine ☐ Jet XX Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 168 ft.

12) **WELL TESTS:**
☐ Type Test: ☐ Pump ☐ Bailer XX Jetted ☐ Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

(Use reverse side if necessary)

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes XX No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes XX No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

JUL 08 1981

NAME Orlen O'Day (Type or Print) Water Well Drillers Registration No. 786 CR/TDWR

ADDRESS P. O. Box 162 (Street or RFD) Pearland, (City) Tx. (State) 77581 (Zip)

(Signed) Orlen O'Day (Water Well Driller) O'DAY DRILLING CO., INC. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
684	1 of 1	NE	4.99 / 26,336.40	GENE R. HINTLEL TX	TCEQ WELL LOGS

Grid No:	N/A
Date Drilled:	10/15/1991
Owners Name:	GENE R. HINTLEL
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	60
Depth Drilled:	195
Latitude:	29.8233811
Longtiude:	-95.5330927

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER GENE R. HINKEL (Name) Address 3314 LIVELY LN (Street or RFD) HOU. TX (City) (State) (Zip)

2) LOCATION OF WELL: County HARRIS 12 miles in N (N.E., S.W., etc.) direction from TOMBALL. (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 10-8- 1991 Completed 10-16- 1991

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	195

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other TWO STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	12	Surface
12	89	CLAY
89	114	SAND
114	162	CLAY SHELL
162	175	CLAY
175	195	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
6		CASING			
2 1/2		LINER			
2 1/2		SCREEN			010

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 20 ft. No. of Sacks Used 5
Cemented from 20 ft. to 180 ft. No. of Sacks Used 5
Method used ~~pressure~~ pressure
Cemented by _____

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]
SLEEVE

11) WATER LEVEL:
Static level 50 ft. below land surface Date 10-10-91
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:
Type Test: ☑ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 14 gpm with 30 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

(Use reverse side if necessary)

RECEIVED
OCT 06 1992
TEXAS WATER COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bair Water Well (Type or Print) Water Well Driller's License No. 2697.
ADDRESS P.O Box 640 (Street or RFD) Waller. TX (City) 77484 (State) (Zip)
(Signed) Michael P. Bair (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. _____
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
685	1 of 1	ESE	5.00 / 26,390.59	MILTON GRAY TX	TCEQ WELL LOGS

Grid No:	65-20-3
Date Drilled:	07/08/1985
Owners Name:	MILTON GRAY
County:	HARRIS
Water Usage:	DOMESTIC
Static Level:	170
Depth Drilled:	385
Latitude:	29.746552
Longtiude:	-95.513363

.3m: SINL
.8m: WIEL

Please type or print in black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Milton Gray (Name) Address E. River Crest (Street or RFD) Houston (City) Texas (State) (Zip)

2) LOCATION OF WELL: County Harris 6e miles in West (N.E., S.W., etc.) direction from Houston (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. Mason 65-20-3

3) TYPE OF WORK (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☑ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 7/8/85 19__ Completed _____ 19__

DIAMETER OF HOLE	Dia. (in.)	From (ft.)	To (ft.)
	6¾	Surface 0	

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☑ Other Two String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	45	Clay
45	60	Sand with clay
60	150	Sand
150	190	Clay
190	230	Sand
230	241	Clay
241	349	Sand
349	385	Blue Clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	New	PVC	0	385	
		12 guage	345	385	
		TA Slotted PVC			

9) CEMENTING DATA (Rule 319.44(b))
Cemented from 0 ft. to 365 ft. No. of Sacks Used 18
_____ ft. to _____ ft. No. of Sacks Used _____
Method used pressure,
Cemented by me

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 170 ft. below land surface Date 7/8/85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☑ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
SEP - 5 1986
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Burkett Water well (Type or Print) Water Well Driller's License No. 1696


ADDRESS 23610 Nichols Sawmill (Street or RFD) Hockley (City) Tex (State) 77447 (Zip)

(Signed) _____ (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 65-20-3
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY


LAKESIDE AIRPORT
ADDICKS RESERVOIR
Flood Control Pool Elev. 114.0
BARKER
ADDICKS
Buffalo Bayou
BARKER RESERVOIR
Flood Control Pool Elev. 107.0
SPRING VALLEY
HILSHIRE VILLAGE
HEDWIG VILLAGE
BUNKER HILL VILLAGE
PINEY POINT VILLAGE
HUNTERS CREEK VILLAGE
CLODINE
to Fulshear
ALIEF
ANDRAU AIRPORT
to Sugar Land
STAFFORD
HEACKER
Sam Houston
to Rosenberg
MISSOURI CITY
M. Gray
7/8/85

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update.

Federal

Wells from NWIS: FED USGS

The U.S. Geological Survey's (USGS) National Water Information System (NWIS) is the nation's principal repository of water resources data. The NWIS includes comprehensive information of well-construction details, time-series data for gage height, streamflow, groundwater level, and precipitation and water use data. This select NWIS Wells dataset contains specific Site Types from the overall NWIS Sites data, limited to the following Group Site Types only: Groundwater Group Site Types: Well, Collector or Ranney type well, Hyporheic-zone well, Interconnected Wells, Multiple wells; Spring Group Site Type: Spring; and Other Group Site Types: Aggregate groundwater use, Cistern. Applicable NWIS database information is obtained through the Water Quality Data Portal (WQP). The WQP is a cooperative service sponsored by the USGS, the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC).

Government Publication Date: Mar 11, 2024

State

Well Log Reports from Plotted Water Wells: TCEQ WELL LOGS

Locations of TCEQ Water Wells as derived from well logs in the Texas Commission on Environmental Quality (TCEQ) Water Well Report Viewer, which includes unnumbered water wells and those plotted to 2.5 minute grid locations (2-3 miles). In this collection of Well Log Reports, locations have been manually verified.

Government Publication Date: Jul 26, 2022

Select Wells from SDR: SDRW WELLS

Locations of wells from the Submitted Drillers Report (SDR) Database with select proposed usage: Domestic, Fracking Supply, Industrial, Irrigation, Other, Public Supply, Rig Supply, Stock, Unknown. SDR is populated from the online Texas Well Report Submission and Retrieval System (TWRSRS), a cooperative Texas Department of Licensing and Regulation (TDLR) and Texas Water Development Board (TWDB) application requiring registered water-well drillers to submit reports. Excludes SDR records with the following proposed usage: Closed-Loop Geothermal, De-watering, Environmental Soil Boring, Extraction, Injection, Monitor, Test Well.

Government Publication Date: Sep 24, 2024

Groundwater Database: GWDB

The Texas Water Development Board (TWDB) Groundwater Database (GWDB) contains information on selected water wells, springs, oil/gas tests (that were originally intended to be or were converted to water wells), water levels and water quality.

Government Publication Date: Jan 13, 2025

Fort Bend Subsidence District Water Wells: WW FORT BEND

List of water wells in the Fort Bend Subsidence District, boundaries of which are defined as all the territory within Fort Bend County. The Fort Bend Subsidence District was created by the Texas Legislature in 1989 as a conservation and reclamation district to control land subsidence and manage groundwater resources through regulation, conservation, and coordination with suppliers of alternative water sources to assure an adequate quantity and quality of water for the future. The District's purpose is to provide for the regulation of the withdrawal of groundwater within the District to prevent subsidence that contributes to flooding, inundation or overflow of areas within the District, including rising waters resulting from storms or hurricanes.

Government Publication Date: Sep 23, 2024

High Plains Water Wells: WW HIGH PLAINS

Inventory of water wells in the High Plains Underground Water Conservation District No. 1 (HPUWCD), which was created in 1951. As a political subdivision of Texas, HPUWCD is charged with protecting, preserving and conserving aquifers within the District's 16-county service area.

Government Publication Date: Apr 14, 2024

Harris Galveston Subsidence District Water Wells: WW HARRIS GAL

List of water wells in the Harris-Galveston Subsidence District (HGSD). The HGSD was created by the 64th Texas Legislature as an underground water conservation district in 1975 to provide regulation of groundwater withdrawal to control subsidence.

Government Publication Date: Sep 23, 2024

Water Utility Database: WUD

The Water Utility Database is defined as a collection of data from Texas Water Districts, Public Drinking Water Systems and Water and Sewer Utilities who submit information to the TCEQ. This database is an integrated database designed and developed to replace over 160 stand alone legacy systems representing over 5 million records of the former Texas Water Commission and the Texas Department of Health.

Government Publication Date: Oct 1, 2020

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Appendix P- 5-Mile Mailout List

Memorial Kirkwood Shopping Center

VCP No. 3323

mapid	current_owner	mail_address	mail_city	mail_state	mail_zip
1	MEMORIAL WEST UTIL	PO BOX 1526	HOUSTON	TX	77251-1526
1	CITY OF HOUSTON	PO BOX 1562	HOUSTON	TX	77251-1562
2	NETTETAL MAGLOD REVOCABLE TRUST	610 WHITE WING LN	HOUSTON	TX	77079-6840
3	ROBERT T & JULIE S WOOD	610 WHITE WING LN	HOUSTON	TX	77079-6840
4	CURRENT OWNER	514 RANCHO BAUER DR	HOUSTON	TX	77079-6820
5	FROST WILLIAM A	506 RANCHO BAUER DR	HOUSTON	TX	77079-6820
6	TRUONG VINH T	1907 DRISCOLL ST	HOUSTON	TX	77019-6101
7	SCHAEFER MERVIN G	413 RANCHO BAUER DR	HOUSTON	TX	77079-6817
8	TOKUDA LANCE & KRISTIN	409 RANCHO BAUER DR	HOUSTON	TX	77079-6817
9	AHMED HANY	PO BOX 940938	HOUSTON	TX	77094-7938
10	BHARUCHA KAIWAN	2011 SPRING CEDAR LN	HOUSTON	TX	77077-3557
11	LAKESIDE COUNTRY CLUB	100 WILCREST DR	HOUSTON	TX	77042-1002
12	SPRING BRANCH ISD	PO BOX 19037	HOUSTON	TX	77224-9037
13	39BENTON PROPERTIES LLC	PO BOX 1578	TUSTIN	CA	92781-1578
14	WILCHESTER CLUB	12818 WILLOW CENTRE STE B	HOUSTON	TX	77066-3039
15	BICHR AHMAD	1119 LASHBROOK DR	HOUSTON	TX	77077-2526
16	HARRIS COUNTY WCID NO 5	4635 WINFIELD RD	HOUSTON	TX	77039-6013
17	HALLE PROPERTIES LLC	20225 N SCOTTSDALE RD	SCOTTSDALE	AZ	85255-6456
18	ASHFORD FOREST LAKE HOA	12351 HONEYWOOD TRL	HOUSTON	TX	77077-2427
19	ESA P PORTFOLIO LLC	PO BOX 49550	CHARLOTTE	NC	28277-9550
20	VP ASHFORD TX OWNER LLC	360 CENTRAL AVE STE 1130	SAINT PETERSBURG	FL	33701-3837
21	JCBG LTD	12200 KATY FWY	HOUSTON	TX	77079-1500
22	CENTERPOINT ENERGY HOU ELE	PO BOX 1475	HOUSTON	TX	77251-1475
23	ROSELLE KAREN LYNN	1019 SHERWOOD FOREST ST	HOUSTON	TX	77043-4631
24	LFFP DA EQUITY LLC	10190 KATY FWY STE 350	HOUSTON	TX	77043-5239
25	SCI TEXAS FUNERAL SRV INC	PO BOX 130548	HOUSTON	TX	77219-0548
26	LANDMARK INDUSTRIES	11111 WILCREST GREEN DR STE 100	HOUSTON	TX	77042-4739
27	REALTY INCOME PROPERTIES 13 LLC	11995 EL CAMINO REAL	SAN DIEGO	CA	92130-2539
28	SOG PROPERTY OWNERS ASSOCIATION INC	720 N POST OAK RD STE 300	HOUSTON	TX	77024-3834
29	SAAD GHANDI & NASSEIM	10943 BRITOAK LN	HOUSTON	TX	77079-3611
31	GEHMAN SCOTT H & VALORIE L	842 SAINT FRANCIS LN	HOUSTON	TX	77079-3616
32	RETREAT AT SHERWOOD CA INC	720 N POST OAK RD STE 300	HOUSTON	TX	77024-3834
34	SHOEMAKER JEFFREY DEAN & AMY CHRISTINE	31918 REDFISH TRL	ANGLETON	TX	77515-7349
35	10939 KATY LTD	8554 KATY FWY STE 301	HOUSTON	TX	77024-1804
36	CHEN WU CHI & DOLORES Y	859 BRITTMOORE RD	HOUSTON	TX	77079-3601
39	KNOLL DAVID J	1218 TRACE DR	HOUSTON	TX	77077-2238
40	STATE OF TEXAS	PO BOX 1386	AUSTIN	TX	78767-1386
41	ATTAYI FAMILY LP	PO BOX 40908	HOUSTON	TX	77240-0908
42	PROVIDENT OAKS HOA INC	1207 PROVIDENT OAKS LN	HOUSTON	TX	77077-2254
43	MEMORIAL DR METHODIST CHURCH	12955 MEMORIAL DR	HOUSTON	TX	77079-7302
44	SHELL OIL CO	PO BOX 4369	HOUSTON	TX	77210-4369
45	TSIN BENJAMIN	1408 SHERWOOD FOREST ST	HOUSTON	TX	77043-3802
46	WIESE THEODORE & SHIRLEY	1307 W BROOKLAKE DR	HOUSTON	TX	77077-3207
47	ENCLAVE AT UPLAND HOMEOWNERS ASSOCIATION	11000 CORPORATE CENTRE DR STE 150	HOUSTON	TX	77041-5179
48	STONEBENGE LAKE SECTION	PO BOX 133063	SPRING	TX	77393-3063
49	GSMV THE PARK ON MEMORIAL OWNER LLC	730 TOWN & COUNTRY BLVD STE 800	HOUSTON	TX	77024-3919
50	ENCOURAGER CHURCH	10950 KATY FWY	HOUSTON	TX	77043-4903
52	TTB HOLDINGS LLC	9545 KATY FWY STE 210	HOUSTON	TX	77024-1469
53	GTP VII LLC	PO BOX 35311	HOUSTON	TX	77235-5311
54	WCM REAL PROPERTIES LLC	1703 RAVEN OAK CT	KATY	TX	77450-5040
55	ASHFORD PROPERTIES LP	836 ROBIN ST	HOUSTON	TX	77019-4720
56	GRIFFITH MARTY L	11060 TIMBERLINE RD # RE	HOUSTON	TX	77043-3804
57	ATHENA GUN CLUB OF HOUSTON LLC	10814 KATY FWY	HOUSTON	TX	77043-5007
58	HARRIS COUNTY WCID NO 71	PO BOX 807	HOUSTON	TX	77001-0807
62	MMK & S LTD	PO BOX 273179	HOUSTON	TX	77277-3179
63	P & J BROUSSARD PROTERTIES LLC	15706 WALKWOOD ST	HOUSTON	TX	77079-5005
64	BARFIELD JOE W III	1202 BRIAR BAYOU DR	HOUSTON	TX	77077-1604
65	STONEHENGE HOMEOWNERS ASSN	2825 WILCREST DR STE 600	HOUSTON	TX	77042-6007
66	THORNWOOD FUND INC	PO BOX 219320	HOUSTON	TX	77218-9320
67	MATCO UTILITY	10323 GLADEWOOD	HOUSTON	TX	77041-8827
68	WATSON'S LAWN EQUIP INC	12544 WESTELLA DR	HOUSTON	TX	77077-3922
69	TEXAS DEPARTMENT OF TRANSPORTATION	PARCEL 501	HOUSTON	TX	77251-1386
70	TEXAS DEPARTMENT OF TRANSPORTATION	PO BOX 1386	HOUSTON	TX	77251-1386
70	TEXAS DEPARTMENT OF TRANSPORTATION	PO BOX 1386	HOUSTON	TX	77251-1386
71	WESTSIDE TENNIS CLUB	1200 WILCREST DR	HOUSTON	TX	77042-1702
72	KLINGER DAVID W & HEATHER S	1307 BRIAR BAYOU DR	HOUSTON	TX	77077-2001
73	RANGER H TX LP	575 5TH AVENUE 38TH FL	NEW YORK	NY	10017-2427
74	CASTIGLIE ANTHONY T & SHEILA	1306 BRIAR BAYOU DR	HOUSTON	TX	77077-2002
75	STANLEY JULIE F	1506 WYCLIFFE DR	HOUSTON	TX	77043-4806
76	MEMORIAL HERMANN HEALTHCARE SYS	929 GESSNER RD STE 1900	HOUSTON	TX	77024-2317
78	ALLIED VISTA LEASING LTD	126 DIAMOND POINT DR	MABANK	TX	75156-9141
79	UPLAND PARK COMMUNITY ASSN INC	17049 EL CAMINO REAL STE 100	HOUSTON	TX	77058-2611
81	MORALES ISAAC A	1418 BRIAR BAYOU DR	HOUSTON	TX	77077-2004
82	1261 BRITTMOORE LP	197 AUGUSTA ST	BOERNE	TX	78006-6152
83	OE VILLAGE ON MEMORIAL LLC	127 PUBLIC SQUARE STE 3150	CLEVELAND	OH	44114-1217
84	LADY AMERICA INC	10100 OLD COLUMBIA RD	COLUMBIA	MD	21046-1274

Appendix P- 5-Mile Mailout List

Memorial Kirkwood Shopping Center

VCP No. 3323

mapid	current_owner	mail_address	mail_city	mail_state	mail_zip
85	MI DEERWOOD NORTH PROPERTY OWNER LLC	109 N POST OAK LN STE 600	HOUSTON	TX	77024-7753
86	BRE SAN PALOMA MF OWNER LP	PO BOX A3878	CHICAGO	IL	60690-3878
91	JENTRY KELLEY PROPERTIES LLC	1907 SOUTHWEST FWY	HOUSTON	TX	77098-4803
92	BRITTMOORE FOUNDERS DISTRICT LLC	1336 BRITTMOORE RD	HOUSTON	TX	77043-4004
95	APPLE NINE HOSPITALITY OWNERSHIP INC	814 E MAIN ST	RICHMOND	VA	23219-3306
96	KOECHER KEVIN JR & STEPHANIE	12718 COBBLESTONE DR	HOUSTON	TX	77024-4020
97	WELLS REIT 140 ENCLAVE PKWY	PO BOX 56607	ATLANTA	GA	30343-0607
98	SHADOWBRIAR C A I	2825 WILCREST DR STE 600	HOUSTON	TX	77042-6007
100	CONOCOPHILLIPS COMPANY	600 N DAIRY ASHFORD RD	HOUSTON	TX	77079-1100
101	5 STAR HOSPITALITY LLC	7511 TALBOT CT	SUGAR LAND	TX	77479-6688
102	CONOCO INC PROPERTY TAX DIV	PO BOX 2197	HOUSTON	TX	77252-2197
103	HOUSTON COMMUNITY COLLEGE SYSTEM	PO BOX 667517	HOUSTON	TX	77266-7517
105	BHVA REAL ESTATE HOLDINGS LLC	13101 ALMEDA RD	HOUSTON	TX	77045-6603
106	GROFFO JOHN	1221 BLALOCK RD	HOUSTON	TX	77055-6424
107	GREENLEAF REAL ESTATE HOLDINGS	1026 BLACKHAW ST	HOUSTON	TX	77079-1002
108	BLACKHAW PARTNERS LP	8235 DOUGLAS AVE STE 815	DALLAS	TX	75225-6012
109	MV PROPERTY MANAGEMENT LLC	11515 GALLANT RIDGE LN	HOUSTON	TX	77082-6836
110	LARSSON TOMAS	16417 WALL ST	JERSEY VILLAGE	TX	77040-1273
113	1017 BLACKHAW LLC	10801 HAMMERLY BLVD ST 100	HOUSTON	TX	77043-
114	HAZELHURST LTD	10920 HAZELHURST DR	HOUSTON	TX	77043-3910
115	PARKWAY VILLAGES RES ASSOC	PO BOX 219223	HOUSTON	TX	77218-9223
117	CPT HOLLY SPRINGS LP	PO BOX 27329	HOUSTON	TX	77227-7329
119	HOUSTON EC DEVELOPMENT LLC	350 N SAINT PAUL ST STE 2900	DALLAS	TX	75201-4284
120	IGLESIA DE CRISTO MINISTERIOS ELIM	1431 BRITTMOORE RD	HOUSTON	TX	77043-4005
121	HEINE JAMES C	1449 BRITTMOORE RD	HOUSTON	TX	77043-4005
122	LAKESIDE ENCLAVE COMMUNITY	7002 RIVERBROOK DR STE 400	SUGAR LAND	TX	77479-6581
123	WEST MEMORIAL PLACE OWNER LLC	1800 AUGUSTA DR 4TH FL	HOUSTON	TX	77057-3149
125	CURRENT OWNER	12609 MOSSYCUP DR	HOUSTON	TX	77024-4938
126	FOREST PARK CEMETERY	PO BOX 130548	HOUSTON	TX	77219-0548
127	CALLEJAS JOSE D	1903 SHERWOOD FOREST ST	HOUSTON	TX	77043-2701
128	DTK BRITTMOORE LLC	1467 BRITTMOORE RD	HOUSTON	TX	77043-4005
129	PHCG INVESTMENTS	13939 NORTHWEST FWY STE 100	HOUSTON	TX	77040-5115
130	STORAGE TRUST PROPERTIES	DEPT PT TX 28123	GLENDALE	CA	91221-5025
131	GWSB PROPERTIES LLC &	2001 COMMERCE ST STE 200	HOUSTON	TX	77002-2380
133	HASS HOLDINGS LLC	PO BOX 923	SUGAR LAND	TX	77487-0923
134	TALLOWOOD BAPTIST CHURCH	555 TALLOWOOD RD	HOUSTON	TX	77024-4944
135	TCC TIMBEROAK PROPCO LLC	3200 SOUTHWEST FWY STE 1870	HOUSTON	TX	77027-7502
136	ETHANS GLEN COMM ASSOC INC	1800 AUGUSTA DR STE 200	HOUSTON	TX	77057-3130
137	FORMOSAN PRESBYTERIAN CH & ET AL	2930 MICHAUX ST	HOUSTON	TX	77009-7141
138	B & B REALTY LLC	9575 KATY FREEWAY STE 150	HOUSTON	TX	77024-1489
139	KATERRA LLC	26526 STOCKDICK SCHOOL RD	KATY	TX	77493-6401
140	WESTLAKE PARK ASSOCIATION	1080 ELDRIDGE PARKWAY STE 140	HOUSTON	TX	77077-2576
141	CENTRAL PARK WEST LP	20 BRIAR HOLLOW LN	HOUSTON	TX	77027-2802
142	SIEMENS ENERGY INC	4400 N ALAFAYA TRL	ORLANDO	FL	32826-2301
143	NETTLES JOE	1141 1/2 BRITTMOORE RD	HOUSTON	TX	77043-5003
144	LAKESIDE PLACE PFC	2640 FOUNTAIN VIEW DR	HOUSTON	TX	77057-7630
146	CARLSON PAMELA RICKS	7605 WOODLAND FARMS LN	CHAPPELL HILL	TX	77426-1421
147	T-C SAN MONTEGO TX LLC	730 3RD AVE	NEW YORK	NY	10017-3206
148	WALNUT BEND HOME ASSOC INC	10601 BRIAR FOREST DR	HOUSTON	TX	77042-2319
149	SUNBLOSSOM WILCREST 2424 LLC	3731 BRIARPARK DR STE 150	HOUSTON	TX	77042-5270
150	ALMEIDA JUAN CARRION	2023 GENTRYSIDE DR APT 202	HOUSTON	TX	77077-3657
152	PROGRESSIVE CASUALTY INSURANCE CO	5920 LANDERBROOK DR BLDG 3	CLEVELAND	OH	44124-6506
153	WYATT BARRY W & CATHY J	1625 BRITTMOORE RD	HOUSTON	TX	77043-3107
154	BAILEY JACK E	10942 SHADOW WOOD DR	HOUSTON	TX	77043-2719
156	NCMGL INVESTMENTS LTD	2470 S DAIRY ASHFORD RD UNIT 126	HOUSTON	TX	77077-5716
159	DAVIS 2016 LLC	PO BOX 591369	SAN ANTONIO	TX	78259-0118
161	BOARD OF REGENTS OF THE	210 W 7TH ST	AUSTIN	TX	78701-2903
162	THIRTEEN SAC SELF STORAGE CORP	207 E CLARENDON	PHOENIX	AZ	85012-2072
163	RICHTER FA ILY PARTNERSHIP LTD	SEESTALL LTR 12 87682	ROSSHAUPEN	GERMANY	87682
164	LANDERS TOMMY SCOTT	1665 BRITTMOORE RD	HOUSTON	TX	77043-3107
165	GREAT WESTERN MANAGEMENT	17350 NORTH FWY	HOUSTON	TX	77090-5010
166	ROSEWOOD MUD	PO BOX 1526	HOUSTON	TX	77251-1526
167	KURIO INTERESTS LLC	8605 CEDARDALE DR	HOUSTON	TX	77055-4806
168	MEMORIAL LAKE TOWNHOMES	8323 SOUTHWEST FWY STE 330	HOUSTON	TX	77074-1636
169	JOHN PAUL II CATHOLIC SCHOOL	1400 PARKWAY PLAZA DR	HOUSTON	TX	77077-1503
170	CWP BUILDING 2 LLC	800 TOWN AND COUNTRY BLVD STE 200	HOUSTON	TX	77024-4556
171	TDC PINNACLE LAND LLC	1900 WEST LOOP S STE 1300	HOUSTON	TX	77027-3218
172	BEL MANDALAY LIMITED PARTNERSHIP	1 POST OFFICE SQUARE	BOSTON	MA	02109-2106
173	TWO BRIARLAKE PLAZA LP	5950 SHERRY LN STE 110	DALLAS	TX	75225-6557
174	WESTCHASE MARQUIS LP	9606 N MOPAC EXPY STE 500	AUSTIN	TX	78759-5960
175	ZAKHIREH INC ETAL	17448 HIGHWAY 3 STE 170	WEBSTER	TX	77598-4139
179	ALIEF ISD	PO BOX 368	ALIEF	TX	77411-0368
180	LAKES OF PARKWAY HOA	13935 BARNHART BLVD	HOUSTON	TX	77077-1929
181	FPN SAN BRISAS LLC	10351 SANTA MONICA BLVD STE 270	LOS ANGELES	CA	90025-6935
182	HD PLAZA LLC	15550 W AIRPORT BLVD	SUGAR LAND	TX	77498-7042
183	WE 63 WESTHEIMER LLC	1600 WEST LOOP SOUTH STE 900	HOUSTON	TX	77027-3050
185	ST BRICK HOLDINGS LLC	7 CAPE COD LN	HOUSTON	TX	77024-5415
186	BRITTMORE INVESTMENTS LTD	7700 RENWICK DR STE 8B	HOUSTON	TX	77081-7134
187	RICHARDSON JAMES ALAN	10332 BRINWOOD DR	HOUSTON	TX	77043-4204

Appendix P- 5-Mile Mailout List

Memorial Kirkwood Shopping Center

VCP No. 3323

mapid	current_owner	mail_address	mail_city	mail_state	mail_zip
189	BACK KERRY	1480 SUGAR CREEK BLVD	SUGAR LAND	TX	77478-3930
190	PREF SHADOW LAKE PROPCO LLC	515 CONGRESS AVE 10TH FL STE 1000	AUSTIN	TX	78701-3590
191	C2DJ HOLDINGS LLC	1807 BRITTMOORE RD	HOUSTON	TX	77043-2213
192	BARKER'S LANDING H O A	15995 N BARKERS LANDING RD STE 162	HOUSTON	TX	77079-2471
193	MC MEDICAL CAMPUS LP	909 FROSTWOOD DR STE 100	HOUSTON	TX	77024-2301
195	REDWOOD ERC HOUSTON LLC	701 MAIDEN CHOICE LN	CATONSVILLE	MD	21228-5968
196	MITSUBISHI CATERPILLAR FORKLIFT	2121 W SAM HOUSTON PKWY N	HOUSTON	TX	77043-2305
197	FISCHER JAMES E	600 CRESTBEND DR	HOUSTON	TX	77042-2121
198	KAKOS JOY ANN	10211 OAKPOINT DR	HOUSTON	TX	77043-4221
199	SOMMARS KAREN J	10518 LONDONDERRY DR	HOUSTON	TX	77043-3222
200	GATES JOHN J TRUSTEE	19200 VON KARMAN AVE STE 340	IRVINE	CA	92612-8555
201	MUNIZ ARTEMIO	10034 DOLIVER DR	HOUSTON	TX	77042-2016
202	STURDIVANT JACK L & PATRICIA A	521 CRESTBEND DR	HOUSTON	TX	77042-2118
203	HARRIS COUNTY MUD NO 407	12841 CAPRICORN ST	STAFFORD	TX	77477-3912
204	SUN FAMILY LIVING TRUST	16 E RIVERCREST DR	HOUSTON	TX	77042-2514
205	ROYAL OAKS CC HOUSTON INC	2910 ROYAL OAKS CLUB DR	HOUSTON	TX	77082-6855
206	CARRABBA ANTHONY P	14310 WESTWAY LN	HOUSTON	TX	77077-1706
207	10633 SHADOW WOOD DRIVE LLC	3603 MEADOW LAKE LN	HOUSTON	TX	77027-4110
208	CURRENT OWNER	611 CRESTBEND DR	HOUSTON	TX	77042-2120
209	GREENE RICHARD A & MONICA	701 CRESTBEND DR	HOUSTON	TX	77042-2122
210	METROPOLITAN TRANSIT AUTHORITY	PO BOX 61429	HOUSTON	TX	77208-1429
211	CIBOROWSKI FRANCISZEK W & ANNA	14401 WESTWAY LN	HOUSTON	TX	77077-1707
212	CHCA WEST HOUSTON LP	PO BOX 80610	INDIANAPOLIS	IN	46280-0610
213	LIPEX PROPERTIES LP	945 BUNKER HILL RD STE 400	HOUSTON	TX	77024-1363
214	MCFARLAND JACK M & DANA L	14315 WESTWAY LN	HOUSTON	TX	77077-1705
215	G & I IX ARTESIAN LP	575 5TH AVE 38TH FLR	NEW YORK	NY	10017-2427
217	HILPERT REALTY LLC	1724 TOWNHURST DR	HOUSTON	TX	77043-2865
219	CHAURASIA BHAUMI BHAVAN	23715 HACKBERRY DR	KATY	TX	77494-2823
222	PANDEMIC PROPERTIES LLC	16850 SATURN LN STE 100	HOUSTON	TX	77058-2143
223	SUEBA DEVELOPMENT 191 LP	1800 W LOOP S STE 1300	HOUSTON	TX	77027-3230
225	13250 WESTHEIMER ROAD LLC	203 ROMANCODE RD STE 501	STEVENSVILLE	MD	21666-2686
226	MONTALBANO VINCENT J & STEPHANIE	12119 OLD OAKS DR	HOUSTON	TX	77024-4251
227	MAYFIELD WALTER G & SHEILA	801 CRESTBEND DR	HOUSTON	TX	77042-2124
228	BRADSHAW RICHARD SHELTON	14411 WESTWAY LN	HOUSTON	TX	77077-1707
229	2435 ELDRIDGE HOUSTON TX LLC	4280 PROFESSIONAL CENTER DR STE 100	PALM BEACH GARDENS	FL	33410-4280
230	CURRENT OWNER	39 W RIVERCREST DR	HOUSTON	TX	77042-2136
231	CURRENT OWNER	12323 KIMBERLEY LN	HOUSTON	TX	77024-4101
232	MCW G LLC	945 BUNKER HILL STE 400	HOUSTON	TX	77024-1363
234	WILLIAMS R H	14511 WESTWAY LN	HOUSTON	TX	77077-1709
235	UNITED STATES POSTAL SERVICE	475 LENFANT PLZ SW	WASHINGTON	DC	20260-0001
236	CURRENT OWNER	35 W RIVERCREST DR	HOUSTON	TX	77042-2136
239	RLBERNSTEIN INVESTMENTS LP	14521 OLD KATY RD STE 200	HOUSTON	TX	77079-1050
240	CURRENT OWNER	10260 WESTHEIMER RD STE 200	HOUSTON	TX	77042-3107
241	ZHANG TONGYAN	33 WEST RIVERCREST DR	HOUSTON	TX	77042-2136
242	IVY CLUB APARTMENTS	11900 WICKCHESTER LN	HOUSTON	TX	77043-4544
244	CURRENT OWNER	14520 WESTWAY LN	HOUSTON	TX	77077-1710
245	KOREAN CENTRAL	11070 KATY FWY	HOUSTON	TX	77043-4782
246	BAINIWAL RAVINDER S	1512 HEMMINGWAY RD	SAN JOSE	CA	95132-2071
247	WOOLEY GARY R	40 W RIVERCREST DR	HOUSTON	TX	77042-2135
248	WESTHEIMER VILLAS PARTNERS LTD	PO BOX 421358	HOUSTON	TX	77242-1358
249	HTG RUSHMORE LLC	3225 AVIATION AVE 6TH FLOOR	MIAMI	FL	33133-4741
250	DUBOSE JOHN B JR	14534 WESTWAY LN	HOUSTON	TX	77077-1710
251	GIFFIN JOHN D	911 ENCLAVE LAKE DR	HOUSTON	TX	77077-1552
252	BHAGWAT KSHIPRA SUHAS	1118 GLENWOOD CANYON LN	HOUSTON	TX	77077-1056
256	WITTEN TIM	8556 KATY FWY STE 128	HOUSTON	TX	77024-1806
258	SAGE INVEST PROPERTIES INC	1603 BRIARPARK DR	HOUSTON	TX	77042-2132
259	CURRENT OWNER	14525 KATY FWY	HOUSTON	TX	77079-1324
261	BRIARGROVE PARK PROPERTY OWNERS	2301 SEAGLER RD	HOUSTON	TX	77042-2943
262	NASSER AYMAN	36 W RIVERCREST DR	HOUSTON	TX	77042-2135
263	KATY ISD	PO BOX 159	KATY	TX	77492-0159
264	ADAM AB ASSETS LLC	940 HIGHWAY 6 S	HOUSTON	TX	77079-4017
265	TRADITIONS REAL ESTATE GROUP LLC	58 E RIVERCREST DR	HOUSTON	TX	77042-2501
266	KINETIC FLATS VENTURE LLP	6529 PRESTON RD STE 100	PLANO	TX	75024-2686
267	CITY OF BUNKER HILL VILLAGE	PO BOX 19037	HOUSTON	TX	77224-9037
268	SUN GUANGXIN	34 SUGARBERRY CIR	HOUSTON	TX	77024-7251
269	HOUSTON HOUSING AUTHORITY	2640 FOUNTAINVIEW DR STE 400	HOUSTON	TX	77057-7610
271	PROSPERITY BANK	PO BOX G	EL CAMPO	TX	77437-1470
272	UNITED STATES OF AMERICA	PO BOX 1562	HOUSTON	TX	77251-1562
273	MESTER ZACHARY	14621 WESTWAY LN	HOUSTON	TX	77077
275	THIEN THUY OLD KATY LLC	2855 MANGUM STE 458	HOUSTON	TX	77092-7545
277	ENFIELD PROPERTIES LTD	15835 PARK TEN PLACE STE 150	HOUSTON	TX	77084-6099
280	CC FORTUNE VENTURE LLC	10001 WESTHEIMER RD STE 2888	HOUSTON	TX	77042-3140
282	CURRENT OWNER	34 W RIVERCREST DR	HOUSTON	TX	77042-2135
283	E F J ENTERPRISES LLC	17823 MEADOWCREEK TRL	RICHMOND	TX	77407-7906
285	AYGUN ERSIN & ETAL	14702 WESTWAY LN	HOUSTON	TX	77077-1714
286	CONSULATE GENERAL OF THE STATE OF QATAR	1990 POST OAK BLVD STE 810	HOUSTON	TX	77056-3852
287	BANSAL KANTI L	14627 WESTWAY LN	HOUSTON	TX	77077-1711

Appendix P- 5-Mile Mailout List

Memorial Kirkwood Shopping Center

VCP No. 3323

mapid	current_owner	mail_address	mail_city	mail_state	mail_zip
289	SUN WEIXIAN	814 WALNUT BEND LN	HOUSTON	TX	77042-1425
291	GARCIA ROLAND JR & KAREN H	46 E RIVERCREST DR	HOUSTON	TX	77042-2501
292	VN ENTERTAINMENT LLC	8606 BROOKSURE CIR	HOUSTON	TX	77072-3806
293	BREAD LIFE CHURCH INC	1450 W SAM HOUSTON PKWY N STE 113	HOUSTON	TX	77043-3135
294	M6 HOUSTON LP	12770 COIT RD STE 1050	DALLAS	TX	75251-1413
295	MACKLIN BRUCE G	21 W RIVERCREST DR	HOUSTON	TX	77042-2126
296	FORTUNA VENTURE AMERICAS INC	6911 SIGNAT DR	HOUSTON	TX	77041-2718
297	NEC HWY 6 LLC	5423 E 5TH ST STE D	KATY	TX	77493-2522
298	ADDICKS TIRE AND AUTO SUPPLY INC	11104 BRISR FOREST	HOUSTON	TX	77042-2202
299	FLEMING GEORGE M & JANIS	30 W RIVERCREST DR	HOUSTON	TX	77042-2127
302	BOWMAN INDUSTRIAL ROPERTY LLC	PO BOX 232	LAKE OSWEGO	OR	97034-0232
303	AUTO PAMPERING SYSTEM LLC	40 LAKE MIST DR	SUGAR LAND	TX	77479-5860
304	HARRIS COUNTY MUD NO 372	1001 PRESTON ST	HOUSTON	TX	77002-1839
305	WAMP CATHERINE J & MARK A	28 RIVERCREST DR	HOUSTON	TX	77042-
306	JOSEPH OCALA LLC	5001 N UNIVERSITY	PEORIA	IL	61614-4799
307	CURRENT OWNER	4301 GARTH RD STE 216	BAYTOWN	TX	77521-3158
308	JOO WALTER H & HYUN J	123 HICKORY RIDGE DR	HOUSTON	TX	77024-6200
310	SORDELLI ALDO E	44 E RIVERCREST DR	HOUSTON	TX	77042-2501
311	TAWL HEALTH CARE INC	9898 BISSONNET ST STE 600	HOUSTON	TX	77036-8390
312	NEO AT TEN LP	4890 W KENNEDY BLVD STE 240	TAMPA	FL	33609-2587
313	GOERL CONRAD J & JHENNFER L	215 PINE SHADOWS DR	HOUSTON	TX	77056-1316
316	DICKSON DIANE M & CHESTER E	24 W RIVERCREST DR	HOUSTON	TX	77042-2127
317	VAZIR NISHAT & RUBINA	38 E RIVERCREST DR	HOUSTON	TX	77042-2501
318	SHADOWLAKE HOA ASSN INC	2002 W GRAND PKWY N STE 100	KATY	TX	77449-1964
319	HANSON GEORGE K & DAWN M	33 E RIVERCREST DR	HOUSTON	TX	77042-2502
320	BREAKTIME STORIES 31 LLC	6300 RICHMOND STE 300	HOUSTON	TX	77057-5927
322	MK HOSPITALITY GROUP OF TEXAS LLC	12121 RICHMOND AVE STE 415	HOUSTON	TX	77082-2439
323	U S GOVERNMENT	PO BOX 61608	HOUSTON	TX	77002-
325	AAG TEXAS INC	4817 WEST FORK BLVD	CONROE	TX	77304-4956
326	ADDICKS METODIST CHURCH	1513 WYCLIFFE DR	HOUSTON	TX	77043-4805
328	1721 HIGHWAY 6 SOUTH LLC	820 GESSNER RD STE 1525	HOUSTON	TX	77024-4472
329	HOJABRI MOHSEN	PO BOX 25225	HOUSTON	TX	77265-5225
330	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
330	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
330	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
331	CLARKE DONNA K	10033 HAZELHURST DR	HOUSTON	TX	77080-7507
332	HIGHWAY 6 S LLC	10027 RIVER RANCH EAST LN	SEALY	TX	77474-3560
333	REED NOELLE & ERIC	1000 LOUISIANA ST	HOUSTON	TX	77002-5026
335	C M C STEEL FABRICATORS	PO BOX 911	SEGUIN	TX	78156-0911
336	AYRES LINDA L ESTATE OF	10029 HAZELHURST DR	HOUSTON	TX	77080-7507
337	CURRENT OWNER	34 E RIVERCREST DR	HOUSTON	TX	77042-2501
338	FRANCE MICHAEL G	27 E RIVERCREST DR	HOUSTON	TX	77042-2513
339	BURZYNSKI STANISLAW R	20 W RIVERCREST DR	HOUSTON	TX	77042-2127
341	COLEMAN LARUE D	11 W RIVERCREST DR	HOUSTON	TX	77042-2126
342	LWA PROPERTIES LLC	3890 W NORTHWEST HWY STE 500	DALLAS	TX	75220-8110
344	RING R L JR & JENNIFER H	3673 WESTCENTER DR	HOUSTON	TX	77042-5215
345	WOMAC BRIAN D	8301 KATY FREEWAY	HOUSTON	TX	77024-1901
346	CURRENT OWNER	1518 CRYSTAL HILLS DR	HOUSTON	TX	77077-4026
347	KARIMBAKHSHASLI ESMAIL	10049 WESTPARK DR APT 163	HOUSTON	TX	77042-5923
348	ZIEBEN CAROL	32 E RIVERCREST DR	HOUSTON	TX	77042-2501
349	BARRY RICHARD & MARY	16 W RIVERCREST DR	HOUSTON	TX	77042-2127
350	AQRAWI & ASSOCIATES PLLC	3033 CHIMNEY ROCK RD STE 300	HOUSTON	TX	77056-6257
351	PAULS SEAFOOD & OYSTER BAR	1704 HIGHWAY 6 S	HOUSTON	TX	77077-2804
351	TM & PM PROPERTIES LP	1704 HIGHWAY 6 S	HOUSTON	TX	77077-2804
352	NATIONS HOWARD L	9703 RICHMOND AVE STE 200	HOUSTON	TX	77042-4863
353	DAVARI HASSAN & HOLLY K	21 E RIVERCREST DR	HOUSTON	TX	77042-2513
355	CARSON PAUL J	1708 HIGHWAY 6 S	HOUSTON	TX	77077-2804
356	DESHMUKH ASHOK & CAROLYN	14 W RIVERCREST DR	HOUSTON	TX	77042-2127
357	HARRIS COUNTY FLOOD CONTROL DISTRICT	9900 NORTHWEST FRWY	HOUSTON	TX	77092-8601
358	SMULDERS LOUIS & LAETITIA	30 E RIVERCREST DR	HOUSTON	TX	77042-2514
359	DT INVESTMENTS LLC	3911 WOODLAWN AVE	PASADENA	TX	77504-2054
360	NINETEEN RIVERCREST REVOCABLE TRUST	19 E RIVERCREST DR	HOUSTON	TX	77042-2513
361	JANAK PARTNERS LTD & TRC	10102 HIDDEN LAKE LN	RICHMOND	TX	77406-9721
362	CURRENT OWNER	28 E RIVERCREST DR	HOUSTON	TX	77042-2514
363	OBEID FARAH H	1919 HIGHWAY 6 S	HOUSTON	TX	77077-3301
364	SOPROS INVESTMENTS CORPORATION	10001 WESTHEIMER RD STE 2888	HOUSTON	TX	77042-3140
365	BET EZRA LLC	5802 HOLLY ST STE G	HOUSTON	TX	77074-7838
366	RIVER JAMES REYES PROPERTIES LLC	1901 HOLLISTER ST	HOUSTON	TX	77080-6803
367	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
367	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
369	SUN DIANA SU	26 E RIVERCREST DR	HOUSTON	TX	77042-2514
370	ALDAYEM HASAN	7906 SUMMIT CLIFF CT	RICHMOND	TX	77407-5592
372	MARTIN LARRY J	15 E RIVERCREST DR	HOUSTON	TX	77042-2513
373	LINBECK LEO E III	24 E RIVERCREST DR	HOUSTON	TX	77042-2514
374	AB WIN INVESTMENT LLC	PO BOX 1635	ALIEF	TX	77411-1635
375	BHARGAVA DILIP & SHALINI	1 W RIVERCREST DR	HOUSTON	TX	77042-2126
376	JKZ ENTERPRISES LLC	16951 FEATHER CRAFT LN	HOUSTON	TX	77058-2694

Appendix P- 5-Mile Mailout List

Memorial Kirkwood Shopping Center

VCP No. 3323

mapid	current_owner	mail_address	mail_city	mail_state	mail_zip
377	ICP FULLER PARK TEN LLC	1800 AUGUSTA DR 4TH FLR	HOUSTON	TX	77057-3149
378	GRANITI VICENTIA REALTY 2 LLC	1075 W SAM HOUSTON PKWY N STE 214	HOUSTON	TX	77043-5018
379	TORRAS IGNACIO	777 POST OAK BLVD STE 650	HOUSTON	TX	77056-3213
380	POUJOL MICHAEL A & ANGELA	22 E RIVERCREST DR	HOUSTON	TX	77042-2514
381	FRANK ANGELO & ANGIE	15118 GREY BOULDER DR	HOUSTON	TX	77084-
382	KIMCO REALTY CORPORATION	500 NORTH BROADWAY STE 201	JERICHO	NY	11753-2122
383	AIVAZIAN GEORGE & DONNA L	1910 HIGHWAY 6 S	HOUSTON	TX	77077-3302
384	LIMON PHILIP D	6 W RIVERCREST DR	HOUSTON	TX	77042-2127
385	3000 BRITTMOORE ASSOCIATES LLC	PO BOX 470972	FORT WORTH	TX	76147-0972
386	COUNSEL GENERAL OF MEXICO	4506 CAROLINE ST	HOUSTON	TX	77004-4912
387	JOHN EDWARD STACHOWIAK MARITAL TRUST	11 E RIVERCREST DR	HOUSTON	TX	77042-2513
388	VELIZ DONNY	1918 HIGHWAY 6 S	HOUSTON	TX	77077-3302
389	MA LIVING TRUST	20 E RIVERCREST DR	HOUSTON	TX	77042-2514
391	HARRIS COUNTY MUD NO 359	6935 BARNEY RD STE 110	HOUSTON	TX	77092-4443
392	CAPPELLETTI LUCIANO	13815 HOLLOWGREEN DR	HOUSTON	TX	77082-1800
393	BHANDARI AMIT & ARPITA A	1500 CITYWEST BLVD STE 700	HOUSTON	TX	77042-2558
394	MULANAX SHELLY D	18 E RIVERCREST DR	HOUSTON	TX	77042-2514
395	SANDALWOOD CIVIC CLUB INC	PO BOX 631725	HOUSTON	TX	77263-1725
396	CURRENT OWNER	9 E RIVERCREST DR	HOUSTON	TX	77042-2513
397	ST CECILIA CATHOLIC CHURCH	11720 JOAN OF ARC DR	HOUSTON	TX	77024-2602
399	TX APT 15000 PARK ROW LP	591 W PUTNAM AVE	GREENWICH	CT	06830-6005
400	LAREDO HOLDINGS LLC	6655 HILLCROFT ST STE 206	HOUSTON	TX	77081-4815
401	MCGEE CHAPEL BAPTIST CHURCH	2025 HIGHWAY 6 S	HOUSTON	TX	77077-3303
402	TRAN ING H	16 E RIVERCREST DR	HOUSTON	TX	77042-2514
403	CURRENT OWNER	9303 TOWN PARK DR FL 2	HOUSTON	TX	77036-2441
404	JIREH BIBLE CHURCH	3907 MISTY MORN LN	SUGAR LAND	TX	77479-3205
405	G & I IX KEMPWOOD LLC	220 EAST 42ND STREET 27TH FLOOR	NEW YORK	NY	10017-5819
406	PALOMA LANDS LLC	9005 SW 68TH AVE	MIAMI	FL	33156-1505
407	GEIS CHAMAIPORN V	1413 BUTLERCREST ST	HOUSTON	TX	77080-7611
408	MORRIS STEWART	5 E RIVERCREST DR	HOUSTON	TX	77042-2513
409	COMPASS BANK-HOUSTON	15 20TH ST S STE 501	BIRMINGHAM	AL	35233-2000
410	LEWIS EDITH	20 ROLLINGWOOD DR	HOUSTON	TX	77080-7618
412	TEXAS EDUCATION WORKS	1511 BUTLERCREST	HOUSTON	TX	77080-7613
413	FIORITO DIEGO E & BEATRIZ	12 E RIVERCREST DR	HOUSTON	TX	77042-2514
418	MALLORCA LLC	8 E RIVERCREST DR	HOUSTON	TX	77042-2514
419	YUGLICH MAXIMILLIAN	13 ROLLINGWOOD DR	HOUSTON	TX	77080-7617
420	DEKACOS AUTO REPAIR BODY SHOP LLC	7706 LAS FLORES DR	HOUSTON	TX	77083-4464
422	SUNBLOSSOM AT WOODLAKE LTD	PO BOX 421358	HOUSTON	TX	77242-1358
423	CURRENT OWNER	302 GENTILLY PL	HOUSTON	TX	77024-6315
424	HANKLA RANDAL	1523 BUTLERCREST ST	HOUSTON	TX	77080-7613
426	MID AMERICA APTS LP	6815 POPLAR AVE STE 500	GERMANTOWN	TN	38138-0612
427	COME M INVESTMENT HOUSTON LLC	16555 GALE AVE	HACIENDA HEIGHTS	CA	91745-1713
429	CHEMAM SHERIF M & DIANN	8 ROLLINGWOOD DR	HOUSTON	TX	77080-7618
432	LAUGHLIN JOE A	8 SHADOW LN	HOUSTON	TX	77080-7106
433	HOUSER HOLDINGS LLC	PO BOX 27740	LAS VEGAS	NV	89126-7740
434	FARINOLA PINO GIUSEPPE & LENORA	4 E RIVERCREST DR	HOUSTON	TX	77042-2514
435	MADEKSHO ANGELA	6527 LINDYANN LN	HOUSTON	TX	77008-5129
436	MPP PARK ROW LLC ET AL	14 CORPORATE PLAZA DR STE 210	NEWPORT BEACH	CA	92660-7928
438	BAIRD JUDY B	9929 SHADOW WOOD DR	HOUSTON	TX	77080-7109
439	CURRENT OWNER	9940 SHADOW WOOD DR	HOUSTON	TX	77080-7110
440	CURRENT OWNER	2 E RIVERCREST DR	HOUSTON	TX	77042-2514
441	WEST HARRIS CO MUD 6	406 W GRAND PKWY S STE 260	KATY	TX	77494-8360
442	PLATINUM ASHFORD POINT LTD	15957 AURORA CREST DR	WHITTIER	CA	90605-1357
444	CRIGLER MICHAEL P	20 ROLLINGWOOD DR	HOUSTON	TX	77080-7618
445	UNITED BASEBALL USA INC	945 BUNKER HILL RD STE 400	HOUSTON	TX	77024-1363
446	CLAYMORE PARK LLC	PO BOX 857	RANCHO SANTA FE	CA	92067-0857
447	UNION PACIFIC RAILROAD CO	1400 DOUGLAS ST STOP 1690	OMAHA	NE	68179-1001
448	RING CO	PO BOX 128	FLATONIA	TX	78941-0128
449	PARK ROW APARTMENTS LLC	26 CORPORATE PARK DR STE 200	IRVINE	CA	92606-
450	DAVIES THOMAS & CHRISTINA	58 ROLLINGWOOD DR	HOUSTON	TX	77080-7618
452	HOUSTON CHRISTIAN HIGH SCHOOL	2700 W SAM HOUSTON PKWY N	HOUSTON	TX	77043-1608
453	HARRIS JOHN L & DARLENE A	9822 SHADOW WOOD DR	HOUSTON	TX	77080-7108
454	SIMMONS RUSSELL L	9817 SHADOW WOOD DR	HOUSTON	TX	77080-7107
455	KOHL DANIEL & COURTNEY	54 ROLLINGWOOD DR	HOUSTON	TX	77080-7618
458	JACK IN THE BOX PROPERTIES LLC	9357 SPECTRUM CENTER BLVD	SAN DIEGO	CA	92123-1444
459	NGUYEN TAN	9909 NEUENS RD	HOUSTON	TX	77080-6417
460	PENNOAK PROPERTIES LTD	10040 REGENCY CIR STE 200	OMAHA	NE	68114-3734
461	DML WESTCHASE PLAZA LP	12440 EMILY CT STE 404	SUGAR LAND	TX	77478-4539
462	ROGERS NORMA A	48 ROLLINGWOOD DR	HOUSTON	TX	77080-7618
463	CHURCH AT THE CROSS	3830 S DAIRY ASHFORD RD	HOUSTON	TX	77082-5600
464	HARRIS COUNTY MUD NO 51	1200 TRAVIS ST	HOUSTON	TX	77002-6001
465	CAROLYN C TAUB INTERSTS II LLC	3400 BISSONNET ST STE 296	HOUSTON	TX	77005-2100
466	CURRENT OWNER	9901 NEUENS RD	HOUSTON	TX	77080-6417
468	ARCHER KATHLEEN F	44 ROLLINGWOOD DR	HOUSTON	TX	77080-7618
470	BANK OF AMERICA	PO BOX 32547	CHARLOTTE	NC	28232-2547
471	ORCHARD WESTCHASE LP	3300 LYONS AVE STE 203	HOUSTON	TX	77020-8254
472	GUZMAN RUFINO A	4102 MORNINGVIEW DR	HOUSTON	TX	77080-1532

Appendix P- 5-Mile Mailout List

Memorial Kirkwood Shopping Center

VCP No. 3323

mapid	current_owner	mail_address	mail_city	mail_state	mail_zip
473	LOBPRIES LIZETTE A & KURT	5785 INDIAN CIR	HOUSTON	TX	77057-1302
474	ABERANT CONSTANCE C	23703 RUBY BRAMBLE TRL	KATY	TX	77493-4226
475	SSS VILLAGE AT WEST OAKS LLC	3657 BRIARPARK DR STE 188	HOUSTON	TX	77042-5267
477	ZSK 6 WC LLC	11611 ALIEF CLODINE RD	HOUSTON	TX	77082-2601
478	DOAN VINH Q	136 MAIN ST	FAYETTE	MS	39069-
479	MAGEE ROBERT MILES	53 ROLLINGWOOD DR	HOUSTON	TX	77080-7617
481	BENTKE DELORES ANN	PO BOX 55775	HOUSTON	TX	77255-5775
482	KFP LTD	2930 REVERE ST STE 300	HOUSTON	TX	77098-5607
483	GHC WOODTRAIL LLC	4622 RIVERSTONE BLVD	MISSOURI CITY	TX	77459-6141
484	ALLEN BRITNI	47 ROLLINGWOOD DR	HOUSTON	TX	77080-7617
485	HC MUD 218 / CITY OF HOUSTON	PO BOX 1526	HOUSTON	TX	77251-1526
486	UNITED STATES OF AMERICA	PO BOX 1229	GALVESTON	TX	77553-1229
487	MALLET ARWEN E	20 SHADOW LN	HOUSTON	TX	77080-7106
488	ALIEF MONTESSORI COMMUNITY SCHOOL INC	4215 H ST	HOUSTON	TX	77072-5380
490	COUNTY OF HARRIS	PO BOX 1525	HOUSTON	TX	77251-1525
491	DJAYASAPUTRA PETER C	4767 W ALABAMA ST	HOUSTON	TX	77027-4726
492	CHE DIEN VAN	22830 ROBERTS RUN LN	KATY	TX	77494-4470
493	INSPIRE WOMEN	1415 S VOSS RD # 110-516	HOUSTON	TX	77057-1086
494	FIGUEROA ELIDA	9618 DALECREST DR	HOUSTON	TX	77080-7221
495	MJL DANG LLC	1212 COLERIDGE ST	SUGAR LAND	TX	77479-
496	TREP OKR OWNER LLC	3657 BRIARPARK DR	HOUSTON	TX	77042-5264
497	MAY DEPART STORES CO	7 W 7TH ST	CINCINNATI	OH	45202-2424
498	ARREAZA EDGAR & DIANA	13 W SHADY LN	HOUSTON	TX	77063-1303
499	MATUSEK GEORGIA LEONA	100 WALLENDORF BOHNERT RD	FREDERICKSBURG	TX	78624-6767
501	6120 S DAIRY ASHFORD ROAD LLC	6120 S DAIRY ASHFORD RD	HOUSTON	TX	77072-1010
502	LITTLE CIMARRON HOLDINGS LLC	PO BOX 199	LILLIAN	TX	76061-0199
503	FSH SPRING BRANCH LLC	22 SADDLEBROOK LN	HOUSTON	TX	77024-3404
505	SANDFIELD ROBERT ELI	16 W SHADY LN	HOUSTON	TX	77063-1304
507	NEW PAVILION ON GESSNER LLP	PO BOX 460049 DEPT 501	HOUSTON	TX	77056-8049
508	1111 BLALOCK INVESTORS LP	5005 WOODWAY DR STE 215	HOUSTON	TX	77056-1780
509	BATZ VICTOR M & HILDA S	4267 BUGLE RD	HOUSTON	TX	77072-1327
511	TEXAN LAND & CATTLE II LTD	PO BOX 130979	HOUSTON	TX	77219-0979
513	BARRAGAN RODOLFO & LIDA	11686 ARROWWOOD CIR	HOUSTON	TX	77063-1402
514	HOANG TRAC D	18 E SHADY LN	HOUSTON	TX	77063-1302
515	SPAETH JR LEO	9600 YUPONDALE DR	HOUSTON	TX	77080-7234
517	DN REAL HOLDING LLC	10575 WESTOFFICE DR	HOUSTON	TX	77042-5310
518	JFRF INVESTMENTS LLC	9545 KATY FWY STE 450	HOUSTON	TX	77024-1460
520	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
520	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
522	CK SK CRE HOLDING 2310 LLC	9654 KATY FWY STE C307	HOUSTON	TX	77055-6341
523	BRAVO LEOVARDO A	1716 CRESTDALE DR UNIT 18	HOUSTON	TX	77080-7254
525	1720 CRESTDALE LLC	14439 NW MILITARY HWY # 108 613	SAN ANTONIO	TX	78231-1648
526	ARREOLA JOSE	1712 CRESTDALE DR UNIT 1	HOUSTON	TX	77080-7253
528	MEM VILLAGE WATER AUTHORIT	8955 GAYLORD DR	HOUSTON	TX	77024-2872
529	AKINOSHO ESIGBEMI	20 E SHADY LN # B	HOUSTON	TX	77063-1302
533	FLEXON ROBERT	4 W SHADY LN	HOUSTON	TX	77063-1304
534	TEN PLAZA WEST	11601 WILSHIRE BLVD STE 2100	LOS ANGELES	CA	90025-1784
536	BROCK BRADEN J & LINDA K	11655 ARROWWOOD CIR	HOUSTON	TX	77063-1400
539	ELECTRONICS UNLIMITED INC	1345 BLALOCK RD	HOUSTON	TX	77055-6450
540	CSE VILLAGES LLC	303 INTERNATIONAL CIR STE 200	COCKEYSVILLE	MD	21030-1359
541	ORIZABA PARK ELDRIDGE LLC	3995 ELDRIDGE PKWY	HOUSTON	TX	77082-4800
542	ZAPATA GILDA	1721 ELMVIEW DR	HOUSTON	TX	77080-7224
544	CHIU CAROL SUE	11540 RAINTREE CIR	HOUSTON	TX	77024-7304
545	CURRENT OWNER	PO BOX 1526	HOUSTON	TX	77251-1526
547	HOUSTON DURGA BARI SOCIETY	13944 SCHILLER RD	HOUSTON	TX	77082-4704
548	CHANG-SHENG PROPERTIES LP	10402 HARWIN DR	HOUSTON	TX	77036-1504
549	ZOCH EUGENE W	4306 LANGTRY LN	HOUSTON	TX	77041-9211
551	HOUSTON FARM & RANCH CLUB	1 ABERCROMBIE DR	HOUSTON	TX	77084-4233
551	HARRIS COUNTY PCT 3 HOUSTON FARM & RANCH	PO BOX 1229	GALVESTON	TX	77553-1229
552	CURRENT OWNER	945 BUNKER HILL RD STE 400	HOUSTON	TX	77024-1363
554	MACHADO EVELIA	1926 CRESTDALE DR	HOUSTON	TX	77080-5302
555	HOUSE ON THE WORD MINISTRIES INC	13950 SCHILLER RD	HOUSTON	TX	77082-4704
558	WARRIORS HOLDINGS LLC	8 CARLTON PARK CT	HOUSTON	TX	77024-7316
559	METRO NATIONAL CORP	945 BUNKER HILL RD STE 400	HOUSTON	TX	77024-1363
560	HOME DEPOT USA INC	PO BOX 105842	ATLANTA	GA	30348-5842
561	RITCHEY BRYAN P & DEANA M	11607 ARROWWOOD CIR	HOUSTON	TX	77063-1401
562	MCMAHON JOHN C	25 E SHADY LN	HOUSTON	TX	77063-1301
563	FIVE STAR BUSINESS GROUP LP	20307 BRIGHTONWOOD LN	SPRING	TX	77379-2749
564	TORABIMANESH SEYED M	14000 SCHILLER RD	HOUSTON	TX	77082-4500

Appendix P- 5-Mile Mailout List

Memorial Kirkwood Shopping Center

VCP No. 3323

mapid	current_owner	mail_address	mail_city	mail_state	mail_zip
565	CENTRAL BANK	PO BOX 801263	HOUSTON	TX	77280-1263
566	HARRIS COUNTY MUD NO 158	11111 KATY FWY STE 725	HOUSTON	TX	77079-2175
567	RALSTON SCOTT ANDREW & DIANNE	11318 SMITHDALE RD	HOUSTON	TX	77024-6747
568	VN TEAMWORK INC	11210 BELLAIRE BLVD STE 118	HOUSTON	TX	77072-2516
569	JAIN VISHWA BHARATI HOUSTON INC	13702 BAY FRONT DR	HOUSTON	TX	77077-1937
570	GESSNER LIFE PROPERTIES LLC	1450 W LONG LAKE RD STE 340	TROY	MI	48098-6330
571	MOKARAM ALI	2210 S PINEY POINT RD	HOUSTON	TX	77063-1408
572	TANNOUS THOMAS	9254 ELIZABETH RD	HOUSTON	TX	77055-6411
574	AMTEX MACHINE PRODUCTS	4517 BRITTMOORE RD	HOUSTON	TX	77041-8005
576	NGUYEN TONY THAI	14031 SCHILLER RD	HOUSTON	TX	77082-4501
580	SITEONE LANDSCAPE SUPPLY	13727 NOEL RD STE 900	DALLAS	TX	75240-1355
581	CURRENT OWNER	11330 GREENBAY ST	HOUSTON	TX	77024-6733
583	RIDGEBACK VINEYARDS LLC	1341 CEDAR POST LN	HOUSTON	TX	77055-4303
584	ROSEWOOD CENTER LP	8554 KATY FWY STE 301	HOUSTON	TX	77024-1804
587	NESLONEY RYAN & JILL	9230 ELIZABETH RD	HOUSTON	TX	77055-6411
588	COMPASS COMPRESSION SOLUTIONS INC	285028 FRONTIER RD	ROCKY VIEW COUNTY	AB CANADA	T1X ON2
589	CURRENT OWNER	9221 ELIZABETH RD	HOUSTON	TX	77055-6410
590	WILLIAMS DENNIS	1748 OAK TREE DR	HOUSTON	TX	77080-7240
592	SOVRAN ACQUISITION LIMITED PARTNERSHIP	PO BOX 71870	SALT LAKE CITY	UT	84171-0870
593	ZAK GARY D	9301 OLATHE ST	HOUSTON	TX	77055-4408
594	TOWN PARK LTD	1301 WHITE ST	HOUSTON	TX	77007-4420
600	KWK HOUSTON PROPERTIES LLC	PO BOX 19469	HOUSTON	TX	77224-9469
602	YMCA OF THE GREATER HOUSTON	1331 AUGUSTA DR	HOUSTON	TX	77057-2415
603	BRAESWOOD ASSEMBLY OF GOD CHURCH	10611 FONDREN RD	HOUSTON	TX	77096-5402
604	CITY OF SPRING VALLEY	1025 CAMPBELL RD	HOUSTON	TX	77055
605	WHELAN JOSEPH R & LINDSAY H	9166 ELIZABETH RD	HOUSTON	TX	77055-6409
606	GRAHAM CHARLES S	9174 LARSTON ST	HOUSTON	TX	77055-6415
607	QRV HWY 6 LLC	720 S COLORADO BLVD STE 1150 N	DENVER	CO	80246-1904
610	GRACE COMMUNITY CHURCH OF HOUSTON	1021 CAMPBELL RD	HOUSTON	TX	77055-7407
611	BIG BEND PARTNERSHIP LLP	515 A S FRY RD STE 311	KATY	TX	77450-
612	AB PLAZA LLC	12143 ARCADIA BEND LN	HOUSTON	TX	77041-6188
613	GNJ PROPERTIES INC	20547 COPPER CAVE LN	RICHMOND	TX	77407-4157
615	SUGARLAND PETROLEUM INC	6161 SAVOY DR STE 904	HOUSTON	TX	77036-3316
617	6TH ST LOFT LLC	600 S SPRING ST	LOS ANGELES	CA	90014-1979
618	CURRENT OWNER	9317 SADDLE LN	HOUSTON	TX	77080-7417
619	HARRIS RICHARD B & ALICIA M	9318 SADDLE LN	HOUSTON	TX	77080-7418
620	AIREIT BRITTMOORE IC LP	1200 17TH ST STE 2900	DENVER	CO	80202-5831
621	VO CUONG T	10611 SPRING BROOK DR	HOUSTON	TX	77041-8747
623	U S GOVERNMENT	12570 CLAY RD	HOUSTON	TX	77041
624	VITA LIVING FOUNDATION	3300 S GESSNER RD # 150	HOUSTON	TX	77063-3201
627	ARYA SAMAJ OF GREATER % SUNIL MEHTA HOUSTON INC	14375 SCHILLER RD	HOUSTON	TX	77082-4303
629	PHAN BROTHERS PARTNERSHIP	3007 S DAIRY ASHFORD RD STE 8	HOUSTON	TX	77082-2794
630	REEVES JOSEPH A & DIANNE S	11211 WILDING LN	HOUSTON	TX	77024-5308
631	RALSTON ALVIN J IV	9130 RANGELY DR	HOUSTON	TX	77055-4511
632	HEINZ FESTAG	10003 OLYMPIA DR	HOUSTON	TX	77042-2917
633	GRIGGS NORMA GENE	9324 GREENSWARD RD	HOUSTON	TX	77080-7414
634	BOTTOMLEY SARAH J	9321 GREENSWARD RD	HOUSTON	TX	77080-7413
635	THE MONARCH SCHOOL INC	1231 WIRT RD	HOUSTON	TX	77055-6852
637	CHAPMAN HOWARD	PO BOX 42262	HOUSTON	TX	77242-2262
639	J D COLE NO ONE LLC	PO BOX 42262	HOUSTON	TX	77242-2262
640	PALLAIS ALEJANDRO A & JENNY P	9421 CAMPBELL RD	HOUSTON	TX	77080-8014
643	MAO HUA COMPANY INC	PO BOX 772588	HOUSTON	TX	77215-2588
644	BUTCHER BRENDA J	9317 GREENSWARD RD	HOUSTON	TX	77080-7413
645	8903 WESTHEIMER LLC	5730 TANGLE CIRCLE LN	HOUSTON	TX	77057-1458
646	VUJASINOVIC VUK S & OFELIA H	8 STILLFOREST ST	HOUSTON	TX	77024-7518
650	ASINOVSKY VLADIMIR	12322 ELLA LEE LN	HOUSTON	TX	77077-5914
652	BROCK TODD & DIANA	16 LACEWOOD LN	HOUSTON	TX	77024-7436
653	TAGHECHIAN PROPERTY MANAGEMENT LLC	11 CLEAR SPRINGS CT	SUGAR LAND	TX	77479-5857
655	CAO CHI	7503 BRIGHTON KNOLLS LN	RICHMOND	TX	77407-1598
656	CITY OF PINEY POINT VILLAGE	8955 GAYLORD DR	HOUSTON	TX	77024-2903
657	TAVAKOLI FARDIN	45 STILLFOREST ST	HOUSTON	TX	77024-7518
658	ESTATE OF RUSSELL ELDON	3906 ADE ST	HOUSTON	TX	77063-5232
659	JEFF HAAS PROPERTIES LLC	16711 KATY FWY	HOUSTON	TX	77094-1505
660	CRUZ JANNETTE & JOE L	9326 SPRING BRANCH DR	HOUSTON	TX	77080-8023
661	CNH ASSET A LLC	16945 NORTHCHASE DR	HOUSTON	TX	77060-2135
665	CAGLAR RAIF COSKUN	26 WINDSOR PL	HOUSTON	TX	77055-3900
667	KM WEST PARK LLC	1800 POST OAK BLVD STE 400	HOUSTON	TX	77056-3962
670	MEMORIAL VILLAGE WATER	8955 GAYLORD DR	HOUSTON	TX	77024-2903
671	VO TIN	14619 WYNBOURN WAY	HOUSTON	TX	77083-4700
673	HARRIS COUNTY MUD NO 341	13333 NORTHWEST FWY STE 250	HOUSTON	TX	77040-6220
676	AGEE RICHARD E & JUDITH T	13 STILLFOREST ST	HOUSTON	TX	77024-7518
678	HARRIS COUNTY MUD NO 552	11111 KATY FRWY STE 725	HOUSTON	TX	77079-2175
679	WESTVIEW VALLEY LP	9046 WESTVIEW DR	HOUSTON	TX	77055-4602
681	AMERTI ENTERPRISES LLC	14019 SOUTHWEST FWY STE 301-706	SUGAR LAND	TX	77478-3563
683	PHAN HONG THI	12249 SHARPVIEW DR	HOUSTON	TX	77072-2330
684	HEADLEY KATHERINE L	3314 LIVELY LN	HOUSTON	TX	77080-1214
685	DAKRI MUSA	36 STILLFOREST ST	HOUSTON	TX	77024-7518

Appendix Q

The name and address of each retail public utility, as defined in section 13.002 of the Texas Water Code, that owns or operates a groundwater supply well within five miles of the boundary of the designated property.

The following retail public utilities operate at least one groundwater supply well within five miles of the subject property:

CURRENT OWNER	ADDRESS	CITY	STATE	ZIP
City Of Bunker Hill Village	PO BOX 19037	Houston	TX	77224-9037
City Of Houston	PO BOX 1562	Houston	TX	77251-1562
City Of Piney Point Village	8955 GAYLORD DR	Houston	TX	77024-2903
City Of Spring Valley	1025 CAMPBELL RD	Houston	TX	77055
County Of Harris	PO BOX 1525	Houston	TX	77251-1525
Harris County Mud No 158	11111 KATY FWY STE 725	Houston	TX	77079-2175
Harris County Mud No 341	13333 NORTHWEST FWY STE 250	Houston	TX	77040-6220
Harris County Mud No 359	6935 BARNEY RD STE 110	Houston	TX	77092-4443
Harris County Mud No 372	1001 PRESTON ST	Houston	TX	77002-1839
Harris County Mud No 407	12841 CAPRICORN ST	Stafford	TX	77477-3912
Harris County Mud No 51	1200 TRAVIS ST	Houston	TX	77002-6001
Harris County Mud No 552	11111 KATY FRWY STE 725	Houston	TX	77079-2175
Harris County Wcid No 5	4635 WINFIELD RD	Houston	TX	77039-6013
Harris County Wcid No 71	PO BOX 807	Houston	TX	77001-0807
Hc Mud 218 / City Of Houston	PO BOX 1526	Houston	TX	77251-1526

The above mentioned entities will be provided notice as required by section 361.805 of the Texas Health and Safety Code approximately 30 days prior to the public meeting.

Included in this section is the Water Utility Database Report.

MUNICIPAL SETTING DESIGNATION REPORT

Project Property:	*Memorial Kirkwood Shopping Center* *14054 Memorial Drive* *Houston TX 77079*
Project No:	*E19012-104*
Order No:	*25032600342*
Requested by:	*InControl Technologies*
Date Completed:	*April 20, 2025*

Environmental Risk Information Services
A division of Glacier Media Inc.
1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....2
Executive Summary.....3
Executive Summary: Report Summary.....4
Executive Summary: Site Report Summary - Project Property.....5
Executive Summary: Site Report Summary - Surrounding Properties.....6
Map.....15
Aerial.....20
Detail Report.....22
Appendix: Database Descriptions.....140
Definitions.....141

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property:	*Memorial Kirkwood Shopping Center* *14054 Memorial Drive Houston TX 77079*
Project No:	*E19012-104*
Coordinates:	
Latitude:	*29.7717845*
Longitude:	*-95.5913101*
UTM Northing:	*3,296,312.09*
UTM Easting:	*249,460.66*
UTM Zone:	*15R*
Target Property Geometry:	*POINT*
County/Parish Covered:	*Fort Bend (TX), Harris (TX)*
Zipcode(s) Covered:	*Houston TX: 77024, 77036, 77040, 77041, 77042, 77043, 77055, 77063, 77072, 77074, 77077, 77079, 77080, 77082, 77083, 77084, 77094*
State(s) Covered:	*TX*

Executive Summary: Report Summary

Database	Searched	Project Property	Within 5.00mi	Total
Federal				
State				
WUD	*Y*	*0*	***118***	***118***
	Total:	*0*	***118***	***118***

**** PO – Property Only***

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
1	WUD	CITY OF HOUSTON	TX	ENE	0.19 / 1,013.23	22
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013CF | ACTIVE*			
1	WUD	CITY OF HOUSTON	TX	ENE	0.19 / 1,013.23	23
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013IR | ACTIVE*			
2	WUD	CITY OF HOUSTON	TX	E	0.96 / 5,055.52	24
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013KI | ACTIVE*			
2	WUD	CITY OF HOUSTON	TX	E	0.96 / 5,055.52	25
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013KJ | ACTIVE*			
3	WUD	CITY OF HOUSTON	TX	SW	0.98 / 5,182.73	26
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013DD | ACTIVE*			
3	WUD	CITY OF HOUSTON	TX	SW	0.98 / 5,182.73	27
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013DE | ACTIVE*			
4	WUD	CITY OF HOUSTON	TX	NNE	1.30 / 6,858.67	28
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PG | ACTIVE*			
4	WUD	CITY OF HOUSTON	TX	NNE	1.30 / 6,858.67	29
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013Y | ACTIVE*			
5	WUD	CITY OF HOUSTON	TX	NNW	1.37 / 7,254.75	30
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013Z | ACTIVE*			
6	WUD	CITY OF HOUSTON	TX	NW	1.43 / 7,546.27	31
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013AA | ACTIVE*			
7	WUD	CITY OF HOUSTON	TX	WNW	1.44 / 7,577.38	32
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013JK | ACTIVE*			
8	WUD	CITY OF HOUSTON	TX	E	1.50 / 7,898.31	33
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NY | ACTIVE*			
9	WUD	CITY OF HOUSTON	TX	SSW	1.69 / 8,914.34	34

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013DV | ACTIVE*			
10	WUD	CITY OF HOUSTON	TX	NE	1.70 / 8,965.52	35
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SG | ACTIVE*			
11	WUD	CITY OF HOUSTON	TX	SSE	1.72 / 9,060.46	36
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013DW | ACTIVE*			
11	WUD	CITY OF HOUSTON	TX	SSE	1.72 / 9,060.46	37
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013DU | ACTIVE*			
12	WUD	CITY OF HOUSTON	TX	WNW	1.75 / 9,256.74	38
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013QF | ACTIVE*			
13	WUD	CITY OF HOUSTON	TX	NE	1.75 / 9,265.26	39
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013SX | ACTIVE*			
14	WUD	CITY OF HOUSTON	TX	WSW	2.01 / 10,630.33	40
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013SC | ACTIVE*			
15	WUD	CITY OF HOUSTON	TX	NW	2.02 / 10,669.95	41
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013HF | ACTIVE*			
16	WUD	CITY OF HOUSTON	TX	NW	2.03 / 10,727.81	42
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013AH | ACTIVE*			
17	WUD	CITY OF HOUSTON	TX	SE	2.03 / 10,733.94	43
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SS | ACTIVE*			
18	WUD	CITY OF HOUSTON	TX	WSW	2.05 / 10,821.75	44
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013RB | ACTIVE*			
19	WUD	CITY OF HOUSTON	TX	WNW	2.11 / 11,144.27	45
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013AB | ACTIVE*			
20	WUD	CITY OF HOUSTON	TX	NNE	2.14 / 11,291.51	46
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013AC | ACTIVE*			
21	WUD	CITY OF HOUSTON	TX	NE	2.29 / 12,099.22	47
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OW | ACTIVE*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
22	WUD	CITY OF HOUSTON	TX	SW	2.31 / 12,187.61	48
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013RA | ACTIVE*			
23	WUD	CITY OF HOUSTON	TX	NNE	2.36 / 12,475.88	49
			Operating Status | Utility Name | WTRSRC | System Status: *CAPPED | CITY OF HOUSTON | G1010013SV | ACTIVE*			
23	WUD	CITY OF HOUSTON	TX	NNE	2.36 / 12,475.88	50
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013SW | ACTIVE*			
23	WUD	CITY OF HOUSTON	TX	NNE	2.36 / 12,475.88	51
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013SY | ACTIVE*			
24	WUD	CITY OF HOUSTON	TX	SE	2.50 / 13,219.36	52
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013IY | ACTIVE*			
24	WUD	CITY OF HOUSTON	TX	SE	2.50 / 13,219.36	53
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013IZ | ACTIVE*			
25	WUD	CITY OF HOUSTON	TX	NNE	2.58 / 13,600.16	54
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013AD | ACTIVE*			
25	WUD	CITY OF HOUSTON	TX	NNE	2.58 / 13,600.16	55
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013CJ | ACTIVE*			
25	WUD	CITY OF HOUSTON	TX	NNE	2.58 / 13,600.16	56
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013CI | ACTIVE*			
26	WUD	CITY OF HOUSTON	TX	W	2.58 / 13,628.92	57
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013QZ | ACTIVE*			
27	WUD	CITY OF HOUSTON	TX	SSW	2.64 / 13,944.17	58
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013FF | ACTIVE*			
27	WUD	CITY OF HOUSTON	TX	SSW	2.64 / 13,944.17	59
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013FE | ACTIVE*			
28	WUD	CITY OF HOUSTON	TX	SE	2.68 / 14,129.13	60
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013IP | ACTIVE*			
29	WUD	CITY OF HOUSTON	TX	W	2.72 / 14,368.28	61

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013EV | ACTIVE*			
30	WUD	CITY OF HOUSTON	TX	ENE	2.82 / 14,909.70	62
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013DX | ACTIVE*			
31	WUD	CITY OF HOUSTON	TX	ENE	2.83 / 14,920.35	63
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OB | ACTIVE*			
32	WUD	CITY OF HOUSTON	TX	W	2.85 / 15,062.90	64
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013EY | ACTIVE*			
32	WUD	CITY OF HOUSTON	TX	W	2.85 / 15,062.90	65
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013EX | ACTIVE*			
33	WUD	CITY OF HOUSTON	TX	W	3.00 / 15,835.39	66
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013QY | ACTIVE*			
34	WUD	CITY OF HOUSTON	TX	WNW	3.01 / 15,878.53	67
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013EW | ACTIVE*			
35	WUD	CITY OF HOUSTON	TX	NNE	3.01 / 15,882.61	68
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SH | ACTIVE*			
36	WUD	CITY OF HOUSTON	TX	SE	3.18 / 16,775.15	69
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013BW | ACTIVE*			
37	WUD	CITY OF BUNKER HILL VILLAGE	TX	E	3.19 / 16,830.60	70
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF BUNKER HILL VILLAGE | G1010106A | ACTIVE*			
37	WUD	CITY OF BUNKER HILL VILLAGE	TX	E	3.19 / 16,830.60	71
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF BUNKER HILL VILLAGE | G1010106D | ACTIVE*			
38	WUD	CITY OF HOUSTON	TX	E	3.21 / 16,937.44	72
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NZ | ACTIVE*			
38	WUD	CITY OF HOUSTON	TX	E	3.21 / 16,937.44	73
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OA | ACTIVE*			
39	WUD	CITY OF HOUSTON	TX	WNW	3.22 / 16,989.70	74
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SN | ACTIVE*			


Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
40	WUD	CITY OF HOUSTON	TX	NNE	3.25 / 17,173.08	75
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013AE | ACTIVE*			
41	WUD	CITY OF BUNKER HILL VILLAGE	TX	ESE	3.33 / 17,600.86	76
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF BUNKER HILL VILLAGE | G1010106C | ACTIVE*			
42	WUD	CITY OF HOUSTON	TX	ENE	3.34 / 17,613.00	77
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PX | ACTIVE*			
42	WUD	CITY OF HOUSTON	TX	ENE	3.34 / 17,613.00	78
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PW | ACTIVE*			
43	WUD	CITY OF HOUSTON	TX	SW	3.36 / 17,755.04	79
			Operating Status | Utility Name | WTRSRC | System Status: *ABANDONED | CITY OF HOUSTON | G1010013FN | ACTIVE*			
44	WUD	PAULS SEAFOOD & OYSTER BAR	TX	WSW	3.47 / 18,334.52	80
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | PAULS SEAFOOD & OYSTER BAR | G1012057A | ACTIVE*			
45	WUD	CITY OF HOUSTON	TX	ENE	3.54 / 18,689.40	81
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PZ | ACTIVE*			
46	WUD	CITY OF HOUSTON	TX	ESE	3.64 / 19,200.43	82
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NI | ACTIVE*			
46	WUD	CITY OF HOUSTON	TX	ESE	3.64 / 19,200.43	83
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NJ | ACTIVE*			
46	WUD	CITY OF HOUSTON	TX	ESE	3.64 / 19,200.43	84
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NH | ACTIVE*			
47	WUD	CITY OF HOUSTON	TX	E	3.64 / 19,210.97	85
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OU | ACTIVE*			
47	WUD	CITY OF HOUSTON	TX	E	3.64 / 19,210.97	86
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013KM | ACTIVE*			
47	WUD	CITY OF HOUSTON	TX	E	3.64 / 19,210.97	87
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OV | ACTIVE*			
48	WUD	CITY OF HOUSTON	TX	SSW	3.76 / 19,858.74	88

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Operating Status | Utility Name | WTRSRC | System Status: *ABANDONED | CITY OF HOUSTON | G1010013FG | ACTIVE*			
49	WUD	CITY OF HOUSTON	TX	SW	3.81 / 20,103.52	89
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SK | ACTIVE*			
50	WUD	CITY OF HOUSTON	TX	SW	3.82 / 20,173.53	90
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013FW | ACTIVE*			
51	WUD	CITY OF HOUSTON	TX	NE	3.83 / 20,212.82	91
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PY | ACTIVE*			
52	WUD	CITY OF HOUSTON	TX	NNE	3.84 / 20,297.88	92
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013AF | ACTIVE*			
53	WUD	WEST HARRIS COUNTY MUD 6	TX	SW	3.87 / 20,412.08	93
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | WEST HARRIS COUNTY MUD 6 | G1011258A | ACTIVE*			
54	WUD	CITY OF HOUSTON	TX	SSW	3.87 / 20,438.88	94
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013FD | ACTIVE*			
55	WUD	CITY OF HOUSTON	TX	NE	3.94 / 20,826.05	95
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PU | ACTIVE*			
56	WUD	CITY OF HOUSTON	TX	SE	3.96 / 20,933.57	96
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013QG | ACTIVE*			
57	WUD	CITY OF HOUSTON	TX	SSE	3.98 / 20,999.41	97
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013DG | ACTIVE*			
58	WUD	CITY OF BUNKER HILL VILLAGE	TX	E	4.02 / 21,211.12	98
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF BUNKER HILL VILLAGE | G1010106B | ACTIVE*			
59	WUD	CITY OF HOUSTON	TX	WSW	4.03 / 21,264.92	99
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013FM | ACTIVE*			
60	WUD	CITY OF HOUSTON	TX	SSW	4.04 / 21,348.54	100
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013FC | ACTIVE*			
61	WUD	HARRIS COUNTY PCT 3 BEAR CREEK PIO	TX	NNW	4.05 / 21,379.71	101
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | HARRIS COUNTY PCT 3 BEAR CREEK PIO | G1011015C | ACTIVE*			

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
61	WUD	HARRIS COUNTY PCT 3 BEAR CREEK PIO	TX	NNW	4.05 / 21,379.71	102
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | HARRIS COUNTY PCT 3 BEAR CREEK PIO | G1011015B | ACTIVE*			
62	WUD	CITY OF HOUSTON	TX	SSW	4.22 / 22,264.60	103
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013RJ | ACTIVE*			
62	WUD	CITY OF HOUSTON	TX	SSW	4.22 / 22,264.60	104
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013RI | ACTIVE*			
63	WUD	CITY OF HOUSTON	TX	NNE	4.25 / 22,414.68	105
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013AG | ACTIVE*			
64	WUD	CITY OF HOUSTON	TX	S	4.27 / 22,532.66	106
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013EG | ACTIVE*			
65	WUD	CITY OF HOUSTON	TX	ENE	4.31 / 22,782.14	107
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013NP | ACTIVE*			
66	WUD	TEN PLAZA WEST	TX	W	4.33 / 22,859.81	108
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | TEN PLAZA WEST | G1011997A | ACTIVE*			
67	WUD	CITY OF HOUSTON	TX	ENE	4.34 / 22,931.96	109
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PT | ACTIVE*			
67	WUD	CITY OF HOUSTON	TX	ENE	4.34 / 22,931.96	110
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013QA | ACTIVE*			
68	WUD	CITY OF HOUSTON	TX	SSE	4.38 / 23,114.53	111
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013CT | ACTIVE*			
69	WUD	HOUSTON DURGA BARI SOCIETY	TX	SW	4.38 / 23,115.09	112
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | HOUSTON DURGA BARI SOCIETY | G1013150A | ACTIVE*			
70	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.40 / 23,233.84	113
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | MEMORIAL VILLAGES WATER AUTHORITY | G1010148D | ACTIVE*			
71	WUD	HARRIS COUNTY PCT 3 HOUSTON FARM &	TX	NW	4.40 / 23,255.26	114
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | HARRIS COUNTY PCT 3 HOUSTON FARM & | G1011896A | ACTIVE*			
72	WUD	CITY OF HOUSTON	TX	W	4.42 / 23,345.80	115

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013EM | ACTIVE*			
73	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.43 / 23,388.03	116
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | MEMORIAL VILLAGES WATER AUTHORITY | G1010148C | ACTIVE*			
74	WUD	CITY OF HOUSTON	TX	SSW	4.47 / 23,604.83	117
			Operating Status | Utility Name | WTRSRC | System Status: *EMERGENCY | CITY OF HOUSTON | G1010013FK | ACTIVE*			
75	WUD	HARRIS COUNTY PCT 3 BEAR CREEK PIO	TX	NNW	4.53 / 23,934.22	118
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | HARRIS COUNTY PCT 3 BEAR CREEK PIONEERS | G1011015A | ACTIVE*			
76	WUD	CITY OF HOUSTON	TX	SE	4.54 / 23,987.20	119
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013QH | ACTIVE*			
77	WUD	CITY OF HOUSTON	TX	SE	4.55 / 24,019.78	120
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013IV | ACTIVE*			
78	WUD	CITY OF SPRING VALLEY VILLAGE	TX	ENE	4.68 / 24,692.24	121
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF SPRING VALLEY VILLAGE | G1010214B | ACTIVE*			
78	WUD	CITY OF SPRING VALLEY VILLAGE	TX	ENE	4.68 / 24,692.24	122
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF SPRING VALLEY VILLAGE | G1010214A | ACTIVE*			
79	WUD	CITY OF HOUSTON	TX	WSW	4.71 / 24,854.98	123
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013FH | ACTIVE*			
80	WUD	CITY OF HOUSTON	TX	WNW	4.82 / 25,424.17	124
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SJ | ACTIVE*			
81	WUD	CITY OF HOUSTON	TX	WNW	4.82 / 25,455.10	125
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013SL | ACTIVE*			
82	WUD	CITY OF HOUSTON	TX	SW	4.83 / 25,521.14	126
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013FI | ACTIVE*			
83	WUD	CITY OF HOUSTON	TX	WNW	4.86 / 25,643.35	127
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013TH | ACTIVE*			
84	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.86 / 25,677.25	128

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Page Number
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | MEMORIAL VILLAGES WATER AUTHORITY | G1010148E | ACTIVE*			
85	WUD	CITY OF HOUSTON	TX	S	4.92 / 26,002.24	129
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013DC | ACTIVE*			
86	WUD	CITY OF HOUSTON	TX	S	4.93 / 26,009.14	130
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013DB | ACTIVE*			
87	WUD	CITY OF HOUSTON	TX	ENE	4.93 / 26,029.92	131
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013OX | ACTIVE*			
88	WUD	CITY OF HOUSTON	TX	S	4.94 / 26,064.72	132
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | CITY OF HOUSTON | G1010013G | ACTIVE*			
89	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.94 / 26,067.88	133
			Operating Status | Utility Name | WTRSRC | System Status: *OPERATIONAL | MEMORIAL VILLAGES WATER AUTHORITY | G1010148A | ACTIVE*			
90	WUD	MEMORIAL VILLAGES WATER AUTHORITY	TX	E	4.95 / 26,120.64	134
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | MEMORIAL VILLAGES WATER AUTHORITY | G1010148B | ACTIVE*			
91	WUD	CITY OF HOUSTON	TX	SSW	4.95 / 26,124.38	135
			Operating Status | Utility Name | WTRSRC | System Status: *EMERGENCY | CITY OF HOUSTON | G1010013FL | ACTIVE*			
92	WUD	CITY OF HOUSTON	TX	ENE	4.97 / 26,247.91	136
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PR | ACTIVE*			
92	WUD	CITY OF HOUSTON	TX	ENE	4.97 / 26,247.91	137
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PP | ACTIVE*			
92	WUD	CITY OF HOUSTON	TX	ENE	4.97 / 26,247.91	138
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PS | ACTIVE*			
92	WUD	CITY OF HOUSTON	TX	ENE	4.97 / 26,247.91	139
			Operating Status | Utility Name | WTRSRC | System Status: *PLUGGED | CITY OF HOUSTON | G1010013PQ | ACTIVE*			



Map: 5.0 Mile Radius | Zoom Level: 1

Order Number: 25032600342

Address: 14054 Memorial Drive, Houston, TX

Water Utility Database

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- ■ Eris Sites with Same Elevation
- ▼ Eris Sites with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Higher Elevation
- Eris Areas with Same Elevation
- Eris Areas with Lower Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Map: 5.0 Mile Radius | Zoom Level: 2

Order Number: 25032600342

Address: 14054 Memorial Drive, Houston, TX

Water Utility Database

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- ■ Eris Sites with Same Elevation
- ▼ Eris Sites with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Higher Elevation
- Eris Areas with Same Elevation
- Eris Areas with Lower Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Map: 5.0 Mile Radius | Zoom Level: 3
Order Number: 25032600342
Address: 14054 Memorial Drive, Houston, TX

Water Utility Database

- ☆ Project Property
- Buffer Outline
- △ Eris Sites with Higher Elevation
- ■ Eris Sites with Same Elevation
- ▼ Eris Sites with Lower Elevation
- ○ Eris Sites with Unknown Elevation
- Eris Areas with Higher Elevation
- Eris Areas with Same Elevation
- Eris Areas with Lower Elevation
- Eris Areas with Unknown Elevation

Source: © US Geological Survey

© ERIS Information Inc.



Aerial **Year: 2024**

Address: 14054 Memorial Drive, Houston, TX

Source: ESRI World Imagery

Order Number: 25032600342

ERIS

© ERIS Information Inc.

Detail Report

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	1 of 2	ENE	0.19 / 1,013.23	CITY OF HOUSTON TX	WUD

St Well No:	6512705
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CF
Date Drilled:	01/22/1964
Well Depth:	895
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.772728
Longitude:	-95.588555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
1	2 of 2	ENE	0.19 / 1,013.23	CITY OF HOUSTON TX	WUD

St Well No:	6512704
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IR
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IR
Date Drilled:	00/00/1962
Well Depth:	1310
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.772728
Longitude:	-95.588555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
2	1 of 2	E	0.96 / 5,055.52	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013KI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013KI
Date Drilled:	00/00/1962
Well Depth:	1099
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.783006
Longitude:	-95.576058
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
2	2 of 2	E	0.96 / 5,055.52	CITY OF HOUSTON TX	WUD

St Well No:	6512803
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013KJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013KJ
Date Drilled:	00/00/1962
Well Depth:	1099
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.783006
Longitude:	-95.576058
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
3	1 of 2	SW	0.98 / 5,182.73	CITY OF HOUSTON TX	WUD

St Well No:	6512714
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DD
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DD
Date Drilled:	12/20/1965
Well Depth:	895
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.760508
Longitude:	-95.601052
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
3	2 of 2	SW	0.98 / 5,182.73	CITY OF HOUSTON TX	WUD

St Well No:	6512724
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DE
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DE
Date Drilled:	05/18/1972
Well Depth:	1225
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.760508
Longitude:	-95.601052
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
4	1 of 2	NNE	1.30 / 6,858.67	CITY OF HOUSTON TX	WUD

St Well No:	6512718
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PG
Date Drilled:	00/00/1966
Well Depth:	360
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.790784
Longitude:	-95.585221
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
4	2 of 2	NNE	1.30 / 6,858.67	CITY OF HOUSTON TX	WUD

St Well No:	6512717
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013Y
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013Y
Date Drilled:	09/20/1968
Well Depth:	1561
Screen Top:	661
Screen Bottom:	1554
Gallons Per Minute:	1806
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.79014778
Longitude:	-95.58737946
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
5	1 of 1	NNW	1.37 / 7,254.75	CITY OF HOUSTON TX	WUD

St Well No:	6512719
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013Z
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013Z
Date Drilled:	02/18/1970
Well Depth:	1135
Screen Top:	562
Screen Bottom:	1121
Gallons Per Minute:	782
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78907778
Longitude:	-95.60264444
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
6	1 of 1	NW	1.43 / 7,546.27	CITY OF HOUSTON TX	WUD

St Well No:	6512720
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AA
Date Drilled:	01/08/1970
Well Depth:	1144
Screen Top:	597
Screen Bottom:	1127
Gallons Per Minute:	1600
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.78557396
Longitude:	-95.60903168
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
7	1 of 1	WNW	1.44 / 7,577.38	CITY OF HOUSTON TX	WUD

St Well No:	6512721
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013JK
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013JK
Date Drilled:	00/00/1969
Well Depth:	1010
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.783561
Longitude:	-95.61078
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
8	1 of 1	E	1.50 / 7,898.31	CITY OF HOUSTON TX	WUD

St Well No:	6512802
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NY
Date Drilled:	00/00/1955
Well Depth:	780
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.772451
Longitude:	-95.56633
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
9	1 of 1	SSW	1.69 / 8,914.34	CITY OF HOUSTON TX	WUD

St Well No:	6520104
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DV
Date Drilled:	03/26/1976
Well Depth:	1450
Screen Top:	1002
Screen Bottom:	1417
Gallons Per Minute:	730
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.74782
Longitude:	-95.597183
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
10	1 of 1	NE	1.70 / 8,965.52	CITY OF HOUSTON TX	WUD

St Well No:	6512521
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SG
Date Drilled:	03/20/2000
Well Depth:	1370
Screen Top:	804
Screen Bottom:	862
Gallons Per Minute:	2100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.79318619
Longitude:	-95.57758331
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	1 of 2	SSE	1.72 / 9,060.46	CITY OF HOUSTON TX	WUD

St Well No:	6520817
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DW
Date Drilled:	04/20/1979
Well Depth:	967
Screen Top:	603
Screen Bottom:	965
Gallons Per Minute:	1190
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.750268
Longitude:	-95.576937
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
11	2 of 2	SSE	1.72 / 9,060.46	CITY OF HOUSTON TX	WUD

St Well No:	6520225
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DU
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DU
Date Drilled:	03/00/1972
Well Depth:	1360
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	1300
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.750269
Longitude:	-95.576948
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
12	1 of 1	WNW	1.75 / 9,256.74	CITY OF HOUSTON TX	WUD

St Well No:	6512715
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QF
Date Drilled:	00/00/1966
Well Depth:	1210
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778007
Longitude:	-95.619387
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
13	1 of 1	NE	1.75 / 9,265.26	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SX
Date Drilled:	00/00/1984
Well Depth:	350
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	18
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.792933
Longitude:	-95.575069
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
14	1 of 1	WSW	2.01 / 10,630.33	CITY OF HOUSTON TX	WUD

St Well No:	6504812
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SC
Date Drilled:	03/04/1982
Well Depth:	1030
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	879
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.76292
Longitude:	-95.623222
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
15	1 of 1	NW	2.02 / 10,669.95	CITY OF HOUSTON TX	WUD

St Well No:	6512722
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013HF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013HF
Date Drilled:	00/00/1970
Well Depth:	1680
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.790506
Longitude:	-95.614946
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
16	1 of 1	NW	2.03 / 10,727.81	CITY OF HOUSTON TX	WUD

St Well No:	6512730
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AH
Date Drilled:	10/11/1983
Well Depth:	1700
Screen Top:	684
Screen Bottom:	1685
Gallons Per Minute:	1501
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78990936
Longitude:	-95.61797333
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
17	1 of 1	SE	2.03 / 10,733.94	CITY OF HOUSTON TX	WUD

St Well No:	6512820
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SS
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SS
Date Drilled:	
Well Depth:	1345
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2103
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.748906
Longitude:	-95.569958
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
18	1 of 1	WSW	2.05 / 10,821.75	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RB
Date Drilled:	11/19/1984
Well Depth:	1220
Screen Top:	622
Screen Bottom:	1200
Gallons Per Minute:	1826
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.75805092
Longitude:	-95.62155151
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
19	1 of 1	WNW	2.11 / 11,144.27	CITY OF HOUSTON TX	WUD

St Well No:	6512723
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AB
Date Drilled:	10/02/1970
Well Depth:	1670
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	980
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.785431
Longitude:	-95.622604
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
20	1 of 1	NNE	2.14 / 11,291.51	CITY OF HOUSTON TX	WUD

St Well No:	6512516
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AC
Date Drilled:	06/09/1976
Well Depth:	1165
Screen Top:	708
Screen Bottom:	1151
Gallons Per Minute:	1100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.80056
Longitude:	-95.57801056
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
21	1 of 1	NE	2.29 / 12,099.22	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OW
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.799723
Longitude:	-95.570831
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
22	1 of 1	SW	2.31 / 12,187.61	CITY OF HOUSTON TX	WUD

St Well No:	6520124
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RA
Date Drilled:	02/11/1981
Well Depth:	1175
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	1000
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.74719
Longitude:	-95.617378
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
23	1 of 3	NNE	2.36 / 12,475.88	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	CAPPED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SV
Date Drilled:	
Well Depth:	450
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	40
Water Usage:	INACTIVE - CAPPED
CCN:	P1552
Latitude:	29.802172
Longitude:	-95.573281
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
23	2 of 3	NNE	2.36 / 12,475.88	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SW
Date Drilled:	00/00/1984
Well Depth:	403
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	40
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.802347
Longitude:	-95.57348
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
23	3 of 3	NNE	2.36 / 12,475.88	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SY
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.802172
Longitude:	-95.573281
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
24	1 of 2	SE	2.50 / 13,219.36	CITY OF HOUSTON TX	WUD

St Well No:	6520210
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IY
Date Drilled:	00/00/1959
Well Depth:	465
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.744397
Longitude:	-95.56411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
24	2 of 2	SE	2.50 / 13,219.36	CITY OF HOUSTON TX	WUD

St Well No:	6520218
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IZ
Date Drilled:	00/00/1960
Well Depth:	1300
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.744397
Longitude:	-95.56411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
25	1 of 3	NNE	2.58 / 13,600.16	CITY OF HOUSTON TX	WUD

St Well No:	6512517
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AD
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AD
Date Drilled:	03/25/1977
Well Depth:	1573
Screen Top:	696
Screen Bottom:	1557
Gallons Per Minute:	1745
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.80560303
Longitude:	-95.57304382
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
25	2 of 3	NNE	2.58 / 13,600.16	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CJ
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.806338
Longitude:	-95.573555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
25	3 of 3	NNE	2.58 / 13,600.16	CITY OF HOUSTON TX	WUD

St Well No:	6512513
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CI
Date Drilled:	09/03/1969
Well Depth:	452
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INATIVE - PLUGGED
CCN:	P1552
Latitude:	29.806338
Longitude:	-95.573555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
26	1 of 1	W	2.58 / 13,628.92	CITY OF HOUSTON TX	WUD

St Well No:	6511913
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QZ
Date Drilled:	01/00/1975
Well Depth:	1310
Screen Top:	772
Screen Bottom:	1286
Gallons Per Minute:	2000
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.76609993
Longitude:	-95.63375092
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
27	1 of 2	SSW	2.64 / 13,944.17	CITY OF HOUSTON TX	WUD

St Well No:	6520126
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FF
Date Drilled:	08/13/1983
Well Depth:	1340
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2170
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.737717
Longitude:	-95.611433
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
27	2 of 2	SSW	2.64 / 13,944.17	CITY OF HOUSTON TX	WUD

St Well No:	6520103
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FE
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FE
Date Drilled:	05/18/1973
Well Depth:	1300
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2335
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.73772
Longitude:	-95.611427
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
28	1 of 1	SE	2.68 / 14,129.13	CITY OF HOUSTON TX	WUD

St Well No:	6520216
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IP
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IP
Date Drilled:	00/00/1968
Well Depth:	1312
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.74523
Longitude:	-95.55883
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
29	1 of 1	W	2.72 / 14,368.28	CITY OF HOUSTON TX	WUD

St Well No:	6511914
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EV
Date Drilled:	01/16/1976
Well Depth:	1135
Screen Top:	726
Screen Bottom:	1120
Gallons Per Minute:	1181
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.77086067
Longitude:	-95.63656616
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
30	1 of 1	ENE	2.82 / 14,909.70	CITY OF HOUSTON TX	WUD

St Well No:	6512502
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DX
Date Drilled:	07/09/1954
Well Depth:	643
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2100
Water Usage:	INATIVE - PLUGGED
CCN:	P1552
Latitude:	29.795425
Longitude:	-95.552739
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
31	1 of 1	ENE	2.83 / 14,920.35	CITY OF HOUSTON TX	WUD

St Well No:	6512501
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OB
Date Drilled:	
Well Depth:	450
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.797728
Longitude:	-95.553001
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
32	1 of 2	W	2.85 / 15,062.90	CITY OF HOUSTON TX	WUD

St Well No:	6511915
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EY
Date Drilled:	03/22/1977
Well Depth:	995
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.780784
Longitude:	-95.633555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
32	2 of 2	W	2.85 / 15,062.90	CITY OF HOUSTON TX	WUD

St Well No:	6511919
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EX
Date Drilled:	07/14/1971
Well Depth:	716
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.780784
Longitude:	-95.633555
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
33	1 of 1	W	3.00 / 15,835.39	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QY
Date Drilled:	01/00/1975
Well Depth:	1310
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	969
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.767693
Longitude:	-95.641182
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
34	1 of 1	WNW	3.01 / 15,878.53	CITY OF HOUSTON TX	WUD

St Well No:	6511916
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EW
Date Drilled:	10/23/1981
Well Depth:	1170
Screen Top:	674
Screen Bottom:	1154
Gallons Per Minute:	1713
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78225899
Longitude:	-95.63987732
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
35	1 of 1	NNE	3.01 / 15,882.61	CITY OF HOUSTON TX	WUD

St Well No:	6512522
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SH
Date Drilled:	04/06/2000
Well Depth:	1555
Screen Top:	777
Screen Bottom:	1555
Gallons Per Minute:	1520
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.81241944
Longitude:	-95.57283889
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
36	1 of 1	SE	3.18 / 16,775.15	CITY OF HOUSTON TX	WUD

St Well No:	6520208
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013BW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013BW
Date Drilled:	08/04/1960
Well Depth:	751
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	795
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.74085
Longitude:	-95.551942
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
37	1 of 2	E	3.19 / 16,830.60	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512913
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106A
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106A
Date Drilled:	00/00/1960
Well Depth:	1660
Screen Top:	1150
Screen Bottom:	1650
Gallons Per Minute:	420
Water Usage:	INACTIVE - PLUGGED
CCN:	P0509
Latitude:	29.76197572
Longitude:	-95.53947346
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
37	2 of 2	E	3.19 / 16,830.60	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512937
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106D
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106D
Date Drilled:	08/00/1972
Well Depth:	1260
Screen Top:	730
Screen Bottom:	1238
Gallons Per Minute:	1100
Water Usage:	ACTIVE - PERMANENT
CCN:	P0509
Latitude:	29.76178271
Longitude:	-95.53848497
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
38	1 of 2	E	3.21 / 16,937.44	CITY OF HOUSTON TX	WUD

St Well No:	6512903
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NZ
Date Drilled:	00/00/1955
Well Depth:	690
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.774118
Longitude:	-95.541336
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
38	2 of 2	E	3.21 / 16,937.44	CITY OF HOUSTON TX	WUD

St Well No:	6512916
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OA
Date Drilled:	00/00/1963
Well Depth:	750
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.773284
Longitude:	-95.540779
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
39	1 of 1	WNW	3.22 / 16,989.70	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SN
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SN
Date Drilled:	11/10/1983
Well Depth:	1190
Screen Top:	516
Screen Bottom:	1171
Gallons Per Minute:	1050
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.79005
Longitude:	-95.64057778
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
40	1 of 1	NNE	3.25 / 17,173.08	CITY OF HOUSTON TX	WUD

St Well No:	6512518
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AE
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AE
Date Drilled:	09/01/1976
Well Depth:	1545
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.815783
Longitude:	-95.569664
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
41	1 of 1	ESE	3.33 / 17,600.86	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512961
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106C
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106C
Date Drilled:	00/00/1964
Well Depth:	1700
Screen Top:	1180
Screen Bottom:	1680
Gallons Per Minute:	800
Water Usage:	ACTIVE - PERMANENT
CCN:	P0509
Latitude:	29.75912508
Longitude:	-95.53788251
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
42	1 of 2	ENE	3.34 / 17,613.00	CITY OF HOUSTON TX	WUD

St Well No:	6512902
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PX
Date Drilled:	00/00/1958
Well Depth:	740
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.789672
Longitude:	-95.53939
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
42	2 of 2	ENE	3.34 / 17,613.00	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PW
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.789672
Longitude:	-95.53939
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
43	1 of 1	SW	3.36 / 17,755.04	CITY OF HOUSTON TX	WUD

St Well No:	6519305
Operating Status:	ABANDONED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FN
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FN
Date Drilled:	11/21/1968
Well Depth:	1190
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - ABANDONED
CCN:	P1552
Latitude:	29.737453
Longitude:	-95.63106
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
44	1 of 1	WSW	3.47 / 18,334.52	PAULS SEAFOOD & OYSTER BAR TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	MANAGING MEMBER
Primary Co:	TRAVIS MEADOW
PWSID:	1012057
Source ID:	G1012057A
Utility Name:	PAULS SEAFOOD & OYSTER BAR
WTRSRC:	G1012057A
Date Drilled:	00/00/1983
Well Depth:	300
Screen Top:	280
Screen Bottom:	300
Gallons Per Minute:	5
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.75308978
Longitude:	-95.64494796
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
45	1 of 1	ENE	3.54 / 18,689.40	CITY OF HOUSTON TX	WUD

St Well No:	6512601
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PZ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PZ
Date Drilled:	09/14/1956
Well Depth:	642
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.797171
Longitude:	-95.540778
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
46	1 of 3	ESE	3.64 / 19,200.43	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NI
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.752451
Longitude:	-95.537719
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
46	2 of 3	ESE	3.64 / 19,200.43	CITY OF HOUSTON TX	WUD

St Well No:	6512917
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NJ
Date Drilled:	04/00/1963
Well Depth:	493
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE- PLUGGED
CCN:	P1552
Latitude:	29.752451
Longitude:	-95.537719
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
46	3 of 3	ESE	3.64 / 19,200.43	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NH
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.752451
Longitude:	-95.537719
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
47	1 of 3	E	3.64 / 19,210.97	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OU
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OU
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778838
Longitude:	-95.531333
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
47	2 of 3	E	3.64 / 19,210.97	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013KM
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013KM
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778007
Longitude:	-95.530776
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
47	3 of 3	E	3.64 / 19,210.97	CITY OF HOUSTON TX	WUD

St Well No:	6512915
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OV
Date Drilled:	00/00/1954
Well Depth:	606
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.778838
Longitude:	-95.531333
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
48	1 of 1	SSW	3.76 / 19,858.74	CITY OF HOUSTON TX	WUD

St Well No:	6520122
Operating Status:	ABANDONED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FG
Date Drilled:	05/00/1975
Well Depth:	1288
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - ABANDONED
CCN:	P1552
Latitude:	29.72417
Longitude:	-95.62197
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
49	1 of 1	SW	3.81 / 20,103.52	CITY OF HOUSTON TX	WUD

St Well No:	6511804
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SK
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SK
Date Drilled:	02/29/1980
Well Depth:	1641
Screen Top:	610
Screen Bottom:	1626
Gallons Per Minute:	1450
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.7322
Longitude:	-95.635494
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
50	1 of 1	SW	3.82 / 20,173.53	CITY OF HOUSTON TX	WUD

St Well No:	6519322
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FW
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FW
Date Drilled:	10/00/1975
Well Depth:	1066
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	640
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.732019
Longitude:	-95.635597
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
51	1 of 1	NE	3.83 / 20,212.82	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PY
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PY
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.810838
Longitude:	-95.544887
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
52	1 of 1	NNE	3.84 / 20,297.88	CITY OF HOUSTON TX	WUD

St Well No:	6512520
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AF
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AF
Date Drilled:	04/24/1980
Well Depth:	1530
Screen Top:	842
Screen Bottom:	1512
Gallons Per Minute:	1350
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.82445526
Longitude:	-95.57023621
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
53	1 of 1	SW	3.87 / 20,412.08	WEST HARRIS COUNTY MUD 6 TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	ASST VP OPERATIONS
Primary Co:	JAMES COURSEY
PWSID:	1011258
Source ID:	G1011258A
Utility Name:	WEST HARRIS COUNTY MUD 6
WTRSRC:	G1011258A
Date Drilled:	10/10/1979
Well Depth:	1248
Screen Top:	930
Screen Bottom:	1220
Gallons Per Minute:	890
Water Usage:	ACTIVE - PERMANENT
CCN:	P0487
Latitude:	29.726636
Longitude:	-95.629481
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
54	1 of 1	SSW	3.87 / 20,438.88	CITY OF HOUSTON TX	WUD

St Well No:	6520128
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FD
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FD
Date Drilled:	07/05/1985
Well Depth:	1122
Screen Top:	692
Screen Bottom:	1102
Gallons Per Minute:	1850
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.719447
Longitude:	-95.614709
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
55	1 of 1	NE	3.94 / 20,826.05	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PU
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PU
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.816457
Longitude:	-95.550766
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
56	1 of 1	SE	3.96 / 20,933.57	CITY OF HOUSTON TX	WUD

St Well No:	6520309
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QG
Date Drilled:	05/05/1956
Well Depth:	908
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.736619
Longitude:	-95.539108
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
57	1 of 1	SSE	3.98 / 20,999.41	CITY OF HOUSTON TX	WUD

St Well No:	6520226
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DG
Date Drilled:	05/15/1979
Well Depth:	1610
Screen Top:	1144
Screen Bottom:	1600
Gallons Per Minute:	1111
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.7166
Longitude:	-95.572121
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
58	1 of 1	E	4.02 / 21,211.12	CITY OF BUNKER HILL VILLAGE TX	WUD

St Well No:	6512914
Operating Status:	OPERATIONAL
Contact Ti:	CITY ADMINISTRATOR
Primary Co:	GERARDO BARRERA
PWSID:	1010106
Source ID:	G1010106B
Utility Name:	CITY OF BUNKER HILL VILLAGE
WTRSRC:	G1010106B
Date Drilled:	00/00/1960
Well Depth:	1670
Screen Top:	1170
Screen Bottom:	1660
Gallons Per Minute:	675
Water Usage:	ACTIVE - PERMANENT
CCN:	P0509
Latitude:	29.77352269
Longitude:	-95.52452456
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
59	1 of 1	WSW	4.03 / 21,264.92	CITY OF HOUSTON TX	WUD

St Well No:	6519320
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FM
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FM
Date Drilled:	03/00/1985
Well Depth:	1314
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	2000
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.7409
Longitude:	-95.64817
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
60	1 of 1	SSW	4.04 / 21,348.54	CITY OF HOUSTON TX	WUD

St Well No:	6520125
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FC
Date Drilled:	10/06/1982
Well Depth:	1663
Screen Top:	704
Screen Bottom:	1590
Gallons Per Minute:	1330
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.714646
Longitude:	-95.606622
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	1 of 2	NNW	4.05 / 21,379.71	HARRIS COUNTY PCT 3 BEAR CREEK PIO TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011015
Source ID:	G1011015C
Utility Name:	HARRIS COUNTY PCT 3 BEAR CREEK PIO
WTRSRC:	G1011015C
Date Drilled:	09/21/1991
Well Depth:	828
Screen Top:	755
Screen Bottom:	820
Gallons Per Minute:	190
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.82605833
Longitude:	-95.61714444
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
61	2 of 2	NNW	4.05 / 21,379.71	HARRIS COUNTY PCT 3 BEAR CREEK PIO TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011015
Source ID:	G1011015B
Utility Name:	HARRIS COUNTY PCT 3 BEAR CREEK PIO
WTRSRC:	G1011015B
Date Drilled:	
Well Depth:	220
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	N/A
Latitude:	29.826187
Longitude:	-95.620782
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
62	1 of 2	SSW	4.22 / 22,264.60	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RJ
Date Drilled:	08/16/1984
Well Depth:	880
Screen Top:	497
Screen Bottom:	880
Gallons Per Minute:	910
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.717712
Longitude:	-95.624438
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
62	2 of 2	SSW	4.22 / 22,264.60	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013RI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013RI
Date Drilled:	07/07/1980
Well Depth:	1305
Screen Top:	989
Screen Bottom:	1289
Gallons Per Minute:	1100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.717694
Longitude:	-95.624428
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
63	1 of 1	NNE	4.25 / 22,414.68	CITY OF HOUSTON TX	WUD

St Well No:	6512519
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013AG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013AG
Date Drilled:	01/11/1980
Well Depth:	1196
Screen Top:	636
Screen Bottom:	1181
Gallons Per Minute:	440
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.83156586
Longitude:	-95.57411957
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
64	1 of 1	S	4.27 / 22,532.66	CITY OF HOUSTON TX	WUD

St Well No:	6520118
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EG
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EG
Date Drilled:	08/00/1968
Well Depth:	730
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.709675
Longitude:	-95.589669
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
65	1 of 1	ENE	4.31 / 22,782.14	CITY OF HOUSTON TX	WUD

St Well No:	6512605
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013NP
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013NP
Date Drilled:	00/00/1951
Well Depth:	518
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.796895
Longitude:	-95.525496
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
66	1 of 1	W	4.33 / 22,859.81	TEN PLAZA WEST TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	PROPERTY MANAGER
Primary Co:	KAYLYNN ESPINOZA
PWSID:	1011997
Source ID:	G1011997A
Utility Name:	TEN PLAZA WEST
WTRSRC:	G1011997A
Date Drilled:	05/00/1982
Well Depth:	567
Screen Top:	500
Screen Bottom:	562
Gallons Per Minute:	60
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.783655
Longitude:	-95.66211
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
67	1 of 2	ENE	4.34 / 22,931.96	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PT
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PT
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.805783
Longitude:	-95.53411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
67	2 of 2	ENE	4.34 / 22,931.96	CITY OF HOUSTON TX	WUD

St Well No:	6512602
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QA
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QA
Date Drilled:	12/20/1956
Well Depth:	650
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.805783
Longitude:	-95.53411
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
68	1 of 1	SSE	4.38 / 23,114.53	CITY OF HOUSTON TX	WUD

St Well No:	6520224
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013CT
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013CT
Date Drilled:	08/00/1974
Well Depth:	1080
Screen Top:	669
Screen Bottom:	1070
Gallons Per Minute:	1382
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.71022
Longitude:	-95.573158
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
69	1 of 1	SW	4.38 / 23,115.09	HOUSTON DURGA BARI SOCIETY TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	PRESIDENT
Primary Co:	SOOVO SEN
PWSID:	1013150
Source ID:	G1013150A
Utility Name:	HOUSTON DURGA BARI SOCIETY
WTRSRC:	G1013150A
Date Drilled:	06/02/2000
Well Depth:	300
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	20
Water Usage:	ACTIVE - PERMANENT
CCN:	
Latitude:	29.718836
Longitude:	-95.633061
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
70	1 of 1	E	4.40 / 23,233.84	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6513749
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148D
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148D
Date Drilled:	00/00/1983
Well Depth:	1498
Screen Top:	974
Screen Bottom:	1460
Gallons Per Minute:	1239
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.76378632
Longitude:	-95.51872253
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
71	1 of 1	NW	4.40 / 23,255.26	HARRIS COUNTY PCT 3 HOUSTON FARM & TX	WUD

St Well No:	6511603
Operating Status:	OPERATIONAL
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011896
Source ID:	G1011896A
Utility Name:	HARRIS COUNTY PCT 3 HOUSTON FARM &
WTRSRC:	G1011896A
Date Drilled:	09/22/1981
Well Depth:	400
Screen Top:	311
Screen Bottom:	378
Gallons Per Minute:	200
Water Usage:	ACTIVE - PERMANENT
CCN:	N/A
Latitude:	29.8194809
Longitude:	-95.64009857
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
72	1 of 1	W	4.42 / 23,345.80	CITY OF HOUSTON TX	WUD

St Well No:	6511917
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013EM
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013EM
Date Drilled:	05/26/1983
Well Depth:	1286
Screen Top:	633
Screen Bottom:	1266
Gallons Per Minute:	1360
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.78315
Longitude:	-95.663704
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
73	1 of 1	E	4.43 / 23,388.03	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512930
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148C
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148C
Date Drilled:	00/00/1964
Well Depth:	1235
Screen Top:	955
Screen Bottom:	1232
Gallons Per Minute:	1681
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.78251457
Longitude:	-95.51960754
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
74	1 of 1	SSW	4.47 / 23,604.83	CITY OF HOUSTON TX	WUD

St Well No:	6520127
Operating Status:	EMERGENCY
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FK
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FK
Date Drilled:	09/01/1982
Well Depth:	1385
Screen Top:	683
Screen Bottom:	1370
Gallons Per Minute:	2285
Water Usage:	ACTIVE - EMERGENCY
CCN:	P1552
Latitude:	29.711978
Longitude:	-95.620136
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
75	1 of 1	NNW	4.53 / 23,934.22	HARRIS COUNTY PCT 3 BEAR CREEK PIO TX	WUD

St Well No:	6511601
Operating Status:	PLUGGED
Contact Ti:	OPERATOR
Primary Co:	MARK POWERS
PWSID:	1011015
Source ID:	G1011015A
Utility Name:	HARRIS COUNTY PCT 3 BEAR CREEK PIONEERS
WTRSRC:	G1011015A
Date Drilled:	
Well Depth:	303
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	N/A
Latitude:	29.830227
Longitude:	-95.626612
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
76	1 of 1	SE	4.54 / 23,987.20	CITY OF HOUSTON TX	WUD

St Well No:	6520310
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013QH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013QH
Date Drilled:	01/02/1957
Well Depth:	887
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.723842
Longitude:	-95.53939
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
77	1 of 1	SE	4.55 / 24,019.78	CITY OF HOUSTON TX	WUD

St Well No:	6520322
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013IV
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013IV
Date Drilled:	00/00/1976
Well Depth:	1535
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.723842
Longitude:	-95.536056
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
78	1 of 2	ENE	4.68 / 24,692.24	CITY OF SPRING VALLEY VILLAGE TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	JASMIN TORRES
PWSID:	1010214
Source ID:	G1010214B
Utility Name:	CITY OF SPRING VALLEY VILLAGE
WTRSRC:	G1010214B
Date Drilled:	09/09/1981
Well Depth:	1200
Screen Top:	725
Screen Bottom:	1185
Gallons Per Minute:	800
Water Usage:	ACTIVE - PERMANENT
CCN:	P0523
Latitude:	29.78763144
Longitude:	-95.51565308
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
78	2 of 2	ENE	4.68 / 24,692.24	CITY OF SPRING VALLEY VILLAGE TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	JASMIN TORRES
PWSID:	1010214
Source ID:	G1010214A
Utility Name:	CITY OF SPRING VALLEY VILLAGE
WTRSRC:	G1010214A
Date Drilled:	00/00/1978
Well Depth:	650
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	55
Water Usage:	INACTIVE - PLUGGED
CCN:	P0523
Latitude:	29.787645
Longitude:	-95.515671
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
79	1 of 1	WSW	4.71 / 24,854.98	CITY OF HOUSTON TX	WUD

St Well No:	6519317
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FH
Date Drilled:	00/00/1981
Well Depth:	800
Screen Top:	472
Screen Bottom:	800
Gallons Per Minute:	545
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.73196
Longitude:	-95.654922
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
80	1 of 1	WNW	4.82 / 25,424.17	CITY OF HOUSTON TX	WUD

St Well No:	6511803
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SJ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SJ
Date Drilled:	01/15/1974
Well Depth:	1394
Screen Top:	616
Screen Bottom:	1384
Gallons Per Minute:	1181
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.787419
Longitude:	-95.669386
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
81	1 of 1	WNW	4.82 / 25,455.10	CITY OF HOUSTON TX	WUD

St Well No:	6511920
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013SL
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013SL
Date Drilled:	07/07/1993
Well Depth:	1238
Screen Top:	732
Screen Bottom:	1216
Gallons Per Minute:	1410
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.788153
Longitude:	-95.669289
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
82	1 of 1	SW	4.83 / 25,521.14	CITY OF HOUSTON TX	WUD

St Well No:	6519319
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FI
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FI
Date Drilled:	02/11/1982
Well Depth:	1420
Screen Top:	606
Screen Bottom:	1402
Gallons Per Minute:	1050
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.725691
Longitude:	-95.651932
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
83	1 of 1	WNW	4.86 / 25,643.35	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013TH
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013TH
Date Drilled:	05/01/2015
Well Depth:	533
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	812
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.787778
Longitude:	-95.67
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
84	1 of 1	E	4.86 / 25,677.25	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512939
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148E
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148E
Date Drilled:	02/00/1981
Well Depth:	1620
Screen Top:	810
Screen Bottom:	1610
Gallons Per Minute:	1846
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.76623726
Longitude:	-95.51065826
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
85	1 of 1	S	4.92 / 26,002.24	CITY OF HOUSTON TX	WUD

St Well No:	6520512
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DC
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DC
Date Drilled:	11/00/1968
Well Depth:	1370
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.700787
Longitude:	-95.581887
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
86	1 of 1	S	4.93 / 26,009.14	CITY OF HOUSTON TX	WUD

St Well No:	6520508
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013DB
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013DB
Date Drilled:	07/12/1965
Well Depth:	825
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.700787
Longitude:	-95.58133
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
87	1 of 1	ENE	4.93 / 26,029.92	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013OX
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013OX
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.800531
Longitude:	-95.518766
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
88	1 of 1	S	4.94 / 26,064.72	CITY OF HOUSTON TX	WUD

St Well No:	6520405
Operating Status:	OPERATIONAL
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013G
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013G
Date Drilled:	05/00/1970
Well Depth:	1630
Screen Top:	640
Screen Bottom:	1620
Gallons Per Minute:	2100
Water Usage:	ACTIVE - PERMANENT
CCN:	P1552
Latitude:	29.70042
Longitude:	-95.598549
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
89	1 of 1	E	4.94 / 26,067.88	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512904
Operating Status:	OPERATIONAL
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148A
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148A
Date Drilled:	01/00/1960
Well Depth:	1570
Screen Top:	940
Screen Bottom:	1555
Gallons Per Minute:	1101
Water Usage:	ACTIVE - PERMANENT
CCN:	P0351
Latitude:	29.78126144
Longitude:	-95.50989532
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
90	1 of 1	E	4.95 / 26,120.64	MEMORIAL VILLAGES WATER AUTHORITY TX	WUD

St Well No:	6512905
Operating Status:	PLUGGED
Contact Ti:	MANAGER
Primary Co:	TREY CANTU
PWSID:	1010148
Source ID:	G1010148B
Utility Name:	MEMORIAL VILLAGES WATER AUTHORITY
WTRSRC:	G1010148B
Date Drilled:	00/00/1960
Well Depth:	1570
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	1100
Water Usage:	INACTIVE - PLUGGED
CCN:	P0351
Latitude:	29.780505
Longitude:	-95.514388
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
91	1 of 1	SSW	4.95 / 26,124.38	CITY OF HOUSTON TX	WUD

St Well No:	6520419
Operating Status:	EMERGENCY
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013FL
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013FL
Date Drilled:	05/20/1985
Well Depth:	1320
Screen Top:	599
Screen Bottom:	1300
Gallons Per Minute:	1978
Water Usage:	ACTIVE - EMERGENCY
CCN:	P1552
Latitude:	29.70463
Longitude:	-95.620758
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
92	1 of 4	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PR
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PR
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803561
Longitude:	-95.517164
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
92	2 of 4	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PP
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PP
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803824
Longitude:	-95.514487
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
92	3 of 4	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	6512606
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PS
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PS
Date Drilled:	00/00/1950
Well Depth:	624
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803561
Longitude:	-95.517165
System Status:	ACTIVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Site	DB
92	4 of 4	ENE	4.97 / 26,247.91	CITY OF HOUSTON TX	WUD

St Well No:	
Operating Status:	PLUGGED
Contact Ti:	CITY SECRETARY
Primary Co:	PAT J. DANIEL
PWSID:	1010013
Source ID:	G1010013PQ
Utility Name:	CITY OF HOUSTON
WTRSRC:	G1010013PQ
Date Drilled:	
Well Depth:	0
Screen Top:	0
Screen Bottom:	0
Gallons Per Minute:	N/A
Water Usage:	INACTIVE - PLUGGED
CCN:	P1552
Latitude:	29.803561
Longitude:	-95.517164
System Status:	ACTIVE

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update.

Federal

State

Water Utility Database: WUD

The Water Utility Database is defined as a collection of data from Texas Water Districts, Public Drinking Water Systems and Water and Sewer Utilities who submit information to the TCEQ. This database is an integrated database designed and developed to replace over 160 stand alone legacy systems representing over 5 million records of the former Texas Water Commission and the Texas Department of Health.

Government Publication Date: Oct 1, 2020

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Appendix R

A listing of each municipality, other than the City of Houston, with a corporate limit within one-half mile of the boundary of the designated property.

No other municipalities have a corporate limit within one-half mile of the boundary of the designated property.

Appendix S

A listing of each municipality, other than the City of Houston, that owns or operates a groundwater supply well within five miles of the boundary of the designated property.

The following municipalities, other than the City of Houston, operate at least one groundwater supply well within five miles of the subject property:

CURRENT OWNER	ADDRESS	CITY	STATE	ZIP
CITY OF HOUSTON	PO BOX 1562	HOUSTON	TX	77251-1562
CITY OF BUNKER HILL	PO BOX 19037	HOUSTON	TX	77224-9037
MEMORIAL VILLAGES WATER AUTHORITY	8955 GAYLORD DR	HOUSTON	TX	77024-2903
CITY OF SPRING VALLEY	1025 CAMPBELL RD	HOUSTON	TX	77055

The above mentioned entities will be provided notice as required by section 361.805 of the Texas Health and Safety Code approximately 30 days prior to the public meeting.

Appendix T

A listing of owners of real property within 2,500 ft. of the boundary of the designated property as indicated by the most recent appraisal district records. Please Note: This requirement may include real property outside the City of Houston. Be sure to include **ALL** properties in the 2,500 ft. boundary. (An accompanying electronic excel file with mailing information should be included with your application). (**Regular Mail**)

Attached is a listing of real property owners within 2,500 feet of designated property boundary. This list is also included as part of Appendix Y. In lieu of a CD or USB, a link will be shared to provide all electronic documents.

Appendix T- Real Property Owner Mailout List

Memorial Kirkwood Shoppping Center

VCP No. 3323

mail_to	mail_addr1	mail_city	mail_state	mail_zip
14201 MEMORIAL DRIVE LLC	14201 MEMORIAL DR	HOUSTON	TX	77079-6701
14340 MEMORIAL DRIVE LLC	14340 MEMORIAL DR STE 400	HOUSTON	TX	77079-6707
1821 TRUST	631 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
225 TEXAS PETROLEUM GROUP LLC	11111 WILCREST GREEN DR STE 100	HOUSTON	TX	77042-4739
44 WEST LLC	1431 WIRT RD UNIT 112	HOUSTON	TX	77055-4916
44 WEST LLC	1431 WIRT RD UNIT #72	HOUSTON	TX	77055-4916
800 COUNTRY PLACE LLC	15915 JAMIE LEE DR	HOUSTON	TX	77095-3763
AAD ROGER	14114 BARRYKNOLL LN	HOUSTON	TX	77079-3217
ABBEY ANTHONY CHAD & TING TING	14023 KIMBERLEY LN	HOUSTON	TX	77079-3232
ABLE CONOVER H TREY III & JEANNIE	302 PATCHESTER DR	HOUSTON	TX	77079-7017
ACEVEDO RICARDO ANTONIO	622 PATCHESTER DR	HOUSTON	TX	77079-5909
ADDICKS BILLY & JENNIFER	13715 ALCHESTER LN	HOUSTON	TX	77079-7010
ADDINGTON NATHANIAL D & KRISTEN M	14115 QUEENSBURY LN	HOUSTON	TX	77079-3228
AGOSTO KATHLEEN & ANDREW	13806 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
ALBERT STEPHEN W & CYNTHIA	615 STONELEIGH DR	HOUSTON	TX	77079-6912
ALDRIDGE JACOB R & ERICA J	14223 APPLE TREE RD	HOUSTON	TX	77079-6601
ALEXANDER WARREN T & ALLISON H	14310 APPLE TREE RD	HOUSTON	TX	77079-6602
ALFORD NINA M	14106 PINEROCK LN	HOUSTON	TX	77079-3225
ALFORD VICTORIA ELIZABETH	13814 WOODTHORPE LN	HOUSTON	TX	77079-5819
ALKARADSHEH AMER	10837 KATY FWY STE 160	HOUSTON	TX	77079-2206
ALMONTE RAYMOND J	800 COUNTRY PLACE DR UNIT 705	HOUSTON	TX	77079-5554
ALMQUIST AARON & JACQUELINE	622 RAINWOOD DR	HOUSTON	TX	77079-6617
ALONSO RICARDO & FANNY	14127 QUEENSBURY LN	HOUSTON	TX	77079-3228
ALPARD JENNIFER K & SCOTT K	13723 TAYLORCREST RD	HOUSTON	TX	77079-5925
ALVARADO LUPE FLORES	14333 MEMORIAL DR APT 38	HOUSTON	TX	77079-6724
ALVAREZ MICHELLE	720 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5583
ANDERSON JUDITH	851 CARLINGFORD LN	HOUSTON	TX	77079-3204
ANDERSON SCOTT & LISA	PO BOX 8451	HORSESHOE BAY	TX	78657-8451
ANDRUS GORDON B VIVIAN	670 W FOREST DR	HOUSTON	TX	77079-6916
ANGEL BRUCE H & ANGELA C	13830 WOODTHORPE LN	HOUSTON	TX	77079-5819
ANGEL PLUS INVESTMENTS LLC	PO BOX 771314	HOUSTON	TX	77215-1314
AQUINO SANDRA PATRICIA	720 COUNTRY PLACE DR UNIT B	HOUSTON	TX	77079-5583
ARELLANO JUAQUIN & NATALIE	14342 BROADGREEN DR	HOUSTON	TX	77079-6605
AREZINA ZDRAVKO & EMILIJA	14031 BARRYKNOLL LN	HOUSTON	TX	77079-3214
ARMSTRONG DONALD G	13823 TAYLORCREST RD	HOUSTON	TX	77079-5814
ARMSTRONG PATRICK G & FARAH G	13910 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
ARMSTRONG RONALD & ROBIN	619 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
ARZYMANOW NICHOLAS & LAUREN S	13807 WOODTHORPE LN	HOUSTON	TX	77079-5818
ASANDER ISABEL S	14118 BARRYKNOLL LN	HOUSTON	TX	77079-3217
ASHORI ALIREZA	15839 FOXGATE RD	HOUSTON	TX	77079-2407
ATKINS GARY M & KALLEEN M	13903 PINEROCK LN	HOUSTON	TX	77079-3318
ATKINSON MARTIN G	14133 CARDINAL LN	HOUSTON	TX	77079-6839
AUFDERMARSH RYAN M	7735 KENSICO RD	HOUSTON	TX	77036-6429

mail_to	mail_addr1	mail_city	mail_state	mail_zip
AURICCHIO LOUIS G II & TIFFANY D	614 WOODBEND LN	HOUSTON	TX	77079-6853
AURORA CUSTOM HOMES LLC	2216 PLEASANT HILL DR	FRIENDSWOOD	TX	77546-2034
AUSTIN GREGORY W	510 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
AWAD SAMI H & AIDA P	1803 ROUND LAKE DR	HOUSTON	TX	77077-5837
AWAD SAMI H & AIDA P	14333 MEMORIAL DR APT 31	HOUSTON	TX	77079-6713
AWAD SAMI H & AIDA P	14333 MEMORIAL DR APT 53	HOUSTON	TX	77079-6716
AWAD SAMI H & AIDA P	14333 MEMORIAL DR APT 86	HOUSTON	TX	77079-6727
AWAN HINA	14333 MEMORIAL DR APT 43	HOUSTON	TX	77079-6714
AZIM MAHNAZ	PO BOX 70322	HOUSTON	TX	77270-0322
BAGHERI COOPER & LAURA	13807 TAYLORCREST RD	HOUSTON	TX	77079-5814
BAHR WILLIAM T & MARCI	766 W FOREST DR	HOUSTON	TX	77079-5809
BAHRAMII ALI	14333 MEMORIAL DR APT 93	HOUSTON	TX	77079-6728
BAKER FRED T	742 COUNTRY PLACE DR UNIT G	HOUSTON	TX	77079-5564
BAKER LEONA F	742 COUNTRY PLACE DR APT D	HOUSTON	TX	77079-5564
BALLAGE ANDREW LEE	14222 BROADGREEN DR	HOUSTON	TX	77079-6603
BANKEHSAZ MORTEZA	14131 KIMBERLEY LN	HOUSTON	TX	77079-3240
BANKS TRE T & CARLA D	319 DUNCASTER DR	HOUSTON	TX	77079-7015
BARKER THEODORE R II	303 PATCHESTER DR	HOUSTON	TX	77079-7017
BARRANCO MARK W & CYNTHIA S	611 STONELEIGH DR	HOUSTON	TX	77079-6912
BARRIENTEZ STEPHANIE	13718 TAYLORCREST RD	HOUSTON	TX	77079-5925
BARRIERE AIMEE & CHRISTOPHER J	14327 BROADGREEN DR	HOUSTON	TX	77079-6604
BARROW LOUIS A III & AMANDA P	14123 BARRYKNOLL LN	HOUSTON	TX	77079-3216
BARRY JOHN J IV & ANN A	14234 CINDYWOOD DR	HOUSTON	TX	77079-6613
BARRY YVONNE N	14118 PINEROCK LN	HOUSTON	TX	77079-3225
BARTLETT WILLIAM W	506 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
BASIRI GHOLAMHOSSEIN	800 COUNTRY PLACE DR # 406	HOUSTON	TX	77079-5548
BATES JON	13911 KIMBERLEY LN	HOUSTON	TX	77079-5803
BATHO MARY M	14030 PINEROCK LN	HOUSTON	TX	77079-3223
BAUGHMAN DON C JR & ANGIE	14124 CARDINAL LN	HOUSTON	TX	77079-6838
BAXA KAREN C	744 COUNTRY PLACE DR APT C	HOUSTON	TX	77079-5596
BAYLESS JACK H	14335 CHADBOURNE DR	HOUSTON	TX	77079-6611
BEAL JOSHUA R	800 COUNTRY PLACE DR UNIT 1006	HOUSTON	TX	77079-5556
BECKHAM JULIA	13827 TAYLORCREST RD	HOUSTON	TX	77079-5814
BEITLER JEFFREY D & JENNIFER L	13914 KIMBERLEY LN	HOUSTON	TX	77079-5804
BELL STEVEN S & DENISE T	13922 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
BELLO MARIA L	800 COUNTRY PLACE DR APT 807	HOUSTON	TX	77079-5555
BENBRAHIM MOHAMMED & BRIGITTE	13731 PEBBLEBROOK DR	HOUSTON	TX	77079-5934
BENEDICT GLORIA B	746 COUNTRY PLACE DR APT C	HOUSTON	TX	77079-5597
BENEI HOLDING COMPANY LLC	13602 BYLAKE CT	HOUSTON	TX	77077-1777
BENES MICHAEL J	510 PATCHESTER DR	HOUSTON	TX	77079-5907
BENTELE RAYMOND E	13831 KIMBERLEY LN	HOUSTON	TX	77079-5801
BERBAIN THOMAS & CHRISTINE	414 RAMBLEWOOD RD	HOUSTON	TX	77079-6901
BEREL-HARROP SARAH E	3047 ERIC LN	DALLAS	TX	75234-6417

mail_to	mail_addr1	mail_city	mail_state	mail_zip
BERGDOLL STEVEN & AMY	14130 KIMBERLEY LN	HOUSTON	TX	77079-3234
BERGERSEN STEVEN R & BARBARA S	14210 CHADBOURNE DR	HOUSTON	TX	77079-6624
BERNSTEIN JASON D & MARY	515 WOODBEND LN	HOUSTON	TX	77079-6852
BETHEA ERIC & ALANA	14210 CAROLCREST DR	HOUSTON	TX	77079-6606
BETHEL DAVID R & JANA W	14207 CINDYWOOD DR	HOUSTON	TX	77079-6613
BETROS AMELIA C	718 COUNTRY PLACE DR APT F	HOUSTON	TX	77079-5536
BETTS MARK & MICHELLE	13802 TAYLORCREST RD	HOUSTON	TX	77079-5815
BEYER KENZE R & DANIEL E	13931 TAYLORCREST RD	HOUSTON	TX	77079-5816
BHATT VIJAYALAKSHMI	14333 MEMORIAL DR APT 48	HOUSTON	TX	77079-6715
BILLINGTON ROBERT W	800 COUNTRY PLACE DR APT 708	HOUSTON	TX	77079-5554
BILLNOSKE CURTIS & KAREN L	14106 WOODTHORPE LN	HOUSTON	TX	77079-3236
BISHOP NICOLETTE H	554 RANCHO BAUER DR	HOUSTON	TX	77079-6820
BISSONETT ROBERT & MORA	14114 KIMBERLEY LN	HOUSTON	TX	77079-3234
BLACK EVAN WETMORE & JEFFREY KEITH	14103 WOODTHORPE LN	HOUSTON	TX	77079-3230
BLACKWOOD FRANK T & DEBORA E	14307 APPLE TREE RD	HOUSTON	TX	77079-6622
BLAIR IAN & AILEEN	14110 WOODTHORPE LN	HOUSTON	TX	77079-3236
BLAKELY NEIL & MARILYN	13727 PERTHSHIRE RD	HOUSTON	TX	77079-5933
BLALOCK SAMMY E & MONA J	13823 WOODTHORPE LN	HOUSTON	TX	77079-5818
BLANCO ANTHONY G	626 RAINWOOD DR	HOUSTON	TX	77079-6617
BLAND THEODORIC C JR & MARY	14219 BROADGREEN DR	HOUSTON	TX	77079-6603
BLANKENSHIP BEN	736 COUNTRY PLACE DR APT D	HOUSTON	TX	77079-5539
BLATTNER RAFAEL & NADJA SCHEIDEMANTEL	14123 CINDYWOOD CIR	HOUSTON	TX	77079-6804
BLAUSEN HOLLY	720 COUNTRY PLACE DR UNIT D	HOUSTON	TX	77079-5583
BLAYLOCK GARRETT S & BECKY A	13718 APPLE TREE RD	HOUSTON	TX	77079-7013
BLEY ILYA	14333 MEMORIAL DR APT 39	HOUSTON	TX	77079-6724
BLUNDELL STEVEN K	13711 TOSCA LN	HOUSTON	TX	77079-7019
BLYTAS GEO C	14323 APPLE TREE RD	HOUSTON	TX	77079-6622
BOAS HANS & KELLEY	14319 BROADGREEN DR	HOUSTON	TX	77079-6604
BOATWRIGHT CHRISTOPHER & SHERRI L	526 W FOREST DR	HOUSTON	TX	77079-6914
BOHRER JOHN L & CAROL A	14219 CAROLCREST DR	HOUSTON	TX	77079-6621
BOLANOS JOSE	14122 QUEENSBURY LN	HOUSTON	TX	77079-3229
BOND KENNETH E	134 BUCKEYE DR	KATY	TX	77450-1506
BONNETE NATHALIE	551 RANCHO BAUER DR	HOUSTON	TX	77079-6819
BOOKER TOMMIE JO	632 RANCHO BAUER DR	HOUSTON	TX	77079-6834
BORGARDS PETER & JOHANNA	14109 CARDINAL LN	HOUSTON	TX	77079-6831
BOSS TEXAS PROPERTIES LLC	800 COUNTRY PL UNIT 1302	HOUSTON	TX	77079-5559
BOYNTON JEFFREY & ROSEMARIE	14220 KELLYWOOD LN	HOUSTON	TX	77079-7410
BRAATOE AMANDA K & ROBERT	637 RANCHO BAUER DR	HOUSTON	TX	77079-6821
BRACKEN ROBERT	712 COUNTRY PLACE DR APT C	HOUSTON	TX	77079-5500
BRADLEY JOHN H	734 COUNTRY PLACE DR APT G	HOUSTON	TX	77079-5590
BRADSHAW DAVID & JENNIFER	411 REGENTVIEW DR	HOUSTON	TX	77079-6906
BRADY MICHAEL M & JEAN	13731 BUTTERFLY LN	HOUSTON	TX	77079-7031
BRAND MATTHEW J & CASSANDRA L	415 RAMBLEWOOD RD	HOUSTON	TX	77079-6925

mail_to	mail_addr1	mail_city	mail_state	mail_zip
BRAND ROBERT	410 REGENTVIEW DR	HOUSTON	TX	77079-6907
BRANIFF NOEL F III	714 COUNTRY PLACE DR APT I	HOUSTON	TX	77079-5535
BRANNON ROBERT DENNIS & HOLLY LYNN	13714 TOSCA LN	HOUSTON	TX	77079-7019
BRASHER JOHN M & REBECCA J SMITH	14115 KIMBERLEY LN	HOUSTON	TX	77079-3240
BRASWELL PHILIP S & CASEY L	13706 ALCHESTER LN	HOUSTON	TX	77079-7010
BREED FAMILY LTD PTNRSHP	7413 WESTVIEW DR	HOUSTON	TX	77055-5100
BRENNAN JOHN P & VALERIE	14318 CHADBOURNE DR	HOUSTON	TX	77079-6612
BREWSTER JOHN & ELAINE	530 REGENTVIEW DR	HOUSTON	TX	77079-6909
BRICKHOUSE PAUL E & ELIZABETH	13923 QUEENSBURY LN	HOUSTON	TX	77079-3322
BRODY MARK DOUGLAS & DIANNE MARIE	13919 PINEROCK LN	HOUSTON	TX	77079-3318
BRONSTAD MORRIS T IV	14007 WOODTHORPE LN	HOUSTON	TX	77079-3235
BROWN JENNY L	14323 CHADBOURNE DR	HOUSTON	TX	77079-6611
BROWN JOSEPH P & NANCY L	14333 MEMORIAL DR APT 54	HOUSTON	TX	77079-6716
BROWN PATRICK D & JAMI P	13710 APPLE TREE RD	HOUSTON	TX	77079-7013
BRYANT ROBERT M & JULIE E	13723 PERTHSHIRE RD	HOUSTON	TX	77079-5933
BUI RYAN & TRANG T	13810 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
BUISSON ANDRE L & DEBORAH	14031 KIMBERLEY LN	HOUSTON	TX	77079-3232
BUNDY THOMAS E & CARENANNE V	13911 WOODTHORPE LN	HOUSTON	TX	77079-5820
BUNTING IVANA & THOMAS	14123 PINEROCK LN	HOUSTON	TX	77079-3224
BURGE FARLEY & DAWN	606 WOODBEND LN	HOUSTON	TX	77079-6853
BURKE DAVID M & MELISSA M	638 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
BURKHART SHELLY SWINBACK	1041 CONRAD SAUER DR	HOUSTON	TX	77043-5201
BUSTILLOS DIEGO J	13907 TAYLORCREST RD	HOUSTON	TX	77079-5816
BUTCHER KAREN W	13926 KIMBERLEY LN	HOUSTON	TX	77079-5804
BUTRUM GRANT B & KELLY N	14139 WOODTHORPE LN	HOUSTON	TX	77079-3230
BUTT MOHAMMAD R R	PO BOX 6449	KATY	TX	77491-6449
BYRD RYAN & COURTNEY	623 W FOREST DR	HOUSTON	TX	77079-6915
BYUN WONSOO	754 W FOREST DR	HOUSTON	TX	77079-5809
CALIVA JEFFREY & MEGAN	13923 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
CALKINS THOMAS & JEANNETTE	14007 PEBBLEBROOK DR	HOUSTON	TX	77079-8701
CALLAIS JOHN & DONA	14310 CHADBOURNE DR	HOUSTON	TX	77079-6612
CAMDEN CHRISTOPHER & ROXANNE	13919 WOODTHORPE LN	HOUSTON	TX	77079-5820
CAMPAGNA CHRISTOPHER & ELIZABETH	538 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
CAMPBELL JOHN W	526 REGENTVIEW DR	HOUSTON	TX	77079-6909
CAMPER DANIEL	763 CARLINGFORD LN	HOUSTON	TX	77079-3242
CANADAY FRANK & ROSIE	14333 MEMORIAL DR APT 78	HOUSTON	TX	77079-6725
CANE MATIAS LISANDRO	615 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
CANNON CLAYTON C & TERESA	13822 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
CANON CHRISTOPHER & CORY	14327 CHADBOURNE DR	HOUSTON	TX	77079-6611
CANSLER HAROLD T & DENISE	14143 WOODTHORPE LN	HOUSTON	TX	77079-3230
CANTU RAMSEY ENGLISH & KIMBERLY	2004 RICKS DR	EAGLE PASS	TX	78852-3337
CAO SHUO	800 COUNTRY PLACE DR UNIT 401	HOUSTON	TX	77079-5547
CARLSON NORMAN R	13707 TOSCA LN	HOUSTON	TX	77079-7019

mail_to	mail_addr1	mail_city	mail_state	mail_zip
CARMINE SARAH AND THOMAS	14307 CINDYWOOD DR	HOUSTON	TX	77079-6614
CARPENTER PATRICK C & AMANDA R	14214 CHADBOURNE DR	HOUSTON	TX	77079-6624
CARR TIMOTHY D & KAREN W	14322 APPLE TREE RD	HOUSTON	TX	77079-6602
CARROLL TILLIE	14333 MEMORIAL DR APT 58	HOUSTON	TX	77079-6717
CARTER DEBRA E	7002 AFTON WOODS DR	HOUSTON	TX	77055-7005
CARY RUTH E	800 COUNTRY PLACE DR APT 1202	HOUSTON	TX	77079-5558
CASSADY TIMOTHY J & VALERIE B	13914 WOODTHORPE LN	HOUSTON	TX	77079-5821
CASSALIA JERAD K	767 CARLINGFORD LN	HOUSTON	TX	77079-3242
CAUTHEN MICHAEL & BRADY	14207 CHADBOURNE DR	HOUSTON	TX	77079-6610
CAVNAR-JOHNSON JOHN	10877 RICHMOND AVE APT 708	HOUSTON	TX	77042-
CENTANNI DAVID S & MELISSA L	651 W FOREST DR	HOUSTON	TX	77079-6915
CERVENY JOHN W & RAQUEL K	777 ELMWOOD AVE APT 210	MIDDLETON	WI	53562-
CESAK BRIAN S	14441 MEMORIAL DR APT 24	HOUSTON	TX	77079-6739
CHAIN ASHLEY E	13919 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
CHAMBERS BRADLEY E & MELISSA R	13810 KIMBERLEY LN	HOUSTON	TX	77079-5802
CHANG WENHSUAN	14127 PINEROCK LN	HOUSTON	TX	77079-3224
CHAO JOSEPH G & KIMMERLY F	13830 PERTHSHIRE RD	HOUSTON	TX	77079-5811
CHAPLINE BRYAN K & BETH E	623 STONELEIGH DR	HOUSTON	TX	77079-6912
CHAPMAN JOHN & GREEN CHARLOTTE	610 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
CHAPMAN RICHARD M & MARTHA	326 PATCHESTER DR	HOUSTON	TX	77079-7017
CHC HOUSTON LLC	2040 BOSTON RD STE 20	WILBRAHAM	MA	01095-1385
CHEN CHAO MING	14027 WOODTHORPE LN	HOUSTON	TX	77079-3235
CHENG ANNA	8911 LADY LAURA LN	RICHMOND	TX	77469-5535
CHESSHER MARK & STEFANI	13926 QUEENSBURY LANE	HOUSTON	TX	77079-3323
CHINCHANKAR VIKRAM L	618 PATCHESTER DR	HOUSTON	TX	77079-5909
CHMILARSKI MARY	730 COUNTRY PLACE DR APT G	HOUSTON	TX	77079-5586
CHO SUNG	736 COUNTRY PLACE DR UNIT C	HOUSTON	TX	77079-5539
CHOE CHONG C & KUN	14007 QUEENSBURY LN	HOUSTON	TX	77079-3226
CHON SU JIN	3806 GLENFIELD SHADOW CT	KATY	TX	77493-3110
CHOU WENDY	14014 QUEENSBURY LN	HOUSTON	TX	77079-3227
CHOW SHIRLEY & JIM	622 STONELEIGH DR	HOUSTON	TX	77079-6912
CHOY SOOK YEE	617 RANCHO BAUER DR	HOUSTON	TX	77079-6821
CHRIST MEMORIAL LUTHERAN	14200 MEMORIAL DR	HOUSTON	TX	77079-6702
CHU LIGUEY	800 COUNTRY PLACE DR UNIT 1206	HOUSTON	TX	77079-5531
CITY OF HOUSTON	PO BOX 1562	HOUSTON	TX	77251-1562
CLARK ALEXANDER	11233 TIERRASANTA BLVD # 31	SAN DIEGO	CA	92124-2800
CLAVIJO ANDRES H	14202 CAROLCREST DR	HOUSTON	TX	77079-6606
CLAYTON DEENA L	14103 CINDYWOOD CIR	HOUSTON	TX	77079-6804
COAD ENTERPRISES LTD	12307 PERTHSHIRE RD	HOUSTON	TX	77024-4102
CODINACH LUIS R	730 COUNTRY PLACE DR APT D	HOUSTON	TX	77079-5584
CODY HARVEY H III	11735 WOOD LN	HOUSTON	TX	77024-5129
COFFMAN SANDRA S	514 PATCHESTER DR	HOUSTON	TX	77079-5907
COHEN KENNETH E & SHERYL M	13918 PINEROCK LN	HOUSTON	TX	77079-3319

mail_to	mail_addr1	mail_city	mail_state	mail_zip
COHEN MATTHEW J	318 DUNCASTER DR	HOUSTON	TX	77079-7015
COLE KENNETH R & CORTNEY R	13730 CAMARA LN	HOUSTON	TX	77079-7004
COLEMAN SKYE & JASON	13711 ALCHESTER LN	HOUSTON	TX	77079-7010
CONNELLY CHERYL L	13915 PERTHSHIRE RD	HOUSTON	TX	77079-5812
COPELAND DAVID E	14019 PEBBLEBROOK DR	HOUSTON	TX	77079-8701
CORCORAN MATTHEW D	13723 PEBBLEBROOK DR	HOUSTON	TX	77079-5934
CORLEY KENNETH O	13930 WOODTHORPE LN	HOUSTON	TX	77079-5821
CORNELL PAUL E & DENISE M	507 W FOREST DR	HOUSTON	TX	77079-6913
COSGROVE ANDREW & GIANNA	13208 LEIGHTON GARDENS DR	HOUSTON	TX	77077-
COSTELLO COURTNEY & MICHAEL	8905 CAMERON MEADOW CIR	SALIDA	CO	81201-1855
COTLOW DAVID P JR & SHARON V	14015 PEBBLEBROOK DR	HOUSTON	TX	77079-8701
CRAGG HARRELL E	13831 PEBBLEBROOK DR	HOUSTON	TX	77079-5805
CRAW PATRICIA A	14333 MEMORIAL DR APT 77	HOUSTON	TX	77079-6725
CRAWFORD CHRISTOPHER R & SEXTON JULIE	13927 WOODTHORPE LN	HOUSTON	TX	77079-5820
CRAWFORD STEPHEN L JR & LAUREN S	14202 CHADBOURNE DR	HOUSTON	TX	77079-6624
CRAWFORD WADE & CHARLOTTE	13907 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
CRESPO RAUL JOSE	6606 MAPLESHADE LN APT 22F	DALLAS	TX	75252-8559
CROCKARD DOUGLAS E	642 W FOREST DR	HOUSTON	TX	77079-6916
CROLEY J COLLIN & ALICIA F	14330 CHADBOURNE DR	HOUSTON	TX	77079-6600
CRONIN ROBERT S & SARA I	14326 APPLE TREE RD	HOUSTON	TX	77079-6602
CROUCH JOSEPH B & SUSAN P	13919 TAYLORCREST RD	HOUSTON	TX	77079-5816
CROWN BUSINESS PARK INC	5701 BINGLE RD STE A1	HOUSTON	TX	77092-2155
CRUISE T J	13902 PERTHSHIRE RD	HOUSTON	TX	77079-5813
CUBANSKI MARY	14122 WOODTHORPE LN	HOUSTON	TX	77079-3236
CUNNINGHAM VICTORIA & JOSHUA	14135 PINEROCK LN	HOUSTON	TX	77079-3224
CUPAIOLI IAN L & SUSIE A	14006 PINEROCK LN	HOUSTON	TX	77079-3223
CURIA CHRISTOPHER R	14006 QUEENSBURY LN	HOUSTON	TX	77079-3227
CURRENT OWNER	641 RANCHO BAUER DR	HOUSTON	TX	77079-6821
CURRENT OWNER	635 RANCHO BAUER DR	HOUSTON	TX	77079-6821
CURRENT OWNER	14123 APPLE TREE RD	HOUSTON	TX	77079-6801
CURRENT OWNER	14136 BLUEBIRD LN	HOUSTON	TX	77079-6836
CURRENT OWNER	14121 APPLE TREE RD	HOUSTON	TX	77079-6801
CURRENT OWNER	14126 BLUEBIRD LN	HOUSTON	TX	77079-6836
CURRENT OWNER	14123 BLUEBIRD LN	HOUSTON	TX	77079
CURRENT OWNER	14137 CARDINAL LN	HOUSTON	TX	77079-6839
CURRENT OWNER	558 RANCHO BAUER DR	HOUSTON	TX	77079-6820
CURRENT OWNER	514 RANCHO BAUER DR	HOUSTON	TX	77079-6820
CURRENT OWNER	615 WHITE WING LN	HOUSTON	TX	77079-6842
CURRENT OWNER	14101 BLUEBIRD LN	HOUSTON	TX	77079-6830
CURRENT OWNER	13911 TAYLORCREST RD	HOUSTON	TX	77079-5816
CURRENT OWNER	13819 TAYLORCREST RD	HOUSTON	TX	77079-5814
CURRENT OWNER	13803 TAYLORCREST RD	HOUSTON	TX	77079-5814
CURRENT OWNER	13803 PEBBLEBROOK DR	HOUSTON	TX	77079-5805

mail_to	mail_addr1	mail_city	mail_state	mail_zip
CURRENT OWNER	13911 PERTHSHIRE RD	HOUSTON	TX	77079-5812
CURRENT OWNER	13827 PERTHSHIRE RD	HOUSTON	TX	77079-5810
CURRENT OWNER	13815 PERTHSHIRE RD	HOUSTON	TX	77079-5810
CURRENT OWNER	13907 WOODTHORPE LN	HOUSTON	TX	77079-5820
CURRENT OWNER	13903 WOODTHORPE LN	HOUSTON	TX	77079-5820
CURRENT OWNER	13810 WOODTHORPE LN	HOUSTON	TX	77079-5819
CURRENT OWNER	611 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
CURRENT OWNER	671 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
CURRENT OWNER	643 W FOREST DR	HOUSTON	TX	77079-6915
CURRENT OWNER	603 W FOREST DR	HOUSTON	TX	77079-6915
CURRENT OWNER	523 W FOREST DR	HOUSTON	TX	77079-6913
CURRENT OWNER	507 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
CURRENT OWNER	402 REGENTVIEW DR	HOUSTON	TX	77079-6907
CURRENT OWNER	14110 CINDYWOOD CIR	HOUSTON	TX	77079-6804
CURRENT OWNER	14118 CINDYWOOD CIR	HOUSTON	TX	77079-6804
CURRENT OWNER	14122 CINDYWOOD CIR	HOUSTON	TX	77079-6804
CURRENT OWNER	14127 CINDYWOOD CIR	HOUSTON	TX	77079-6804
CURRENT OWNER	14018 PEBBLEBROOK DR	HOUSTON	TX	77079-5743
CURRENT OWNER	14011 PEBBLEBROOK DR	HOUSTON	TX	77079-8701
CURRENT OWNER	14214 CINDYWOOD DR	HOUSTON	TX	77079-6613
CURRENT OWNER	14303 CINDYWOOD DR	HOUSTON	TX	77079-6614
CURRENT OWNER	14211 CINDYWOOD DR	HOUSTON	TX	77079-6613
CURRENT OWNER	14053 MEMORIAL DR STE 281	HOUSTON	TX	77079-6826
CURRENT OWNER	14235 CAROLCREST DR	HOUSTON	TX	77079-6621
CURRENT OWNER	204 SUGARBERRY CIRCLE	HOUSTON	TX	77024-7246
CURRENT OWNER	1827 SPARROWS RIDGE	KATY	TX	77450-6697
CURRENT OWNER	14102 QUEENSBURY LN	HOUSTON	TX	77079-3229
CURRENT OWNER	14106 QUEENSBURY LN	HOUSTON	TX	77079-3229
CURRENT OWNER	14118 QUEENSBURY LN	HOUSTON	TX	77079-3229
CURRENT OWNER	14015 WOODTHORPE LN	HOUSTON	TX	77079-3235
CURRENT OWNER	14107 PINEROCK LN	HOUSTON	TX	77079-3224
CURRENT OWNER	14014 KIMBERLEY LN	HOUSTON	TX	77079-3233
CURRENT OWNER	14022 KIMBERLEY LN	HOUSTON	TX	77079-3233
CURRENT OWNER	14102 KIMBERLEY LN	HOUSTON	TX	77079-3234
CURRENT OWNER	14110 KIMBERLY LN	HOUSTON	TX	77079-3234
CURRENT OWNER	14026 PINEROCK LN	HOUSTON	TX	77079-3223
CURRENT OWNER	14034 PINEROCK LN	HOUSTON	TX	77079-3223
CURRENT OWNER	14114 PINEROCK LN	HOUSTON	TX	77079-3225
CURRENT OWNER	2119 MANOR GREEN DRIVE	HOUSTON	TX	77077-6330
CURRENT OWNER	539 REGENTVIEW DR	HOUSTON	TX	77079-6908
CURRENT OWNER	14211 KELLYWOOD LN	HOUSTON	TX	77079-7424
CURRENT OWNER	14216 KELLYWOOD LN	HOUSTON	TX	77079-7410
CURRENT OWNER	14306 CHADBOURNE DR	HOUSTON	TX	77079-6612

mail_to	mail_addr1	mail_city	mail_state	mail_zip
CURRENT OWNER	14346 CHADBOURNE DR	HOUSTON	TX	77079-6600
CURRENT OWNER	14310 BROADGREEN DR	HOUSTON	TX	77079-
CURRENT OWNER	14331 BROADGREEN DR	HOUSTON	TX	77079-6604
CURRENT OWNER	13731 TAYLORCREST RD	HOUSTON	TX	77079-5925
CURRENT OWNER	14027 MEMORIAL DR STE 111	HOUSTON	TX	77079-6826
CURRENT OWNER	711 PATCHESTER DR	HOUSTON	TX	77079-5910
CURRENT OWNER	707 PATCHESTER DR	HOUSTON	TX	77079-5910
CURRENT OWNER	615 PATCHESTER DR	HOUSTON	TX	77079-5908
CURRENT OWNER	13715 CAMARA LN	HOUSTON	TX	77079-7000
CURRENT OWNER	13702 BUTTERFLY LN	HOUSTON	TX	77079-7003
CURRENT OWNER	13727 BUTTERFLY LN	HOUSTON	TX	77079-7031
CURRENT OWNER	13711 BUTTERFLY LN	HOUSTON	TX	77079-7031
CURRENT OWNER	13731 ALCHESTER LN	HOUSTON	TX	77079-7010
CURRENT OWNER	403 YORKCHESTER DR	HOUSTON	TX	77079-7026
CURRENT OWNER	323 DUNCASTER DR	HOUSTON	TX	77079-7015
CURRENT OWNER	800 COUNTRY PLACE DR UNIT 1001	HOUSTON	TX	77079-5529
CURRENT OWNER	11334 CHEVY CHASE DR	HOUSTON	TX	77077-6402
CURRENT OWNER	24010 FLORAGATE DR	SPRING	TX	77373-4941
CURRENT OWNER	1743 PALMETTO PARK DR	KATY	TX	77493-2770
CURRENT OWNER	PO BOX 79949	HOUSTON	TX	77279-8949
CURRENT OWNER	610 WOODBEND LN	HOUSTON	TX	77079-6853
CUSIMANO TRAVIS J & KIMBERLY P	534 REGENTVIEW DR	HOUSTON	TX	77079-6909
DAHER LAUREN J	718 COUNTRY PLACE DR UNIT G	HOUSTON	TX	77079-5536
DANESHAPAJOOH SAID	634 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
DANIEL KENNETH M	13826 WOODTHORPE LN	HOUSTON	TX	77079-5819
DANIEL KEVIN B & REBEKAH L	13911 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
DAO THUY	740 COUNTRY PLACE DR APT F	HOUSTON	TX	77079-5526
DARMSTADT FLORIAN	14126 QUEENSBURY LN	HOUSTON	TX	77079-3229
DAVIS ALICE S	14003 BARRYKNOLL LN	HOUSTON	TX	77079-3214
DAVIS EDWARD ALLEN	14333 MEMORIAL DR APT 40	HOUSTON	TX	77079-6724
DAVIS GEOFFREY T SR & ELLEN S	13902 PINEROCK LN	HOUSTON	TX	77079-3319
DAVIS JOHN F JR & ISABEL D	13710 CAMARA LN	HOUSTON	TX	77079-7004
DAVIS JORDAN & ASHLEIGH	13811 KIMBERLEY LN	HOUSTON	TX	77079-5801
DAVIS KENT G & ROBIN L	14314 CHADBOURNE DR	HOUSTON	TX	77079-6612
DAVIS MARECKA	732 COUNTRY PLACE DR APT B	HOUSTON	TX	77079-5587
DAVIS MATTHEW	14131 WOODTHORPE LN	HOUSTON	TX	77079-3230
DAVIS NATALIYA	623 RANCHO BAUER DR	HOUSTON	TX	77079-6821
DAVIS WILLIAM S & KELLY B	13723 TOSCA LN	HOUSTON	TX	77079-7019
DEHGHANI AKRAM	14333 MEMORIAL DR APT 101	HOUSTON	TX	77079-6732
DEHNERT GEORGINA & AARON	14227 CINDYWOOD DR	HOUSTON	TX	77079-6613
DEJONG KAES D & KIMBERLY A	13827 PEBBLEBROOK DR	HOUSTON	TX	77079-5805
DELACRUZ BILLY JONATAN	800 COUNTRY PLACE DR 404	HOUSTON	TX	77079-5547
DELAGARZA CARLOS & MARTHA	14141 APPLE TREE RD	HOUSTON	TX	77079-6801

mail_to	mail_addr1	mail_city	mail_state	mail_zip
DELAOSA ALFONSO L	800 COUNTRY PLACE DR UNIT 1301	HOUSTON	TX	77079-5559
DENG FENG	14027 BARRYKNOLL LN	HOUSTON	TX	77079-3214
DENMAN CHRISTOPHER	807 CARLINGFORD LN	HOUSTON	TX	77079-3204
DENNEY DAVE & CHARMAINE	13926 PERTHSHIRE RD	HOUSTON	TX	77079-5813
DEPRETER OLIVIA ADAMS	13927 PINEROCK LN	HOUSTON	TX	77079-3318
DESSENS MARK C	14019 BARRYKNOLL LN	HOUSTON	TX	77079-3214
DEUTSCH NICHOLAS NEIL & JENNIFER LYNN	13807 PERTHSHIRE RD	HOUSTON	TX	77079-5810
DEVERE FRANCIS M & JESSICA P	5 BLUESTEM COVE	LITTLE ROCK	AR	72211-4484
DEVINE DAVID J JR & LYNNE	414 REGENTVIEW DR	HOUSTON	TX	77079-6907
DEWITT RYAN P & ELIZABETH G	13806 PERTHSHIRE RD	HOUSTON	TX	77079-5811
DEYSARKAR ASOKE & ARUNIMA	621 WHITE WING LN	HOUSTON	TX	77079-6843
DHRUV YATRA P	14023 WOODTHORPE LN	HOUSTON	TX	77079-3235
DIAL TERRHAN G	14035 PINEROCK LN	HOUSTON	TX	77079-3222
DIAMANDOPOULOS JAMIE	14030 QUEENSBURY LN	HOUSTON	TX	77079-3227
DICKERSON BARRET & BEVERLY	562 RANCHO BAUER DR	HOUSTON	TX	77079-6820
DICKERSON JOHN R & GINA M	635 W FOREST DR	HOUSTON	TX	77079-6915
DICKSON CHAD R & PRISCILLA P	13814 PERTHSHIRE RD	HOUSTON	TX	77079-5811
DIERINGER COLLIN & LINLEY P	13726 APPLE TREE RD	HOUSTON	TX	77079-7013
DIGREGORY EVAN P	14222 CAROLCREST ST	HOUSTON	TX	77079-6606
DINSMORE A F & SHIRLEY A	13927 QUEENSBURY LN	HOUSTON	TX	77079-3322
DM DETTLING FUNERAL DIRECTORS LLC	14094 MEMORIAL DR	HOUSTON	TX	77079-6849
DOBITZ JOHN K & TERRI	658 W FOREST DR	HOUSTON	TX	77079-6916
DONALDSON SCOTT	4219 ELDERWOOD DR	SEABROOK	TX	77586-5006
DONLEY STEVEN & AMY	13927 BARRYKNOLL LN	HOUSTON	TX	77079-3310
DORGAN JAMES Q III & BRANDI L	14223 CHADBOURNE DR	HOUSTON	TX	77079-6610
DORIA RUBEN ALAN	14115 BARRYKNOLL LN	HOUSTON	TX	77079-3216
DRONE JAMES L & CAROLYN W	546 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
DRUECKER MICHAEL D & MARIA T DI TORE	14010 KIMBERLEY LN	HOUSTON	TX	77079-3233
DUBOIS DONN A	14310 CINDYWOOD DR	HOUSTON	TX	77079-6615
DUBOSE JAMES & JESSICA	406 REGENTVIEW DR	HOUSTON	TX	77079-6907
DUCHARME DAVID & LESA	646 W FOREST DR	HOUSTON	TX	77079-6916
DUNN JAMES CLARK & CHELSEY CALDWELL	14002 TAYLORCREST RD	HOUSTON	TX	77079-5744
DUNN PATRICK M & STEPHANIE L	523 WOODBEND LN	HOUSTON	TX	77079-6852
DUNWOODY MARGARET	14130 BLUEBIRD LN	HOUSTON	TX	77079-6836
DURAND DAVID A	315 PATCHESTER DR	HOUSTON	TX	77079-7017
EAGLEBURGER STEPHEN	734 COUNTRY PLACE DR APT A	HOUSTON	TX	77079-5538
EARL MARY L	800 COUNTRY PLACE DR APT 808	HOUSTON	TX	77079-5555
EBERLE JOE E & MARY F	609 RANCHO BAUER DR	HOUSTON	TX	77079-6821
EBNER CLAYTON & NICOLE H	14018 WOODTHORPE LN	HOUSTON	TX	77079-3241
ECHELON REALTY INVESTMENTS LLC	PO BOX 2210	GEORGE WEST	TX	78022-2210
ECKERT EVELINE	800 COUNTRY PLACE DR APT 1201	HOUSTON	TX	77079-5558
EDWARDS WILLIAM T & KATHERINE	601 WHITE WING LN	HOUSTON	TX	77079-6812
EFFIMOFF IGOR	13903 QUEENSBURY LN	HOUSTON	TX	77079-3322

mail_to	mail_addr1	mail_city	mail_state	mail_zip
EHLINGER JEFFRY & KIMBERLY E	14303 BROADGREEN DR	HOUSTON	TX	77079-
EHRING ERIK E & VANESSA	14135 APPLE TREE RD	HOUSTON	TX	77079-6801
EITEL ERIN L	14007 PINEROCK LN	HOUSTON	TX	77079-3222
EKSTROM BEVERLY J & WAYNE	702 W FOREST DR	HOUSTON	TX	77079-5809
ELLIOTT JOE W & ELIZABETH	622 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
ELLIOTT MARY J	734 COUNTRY PLACE DR APT D	HOUSTON	TX	77079-5538
ELLISON AMY G	800 COUNTRY PLACE DR UNIT 1108	HOUSTON	TX	77079-5530
ELLISON GARY E & NANCY N	319 PATCHESTER DR	HOUSTON	TX	77079-7017
ELMER JOHN & MADELINE	631 W FOREST DR	HOUSTON	TX	77079-6915
ELSAYED ADEL S & NADA A	619 RAINWOOD DR	HOUSTON	TX	77079-6620
ENDELMAN WENDY N	14222 CHADBOURNE DR	HOUSTON	TX	77079-6624
ENDERICA IVAN M	615 RANCHO BAUER DR	HOUSTON	TX	77079-6821
ENG RONALD W	14034 WOODTHORPE LN	HOUSTON	TX	77079-3241
ENGELKING DONALD ROBERT & ELIZABETH	605 RANCHO BAUER DR	HOUSTON	TX	77079-6821
ENGLISH KRISTI & FOREST	14035 KIMBERLY LN	HOUSTON	TX	77079-3232
ENSZER WILLIAM K & MICHELLE C	13927 KIMBERLEY LN	HOUSTON	TX	77079-5803
EQUITY TRUST COMPANY	4506 NOBLE SAGE CT	HOUSTON	TX	77059-3595
ESCHBACH KRISTIN & STEPHEN	14214 APPLE TREE RD	HOUSTON	TX	77079-6623
ESPINOZA JOSE I	427 ASHFORD FOREST DR	HOUSTON	TX	77079-6546
ESSARY KATIE L & JORDAN CALHOUN	643 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
ESTATE OF MARTIN CYNTHIA Y	800 COUNTRY PLACE DR APT 908	HOUSTON	TX	77079-5528
ETGEN JOHN T & JENNI A	14114 CAROLCREST CIR	HOUSTON	TX	77079-6803
EUSTICE DAVID & CATHERINE	655 W FOREST DR	HOUSTON	TX	77079-6915
FALLICK EDWARD C	13707 ALCHESTER LN	HOUSTON	TX	77079-7010
FANALE STACY	744 COUNTRY PLACE DR UNIT B	HOUSTON	TX	77079-5596
FANTUZZO JEFFREY & MELISSA	1445 ALEXANDER ST	HOUSTON	TX	77008-3847
FARIDI TOORAJ & ASA	14134 BLUEBIRD LN	HOUSTON	TX	77079-6836
FARMER JOSEFINA	11306 ENDICOTT LN	HOUSTON	TX	77035-2910
FASSETT KAREN V	14114 WOODTHORPE LN	HOUSTON	TX	77079-3236
FAULKENBERRY LAURA	611 RAINWOOD DR	HOUSTON	TX	77079-6620
FEE CHARLES & MARY	519 STONELEIGH DR	HOUSTON	TX	77079-6924
FERGUSON CHAD	14326 CHADBOURNE DR	HOUSTON	TX	77079-6600
FERRARI JOHN C & SUSAN J	514 RAMBLEWOOD DR	HOUSTON	TX	77024-1563
FERREIRA LEONARDO L	13722 BUTTERFLY LN	HOUSTON	TX	77079-7003
FERTITTA DARLENE	800 COUNTRY PLACE DR APT 402	HOUSTON	TX	77079-5547
FINCH ALBERT M T	622 REGENTVIEW DR	HOUSTON	TX	77079-6911
FINKELSHTEYN ISAAK Y & LYUBOV S	800 COUNTRY PLACE DR APT 801	HOUSTON	TX	77079-5527
FLEMING SCOTT M	14122 APPLE TREE RD	HOUSTON	TX	77079-6829
FLOECK CHRISTINA BERG	14022 TAYLORCREST RD	HOUSTON	TX	77079-5744
FLORES VIRGINIA	14333 MEMORIAL DR UNIT 62	HOUSTON	TX	77079-6718
FLYNN STEPHEN S & CHRISTI	314 PATCHESTER DR	HOUSTON	TX	77079-7017
FOLEY ROBERT A	630 W FOREST DR	HOUSTON	TX	77079-6916
FOX CHRISTOPHER E & STEPHANIE H	535 REGENTVIEW DR	HOUSTON	TX	77079-6908

mail_to	mail_addr1	mail_city	mail_state	mail_zip
FOX CRAIG A	13818 PERTHSHIRE RD	HOUSTON	TX	77079-5811
FRANCKAERTS JOHAN	13922 TAYLORCREST RD	HOUSTON	TX	77079-5817
FRANK BETTY	1027 MEMORIAL VILLAGE DR	HOUSTON	TX	77024-4454
FRANKLIN LAUREL	720 COUNTRY PLACE DR APT F	HOUSTON	TX	77079-5583
FRANKNECHT K J	13914 TAYLORCREST RD	HOUSTON	TX	77079-5817
FREDSTROM MICHELLE N & ERIC C	13702 CAMARA LN	HOUSTON	TX	77079-7004
FROST DONALD R & LAURA A	14014 PERTHSHIRE RD	HOUSTON	TX	77079-5704
FRY TODD & ERIN	14203 BROADGREEN DR	HOUSTON	TX	77079-6603
FULLER ROBERT T & CHEEYEN	13723 CAMARA LN	HOUSTON	TX	77079-7000
GAGE JASON H	614 W FOREST DR	HOUSTON	TX	77079-6916
GAGNON JOSEPH W & DARCY M	610 PATCHESTER DR	HOUSTON	TX	77079-5909
GAGNON PETER & LISA	511 WOODBEND LN	HOUSTON	TX	77079-6852
GALIMORE DEVIN L & TRACY R	14206 CAROLCREST DR	HOUSTON	TX	77079-6606
GALINDO VERA ELVIA R	722 COUNTRY PLACE DR APT 1	HOUSTON	TX	77079-5537
GALLAGHER CLIFTON R	510 WOODBEND LN	HOUSTON	TX	77079-6851
GALLOP JEREMY B	14110 PINEROCK LN	HOUSTON	TX	77079-3225
GALVEZ VICTOR M JR	728 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5501
GALVIN SUSAN J	13814 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
GANZ BRETT SELIG & BETH ELLEN	13811 PEBBLEBROOK DR	HOUSTON	TX	77079-5805
GARCIA ANUAR	614 WHITE WING LN	HOUSTON	TX	77079-6840
GARRETT MAX E	515 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
GARRETT PROPERTY GROUP LLC	1322 W VISTAWOOD DR	HOUSTON	TX	77077-3233
GARRETT WILLIAM T & ABBY B	13734 APPLE TREE RD	HOUSTON	TX	77079-7013
GARZA GEORGE D	607 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
GARZA JAVIER & ANGELA	13923 PINEROCK LN	HOUSTON	TX	77079-3318
GASSETT MAURO J	14015 QUEENSBURY LN	HOUSTON	TX	77079-3226
GAULT TRAVIS J	14015 TAYLORCREST RD	HOUSTON	TX	77079-8702
GAVER TAYLOR L & ZACHARY	13931 PINEROCK LN	HOUSTON	TX	77079-3318
GAY CHARLES T & RHONDA L	14207 APPLE TREE RD	HOUSTON	TX	77079-6601
GHAMI REZA & ANGELA	14333 MEMORIAL DR APT 67	HOUSTON	TX	77079-6719
GIBBS DAVID	13935 BARRYKNOLL LN	HOUSTON	TX	77079-3310
GIBLER GLENN E & CARMA J	13727 CAMARA LN	HOUSTON	TX	77079-7000
GIBSON ALLEN D & SHERRIE	14334 CHADBOURNE DR	HOUSTON	TX	77079-6600
GIBSON STEPHEN M & JULIE G	547 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
GIDDINGS JOHN & KELLY	608 RANCHO BAUER DR	HOUSTON	TX	77079-6822
GIL RICARDO	14770 CINDYWOOD DR	HOUSTON	TX	77079-6436
GILL ERIC & PAIGE	13827 WOODTHORPE LN	HOUSTON	TX	77079-5818
GILLIAM DAVID H & MIKYUNG	616 WREN LN	HOUSTON	TX	77079-6814
GILLICK ROY	606 RANCHO BAUER DR	HOUSTON	TX	77079-6822
GILMORE HEDY K	14333 MEMORIAL DR APT 34	HOUSTON	TX	77079-6713
GLENNEY JAMES R & ELIZABETH	13714 APPLE TREE RD	HOUSTON	TX	77079-7013
GOFF GAYE GILBERT	13714 ALCHESTER LN	HOUSTON	TX	77079-7010
GOICOECHEA BERNARD J & MARY A	602 RAMBLEWOOD RD	HOUSTON	TX	77079-6905

mail_to	mail_addr1	mail_city	mail_state	mail_zip
GOLDSTEIN JOEL & NATALIE	14314 CINDYWOOD DR	HOUSTON	TX	77079-6615
GOMEZ WILLIAM	502 WOODBEND LN	HOUSTON	TX	77079-6851
GONZALEZ JESUS A	800 COUNTRY PLACE DR APT 1106	HOUSTON	TX	77079-5557
GONZALEZ KATIE & ANTONIO	13703 TOSCA LN	HOUSTON	TX	77079-7019
GOOD JONATHAN & JOCELYN	13703 CAMARA LN	HOUSTON	TX	77079-7000
GOREN ABE S & DOLLIE	13726 PEBBLEBROOK DR	HOUSTON	TX	77079-5922
GOSS CRAIG C & JANICE	13722 ALCHESTER LN	HOUSTON	TX	77079-7010
GOULDIN WILLIAM W & LORI C	502 W FOREST DR	HOUSTON	TX	77079-6914
GOVE NANCY E	13823 PINEROCK LN	HOUSTON	TX	77079-3316
GRABER ARNOULD	13902 KIMBERLEY LN	HOUSTON	TX	77079-5804
GRAEVE MARK & KELLY	13818 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
GRAHAM KASEY MARIE	800 COUNTRY PLACE # 1107	HOUSTON	TX	77079-5530
GRALLA ARTHUR	13707 CAMARA LN	HOUSTON	TX	77079-7000
GRANDA FERNANDO JR & KAREN	623 PATCHESTER DR	HOUSTON	TX	77079-5908
GRANT JOHN DANIEL	14103 PINEROCK LN	HOUSTON	TX	77079-3224
GRAY JAMES & JESSICA	13715 BUTTERFLY LN	HOUSTON	TX	77079-7031
GREATHOUSE DAN & OPHELIA J	543 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
GREEK BENJAMIN E & LAUREN	13927 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
GREEN WALTER C	13715 TAYLORCREST RD	HOUSTON	TX	77079-5925
GREG AND TRACEY STEWART 2023 TRUST	38 WILLOWEND DR	HOUSTON	TX	77024-7616
GRENIER BEAU	14350 CHADBOURNE DR	HOUSTON	TX	77079-6600
GRIFFIN CHASE B & ERIN D	14338 BROADGREEN DR	HOUSTON	TX	77079-6605
GRIMES SABLE & RUSSELL	14139 APPLE TREE RD	HOUSTON	TX	77079-6801
GROVER BRYSON	14206 CHADBOURNE DR	HOUSTON	TX	77079-6624
GRUBBS JOHN D	14303 APPLE TREE RD	HOUSTON	TX	77079-6622
GRYGAR JOHN DAVID & CAROLYN A	14010 WOODTHORPE LN	HOUSTON	TX	77079-3241
GUADRON MARTIR NOE	20618 MYRTLE RAIN CT	KATY	TX	77449-7165
GUARIGUATA GUILLERMO	556 RANCHO BAUER DR	HOUSTON	TX	77079-6820
GUARIN JUAN	511 PATCHESTER DR	HOUSTON	TX	77079-5906
GUARNIERE DIANA H	13814 KIMBERLEY LN	HOUSTON	TX	77079-5802
GUERRE ROBERT S & KATHRYN B	13730 BUTTERFLY LN	HOUSTON	TX	77079-7003
GUIDERA JOSEPH	13907 KIMBERLEY LN	HOUSTON	TX	77079-5803
GUTHRIE TIMOTHY J II & MINDY	13902 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
GUTIERREZ ERIKA	14119 WOODTHORPE LN	HOUSTON	TX	77079-3230
GUY SAMUEL C	602 REGENTVIEW DR	HOUSTON	TX	77079-6911
HACI MARC & SOPHIE	14011 WOODTHORPE LN	HOUSTON	TX	77079-3235
HADZIMAHMUTOVIC NADA & ZLATKO	716 COUNTRY PLACE DR APT G	HOUSTON	TX	77079-5582
HAEKER ADAM & MICHELLE	563 RANCHO BAUER DR	HOUSTON	TX	77079-6819
HAGEDORN RICHARD & SUSANNA	14227 CAROLCREST DR	HOUSTON	TX	77079-6621
HAGELSTEIN BRYCE & MEAGAN	13918 PERTHSHIRE RD	HOUSTON	TX	77079-5813
HALKYARD JOHN E & HARRIET	14121 CARDINAL LN	HOUSTON	TX	77079-6839
HALL MEGAN M & ERIC R	14206 CINDYWOOD DR	HOUSTON	TX	77079-6613
HALLMARK HARVEY & NGOCDIEM	13726 TOSCA LN	HOUSTON	TX	77079-7019

mail_to	mail_addr1	mail_city	mail_state	mail_zip
HAMBLY ERIC M & MARY A	14111 PINEROCK LN	HOUSTON	TX	77079-3224
HAMIDI SEYEDALIREZA	14333 MEMORIAL DR UNIT 82	HOUSTON	TX	77079-6726
HAN LIPING	13807 KIMBERLEY LN	HOUSTON	TX	77079-5801
HAN PAUL J	1202 SEAGLER RD APT 86	HOUSTON	TX	77042-2070
HANCO REYNALDO J	711 CHELTENHAM DR	KATY	TX	77450-2025
HANEY JAMES SCOTT & LEIGH M	607 STONELEIGH DR	HOUSTON	TX	77079-6912
HANGS SEOW GEOK GAY	14023 BARRYKNOLL LN	HOUSTON	TX	77079-3214
HANNEGAN RICHARD T JR & SARAH K	627 W FOREST DR	HOUSTON	TX	77079-6915
HANNIGAN WILLIAM V JR & KIM	13719 ALCHESTER LN	HOUSTON	TX	77079-7010
HANSEN HENNING	732 COUNTRY PLACE DR APT F	HOUSTON	TX	77079-5587
HANSEN JUDSON D & IRADELL	561 RANCHO BAUER DR	HOUSTON	TX	77079-6819
HANSHAW JEFFREY SCOTT & PATRICIA	521 WHITE WING LN	HOUSTON	TX	77079-6810
HANSZEN KENT M & THERESA	13726 BUTTERFLY LN	HOUSTON	TX	77079-7003
HARE JASON C & KIMBERLY M	631 RANCHO BAUER DR	HOUSTON	TX	77079-6821
HARRINGTON CLINT	13914 QUEENSBURY LN	HOUSTON	TX	77079-3323
HARRIS COUNTY FLOOD CONTROL DISTRICT	9900 NORTHWEST FWY	HOUSTON	TX	77092-8601
HARRIS KATHLEEN LEIGH	21326 PRAIRIE PLAINS	RICHMOND	TX	77406-8258
HARRISON JAMES R & JOAN	13714 TAYLORCREST RD	HOUSTON	TX	77079-5925
HART CHRISTOPHER	720 COUNTRY PLACE UNIT G	HOUSTON	TX	77079-5585
HARTGROVE DONALD S & SAUNDRA	607 WHITE WING LN	HOUSTON	TX	77079-6812
HARTWIG JEAN P & STEVEN C	664 W FOREST DR	HOUSTON	TX	77079-6916
HARTZ DAVID	526 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
HASHMI AHMED	14125 CARDINAL LN	HOUSTON	TX	77079-6839
HATCHER CHRISTOPHER W & SHELLEY L	13802 KIMBERLEY LN	HOUSTON	TX	77079-5802
HATCHER SANDRA	1125 COUNTRY PLACE DR	HOUSTON	TX	77079-4740
HAYNE SARAH M	14122 PINEROCK LN	HOUSTON	TX	77079-3225
HAYS JOSEPH A JR & LILLIE	13727 PEBBLEBROOK DR	HOUSTON	TX	77079-5934
HEBERT DOUGLAS D & PAIGE P	14202 APPLE TREE RD	HOUSTON	TX	77079-6623
HEISE SCOTT	718 COUNTRY PLACE DR APT B	HOUSTON	TX	77079-5536
HELP FOR VICTIMS OF EARTHQUAKE	PO BOX 420301	HOUSTON	TX	77242-0301
HEMMI VERONICA	14035 WOODTHORPE LN	HOUSTON	TX	77079-3235
HENDERSON CHARLES B & VALERIE A	13722 PEBBLEBROOK DR	HOUSTON	TX	77079-5922
HENDERSON LOWELL O & MARGO	306 PATCHESTER DR	HOUSTON	TX	77079-7017
HENG SODA	549 RANCHO BAUER DR	HOUSTON	TX	77079-6819
HENNING JOHN & KRISTIN	14343 CHADBOURNE DR	HOUSTON	TX	77079-6611
HENSLEE CAROL R	800 COUNTRY PLACE DR APT 1303	HOUSTON	TX	77079-5559
HENSLEY MARY ELLEN	14215 APPLE TREE RD	HOUSTON	TX	77079-6601
HERBERT MARY	14215 CHADBOURNE DR	HOUSTON	TX	77079-6610
HERNANDEZ AURORA	716 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5581
HEROD MARK CLINT & LINDSEY ELLSWORTH	658 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
HERPIN ERIC J & ANNE M	13803 WOODTHORPE LN	HOUSTON	TX	77079-5818
HERPIN THOMAS J & STEPHANIE H	13802 PERTHSHIRE RD	HOUSTON	TX	77079-5811
HESSTON RICKY	14333 MEMORIAL DR APT 83	HOUSTON	TX	77079-6726

mail_to	mail_addr1	mail_city	mail_state	mail_zip
HEWITT JEAN ANN	14023 PINEROCK LN	HOUSTON	TX	77079-3222
HICKS ROBERT S & ANNE M	13914 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
HIDALGO JAIRO	14114 QUEENSBURY LN	HOUSTON	TX	77079-3229
HIGGINS JOHN P JR & ANNETTE K	14302 BROADGREEN DR	HOUSTON	TX	77079-6605
HILL CONNOR	734 COUNTRY PLACE DR UNIT H	HOUSTON	TX	77079-5590
HILL NATHANAEL JOSEPH & LEAH HANSON	13826 TAYLORCREST RD	HOUSTON	TX	77079-5815
HIRANI SHABANA S	14002 WOODTHORPE LN	HOUSTON	TX	77079-3241
HIRSCH LEON & SHARON T	14106 CARDINAL LN	HOUSTON	TX	77079-6816
HITCHINS GREG	800 COUNTRY PLACE DR APT 1205	HOUSTON	TX	77079-5531
HO CAM DUC & NU N	5402 ANSDELL CT	HOUSTON	TX	77084-2094
HO CINDY	16834 BETHAN GLEN LN	HOUSTON	TX	77084-2652
HODGE WILLIAM H & GEORGIA	13906 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
HODGES COLBY S & LISA M	13806 WOODTHORPE LN	HOUSTON	TX	77079-5819
HOLCOMB JOHN HENRY & HEIDI VOETTER	13727 ALCHESTER LN	HOUSTON	TX	77079-7010
HOLLIS HELEN B	13831 WOODTHORPE LN	HOUSTON	TX	77079-5818
HOLLOWAY SEAN & MARCIA	13930 TAYLORCREST RD	HOUSTON	TX	77079-5817
HOLMES LAURA C & CHRISTOPHER S	13015 TOSCA LN	HOUSTON	TX	77079-7325
HOUSTON RICHARD A & BETH K	667 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
HRACHOVY WILL J	730 W FOREST DR	HOUSTON	TX	77079-5809
HSU CHUN CHIN	14130 WOODTHORPE LN	HOUSTON	TX	77079-3236
HUANG HONGMEI	1114 SIENNA HILL DR	HOUSTON	TX	77077-2542
HUBLEY HOMES & DEV INC	13915 QUEENSBURY LN	HOUSTON	TX	77079-3322
HUDDLESTON BRYAN & PATRICIA	400 REGENTVIEW DR	HOUSTON	TX	77079-6907
HUFF JORDAN	13822 WOODTHORPE LN	HOUSTON	TX	77079-5819
HUGHES THOMAS S & CHRISTINA N	14119 KIMBERLEY LN	HOUSTON	TX	77079-3240
HUGHEY SCOTT	547 W FOREST DR	HOUSTON	TX	77079-6913
HURLEY ELEANOR	14134 BARRYKNOLL LN	HOUSTON	TX	77079-3217
HUSSAIN IQBAL	13910 KIMBERLEY LN	HOUSTON	TX	77079-5804
HUTCHINS KIMBERLY	855 CARLINGFORD LN	HOUSTON	TX	77079-3204
HYDE KALI	14102 BARRYKNOLL LN	HOUSTON	TX	77079-3217
HYDER SCOTT	13930 PERTHSHIRE RD	HOUSTON	TX	77079-5813
IANNIELLO LIVING TRUST	538 WINTER OAKS DR	HOUSTON	TX	77079-6524
ICKES JOHN D & ANNE M	14211 BROADGREEN DR	HOUSTON	TX	77079-6603
IM MARK	14107 QUEENSBURY LN	HOUSTON	TX	77079-3228
IMAMOVIC JASMINA	730 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5586
IRVIN MARC L & DEBORAH F	630 REGENTVIEW DR	HOUSTON	TX	77079-6911
JACKSON DAVID L	635 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
JACKSON NATHAN M & ANJANA D	14126 APPLE TREE RD	HOUSTON	TX	77079-6829
JACKSON SHELBY & TANNER	714 W FOREST DR	HOUSTON	TX	77079-5809
JACKSON STEVEN H & RANDA H	13819 WOODTHORPE LN	HOUSTON	TX	77079-5818
JAHANIAN ALI	14333 MEMORIAL DR APT 91	HOUSTON	TX	77079-6728
JAIN NIKHIL R RITU	5442 FAIRCREEK LN	KATY	TX	77450-6172
JAKOBSEN ARILD	533 RANCHO BAUER DR	HOUSTON	TX	77079-6819

mail_to	mail_addr1	mail_city	mail_state	mail_zip
JAMES W BRAD & JANET C	606 W FOREST DR	HOUSTON	TX	77079-6916
JAVIDI NATALIE	13914 PERTHSHIRE RD	HOUSTON	TX	77079-5813
JENKINS JAMES R & LAUREN	611 PATCHESTER DR	HOUSTON	TX	77079-5908
JENKINS PAUL & LIBBY	502 PATCHESTER DR	HOUSTON	TX	77079-5907
JICHA FAMILY TRUST	647 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
JIN CHRISTINE W	800 COUNTRY PLACE DR APT 1104	HOUSTON	TX	77079-5557
JOCHETZ WILLIAM W & CHELSEY A	13811 PERTHSHIRE RD	HOUSTON	TX	77079-5810
JOE SWINBANK FAMILY LTD	14120 MEMORIAL DR	HOUSTON	TX	77079-6825
JOHNSON AIMEE C & GARRET D	13827 PINEROCK LN	HOUSTON	TX	77079-3316
JOHNSON BENJAMIN & AMY	13903 PERTHSHIRE RD	HOUSTON	TX	77079-5812
JOHNSON BRETT SCOTT JR & ALISON FAYE	611 WHITE WING LN	HOUSTON	TX	77079-6840
JOHNSON ERIKA Y	800 COUNTRY PLACE DR UNIT 1002	HOUSTON	TX	77079-5529
JOHNSON JEFFREY A	14506 CAROLCREST DR	HOUSTON	TX	77079-6508
JOHNSON LISA	800 COUNTRY PLACE DR APT 1203	HOUSTON	TX	77079-5558
JOHNSON WILLIS A & PATRICIA S	527 W FOREST DR	HOUSTON	TX	77079-6913
JOKER RENTALS SERIES LLC	24514 KINGSLAND BLVD	KATY	TX	77494-3429
JONES CASEY SUZANNE	800 COUNTRY PLACE DR UNIT 1003	HOUSTON	TX	77079-5529
JONES LARRY L	14302 APPLE TREE RD	HOUSTON	TX	77079-6602
JONES LAYNE & NATALIE	14119 CINDYWOOD CIR	HOUSTON	TX	77079-6804
JONES MICHAEL & SHERRY	13815 WOODTHORPE LN	HOUSTON	TX	77079-5818
JONES TRAVIS L & SARAH	14334 BROADGREEN DR	HOUSTON	TX	77079-6605
JONES WADE K & KAREN M	602 STONELEIGH DR	HOUSTON	TX	77079-6912
JORDAN LINDA K	2011 OCEAN DR	CORPUS CHRISTI	TX	78404-1868
JORGENSEN WILLIAM R	14115 CINDYWOOD CIR	HOUSTON	TX	77079-6804
JUAREZ LENIN & VERA	14007 PERTHSHIRE RD	HOUSTON	TX	77079-8700
JUMPER BILLY S	14006 WOODTHORPE LN	HOUSTON	TX	77079-3241
JURICK KEESON	800 COUNTRY PLACE DR APT 1007	HOUSTON	TX	77079-5556
KADANE ADAM ASA & KAREN P	13922 WOODTHORPE LN	HOUSTON	TX	77079-5821
KAHSIN PATRICIA B	718 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5536
KAISER CRAIG M & JANET L	13830 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
KALLUS GEORGE & JENNIFER L	14342 CHADBOURNE DR	HOUSTON	TX	77079-6600
KAMMERLOHR KERRY E	800 COUNTRY PLACE DR UNIT 601	HOUSTON	TX	77079-5551
KANG ALICE E & CASEY M	14124 BLUEBIRD LN	HOUSTON	TX	77079-6836
KAPLAN JAY	PO BOX 56783	HOUSTON	TX	77256-6783
KARSAN DERMIR I & GULGUN	613 RANCHO BAUER DR	HOUSTON	TX	77079-6821
KAZANAS ANDREW	654 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
KB AND HD INVESTMENTS LLC	17202 GLENPATTI DR	HOUSTON	TX	77084-1368
KEERY GILBERT & PATRICIA	14126 CINDYWOOD CIR	HOUSTON	TX	77079-6804
KEFALOS COSMOS D & MARGARET	14102 CINDYWOOD CIR	HOUSTON	TX	77079-6804
KEHO TIMOTHY H & ROSA L	14119 PINEROCK LN	HOUSTON	TX	77079-3224
KEIMIG MICHAEL	13915 PINEROCK LN	HOUSTON	TX	77079-3318
KELLY LAWRENCE M & LORRAINE	601 RANCHO BAUER DR	HOUSTON	TX	77079-6821
KELLY MICHAEL & ELIZABETH	13711 CAMARA LN	HOUSTON	TX	77079-7000

mail_to	mail_addr1	mail_city	mail_state	mail_zip
KENNEDY KATHY L	732 COUNTRY PLACE DR APT A	HOUSTON	TX	77079-5587
KENNEY JOHN J & MARGO L	513 WHITE WING LN	HOUSTON	TX	77079-6810
KESSLER MATTHEW A & ROY A	14333 MEMORIAL DR APT 47	HOUSTON	TX	77079-6715
KHVATKOV VITALI	639 RANCHO BAUER DR	HOUSTON	TX	77079-6821
KIGHT RICHARD I & CATHERINE	647 W FOREST DR	HOUSTON	TX	77079-6915
KIKER MATHEW & KAY	519 W FOREST DR	HOUSTON	TX	77079-6913
KILGORE DUANE D	13914 PINEROCK LN	HOUSTON	TX	77079-3319
KIM CAROL H	762 W FOREST DR	HOUSTON	TX	77079-5809
KIM KWANG J & SUN H	14002 PERTHSHIRE RD	HOUSTON	TX	77079-5704
KIM NOAH	418 MIGNON LN	HOUSTON	TX	77024-4704
KIMMEL STEPHEN D & GEORGIA	13930 KIMBERLEY LN	HOUSTON	TX	77079-5804
KING DONNA L	732 COUNTRY PLACE DR APT G	HOUSTON	TX	77079-5587
KING GEOFF & CATHERINE	14207 KELLYWOOD LN	HOUSTON	TX	77079-7424
KIRK CHARLES J & KERRY L	523 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
KIRK KARENA	611 RANCHO BAUER DR	HOUSTON	TX	77079-6821
KLASING MILTON C & JUDY	602 RANCHO BAUER DR	HOUSTON	TX	77079-6822
KLASING MURPHY	13930 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
KLINGBEIL MARKUS & JENNIFER L	14219 APPLE TREE RD	HOUSTON	TX	77079-6601
KLUPPEL MARK E & ANN M	22911 LODGE MEADOWS DR	KATY	TX	77494-7549
KM MEMORIAL LP	7500 SAN FELIPE ST STE 750	HOUSTON	TX	77063-1789
KNIGHT TOMMY E	518 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
KNOBELSDORF JOHN C II	14103 QUEENSBURY LN	HOUSTON	TX	77079-3228
KNUDDSEN KIMBERLY A	14110 BARRYKNOLL LN	HOUSTON	TX	77079-3217
KOBAYASHI RYO & AYUMI	607 PATCHESTER DR	HOUSTON	TX	77079-5908
KOO STEPHEN N	14014 PINEROCK LANE	HOUSTON	TX	77079-3223
KOSHMAN DR	619 W FOREST DR	HOUSTON	TX	77079-6915
KRANNICH LOUIS T & ROXANNA M	14122 KIMBERLEY LN	HOUSTON	TX	77079-3234
KRAUSE PHYLLIS ESTATE OF	13815 PINEROCK LN	HOUSTON	TX	77079-3316
KRBASHYAN ARNO	14134 PINEROCK LN	HOUSTON	TX	77079-3225
KRISTI RENTAL PROPERTY LLC	12731 TRAIL HOLLOW DR	HOUSTON	TX	77024-4011
KRSTULOVIC-OPARA MELITA &	2 GREYCREST PL	SPRING	TX	77382-1431
KU SU CHIN	14127 WOODTHORPE LN	HOUSTON	TX	77079-3230
KUBALA GREG A & LAURA A	13907 PERTHSHIRE RD	HOUSTON	TX	77079-5812
KUMAR CHANDRAN D	14323 BROADGREEN DR	HOUSTON	TX	77079-6604
KUREK EDWARD	2743 TRIWAY LN	HOUSTON	TX	77043-1831
KWON KI YEOL & SU	14022 WOODTHORPE LN	HOUSTON	TX	77079-3241
LABAUME SCOTT A & ANNE	13807 PINEROCK LN	HOUSTON	TX	77079-3316
LABIOSA SHIRLEY	716 COUNTRY PLACE DR APT D	HOUSTON	TX	77079-5581
LAFFERTY SHAWN W & MARITZA	531 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
LAFLEN ROBERT A	627 STONELEIGH DR	HOUSTON	TX	77079-6912
LAINES FRANCISCO A & BLANCA	14006 KIMBERLEY LN	HOUSTON	TX	77079-3233
LAIRD JEFFREY W & SARAH N	639 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
LAMAY CARON N	659 W FOREST DR	HOUSTON	TX	77079-6915

mail_to	mail_addr1	mail_city	mail_state	mail_zip
LAMBERTON HARRY C III & ANNE M	14331 CHADBOURNE DR	HOUSTON	TX	77079-6611
LANCIONE PAOLA M	14109 BLUEBIRD LN	HOUSTON	TX	77079-6830
LANDRUM JAMES R	14027 KIMBERLEY LN	HOUSTON	TX	77079-3232
LAPINSKI TODD	14203 CHADBOURNE DR	HOUSTON	TX	77079-6610
LARRABEE JONATHAN R & STEPHANIE PAIGE	630 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
LARSEN AARON ROBERT & KRISTIN ELAINE	323 PATCHESTER DR	HOUSTON	TX	77079-7017
LARSEN CHRIS C	800 COUNTRY PLACE DR APT 1005	HOUSTON	TX	77079-5556
LARSEN MICHAEL S & JENNIFER L	531 W FOREST DR	HOUSTON	TX	77079-6913
LASCAUD BENJAMIN & STEPHANIE G J	13703 BUTTERFLY LN	HOUSTON	TX	77079-7031
LATROBE ANYA	13815 KIMBERLEY LN	HOUSTON	TX	77079-5801
LAUDADIO PAUL D II & LINDSAY M	514 W FOREST DR	HOUSTON	TX	77079-6914
LAVENDER SCOTT SCOVELL & MARGARET LEE	618 WOODBEND LN	HOUSTON	TX	77079-6853
LAWLESS JASON & KAREN	13822 TAYLORCREST RD	HOUSTON	TX	77079-5815
LAWRENCE DAVID B & ELIZABETH W	607 REGENTVIEW DR	HOUSTON	TX	77079-6910
LAZAR SUSAN W	14130 BARRYKNOLL LN	HOUSTON	TX	77079-3217
LAZARES DANIA	14333 MEMORIAL DR APT 9	HOUSTON	TX	77079-6722
LBI HOME SOURCE INVESTORS LLC	34 WINDSOR PL	HOUSTON	TX	77055-3900
LE THOMAS D & YVONNE	14011 QUEENSBURY LN	HOUSTON	TX	77079-3226
LE TRI M & NGOC H	14003 WOODTHORPE LN	HOUSTON	TX	77079-
LEA MATTHEW ALEXANDER & CHRISTEN MICHELLE	14133 BLUEBIRD LN	HOUSTON	TX	77243-0757
LEE ANNA W	5206 MAPLE ST	BELLAIRE	TX	77401-4808
LEE JINSEOB	740 COUNTRY PLACE DR APT D	HOUSTON	TX	77079-5526
LEE SAMUEL CHANGHEUP	732 COUNTRY PLACE DR	HOUSTON	TX	77079-5587
LEE WALTER & EILEEN	519 WOODBEND LN	HOUSTON	TX	77079-6852
LEFEUVRE MICHAEL	738 W FOREST DR	HOUSTON	TX	77079-5809
LEFEVRE TAMARA L	13710 TOSCA LN	HOUSTON	TX	77079-7019
LEIBERT RICHARD A & KRISTEN K	13918 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
LEIVA TONYA & ALEJANDRO	13726 TAYLORCREST RD	HOUSTON	TX	77079-5925
LENORMAND OLIVER J	618 WHITE WING LN	HOUSTON	TX	77079-6841
LEWIS JACOB W & LACEY B	14030 KIMBERLEY LN	HOUSTON	TX	77079-3233
LEWIS MATTHEW C & KIMBERLY C	311 DUNCASTER DR	HOUSTON	TX	77079-7015
LEWIS STEVE	14211 CHADBOURNE DR	HOUSTON	TX	77079-6610
LI JING	602 PATCHESTER DR	HOUSTON	TX	77079-5909
LINDSAY ROBERT J	13915 TAYLORCREST RD	HOUSTON	TX	77079-5816
LING ALVIN C & CHENG JANE	14138 CARDINAL LN	HOUSTON	TX	77079-6838
LINK DONNA PURDY	13926 PEBBLEBROOK DR	HOUSTON	TX	77079-5808
LIOU CHIAHUA	2715 WILLIAMS GRANT ST	SUGAR LAND	TX	77479-1318
LIPPOLD NEAL R & ALLENSON ANE	13906 PINEROCK LN	HOUSTON	TX	77079-3319
LIPPOLD RYAN P & SHARIDAN SMITH	602 W FOREST DR	HOUSTON	TX	77079-6916
LITZMAN RONALD & CAROL	14138 BLUEBIRD LN	HOUSTON	TX	77079-6836
LLOYD DARIAN & ROBERT	14128 CARDINAL LN	HOUSTON	TX	77079-6838
LLOYD HAROLD	14333 MEMORIAL DR UNIT 4	HOUSTON	TX	77079-6709
LOGAN GREGG A & MICHELLE C	13919 BARRYKNOLL LN	HOUSTON	TX	77079-3310

mail_to	mail_addr1	mail_city	mail_state	mail_zip
LOHMANN JON M & ANN	13707 BUTTERFLY LN	HOUSTON	TX	77079-7031
LONG THOMAS G & LISA J	13731 PINEROCK LN	HOUSTON	TX	77079-5915
LOONEY RICHARD O & PAMALA S	530 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
LORENTZATOS EVAGELOS F & KAZIA ALEX	13923 WOODTHORPE LN	HOUSTON	TX	77079-5820
LOUSTEAU JEFFREY M & MALLORY B	13831 QUEENSBURY LN	HOUSTON	TX	77079-3320
LOUX STEPHEN L & DEBORAH L	511 W FOREST DR	HOUSTON	TX	77079-6913
LOVIE PETER	14333 MEMORIAL DR APT 70	HOUSTON	TX	77079-6719
LOYD SONJA	800 COUNTRY PLACE DR UNIT 605	HOUSTON	TX	77079-5552
LUCKSINGER JENNIFER RHEA	13931 BARRYKNOLL LN	HOUSTON	TX	77079-3310
LUEDERS DAVID E & KYLE J	522 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
LUNSFORD SUE P	14314 BROADGREEN DR	HOUSTON	TX	77079-6605
LUXWAY THREE LLC	PO BOX 27740	LAS VEGAS	NV	89126-7740
LUZ STEVEN B & BROOKE S	13719 BUTTERFLY LN	HOUSTON	TX	77079-7031
LYNCH TWANDA JOY	14333 MEMORIAL DR UNIT 5	HOUSTON	TX	77079-6709
LYONS INVESTMENT GROUP LLC	PO BOX 19856	HOUSTON	TX	77224-9856
LYSTER IAN M & AMY	14311 BROADGREEN DR	HOUSTON	TX	77079-6604
MABERRY ELIZABETH	13930 QUEENSBURY LN	HOUSTON	TX	77079-3323
MAHMOUD HOSSAM E	800 COUNTRY PLACE DR UNIT 802	HOUSTON	TX	77079-5527
MAIDA JASON & JOIE T	622 WOODBEND LN	HOUSTON	TX	77079-6853
MAJEWSKI JEFFREY T	706 W FOREST DR	HOUSTON	TX	77079-5809
MALIK KAISER & KRISTI	14106 CAROLCREST CIR	HOUSTON	TX	77079-6803
MALIK QAISER	14126 BARRYKNOLL LN	HOUSTON	TX	77079-3217
MALOUF GEORGES A	543 RANCHO BAUER DR	HOUSTON	TX	77079-6819
MALOY DAVID R & MARYAN C	518 PATCHESTER DR	HOUSTON	TX	77079-5907
MANDERY DAVID L & NATALIE N	13926 TAYLORCREST RD	HOUSTON	TX	77079-5817
MANER TYLER KEITH & KELSEY HUGHES	14210 BROADGREEN DR	HOUSTON	TX	77079-6603
MANESS GEORGE L	615 W FOREST DR	HOUSTON	TX	77079-6915
MANHARD HORST D	11602 LAKESIDE PLACE DR	HOUSTON	TX	77077-3216
MANHARD JOSY	11602 LAKESIDE PLACE DR	HOUSTON	TX	77077-3216
MANN MICHELLE	204 E MAIN ST STE B	CROWLEY	TX	76036-2650
MANNING CHET WILLIAM & RACHEL	14002 KIMBERLEY LN	HOUSTON	TX	77079-3233
MANRY ERIC PAUL	13702 ALCHESTER LN	HOUSTON	TX	77079-7010
MANSUR LEONARDO	627 PATCHESTER DR	HOUSTON	TX	77079-5908
MARC & JULIANA ROUTZONG REVOCABLE TRUST	1343 CHIPPENDALE RD	HOUSTON	TX	77018-5257
MARCOUX PHILIP D & JENNA J	13826 PINEROCK LN	HOUSTON	TX	77079-3317
MARQUARDSEN MARY	14110 CAROLCREST CIR	HOUSTON	TX	77079-6803
MARSH HUNTER & MARY	14022 PEBBLEBROOK DR	HOUSTON	TX	77079-5743
MARSHALL ALEXANDER N & CARRIE P	14003 PERTHSHIRE RD	HOUSTON	TX	77079-8700
MARSTON HONGYI	218 W CALIFORNIA AVE	SUNNYVALE	CA	94086-4906
MARTIN DAVID W & JULIE	606 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
MARTINEZ ANGELA DIANE	716 COUNTRY PLACE DR APT F	HOUSTON	TX	77079-5581
MASSAD NICHOLAS JOE & MONICA D	517 WHITE WING LN	HOUSTON	TX	77079-6810
MATHENY REBECCA D	603 PATCHESTER DR	HOUSTON	TX	77079-5908

mail_to	mail_addr1	mail_city	mail_state	mail_zip
MATHER IV THOMAS T & MARIE	14307 CHADBOURNE DR	HOUSTON	TX	77079-6611
MATHEWS JASON	14306 CINDYWOOD DR	HOUSTON	TX	77079-6615
MATLOCK GARY L & MARLUCE F	600 WHITE WING LN	HOUSTON	TX	77079-6813
MATTA RAMEZ Y	14333 MEMORIAL DR APT 75	HOUSTON	TX	77079-6730
MATTHEWS DAVID & ROSINE	703 PATCHESTER DR	HOUSTON	TX	77079-5910
MAUGHON DIANNE M & BOB R	14103 CARDINAL LN	HOUSTON	TX	77079-6831
MAVERGEORGE TIMOTHY	13711 APPLE TREE RD	HOUSTON	TX	77079-7012
MAY HAROLD N	14134 CARDINAL LN	HOUSTON	TX	77079-6838
MAY LAUREN BURGHER	14211 APPLE TREE RD	HOUSTON	TX	77079-6601
MAY LEXINGTON M & PAIGE B	13910 QUEENSBURY LN	HOUSTON	TX	77079-3323
MCASHAN MARK S & LETICIA	14219 CINDYWOOD DR	HOUSTON	TX	77079-6613
MCCARBLE RANDY T	12706 WESTMERE DRIVE	HOUSTON	TX	77077-3816
MCCAY TAYLOR ALLAN & NICOLE MICHELLE	13819 PEBBLEBROOK DR	HOUSTON	TX	77079-5805
MCCLELLAN MICHAEL D & JAMIE WERNLI	14303 CHADBOURNE DR	HOUSTON	TX	77079-6611
MCCLINTOCK SCOTT D & SHANA M	14135 QUEENSBURY LN	HOUSTON	TX	77079-3228
MCCONN ANDREW D & KIRBY W	811 CARLINGFORD LN	HOUSTON	TX	77079-3204
MCCROCKLIN W D & CYNTHIA A	14035 BARRYKNOLL LN	HOUSTON	TX	77079-3214
MCDONALD MARTIN J & CATRIONA	13803 PERTHSHIRE RD	HOUSTON	TX	77079-5810
MCDUFFIE MICHAEL B & KARA B	13902 WOODTHORPE LN	HOUSTON	TX	77079-5821
MCELMOYL SCOTT & SHANNAN	13919 KIMBERLEY LN	HOUSTON	TX	77079-5803
MCEVOY DARBY	14018 PINEROCK LN	HOUSTON	TX	77079-3223
MCGEE ASHLEY & ROBERT	14226 BROADGREEN DR	HOUSTON	TX	77079-6603
MCGIMSEY ARTHUR RAY SR	13907 PINEROCK LN	HOUSTON	TX	77079-3318
MCGINNIS PAMELA JEAN	618 W FOREST DR	HOUSTON	TX	77079-6916
MCGOUGH GRANT	13818 PINE OAK LN	HOUSTON	TX	77079-
MCINROE MICHAEL C & SYLVIA	13831 PERTHSHIRE RD	HOUSTON	TX	77079-5810
MCKENZIE TAMMIE K	13918 TAYLORCREST RD	HOUSTON	TX	77079-5817
MCKNIGHT KYLE J & LINDSEY M	13931 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
MCLEOD PAT O	14027 PINEROCK LN	HOUSTON	TX	77079-3222
MCMAHON KEVIN ANDREW & JULIE BROWN	411 RAMBLEWOOD RD	HOUSTON	TX	77079-6925
MCMEANS CHRISTOPHER M & LINDSAY N	13823 PEBBLEBROOK DR	HOUSTON	TX	77079-5805
MCMICHAEL DOUGLAS & MICHELLE	315 DUNCASTER DR	HOUSTON	TX	77079-7015
MCNAB SCOTT E	14215 BROADGREEN DR	HOUSTON	TX	77079-6603
MCNEE JOHN A & MIRANDA	758 W FOREST DR	HOUSTON	TX	77079-5809
MCNEILL TOM P III	607 RAINWOOD DR	HOUSTON	TX	77079-6620
MCQUEEN MICHAEL TYLER	13802 WOODTHORPE LN	HOUSTON	TX	77079-5819
MCREYNOLDS LINDA J	13806 TAYLORCREST RD	HOUSTON	TX	77079-5815
MEDINA DIEGO & MARIA SOFIA MIGUELIZ DE	519 PATCHESTER DR	HOUSTON	TX	77079-5906
MEDINA REY A & CELESTE F	13823 PERTHSHIRE RD	HOUSTON	TX	77079-5810
MEIER MARNA J	732 COUNTRY PLACE DR APT C	HOUSTON	TX	77079-5587
MEJIA SARA M	13910 WOODTHORPE LN	HOUSTON	TX	77079-5821
MELNIK BARBARA J	722 COUNTRY PLACE DR APT B	HOUSTON	TX	77079-5537
MEMORIAL PRIVATE ACADEMY LP	14333 FERN DR	HOUSTON	TX	77079-5603

mail_to	mail_addr1	mail_city	mail_state	mail_zip
MEMORIAL WEST COMMUNITY CLUB	PO BOX 219320	HOUSTON	TX	77218-9320
MEMORIAL WEST UTIL	CORP DIST OF HARRIS COUNTY	HOUSTON	TX	77024-
MENDELOFF MILES H & MELISSA	14102 PINEROCK LN	HOUSTON	TX	77079-3225
MERKEL DAVID	525 WHITE WING LN	HOUSTON	TX	77079-6810
MERTZ DAVID & LAURA B	14019 TAYLORCREST RD	HOUSTON	TX	77079-8702
MESA LUISA F	14333 MEMORIAL DR UNIT 102	HOUSTON	TX	77079-6732
MIDDLETON DANNY	14132 BLUEBIRD LN	HOUSTON	TX	77079-6836
MILLER ANDREW & MALLORY	14018 KIMBERLEY LN	HOUSTON	TX	77079-
MILLER DAVID G & JENNIFER B	330 PATCHESTER DR	HOUSTON	TX	77079-7017
MILLER JAMES	14231 CAROLCREST DR	HOUSTON	TX	77079-6621
MILLER JAMES A	13706 TOSCA LN	HOUSTON	TX	77079-7019
MILLER JASON T & NICOLE J	13807 PEBBLEBROOK DR	HOUSTON	TX	77079-5805
MILLER LAURENCE & KRISTI S	13903 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
MILLER LYNN	14228 KELLYWOOD LN	HOUSTON	TX	77079-7410
MILLER SCOTT P & ASHLEY D	13818 KIMBERLEY LN	HOUSTON	TX	77079-5802
MILLIGAN JAMES A JR	800 COUNTRY PLACE DR UNIT 706	HOUSTON	TX	77079-5554
MIRALLES ARMANDO	14333 MEMORIAL DR APT 25	HOUSTON	TX	77079-6711
MIRZA MUNIR & FABIOLA	14023 TAYLORCREST DR	HOUSTON	TX	77079-8702
MITCHELL CLIVE & CYNTHIA	14023 QUEENSBURY LN	HOUSTON	TX	77079-3226
MITCHELL MEADE J	14126 PINEROCK LN	HOUSTON	TX	77079-3225
MITICO CAPITAL LLC	10102 CANDLEWOOD DR	HOUSTON	TX	77042-1518
MJT MEMORIAL	5714 STAR LANE	HOUSTON	TX	77057-7114
MOEN ERIC PATRICK & AMY	14015 KIMBERLEY LN	HOUSTON	TX	77079-3232
MOGYORODI GYORGY & MARIA T	742 COUNTRY PLACE DR APT H	HOUSTON	TX	77079-5565
MOHLE THEODORE W III	13714 CAMARA LN	HOUSTON	TX	77079-7004
MONACHELLI FRANK & ASHLEY	13918 QUEENSBURY LN	HOUSTON	TX	77079-3323
MONTGOMERY HARRISON H	14218 BROADGREEN DR	HOUSTON	TX	77079-6603
MONTGOMERY JOHN	736 COUNTRY PLACE DR UNIT F	HOUSTON	TX	77079-5539
MOON MICHAEL J & THUY H	13919 QUEENSBURY LN	HOUSTON	TX	77079-3322
MOORE ELLEN C	800 COUNTRY PLACE DR APT 1209	HOUSTON	TX	77079-5531
MOORE-THOMAS MAALIKA E	736 COUNTRY PLACE DR UNIT I	HOUSTON	TX	77079-5539
MORA ERIC & SIDNIE	14007 TAYLORCREST RD	HOUSTON	TX	77079-8702
MORGAN HARDIE W & ANDREA Z	606 REGENTVIEW DR	HOUSTON	TX	77079-6911
MORRISON DONALD J & SILVIA	515 PATCHESTER DR	HOUSTON	TX	77079-5906
MORRISSETT STEPHEN M	14223 CINDYWOOD DR	HOUSTON	TX	77079-6613
MOSBY LANCE J & HOLLY H	13903 TAYLORCREST RD	HOUSTON	TX	77079-5816
MOWELL ROGER W & JERROL K	13915 PEBBLEBROOK DR	HOUSTON	TX	77079-5807
MRO VENTURES LP	1173 BRITTMOORE RD	HOUSTON	TX	77043-5003
MULLINS CHRISTOPHER B & CRISTINE	555 RANCHO BAUER DR	HOUSTON	TX	77079-6819
MURAS CHRIS & TRACY	606 PATCHESTER DR	HOUSTON	TX	77079-5909
MURY SCOTT F & JENNIFER R	13730 APPLE TREE RD	HOUSTON	TX	77079-7013
MUSTACCHIA JOSEPH III & PATRICIA A	14202 CINDYWOOD DR	HOUSTON	TX	77079-6613
NARRO MARK & VERONICA	623 RAINWOOD DR	HOUSTON	TX	77079-6620

mail_to	mail_addr1	mail_city	mail_state	mail_zip
NASSAR NARIMAN	722 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5537
NAUMANN STEVEN D & NANCY	539 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
NEAL LOIS ELLIOTT	411 YORKCHESTER DR	HOUSTON	TX	77079-7026
NEAL PATRICIA	14034 BARRYKNOLL LN	HOUSTON	TX	77079-3215
NEEDHAM CLARK & ALLISON	13910 PINEROCK LN	HOUSTON	TX	77079-3319
NELSON DAVID & MELINDA	14230 CINDYWOOD DR	HOUSTON	TX	77079-6613
NELSON DOUGLAS F	13826 PERTHSHIRE RD	HOUSTON	TX	77079-5811
NELSON KURT A & GEORGIA L	14130 CARDINAL LN	HOUSTON	TX	77079-6838
NEUMANN JACOB D & CATHERINE	14118 APPLE TREE RD	HOUSTON	TX	77079-6829
NEVILLE EDWARD J	14223 BROADGREEN DR	HOUSTON	TX	77079-6603
NEWCOMB COLLEEN	13706 BUTTERFLY LN	HOUSTON	TX	77079-7003
NEWELL BENJAMIN E & HAYLEY A	619 PATCHESTER DR	HOUSTON	TX	77079-5908
NEWSOM FLOYD L	11900 BARRYKNOLL LN APT 1312	HOUSTON	TX	77024-4321
NEZAMI PIRUZ L & NAHID	14022 BARRYKNOLL LN	HOUSTON	TX	77079-3215
NGUYEN BAO X & MARIE	20702 FLAGMORE CT	KATY	TX	77450-4232
NGUYEN BIEU THE	14126 CARDINAL LN	HOUSTON	TX	77079-6838
NGUYEN DU T	14103 KIMBERLEY LN	HOUSTON	TX	77079-3240
NGUYEN DUNG N	4103 ELI ST	HOUSTON	TX	77007-3523
NGUYEN KINH H & TU A	14003 PINEROCK LN	HOUSTON	TX	77079-3222
NGUYEN NGOC	800 COUNTRY PLACE DR APT 904	HOUSTON	TX	77079-5528
NGUYEN PHONG T	14019 PINEROCK LN	HOUSTON	TX	77079-3222
NGUYEN PHUONG D	14333 MEMORIAL DR APT 95	HOUSTON	TX	77079-6728
NICHOLAS ROBERT C & ERIN M	13727 TOSCA LN	HOUSTON	TX	77079-7019
NICHOLS GAYLYNN	14123 QUEENSBURY LN	HOUSTON	TX	77079-3228
NICKOLAS MATTHEW & ERIN	13722 TOSCA LN	HOUSTON	TX	77079-7019
NICOL KENNETH	714 COUNTRY PLACE DR UNIT E	HOUSTON	TX	77079-5535
NIEMUTH TERRY A	742 COUNTRY PLACE DR APT C	HOUSTON	TX	77079-5564
NIKBAKHT ALI	547 RANCHO BAUER DR	HOUSTON	TX	77079-6819
NISU DONG	14118 KIMBERLEY LN	HOUSTON	TX	77079-3234
NITCHOLAS MARK	14127 BLUEBIRD LN	HOUSTON	TX	77079-6837
NIXON BRETT & KATE J	655 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
NIXON RONALD T & VIRGINIA R	502 REGENTVIEW DRIVE	HOUSTON	TX	77079-6909
NOBLE WILMA R	307 DUNCASTER DR	HOUSTON	TX	77079-7015
NOCELLA ANTHONY J & RUTH	650 W FOREST DR	HOUSTON	TX	77079-6916
NOEL ANN S	543 REGENTVIEW DR	HOUSTON	TX	77079-6908
NOEL EDMUND ODEN	13922 PINEROCK LN	HOUSTON	TX	77079-3319
NOEL EDMUND ORR & PATRICE	405 REGENTVIEW DR	HOUSTON	TX	77079-6906
NOEL ROBERT W & CARRIE C	603 STONELEIGH DR	HOUSTON	TX	77079-6912
NOMURA KRISTIN A & JEFFREY G	607 W FOREST DR	HOUSTON	TX	77079-6915
NORRIS DONNA J	14333 MEMORIAL DR APT 12	HOUSTON	TX	77079-6710
NORTJE CHERISH	559 RANCHO BAUER DR	HOUSTON	TX	77079-6819
NOTTINGHAM FOREST TH ASSOC	1029 HIGHWAY 6 N STE 650-282	HOUSTON	TX	77079-1043
NOTTINGHAM WEST CIVIC CLUB INC	12818 WILLOW CENTRE STE B	HOUSTON	TX	77066-3039

mail_to	mail_addr1	mail_city	mail_state	mail_zip
NOURI FARIBA B	553 RANCHO BAUER DR	HOUSTON	TX	77079-6819
NUNN GREGORY A & DESHA A	726 W FOREST DR	HOUSTON	TX	77079-5809
OBALA ATIENO D	726 COUNTRY PLACE DR	HOUSTON	TX	77079-5588
OCONOR DARREN C & LINDSEY N	14202 BROADGREEN DR	HOUSTON	TX	77079-6603
ODONNELL JAMES & LAURA	13810 PERTHSHIRE RD	HOUSTON	TX	77079-5811
OEHLER J H & DOROTHY	13831 PINEROCK LN	HOUSTON	TX	77079-3316
OIDTMANN TOBIE	567 RANCHO BAUER DR	HOUSTON	TX	77079-6819
OLANDER GARY	311 ROYALE HEIGHTS LN	HOUSTON	TX	77024-1566
OLDS NICHOLAS	13918 KIMBERLEY LN	HOUSTON	TX	77079-5804
OMEARA JOHN M & ALICE S	14758 CINDYWOOD DR	HOUSTON	TX	77079-6410
ONG MEAGAN & JUSTIN	14106 CINDYWOOD CIR	HOUSTON	TX	77079-6804
ORELLANA RENAN A & CORINA D	13902 TAYLORCREST RD	HOUSTON	TX	77079-5817
OROPEZA FRANK	800 COUNTRY PLACE DR UNIT 702	HOUSTON	TX	77079-5553
ORTEGA ROGER	14102 BLUEBIRD LN	HOUSTON	TX	77079-6815
ORTIZ PATRICK & AMANDA	527 PATCHESTER DR	HOUSTON	TX	77079-5906
OSBORN JAMES G & REBECCA G	503 STONELEIGH DR	HOUSTON	TX	77079-6924
OSTEEN BRYAN J & LACEE B	13734 BUTTERFLY LN	HOUSTON	TX	77079-7003
OVERBERGEN TODD A & RHONDA A	13707 APPLE TREE RD	HOUSTON	TX	77079-7012
OWEN THOMAS E	13826 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
OWNES CHARLES H IV	633 RANCHO BAUER DR	HOUSTON	TX	77079-6821
PALACIOS MARIA LUISA	14333 MEMORIAL DR APT 92	HOUSTON	TX	77079-6728
PALMISANO ROBT T	14319 APPLE TREE RD	HOUSTON	TX	77079-6622
PANACCIONE GENIE S	542 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
PARDOE SANAE	800 COUNTRY PLACE DR UNIT 1306	HOUSTON	TX	77079-5532
PARKER BARRY E	636 RANCHO BAUER DR	HOUSTON	TX	77079-6834
PARKER JONATHAN E & VIVIAN	530 WOODBEND LN	HOUSTON	TX	77079-6851
PARKISON JESSE & KERRI	646 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
PARRA LUIS & LAURA	14003 PEBBLEBROOK DR	HOUSTON	TX	77079-8701
PATALAKH VALENTYN	714 COUNTRY PLACE DR APT G	HOUSTON	TX	77079-5535
PATEL SHALIN & JENNA	13830 KIMBERLEY LN	HOUSTON	TX	77079-5802
PAULSEN BETH M	2018 WILD DUNES CIR	KATY	TX	77450-8690
PEDREIRA FABIO R	800 COUNTRY PLACE DR UNIT 1307	HOUSTON	TX	77079-5532
PEDROSA CARLOS P	716 COUNTRY PLACE DR APT B	HOUSTON	TX	77079-5581
PENA SANTIAGO L SR	14130 QUEENSBURY LN	HOUSTON	TX	77079-3229
PENCE ALAN M & KATHERINE J	522 PATCHESTER DR	HOUSTON	TX	77079-5907
PENG XIAOYUN	14122 WITHERSDALE DR	HOUSTON	TX	77077-1434
PEPPARD BRET T	14022 QUEENSBURY LN	HOUSTON	TX	77079-3227
PEREGO CHRISTOPHER LEE & LAUREN BEA	535 RANCHO BAUER DR	HOUSTON	TX	77079-6819
PEREIRA JOSE & GRACA	800 COUNTRY PLACE DR APT 1004	HOUSTON	TX	77079-5556
PERERA JAVIER A & STACEY B	800 COUNTRY PLACE DR UNIT 901	HOUSTON	TX	77079-5555
PEREZ PAMELA C & JOHN T	13815 TAYLORCREST RD	HOUSTON	TX	77079-5814
PERRY ADAM S & JENNIFER L	13827 QUEENSBURY LN	HOUSTON	TX	77079-3320
PERRY DONALD M ET UX	14214 BROADGREEN DR	HOUSTON	TX	77079-6603

mail_to	mail_addr1	mail_city	mail_state	mail_zip
PERRY RONALD D JR	318 PATCHESTER DR	HOUSTON	TX	77079-7017
PETER KEVIN & MELISSA	310 PATCHESTER DR	HOUSTON	TX	77079-7017
PETERKA JOSEPH III	14002 PINEROCK LN	HOUSTON	TX	77079-3223
PETERNELL-ALTAMIRA LUIS EDUARDO	12685 BRIAR PATCH RD	HOUSTON	TX	77077-2331
PETERS RUSSELL & FATIMA	2015 ARBOR CV	KATY	TX	77494-4594
PETERSON JASON & MADELYN	14203 CINDYWOOD DR	HOUSTON	TX	77079-6613
PEZZIA ALDO & LISA	13718 CAMARA LN	HOUSTON	TX	77079-7004
PFEIFER JEFFREY A	627 RAINWOOD DR	HOUSTON	TX	77079-6620
PHAM VINCENT HUY	14031 WOODTHORPE LN	HOUSTON	TX	77079-3235
PHAN MAI N	800 COUNTRY PLACE DR APT 1008	HOUSTON	TX	77079-5556
PHILLIPS DEREK S & NICOLE M	13706 CAMARA LN	HOUSTON	TX	77079-7004
PHINNEY CHARLES THOMAS & LAUREN	14222 APPLE TREE RD	HOUSTON	TX	77079-6623
PHOENIX ROCK CAPITAL LLC	2203 THICKET RIDGE LN	HOUSTON	TX	77077-2127
PIERATT MARK	541 RANCHO BAUER DR	HOUSTON	TX	77079-6819
PIERCE STEPHEN G & PEI H	14128 APPLE TREE RD	HOUSTON	TX	77079-6829
PIERCY LEANN K	526 PATCHESTER DR	HOUSTON	TX	77079-5907
PINAL JORGE M & IRENE C	14022 PERTHSHIRE RD	HOUSTON	TX	77079-5704
PINE CHRISTOPHER S & LESLIE T	13726 ALCHESTER LN	HOUSTON	TX	77079-6923
PITA MARINA KRAFT	14238 CAROLCREST DR	HOUSTON	TX	77079-6606
PITTENGER MADELINE & STEPHEN	619 STONELEIGH DR	HOUSTON	TX	77079-6912
POLK ANGELEC D	800 COUNTRY PLACE DR APT 1101	HOUSTON	TX	77079-5557
POLLOCK BRUCE C & MARTHA G	619 WHITE WING LN	HOUSTON	TX	77079-6843
POLLVOGT RONALD & POE LORA CHRISTINE	720 COUNTRY PLACE DR APT 1	HOUSTON	TX	77079-8504
POLVOSA PROPERTIES LLC	16523 GAELDOM LN	HOUSTON	TX	77084-3411
POOL JACKSON YOUNG & CATHY V	663 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
PORCHEY ROBERT & JENNIFER	659 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
PORTELA MARIA A	322 PATCHESTER DR	HOUSTON	TX	77079-7017
PORTER JOHN W	13903 KIMBERLEY LN	HOUSTON	TX	77079-5803
PORTER RYAN R & LORI L	PO BOX 19634	HOUSTON	TX	77224-9634
POURAZARM BABAK	14019 WOODTHORPE LN	HOUSTON	TX	77079-3235
POURGHAFFER HAMID & SIMIN	552 RANCHO BAUER DR	HOUSTON	TX	77079-6820
POWELL JOHN & WENDY	14218 CHADBOURNE DR	HOUSTON	TX	77079-6624
PREJEAN ANDREA	14333 MEMORIAL DR UNIT 3	HOUSTON	TX	77079-6709
PRICE FENDY & JARRETT	623 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
PRICE ROBERT A	726 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5563
PRIEMER DUSTIN & JESSICA	14118 WOODTHORPE LN	HOUSTON	TX	77079-3236
PRIETO CECILIA	13906 KIMBERLEY LN	HOUSTON	TX	77079-5804
PROLER RYAN B & MISTY W	13923 PERTHSHIRE RD	HOUSTON	TX	77079-5812
PRUDHOMME THOMAS	13926 PINEROCK LN	HOUSTON	TX	77079-3319
PSYLLOS ILIAS	14011 BARRYKNOLL LN	HOUSTON	TX	77079-3214
QUACKENBUSH KEITH D & MARY	14006 TAYLORCREST RD	HOUSTON	TX	77079-5744
QUALLS JASON J & EMILY K	14207 BROADGREEN DR	HOUSTON	TX	77079-6603
QUIJADA MARIA D	734 COUNTRY PLACE DR APT E	HOUSTON	TX	77079-5538

mail_to	mail_addr1	mail_city	mail_state	mail_zip
RAAMCO RBBC LLC	14027 MEMORIAL DR APT 434	HOUSTON	TX	77079-6826
RADEMAKER SUE E	714 COUNTRY PLACE DR UNIT H	HOUSTON	TX	77079-5535
RADWANSKI STEFAN & CLAIRE M	13731 CAMARA LN	HOUSTON	TX	77079-7000
RAHMAN SUZANNE & IQBAL	13830 PINEROCK LN	HOUSTON	TX	77079-3317
RAIF FAMILY LIVING TRUST	14314 APPLE TREE RD	HOUSTON	TX	77079-6602
RAINS JAMES W & ERIKA H	14018 TAYLORCREST RD	HOUSTON	TX	77079-5744
RAKSHIT RUMA	14333 MEMORIAL DR APT B20	HOUSTON	TX	77079-6743
RAMIREZ VIRGINA	13906 PERTHSHIRE RD	HOUSTON	TX	77079-5813
RAMIREZ YARA S	720 COUNTRY PLACE DR APT C	HOUSTON	TX	77079-5583
RAMPAUL SHERIDAN	PO BOX 759	BELLAIRE	TX	77402-0759
RASTEGAR LARI LLC	3514 CABERNET SHORES DR	FULSHEAR	TX	77441-1919
RAUSCH JOSEPH & LEAH	13723 ALCHESTER LN	HOUSTON	TX	77079-7010
REAY LINDA A	14018 QUEENSBURY LN	HOUSTON	TX	77079-3227
RECTOR CHRISTOPHER RYAN & MEREDITH	13718 ALCHESTER LN	HOUSTON	TX	77079-7010
RED HOME HOLDINGS LLC	14125 MEMORIAL DR	HOUSTON	TX	77079-6859
REEKS MARJORIE	14006 PERTHSHIRE RD	HOUSTON	TX	77079-5704
REID GORDON B	14131 BLUEBIRD LN	HOUSTON	TX	77079-6837
REISTER MATTHEW A & JANIE Y	13922 PERTHSHIRE RD	HOUSTON	TX	77079-5813
RICHARD DONALD T TRUST	800 COUNTRY PLACE DR APT 701	HOUSTON	TX	77079-5553
RICHARD KELLEY	734 W FOREST DR	HOUSTON	TX	77079-5809
RICHARD PAUL K	13915 WOODTHORPE LN	HOUSTON	TX	77079-5820
RICHARDS ANGELA	800 COUNTRY PLACE DR # 1207	HOUSTON	TX	77079-5531
RIEDEL JOHN T & ELIZABETH	606 STONELEIGH DR	HOUSTON	TX	77079-6912
RILLING NANCY E	14119 BARRYKNOLL LN	HOUSTON	TX	77079-3216
RIOS-GALINDO JORGE E	602 WOODBEND LN	HOUSTON	TX	77079-6853
RIVAS MARTHA H	14333 MEMORIAL DR APT 13	HOUSTON	TX	77079-6710
RIVAS MARTHA H	14333 MEMORIAL DR APT 35	HOUSTON	TX	77079-6713
RIZZO GERARD D	14103 CAROLCREST CIR	HOUSTON	TX	77079-6803
ROBERT & STACEY WONG REVOCABLE LIVING TRUST	13726 CAMARA LN	HOUSTON	TX	77079-7004
ROBERTS ALVIS D	13919 PERTHSHIRE RD	HOUSTON	TX	77079-5812
ROBERTSON COLIN JOSEPH & KAREN PIKE	14023 PERTHSHIRE RD	HOUSTON	TX	77079-8700
ROBINSON ROY	800 COUNTRY PLACE DR APT 905	HOUSTON	TX	77079-5528
ROBITAILLE PATRICIA D	13710 BUTTERFLY LN	HOUSTON	TX	77079-7003
ROBL SHANDY E	14215 CAROLCREST DR	HOUSTON	TX	77079-6621
ROBSON MARK C	726 COUNTRY PLACE DR APT I	HOUSTON	TX	77079-5563
RODDY JASON & AMY	546 STONELEIGH DR	HOUSTON	TX	77079-6923
ROGERS GARRETT	14015 BARRYKNOLL LN	HOUSTON	TX	77079-3214
ROLLINS MEGHAN W & JACOB A	13934 QUEENSBURY LN	HOUSTON	TX	77079-3323
ROMBOUTS JOHANNES	668 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
RONAGHY ARASH	722 COUNTRY PLACE DR APT I	HOUSTON	TX	77079-5537
ROSE DANIEL C	14019 KIMBERLEY LN	HOUSTON	TX	77079-3232
ROSENFELD JAY H & BARBARA	13730 TOSCA LN	HOUSTON	TX	77079-7019
ROSS AARON	742 COUNTRY PLACE DR APT F	HOUSTON	TX	77079-5564

mail_to	mail_addr1	mail_city	mail_state	mail_zip
ROSS PATRICK & JACQUELINE	14327 APPLE TREE RD	HOUSTON	TX	77079-6622
ROSTAMI MALIHEH	14127 KIMBERLEY LN	HOUSTON	TX	77079-3240
ROTH BRIAN & MELISSA	14210 CINDYWOOD DR	HOUSTON	TX	77079-6613
RUBINSTEIN MICHAEL	13826 KIMBERLEY LN	HOUSTON	TX	77079-5802
RUBIO DARIO	14135 KIMBERLEY LN	HOUSTON	TX	77079-3240
RUBIO HECTOR D & ESTEFANIA	730 COUNTRY PLACE DR # C	HOUSTON	TX	77079-5584
RUCHTI AMANDA H & AARON	14218 CAROLCREST DR	HOUSTON	TX	77079-6606
RUDOLPH MARY C	13803 KIMBERLEY LN	HOUSTON	TX	77079-5801
RUE ANDREW CASEY & KATHRYN S	21506 HARBOR WATER DR	CYPRESS	TX	77433-4070
RUEHLEM JAMES	14781 MEMORIAL DR # 178 PMB 178	HOUSTON	TX	77079-5210
RUISINGER JOHN ALAN	1526 EMERALD GN	HOUSTON	TX	77094-3013
RUMMEL PATRICK & CHRISTIE	14111 KIMBERLEY LN	HOUSTON	TX	77079-3240
RUPLEY ROBERT F & MARICELA	800 COUNTRY PLACE DR APT 804	HOUSTON	TX	77079-5527
RUSH CHRISTOPHER J & TERA L	14126 WOODTHORPE LN	HOUSTON	TX	77079-3236
RUSSELL JORDAN G & LAURA M	618 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
RUSSELL SHAYLA A & STEVEN J	13719 TOSCA LN	HOUSTON	TX	77079-7019
RUSTOMJI ABAN	526 WOODBEND LN	HOUSTON	TX	77079-6851
RUSTOMJI ARISH	514 WOODBEND LN	HOUSTON	TX	77079-6851
RUTLEDGE BRADLEY & MEGAN LEE	13907 QUEENSBURY LN	HOUSTON	TX	77079-3322
RUTLEDGE DORIS H	14333 MEMORIAL DR APT 52	HOUSTON	TX	77079-6716
RYDER CYNTHIA L	620 WREN LN	HOUSTON	TX	77079-6814
SABAY LINDA P	712 COUNTRY PLACE DR APT A	HOUSTON	TX	77079-5500
SABER SAMIR	716 COUNTRY PLACE DR APT H	HOUSTON	TX	77079-5582
SAFAR ALIREZA	603 RANCHO BAUER DR	HOUSTON	TX	77079-6821
SAHAKIAN AREG & ELIANE	525 RANCHO BAUER DR	HOUSTON	TX	77079-6819
SAIKAM WARJANTO	728 COUNTRY PLACE DR APT 6	HOUSTON	TX	77079-8507
SAKOLOSKY DAVID J & JUDITH S	14226 CAROLCREST DR	HOUSTON	TX	77079-6606
SAMUEL E & PAMELA J PENNINGTON LIVING TRUST	514 REGENTVIEW DR	HOUSTON	TX	77079-6909
SANCHEZ ARTURO J & ZOILA M	14106 KIMBERLEY LN	HOUSTON	TX	77079-3234
SANTA ROSA CYPRESS HOLDINGS LLC	17218 SADDLE RIDGE PASS	CYPRESS	TX	77433-5961
SANTIAGO PATRICK & SARAH	14002 QUEENSBURY LN	HOUSTON	TX	77079-3227
SAUER PRESTON S & BETHANY	13734 TOSCA LN	HOUSTON	TX	77079-7019
SAVADJANI HOOTAN KHOSRAVI	13927 TAYLORCREST RD	HOUSTON	TX	77079-5816
SAXENA NISHANK	625 RANCHO BAUER DR	HOUSTON	TX	77079-6821
SCAFF KYLE J & JOAN F	13811 PINEROCK LN	HOUSTON	TX	77079-3316
SCALZITTI RICHARD J	511 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
SCHADT FREDERICK T SR & SHARON L	662 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
SCHAFRANEK THEA	14026 KIMBERLEY LN	HOUSTON	TX	77079-3233
SCHAPS MARK A & CASSANDRA E	14010 PERTHSHIRE RD	HOUSTON	TX	77079-5704
SCHEELE RONALD V	800 COUNTRY PLACE DR APT 407	HOUSTON	TX	77079-5548
SCHIAGER YNGVIL A	14215 CINDYWOOD DR	HOUSTON	TX	77079-6613
SCHNEIDER GREGORY M	503 W FOREST DR	HOUSTON	TX	77079-6913
SCHWAB THOMAS A & SINDY L	14107 KIMBERLEY LN	HOUSTON	TX	77079-3240

mail_to	mail_addr1	mail_city	mail_state	mail_zip
SCHWARTZ WILLIAM C	13923 BARRYKNOLL LN	HOUSTON	TX	77079-3310
SCHWARZ JILL	560 RANCHO BAUER DR	HOUSTON	TX	77079-6820
SCOTT KELLEN R & LINDSEY L	13922 QUEENSBURY LN	HOUSTON	TX	77079-3323
SCOTT MICHAEL TAYLOR & RACHEL ANN	14131 QUEENSBURY LN	HOUSTON	TX	77079-3228
SCOVELL HILARY	14034 KIMBERLEY LN	HOUSTON	TX	77079-3233
SCULLY TYLER C & MARIAM WANIES	14122 BARRYKNOLL LN	HOUSTON	TX	77079-3217
SECAIRA DIEGO & CHRISTINE N	14011 TAYLORCREST RD	HOUSTON	TX	77079-8702
SEDDIKI MOHAMMED AMEZIANE	14134 WOODTHORPE LN	HOUSTON	TX	77079-3236
SELF MIKA B	13827 KIMBERLEY LN	HOUSTON	TX	77079-5801
SELZMAN ANDREW A	742 W FOREST DR	HOUSTON	TX	77079-5809
SEMERIKOV KONSTANTIN	14107 CARDINAL LN	HOUSTON	TX	77079-6831
SERNA ADRIAN	14011 PERTHSHIRE RD	HOUSTON	TX	77079-8700
SERODY ANGELA	800 COUNTRY PLACE DR UNIT 805	HOUSTON	TX	77079-5527
SHACKOULS CHRISTOPHER T	14035 QUEENSBURY LN	HOUSTON	TX	77079-3226
SHAFER SUZANNE M	736 COUNTRY PLACE DR UNIT B	HOUSTON	TX	77079-5539
SHAMSALDEEN MOUSTAFA	10401 TOWN & COUNTRY WAY APT 314	HOUSTON	TX	77024-1181
SHANDS TELAYA S	618 REGENTVIEW DR	HOUSTON	TX	77079-6911
SHANKLETON MICHAEL SCOTT & HEDI	14326 BROADGREEN DR	HOUSTON	TX	77079-6605
SHAPPEE JOSEPH W CECILIA H	14224 KELLYWOOD LN	HOUSTON	TX	77079-7410
SHAY DANIEL F & TERESA A	1518 CHURCHILL PL	IOWA CITY	IA	52240-2943
SHEA ANDREW J	14011 PINEROCK LN	HOUSTON	TX	77079-3222
SHEARER DEIDRE	627 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
SHEPARD PERRY G & MICHELLE	303 DUNCASTER DR	HOUSTON	TX	77079-7015
SHERLOCK DONALD H & KRISTA C	14302 CHADBOURNE DR	HOUSTON	TX	77079-6612
SHETH SAMEER	530 W FOREST DR	HOUSTON	TX	77079-6914
SHIRKEY ROBERT T	718 COUNTRY PLACE DR UNIT D	HOUSTON	TX	77079-5536
SHLIMAK DINA	619 RANCHO BAUER DR	HOUSTON	TX	77079-6821
SHOFNER STEVEN J & LESLIE A	535 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
SICILIANO RICCI J & JULIE	13726 PERTHSHIRE RD	HOUSTON	TX	77079-5924
SIDES ROBERT BARRY	14333 MEMORIAL DR APT 97	HOUSTON	TX	77079-6720
SIMMONS ELSIE G	734 COUNTRY PLACE DR APT I	HOUSTON	TX	77079-5590
SIMMONS JOE T & JEAN E	13730 PEBBLEBROOK DR	HOUSTON	TX	77079-5922
SIMON STEVE	800 COUNTRY PLACE DR APT 405	HOUSTON	TX	77079-5548
SIMONICH STEPHEN D & JEAN F	322 DUNCASTER DR	HOUSTON	TX	77079-7015
SIMPSON CLINTON H & SHARON LM	547 STONELEIGH DR	HOUSTON	TX	77079-6924
SIMPSON RICHARD B & CAROL	13823 KIMBERLEY LN	HOUSTON	TX	77079-5801
SINGH SUNIL K & SUBHADRA N	557 RANCHO BAUER DR	HOUSTON	TX	77079-6819
SLACK MALLORY A	800 COUNTRY PLACE DR 604	HOUSTON	TX	77079-5551
SLEDGE JON M & NADIA	14106 BARRYKNOLL LN	HOUSTON	TX	77079-3217
SMART JOHN & VICTORIA	542 STONELEIGH DR	HOUSTON	TX	77079-6923
SMEJKAL DANA & FRANK	503 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
SMITH BRIAN & EMILY	14010 TAYLORCREST RD	HOUSTON	TX	77079-5744
SMITH DAVID KINGMAN & LOIS L	611 W FOREST DR	HOUSTON	TX	77079-6915

mail_to	mail_addr1	mail_city	mail_state	mail_zip
SMITH JEFFREY G	14014 WOODTHORPE LN	HOUSTON	TX	77079-3241
SMITH JERRY W & JULIE P	13926 WOODTHORPE LN	HOUSTON	TX	77079-5821
SMITH JOHN P & GEORGIA A	13930 PINEROCK LN	HOUSTON	TX	77079-3319
SMITH JUSTIN R & ALISON K	629 RANCHO BAUER DR	HOUSTON	TX	77079-6821
SMITH KEVIN DEAN &	13818 TAYLORCREST RD	HOUSTON	TX	77079-5815
SMITH MATTHEW	13722 TAYLORCREST RD	HOUSTON	TX	77079-5925
SMITH TRAVIS	14128 BLUEBIRD LN	HOUSTON	TX	77079-6836
SMITH WILLIAM R JR	14022 PINEROCK LN	HOUSTON	TX	77079-3223
SOBOTIK MARK STEPHEN	734 COUNTRY PLACE DR UNIT F	HOUSTON	TX	77079-5590
SOJAK MIRO	736 COUNTRY PLACE DR	HOUSTON	TX	77079-5539
SOLA ADAM A & AMANDA	13723 BUTTERFLY LN	HOUSTON	TX	77079-7031
SOTELLO JOSANN	1604 KEPLER BND	VIRGINIA BEACH	VA	23454-6906
SOUDJANI HOSSEIN	14031 PINEROCK LN	HOUSTON	TX	77079-3222
SPAFFORD ROBBIN M & JOHN M	13718 TOSCA LN	HOUSTON	TX	77079-7019
SPELLMAN PENNY	14333 MEMORIAL DR APT 87	HOUSTON	TX	77079-6727
SPENCER JOHN N & KATHLEEN	518 RANCHO BAUER DR	HOUSTON	TX	77079-6820
SPERRY DAVID C JR & AMY S	14311 APPLE TREE RD	HOUSTON	TX	77079-6622
SPRING BRANCH ISD	PO BOX 19037	HOUSTON	TX	77224-9037
SPROUL BONNIE A	14333 MEMORIAL DR APT 68	HOUSTON	TX	77079-6719
SPURLOCK AARON P & SANDRA M	13811 WOODTHORPE LN	HOUSTON	TX	77079-5818
SQUILLANTE ANTHONY R & COURTNEY J	13606 BUTTERFLY LN	HOUSTON	TX	77079-7002
SQUIRE JAMES R	610 REGENTVIEW DR	HOUSTON	TX	77079-6911
ST THOMAS PRESBYTERIAN CHURCH	14100 MEMORIAL DR	HOUSTON	TX	77079-6825
STALLWORTH LANCE & ANDREA	14302 CAROLCREST DR	HOUSTON	TX	77079-6608
STANLEY JASON	12426 HONEYWOOD TRL	HOUSTON	TX	77077-2424
STANTON TROY J & DENISE	14219 CHADBOURNE DR	HOUSTON	TX	77079-6610
STEIN DAVID M & KARA	514 WHITE WING LN	HOUSTON	TX	77079-6811
STEPHEN AND HONOR CANON FAMILY TRUST	14015 PINEROCK LN	HOUSTON	TX	77079-3222
STEPHEN JAMES TODD	13814 TAYLORCREST RD	HOUSTON	TX	77079-5815
STEPLER RYAN P	13715 TOSCA LN	HOUSTON	TX	77079-7019
STERN DAVID A & JUDITH C	13718 BUTTERFLY LN	HOUSTON	TX	77079-7003
STETTBACHER LAURA W	14318 APPLE TREE RD	HOUSTON	TX	77079-6602
STEVENS CHRISTIAN BART & COURTNEY A	14102 CARDINAL LN	HOUSTON	TX	77079-6816
STEVENS MARK	14010 QUEENSBURY LN	HOUSTON	TX	77079-3227
STEVENSON ROSS M & JENNIFER VIKTORIN	13906 TAYLORCREST RD	HOUSTON	TX	77079-5817
STEWART JOHN L	621 RANCHO BAUER DR	HOUSTON	TX	77079-6821
STOREY ARTHUR L JR & JO K	522 RANCHO BAUER DR	HOUSTON	TX	77079-6820
STROUBE HENRY R IV & TERRI B	13731 TOSCA LN	HOUSTON	TX	77079-7019
STUBBS WILLIAM H & LEIGH H	502 STONELEIGH DR	HOUSTON	TX	77079-6923
SUMMER HILL VILLAGE COMM ASSOC INC	11000 CORPORATE CENTRE DR STE 150	HOUSTON	TX	77041
SUN NANFEI	9323 BEVERLYHILL ST	HOUSTON	TX	77063-3905
SUTTON TOD & FELICIA	710 W FOREST DR	HOUSTON	TX	77079-5809
SVAM PROPERTIES LLC	11830 LONGLEAF LN	HOUSTON	TX	77024-7117

mail_to	mail_addr1	mail_city	mail_state	mail_zip
SWANK GREGORY	14333 MEMORIAL DR APT 51	HOUSTON	TX	77079-6716
SWANSON JEFFREY S & LISA K	634 W FOREST DR	HOUSTON	TX	77079-6916
SWEARER BRADLEY SCOTT	13719 PEBBLEBROOK DR	HOUSTON	TX	77079-5934
SWEENEY DAVID H & BILLIE A	14339 CHADBOURNE DR	HOUSTON	TX	77079-6611
SWENSON WILLIAM P & SANDRA S	510 W FOREST DR	HOUSTON	TX	77079-6914
SYBLIK DOROTHY	716 COUNTRY PLACE DR APT A	HOUSTON	TX	77079-5581
SYKES BILL R & MADALYN J	14023 PEBBLEBROOK DR	HOUSTON	TX	77079-8701
TABRIZI VAHID & FIROUZEH	569 RANCHO BAUER DR	HOUSTON	TX	77079-6819
TAHERI ENSIEH	15839 FOXGATE RD	HOUSTON	TX	77079-2407
TAIT KATHERINE L & WILLIAM H	507 PATCHESTER DR	HOUSTON	TX	77079-5906
TAMEZ STEVE & TANA	311 PATCHESTER DR	HOUSTON	TX	77079-7017
TANTILLO JASON JOSEPH & EMILY BLAKELY	14238 CINDYWOOD DR	HOUSTON	TX	77079-6613
TAYLOR ANDREW M & KAREN R	539 RANCHO BAUER DR	HOUSTON	TX	77079-6819
TAYLOR DAWN	742 COUNTRY PLACE DR UNIT E	HOUSTON	TX	77079-5564
TAYLOR GEORGE E	14018 PERTHSHIRE RD	HOUSTON	TX	77079-5704
TAYLOR JARED	13915 KIMBERLEY LN	HOUSTON	TX	77079-5803
TAYLOR JUDITH B	14135 CARDINAL LN	HOUSTON	TX	77079-6839
TAYLOR KIMBERLY A	607 RANCHO BAUER DR	HOUSTON	TX	77079-6821
TAYLOR MISTY & MATTHEW	13910 PERTHSHIRE RD	HOUSTON	TX	77079-5813
TEFFT WANDA L	620 WHITE WING LN	HOUSTON	TX	77079-6841
TEIXEIRA MAURICE & JENNIFER	14105 CARDINAL LN	HOUSTON	TX	77079-6831
TEJEDA BELKIS	14333 MEMORIAL DR UNIT 69	HOUSTON	TX	77079-6719
TERRAL SARA	13911 PINEROCK LN	HOUSTON	TX	77079-3318
TEZER EMINE F	715 CENTER HILL DR	HOUSTON	TX	77079-2416
THAMES WILLIAM A & MARION R	14311 CHADBOURNE DR	HOUSTON	TX	77079-6611
THE LAURIE KRIPP KASSIR TRUST	4879 EL CID DR	ROCKLIN	CA	95677-3358
THIELE CARL F & AMANDA G	327 PATCHESTER DR	HOUSTON	TX	77079-7017
THIELEMANN BRAD & ELIZABETH	13730 ALCHESTER LN	HOUSTON	TX	77079-7010
THOMAS J FRIEDLANDER TRUSTEE	5333 GULFTON ST	HOUSTON	TX	77081-2801
THOMAS JENNIFER P	642 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
THOMAS RICHARD J & MAUREEN	527 STONELEIGH DR	HOUSTON	TX	77079-6924
THOMPSON GARY A	511 STONELEIGH DR	HOUSTON	TX	77079-6924
THORSON CORY A & CAMARON C	13906 WOODTHORPE LN	HOUSTON	TX	77079-5821
THRAEN DOROTHY MARIE	744 COUNTRY PLACE DR A	HOUSTON	TX	77079-5596
TIERNEY SEAN & SINEAD	13911 QUEENSBURY LN	HOUSTON	TX	77079-3322
TOBIN RICHARD V & SUZANNE H	800 COUNTRY PLACE DR UNIT 806	HOUSTON	TX	77079-5527
TOMASHITIS SARA A & BEAU E	13922 KIMBERLEY LN	HOUSTON	TX	77079-5804
TOMBERLIN STEVEN L	534 RAMBLEWOOD RD	HOUSTON	TX	77079-6903
TOMLINSON DANIEL S & JEAN	506 PATCHESTER DR	HOUSTON	TX	77079-5907
TOMPKINS CLAY R & ALLISON	13918 WOODTHORPE LN	HOUSTON	TX	77079-5821
TONDU AUSTIN M & ASHLEY R	13722 CAMARA LN	HOUSTON	TX	77079-7004
TORRES ELIO	734 COUNTRY PLACE DR	HOUSTON	TX	77079-5591
TOWNSEND JOHN ROBERTS III	14302 CINDYWOOD DR	HOUSTON	TX	77079-6615

mail_to	mail_addr1	mail_city	mail_state	mail_zip
TRABER DANIEL & LISSA	13819 KIMBERLEY LN	HOUSTON	TX	77079-5801
TRAHAN JENNY ROSALYN & JEFFREY VINCENT	14235 CINDYWOOD DR	HOUSTON	TX	77079-6613
TRAHAN VINCENT & REBECCA	14223 CAROLCREST ST	HOUSTON	TX	77079-6621
TRAN HAI N	14019 QUEENSBURY LN	HOUSTON	TX	77079-3226
TRAN MARY	800 COUNTRY PLACE DR UNIT 1204	HOUSTON	TX	77079-5531
TRAN THANH-HUYEN T	14123 KIMBERLEY LN	HOUSTON	TX	77079-3240
TREVINO ANALISA	14135 WOODTHORPE LN	HOUSTON	TX	77079-3230
TRUMAN PATRICK M	734 COUNTRY PLACE DR APT B	HOUSTON	TX	77079-5538
TRUONG TUAN	730 COUNTRY PLACE DR UNIT B	HOUSTON	TX	77079-5584
TSAO CHI-NGONG JEREMY	716 COUNTRY PLACE DR APT C	HOUSTON	TX	77079-5581
TSENG SEAN	11277 RIVERVIEW WAY	HOUSTON	TX	77042-7305
TUBMAN KENNETH M	638 W FOREST DR	HOUSTON	TX	77079-6916
TUCKER THOMAS E & NANCY N	407 RAMBLEWOOD RD	HOUSTON	TX	77079-6925
TURILLI DONALD V & KAREN P	14010 PEBBLEBROOK DR	HOUSTON	TX	77079-5743
TURKINGTON SCOTT C & MICHELL M	14231 CINDYWOOD DR	HOUSTON	TX	77079-6613
TURNAGE MELISSA & RONALD	14315 BROADGREEN DR	HOUSTON	TX	77079-6604
TURPIN FAMILY REVOCABLE TRUST	506 REGENTVIEW DR	HOUSTON	TX	77079-6909
TURZILLO MARK & MELANIE	13802 PEBBLEBROOK DR	HOUSTON	TX	77079-5806
TUTTLE CLAIR J	14115 PINEROCK LN	HOUSTON	TX	77079-3224
TYLER ANNE LOUISE	14315 CHADBOURNE DR	HOUSTON	TX	77079-6611
TYMON JEAN B	14333 MEMORIAL DR UNIT 56	HOUSTON	TX	77079-6717
UCKAC BULENT & TEVHIDE	13927 PERTHSHIRE RD	HOUSTON	TX	77079-5812
ULRICH ROBERT D	522 WOODBEND LN	HOUSTON	TX	77079-6851
UTZ SHARON	13719 CAMARA LN	HOUSTON	TX	77079-7000
VAKIL ZUBIN D	14114 CINDYWOOD CIR	HOUSTON	TX	77079-6804
VALENTINE GERALD R & JULIE	13906 QUEENSBURY LN	HOUSTON	TX	77079-3323
VALENZUELA EDUARD	14107 BARRYKNOLL LN	HOUSTON	TX	77079-3216
VALINIA MOHAMMAD & TAHEREH	4749 W ALABAMA ST	HOUSTON	TX	77027-4726
VANBUREN EMILY L	800 COUNTRY PLACE DR APT 1208	HOUSTON	TX	77079-5531
VANWART JEFFREY K & LINDA G	527 RAMBLEWOOD RD	HOUSTON	TX	77079-6902
VATTEROTT CHARLES F IV & VERONICA	662 W FOREST DR	HOUSTON	TX	77079-6916
VAUGHN MICHAEL & LACY D	626 REGENTVIEW DR	HOUSTON	TX	77079-6911
VICKERS RODNEY & LAURA	14218 CINDYWOOD DR	HOUSTON	TX	77079-6613
VICKERY DONALD E JR	13822 KIMBERLEY LN	HOUSTON	TX	77079-5802
VICTOR JASON A & MEERA D	718 W FOREST DR	HOUSTON	TX	77079-5809
VILLA BENJANZEN L & MAELENA Y	20115 JASPER OAKS DR	CYPRESS	TX	77433-7633
VILLASMIL CONNIE C	815 CARLINGFORD LN	HOUSTON	TX	77079-3204
VIOLA BARBARA A	742 COUNTRY PLACE DR APT B	HOUSTON	TX	77079-5564
VOELTE KEVIN J & COURTNEY B	639 W FOREST DR	HOUSTON	TX	77079-6915
WADLEY NEAL DOUGLAS	13719 PERTHSHIRE RD	HOUSTON	TX	77079-5933
WAITKUS RICHARD E JR & DONNA	13722 APPLE TREE RD	HOUSTON	TX	77079-7013
WAKIL JAMIL	14026 QUEENSBURY LN	HOUSTON	TX	77079-3227
WALKER CRAIG H & LISA	14218 APPLE TREE RD	HOUSTON	TX	77079-6623

mail_to	mail_addr1	mail_city	mail_state	mail_zip
WALKER MICHAEL K & LINDA L	13727 TAYLORCREST RD	HOUSTON	TX	77079-5925
WALKER STEVEN M & ANN	13822 PINEROCK LN	HOUSTON	TX	77079-3317
WALLACE JEFFREY D & KARI L	746 W FOREST DR	HOUSTON	TX	77079-5809
WALLMAN KEVIN J	13931 WOODTHORPE LN	HOUSTON	TX	77079-5820
WALSH RYAN & RHONDA T	14319 CHADBOURNE DR	HOUSTON	TX	77079-6611
WALTER DINAH M	718 COUNTRY PLACE DR APT A	HOUSTON	TX	77079-5536
WAN POH ENG	14131 PINEROCK LN	HOUSTON	TX	77079-3224
WANG DONGLI	14126 KIMBERLEY LN	HOUSTON	TX	77079-3234
WANG JIAQI	800 COUNTRY PLACE DR UNIT 907	HOUSTON	TX	77079-5528
WANG JUAN	14131 APPLE TREE RD	HOUSTON	TX	77079-6801
WANG YAN	800 COUNTRY PLACE DR APT 1009	HOUSTON	TX	77079-5556
WANG YU	201 VANDERPOOL LN # 86	HOUSTON	TX	77024-6159
WARD HUNTER A	14014 PEBBLEBROOK DR	HOUSTON	TX	77079-5743
WARD LYNSEY	614 REGENTVIEW DR	HOUSTON	TX	77079-6911
WARD STEVEN & ANGELA	13806 KIMBERLEY LN	HOUSTON	TX	77079-5802
WATT JAMES S & BONNIE	13702 TOSCA LN	HOUSTON	TX	77079-7019
WEATHERLY JOHN R JR & DANA	13811 TAYLORCREST RD	HOUSTON	TX	77079-5814
WEBNE DEBORAH S	722 COUNTRY PLACE DR UNIT D	HOUSTON	TX	77079-5537
WEBSTER WILLIAM J & CYNTHIA J	13102 IVYSIDE DR	HOUSTON	TX	77077-5505
WEDEL RICHARD T JR & DEBRA	14003 TAYLORCREST RD	HOUSTON	TX	77079-8702
WEITZEL JOHN D & DEBORAH M	13710 ALCHESTER LN	HOUSTON	TX	77079-7010
WELLS PETER B IV & JENNIFER P	614 PATCHESTER DR	HOUSTON	TX	77079-5909
WELTON WILLIAM S & KAREN C	14318 BROADGREEN DR	HOUSTON	TX	77079-6605
WESTCOTT DARRELL & PATRICIA	14010 PINEROCK LN	HOUSTON	TX	77079-3223
WESTFIELD LINDSAY R & WILLIAM T	722 W FOREST DR	HOUSTON	TX	77079-5809
WHATLEY MATTHEW E & JUDITH	615 RAINWOOD DR	HOUSTON	TX	77079-6620
WHISLER KELLY T & ALLISON R	14030 WOODTHORPE LN	HOUSTON	TX	77079-3241
WHITAKER STEPHEN & KATHRYN A	13910 TAYLORCREST RD	HOUSTON	TX	77079-5817
WHITE BETSY ELLEN	13822 PERTHSHIRE RD	HOUSTON	TX	77079-5811
WHITE MICHELLE	819 CARLINGFORD LN	HOUSTON	TX	77079-3204
WHITTON KRISTOFOR C & KIMBERLY D	14102 WOODTHORPE LN	HOUSTON	TX	77079-3236
WIDLASKI DOUGLAS J & LYN	13819 PERTHSHIRE RD	HOUSTON	TX	77079-5810
WIENER MARK J	800 COUNTRY PLACE DR # 902	HOUSTON	TX	77079-5555
WIGGINS NELSON R & KATHRYN M	13734 CAMARA LN	HOUSTON	TX	77079-7004
WILKINS LARRY III	14107 WOODTHORPE LN	HOUSTON	TX	77079-3230
WILKINSON JAMES B	13730 TAYLORCREST RD	HOUSTON	TX	77079-5925
WILKINSON JAMES S & LYN	675 RAMBLEWOOD RD	HOUSTON	TX	77079-6904
WILLIAMS CHRISTOPHER D	518 W FOREST DR	HOUSTON	TX	77079-6914
WILLIAMS JAMES LAMAR	327 DUNCASTER DR	HOUSTON	TX	77079-7015
WILLIAMS JOHN M JR	1223 BLUEBONNET DR	SEABROOK	TX	77586-4723
WILLIAMS ROBERT E & MALLORY M	750 W FOREST DR	HOUSTON	TX	77079-5809
WILLIAMS ROSE	14307 BROADGREEN DR	HOUSTON	TX	77079-6604
WILLIAMS ZACHARY D & AMY J	14330 BROADGREEN DR	HOUSTON	TX	77079-6605

mail_to	mail_addr1	mail_city	mail_state	mail_zip
WILLIFORD ANDREW & MELISSA	800 COUNTRY PLACE DR APT 1305	HOUSTON	TX	77079-5559
WILSON THOMAS C	523 PATCHESTER DR	HOUSTON	TX	77079-5906
WILSON TOMMY	13818 WOODTHORPE LN	HOUSTON	TX	77079-5819
WINSHIP DAVID C & KAREN H	14333 MEMORIAL DR 100	HOUSTON	TX	77079-6720
WISEMAN LARRY & KAREN	19602 COUNTRY LAKE DR	MAGNOLIA	TX	77355-1817
WISEMAN LARRY D & MARICA L	730 COUNTRY PLACE DR APT A	HOUSTON	TX	77079-5584
WITT HERBERT G IV	14134 KIMBERLEY LN	HOUSTON	TX	77079-3234
WOLFE MICHAEL D & SHANNON	800 COUNTRY PLACE DR APT 1302	HOUSTON	TX	77079-5559
WOLFEAN FREDRICK W II & SARA MARIE	507 WOODBEND LN	HOUSTON	TX	77079-6852
WOLGAMOTT JANINE O	800 COUNTRY PLACE DR APT 903	HOUSTON	TX	77079-5555
WOLLBRINK JORDAN	407 YORKCHESTER DR	HOUSTON	TX	77079-7026
WOMMACK WILLIAM	14011 KIMBERLEY LN	HOUSTON	TX	77079-3232
WONG EVAN H	800 COUNTRY PLACE DR UNIT 606	HOUSTON	TX	77079-5552
WONG JOHN S	14333 MEMORIAL DR # 44	HOUSTON	TX	77079-6714
WONG-SHAM CHING YEN	14120 APPLE TREE RD	HOUSTON	TX	77079-6829
WOOD ROBERT T & JULIE S	610 WHITE WING LN	HOUSTON	TX	77079-6840
WOODHOUSE JOHN C II	654 W FOREST DR	HOUSTON	TX	77079-6916
WOODHOUSE MARILYN M	650 RAMBLEWOOD RD	HOUSTON	TX	77079-6905
WOODRUFF RANDALL K	13810 TAYLORCREST RD	HOUSTON	TX	77079-5815
WOOLEY TODD R	14030 BARRYKNOLL LN	HOUSTON	TX	77079-3215
WORK CHRIS B & SHANNON H	539 STONELEIGH DR	HOUSTON	TX	77079-6924
WU WENZHU	13426 BISHOP WAY DR	HOUSTON	TX	77083-5165
WUEBBELS MARTHA LEE A	13923 TAYLORCREST RD	HOUSTON	TX	77079-5816
XU ZHENGYI	14003 KIMBERLEY LN	HOUSTON	TX	77079-3232
YARBROUGH SEAN	14014 TAYLORCREST RD	HOUSTON	TX	77079-5744
YATES ANNETTE C	14230 CAROLCREST DR	HOUSTON	TX	77079-6606
YAU KA WAH	18430 KUYKENDAHL RD	SPRING	TX	77379-8123
YEOMANS VUI T	6108 PRIVATE ROAD 6470	LUBBOCK	TX	79416-3351
YODER ANDREW M & PARASKEVOULA A	603 REGENTVIEW DR	HOUSTON	TX	77079-6910
YODER JOHN N & MICHELLE L	14134 QUEENSBURY LN	HOUSTON	TX	77079-3229
YOO SANG W	732 COUNTRY PLACE UNIT E	HOUSTON	TX	77079-5587
YOST CLARENCE E & BARBARA	14210 APPLE TREE RD	HOUSTON	TX	77079-6623
YOUNG JAMES A	14203 APPLE TREE RD	HOUSTON	TX	77079-6601
YOUNG KEITH & SUSANNE	534 WOODBEND LN	HOUSTON	TX	77079-6851
YOUNG R TATE & NEVA	14019 PERTHSHIRE RD	HOUSTON	TX	77079-8700
YOUNG ROBERT W	626 W FOREST DR	HOUSTON	TX	77079-6916
YOUNG WILFRED C	800 COUNTRY PLACE DR APT 704	HOUSTON	TX	77079-5553
YOUNKER LAURA J	803 CARLINGFORD LN	HOUSTON	TX	77079-3204
YU JIHWA & MYUNG SOOK	20622 RAINSTONE CT	KATY	TX	77449-7029
YU RAYMOND M	13923 KIMBERLEY LN	HOUSTON	TX	77079-5803
YU WEN	13326 VINEYARD FALLS DR	HOUSTON	TX	77083-7908
ZAVALA ERIKA PATRICIA	728 COUNTRY PLACE DR UNIT 13F	HOUSTON	TX	77079-8507
ZHANG WENLING	7718 COURTNEY MANOR LN	KATY	TX	77494-6578

Appendix T- Real Property Owner Mailout List

Memorial Kirkwood Shoppping Center

VCP No. 3323

mail_to	mail_addr1	mail_city	mail_state	mail_zip
ZLR CAPITAL INVESTMENTS LLC	27231 HIGHWAY BLVD	KATY	TX	77494-1040
ZOST STEPHEN L	740 COUNTRY PLACE DR APT G	HOUSTON	TX	77079-5526
ZSCHAPPEL ROBERT B & MICHELLE	331 PATCHESTER DR	HOUSTON	TX	77079-7017
ZWART PETER A & EILEEN D	515 W FOREST DR	HOUSTON	TX	77079-6913

Appendix U

Form U-2012-01 **signed and sealed** by a licensed professional engineer or licensed professional geoscientist authorized to practice in the State of Texas with expertise in environmental remediation.

Signing and sealing Form U-2012-01 certifies:


a. The contaminants of concern from sources on the designated property or migrating from or through the designated property more likely than no [do exceed] OR [do not exceed] a non-ingestion protective concentration level on the property beyond the boundaries of the designated property.
b. All requirements of Section 47-762 of the Houston Code of Ordinances have been met, including demonstration that the groundwater contamination plume has been fully delineated and is stable or contracting in size.

To the best of my knowledge and belief, based upon a review of all public and private records and other information sources available to me in the exercise of due diligence, the opinions stated and conclusions made in this application are supported by such information, and the technical and scientific information submitted with the application is true, accurate, and complete. Based on such review, the contaminants of concern from sources on the designated property or migrating from or through the designated property more likely than not [do exceed] OR **[do not exceed]** a non-ingestion protective concentration level on property beyond the boundaries of the designated property. Further, I certify that all requirements of Section 47-762 of the Houston Code of Ordinances have been met, including demonstration that the groundwater contamination plume has been fully delineated and is stable or contracting in size.

Christine Peach, P.G.
(Name)

Director, Environmental Services - South Texas
(Title)

UES Professional Solutions 64, LLC
(Firm)



Professional Seal

Signature: Christine Peach

Date: 8/20/2025

Appendix V

If the licensed professional engineer or professional geoscientist determines that contaminants of concern from sources on the designated property are migrating from or through the designated property more than likely do not exceed a non-ingestion protective concentration level on property beyond the boundary of the designated property, then the applicant must:

a. Specify the name and address of the owner of each property.
b. Send a copy of the application to the owner of the property with the notice of the public meeting.
c. Provide documentation that the designated property has been included in a state or federal program that requires that the entire non-ingestion protective concentration level exceedence zone be addressed to the satisfaction of the agency administering the program, along with documentation of the estimated time period in which it is to be addressed. An example of such a program is the Texas Voluntary Cleanup Program (section 361.501 of the Texas Health and Safety Code, as may be amended from time to time).
d. Provide documentation upon completion of the state or federal program showing that the non-ingestion protective concentration level exceedences have been addressed to the satisfaction of the agency administering the program.

Not Applicable. The contaminants of concern from sources on the designated property do not exceed a non-ingestion protective concentration level beyond the boundary of the designated property.

Appendix W

Form W-2012-01 **certified/signed** by the applicant and any authorized representatives of the applicant(s) listed in the application.

Enclosed in this section is Form W-2012-01 certified and signed from the following party(ies):

Applicant: RPI Management Company, LLC agent for Thomas J Friedlander, Trustee and Robert E Lapin, Trustee

Form W-2012-01

Appendix W – Accuracy of Information

I certify under penalty of law that this application and all attachments were prepared under my direction or supervision in a manner designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the persons responsible for gathering and evaluating the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violation.

Thomas J. Friedlander
(Applicant's Name)

Manager
(Title)

RPI Management Company, LLC
(Company)

Signature: _____ Date: 8-4-25

State of Texas §

County of ~~Harris~~ Transfer §

SUEVAN DEPAZ
My Notary ID # 135099792
Expires September 23, 2028

(Seal)

This instrument was acknowledged before me on this day the 4TH day of August, 2025 by Thomas J. Friedlander
(Print)

_____
NOTARY PUBLIC, STATE OF TEXAS

Suevan DePaz
Printed/Typed Name of Notary

My commission expires: 09/23/2028

Appendix X

Form X-2012-01 **signed** by the property owner or authorized agent (if an authorized agent, you must provide the legal authorization instrument).

Included in this section is Form X-2012-01, signed by the property owner.

Owner: Memorial Kirkwood Station LLC a Delaware Limited Liability Company

By: Phillips Edison Grocery Center Operating Partnership I L.P. a Delaware limited partnership, its sole member

By: Phillips Edison Grocery Center OP GP I LLC, A Delaware limited liability company, its General Partner

Form X-2012-01

Appendix X – Signed Restrictive Covenant

I certify under penalty of law that I, the undersigned, as the real property owner or authorized agent of the designated property listed herein, have the legal authority and do agree to prohibit the use of designated groundwater in support of the Municipal Setting Designation by the Texas Commission on Environmental Quality.

Joe Schlosser
(Owner or Authorized Agent's Name)

EVP
(Title)

Phillips Edison & Company
(Company)

Signature: _____ Date: 8/8/25

If authorized agent, provide proof of legal authorization instrument in the application under appendix x.

State of ~~Texas~~ OHIO §

County of ~~Harris~~ Hamilton §

JULIE A. COTTLE
Notary Public, State of Ohio
My Commission Expires
January 22, 2027
Recorded in Warren County

(Seal)

This instrument was acknowledged before me on this day the 8 day of August, 2025 by

Joe Schlosser
(Print)

Julie A. Cottle
NOTARY PUBLIC, STATE OF ~~TEXAS~~ OHIO

Julie A. Cottle
Printed/Typed Name of Notary

My commission expires: 1-22-27

Appendix Y

A pdf file of the application, Excel spreadsheet of water well owners and property owners for mailing notices, and the pdf file of the well log report.

In lieu of an USB a pdf was sent via email on August 22, 2025 to Ms. Cassandra Walker with the following documents included in this appendix:

- pdf file of the complete application;
- Excel spreadsheet of water well owners for mailing;
- Excel spreadsheet of real property owners for mailing; and
- Pdf file of the well log report.