

City of Houston  
U.D. 5 (Kingwood) - TX1010348

Client Sample ID	Site	Test	Parameter	Result	Units	Reporting Limit	Units	Date Collected
EP007MC	District 58 (61996)	UCMR5_Lithium	Lithium (Li)	ND	ug/L	9	ug/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	11 Cl-PF3OUdS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	4:2 FTS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	6:2 FTS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	8:2 FTS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	9Cl-PF3ONS	< 0.002	µg/L	0.002	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	ADONA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	HFPO-DA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	NFDHA	< 0.02	µg/L	0.02	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFBA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFBS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFDA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFDoA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFEESA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFHpA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFHpS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFHxA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFHxS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFMBA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFMPA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFNA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFOA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFOS	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFPeA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFPeS	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 533	PFUnA	< 0.002	µg/L	0.002	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 537.1	NEtFOSAA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 537.1	NMeFOSAA	< 0.006	µg/L	0.006	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 537.1	PFTA	< 0.008	µg/L	0.008	µg/L	07/05/2023
EP007MC	District 58 (61996)	UCMR5_PFAS 537.1	PFTTrDA	< 0.007	µg/L	0.007	µg/L	07/05/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_Lithium	Lithium (Li)	ND	ug/L	9	ug/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	11 Cl-PF3OUdS	< 0.005	µg/L	0.005	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	4:2 FTS	< 0.003	µg/L	0.003	µg/L	07/06/2023

City of Houston  
U.D. 5 (Kingwood) - TX1010348

Client Sample ID	Site	Test	Parameter	Result	Units	Reporting Limit	Units	Date Collected
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	6:2 FTS	< 0.005	µg/L	0.005	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	8:2 FTS	< 0.005	µg/L	0.005	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	9Cl-PF3ONS	< 0.002	µg/L	0.002	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	ADONA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	HFPO-DA	< 0.005	µg/L	0.005	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	NFDHA	< 0.02	µg/L	0.02	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFBA	< 0.005	µg/L	0.005	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFBS	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFDA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFDoA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFEESA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFHpA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFHpS	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFHxA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFHxS	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFMBA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFMPA	< 0.004	µg/L	0.004	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFNA	< 0.004	µg/L	0.004	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFOA	< 0.004	µg/L	0.004	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFOS	< 0.004	µg/L	0.004	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFPeA	< 0.003	µg/L	0.003	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFPeS	< 0.004	µg/L	0.004	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 533	PFUnA	< 0.002	µg/L	0.002	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 537.1	NETFOSAA	< 0.005	µg/L	0.005	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 537.1	NMeFOSAA	< 0.006	µg/L	0.006	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 537.1	PFTA	< 0.008	µg/L	0.008	µg/L	07/06/2023
EP004MC	Forest Cove 2 (08527)	UCMR5_PFAS 537.1	PFTrDA	< 0.007	µg/L	0.007	µg/L	07/06/2023
EP001MC	Kingwood 1 (51953)	UCMR5_Lithium	Lithium (Li)	ND	ug/L	9	ug/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	11 Cl-PF3OUdS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	4:2 FTS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	6:2 FTS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	8:2 FTS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	9Cl-PF3ONS	< 0.002	µg/L	0.002	µg/L	07/05/2023

City of Houston  
U.D. 5 (Kingwood) - TX1010348

Client Sample ID	Site	Test	Parameter	Result	Units	Reporting Limit	Units	Date Collected
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	ADONA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	HFPO-DA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	NFDHA	< 0.02	µg/L	0.02	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFBA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFBS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFDA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFDoA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFEESA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFHpA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFHpS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFHxA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFHxS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFMBA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFMPA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFNA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFOA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFOS	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFPeA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFPeS	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 533	PFUnA	< 0.002	µg/L	0.002	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 537.1	NEtFOSAA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 537.1	NMeFOSAA	< 0.006	µg/L	0.006	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 537.1	PFTA	< 0.008	µg/L	0.008	µg/L	07/05/2023
EP001MC	Kingwood 1 (51953)	UCMR5_PFAS 537.1	PFTTrDA	< 0.007	µg/L	0.007	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_Lithium	Lithium (Li)	ND	ug/L	9	ug/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	11 Cl-PF3OUdS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	4:2 FTS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	6:2 FTS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	8:2 FTS	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	9Cl-PF3ONS	< 0.002	µg/L	0.002	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	ADONA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	HFPO-DA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	NFDHA	< 0.02	µg/L	0.02	µg/L	07/05/2023

City of Houston  
U.D. 5 (Kingwood) - TX1010348

Client Sample ID	Site	Test	Parameter	Result	Units	Reporting Limit	Units	Date Collected
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFBA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFBS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFDA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFDoA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFEESA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFHpA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFHpS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFHxA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFHxS	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFMBA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFMPA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFNA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFOA	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFOS	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFPeA	< 0.003	µg/L	0.003	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFPeS	< 0.004	µg/L	0.004	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 533	PFUnA	< 0.002	µg/L	0.002	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 537.1	NEtFOSAA	< 0.005	µg/L	0.005	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 537.1	NMeFOSAA	< 0.006	µg/L	0.006	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 537.1	PFTA	< 0.008	µg/L	0.008	µg/L	07/05/2023
EP002MC	Kingwood 2 (51951)	UCMR5_PFAS 537.1	PFTTrDA	< 0.007	µg/L	0.007	µg/L	07/05/2023